RedDOT
CORPORATION
®

HEAVY DUTY 2019 2020

HEATING & AIR CONDITIONING
UNITS & ALL MAKES PARTS



RedDotCorp.com

INTRODUCTION

RED DOT has been designing and building heating and air conditioning products heavy-duty vehicles and equipment since 1965. Our catalog represents the industry's most comprehensive selection of mobile HVAC units and replacement parts.

The catalog is organized into two sections: **Units & Kits** and **Replacement Parts**. The schematic on page four identifies the various components in a typical air conditioning system. You can use this schematic as an aid in ordering units and parts.

While this catalog is published once a year, Red Dot Distributors have access to a continually updated electronic listing of part numbers and applications. To locate a Red Dot Distributor near you, please visit **www.RedDotCorp.com/find-a-dealer**.

RED DOT CORPORATION


Mailing Address: 495 Andover Park East, Seattle, WA 98188
World Wide Web: **www.RedDotCorp.com**

Product Specifications/Availability

Photographs and illustrations in this catalog may vary slightly from production models and may include optional equipment and accessories.

Specifications and availability of products shown in this catalog are subject to change without notice by **RED DOT CORPORATION**.

TYPICAL PLUMBING SCHEMATIC



Air Conditioner components are connected together to illustrate system operation. The components shown are not to scale. The refrigerant and refrigerant oil are clear in color and not visible in this drawing; however, we've attempted to suggest temperature variants through the use of values of gray in the pipeline. The small arrows inside the components and connecting hoses show the direction of refrigerant flow (refrigerant circuit).

Units & Kits

Rooftop
Headliners
Backwall
Ductables
Underdash
Heaters
Condensers
Direct Drive Compressors

Parts

Applications
Blower Motors, Wheels & Fans
Compressors, Clutches, Mount Kits & Service Parts
Condensers
Controls (Air & Water)
Controls (Electrical & Refrigerant)
Fittings And Accessories
Heater Cores & Evaporator Coils
Hoses & Filters
Receiver Driers & Accessories
Service Equipment
Reference Information

TABLE OF CONTENTS

Applications
- Bus Parts ... 92
- Off-Road O.E.M. Applications ... 204
- On-Road O.E.M. Applications ... 104

Blower Motors & Fans ... 302
- All Purpose Fans ... 324
- Blower Assy ... 320
- Double Entry Blower Wheels ... 328
- Double Shaft ... 313
- Fan Blades ... 325
- Pancake Fan Assy ... 316
- Single Entry Blower Wheels ... 326
- Single Shaft ... 303

Clutches ... 330
- CCI / Blissfield ... 337
- Nippondenso /Samlin ... 330
- Que ... 331
- Sanden ... 334

Compressors ... 343
- CCI / York / Tecumseh ... 422
- GMA6 ... 343
- Nippondenso / Samlin ... 344
- Que ... 347
- Sanden ... 373
- Sanden FLX7 ... 374

Compressor Components ... 424
- Accessories ... 424
- Adapter Brackets ... 428
- Mount Kits ... 430
- Service Fittings ... 426
- Service Ports and Adaptors ... 426
- Shaft Seal Kits ... 429

Condensers ... 436
- Condenser Coils ... 437
- Mounting Brackets ... 467
- Power Condensers ... 464

Control Panels ... 468

Evaporator Coils ... 472

Expansion Valves ... 481
- Block Type ... 482
- External Equalizer ... 481
- Orifice Tubes ... 487

Filters ... 489
- Booster Pressurizer ... 501
- Canisters Filters ... 495
- Enginaire ... 498
- Filter Kits and Parts ... 500
- Frame Filters ... 490
- Unframed Filters ... 497

Fittings ... 502
- Aeroquip – EZ Clip ... 504
- Bubble Crimp Style ... 516
- Crimp Tools ... 527

Heater Cores ... 530

Hose ... 540
- Air Line ... 542
- Defrost Hose ... 542
- Heater Fittings ... 541
- Heater Hose ... 541
- Misc Parts ... 541
- OEM Replacement Assemblies ... 543
- Refrigerant Hose ... 541

Louvers and Diffusers ... 545

Oils and Lubricants ... 614

Orifice Tubes ... 487

O-Rings ... 548

Receiver Driers/Accumulators ... 554
- Accumulators ... 567
- Brackets ... 558
- Moisture Indicators ... 566

Reference Information **626**

Service Equipment and Tools **603**

Switches **570**
- Actuators 570
- Air Switches 571
- APAds switches 592
- Circuit Breakers 573
- Control Knobs 574
- Dual Function Switch 589
- Micro 575
- Pressure Switch 584
- Push Button 575
- Relays 573
- Resistors 577
- Rocker Switches 579
- Rotary Switches 581
- Thermostats 600
- Toggle Switches 582
- Trinary / Binary Switch 590
- Twin Temp Relays 573


Tee Blocks **552**

Thermostats **600**

Water Valves **619**
- Control Cables 619
- Electronic Water Valve 623
- Engineered Polymer 620
- Metal 619
- Red Dot Air Operated 622
- Red Dot w/Flow Restrictor 621

Cross Reference **632**

Index **757**


AIR
CONDITIONER
UNIT
COMPRESSOR/
SERVICE VALVES
CLUTCH
MOUNT
AND
DRIVE
KITS
INSTALLATION KIT
[HOSE,RECEIVER-DRIER,CLAMPS]
CONDENSER

UNITS Each unit has been designed for on-road or off-road use. Most are universal in application but vary as to how they are mounted (rooftop, horizontal or vertical surfaces).

CONDENSERS The condenser cools hot refrigerant gas to a liquid. The cooler the refrigerant is when it gets to the air conditioning unit, the more effective the system. This lowers system pressure and can extend compressor and clutch life.

Three types of condensers are available from Red Dot: radiator, roof and remote mount. The radiator-mounted style (can be hood-mounted as a grilldenser) will be the least costly as it does not need a separate motor-fan assembly and refrigerant hoses are shorter in length.

INSTALLATION KITS These kits have been designed to simplify the ordering of all the small parts necessary to complete an installation. A typical kit includes refrigerant hose, refrigerant fittings, receiver-drier (high capacity) with mounting bracket, clamps, tie wraps, nuts and bolts as required. A trinary or binary switch may also be included with certain kits.

COMPRESSOR, CLUTCHES, SERVICE VALVES Red Dot offers a variety of compressor choices. The traditional two-cylinder compressor is available with a cast aluminum body (CCI/York 210). When using these compressors the clutch and service valves must be ordered separately.

Rotary compressors manufactured by Sanden or Que are available in 8 and 10 cubic inch capacity. The clutch is included but service valves must be ordered separately. The shape of rotary compressors typically allows installation in a more confined space. Rotary compressors also tend to be smoother-running (less vibration).

Rooftop

E-6100 Rooftop Electric Air Conditioner 9
R-6101 Rooftop Air Conditioner 28
R-9727 Heavy Duty Rooftop Air Conditioner 46
R-9757 Heavy Duty Rooftop Heater-Air Conditioner 52
R-9777 Heavy Duty Rooftop Heater-Air Conditioner 54
R-9800 Rooftop or Side Mount Heater-Air Conditioner . 56

Headliners

R-2000 Ceiling Air Conditioner 12
R-9715 High Capacity Ceiling Mount Air Conditioner ... 44
R-9750 Headliner Air Conditioner 48
R-9755 Headliner Air Conditioner 50

Backwall

R-5040 Air Conditioner with Heat Option 22
R-5045 Backwall Heater-Air Conditioner 24
R-5075 Heavy Duty Backwall Heater-Air Conditioner 26
R-6840 Backwall Fleet Type Air Conditioner 30
R-7830 Backwall Fleet Type Air Conditioner 32
R-8500 Heater-Air Conditioner 35
R-8545 Heavy Duty Heater-Air Conditioner 36

Ductables

R-1630 Heater-Defroster 10
R-2300 Heater-Air Conditioner 14
R-2550 Heater-Air Conditioner 18
R-4122 Sleeper-Auxiliary Heater-Air Conditioner ... 20
R-5040 Air Conditioner with Heat Option 22
R-9520 Heater-Air Conditioner 40
R-9530 Heater-Air Conditioner 42
R-6130 Box Heater 70

Heaters

R-1630 Heater-Defroster 10
R-254, 255 Auxiliary Heater 64
R-270 Auxiliary Heater 65
R-273 Auxiliary Heater 65
R-290 Auxiliary Heater 66
R-295 Auxiliary Heater 66
R-297 Auxiliary Heater 67
R-2020 Universal Mount Heater-Defroster 67
R-3500 Heavy Duty Large Capacity Heater-Defroster ... 69
R-3540 Auxiliary Heater 69
R-4013H Auxiliary Heater-Defroster 70
R-6130 Box Heater 70

Underdash

R-8235 Drop-In Evaporator Kit for Navistar "S", 4000, 7000 & 8000 Series Trucks 34
R-8820 In-Dash Heater-Air Conditioner for Mack "R" Series 38

Condensers

R-4500 Heavy Duty Large Capacity Remote Mounted Condenser 72
R-6160 Rooftop Condenser 74
R-6260 Heavy Duty Dual Fan Rooftop Condenser .. 76
R-9720 Heavy Duty Skirt or Remote Mount Condenser . 78
R-9725 Heavy Duty Condenser 80
R-9730 Heavy Duty Remote Mount Condenser 80
Power Condensers 93

Direct Drive Compressors

R-9976 Hydraulic Direct Drive Compressor 88

Filter and Pressurizers

..... 90

Replacement Parts

Heater/Air Conditioners 58
Heaters Only 71
Condensers 83

By Part Number

E-6100	9
R-254	64
R-255	64
R-270	65
R-273	65
R-290	66
R-295	66
R-297	67
R-1630	10
R-2000	12
R-2020	67
R-2300	14
R-2550	18
R-3500	69
R-3540	69
R-4013H	70
R-4122	20
R-4500	72
R-5040	22
R-5045	24
R-5075	26
R-6101	28
R-6130	10
R-6160	74
R-6260	76
R-6840	30
R-7830	32
R-8235	34
R-8500	35
R-8545	36
R-8820	38
R-9520	40
R-9530	42
R-9715	44
R-9720	78
R-9725	80
R-9727	46
R-9730	80
R-9750	48
R-9755	50
R-9757	52
R-9777	54
R-9800	56
R-9976	88

ON-ROAD

Ship LTL Only

E-6100 Rooftop

Electric Air Conditioner Unit

Red Dot has created an electric rooftop unit for use on heavy, medium and light duty trucks, construction and agricultural cabs. the E-6100 electric rooftop air conditioner is a self-contained unit incorporating a condenser, compressor and evaporator core.





Low profile ceiling plenum blends with any interior.

E-6100 SPECIFICATIONS

BTUs	12v–11,900 | 24v - 15,000
AIR FLOW	299 CFM
WEIGHT	100lbs
DRAW	60-100 amps

E-6100 SYSTEM ORDERING GUIDE

	R-134a	NOTES
UNITS	E-6100-0-12P E-6100-0-24P	12 VDC 24 VDC
CONDENSER	Contained in E-6100 unit	
COMPRESSOR	Contained in E-6100 Replacement Compressor 12v - RD-5-16343-0P 24v - RD-5-16576-0P	

R-1630

Heater/Air Conditioner/Defroster Unit

OFF-ROAD •CONSTRUCTION • INDUSTRIAL




Shown with optional louvers

The R-1630 combines powerful heating and cooling with the compact profile you need for tight spaces. It easily mounts under the seat or the package tray, and the louver and duct options let you direct air where you need it..

R-1630 SPECIFICATIONS

BTUs	Heating - 27,000 BTU/hr @ 100˚ F (5.7kW @ 37.8˚ C) air temperature rise Cooling - 17,000 BTU/hr @ with 36˚ F (9.7 kW with 2.2˚ C) refrigerant temperature and 80˚ (26.7˚ C) wet bulb entering air
AIR FLOW	265 CFM
WEIGHT	25 lbs. (11.3 kg)
CURRENT DRAW	17.8 amps @ 13.6 VDC 8.9 amps @ 27.2 VDC
MODELS	R-1630-1P (12 VDC) R-1630-1-24P (24 VDC)



R-1630 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNITS	R-1630-1P R-1630-1-24P	12 VDC – Fixed Thermostat 24 VDC – Fixed Thermostat	
CONDENSER	R-6160 77R0650	ROOF MOUNT RADIATOR MOUNT	See Condenser Section See Condenser Section
INSTALLATION KIT	78R1070 78R1077 78R1027 78R1025	Rooftop condenser Rooftop condenser Front mount condenser Front mount condenser	ATCO version EZ Clip version EZ Clip version ATCO version
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

OPTIONS:

Louvers

Unit shown with optional louvers.



RD-3-10597-0P


Louvers & Ducts



RD-3-10478-0P
2 ½" Outlets

Heater-Air Conditioner Model R-1630-1

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-5-8838-0P	Motor Blower Assembly- Double, 24v	73R5534
2		RD-5-8837-0P	Motor Blower Assembly- Double, 12v	73R5532
3		RD-5-4531-24P	Thermostat	71R3200
4		RD--5-6868-0P	Valve- Expansion	71R8300
5		RD-2-3832-0P	Evaporator Core Assembly	76R6325
6		RD-1-2069-0P	Heater Core Assembly	76R2740
7		RD-3-10591-0P	Recirc Filter	78R5355
8	A	RD-3-10729-0P	Wire Harness Assembly	

NOTES: **A**= Not shown

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com


ON-ROAD

R-2000 Headliner

Air Conditioner Unit


TRUCKS • REFUSE • VANS • RV

With a low profile and small footprint, the R-2000 can be mounted in virtually any cab and oriented in whatever direction suits your space. The R-2000 is also an effective auxiliary cooling unit in vans, motor homes, and small delivery vehicles.



R-2000 SPECIFICATIONS

BTUS	Cooling – 17,000 BTU/Hr @ 36°F (5 kW @ 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	235 CFM (400 m³/h)
WEIGHT	24 lbs. (11 kg)
CURRENT DRAW	18.5 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 9.3 amps @ 27.2 VDC (includes 2 amps for A/C clutch)
CONTROLS	Three-speed fan, adjustable thermostat




R-2000 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNITS	R-2000-11P R-2000-11-24P	12 VDC 24 VDC	
CONDENSER	R-6160 77R0650	Roof Mount Universal	See Condenser Section
INSTALLATION KIT	78R1070 78R1077 78R1027 78R1025	Rooftop condenser Rooftop condenser Front mount condenser Front mount condenser	ATCO version EZ Clip version EZ Clip version ATCO version
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

Headliner Air Conditioner Model R-2000-11

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-2-2994-0P	Base Plate Assembly	
2		RD-2-2997-1P	Control Panel Assembly	
3		RD-5-14191-0P	Motor Blower Mount Assembly 12V	
4		RD-5-10236-0P	Louver Assembly	72R3135
5		RD-2-0986-1P	Retainer - BTM HDR	
6		RD-2-3003-1P	Retainer - TOP HDR	
7		RD-2-0993-1P	Evaporator Assembly	76R5200
8		RD-4125-36	Thermostat	71R2250
9		RD-5-3646-0P	Switch - 3 Speed Fan	
10		RD-2-5853-0P	Cover Assembly	

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
11		RD-5-6868-1P	Expansion Valve	71R8301
12		RD-5-3647-0P	Resistor	71R1450
13	A	RD-2-3135-0P	Wire Harness Assembly	
14	A	RD-2-1017-0P	Foam - Evaporator	
15		RD-5-8535-0P	Dome Light Assembly	71R1626
16		RD-5-8812-0P	Knob (2)	71R4015
17		RD-2-0851-1P	Label	
18	B	RD-2-2997-2P	Control Panel Assembly	
19	B	RD-5-8526-1P	Motor Blower Assembly24V	73R5514
20	B	RD-5-5037-0P	Light Bulb - 24 volt	

NOTES: **A**= Not shown **B**=for 24v system only

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

OFF-ROAD

R-2300

Ductable Heater/Air Conditioner/Defroster Unit




UNIVERSAL APPLICATIONS

Perfect for lighter-duty vehicles, the versatile R-2300 mounts on the floor, ceiling, or AC under the dash and is available with optional louvers and air outlets for ducting. Include's switch and knob for the AC only & Heater AC Unit

R-2300 SPECIFICATIONS

BTUs	Heating – 32,070 BTU/Hr @ 100°F (9 kW @ 37.8°C) air temperature rise Cooling – 17,736 BTU/Hr @ 36°F (5.2 kW @ 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
WEIGHT	15 lbs. (6.8 kg)
AIR FLOW	275 CFM (467 m³/h)
CURRENT DRAW	12.2 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 6.1 amps @ 27.2 VDC (includes 2 amps for A/C clutch)



R-2300 SYSTEM ORDERING GUIDE

	R-134a	NOTES
UNITS	R-2300-0P	A/C Only (12 VDC)
	R-2300-0-24P	A/C Only (24 VDC)
	R-2300-1P	Heater Only (12 VDC)
	R-2300-1-24P	Heater Only (24 VDC)
	R-2300-2P	Heater A/C (12 VDC)
	R-2300-2-24P	Heater A/C (24 VDC)
CONDENSER		12 & 24 VDC, See Condenser Section
INSTALLATION KIT	78R1027	Refrigerant hose, fittings, drier, pressure switch, hardware / EZ Clip version
	78R1025	Refrigerant hose, fittings, drier, pressure switch, hardware / ATCO version
COMPRESSOR	Requires compressor and mounting kit	See Compressor Section

OPTIONS:

2 ½" Outlet Adapter
RD-1-1651-0P



4 Louver Outlet Adapter
RD-2-3279-0P



2 ½" Defrost Hose (9')
78R0250




Control Panels *(See also 71 Series, Control Panels)*

For R-2300-0P & R-2300-0-24P	71R5815	Three-speed motor switch with A/C switch
For R-2300-1P & R-2300-1-24P	71R5821	Heater control - Three-speed motor switch with manual water valve control
	71R5823	Heater control - Three-speed motor switch with electronic water valve control
For R-2300-2P & R-2300-2-24P	71R5600	Three-speed motor switch - includes manual water valve control
	71R5605	Three-speed motor switch - includes electronic water valve control
	71R5122	Three-speed motor switch - includes A/C switch and electronic water valve

Model R-2300-0,-1,-2 Heater

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-3-14539-0P	Bracket- Mount	
2		RD-3-14540-0P	Bracket- Mount	
3		RD-1-3436-0P	Core- Hearter Assembly	
4		RD-3-14266-0P	Housing- Lower	
5		RD-3-14265-0P	Housing- Upper	


ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
6	A	RD-5-8837-0P	Motor- Double Blower, 12v	73R5532
7	B	RD-5-8838-0P	Motor- Double Blower, 24v	73R5534
	C	RD-1-1651-0P	2.5" Outlet Adapter	
	C	RD-2-3279-0P	Plenum Assembly	72R4535

NOTES: **A**= 12 volt system **A**= 24 volt system **C**= Optional

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

Model R-2300-0,-1,-2 Air Conditioner

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-3-14539-0P	Bracket- Mount	
2		RD-3-14540-0P	Bracket- Mount	
3		RD-2-5661-0P	Evaporator Assembly	76R5323
4		RD-3-14266-0P	Housing- Lower	
5		RD-3-14265-0P	Housing- Upper	
6	A	RD-5-8837-0P	Motor- Double Blower, 12v	73R5532

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
7	B	RD-5-8838-0P	Motor- Double Blower, 24v	73R5534
8		RD-5-6429-0P	Thermostat	71R3150
9		RD-5-6868-1P	Valve- Expansion, R-134A	71R8301
11	C	RD-1-1651-0P	2.5" Outlet Adapter	72R4534
		RD-2-5663-0P	Harness- Wire Assembly	
	C	RD-2-3279-0P	Plenum Assembly	72R4535

NOTES: **A**= 12 volt system **B**= 24 volt system **C**= Optional

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

R-2550

Heater/Air Conditioner Unit



RESCUE VEHICLES

The R-2550 is specifically designed for ambulances and other lighter-duty vehicles with large interior spaces to heat and cool quickly.

R-2550 SPECIFICATIONS	
BTUs	Heating – 45,900 BTU/Hr @ 100°F (13.4 kW @ 37.8°C) air temperature rise Cooling – 35,600 BTU/Hr @ 36°F (10.4 kW @ 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	390 CFM (662 m³/h)
WEIGHT	39 lbs. (17.7 kg)
CURRENT DRAW	22 amps @ 13.6 VDC (Heater/AC)
UNITS	R-2550-0P Heater/Air Conditioner (12 VDC)

OPTIONS:

Control Panels *(See also 71 Series, Control Panels)*


71R5600 *Three-speed motor switch - includes manual water valve control*

71R5605 *Three-speed motor switch - includes electronic water valve control*

71R5122 *Three-speed motor switch - includes A/C switch and electronic water valve*


71R5812 *Automatic Temperature Control - 12 volt*

71R5212 *Heater-A/C Control - Three-speed motor switch with Red Dot Twin Temp™ Control*



Heater-Air Contitioner Model R-2550-0


SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-3-9175-0P	Cover	
4		RD-2-3812-0P	Evaporator Assembly	
5		RD-5-6868-1P	Expansion Valve	70R8321
6		RD-1-1748-0P	Heater Core Assembly	76R4020
9		RD-5-9204-0P	Motor Blower Assembly	73R5622

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

FOR REFERENCE ONLY. SUBJECT TO CHANGE WITHOUT NOTICE



R-4122


Sleeper Heater/Air Conditioner Unit

COMMERCIAL TRUCKS • INDUSTRIAL CABS • VANS

A high-performance heater-A/C unit for big interior spaces, the R-4122 helps keep the sleeper comfortable in any climate. Available with optional sleeper controls and a four-way air diffuser.

R-4122 SPECIFICATIONS	
BTUs	Heating – 30,573 BTU/Hr @ 100°F (8.9 kW @ 37.8°C) air temperature rise Cooling – 19,246 BTU/Hr with 36°F (5.6 kW with 2.2°C) refrigerant temperature and 80°F wet bulb entering air
AIR FLOW	283 CFM (481 m³/h)
WEIGHT	28 lbs. (12.7kg)
MOTORS	Permanent magnet, three-speed
CURRENT DRAW	18 amps @ 13.6 VDC
UNITS	Heater/A/C R-4122-9P 12 VDC

OPTIONS:



Four-Way Air Diffuser Assembly
(outlets are 2 5⁄16" dia)
RD-3-7646-0P


Plumbing Kit
RD-3-12465-0P

Single Shaft, Single Speed Blower Motor
73R0404

Sleeper Control

R-4122-9P – 71R5212
(thermostat with fan and mode switch)

Solenoid Valve, 24v
71R9004



Control Panels *(See also 71 Series, Control Panels)*

71R5600 Three-speed motor switch - includes manual water valve control

71R5605 Three-speed motor switch - includes electronic water valve control


71R5122 Three-speed motor switch - includes A/C switch electronic water valve

71R5812 Automatic Temperature Control - 12 volt

71R5212 Heater-A/C Control - three-speed motor switch, Red Dot Twin Temp™ Control

Sleeper Heater-A/C Heater Only Model R-4122-9

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-5-3647-0P	Resistor	71R1450
2		RD-5-9400-5P	Blower Housing Assembly	
3		RD-5-8203-0P	Motor - 12v	73R0962
4		RD-5-5551-0P	Blower Wheel	73R6391
5		RD-3-4066-0P	Motor Mount	
6		RD-1-0665-0P	Heater Core Assembly	76R2450

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
7	A	RD-2-1590-0P	Evaporator Assembly	76R6140
8	A	RD-5-6868-1P	Expansion Valve	71R8301
9		RD-3-4072-0P	Housing Assembly	
10		RD-3-4052-0P	Cover Assembly	
	B	RD-3-4743-0P	Wire Harness	

NOTES: **A**= Heater - A/C Combo Only
B= Not Shown

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com


ON-ROAD


R-5040 BACKWALL

Heater with Air Conditioner Option

RV • ARMORED CARS • RESCUE VEHICLES • LARGE CABS

At 425 CFM, the R-5040 is built to heat and cool high-volume interiors. The blower assemblies are easily accessible so the installer can duct the air to where it's needed, and the controls can be remote-mounted for the convenience of the operator.





R-5040 SPECIFICATIONS

BTUs	Heating – 48,000 BTU/Hr @ 100°F (14 kW @ 37°C) air temperature rise Cooling – 32,000 BTU/Hr with 36°F (9.4 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C)
AIR FLOW	425 CFM (722 m³/h)
WEIGHT	Heater-A/C – 39 lbs. (18 kg)
MOTOR	Two three-speed
CURRENT DRAW	27 amps @ 13.6 VDC (includes 4 amps for A/C clutch); 14.5 amps @ 27.2 VDC (including 2 amps for A/C clutch)

R-5040 SYSTEM ORDERING GUIDE


	R-134a	NOTES	
UNITS	R-5040-4P	12 VDC Heater/Air Conditioner	
	R-5040-6P	24 VDC Heater/Air Conditioner	
CONDENSER	77R0700 - Radiator mount	See Condenser Section	
	R-9730 - Remote mount	See Condenser Section	
INSTALLATION KIT	78R1070	Rooftop condenser	ATCO version
	78R1077	Rooftop condenser	EZ Clip version
	78R1027	Front mount condenser	EZ Clip version
	78R1025	Front mount condenser	ATCO version
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

OPTIONS: ***Control Panels*** *(See also 71 Series, Control Panels)*

R-5040-4P	71R5600	Three-speed motor switch - includes manual water valve control
	71R5605	Three-speed motor switch - includes electronic water valve control
	71R5122	Three-speed motor switch - includes A/C switch and electronic water valve
	71R5812	Automatic Temperature Control - 12 volt
R-5040-6P	71R5600	Three-speed motor switch - includes manual water valve control
	71R5605	Three-speed motor switch - includes electronic water valve control
	71R5122	Three-speed motor switch - includes A/C switch and electronic water valve
	71R5814	Automatic Temperature Control - 24 volt

Heater-A/C
Model R-5040-4,-6

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-5-3647-0P	Resistor (2 Req)	71R1450
2		RD-3-3731-0P	Motor Blower Assembly-12v (2 Req)	73R0422
3		RD-3-3731-1P	Motor Blower Assembly-24v (2 Req)	
4		RD-4101-6P	Motor Mount (2 Req)	
5		RD-3106-38P	Blower Wheel (2 Req)	73R6101
6	A	RD-3-2220-0P	Blower Assembly (2 Req)	
7		RD-1-0325-0P	Heater Core	76R3500
8		RD-2-1370-0P	Evaporator Core	76R7070
9		RD-3-2415-2P	Core Cover	

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
10		RD-3205-29P	Air Intake Cover Assembly	
11	A	RD-5-3550-120P	Drain Hose	78R0070
12		RD-5-6868-0P	Expansion Valve	71R8301
13		RD-3-2652-0P	Core Cover Assembly	
14		RD-5-4531-24P	Thermostat	71R3200
16		RD-5-6526-0P	Motor- 12v (2 Req)	73R0422
17		RD-5-3751-24P	Motor- 24v (2 Req)	73R0454
18	A	RD-5-3948-0P	Label- 24v	

NOTES: **A**= Not shown

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

ON-ROAD

R-5045 BACKWALL

Heater/Air Conditioner Unit


ARMORED CARS • RESCUE VEHICLES • PERSONNEL CARRIERS



Our highest-capacity backwall heater-A/C unit. Originally designed for armored cars, the R-5045 produces 430 CFM and has multidirectional louvers to direct airflow throughout aid cars, delivery trucks, and other vehicles with front and rear compartments. Specify rear air exhaust outlet or fresh-air intake.

R-5045 SPECIFICATIONS

BTUs	Heating – 46,000 BTU/Hr @ 150°F (13.5 kW @ 66°C) water to air differential Cooling – 33,000 BTU/Hr with 36°F (9.7 kW @ 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	430 CFM (730 m³/h)
WEIGHT	47 lbs. (21 kg)
MOTOR	One three-speed
CURRENT DRAW	22.5 amps @ 13.6 VDC (includes 4 amps for A/C clutch), 11.2 amps @ 27.2 VDC (includes 2 amps for A/C clutch)



OPTIONS:

Bulkhead Louver Kit
RD-3-3133-1P
(-5 models only)


Inline Booster Pressurizer
(-6 models only)
see Filters & Pressurizers section

R-5045 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNIT	R-5045-5P	12 VDC - Rear Air Exhaust Outlet with rotary controls	
	R-5045-5-24P	24 VDC - Rear Air Exhaust Outlet with rotary controls	
	R-5045-6P	12 VDC - Fresh Air Intake	
	R-5045-6-24P	24 VDC - Fresh Air Intake	
CONDENSER	77R0700	Radiator mount	See Condenser Section
	R-9730	Remote mount	See Condenser Section
INSTALLATION KIT	78R1070	Rooftop condenser	ATCO version
	78R1077	Rooftop condenser	EZ Clip version
	78R1027	Front mount condenser	EZ Clip version
	78R1025	Front mount condenser	ATCO version
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

Backwall Heater-A/C Assembly Model R-5045-5,-6

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-3205-29P	Air Intake Cover	
2		RD-3-3122-1P	Housing Assembly	
3	B	RD-3-3122-2P	Housing Assembly	
4		RD-3-14440-0P	Core Cover Assembly Front	
5		RD-3-2592-0P	Entring Ring (2)	
6		RD-3-2547-0P	Blower Assembly	
7		RD-5-14189-0P	Motor 12v	
8		RD-5-14189-24P	Motor 24v	
9		RD-3-2547-1P	Blower Assembly	
10		RD-3-2557-2P	Blower Wheel (2)	73R7151
11		RD-3-3174-0P	Retainer - Motor	
12		RD-3-3128-0P	Panel Assembly - Top	
13		RD-5-7760-2P	Water Valve	72R5230
14		RD-1-0325-0P	Heater Core Assembly	76R3500
15		RD-5-3647-0P	Resistor	71R1450

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
16		RD-3-3315-0P	Cover Assembly - Core Side (Heater A/C)	
17		RD-3-3131-4P	Plate Assembly Side	
18		RD-2-1370-0P	Evaporator Assembly	76R7070
19		RD-5-6868-1P	Expansion Valve	71R8301
20	A	RD-5-3550-120P	Drain Hose	
21		RD-5-5223-2P	Air Diffuser Assembly (4)	
22	A	RD-4125-36P	Thermostat	71R2250
23	A	RD-5-9013-0P	Switch- Rotary, 3 Position	
24	A	RD-5-11783-0P	Switch- Fan Speed, Rotary	
25		RD-5-8812-0P	Knob- Control, Rotary	71R4015
26	A	RD-5-7999-0P	Converter- Cable, Control	72R9000
27	C	RD-5-5222-0P	Louver Assembly	72R3111
28		RD-5-5428-1P	Filter	78R5400M
29		RD-3-3753-0P	Clip Filter (2)	

NOTES: **A**= Not shown **B**=for unit R-5045-6 ONLY **C**=Purchase Separately

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

OFF-ROAD


R-5075 BACKWALL

Heater/Air Conditioner Unit

CONSTRUCTION • MINING • AGRICULTURE

The R-5075 packages the performance and durability of our R-5045 heater-A/C unit into a robust metal housing for off-road equipment cabs. This unit has fresh-air intake and options include an in-line booster blower for a pressurized, dust-free cab.





R-5075 SPECIFICATIONS


BTUs	Heating – 46,000 BTU/Hr @ 150°F (13.5 kW @ 66°C) water to air differential Cooling – 33,000 BTU/Hr with 36°F (9.7 kW w/ 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	430 CFM (730 m³/h)
WEIGHT	47 lbs. (21 kg)
MOTOR	One three-speed
CURRENT DRAW	21.8 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 10.9 amps @ 27.2 VDC (includes 2 amps for A/C clutch)

R-5075 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNIT	R-5075-0P R-5075-0-24P	12 VDC 24 VDC	
CONDENSER	77R0700 - Radiator mount R-9730 - Remote mount	See Condenser Section See Condenser Section	
INSTALLATION KIT	78R1070 78R1077 78R1027 78R1025	Rooftop condenser Rooftop condenser Front mount condenser Front mount condenser	ATCO version EZ Clip version EZ Clip version ATCO version
OPTIONS	Replacement Recirc Filter Replacement Fresh Air Intake Filter Fresh Air Intake	78R5360 78R5320 78R5150	
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

Heater Air Conditioner Model R-5075-0

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-3-7244-0P	Cover Assembly Core	
2		RD-4427-24P	Thermostat	71R3100
3		RD-3-7252-0P	Retainer-Core	
4		RD-3-3174-0P	Retainer-Motor	
5		RD-1-0325-0P	Heater Core Assembly	76R3500
6		RD-2-1370-0P	Evaporator Core Assembly	76R7070
7		RD-3-2547-0P	Blower Assembly	
8		RD-3-2547-1P	Blower Assembly	
9		RD-3-2592-0P	Entry Ring	
10		RD-3-2557-2P	Blower Wheel	73R7151
11		RD-5-14189-0P	Motor-12 Volt	73R4322
12		RD-5-14189-24P	Motor-24 Volt	73R4324

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
13		RD-5-3647-0P	Resister-Speed Control	71R1450
14		RD-5-7760-0P	Valve-Water Cable Operated	72R5250
15		RD-5-6868-1P	Valve-R-134a/R12 Compatible	71R8301
16		RD-5-8076-0P	Filter-Air 17.5x5.5x.34 Thick	78R5360
17		RD-3-7254-0P	Plenum Assembly Control Panel 12 Volt	
18		RD-3-7254-1P	Plenum Assembly Control Panel 24 Volt	
19		RD-5-5223-2P	Air Diffuser Assembly	
20		RD-5-8043-27.80P	Converter-Cable Control	
21		RD-5-7183-0P	Switch-Mode Off-On-On 24 Volt	71R0854
22		RD-5-7181-0P	Switch-Rocker Fan On-On-On	71R0872
23		RD-5-8075-0P	Knob-Control Deep Recess	71R4060

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

ON-ROAD

R-6101 Rooftop

Air Conditioner Unit

COMMERCIAL TRUCKS • CONSTRUCTION • AGRICULTURE



The R-6101 is a lightweight, high-capacity unit with a styled low profile.



Low profile ceiling plenum blends with any interior.

Our engineers set out to create a sleek, low profile housing that would look right at home on today's truck and heavy-equipment cabs. The injection-molded housing has pockets to hold the receiver drier, blower assembly, and evaporator core, so they're simpler to replace. A 12-inch Spal fan, dual-scroll/dual-inlet Spal blower, rifled-tube evaporator and a parallel flow condenser contribute to the improved performance.

R-6100 SPECIFICATIONS

BTUs	Cooling – 21,300 BTU @ 100˚F (6.2kw @ 37.8˚C) air temperature rise
AIR FLOW	299 CFM (508 m3/h)
WEIGHT	40lbs (18.1kg)
CURRENT DRAW	25.7 amps @ 13.6 VDC 12.9 amps @ 27.2 VDC
CONTROLS	Three speed blower


R-6100 SYSTEM ORDERING GUIDE

	R-134a	NOTES
UNITS	R-6101-0P R-6101-0-24P	12 VDC 24 VDC
CONDENSER	Contained in R-6100 unit	
INSTALLATION KIT	78R1505 78R1077	Refrigerant hose and fittings, etc. * Rooftop condenser **
OPTIONS	Universal Roof Mount Kit Replacement Recirc. Filter Replacement Receiver Drier Replacement Plenum	RD-2-1302-0P *** 78R5300 74R2546 RD-2-5974-0P
COMPRESSOR	Requires compressor and mounting kit See Compressor Section	

* ATCO version


** EZ Clip version

*** Relocates unit mounting bolts to pick up integral roof bracing



Air Conditioner Model R-6101

SERVICE PARTS LIST



NOTES:
A= Not shown
B=for unit R-6101-0 (12V) ONLY
C=for unit R-6101-1 (24V) ONLY

ITEM	NOTE	PART NO.	DESCRIPTION
1		RD-3-19432-0P	Bracket - TXV Support
2		RD-4-7337-0P	**77R1282** Condenser - Multi Flow
3		RD-3-19087-0P	Cover - Housing
4		RD-2-7179-0P	**76R6185** Evaporator Assembly
5		RD-5-11990-0P	Pressure Switch - Dual Function
6		RD-5-9419-1P	**74R2590** Receiver/Drier R-134a
7		RD-5-15378-0P	Seal Assembly - Roof
8		RD-4-7341-0P	Tube - #6 Cond To Drier
9		RD-4-7340-0P	Tube - #8 Inlet To Condenser
10		RD-2-7193-0P	Tube - 5/8 Suction
11		RD-2-7192-0P	Tube - Drier To TXV
12		RD-5-6868-1P	**71R8301** Valve - Expansion R134a
13	B	RD-5-8837-0P	**73R5532** Motor Blower Assembly - Double, 12v

ITEM	NOTE	PART NO.	DESCRIPTION
14	C	RD-5-8838-0P	**73R5534** Motor Blower Assembly - Double, 24v
15	B	RD-5-9076-2P	**73R8642** Fan/Motor Assembly - 12" Pusher 12v
16	C	RD-5-9076-3P	**73R8644** Fan/Motor Assembly - 12" Pusher 24v
17	B	RD-5-6690-0P	**71R1902** Relay - 12v with Metripak Shroud
18	C	RD-5-6693-0P	**71R1904** Relay - 24v with Metripak Shroud
	A,B	RD-3-19407-1P	Wire Harness - Condenser/AC, 24v
	A,C	RD-3-19407-0P	Wire Harness - Condenser/AC, 12v


ON/OFF-ROAD

R-6840 Backwall

Air Conditioner Unit

VANS • COMMERCIAL TRUCKS • INDUSTRIAL • CONSTRUCTION • AGRICULTURE

Our R-6840 backwall air conditioner uses Red Dot's advanced coil and blower technology to produce the highest capacity possible from a compact wall-mounted unit. The resin housing is tough and good-looking—perfect for cabs where performance and fit and finish are important. Multidirectional diffusers send air where you need it. Floor support kit available.





R-6840 shown with optional floor support kit, plumbing covers and filter

R-6840 SPECIFICATIONS


BTUs	Cooling – 22,300 BTU/Hr with 36°F (6.5 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	325 CFM (552 m³/h)
WEIGHT	16 lbs. (7.3 kg)
CURRENT DRAW	18.6 amps @ 13.6 VDC (includes 4 amps for A/C clutch); 9.5 amps @ 27.2 VDC (including 2 amps for A/C clutch)
CONTROLS	High-low motor speed, four adjustable louvers, adjustable thermostat

R-6840 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNITS	R-6840-0P	12 VDC – Variable Thermostat	
	R-6840-0-24P	24 VDC – Variable Thermostat	
CONDENSER	R-6160 - Roof Mount	See Unit Condenser Section	
	77R0650 - Radiator Mount	See Condenser Section	
INSTALLATION KIT	78R1070	Rooftop condenser	ATCO version
	78R1077	Rooftop condenser	EZ Clip version
	78R1027	Front mount condenser	EZ Clip version
	78R1025	Front mount condenser	ATCO version
OPTIONS	Floor Support Kit	RD-2-3673-0P	
	Plumbing Covers (left and right)	RD-2-3515-0P	
	Recirc Filter	RD-2-3683-0P	
	Remote Control Panel Kit	RD-2-3674-0P	
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

Air Conditioner Model R-6840-0

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-2-3637-0P	Housing- Cover	
2		RD-2-3638-0P	Housing	
3		RD-2-5125-1P	Evaporator Core	76R7555
4		RD-5-9194-0P	Motor Blower Assembly- 12v	73R5572
5		RD-5-9194-24P	Motor Blower Assembly- 24v	73R5574
6		RD-5-8812-0P	Knob- Rotary Control	71R4015
7		RD-5-9833-0P	Switch- 3 Speed, Rotary (25 amp)	71R1160
8		RD-4125-36P	Thermostat	71R2250
9		RD-5-5355-0M	Receptacle- 1/4 Turn	
11		RD-5-8436-0P	Louver	72R3120
12		RD-5-8303-0P	Rivet- Plastic, Removable	73R0072

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
13		RD-5-9843-0P	Grommet	
14		RD-5-6868-1P	Expansion Valve- 134g	71R8301
15		RD-5-3647-0P	Resistor- Speed Control	71R1450
16		RD-2-3647-0P	Bracket- Resistor	71R1450
17		RD-3-8113-0M	Resistor Guard	
18		RD-5-5688-0P	Button- Plug, 1.00 DIA	78R2090
19	A	RD-5-5260-0-.500M	Screw- #8 Plastite Hex. HD	
20	A	RD-5-5261-0-.750M	Screw-#12 Plastite Hex. HD	
21	A	RD-2-3683-0P	Filter	78R5291
22	A	RD-2-3673-0P	Floor Support- Kit	
23	A	RD-2-3515-0P	Plumbing Covers	

NOTES: **A**= Not shown

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

ON/OFF-ROAD

R-7830 Backwall

Air Conditioner Unit


VANS • COMMERCIAL TRUCKS • INDUSTRIAL • CONSTRUCTION • AGRICULTURE



The R-7830 easily fits between the seats to mount to a bulkhead or back wall of a day cab, or can be front-dash mounted where a flat space permits. The welded steel housing provides protection yet allows easy access to components. Multidirectional diffusers send air where you need it. Floor support kit available.

R-7830 SPECIFICATIONS

BTUs	Cooling – 17,180 BTU/Hr with 36°F (5 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	260 CFM (442 m³/h)
WEIGHT	25 lbs. (11 kg)
CURRENT DRAW	18 amps @ 13.6 VDC (includes 4 amps for A/C clutch); 9 amps @ 27.2 VDC (including 2 amps for A/C clutch)
CONTROLS	High-low motor speed, four adjustable louvers, adjustable thermostat



R-7830 SYSTEM ORDERING GUIDE


	R-134a	NOTES	
UNITS	R-7830-0P R-7830-0-24P	12 VDC – Variable Thermostat 24 VDC – Variable Thermostat	
CONDENSER	R-6160-0P - Roof Mount R-6160-0-24P - Roof Mount 77R0650 - Radiator Mount	12 VDC –See Units Condenser Section 24 VDC –See Units Condenser Section See Condenser Section	
INSTALLATION KIT	78R1070 78R1077 78R1027 78R1025	Rooftop condenser Rooftop condenser Front mount condenser Front mount condenser	ATCO version EZ Clip version EZ Clip version ATCO version
OPTIONS	Floor Support Kit Recirc Filter Kit	RD-2-1398-0P 78R5390	
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

INSTALLATION TIPS

IDEAL FOR MOUNTING VERTICALLY BETWEEN THE SEATS ON THE BACK WALL OF A TRUCK CAB, OR THE SIDE WALL OF AN OFF-HIGHWAY CAB ON CABS WHERE EXTRA SUPPORT IS REQUIRED TO COMPLETE INSTALLATION, MOUNT SUPPORT KIT RD-2-1398-0 SHOULD BE USED TO SIMPLIFY INSTALLATION.

NOTES: 1. REINFORCING MAY BE REQUIRED WHEN MOUNTING DIRECTLY TO CAB WALL.
2. DUE TO THE WIDE VARIETY OF CONDITIONS FOUND IN OFF HIGHWAY APPLICATIONS, IT IS RECOMMENDED THAT A TRIAL INSTALLATION BE MADE TO DETERMINE IF THESE PRODUCTS ARE SUITABLE TO A PARTICULAR APPLICATION.

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.	ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-2-1389-0	HOUSING ASSY.		13		RD-5-5222-0	DIFFUSER (2)	
2		RD-2-1387-0	HOUSING COVER ASSY		14	C	RD-5-4827-24	MOTOR (24V)	
3		RD-2-1315-0	BLOWER SCROLL ASSY		15		RD-3-3174-0	RETAINER - MOTOR	
4	A	RD-2-1393-0	LABEL CONTROL PANEL		16		RD-5-5223-2	DIFFUSER ASSY. (2)	
5		RD-3-2557-0	BLOWER WHEEL	73R 7150	17	A	RD-4125-36	THERMOSTAT	71R 2250
6		RD-5-3753-1	MOTOR (12V)	73R 0402	18	A	RD-5-5928-0	KNOB	71R 4050
7		RD-2-1316-0	EVAPORATOR ASSY.	76R 6350	19	B	RD-2-1392-0	LABEL CONT. PNL. (FIXED)	
8		RD-2-1354-0	AIR ENTRY RING		20	A	RD-2-1487-0	CONTROL PANEL ASSY.	
9	B	RD-5-4531-24	THERMOSTAT	71R 3200	21	B	RD-2-1487-1	CONTROL PANEL ASSY.	
10		RD-5-3550-120	DRAIN HOSE	78R 0070	22		RD-4157-0	EXPANSION VALVE (R-12)	71R 8300
11		RD-5-3599-0	SWITCH	71R 0200	23		RD-5-3647-0	RESISTOR	71R 1450
12		RD-5-6868-0	EXPANSION VALVE (R-134a)	71R 8300					

A. VARIABLE THERMOSTAT MODEL B. FIXED SET THERMOSTAT MODEL C. 24 VOLT APPLICATION

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com


INTERNATIONAL

R-8235 Underdash

Drop-In Evaporator Kit

NAVISTAR INTERNATIONAL S, 4000, 7000, and 8000 SERIES TRUCKS, 1995–2002

The R-8235 drop-in evaporator kit integrates with the OEM housing and blower motor assembly and meets all factory specifications. R-134a compatible.



R-8235 SYSTEM ORDERING GUIDE

Heater A/C Kit		Engine	Steering	Brakes	Compressor	Compressor Mount Kit No.
R-8235-0P or Vehicles	Series 4600 through 8100 "S" Series 1600 through 2600 1995 to 2002	V8 International 6.9 Liter, & 7.3 Liter	Standard/Power		75R8612 (134A)	75R9530
		6 Cylinder IHC DT466, DTA466, DT360 or DTA360	Standard/Power	Air	75R8612 (134A)	75R9980
		6 Cylinder IHC DT466, DTA466	Standard/Power	Hydraulic	75R8612 (134A)	75R9980
		6 Cylinder IHC DT360, DTA 360	Standard/Power	Hydraulic	75R8612 (134A)	75R9980
		Cummins 6 Cylinder L-10 "S" Series	Power	Air	75R8612 (134A)	75R9540
		1995-1997 DT408/DT466 (will not work on DT466E)			75R8612 (134A)	75R9985

For complete kits order one Heater-Air Conditioner Kit, Compressor, Compressor Mount Kit.
Not for viscous applications.

Kits Include:

- Heater A/C Unit
- Heater Hose and Water Valve
- Refrigerant Hose & Fittings
- High Capacity Receiver Drier
- Trinary™ Protection Switch
- Wiring Harness
- Condenser
- Miscellaneous Installation Hardware and Brackets

NOTE A: Tecumseh Compressors require 75R1202 Clutch and one each (Service Valves and Charge Ports):
- R12: 75R5618 and 75R5611 or
- R134A: 75R5688 and 75R5681


OFF-ROAD

R-8500 Backwall

Air Conditioner with Heat Option

CONSTRUCTION • MINING • AGRICULTURE

Just 5.6 inches deep, the R-8500 packs high performance and reliability into a slim profile. The air plenum can be changed to divert air out the top or the front of the unit depending the application. In addition, the controls can be remote-mounted. Models include A/C only or heater and A/C combination.





Shown with remote mount controls.

R-8500 SPECIFICATIONS

BTUs	Heating – 22,000 BTU/Hr @ 100°F (6.4 kW @ 37.8°C) air temperature rise Cooling – 15,200 BTU/Hr with 36°F (w 4.5 kW w/ 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	205 CFM (348 m³/h)
WEIGHT	24 lbs. (11 kg)
MOTOR	Three-speed field wound
CURRENT DRAW	13.5 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 6.75 amps @ 27.2 VDC (includes 2 amps for A/C clutch)

R-8500 SYSTEM ORDERING GUIDE

		R-134a	NOTES
UNITS	R-8500-2P	12 VDC – Heater - A/C	
	R-8500-2-24P	24 VDC – Heater - A/C	
	R-8500-3P	12 VDC – A/C Only	
	R-8500-3-24P	24 VDC – A/C Only	
CONDENSER	R-9720-12P	Remote Mount	12 VDC – See page 90
	R-9720-12-24P	Remote Mount	24 VDC – See page 90
	77R0650	Radiator Mount	See page 464
GENERAL PURPOSE INSTALLATION KIT	78R1705	Remote Mount	ATCO version
	78R1070	Rooftop condenser	ATCO version
	78R1077	Rooftop condenser	EZ Clip version
	78R1027	Front mount condenser	EZ Clip version
	78R1025	Front mount condenser	ATCO version
	78R0100	Heater Hose	⅝" diameter, 50'
OPTIONS	Replacement Recirc Filter	78R5330M	
	Plenum Assembly	RD-3-6060-0P	
	Universal Duct Kit	78R2100	
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section
	Water Valve for Heater/AC is supplied by customer		

OFF-ROAD

R-8545 Backwall

Air Conditioner with Heat Option


CONSTRUCTION • MINING • AGRICULTURE



Compact and powerful, the R-8545 produces the highest output of any off-road unit its size. Its performance and durability make the R-8545 the ideal choice for off-highway equipment cabs where space is a premium and reliability is essential. Engineered to filter in-cab air as well as incoming outside air when pressurization is required. Models include A/C only or heater and A/C combination.

R-8545 SPECIFICATIONS

BTUs	Heating – 31,460 BTU/Hr @ 100°F (8.4 kW @ 37.8°C) air temperature rise Cooling – 19,800 BTU/Hr with 36°F (5.3 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	294 CFM (450 m³/h)
WEIGHT	Heater & A/C – 39 lbs. (18 kg) A/C Only – 34 lbs. (15 kg)
MOTOR	Totally sealed, 12 or 24 VDC permanent magnet type with long life brushes, and heavy duty pre-lubricated sealed ball bearings
CURRENT DRAW	16.1 amps @ 13.6 VDC (includes 4 amps for A/C clutch), 8 amps @ 27.2 VDC (includes 2 amps for A/C clutch)
CONTROLS	Mode selector switch (heat or A/C), three-speed fan switch, fixed setting A/C thermostat, cable controlled water valve



R-8545 SYSTEM ORDERING GUIDE

		R-134a	NOTES
UNITS	R-8545-17P	12 VDC – A/C Only	
	R-8545-17-24P	24 VDC – A/C Only	
	R-8545-16P	12 VDC – Heater-A/C	
	R-8545-16-24P	24 VDC – Heater-A/C	
CONDENSER	R-9720-12P	12V, Remote Mount	See Unit Condensor Section
	R-9720-12-24P	4V, Remote Mount	See Unit Condensor Section
	77R0650	Radiator Mount	See Condensor Section
GENERAL PURPOSE INSTALLATION KIT	78R1705	Remote Mount	ATCO version
	78R1070	Rooftop condenser	ATCO version
	78R1077	Rooftop condenser	EZ Clip version
	78R1027	Front mount condenser	EZ Clip version
	78R1025	Front mount condenser	ATCO version
	78R0100	Heater Hose	⅝" diameter, 50'
OPTIONS	3" Air Outlet Adapter for Pressurization	RD-3-5448-0P	
	Remote Filters	See Filters & Pressurizers section	
	Pressurizers	See Filters & Pressurizers section	
	Universal Duct Kit	78R2100	
	Plenum	RD-3-15122-0P	
COMPRESSOR	Requires compressor and mounting kit		See Compressor section

MACK

R-8820 Underdash

Heater/Air Conditioner Unit




MACK R MODEL CABS

The R-8820 heater/air conditioner has a factory-installed look and improved air control and performance over the OE system. Uses existing mounting points for installation in R, U, DM, RL/RS, and RW cabs. Note: Kits for Model LE and MR severe-service applications are available from Mack dealers.



R-8820 SPECIFICATIONS	
BTUs	Heating – 27,000 BTU/Hr @ 100°F (kW 7.91 @ 37.8°C) air temperature rise Cooling – 20,000 BTU/Hr with 36°F (kW 5.86 with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	250 CFM (425 m³/h)
WEIGHT	34 lbs. (15 kg)
MOTOR	Permanent magnet, extended life
CURRENT DRAW	14 amps @ 13.6 VDC
CONTROLS	Three-speed blower motor switch, temperature-level and mode-selection lever
UNITS	R-8820-1P (tan) R-8820-2P (grey)



MODEL LE & MR
SEVERE SERVICE APPLICATIONS

Component parts available separately from Red Dot:

R-2000-11P	A/C Unit
R-6160-0P	Condensor
78R1025	Installation Kit
RD-5-8476-0P	LE Roof Bracing
RD-5-8476-1P	MR Roof Bracing

For compressor and compressor mount kit contact your local Mack dealer.

See ordering guide on the next page...

MACK

R-8820 Underdash

Heater/Air Conditioner Unit

R-8820 SYSTEM ORDERING GUIDE

Model	Color	Engine	Base Kit	Installation Kit	Compressor	Condenser With CMCAC*	Condenser Without CMCAC*	Mount & Drive Kit
R & U (1980-89)	G	E6 with two Valves	R-8820-2P	78R1470	75R8382	77R0570 [1]	77R1300 [4]	75R9500 [2]
R & U (1980-89)	G	E6 with Ambac & Bosch 6000 Injector	R-8820-2P	78R1470	75R8382	77R0570 [1]	77R1300 [4]	Mack Dealer
R & U (1980-89)	G	E6 with Bosch 7100 Injector	R-8820-2P	78R1470	75R8382	77R0570 [1]	77R1300 [4]	Mack Dealer
R & U (1980-89)	T	E6 with two Valves	R-8820-1P	78R1470	75R8382	77R0570 [1]	77R1300 [4]	75R9500 [2]
R & U (1980-89)	T	E6 with Ambac & Bosch 6000 Injector	R-8820-1P	78R1470	75R8382	77R0570 [1]	77R1300 [4]	Mack Dealer
RD (1980-89)	G	E6 with two Valves	R-8820-2P	78R1470	75R8382	77R7710	77R1300 [4]	75R9500
RB & RD (1980-89)	G	E6 with Ambac & Bosch 6000 Injector	R-8820-2P	78R1470	75R8382	77R7710	77R1300 [4]	Mack Dealer
RB & RD (1980-89)	G	E6 with Bosch 7100 Injector	R-8820-2P	78R1470	75R8382	77R7710	77R1300 [4]	Mack Dealer
RB & RD (1980-89)	T	E6 with two Valves	R-8820-1P	78R1470	75R8382	77R7710	77R1300 [4]	75R9500 [2]
RD (1980-89)	T	E6 with Ambac & Bosch 6000 Injector	R-8820-1P	78R1470	75R8382	77R7710	77R1300 [4]	Mack Dealer
RB Facelift (1990+)	G	E7 [5]	R-8820-2P	78R1470	75R8382	77R7710	N/A	Mack Dealer
RD Facelift (1990 +)	G	E7 [5]	R-8820-2P	78R1470	75R8382	Mack Dealer	N/A	Mack Dealer
DM (1980-89)	G	E6 with two Valves	R-8820-2P	78R1470	75R8382	Mack Dealer	77R1300 [3]	75R9500 [2]
DM (1980-89)	G	E6 with Ambac & Bosch 6000 Injector	R-8820-2P	78R1470	75R8382	Mack Dealer	77R1300 [3]	Mack Dealer
DM (1980-89)	G	E6 with Ambac & Bosch 6000 Injector	R-8820-2P	78R1470	75R8382	Mack Dealer	N/A	Mack Dealer
DM (1990 to 4/15/95)	G	E7 [5]	R-8820-2P	78R1470	75R8382	Mack Dealer	N/A	Mack Dealer
DM (4/15/95 & later)	G	E7 [5]	R-8820-2P	78R1470	75R8382	210RD425	N/A	Mack Dealer

UPGRADE HEATER TO HEATER-A/C

MR Conversion Kit	–	E6 with 4 valve (All)	RD-5-8622-0P		Included	Included	N/A	Mack Dealer
MR Conversion Kit	–	E7	RD-5-8622-0P		Included	Included	N/A	Mack Dealer

Color Code: B = Black G = Gray T = Tan W= White

1 Requires proper operation of viscous fan to operate properly with R134a
2 Vehicles equipped with steel timing contact Mack for mount kit.
3 Mount Kit will not work on very late E6s. Must change water pump housing to MACK #771GB232M
4 The following items need to be ordered from MACK: (1) 4103-5010332161 Front Condenser Bracket, (1) 4103-5010332164 Rear Condenser Bracket, (1) 4103-5010332652 Receiver Drier Bracket, and (3) 4103-5000717723 Hose Support Bracket.
5 Compressor Mount Kit must be ordered separately. E7 ETEC engine may require #12QR4115 blower motor bracket and #1MR2464M pressure switch.


* CMCAC = Chassis-mounted charge air cooler

OFF-ROAD


R-9520 Floor

Heater/Air Conditioner with Reversible Cores

CONSTRUCTION • MINING • AGRICULTURE



Our R-9520 is a powerful floor-mounted heater/air conditioner for heavy-duty and off-highway equipment cabs. Plenum options let you duct or direct air where you need it, and a variety of remote-mounted controls are available to complete the installation. A plastic trim kit is available with the louvered plenum assembly for an integrated look.



R-9520 SPECIFICATIONS

BTUs	Heating – 31,600 BTU/Hr @ 100°F (9.3 kW @ 37.8°C) air temperature rise, Cooling – 33,070 BTU/hr with 36°F (9.7 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	430 CFM (730 m³/h)
WEIGHT	41 lbs. (19 kg)
MOTOR	One three-speed; vented; permanent magnet
CURRENT DRAW	11.2 amps @ 27.2 VDC (includes 2 amps for A/C clutch)

R-9520 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNITS	R-9520-0P R-9520-0-24P	12 VDC - Heater / Air Conditioner 24 VDC - Heater / Air Conditioner	
CONDENSER	77R7100 - Radiator Mount R-9725-3P - Remote Mount R-9725-3-24P - Remote Mount	See Condenser Section See Unit Condenser Section See Unit Condenser Section	
GENERAL PURPOSE INSTALLATION KIT	78R1705 78R1070 78R1077 78R1027	Remote Mount Rooftop condenser Rooftop condenser Front mount condenser	ATCO version ATCO version EZ Clip version EZ Clip version
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

OPTIONS:



Louvered Plenum Assembly
RD-3-10111-0P




Ductable Plenum Assembly
RD-3-10112-0P

Control Panels *(See also 71 Series, Control Panels)*

R-9520-0P	71R5600	Three-speed motor switch - includes manual water valve control
	71R5605	Three-speed motor switch - includes electronic water valve control
	71R5122	Three-speed motor switch - includes A/C switch and electronic water valve
	71R5812	Automatic Temperature Control - 12 volt
R-9520-0-24P	71R5600	Three-speed motor switch - includes manual water valve control
	71R5605	Three-speed motor switch - includes electronic water valve control
	71R5122	Three-speed motor switch - includes A/C switch and electronic water valve
	71R5814	Automatic Temperature Control - 24 volt

Heater Air Conditioner Model R-9520-0

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-3-8928-0P	Cover Assembly- Housing	
2		RD-3-7383-0P	Motor Blower Assembly- 12v	
3		RD-3-7383-1P	Motor Blower Assembly- 24v	
4		RD-5-7015-0P	Expansion Valve	71R8321
5		RD-1-2006-0P	Heater Core Assembly	76R3465
6		RD-2-5772-0P	Evaporator Core Assembly	
7		RD-5-6690-0P	Relay- 12v Metri-Pac	71R1902
8		RD-5-6693-0P	Relay- 24v Metri-Pac	71R1904
9		RD-5-3647-0P	Resistor- Speed Control	71R1450
10		RD-5-4531-24P	Thermostat	71R3200
11		RD-3-7696-0P	Retainer- Core & Evaporator	

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
12		RD-3-9884-0P	Retainer- Core & Evaporator	
13		RD-3-7697-0P	Cover Assembly- Reveresed Plumbing	
14		RD-3-8934-0P	Cover- Plumbing	
15		RD-5-4487-0P	Adapter- Hose, 2" Diameter	
16		RD-5-6239-0P	Snap Fastener	
17		RD-3-8113-0M	Guard- Resistor	
18		RD-3-3174-0P	Retainer- Motor	
19	A	RD-5-8076-1P	Air Filter	76R5360M
20	B	RD-3-10111-0P	Plenum Cover w/ Louvers	72R4536
21	B	RD-3-10112-0P	Air Outlet	72R4537

NOTES: **A**= Not shown **B**= Optional


RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

ON-ROAD


R-9530 Floor

Heater/Air Conditioner Unit

OFF-ROAD • CONSTRUCTION • INDUSTRIAL



The R-9530 wall-mounted unit is a compact, modular blower/heat exchanger package that can accommodate a range of inlet and outlet plenums. Available as a heater-A/C combination or A/C-only.



R-9730 SPECIFICATIONS

BTUs	Cooling - 24,500 BTU/Hr Heating - 33,000 BTU/Hr	
AIR FLOW	405 CFM (688 m³/h)	
WEIGHT	R-9530-0 R-9530-1	20 lbs. (9 kg) 25 lbs. (11 kg)
CURRENT DRAW	19.9 amps at 13.5 VDC 10.9 amps at 27 VDC	

R-9530 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNITS	R-9530-0P R-9530-0-24P R-9530-1P R-9530-1-24P	12 VDC - Air Conditioner Only 24 VDC - Air Conditioner Only 12 VDC - Heater / Air Conditioner 24 VDC - Heater / Air Conditioner	
CONDENSER	77R7100 - Radiator Mount R-9725-3P - Remote Mount R-9725-3-24P - Remote Mount	See Condenser Section See Unit Condenser Section See Unit Condenser Section	
GENERAL PURPOSE INSTALLATION KIT	78R1705 78R1070 78R1077 78R1027	Remote Mount Rooftop condenser Rooftop condenser Front mount condenser	ATCO version ATCO version EZ Clip version EZ Clip version
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section


OPTIONS:

Drain Pan *– RD-3-18633-0P*


RD-3-17277-0P



RD-3-17278-0P



RD-3-17279-0P



ON-ROAD

R-9715 Headliner


Air Conditioner

VAN • BUS • FIRE/RESCUE

The highest-capacity headliner A/C unit we make, the R-9715 is ideal for big interiors where appearance is important, including shuttle vehicles, buses, and fire trucks. An electric water pump can be used with tilt cabs or extremely humid conditions.







R-9715 SPECIFICATIONS


BTUs	Cooling – 39,500 BTU/Hr with 36°F (11.6 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	577 CFM (980 m³/h)
WEIGHT	40 lbs. (18 Kg)
CURRENT DRAW	26.3 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 13.2 amps @ 27.2 VDC (includes 2 amps for A/C clutch)

R-9715 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNITS	R-9715-11P R-9715-11-24P	12 VDC - replaces R-9715-10P 24 VDC - replaces R-9715-10-24P	
CONDENSER	R-4500-8P Remote Mount R-4500-8-24P Remote Mount	12 VDC 24 VDC	
INSTALLATION KIT	78R1070 78R1077	Rooftop condenser Rooftop condenser	ATCO version EZ Clip version
DUAL PUMP KIT	RD-2-3825-0P		
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

Headliner Air Conditioner Model R-9715-11

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1	A	RD-3-6770-0P	Motor Blower Assembly	73R5502
2	B	RD-3-6770-24P	Motor Blower Assembly 24 Volt	73R5504
3		RD-5-7015-0P	Valve - Expansion, R134a (2 Ton)	71R8321
4		RD-5-11888-0P	Louver	
5		RD-1-0860-1P	Filter	78R5253M
6		RD-5-8421-5P	Cover - Plastic Housing	
7		RD-5-10418-0P	Louver - Alliance 3 X 8	72R2255

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
8		RD-2-2928-0P	Evaporator Assembly	76R6040
9		RD-5-3647-0P	Resistor - Speed Control, Single Fan	71R1450
10		RD-5-3646-0P	Switch - Rotary 3 Speed	71R1150
11		RD-4125-36P	Thermostat	71R2250
12		RD-5-5928-0P	Knob - Control With Set Screw	71R4040
13	A	RD-5-4408-0P	Relay - 12 Volt	71R1702
14	B	RD-5-4417-0P	Relay - 24 Volt	71R1704

NOTES: **A**= Not shown **B**=for unit R-6145-2 ONLY **C**=for unit R-6145-3 ONLY

RED DOT CORPORATION

P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com


OFF-ROAD

Ship LTL Only

R-9727 Rooftop


Air Conditioner

CONSTRUCTION • MINING • AGRICULTURE



Shown with optional hydraulic compressor kit.

The R-9727 sets the standard for rooftop air conditioners in tough work environments. Renowned for its build quality, reliability, and performance, the R-9727 uses a sealed, long-life evaporator and condenser motor with a slinger ring and hubcap for protection from weather and dust. The heavy-gauge steel casing is gusseted and reinforced for structural integrity. Rubber hood tie-downs unlatch to easily expose the components for service. Options include a hydraulic compressor kit, remote-mount filter, and in-line booster blower for a pressurized, dust-free cab.





Low profile ceiling plenum blends with any interior.

R-9727 SPECIFICATIONS

BTUS	Cooling – 22,000 BTU/Hr with 36°F (6.4 kw w/2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air	
AIR FLOW	Evaporator – 320 CFM (544 m3/h) Condenser – 850 CFM (1444 m3/h)	
WEIGHT	104 Lbs (47 Kg)	
MOTORS	Evaporator – One 12 VDC, three-speed, 24 VDC available	Condenser – One 12 VDC, single-speed, 24 VDC available
CURRENT DRAW	29 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 15 amps @ 27.2 VDC (includes 2 amps for A/C clutch)	
CONTROLS	Three speed blower and adjustable thermostat	

R-9727 SYSTEM ORDERING GUIDE


	R-134a	NOTES	
UNITS	R-9727-2P	12 VDC	
	R-9727-2-24P	24 VDC	
CONDENSER	Contained in R-9727 Unit		
INSTALLATION KIT	78R1605	Refrigerant hose and fittings	
OPTIONS	Winter Cover	RD-5-4031-0P	
	Stiffener Brackets	RD-3-5790-0P	
	Remote Mount Filters **	78R5100	(Horizontal)
	Remote Mount Filters **	78R5110	(Vertical)
	Replacement Filters	78R5210	(Remote Mount)
	Replacement Gasket Kit	RD-2-0961-0P	
	Replacement Recirc. Filter	78R5300	
	Pressurizer Inlet Cap	RD-5-6423-0P	
	In-Line Booster Pressurizers *	73R9202	(12 VDC) For use with Remote Mount Filters
		73R9204	(24 VDC)
	Replacement Receiver Drier	74R2536	
	Replacement Plenum	RD-2-5974-0P	
	Hydraulic Compressor Kit	RD-5-13484-0P	
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

* Booster Pressurizer Can Only Be Used With Remote Mount Filters

** Must be used with In-line Booster Pressurizer

Rooftop Air Conditoner Model R-9727-2

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-2-1067-1P	Housing Assembly	
2		RD-2-0921-1P	Cover Assembly	
3		RD-2-5974-0P	Plenum Assembly	
4	A	RD-2-1060-0P	Drain Pan Assembly	
5		RD-2-1297-0P	Gasket (Plenum)	
6		RD-4-3586-0P	Condenser Assembly	77R0350
7		RD-2-1121-2P	Evaporator Assembly	76R7100
8		RD-2-1072-0P	#10 Crimp- on Hose Assembly	
9		RD-2-1071-0P	#8 Crimp-on Hose Assembly	
10		RD-2-3150-0P	#6 Refrigerant Tube	
11		RD-2-1184-0P	Tube Assembly #6 "O" Ring	
12		RD-5-3894-1P	Fan Guard	
13		RD-5-3647-0P	Resistor	71R1450
14		RD-5-6868-0P	Expansion Valve	71R8301
15		RD-4125-36P	Thermostat	71R2250
16		RD-5-3646-0P	3- Speed Switch	71R1150
17		RD-5-8812-0P	Knob (2)	71R4015
18		RD-5-9053-0P	Louver	72R3140
19	A	RD-5-3550-120P	Drain Hose	78R0070
20		RD-2-1377-0P	Motor Mount. Assembly Cond	

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
21		RD-2-0961-0P	Roof Seal Assembly	
22		RD-5-7061-7P	Reciever Drier	74R2577
23		RD-5-4640-0P	Switch-Pressure, Binary	72R7050
24	A	RD-2-1378-0P	Cable Retain., Cover (2)	
25		RD-4-3508-0P	Fan Blade 10"	73R8110
26		RD-3-2592-0P	Entry Ring (2)	
27		RD-3106-38P	Blower Wheel	73R6101
28		RD-3106-39P	Blower Wheel	73R6151
29		RD-2-0781-6P	Blower Assembly	
30		RD-2-0781-7P	Blower Assembly	
31	B	RD-5-14190-0P	Motor, 12 VDC (Condenser)	73R0512
32	B	RD-5-3757-12P	Motor, 12 VDC (Blower)	73R4202
33	C	RD-5-7129-24P	Motor , 24 VDC (Condenser)	73R0544
34	C	RD-5-3757-24P	Motor, 24 VDC (Blower)	73R4204
35	A	RD-5-4195-0P	Anchor, Rubber (4)	
36	A	RD-3-3031-0P	Writing Kit	
37	A	RD-2-0919-0P	Screen- Condenser	
38	A	RD-3-3174-0P	Retainer, Motor	
39	A	RD-2-1380-0P	Panel Access- Expansion Valve	
40		RD-5-5937-0P	Filter- Recirc.	78R5300

NOTES: **A**= Not shown **B**= for 12 volt applications **C**= for 24 volt applications (12v) **D**= Optional for filters see ordering information

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

RD-2-1326-0 (REV D)

FOR REFERENCE ONLY. SUBJECT TO CHANGE WITHOUT NOTICE

OFF-ROAD

R-9750 Headliner

Air Conditioner with Heat Option




CONSTRUCTION • MINING • AGRICULTURE

The R-9750 is the ideal headliner A/C unit for off-highway equipment cabs. It quickly produces 240 CFM of airflow, filters recirculating cab air, and its heater option delivers year-round comfort. Four multidirectional louvers deliver the air where you need it. Options include an outside air adapter, remote-mount filter, and in-line booster blower for a pressurized, dust-free cab.

R-9750 SPECIFICATIONS

BTUs	Cooling – 17,000 BTU/Hr with 36°F (5 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air Heating – 25,600 BTU/Hr @ 100°F (7.5 kW @ 37.8°C) air temperature rise
AIR FLOW	240 CFM (408 m³/h)
WEIGHT	44 lbs. (20 kg)
CURRENT DRAW	13 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 6.5 amps @ 27.2 VDC (includes 2 amps for A/C clutch)




R-9750 SYSTEM ORDERING GUIDE

	R-134a	NOTES
UNITS	R-9750-9P	12 VDC – Heater - A/C
	R-9750-9-24P	24 VDC – Heater - A/C
	R-9750-10P	12 VDC – A/C Only
	R-9750-10-24P	24 VDC – A/C Only
CONDENSER	Radiator Mount	See Condensers Section
	Remote Mount	77R7100/RD-4-4968-0P
INSTALLATION KIT	78R1705	Refrigerant hose, fittings and hardware
	78R1077	Rooftop condenser EZ Clip version
OPTIONS	Outside Air Adapter	RD-3-4784-0P
	Remote Mount Filters	See Filters & Pressurizers section
	Replacement Recirc. Filter	78R5310
	In-Line Booster Pressurizers *	See Filters & Pressurizers section
	Heat Conversion Kit	RD-5-5982-1P
	Metal Converter Controls	RD-5-7999-1P
	Cable	RD-5-5505-33P
COMPRESSOR	Requires compressor and mounting kit	See Compressor Section

* Booster Pressurizer Can Only Be Used With Remote Mount Filters

Air Conditioner with Heater Options Model R-9750-9,-10

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-5-8436-0P	Louver (4)	72R3120
2	G	RD-5-7999-1P	Converter-Cable Control	
3		RD-5-8812-0P	Knob-Control, Rotary	71R4015
4		RD-5-0071-0P	Switch-Toggle SPDT	71R0400
5	E,H	RD-4123-2P	Switch-Toggle DPDT	71R0200
6	D	RD-5-3748-0P	Switch-Toggle SPST	71R0010
7		RD-4125-36P	Thermostat	71R2250
8	E,G	RD-3-7305-0P	Water Valve Assembly	
9	B	RD-5-8837-0P	Blower Motor Assembly (12v)	73R5532
10	C	RD-5-8838-0P	Blower Motor Assembly (24v)	73R5534

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
11	E,H	RD-1-0726-0P	Heater Core Assembly	76R1000
12		RD-2-1633-0P	Evaporator Assembly	76R4900
13		RD-5-6868-1P	Expansion Valve	71R8301
14		RD-3-4683-0P	Cover Assembly - Housing	
15		RD-3-7794-0P	Bracket Assembly - Filter Right	
16		RD-3-7495-1P	Bracket Assembly - Filter Left	
17		RD-3-4804-1P	Filter	78R5310M
18	F	RD-3-4784-0P	Fresh Air Box Assembly	
19	A,F	RD-5-5982-1P	Conversion Kit	
20	A	RD-3-12113-0P	Drain Pan Assembly	

NOTES: **A.** Not shown **B.** 12 volt system only **C.** 24 volt system only **D.** Air conditioner only **E.** Purchased separately as part of heater conversion Kit RD-5-5982-0 **F.** Optional and purchased separately **G.** R-9750-11-24P Uses RD-5-1893-0 water valve & RD-5-9022-6 cable/ converter **H.** Heater- A/C only

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

OFF-ROAD

R-9755 Headliner

Air Conditioner Unit


CONSTRUCTION • MINING • AGRICULTURE • INDUSTRIAL



Perfect for compact and hard-to-cool truck and off-highway equipment cabs. The R-9755 produces 240 CFM of airflow, filters recirculating cab air, and is just 14.5 inches front to back. Options include an outside air adapter.

R-9755 SPECIFICATIONS

BTUs	Cooling – 17,000 BTU/Hr with 36°F (5 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	240 CFM (408 m³/h)
WEIGHT	32 lbs. (14.5 kg)
CURRENT DRAW	14.1 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 7 amps @ 27.2 VDC (includes 2 amps for A/C clutch)




R-9755 SYSTEM ORDERING GUIDE

	R-134a	NOTES
UNITS	R-9755-0P R-9755-0-24P	12 VDC - A/C only 24 VDC - A/C only
CONDENSER	R-9720-12P R-9720-12-24P	See Condenser Section See Condenser Section
INSTALLATION KIT	78R1705 78R1077	Refrigerant hose, fittings and hardware Rooftop condenser EZ Clip version
OPTIONS	Outside Air Adapter Replacement Filter Remote Mount Filters * Replacement Recirc Filter In-Line Booster Pressurizers	RD-3-4784-0P 78R5310 See Filters & Pressurizers section 78R 5350 See Filters & Pressurizers section
COMPRESSOR	Requires compressor and mounting kit	See Compressor Section

* Booster Pressurizer can only be used with Remote Mount Filters

Headliner Air Conditioner Model R-9755-0

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-2-2031-0P	Housing Assembly	
2		RD-5-9024-0P	Air Difuser Assembly (3)	72R3130
3		RD-5-5928-0P	Knob-Control	71R4040
4		RD-5-3646-0P	Switch, 3 speed	71R1150
5		RD-6-5893-0P	Electronic Thermostat	
6		RD-5-12742-0P	Blower Motor Assembly (12v)	73R5662

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
7		RD-5-12742-24P	Blower Motor Assembly (24v)	73R5664
8		RD-2-2047-0P	Evaporator Assembly	76R4920
9		RD-5-6868-1P	Expansion Valve- R 134a	71R8301
10		RD-2-2041-0P	Cover Assembly- housing	
11	A	RD-3-4784-0P	Fresh Air Box Assembly	
12		RD-5-6867-0P	Air Filter	78R5350

NOTES: **A**= Not shown

RED DOT CORPORATION

P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com


OFF-ROAD

Ship LTL Only


R-9757 Rooftop

Heater/Air Conditioner

CONSTRUCTION • MINING • AGRICULTURE



With heating and cooling, the R-9757 rooftop unit delivers comfort and performance in any environment. The low-profile ceiling plenum blends with any interior. Options include a remote-mount filter and in-line booster blower for a pressurized, dust-free cab.



R-9757 SPECIFICATIONS

BTUs	Heating – 45,000 BTU/Hr @ 100°F (13.2 kw @ 37.8°C) air temperature rise Cooling – 25,000 BTU/Hr with 36°F (7.3 kw with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air	
AIR FLOW	400 CFM (680 m³/h)	
WEIGHT	135 lbs. (61kg)	
MOTORS	Evaporator – One 12 VDC, three speed (24 VDC available)	Condenser – One 12 VDC low profile (24 VDC available)
CURRENT DRAW	38.2 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 19.1 amps @ 27.2 VDC (includes 2 amps for A/C clutch)	

R-9757 SYSTEM ORDERING GUIDE


	R-134a	NOTES	
UNITS	R-9757-0P R-9757-0-24P	12 VDC - Heater A/C 24 VDC - Heater A/C	
CONDENSER	Contained in the R-9757		
INSTALLATION KIT	78R1805	Refrigerant hose, fittings and hardware.	
OPTIONS	Replacement Filter	RD-3-6406-1P	(Fresh Air Filter Box)
	Paper Replacement Filter	RD-3-6407-0P	(Fresh Air Filter Box)
	Remote Mount Filters **	78R5100	(Horizontal)
		78R5110	(Vertical)
	Replacement Filters	78R5210	(Remote Mount)
	Replacement Gasket Kit	RD-3-9706-0P	(Gasket Kit)
	Replacement Recirc. Filter	78R5370	
	In-Line Booster Pressurizers *	73R9202	(12 VDC) For use with Remote Mount Filters
		73R9204	(24 VDC)
	Replacement Receiver Drier	74R2546	
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

* Booster Pressurizer can only be used with Remote Mount Filters

** Must be used with In-line Booster Pressurizer

Rooftop Heater-Air Conditioner Model R-9757

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-3-9093-0P	Housing Assembly	
2	A	RD-3-9210-0P	Cover Assembly	
3	B	RD-3-7383-0P	Blower/Motor Assembly (12V)	
4	B	RD-3-7383-1P	Blower/Motor Assembly (24V)	
5		RD-5-14189-0P	Motor (12V)	
6		RD-5-14189-24P	Motor (24V)	
7		RD-3-7382-0P	Blower Housing-Left	
8		RD-3-7382-1P	Blower Housing-Right	
9		RD-5-8092-0P	Blower Wheel-CW	73R7200
10		RD-5-8092-1P	Blower Wheel-CCW	73R7210
11		RD-3-7376-0P	Entry Ring (2)	
12		RD-3-3174-0P	Retainer-Motor	
13		RD-4-5444-0P	Condenser Housing Assembly	
14		RD-4-4724-0P	Condenser Assembly	77R0660
15		RD-4-4694-0P	Condenser Screen	
16	C	RD-5-13259 -4P	Fan/Motor Assembly-12VDC	
17	C	RD-5-13259-5P	Fan/Motor Assembly-24VDC	
18		RD-4-4520-4P	Side Bar Support-Left	
19		RD-4-4520-5P	Side Bar Support-Right	
20		RD-2-2791-0P	Evaporator Assembly	76R6015
21		RD-1-1379-0P	Heater Core Assembly	76R1860
22		RD-5-6868-1P	Expansion Valve	71R8301
23		RD-5-7272-0P	Receiver Drier Assembly	74R2546
24		RD-3-9099-0P	Tube Assembly-No. 6, Drier	
25		RD-3-9096-1P	Tube Assembly-No. 6	
26		RD-3-9097-0P	Tube Assembly-No. 6	
27		RD-3-9101-1P	Tube Assembly-No. 8	
28		RD-2-2156-0P	Refrig Tube Assembly #10 O-Ring	
29		RD-5-7760-1P	Water Valve Assembly	72R5220

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
30		RD-4366-0P	Coolant Tube 5/8" Elbow (2)	70R7150
31		RD-5-8433-0P	Switch, Binary Pressure	71R7075
32		RD-3-9212-0P	Plumbing Cover Assembly	
33		RD-3-6624-0P	Electrical Panel Assembly	
34		RD-5-3647-0P	Resistor	71R1450
35		RD-3-4812-2P	Plate-Ring Assembly	72R4531
36		RD-4-5445-2P	Condenser Support Assembly	
37		RD-4-7209-0P	Condenser Plate Assembly	
38		RD-3-8113-0M	Resistor Guard	
39		RD-3-4814-3P	Plate-Fresh Air	
40		RD-3-6960-0P	Gasket -Fresh Air Plate	
41	A	RD-5-4531-24P	Thermostat (part of #34)	71R3200
42	A	RD-5-6690-0P	Relay 12V	71R1902
43	A	RD-5-6917-2P	Converter Control	72R9005
44	A	RD-5-5928-0P	Control Knob	71R4040
45	A	RD-3-6475-0P	Plastic Plenum	
46	A	RD-4123-2P	Switch-Mode (on-off-on)	71R0200
47	A	RD-5-0071-0P	Switch-Fan (on-on-on)	71R0400
48	A	RD-5-7192-0P	Circut Breaker-35AMP (12V)	71R1330
49	A	RD-5-6714-0P	Circut Breaker-20AMP (24V)	71R1315
50	A	RD-5-4805-0P	Louver-4.5" Diameter	
51	A	RD-3-6408-0P	Filter-Recirculating Air	78R5370
52	A	RD-5-6693-0P	Relay (24V)	71R1904
53	A	RD-3-9095-0P	Wire Harness Assembly-Unit	
54	A	RD-3-9095-1P	Wire Harness Assembly-Unit	
55	A	RD-3-6613-0P	Wire Harness Assembly-Plenum	
56		RD-5-8086-0P	Retainer Assembly	
57		RD-3-6615-2P	Bracket-Fitting Assembly	

NOTES: **A**= Not shown **B**=Includes motor, blower assemblies, blower wheels and entry rings **C**=12" diameter

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

ON-ROAD/OFF-ROAD

Ship LTL Only


R-9777 Rooftop

Heater/Air Conditioner

CONSTRUCTION • MINING • AGRICULTURE



The R-9777 rooftop unit packages high-performance heating and cooling capacity into a tough, sleek engineered-resin housing. At just 7.9 inches high and 65 lbs., it has the low profile and low weight necessary for installation and durability on many equipment cabs. Optional equipment includes a remote-mount filter and in-line booster blower for a pressurized, dust-free cab.



R-9777 SPECIFICATIONS

BTUs	Heating – 45,000 BTU/Hr @ 100°F (13.2 kW @ 37.8°C) air temperature rise Cooling – 25,000 BTU/Hr with 36°F (7.3 kW with 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air	
AIR FLOW	355 CFM (580 m³/h)	
WEIGHT	65 lbs.	
MOTORS	Evaporator – One 12 VDC, three speed (24 VDC available)	Condenser – One 12 VDC, low profile (24 VDC available)
CURRENT DRAW	38.2 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 19.1 amps @ 27.2 VDC (includes 2 amps for A/C clutch)	


R-9777 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNITS	R-9777-0P	Heater A/C 12VDC	
	R-9777-0-24P	Heater A/C 24VDC	
	R-9777-1P	A/C Only 12VDC	
	R-9777-1-24P	A/C Only 24VDC	
CONDENSER	Contained in the R-9777		
INSTALLATION KIT	78R1805	Refrigerant hose, fittings and hardware.	
OPTIONS	Remote Mount Filters **	78R5100	(Horizontal)
		78R5110	(Vertical)
	Replacement Filters	78R5210	(Remote Mount)
	Replacement Gasket Kit	RD-3-10210-0P	
	In-Line Booster Pressurizers *	73R9202	(12 VDC) For use with Remote Mount Filters
		73R9204	(24 VDC)
	Replacement Receiver Drier	74R2546, 74R2590	
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

* Booster Pressurizer Can Only Be Used With Remote Mount Filters ** Must be used with In-line Booster Pressurizer

Heater Air Conditioner Model R-9777-0,-1

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-3-9135-0P	Cover - Condenser - Gray	
2		RD-3-9152-0P	Cover - Evaporator - Gray	
3		RD-5-9076-2P	Fan/Motor Assembly. 12v	73R8642
4		RD-5-9076-3P	Fan/Motor Assembly, 24v	73R8644
5		RD-4-5378-0P	Condenser	77R1290
6		RD-1-1755-0P	Heater Core Assembly	76R1560
7		RD-2-3413-0P	Evaporator Assembly	76R5820
8		RD-5-8583-0P	Motor Blower Assembly, 12v	73R5552
9		RD-5-8583-1P	Motor Blower Assembly, 24v	73R5554
10		RD-5-4531-24P	Thermostat - Side & Btm Mnt	71R3200
11		RD-5-9513-0P	Expansion Valve	71R8380
12		RD-5-9577-0P	Pressure Switch	71R6150
13		RD-2-3418-0P	Tube - #6 Receiver Drier - Cond	
14		RD-5-9419-1P	Receiver Drier, R134a	74R2590
15		RD-2-3419-0P	Tube - #6 Condenser	
16		RD-4-5453-0P	Tube Assembly - Inlet Cond	
17		RD-5-9224-1P	Water Valve - Cable Operated	72R5285
18		RD-1-1896-0P	Tube - Heater	
19		RD-2-3416-0P	Tube Assembly - Outlet	
20		RD-3-9144-0P	Placard	
21		RD-3-9405-0P	Latch - Over Center Assembly - Gray	

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
22		RD-3-9406-0M	Retainer - Latch Pivot	
23	A	RD-5-5260-0-.500M	Screw - #8 Plastite Hex HD.	
24	A	RD-5-5261-0-.750M	Screw - #12 Plastite Hex HD.	
25	A	RD-3-9608-0P	Wire Harness Assembly	
26	A	RD-3-12929-0P	Wire Harness Assembly (Cat Only)	
27	A	RD-5-6690-0P	Relay 12v	71R1902
28	A	RD-5-6693-0P	Relay 24v	71R1904
29	A	RD-3-9137-0P	Converter Control	
30	A	RD-3-9142-0P	Plenum - Outlet	
31	A	RD-5-9053-0P	Louver	72R3140
32	A	RD-5-10934-0P	Switch - Rotary 3 Speed	71R1163
33	A	RD-5-8967-0P	Switch - Rocker Black	71R0840
34	A	RD-5-8812-0P	Knob - Rotary Control	71R4015
35	A	RD-5-9077-1P	Filter - Recirc	78R5410M
36	A	RD-5-12203-0P	Cover - Recirc Filter	
37	A	RD-5-9437-0P	Resistor (For 12v)	71R1402
38	A	RD-5-9445-0P	Resistor (For 24v)	71R1401
39	A	RD-3-9388-0P	Plenum - Outlet Assembly (Heater- A/C)	
40	A	RD-3-9388-1P	Plenum - Outlet Assembly (A/C)	
41	A	RD-3-9389-0P	Plenum Recirc. Assy.	

NOTES: **A**= Not shown

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

OFF-ROAD


R-9800 RoofTop or Side Mount

Heater/Air Conditioner Unit

CONSTRUCTION • MINING • AGRICULTURE



Vertical or horizontal—the R-9800 mounts either way to fit your space. The control panel can be remote-mounted for the convenience of the operator. Rubber tie-downs unlatch for easy servicing of all components. Optional equipment includes a remote-mount filter and in-line booster blower for a pressurized, dust-free cab.





R-9800 SPECIFICATIONS

BTUs	Heating – 45,000 BTU/Hr @ 100°F (13.2 kW @ 37.8°C) air temperature rise Cooling – 25,000 BTU/Hr with 36°F (7.3 kW @ 2.2°C) refrigerant temperature and 80°F (26.7°C) wet bulb entering air
AIR FLOW	400 CFM (680 m³/h)
WEIGHT	70 lbs. (32 kg)
MOTORS	One 12 VDC, three-speed (24 VDC available)
CURRENT DRAW	22.7 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 11.4 amps @ 27.2 VDC (includes 2 amps for A/C clutch)


R-9800 SYSTEM ORDERING GUIDE

	R-134a	NOTES	
UNIT	R-9800-0P	12 VDC	
	R-9800-0-24P	24 VDC	
CONDENSER	77R0700 Radiator Mount	See Condenser Section	
	R-9725-3P Remote Mount	See Condenser Section	
	R-9725-3P Remote Mount	See Condenser Section	
INSTALLATION KIT	78R1705	Refrigerant hose, fittings and hardware	
OPTIONS	Remote Mount Filters **	78R5100	(Horizontal)
		78R5110	(Vertical)
	Replacement Filters	78R5210	(Remote Mount)
	Replacement Recirculating Filters	78R5360	
	Replacement Gasket Kit	RD-3-7837-0P	
	In-Line Booster Pressurizers *	73R9202	(12 VDC) For use with Remote Mount Filters
		73R9204	(24 VDC)
	Replacement Receiver Drier	74R2546	
	Air Outlet Adapter for In-Line Booster Pressurizer		72R4531
COMPRESSOR	Requires compressor and mounting kit		See Compressor Section

* Booster Pressurizer can only be used with Remote Mount Filters ** Must be used with In-line Booster Pressurizer

Heater Air Conditioner Model R-9800-0

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		Rd-3-7799-0p	Cover Assembly	
2		RD-1-1480-0P	Heator Core Assembly	76R1870
3		RD-2-2885-0P	Evaporator Assembly	76R5700
4		RD-3-7820-0P	Duct Assembly - Outlet	
5		RD-3-7822-0P	Valve - Expansion	71R8310
6		RD-3-7817-0P	Duct Assembly - Inlet	
7		RD-3-7383-0P	Motor Blower Assembly 12V	
8		RD-3-7383-1P	Motor Blower Assembly 24V	
9		RD-3-7376-0P	Ring - Entry	
10		RD-5-8092-0P	Blower Wheel (CW)	73R7200
11		RD-5-8092-1P	Blower Wheel (CCW)	73R7210
12		RD-3-7382-0P	Blower Assembly, Left Hand	
13		RD-3-7382-1P	Blower Assembly, Right Hand	

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
14		RD-3-4814-3P	Plate - Fresh Air	
15		RD-3-7826-0P	Panel Assembly - Electric	
16		RD-5-3647-0P	Resistor	71R1450
17		RD-3-3174-0P	Retainer - Motor	
18		RD-5-4531-24P	Thermostat	71R3200
19		RD-2-2895-0P	Tube Assembly - Evaporator #10	
20		RD-2-2896-0P	Tube Assembly Evaporator #6	
21		RD-5-8076-1P	Filter- Air	78R5360M
22	A	RD-5-8397-0P	Plenum Assembly	
23	A	RD-5-8436-0P	Louver (4)	72R13120
24	A	RD-5-3779-0P	Speed Switch- Rotary, 4 Position	71R1165
25	A	RD-5-9013-0P	Switch- Rotary, Heat-A/C 3 Pos	
26	A	RD-3-7872-0P	Wire Harness Assembly	

NOTES: **A**= Not shown

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

COMMON REPLACEMENT PARTS

R-1630

Part No.	Factory No.	Description	Notes
73R5532	RD-5-8837-0P	Motor- Double Blower, 12V	**A**
73R5534	RD-5-8838-0P	Motor Blower Assembly- Double, 24V	**B**
71R8301	RD-5-6868-1P	Valve- Expansion	
71R3200	RD-5-4531-24P	Thermostat- Side & Bottom Mounted	
78R5355	RD-3-10591-0P	Filter- Recirc	
76R2740	RD-1-2069-0P	Core- Heater Assembly	
76R6325	RD-2-3832-0P	Core- Evaporator Assembly	

Notes: **A** = R-1630-1P (12V) **B** = R-1630-1-24P (24 V)

R-2000

Part No.	Factory No.	Description	Notes
71R4015	RD-5-8812-0P	Knob- Control, Rotary	
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan	
71R1150	RD-5-3646-0P	Switch- Rotary, 3 Speed	
71R2250	RD-4125-36P	Thermostat	
72R3135	RD-5-10236-0P	Louver	
71R8301	RD-5-6868-1P	Valve- Expansion	
	RD-2-3000-0P	Motor/Blower/Mount Assembly, 12V	**A**
	RD-2-3000-2P	Motor/Blower/Mount Assembly, 24V	**B**
76R5200	RD-2-0993-1P	Evaporator Assembly	
	RD-2-5853-0P	Cover Assembly	

Notes: **A** = R-2000-11P (12V) **B** = R-2000-11-24P (24V)

R-2300

Part No.	Factory No.	Description	Notes
73R5532	RD-5-8837-0P	Motor- Double Blower, 12V	**A**
73R5534	RD-5-8838-0P	Motor- Double Blower, 24V	**B**
71R8301	RD-5-6868-1P	Valve- Expansion	
71R3150	RD-5-6429-0P	Thermostat	
	RD-2-5661-0P	Evaporator Assembly	
	RD-1-3436-0P	Core- Heater Assembly	**C**
	RD-3-12104-0P	Core- Heater/Evaporator	**D**

Notes: **A** = R-2300-0P, -1P, -2P (12V) **B** = R-2300-0-24P, -1-24P, -2-24P (24V) **C** = R-2300-1P, -1-24P **D** = R-2300-2P, -2-24P

R-2550

Part No.	Factory No.	Description
73R5622	RD-5-9204-0P	Motor Blower Assembly, 12V
70R8321	RD-5-7015-0P	Valve- Expansion
76R4020	RD-1-1748-0P	Heater Core Assembly
	RD-2-3812-0P	Evaporator Assembly

R-4122

Part No.	Factory No.	Description
	RD-3-4058-0P	Motor/ Blower Assembly
71R8301	RD-5-6868-1P	Valve- Expansion
76R6140	RD-2-1590-0P	Evaporator Assembly
76R2450	RD-1-0665-0P	Heater Core Assembly
71R1450	RD-5-3647-0P	Resistor

R-3310

Part No.	Factory No.	Description
	RD-3-15167-0P	Motor Blower Assembly
	RD-5-5123-24	Hose, Flex 2- 1/2"
74R3077	RD-5-11534-0P	Reciever Drier
	RD-4-7190-0P	Condenser Assembly

R-5040

Part No.	Factory No.	Description	Notes
	RD-3-3731-0P	Motor Blower Assembly, 12V	**B**
	RD-3-3731-1P	Motor Blower Assembly, 24V	**C**
71R8301	RD-5-6868-1P	Valve- Expansion	**A**
71R3200	RD-5-4531-24P	Thermostat- Side & Bottom Mounted	**A**
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan	
76R7070	RD-2-1370-0P	Evaporator Assembly	**A**
76R3500	RD-1-0325-0P	Core- Heater	

Notes: **A** = R-5040-4P,-6P (Heater- A/C) **B** = R-5040-0P, -4P (12V) **C** = R-5040-2P, -6P (24V)

COMMON REPLACEMENT PARTS

R-5045

Part No.	Factory No.	Description	Notes
	RD-3-3753-0P	Clip Filter	
	RD-5-5428-1P	Filter	
71R2250	RD-4125-36P	Thermostat	
	RD-5-9013-0P	Switch- Rotary, 3 Switch	
	RD-5-11783-0P	Switch- Fan Speed, Rotary	
	RD-5-7999-0P	Converter- Cable, Control	
	RD-5-5505-20	Cable- Control, Double Loop	
71R4015	RD-5-8812-0P	Knob- Control, Rotary	
	RD-3-15381-0	Panel- Control	
	RD-3-15380-0	Control Panel Assembly	**A**
	RD-3-15504-0	Control Panel Assembly	**B**
	RD-5-5223-2P	Air Diffuser Assembly	

Part No.	Factory No.	Description	Notes
71R8301	RD-5-6868-1P	Valve- Expansion	
76R7070	RD-2-1370-0P	Evaporator Assembly	
71R1450	RD-5-3647-0P	Resistor	
76R3500	RD-1-0325-0P	Heater Core Assembly	
72R5230	RD-5-7760-2P	Water Valve	
73R7151	RD-3-2557-2P	Blower Wheel	
	RD-3-2547-1P	Blower Assembly	
	RD-3-2547-0P	Blower Assembly	
	RD-5-5049-1P	Motor 12V	**C**
	RD-5-5049-2P	Motor 24V	**D**
	RD-3-14440-0P	Cover- Core Front	

Notes: **A** = R-5045-5-P, -5-24P **B** = R-5045-6P -6-24P **C** = R-5045-5P, -6P (12V) **D** = R-5045-5-24P, -6-24P (24V)

R-5075

Part No.	Factory No.	Description
	RD-3-3729-2	Motor Blower Assembly, 12V
	RD-3-3729-3	Motor Blower Assembly, 24V
	RD-3-7254-0P	Plenum Assembly- Control Panel, 12V
	RD-3-7254-1P	Plenum Assembly- Control Panel, 24V
72R5250	RD-5-7760-0P	Valve- Water, Cable Operated
71R8301	RD-5-6868-1P	Valve- Expansion

Part No.	Factory No.	Description
71R3100	RD-4427-24P	Thermostat
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan
	RD-5-8076-1P	Air Filter
76R7070	RD-2-1370-0P	Evaporator Assembly
76R3500	RD-1-0325-0P	Heater Core
73R4322	RD-5-10068-0P	Motor 12V
73R4724		Motor 24V

Notes: **A** = R-5075-0P (12V) **B** = R-5075-0-24P (24V)

R-6100

Part No.	Factory No.	Description	Notes
	RD-2-1206-0P	Motor Blower Assembly, 12V	**A**
73R4264	RD-5-5121-2P	Motor 24V	**B**
73R6300	RD-5-7312-0P	Blower Wheel- CCW	
73R6350	RD-5-7311-0P	Blower Wheel- CW	
	RD-3-4755-2P	Motor- Condenser Assembly, 12V	**A**
	RD-3-4755-3P	Motor- Condenser Assembly, 24V	**B**
71R2250	RD-4125-36P	Thermostat	
71R1150	RD-5-3646-0P	Switch- Rotary, 3 Speed	

Part No.	Factory No.	Description	Notes
71R8301	RD-5-6868-1P	Valve- Expansion	
74R2447	RD-5-7272-1P	Receiver Drier- Assembly	
	RD-5-7297-0P	Fan- 10"	
76R5500	RD-2-1195-0P	Evaporator Assembly	
	RD-2-2890-0P	Drain Pan Assembly	
73R8100	RD-2-1189-0P	Cover Assembly- Outer	
77R0620	RD-4-4738-0P	Condenser Assembly	

Notes: **A** = R-6100-4P (12V) **B** = R-6100-4-24P (24V)

R-6101

Part No.	Factory No.	Description	Notes
71R8301	RD-5-6868-1P	Expansion Valve	
73R5534	RD-5-8838-0P	Blower Assy 24V	**B**
73R5532	RD-5-8837-0P	Blower Assy 12V	**A**
71R1150	RD-5-3646-0P	Fan Speed Switch	
	RD-5-11990-0P	Pressure Switch - Dual Function	
71R2250	RD-4125-36P	Thermostat	
73R8644	RD-5-9076-3P	Fan/Motor Assy 24V	**B**

Part No.	Factory No.	Description	Notes
73R8642	RD-5-9076-2P	Fan/Motor Assy 12V	**A**
74R2590	RD-5-9419-1P	Receiver Drier	
	RD-2-7179-0P	Evaporator	
	RD-4-7337-0P	Condenser	
	RD-3-19087-0P	Housing Cover	
	RD-2-5974-0P	Plenum	

Notes: **A** = R-6101-0P (12V) **B** = R-6101-0-24P (24V)

COMMON REPLACEMENT PARTS

R-6840

Part No.	Factory No.	Description	Notes
73R5572	RD-5-9194-0P	Motor Blower Assembly- 12v	**A**
73R5584	RD-5-9194-1P	Motor Blower Assembly- 24v	**B**
71R8301	RD-5-6868-1P	Valve- Expansion	
71R2250	RD-4125-36P	Thermostat	
71R1160	RD-5-9833-0P	Switch- Rotary, 3 Speed (25 amp)	
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan	
72R3120	RD-5-8436-0P	Louver	
71R4015	RD-5-8812-0P	Knob- Control, Rotary	
76R7555	RD-2-5125-1P	Core- Evaporator Plate/ Fin	

Notes: **A** = R-6840-0P (12V) **B** = R-6840-0-24P (24V)

R-7830

Part No.	Factory No.	Description	Notes
	RD-3-3895-0P	Motor Blower Assembly- 12v	**A**
	RD-3-3895-1P	Motor Blower Assembly- 24v	**B**
71R8301	RD-5-6868-1P	Valve- Expansion	
	RD-2-1316-0P	Evaporator Assembly	
	RD-2-1487-0P	Control Panel Assembly	
	RD-5-5223-0P	Air Diffuser Assembly	
	RD-5-5223-1P	Air Diffuser Assembly	
71R2250	RD-4125-36P	Thermostat	

Notes: **A** = R-7830-0P (12V) **B** = R-7830-0-24P (24V)

R-8500

Part No.	Factory No.	Description	Notes
73R5672	RD-3-14448-0P	Motor Blower Assembly- 12v	**A**
73R5674	RD-3-14448-1P	Motor Blower Assembly- 24v	**B**
71R8301	RD-5-6868-1P	Valve- Expansion	
	RD-5-4531-24P	Thermostat	
	RD-5-6987-0P	Louver- Driver	
	RD-5-5222-0P	Louver- Air Diffuser Assembly	
	RD-1-0830-0P	Heater Core Assembly	
	RD-3-6162-1P	Air Filter	
	RD-2-1909-0P	Evaporator Assembly	

Notes: **A** = R-8500-2P, -3P (12V) **B** = R-8500-2-24P, -3-24P (24V)

R-8545

Part No.	Factory No.	Description	Notes
	RD-3-17687-0P	Motor Blower Assembly- 12v	**A, C**
	RD-3-17687-1P	Motor Blower Assembly- 24v	**B, D**
	RD-3-13403-0P	Plenum- Control Panel Assembly	**A**
	RD-3-13403-2P	Plenum- Control Panel Assembly	**B**
	RD-3-13403-1P	Plenum- Control Panel Assembly	**C**
	RD-3-13403-3P	Plenum- Control Panel Assembly	**D**
72R5220	RD-5-7760-1P	Valve- Water, Cable Operated	**A, B**
71R8301	RD-5-6868-1P	Valve- Expansion	
71R3100	RD-4427-24P	Thermostat	
78R5340	RD-5-6240-0P	Filter- Recirc	
76R5300	RD-2-1664-0P	Evaporator Assembly	
	RD-1-0771-0P	Heater Core Assembly	**A, B**

Notes: **A** = R-8545-16P **B** = R-8545-16-24P **C** = R-8545-17P **D** = R-8545-17-24P

R-9520

Part No.	Factory No.	Description	Notes
	RD-3-7383-0P	Motor Blower Assembly- 12v	**A**
	RD-3-7383-1P	Motor Blower Assembly- 24v	**B**
76R3465	RD-1-2006-0P	Heater Core Assembly	
	RD-5-8076-1P	Air Filter	
71R3200	RD-5-4531-24P	Thermostat	
	RD-2-5772-0P	Evaporator Core Assembly	

Notes: **A** = 9520-0P (12V) **B** = 9520-0-24P (24V)

R-9530

Part No.	Factory No.	Description	Notes
	RD-5-8583-0P	Motor Blower Assembly- 12v	**A**
	RD-5-8583-1P	Motor Blower Assembly- 24v	**B**
71R8301	RD-5-6868-1P	Valve- Expansion	
	406433	Evaporator Coil	
	406434	Heater Coil	
	RD-3-18633-0P	Drain Pan	

Notes: **A** = R-9530-0P, -1P (12V) **B** = R-9530-0-24P, -1-24P (24V)

COMMON REPLACEMENT PARTS

R-9560

Part No.	Factory No.	Description	Notes
71R8301	RD-5-6868-1P	Expansion Valve	
	RD-5-10796-0P	Rectangular Louver	
73R5534	RD-5-8838-0P	Blower Assy 24V	**B, D**
73R5532	RD-5-8837-0P	Blower Assy 12V	**A, C**
	RD-5-13530-0P	Fan Speed Switch	
	406334	Rotary Switch	**A, B**

Part No.	Factory No.	Description	Notes
	408466	Filter	
	RD-2-6825-0P	Evaporator	**C, D**
	RD-3-18282-0P	Combo Core	**A, B**
70R6508	RD-5-8773-0P	#8 Bulkhead fitting	**A, B**
	RD-6-5893-0P	Electronic Thermostat	

Notes: **A** = 9560-0P (12V) **B** = 9560-0-24P (24V) **C** = R-9560-1P (12V) **D** = R-9560-1-24P (24V)

R-9715

Part No.	Factory No.	Description	Notes
73R5502	RD-3-6770-0P	Motor Blower Assembly- 12v	**A**
73R5504	RD-3-6770-24P	Motor Blower Assembly- 24v	**B**
71R8321	RD-5-7015-0P	Valve- Expansion	
71R2250	RD-4125-36P	Thermostat	
71R1150	RD-5-3646-0P	Switch - Rotary, 3 Speed	

Part No.	Factory No.	Description	Notes
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan	
71R4040	RD-5-5928-0P	Knob- Control	
78R5253M	RD-1-0860-1P	Filter	
76R6040	RD-2-2928-0P	Evaporator Assembly	
	RD-5-8421-5P	Cover- Plastic Housing	

Notes: **A** = R-9715-11P (12V) **B** = R-9715-11-24P (24V)

R-9727

Part No.	Factory No.	Description	Notes
	RD-3-3914-2	Condenser motor- 12v	**A**
	RD-3-3914-3P	Condenser motor- 24v	**B**
	RD-5-3860-4P	Blower Motor Assembly- 12V	**A**
	RD-5-3860-5P	Blower Motor Assembly- 24V	**B**
71R1150	RD-5-3646-0P	Switch- Rotary, 3 Speed	
73R8100	RD-4-3508-0P	Fan	
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan	
	RD-5-4195-0P	Anchor- Rubber, Tie Down	

Part No.	Factory No.	Description	Notes
	RD-5-3894-1P	Fan- Guard Assembly	
77R0350	RD-4-3586-0P	Condenser Assembly	
76R7100	RD-2-1121-2P	Evaporator Cross Flow	
71R2250	RD-4125-36P	Thermostat	
74R2577	RD-5-7061-6P	Receiver Drier	
72R7050	RD-5-4640-0P	Binary Pressure Switch	
71R8301	RD-5-6868-1P	Valve- Expansion	
	RD-2-1060-0P	Drain Pan Assembly	

Notes: **A** = R-9727-2P (12V) **B** = R-9727-2-24P (24V)

R-9750

Part No.	Factory No.	Description	Notes
73R5532	RD-5-8837-0P	Motor- Double Blower, 12V	**A**
73R5534	RD-5-8838-0P	Motor- Double Blower, 24V	**B**
	RD-5-5505-33P	Control Cable, Double Loop	**C**
71R0010	RD-5-3748-0P	Switch- Toggle, SPST	**D**
	RD-3-7305-0P	Water Valve Assembly	**C**
71R8301	RD-5-6868-1P	Valve- Expansion	
71R2250	RD-4125-36P	Thermostat	
71R0400	RD-5-0071-0P	Switch- Toggle, SPDT On-On-On	

Part No.	Factory No.	Description	Notes
71R0200	RD-4123-2P	Switch- Toggle DPDT	**C**
72R3120	RD-5-8436-0P	Louver	
71R4015	RD-5-8812-0P	Knob- Control, Rotary	
76R1000	RD-1-0726-0P	Heater Core Assembly	**C**
78R5310M	RD-3-4804-1P	Filter- Recirc	
76R4900	RD-2-1633-0P	Evaporator Assembly	
	RD-5-7999-1P	Converter- Cable, Control	**C**

Notes: **A** = R-9750-9P, -10P (12V) **B** = R-9750-9-24P, -10-24P (24V) **C** = R-9750-9P, -9-24P (HTR-A/C) **D** = R-9750-10P, -10-24P (A/C)

COMMON REPLACEMENT PARTS

R-9753

Part No.	Factory No.	Description	Notes
	450828	Motor Blower Assembly- 12v	**A**
	450829	Motor Blower Assembly- 24v	**B**
	301337	Knob, Pointer Push On	
	402284	Switch, A/C Temp Rotary	
71R8301	RD-5-6868-1P	Valve- Expansion	
72R3135	RD-5-10236-0P	Louver	

Part No.	Factory No.	Description	Notes
	RD-5-13530-0P	Switch, Rotary Fan	
	407800	Evaporator Coil	
	407813	Filter	
	504019	Drain Pan	
	407801	Coil	
	450813	Switch, Pot	

Notes: **A** = R-9753-0P, -1P (12V) **B** = R-9753-0-24P, -1-24P (24V)

R-9755

Part No.	Factory No.	Description	Notes
73R5662	RD-5-12742-0P	Motor Blower Assembly- 12v	**A**
73R5664	RD-5-12742-24P	Motor Blower Assembly- 24v	**B**
71R8301	RD-5-6868-1P	Valve- Expansion	
71R1150	RD-5-3646-0P	Switch- Rotary, 3 Speed	
	RD-6-5893-0P	Electronic Thermostat	

Part No.	Factory No.	Description	Notes
72R3130	RD-5-9024-0P	Louver	
71R4040	RD-5-5928-0P	Knob- Control	
76R4920	RD-2-2047-0P	Evaporator	
78R5350	RD-5-6867-0P	Filter	

Notes: **A** = R-9755-0P (12V) **B** = R-9755-0-24P (24V)

R-9757

Part No.	Factory No.	Description	Notes
	RD-3-7383-0P	Motor Blower Assembly- 12v	**A**
	RD-3-7383-1P	Motor Blower Assembly- 24v	**B**
	RD-5-8086-0P	Retainer Assembly	
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan	
74R2447	RD-5-7272-1P	Receiver Drier Assembly	
76R1860	RD-1-1379-0P	Heater Core Assembly	
	RD-5-13259 -4P	Fan/Motor Assembly-12VDC	**A**
	RD-5-13259-5P	Fan/Motor Assembly-24VDC	**B**

Part No.	Factory No.	Description	Notes
76R6015	RD-2-2791-0P	Evaporator Assembly	
72R9005	RD-5-6917-2P	Convertor Control	
77R0660	RD-4-4724-0P	Condenser Assembly	
72R5220	RD-5-7760-1P	Valve- Water, Cable Operated	
71R8301	RD-5-6868-1P	Valve- Expansion	
71R3200	RD-5-4531-24P	Thermostat	
71R7075	RD-5-8433-0P	Switch- Binary, Pressure	

Notes: **A** = R-9757-0P **B** = R-9757-0-24P

R-9765

Part No.	Factory No.	Description	Notes
	450819	Motor Blower Assembly- 12v	**A**
	450818	Motor Blower Assembly- 24v	**B**
71R1912	RD-5-7232-0P	Relay- 12V	**A**
71R1904	RD-5-6693-0P	Relay- 24V	**B**
	450782	Fan- 12V	**A**
	450814	Fan- 24V	**B**
	301337	Knob- Pointer Push On	
	404968	Switch, Thermostat	
71R8301	RD-5-6868-1P	Valve- Expansion	

Part No.	Factory No.	Description	Notes
71R7075	RD-5-8433-0P	Binary Pressure Switch	
	RD-5-13530-0P	Switch, Rotary, Fan	
74R0462	RD-5-7064-1P	Receiver Drier	
	406334	Switch, Rotary	
	407368	Coil Condenser	
	407399	Heater Coil	
	407714	Evaporator Coil	
	504007	Electric Actuator and Bracket	
	450815	Water Valve	

Notes: **A** = R-9765-0P (12V) **B** = R-9765-0-24P (24V)

COMMON REPLACEMENT PARTS

R-9777

Part No.	Factory No.	Description	Notes
73R5552	RD-5-8583-0P	Motor Blower Assembly- 12V	**A**
73R5554	RD-5-8583-1P	Motor Blower Assembly- 24V	**B**
73R8642	RD-5-9076-2P	Fan/ Motor Assembly- 12V	**A**
73R8644	RD-5-9076-3P	Fan/ Motor Assembly- 24V	**B**
71R1902	RD-5-6690-0P	Relay- 12V	**A**
71R1904	RD-5-6693-0P	Relay- 24V	**B**
	RD-3-9137-0P	Converter- Cable Control	**C**
71R2250	RD-4125-36P	Thermostat	**D**

Part No.	Factory No.	Description	Notes
72R5285	RD-5-9224-1P	Valve- Water, Cable Operated	**C**
71R8380	RD-5-9513-0P	Valve- Expansion	
71R3200	RD-5-4531-24P	Thermostat- Side & Bottom Mounted	**C**
71R6150	RD-5-9577-0P	Pressure Switch	
74R2590	RD-5-9419-1P	Receiver Drier	
76R1560	RD-1-1755-0P	Heater Core Assembly	**C**
76R5820	RD-2-3413-0P	Evaporator Assembly	
77R1290	RD-4-5378-0P	Condenser	

Notes: **A** = R-9777-0P, 1P (12V) **B** = R-9777-0-24P, -1-24P (24V) **C** = R-9777-0P, -0-24P (HTR-A/C) **D** = R-9777-1P, -1-24P (A/C)

R-9800

Part No.	Factory No.	Description	Notes
	RD-3-7383-0P	Motor Blower Assembly- 12V	**A**
	RD-3-7383-1P	Motor Blower Assembly- 24V	**B**
71R3200	RD-5-4531-24P	Thermostat	
71R1450	RD-5-3647-0P	Resistor- Speed Control	

Part No.	Factory No.	Description	Notes
71R8310	RD-3-7822-0P	Valve- Expansion	
76R5700	RD-2-2885-0P	Evaporator Assembly	
76R1870	RD-1-1480-0P	Heater Core Assembly	


Notes: **A** = R-9800-0P (12V) **B** =R-9800-0-24P (24V)

R-254 & R-255

Auxiliary Heaters

RV • TRUCKS

Tried and true, our R-254 (single-fan) and R-255 (double-fan) auxiliary heaters are among the most versatile and maintenance-free heaters you'll find. Their round-tube-and-fin design lets you mount these heaters in any position using our multi-position leg brackets or flush-mount frame, and their compact size, simple plumbing, and high output make them ideal for any application.



R-254-4 Configuration Shown with mounting legs, floor exit



R-254-0 Shown with mounting legs, rear exit

SPECIFICATIONS

	R-254	R-255
BTUS	16,000 BTU/Hr @ 150°F (4.69kw @ 65.6°C) air temp. rise	30,000 BTU/Hr @ 100°F (8.79kw @ 37.8°C) air temp. rise
AIR FLOW	150 CFM (255 m³/h)	280 CFM (476 m³/h)
WEIGHT	7 lbs. (3 kg)	12 lbs. (5.5 kg)
CURRENT Draw	3.3 amps @ 13.6 VDC 1.7 amps @ 27.2 VDC	6.6 amps @ 13.6 VDC 3.3 amps @ 27.2 VDC
MODELS	Single Fan ⅝" fittings, rear exit: R-254-0P (12 VDC) R-254-0-24P (24 VDC) ¾" fittings, rear exit: R-254-1P (12 VDC) FLOOR EXIT ⅝" fittings: R-254-4P (12 VDC)	Double Fan ⅝" fittings, rear exit: R-255-10P (12 VDC) R-255-10-24P (24 VDC) FLOOR EXIT ⅝" fittings: R-255-12P (12 VDC)

OPTIONS:

Heater Hose
78R0100


Toggle Switch
71R0100

Defrost Hose Outlet 3 ½"
RD-1-0639-0P


⅝" to ¾" Adapter
70R7110

Control Panel
71R5819
Heater control -
Two-speed motor switch with manual water valve control

Diagrams for R-254




Diagrams for R-255



LS = Limited to stock on hand

R-270

Auxiliary Heater



RV • TRUCKS

The R-270 is a compact heater with two optional "snap-in" outlets so you can direct the air to where you need it.

R-270 SPECIFICATIONS	
BTUs	Heating – 15,000 BTU/Hr @ 100°F air temp. rise (4.4 kW @ 34.8°C)
AIR FLOW	140 CFM (237 m^3/h)
WEIGHT	7 lbs. (3 kg)
MOTORS	One 12 VDC (2-speed)
CURRENT DRAW	7.7 amps @ 13.6 VDC 3.8 amps @ 27.2 VDC
UNITS	R-270-0P (12 VDC) R-270-0-24P (24 VDC)

OPTIONS:

Snap In Outlets

Straight 2 ¼" Hose Outlet
72R4532




Louvered Outlet
72R3157



Installation Kit
RD-1-1654-0P 12VDC

Control Panel
71R5819
Heater control -
Two-speed motor switch with manual water valve control



R-273

Auxiliary Heater



RV • TRUCKS

The R-273 is a compact heater with optional "snap-in" outlet so you can direct the air to where you need it.

R-270 SPECIFICATIONS	
BTUS	Heating – 14,000 BTU/Hr @ 100°F air temp. rise (4.1 kW @ 34.8°C)
AIR FLOW	129 CFM (220 m^3/h)
WEIGHT	3 lbs. (1.35 kg)
MOTORS	One 12 VDC (3-speed)
CURRENT DRAW	4.6 amps @ 13.6 VDC 2.3 amps @ 27.2 VDC
UNITS	R-273-0P (12 VDC) R-273-0-24P (24 VDC))


OPTIONS:

Louvers
RD-5-14071-0P

2 ¼" Hose Outlet



Installation Kit
RD-1-1654-0P



LS = Limited to stock on hand

HEATER ONLY

R-290

Auxiliary Heater (Single Blower)

The R-290 is a compact, high-velocity heater with a single three-speed blower motor. A defrost hose adapter is available for ducting air.

R-290 SPECIFICATIONS		
BTUS	20,000 BTU/Hr @ 150°F (kw 5.86 @ 65.6°C) air temp. rise	
AIR FLOW	220 CFM (373 m³/h)	
WEIGHT	7 lbs. (3 kg)	
CURRENT DRAW	4.3 amps @ 13.6 VDC (high speed) 2.7 amps @ 27.2 VDC (high speed)	
MODELS	R-290-0P	(12 VDC), 5/8 fitting rear exit
	R-290-0-24P	(24 VDC), 5/8 fitting rear exit
	R-290-4P	(12 VDC), 5/8 fitting floor exit
LS	R-290-4-24P	(24 VDC), 5/8 fitting floor exit

LS = Limited to stock on hand




OPTIONS:

Defrost Hose Outlet Adapter	***Switch***	***Knob***
3 ½" RD-1-0639-0P	*71R1150*	*71R4050*

Control Panel

71R5821 Heater control – Three-speed motor switch with manual water valve control




R-295

Auxiliary Heater (Double Blower)

With a three-speed blower motor, the R-295 produces 430 CFM—a powerful, compact, and robust heater. A defrost hose adapter is available for ducting air.

R-295 SPECIFICATIONS		
BTUS	35,000 BTU/Hr @ 180°F (kw 10.25 @ 82°C) air temp. rise	
AIR FLOW	430 CFM (730 m³/h)	
WEIGHT	11 lbs. (5 kg)	
CURRENT DRAW	16 amps @ 13.6 VDC (high speed) 7 amps @ 27.2 VDC (high speed)	
UNITS	R-295-0P	(12 VDC), ⅝ fitting rear exit
	R-295-0-24P	(24 VDC), ⅝ fitting rear exit
	R-295-4P	(12 VDC), ⅝ fitting floor exit




OPTIONS:

Defrost Hose Outlet Adapter	***Switch***	***Knob***
3 ½" RD-1-0639-0P (uses two)	*71R1150*	*71R4050*

Control Panel

71R5821 Heater control – Three-speed motor switch with manual water valve control



R-297


Auxiliary Double Blower Heater

TRUCK SLEEPERS

The R-297 is a powerful, three-speed floor-mounted heater for cabs used in demanding environments.

R-297 SPECIFICATIONS		
BTUS	Heating - 28,000 BTU/Hr	
AIR FLOW	300 CFM (510 m^3/h)	
WEIGHT	9.8 lbs. (4 kg)	
CURRENT DRAW	6A @ 27V 12A @ 13.5V	
UNITS	R-297-0P R-297-0-24P	12 VDC 24 VDC






R-2020

Auxiliary Heater-Defrost and Oil Cooler

MARINE • INDUSTRIAL • CONSTRUCTION

R-2020 SPECIFICATIONS	
BTUS	Heat –17,800 BTU/Hr @ 100°F (kw 5.21 @ 37.8°C) with water for heat source (BTU's per hour with oil for heat source lower)
AIR FLOW	165 CFM (280 m^3/h)
WEIGHT	10.7 lbs. (4.85 kg)
MOTOR	One 12 VDC or one 24 VDC single speed
CURRENT DRAW	6 amps @ 13.6 VDC, 3 amps @ 27.2 VDC
UNITS	R-2020-0P (12 VDC), R-2020-0-24P (24 VDC)




Shown with optional fittings and mounting bracket

OPTIONS:

2 ½" Defrost Adapter
72R3601
3" Defrost Adapter
72R3603
Swivel Fittings
70R7600 (Straight ⅝" hose)
70R7650 (90° ⅝" hose)

Hoses
78R0100 (Heater, ⅝" 50ft)
78R0250 (Defrost, 2 ½" 9ft)
78R0300 (Defrost, 3" 9ft)
Switches
71R0050 (Toggle, ON-OFF)
71R1210 (Rotary, 3-speed)
Mounting Bracket
RD-1-0419-0P


Control Panel
71R5817 Heater control – Single speed motor switch with manual water valve control



HEATER ONLY

R-2020-0 Heater

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-5-4550-0P	Motor (12v)	73R0102
2		RD-5-4550-24P	Motor (24v)	73R0104
3		RD-1-0411-0P	Motor Mount Assembly	
4		RD-5-3800-1P	Blower Wheel	73R6251
5	A	RD-1-0419-0P	Mounting Bracket	
6	A	RD-1-0425-0P	Straight Swivel Fitting Assembly- Use with 5/8" Hose	70R7600
7	A	RD-1-0426-0P	90° Swivel Fitting Assembly - Use with 5/8" Hose	70R7650

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
8		RD-1-0427-0P	Heater Core Assembly	76R0500
9		RD-1-0440-0P	Front Cover Assembly	
10	A	RD-1-0422-0P	Auxillary Outlet Assembly (2.5")	72R6301
11	A	RD-1-0423-0P	Auxillary Outlet Assembly (3.0")	72R3603
12		RD-5-4035-52P	Clamp	70R5650
13	A	RD-1-1153-0P	Auxillary Outlet (3-Ring)	
14	A	RD-5-5194-0P	Control Switch- (3 Speed)	71R1210

NOTES: **A**= Optional item

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

R-3500 HEATER

Auxiliary Heater


CRASH/FIRE/RESCUE • CREW CABS

The R-3500 crew cab heater was designed with high performance to be able to heat larger cabs in extreme conditions. Its low profile and heavy duty construction allows this heater to be used in various applications.

R-3500 SPECIFICATIONS	
BTUS	Heating – 49,000 BTU/Hr @ 180°F (kw 14.35 @ 82.2°C) temp. rise
AIR FLOW	480 CFM (816 m^3/h)
WEIGHT	28 lbs. (13 kg)
CURRENT DRAW	15.9 amps @ 13.6 VDC
UNITS	R-3500-1P (12 VDC)



NOTE: Gasket on front




R-3540 HEATERS

Auxiliary Heater

CRASH/FIRE/RESCUE • VAN • BUS

Designed for small spaces, the R-3540 delivers high capacity for its size. With a pancake fan design, this unit is quiet and moves close to 200 CFM of air. It has versatile mounting (flat or horizontal) and a resistor for variable speed control.


R-3540 SPECIFICATIONS	
BTUS	22,970 BTU/Hr @ 180°F (kw 6.73 @ 82.6°C) air temp. rise
AIR FLOW	194 CFM (330 m^3/h)
WEIGHT	10 lbs. (4.5 kg)
CURRENT DRAW	4.8 amps @ 13.6 VDC
UNITS	R-3540-2P (12 VDC)



HEATER ONLY

R-4013H

Heater/Defroster



CONSTRUCTION • MINING • AGRICULTURE • INDUSTRIAL

The R-4013H is a compact, versatile, and high-output heater/defroster. Like other Red Dot heaters, the tube and fin coil design allows mounting in any position. A diversion door can be manually or cable-actuated to control defrost and heat output. An optional adapter to the heat outlet turns the R-4013 into a dual defroster or multi-compartment heater.

R-4013H SPECIFICATIONS	
BTUS	Heating – 20,000 BTU/Hr @ 100°F (5.7 kW @ 37.8°C) air temp. rise
AIR FLOW	185 CFM (314 m³/h)
WEIGHT	15.7 lbs. (7.1 kg)
CURRENT DRAW	11 amps @ 13.6 VDC, 5.5 amps @ 27.2 VDC
UNITS	R-4013HP (12 VDC) For 24 volt see R-6130 (right)


OPTIONS:

Heater Hose 5/8" – 50'
78R0100

3 ½" Defrost Adapter
72R3550



Control Panel
71R5819 Heater control - Two-speed motor switch with manual water valve control



R-6130

Box Heater




BUS • CONSTRUCTION • MINING • AGRICULTURE • INDUSTRIAL

The R-6130's compact size is ideal for mounting in tight areas and the rotatable blower makes it easy to duct heat to where you need it.

R-6130 SPECIFICATIONS	
BTUS	Heating – 28,100 BTU/Hr @ 180°F (8.2 kW @ 37.8°C) air temp. rise
AIR FLOW	283 CFM (481 m³/h)
UNITS	R-6130-1P (12 VDC) R-6130-0P (24 VDC)

OPTIONS:

Control Panel
71R5819 Heater control - Two-speed motor switch with manual water valve control



COMMON REPLACEMENT PARTS

R-254

Part No.	Factory No.	Description	Notes
	RD-5-10491-0P	Motor- 12V	**A**
	RD-5-10491-24P	Motor- 24V	**B**
	RD-1-0352-0P	Leg Assembly- Mounting	

Part No.	Factory No.	Description	Notes
	RD-1-0355-0P	Core- Heater Assembly	**C**
	RD-3133-9P	Fan Blade	

Notes: **A** = R-254-0P (12V) **B** = R-254-0-24P (24V) **C** = R-254-0P, -0-24P

R-255

Part No.	Factory No.	Description	Notes
73R0032	RD-5-10491-0P	Motor- 12V	**A**
73R0034	RD-5-10491-24P	Motor- 24V	**B**
	RD-1-0352-0P	Leg- Mounting	

Part No.	Factory No.	Description	Notes
73R8050	RD-3133-9P	Fan Blade	
	RD-1-3538-0P	Core- Heater	

Notes: **A** = R-255-10P (12V) **B** = R-255-10-24P (24V)

R-290

Part No.	Factory No.	Description	Notes
73R5522	RD-5-8835-0P	Motor Blower Assembly- 12V	**A**
	RD-5-8836-0P	Motor Blower Assembly- 24V	**B**
	RD-1-0355-0P	Heater Core Assembly	**C**

Part No.	Factory No.	Description	Notes
	RD-1-0355-4P	Heater Core Assembly	**D**
	RD-1-0352-0P	Leg Assembly- Mounting	

Notes: **A** = R-290-0P, -4P (12V) **B** = R-290-0-24P, -4-24P (24V) **C** = R-290-0P, -0-24P **D** = R-290-4P, -4-24P

R-295

Part No.	Factory No.	Description	Notes
73R5532	RD-5-8837-0P	Motor Blower Assembly- 12V	**A, C**
73R5534	RD-5-8838-0P	Motor Blower Assembly- 24V	**B**
	RD-1-0355-2P	Heater Core	**A, B**

Part No.	Factory No.	Description	Notes
	RD-1-0355-5P	Heater Core	**C**
	RD-1-0352-0P	Leg Assembly- Mounting	

Notes: **A** = R-295-0P **B** = R-295-0-24P **C** = R-295-4P

R-2020

Part No.	Factory No.	Description	Notes
73R0102	RD-5-4550-0P	Motor- Single Speed- 12V	**A**
73R0104	RD-5-4550-24P	Motor- Single Speed- 24V	**B**

Part No.	Factory No.	Description	Notes
73R6251	RD-5-3800-1P	Blower Wheel	
76R0500	RD-1-0427-0P	Heater Core Assembly	

Notes: **A** = R-2020-0P (12V) **B** = R-2020-0-24P (24V)

R-3500

Part No.	Factory No.	Description
	RD-2-2701-0P	Motor Blower Assembly
72R5240	RD-5-7760-3P	Valve- Water, Cable Operated
71R1150	RD-5-3646-0P	Switch- Rotary, 3 Speed

Part No.	Factory No.	Description	Notes
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan	
71R4040	RD-5-5928-0P	Knob- Control	
	RD-1-1281-0P	Heater Core Assembly	

R-3540

Part No.	Factory No.	Description	Notes
	RD-5-8759-1P	Fan/ Motor Assembly	
	RD-1-1545-0P	Heater Core Assembly	

Part No.	Factory No.	Description	Notes
71R1450	RD-5-3647-0P	Resistor- Speed Control, Single Fan	

R-4013HP

Part No.	Factory No.	Description	Notes
	RD-3-3735-0P	Motor Blower Assembly	

Part No.	Factory No.	Description	Notes
	RD-1-0147-2P	Core- Heater Round Tube & Fin	

R-6130

Part No.	Factory No.	Description	Notes
	RD-3-3728-1P	Motor Blower Assembly- 12V	**B**
	RD-3-3728-3P	Motor Blower Assembly- 24V	**A**

Part No.	Factory No.	Description	Notes
	RD-5-9540-0P	Resistor- 3 Speed	
	RD-1-0333-4P	Heater Core Assembly	

Notes: **A** = R-6130-0P (24V) **B** = R-6130-1P (12V)

Ship LTL Only

R-4500

Rooftop Condenser (45,000 BTU)

CRASH/FIRE/RESCUE • DUAL EVAPORATORS


Our largest "power" condenser, the R-4500 is a dual-fan unit with the capacity needed for high-performance evaporators and dual-evaporator systems. Available with a low-profile conversion kit.



R-4500 SPECIFICATIONS


CAPACITY	45,200 BTU/hr. @ 135°F (13.2 kW @ 57.2°C) condensing temp. and 110°F (43.3°C) entering air
WEIGHT	85 lbs. (38.6 kg)
AIR FLOW	2,011 CFM (3,517 m3/h)
MOTORS	Two 16-inch diameter
CURRENT DRAW	30.3 amps @ 13.6 VDC
MODEL	R-4500-8P (12 VDC) R-4500-8-24P (24 VDC)

OPTIONS: *Low Profile Conversion Kit RD-4-5341-0P*



Condenser Roofmount R-4500-8

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-4-5047-1P	Bracket Assembly-Drier	
2		RD-4-5053-0P	Bracket Assembly-Support	
3		RD-4-5044-2P	Channel Assembly Cover	
4		RD-5-4035-52P	Clamp	70R5650
5		RD-4-5045-0P	Coil Assembly	77R0990
6		RD-4-5041-0P	Cover-Condenser	
7		RD-5-8785-4P	Fan/Motor Assembly- Puller	73R8592
8		RD-4-5042-1P	Leg Assembly- Mounting Left	
9		RD-4-5043-2P	Leg Assembly- Mounting Right	
10		RD-5-9419-1P	Reciever Drier Assembly	74R2590

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
11		RD-5-6690-0P	Relay-Sealed	71R1902
12		RD-4-4404-2P	Retainer- Fitting	
13		RD-4-5324-2P	Shroud Assembly-Fan	
14		RD-5-9577-0P	Switch- Pressure	71R6150
15		RD-4-5050-0P	Tube Assembly- Inlet #8	
16		RD-4-5052-0P	Tube Assembly -#6	
17		RD-2-3524-1P	Tube Assembly - #6	
18	A	RD-5-8636-0M	Bracket- Mounting	
20	B	RD-5-8785-5P	Fan/Motor Assembly- Puller	73R8594
22	B	RD-5-6693-0P	Relay	71R1904

NOTES: **A**= Not shown **B**= 24 volt system

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

FOR REFERENCE ONLY. SUBJECT TO CHANGE WITHOUT NOTICE

R-6160

Rooftop Condenser (24,000 BTU)

TRUCKS • CONSTRUCTION • AGRICULTURE


A compact, rugged rooftop condenser with a low profile for cabs with minimal roof space or aerodynamic fairings.



R-6160 SPECIFICATIONS	
CAPACITY	24,000 BTU's/hr (7 kW @ 65.5°C)
WEIGHT	23 lbs. (10.5 kg) Lightweight
CONDENSER COIL	The coil is aluminum fin and copper tube construction, which includes a tube of .022" (6 cm) wall thickness, results in an effective, lightweight rugged coil.
MOTOR/FAN	The motor is a permanent magnet type selected for its extended life. The fan is made of aluminum.
CURRENT DRAW	12 amps @ 13.6 VDC (includes 4 amps A/C for clutch) 6 amps @ 27.2 VDC (includes 2 amps A/C for clutch)
UNITS	R-6160-0P (12 VDC), R-6160-0-24P (24 VDC)


OPTIONS:

Receiver Drier Kit *(12/24 VDC) RD-5-4722-1P/-2P*
Winter Cover *RD-5-4743-0P*
Bug Screen *RD-4-4529-1P*



Rooftop Condenser Model R-6160-0

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-4-3882-0P	Cover Assembly (with Fan Guard)	
2		RD-5-3894-2P	Fan Guard Only	
3		RD-4-4738-0P	Condenser Assembly	77R0620
4		RD-5-7297-0P	Fan	73R8100
5		RD-5-14193-0P	Motor - 12 Volt	
6		RD-5-14190-24P	Motor - 24 Volt	

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
7		RD-5-4035-52P	Clamp (3.5")	70R5650
10		RD-4-3875-0P	Pan Assembly	
11		RD-5-4216-0P	Diode	71R1900
12		RD-5-4665-0M	Clamp - Hose	70R5706
13		RD-5-4666-0M	Clamp - Hose	70R5708
14		RD-5-3855-1P	Spacer (4)	

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

R-6260

Rooftop Condenser (38,800 BTU)

TRUCKS • CONSTRUCTION • AGRICULTURE


A dual-fan, high-capacity rooftop condenser with a low profile for cabs with minimal roof space or aerodynamic fairings.



R-6260 SPECIFICATIONS	
CAPACITY	38,800 BTU/hr (11.4 kW @ 65.5°C)
WEIGHT	30 lbs. (14 kg) Lightweight
MOTOR/FAN	Two 11-inch (27.9 cm) diameter pancake motor fan assembly producing 970 CFM (1,648 m3/h)
CURRENT DRAW	15 amps @ 13.6 VDC (includes 4 amps A/C for clutch) 8.5 amps @ 27.2 VDC (includes 2 amps A/C for clutch)
UNITS	R-6260-1P (12 VDC) R-6260-1-24P (24 VDC)


OPTIONS:

Bug Screen Kit *RD-4-5135-0P*
Winter Cover *RD-5-8412-0P*



Rooftop Condenser Model R-6260-1

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-4-5121-0P	Cover	
2		RD-4-5122-0P	Condenser Assembly	77R0630
3	A	RD-5-7232-0P	Relay- 12v Metri Pack with Diode	71R1912
4		RD-5-8627-5P	Fan/Motor Assembly 12v	73R8612

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
5		RD-5-8627-6P	Fan/Motor Assembly 24v	73R8614
6	A	RD-5-7233-0P	Relay- 24v Metri Pack with Diode	71R1914
7	A	RD-4-5271-0P	Wire Harness Assembly 12v	
8	A	RD-4-5271-1P	Wire Harness Assembly 24v	

NOTES: **A**=Not Shown

RED DOT CORPORATION

P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

R-9720

Remote Mount Condenser (39,000 BTU)



CONSTRUCTION • MINING • AGRICULTURE


The R-9720 is the industry's most versatile and rugged remote-mount condenser. Its unique design allows installation on a horizontal surface or mounted below a roof or floor panel simply by changing two hose connectors. Suitable for off-highway applications, commercial trucks, or specialty vehicles where a radiator-mount or rooftop condenser cannot be used.

R-9720 SPECIFICATIONS

CAPACITY	39,000 BTU/Hr. (8.8 kW)
WEIGHT	45 lbs. (16.8 kg)
CONDENSER COIL	Copper tubing, aluminum fins and plated steel headers
CURRENT DRAW	12.3 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 6.17 amps @ 27.2 VDC (includes 2 amps for A/C clutch)
FAN	10-inch (25.4 cm) diameter, 4 blade fan with single speed long life motor

R-9720 SERIES SYSTEM ORDERING GUIDE

R-9720-12P	12 VDC with In-Line Drier	R-134a Compatible
R-9720-12-24P	24 VDC with In-Line Drier	R-134a Compatible



R-9720 Series OPTIONS:

Shock Mount Assembly
RD-4-3669-0P
(2 required per unit)




Condenser Mount Bracket
77R9020



Remote Mount Condenser Model R-9720-3

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-4-6677-0P	Housing Assembly	
2		RD-4-4069-1P	Condenser Assembly	77R0110
3	B	RD-5-13259-2P	Fan/Motor Assembly (12v)	
4	C	RD-5-13259-3P	Fan/ Motor Assembly (24v)	
5		RD-5-4216-0P	Diode	71R1900
6		RD-4-3804-0P	Fitting Bracket Assembly	
7		RD-5-4666-0M	Clamp, Single Hose	70R5708
8	B	RD-5-6690-0P	Relay (12v)	71R1902
9	C	RD-5-6693-0P	Relay (24v)	71R1904

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
10		RD-2-1659-26P	#6 to #8 Refrigerant Hose Assembly	
11		RD-2-1784-12P	#6 Refrigerant Hose Assembly-#6	
12		RD-2-0815-8.50P	#6 Refrigerant Hose Assembly-#6	
13		RD-5-8433-0P	Binary Switch Assembly	71R7075
14		RD-5-7064-1P	Receiver Drier	74R0462
15		RD-5-4903-0P	Moisture Indicator	70R3500
16		RD-4-4253-1P	Bracket Assembly, Drier	
17	A	RD-5-8086-0P	Rubber tie down handles (2)	

NOTES: **A**= Not shown **B**= For Unit RD-9720-12P (12v) **C**= For Unit RD-9720-12-24P (24v)

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

R-9725

Remote Mount Condenser (36,500 BTU)

CONSTRUCTION • MINING • AGRICULTURE


The R-9725's dual fans provide the capacity to handle any of Red Dot's auxiliary air conditioners. Can be mounted vertically or horizontally. Rock guard optional.



R-9725 SPECIFICATIONS	
CAPACITY	36,500 BTU/hr (9.7 kW)
WEIGHT	40 lbs. (18 kg)
CONDENSER COIL	Copper tubing, aluminum fins and plated steel headers
MOTORS	Single speed sealed permanent magnet
CURRENT DRAW	24 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 12 amps @ 27.2 VDC (includes 2 amps for A/C clutch)
FANS	Two 9-inch (20.32 cm) diameter bladed fans producing 900 CFM (1,529 m3/h)
UNITS	R-9725-3P (12 VDC), R-9725-3-24P (24 VDC)

OPTIONS:

Rock Guard
RD-4-4548-1P



R-9730


Remote Mount Condenser (44,500)

CONSTRUCTION • MINING • AGRICULTURE

The R-9730 is a heavy-duty condenser with the capacity to support dual-evaporator systems used in punishing off-highway environments.




R-9730 SPECIFICATIONS	
CAPACITY	44,500 BTU/hr (13 kW)
WEIGHT	74 lbs. (33.6 kg)
CONDENSER COIL	Copper tubing, aluminum fins and plated steel headers
MOTORS	Two single speed, long life sealed with pre-lubricated bearings.
CURRENT DRAW	26 amps @ 13.6 VDC (includes 4 amps for A/C clutch) 13 amps @ 27.2 VDC (includes 2 amps for A/C clutch)
FANS	Two 10-inch (25.4 cm) dia. bladed fans producing 1500 CFM (2,548 m3/h)
UNITS	R-9730-0P (12 VDC), R-9730-0-24P (24 VDC)



REMOTE MOUNT CONDENSER R-9725

SERVICE PARTS LIST




ITEM	NOTE	PART NO.	DESCRIPTION	CATALOG
1		RD-4-4463-0P	BRACKET ASSY. - MOUNTING	
2		RD-4-4440-0P	CONDENSER ASSEMBLY	77R0090
3		RD-4-4480-2P	COVER ASSEMBLY	
4		RD-4-7155-0P	COVER ASSY.	
5		RD-5-4216-0P	DIODE	71R1900
6	C	RD-5-11790-0P	FAN - 9 INCH PULLER	
7	D	RD-5-14281-1P	FAN - 9 INCH PULLER	73R8714
8	A,B	RD-5-13533-0P	FAN 8" STAINLESS STEEL	
9		RD-4-3804-0P	FITTING - BRACKET ASSY.	
10	A,B	RD-5-6767-0P	GAURD - FAN	
11	A	RD-4-4450-0P	MOTOR ASSY. (12 V.)	
12	B	RD-4-4450-1P	MOTOR ASSY. (24 V.)	73R8714
13		RD-4-5855-0P	MOTOR MOUNT ASSY	
14	A,C	RD-5-6690-0P	RELAY - 12V W/METRI-PAC SHROUD	71R1902
15	B,D	RD-5-6693-0P	RELAY - 24V W/METRI-PACK SHROUD	71R1904
16		RD-4-4470-0P	TUBE ASSY - NO. 6 OUTLET TO INLET	
17		RD-4-4471-0P	TUBE ASSY. - No. 6 OUTLET	
18		RD-4-4465-0P	TUBE ASSY. - NO. 8 STEPDOWN TO NO. 6, INLET	

NOTES: A: R-9725-1P B: R-9725-1-24P C: R-9725-3P
D: R-9725-3-24P

RED DOT CORPORATION
P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

Red Dot Heavy Duty Condenser R-9730-0 Series

SERVICE PARTS LIST



ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
1		RD-4-3666-0P	Housing Assembly	
2		RD-4-3804-0P	Fitting Assembly	
3		RD-4-3669-0P	Shock Mount (2)	
4		RD-5-3894-1P	Fan Guard (2)	
5		RD-3-3174-0P	Retainer - Motor (2)	
6	A	RD-5-5120-0P	Motor - 12v (2)	73R0512
7	B	RD-5-5120-24P	Motor - 24v (2)	73R0514
8		RD-4-4150-0P	Motor Mount Assembly (2)	
9		RD-4-3508-0P	Fan (2)	73R8110

ITEM	NOTE	PART NO.	DESCRIPTION	CAT. NO.
10		RD-4-3646-0P	Condenser Assembly	77R0800
11		RD-2-0815-14.70P	#6 Freon Hose Assembly	
12		RD-2-1647-24P	#6 Freon Hose Assembly	
13		RD-5-8433-0P	Switch-Pressure	71R7075
14		RD-5-7063-0P	Receiver Drier	74R1866
15		RD-5-4646-0P	Binary Switch	71R4000
16		RD-4-3652-0P	Support - Receiver Drier	
17		RD-5-4195-0P	Anchor, Rubber (4)	

NOTES: **A**= 12 Volt application **B**= 24 Volt application

RED DOT CORPORATION

P.O.Box 58270 Seattle, WA 98138 (206) 575-3840 AMCustomerService@RedDotCorp.com

COMMON REPLACEMENT PARTS

R-4500

Part No.	Factory No.	Description	Notes
	RD-5-8785-4P	Fan/ Motor Assembly- Puller, 12V	A
	RD-5-8785-5P	Fan/ Motor Assembly- Puller, 24V	B
	RD-5-9577-0P	Pressure Switch	

Part No.	Factory No.	Description	Notes
74R2590	RD-5-9419-0P	Receiver Drier	
	RD-4-5041-0P	Cover- Condenser	
	RD-4-5045-0P	Coil Assembly- Condenser Roof Mount	

Notes: **A** = R-4500-8P (12V) **B** = R-4500-8-24P (24V)

R-6160

Part No.	Factory No.	Description	Notes
	RD-5-14193-0P	Motor- 12V	A
73R0544	RD-5-7129-VP	Motor- 24V	B
73R8100	RD-5-7297-0P	Fan- 10″	

Part No.	Factory No.	Description	Notes
	RD-5-4216-0P	Diode	
	RD-4-3882-0P	Cover Assembly	
77R0620	RD-4-4738-0P	Condenser Assembly	

Notes: **A** = R-6160-0P (12V) **B** = R-6160-0-24P (24V)

R-6260

Part No.	Factory No.	Description	Notes
73R8612	RD-5-8627-5P	Fan/ Motor Assembly- Puller, 12V	A
73R8614	RD-5-8627-6P	Fan/ Motor Assembly- Puller, 24V	B

Part No.	Factory No.	Description	Notes
	RD-4-5121-0P	Cover	
	RD-4-5122-0P	Condenser Assembly	

Notes: **A** = R-6260-1P (12V) **B** = R-6260-1-24P (24V)

R-9720

Part No.	Factory No.	Description	Notes
	RD-5-13259-2P	Fan/ Motor Assembly- Puller, 12V	A
	RD-5-13259-3P	Fan/ Motor Assembly- Puller, 24V	B
71R7075	RD-5-8433-0P	Binary Pressure Switch	
	RD-5-8086-0P	Retainer Assembly	
74R0462	RD-5-7064-1P	Receiver Drier	

Part No.	Factory No.	Description	Notes
70R3500	RD-5-4903-0P	Moisture Indicator	
	RD-4-3804-0P	Fitting- Bracket Assembly	
	RD-5-4216-0P	Diode	
	RD-4-4069-1P	Condenser Assembly	

Notes: **A** = R-9720-12P (12V) **B** = R-9720-12-24P (24V)

R-9725

Part No.	Factory No.	Description	Notes
71R1902	RD-5-6690-0P	Relay- 12V	A
71R1904	RD-5-6693-0P	Relay- 24V	B
	RD-5-11790-1P	Fan- 9″ Puller	A
	RD-5-14281-1P	Fan- 9″ Puller	B

Part No.	Factory No.	Description	Notes
	RD-4-3804-0P	Fitting- Bracket Assembly	
	RD-5-4216-0P	Diode	
	RD-4-4440-0P	Condenser Assembly	

Notes: **A** = R-9725-3P (12V) **B** = R-9725-3-24P (24V)

R-9730

Part No.	Factory No.	Description
	RD-5-4195-0P	Anchor- Rubber, Tie Down
	RD-4-3804-0P	Fitting- Bracket Assembly
73R8110	RD-4-3508-0P	Fan
	RD-5-3894-1P	Fan Guard

Part No.	Factory No.	Description	Notes
	RD-4-3669-0P	Shock Mount Assembly	
74R1866	RD-5-7063-0P	Receiver Drier	
71R7075	RD-5-8433-0P	Binary Pressure Switch	
77R0800	RD-4-3646-0P	Condenser Assembly	

CONDENSER DESCRIPTIONS


CONDENSER COIL TYPE

SERPENTINE TYPE - Continuous extruded aluminum tube, ¾ to 2 inches thick. The fin is either skyve type or vacuum brazed ribbon type spaced approximately 14 fins per inch. High heat rejection, compact size exact O.E.M. replacements.


TUBE AND FIN TYPE - Constructed with .008 thick aluminum corrugated fin ¾ to 2 ½ inches in thickness. Fin spacing at 10 to 12 fins per inch providing maximum heat rejection. Tubes are either copper or aluminum.

GRILLDENSER TYPE - Constructed with .030 to .050 aluminum, fins are ¾ of an inch thick. Fins are spaced at 2 to 4 fins per inch providing minimal air flow restriction. Tubes are either .035" wall aluminum or .022" wall copper.

MULTI FLOW - Constructed with .0051 thick zinc coated cross flow tubes. Fin spacing is 14 fins per inch. Four pass design.



TYPICAL HEADER TYPES



POWER CONDENSERS

Listed in ascending order by **Height** x **Length** x **Thickness**

Height	Length	Thickness	Fitting #6 (5/8")	Location #8 (3/4")	Amps	Fan CFM	BTUs	Application	Red Dot Part No.	Factory No.
12 VOLT FAN										
9 1/8	26 21/32	4 3/4	J	H			5,800	Fits R-2110, 1 Fan	**77R0250**	RD-4-4144-2P
10 1/8	22 5/8	2 3/4	G	G		800	22,000	Fits R-2150, 2 Fans	**77R0530**	RD-4-4400-0P
12 7/8	33 1/2	4	F	D	15.7	1,210	25,000	Fits R-9475, 2 Fans	**77R1502**	RD-4-5990-0P
14 1/4	22	3 3/4	G	J	28	818	17,300	2 Fans, 28 amps @ 12.6 VDC	**77R1602**	RD-5-9616-0P
15	16 1/4	6	F	D			20,000	Fits R-20500, 1 Fan with Drier	**77R1632**	RD-4-5700-1P
12 3/8	25	6	G	J	19	1,040	30,000	19 amps @ 13.5 vdc	**77R1512**	RD-4-7083-0P
14	36	6 1/2			22	1,680	45,000	22 amps @ 13.5 vdc	**77R1522**	RD-4-7084-0P
24 VOLT FAN										
10 1/8	22 5/8	2 3/4	G	G		800	22,000	Fits R-2150, 2 Fans	**77R0530**	RD-4-4400-1P
12 7/8	33 1/2	4	F	D	7.8	1,210	25,000	Fits R-9475-0-24, 2 Fans	**77R1504**	RD-4-5990-1P
15	16 1/4	6	F	D			20,000	Fits R-20500-0-24, Fan with Drier	**77R1634**	RD-4-5700-1-24P
12 3/8	25	6	G	J	9	1,040	30,000	9 amps @ 27vdc	**77R1514**	RD-4-7083-0-24P
14	36	6 1/2			12	1,750	45,000	12 amps @ 27 vdc	**77R1524**	RD-4-7084-0-24P

77R0250 — RD-4-4144-2P

9 1/8" high x 26 21/32" long x 4 3/4" thick — Used with R-2110
With 12 VDC Fan, 5,800 BTU
Replacement fan & motor assembly: RD-5-9001-2P
Replacement condenser: 77R0260



77R0530 — RD-4-4400-0P

10 1/8" high x 22 5/8" long x 2 3/4" thick — Used with R-2150
With 12 VDC Fans, 800 CFM, 22,000 BTU
Replacement fan & motor assembly: RD-5-9001-2P
Replacement condenser: RD-4-4405-0P




77R0534 — RD-4-4400-1P

10 1/8" high x 22 5/8" long x 2 3/4" thick — Used with R-2150
With 24 VDC Fans, 800 CFM, 22,000 BTU
Replacement fan & motor assembly: RD-5-9001-3P
Replacement condenser: RD-4-4405-0P



77R1502 — RD-4-5990-0P


12 7/8" high x 33 1/2" long x 4" thick — Used with R-9475
With 12 VDC Fans, 15.7 Amps @ 13.6 VDC, 1,210 CFM, 25,000 BTU
Replacement fan & motor assembly: RD-5-9018-0P
Replacement condenser: RD-4-5452-0P



POWER CONDENSERS

77R1504 — **RD-4-5990-1P**

12 ⅞" high x 33 ½" long x 4" thick — Used with R-9475-0-24
With 24 VDC Fans, 1210 CFM, 7.8 Amps @ 27.2 VDC, 25,000 BTU
Replacement fan & motor assembly: RD-5-9018-1P
Replacement condenser: RD-4-5452-0P



77R1512 — **RD-4-7083-0P**

12 ⅜" high x 25" long x 6" thick
With 12 VDC Fans, 1,040 CFM, 19 Amps @ 13.5 VDC, 30,000 BTU
Mounting Bracket: 77R9025 (sold separately)



77R1514 — **RD-4-7083-0-24P**

12 ⅜" high x 25" long x 6" thick
With 24 VDC Fans, 1,040 CFM, 9 Amps @ 27 VDC, 30,000 BTU
Mounting Bracket: 77R9025 (sold separately)



77R1522 — **RD-4-7084-0P**

14" high x 36" long x 6 ½" thick
With 12 VDC Fans, 1,680 CFM, 22 Amps @ 13.5 VDC, 45,000 BTU



77R1524 — **RD-4-7084-0-24P**

14" high x 36" long x 6 ½" thick
With 24 VDC Fans, 1,750 CFM, 12 Amps @ 27 VDC, 45,000 BTU



77R1602 — **RD-5-9616-0P**

14 ¼" high x 22" long x 3 ¾" thick
With 12 VDC Fans at 11.5 amps, 818 CFM, 17,300 BTU
Replacement fan & motor assembly: RD-5-9001-0P
Replacement condenser: 77R1290



POWER CONDENSERS

77R1632 RD-4-5700-1P

15" high x 16 ¼" long x 6" thick – 12v fan with drier, 20,000 BTU
Used with R-20500-0 Heater AC TB175 Kit
Replacement fan & motor assembly: RD-5-8747-4P
Replacement condenser: RD-4-6528-0P



77R1634 RD-4-5700-1-24P

15" high x 16 ¼" long x 6" thick – 24v fan with drier, 20,000 BTU
Used with R-20500-0-24 Heater AC Kit
Replacement fan & motor assembly: 73R8654 / RD-5-8747-5P
Replacement condenser: RD-4-6528-0P



CONDENSER MOUNTING BRACKETS


Developed to aid the installer, these universal condenser mounting brackets attach directly to the condenser. Will span a radiator with outside dimension of 44 inches.

77R9000 RD-5-5403-0P

16-gauge steel

77R9005 RD-5-5403-2P

For use with 77R0650
Heavy Duty
11-gauge steel




77R9010 RD-5-5403-1P

16-gauge steel

77R9015 RD-5-5403-3P

For use with 77R0950 & 77R1100
Heavy Duty
11-gauge steel



77R9020 RD-11-0054-0P

For use with Remote Mount Condenser
16-gauge steel



77R9025 1761


For use with 77R1512 and 77R1514 condensers
12-gauge steel



R-9976

Hydraulic Axial Direct Drive

CONSTRUCTION • MINING • AGRICULTURE



New for 2015, the updated R-9976 is now available in three different motor sizes:

R-9976-5P = 8cc/rev (same as current dash-3 assembly)

R-9976-6P = 14cc/rev


R-9976-7P = 23cc/rev

The new hydraulic motors have integrated on/off solenoid valve and bypass circuit offering greater hydraulic *flow* range flexibility and greater hydraulic *pressure* range flexibility.

Earlier versions used an external valve to control the flow of hydraulic fluid to the unit. Red Dot's new design has an on/off valve and bypass circuit built into the motor making it easier to connect only three hydraulic lines; earlier models required as many as seven lines. And the R-9976 requires no external control valves or bypass circuits.


With fewer components and hydraulic connections, the new design is simpler to install and eliminates several potential leak points

Although the overall unit has a slightly larger footprint, the mounting plate is the same as previous installations.



HYDRAULIC FLOW AND PRESSURE CURVES

It is important to choose the correct assembly based on available hydraulic system pressure and flow rate.



Every R-9976 ships with both 12 and 24 volt coils and the wiring harness to connect it to your vehicle's electronics.

BOOSTER PRESSURIZERS, FILTER SYSTEMS, FILTER KITS AND PARTS

ENGINAIR

78R5120 **RD-5-15299-0P**

Pressurizer Pump
Use with a downstream filter
12/24V



78R5125 **RD-5-15300-0P**

Precleaner and pressurizer pump
Use with a downstream filter
12/24V



78R5130 **RD-5-15301-0P**

Precleaner, filter and pressurizer pump
12/24V



78R5155 **RD-5-15546-0P**

Precleaner, charcoal filter and pressurizer pump
12/24V



78R5165 **RD-5-15570-0P**

Precleaner, HEPA filter and pressurizer pump
12/24V



78R5170 **RD-5-15327-0P**

Model EL
12/24V



BOOSTER PRESSURIZERS, FILTER SYSTEMS, FILTER KITS AND PARTS

ENGINAIR ACCESSORIES

78R5135 **RD-5-15302-0P**
Flanged air inlet



78R5140 **RD-5-15303-0P**
Filter



78R5145 **RD-5-15304-0P**
HEPA filter




78R5160 **RD-5-15547-0P**
Charcoal filter




78R5180 **RD-5-15334-0P**
VLR Retro Kit (fits Donaldson 8")




785172 **RD-5-15350-0P**
Model EL Filter



78R5173 **RD-5-15350-IP**
Model EL Charcoal filter



78R5174 **RD-5-15350-2P**
Model EL HEPA Filter



Pressurizer & Remote Mount Filters

Booster Blower

AGRICULTURAL • MINING • INDUSTRIAL

Attaching directly to the 78R5100 and 78R5110 remote mount filters (shown below) the Booster Blower forces dust free air into the cab through our heater and air conditioner units.

PRESSURIZER SPECIFICATIONS	
AIR FLOW	140 CFM (238m3/h) with filter; 230 CFM (391m3/h) free flow
WEIGHT	7 lbs. (3 kg)
MOTOR/FAN	One 12 VDC, single speed (24 VDC available)
CURRENT DRAW	10.2 amps @ 13.6 VDC 6 amps @ 27.2 VDC
DIMENSIONS	4" inlet 3" outlet
UNITS	**73R9202** (12 VDC) **73R9204** (24 VDC)




Remote Mount Filters

The integration of Red Dot's Remote Mount Filters with the Booster Blower guarantees your dust-free working environment.

BACKPACK MOUNT

78R5000

9" Dia x 16" long
(228mm x 464mm)



REPLACEMENT PARTS	
Filter Model	78R5000
Filter	78R5200
Hood	RD-5-4288-0P
Band	RD-5-4289-0P
Rubber Elbow	78R5500

HORIZONTAL MOUNT

78R5100

10 ¼" Dia x 18" long
(260mm x 457mm)



REPLACEMENT PARTS	
Filter Model	78R5100
Filter	78R5210
Hood	RD-5-5151-0P
Band	RD-5-5150-0P

VERTICAL MOUNT

78R5110

10 ¼" Dia x 23 ¾" long
(260mm x 503mm)



REPLACEMENT PARTS	
Filter Model	78R5110
Filter	78R5210
Hood	RD-5-5152-0P
Band	RD-5-5150-0P

*** Cab pressure and protection level may vary with individual cab integrity**



Intake Replacement Filter
78R5200



Fresh Air Intake Replacement Filter
78R5210




Air Outlet Adapter For Pressurization
72R4531

BUSES

WATER VALVE

72R6540 RD-5-9415-0P

Red Dot Model R-6120 Gillig Bus, R-6135 Orion Bus
Gillig Models 21-43550, 21-55565
Orion Models 071320036, 058, 151
5⁄8″ x 5⁄8″ hose, 1/2 NPT–1/2 NPT
Cable controlled
Pull to Open



ROTARY ACTUATOR

71R3571 RD-5-8988-0P

Red Dot Model R-6135
Orion Models 071320036, 058, 151
Servo Actuator, 126° max. travel



71R3583 RD-5-12450-1P


Universal Sealed Actuator, 12 Volt or 24 Volt
Mounts in same position as many OE actuators
Sealed unit, no worry of corrosion
Control signal by linear voltage or pwm (pulse with modulation) input
4 pin Duetz sealed connection
104° maximum travel



EXPANSION VALVES


71R8301 RD-5-6868-0P

A/C Industries/Carrier Units
OE#101-100 (R-12) OE#101-107 (R-134a)
Kyser Units, OE#404098
Inlet: #6 (3⁄8″) Female O-Ring
Outlet: #10 (5⁄8″) Female O-Ring
Evaporator Fittings
In: #8 (1⁄2″) Female O-Ring
Out: #8 (1⁄2″) Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F




71R8400 RD-5-7155-0P

A/C Industries/Carrier Units OE#210-035
High-Capacity (2-ton)
With 7⁄16″ Schrader Port
Inlet: #6 (3⁄8″) Female O-Ring
Outlet: #10 (5⁄8″) Female O-Ring
Evaporator Fittings
In: #8 (1⁄2″) Female O-Ring
Out: #8 (1⁄2″) Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 50 psig @85°F



71R8459 RD-5-9327-0P

Orion Bus Models OE#G1310514BH
Inlet: #6 (3⁄8″) Female O-Ring
Outlet: #10 (5⁄8″) Female O-Ring
Evaporator Fittings
In: #8 (1⁄2″) Female O-Ring
Out: #8 (1⁄2″) Female O-Ring
Superheat Rating: 7°F
Pressure Limit: 80 psig @85°F



71R8100 RD-5-3824-1P

AC Industries / Carrier Units OE#101-102
External Equalizer
Inlet: #6 (3⁄8″) Male O-Ring
Outlet: #8 (1⁄2″) Male O-Ring
Equalizer Tube
Length: 13″
Nut: 1⁄4″ Female O-Ring
Capillary Tube Length: 13″
Rating: 1 1⁄2 Ton



SINGLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R0012 — RD-5-10379-0P

Amtram Model 2503277C1
IHC/Navistar Model 2503277C1
Thomas Model 8566-0226



Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5⁄16″
Dimensions: 4″ x 3 1⁄2″ x 3″
Shaft: 5⁄16″ diameter, Length: 1 7⁄8″
Vented
Connector: Two conductor, 14 gauge

73R0032 — RD-10491-0P

Red Dot Model R-7550-1
Orion Model 071330501 Series 12V Stepwell Heater



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5⁄16″
Dimensions: 3 5⁄8″ x 2 3⁄4″ x 3″
Shaft: 1⁄4″ diameter, Length: 11⁄16″
Non Vented
Connector: Two conductor, orange-high, red-low

73R0034 — RD-10491-24P

Red Dot Model R-7550-0-24 LS
Orion Model 071330501 Series 24V Stepwell Heater



Two Speed
24 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5⁄16″
Dimensions: 3 5⁄8″ x 2 3⁄4″ x 3″
Shaft: 1⁄4″ diameter, Length: 11⁄16″
Non Vented
Connector: Two conductor, orange-high, red-low

73R0082 — RD-5-10071-0P

Alliance/Freightliner Model ABP N83 301901
Thomas Applications



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5⁄16″
Dimensions: 3 1⁄2″ x 2 5⁄8″ x 3″
Shaft: 1⁄4″ diameter, Length: 1 1⁄16″
Non Vented
Connector: Two conductor, orange-high, red-low

73R0142 — RD-5-10070-0P

Alliance/Freightliner Model ABP N83 301881
Amtram Model 2503279C1
Thomas Applications



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5⁄16″
Dimensions: 4 1⁄4″ x 3 1⁄2″ x 3″
Shaft: 5⁄16″ diameter, Length: 1″
Vented
Connector: Three conductor, two-speed, orange-high, red-low

73R0322 — RD-5-6531-0P

Amtram Model 1691708C91
IHC/Navistar Model 691708C91
Thomas Applications



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16″
Dimensions: 4 1⁄2 x 3 5⁄8″ x 3″
Shaft: 5⁄16″ diameter, Length: 1 1⁄2″
Vented - RFI
Connector: Two conductor Packard #12034343

73R0332 — RD-5-10867-0P

Red Dot Model R-7160
Thomas Applications



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Flange / Plate Mounted
Dimensions: 5″ x 4″ x 3″
Shaft: 5⁄16″ diameter, Length: 1 1⁄2″
Vented
Connector: Two conductors, female ring terminal, Packard #2984528

73R0404 — RD-5-4827-24P

Red Dot Model R-6135-0P, -2P
Orion Model 071320058 Underseat Heater



Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16″
Dimensions: 4 3⁄4″ x 4″ x 3″
Shaft: 5⁄16″ diameter, Length: 1 1⁄2″
Vented
Connector: Two conductor Packard #2984528, 2971859

SINGLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R0632 — RD-5-10069-0P

Amtram Model 2503279C1
Bluebird Model 4316238
IHC/Navistar Models ZGG19343, ZGG11643
Thomas 6500-0439, 8566-0378



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5⁄16″
Dimensions: 4 9⁄16″ x 3 5⁄8″ x 3″
Shaft: 5⁄16″ diameter, Length: 1 5⁄16″
Vented
Connector: Two conductor, orange-high, red-low

73R0642 — RD-5-10072-0P

Bluebird 4316246
IHC/Navistar Model ZGG701089
Thomas Applications



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16″
Dimensions: 4 1⁄4″ x 3 3⁄4″ x 3″
Shaft: 5⁄16″ diameter, Length: 1 5⁄8″
Vented
Connector: Two conductors, 1⁄4″ male and female spade

73R0654 — RD-5-10255-2P

Red Dot Model R-6135-1P, -3P
Orion Model 071320036 Underseat Heater



Two Speed
24 Volt
Rotates Clockwise
Brushless Motor
Stud / Strap Mounted
Dimensions: 4 11⁄64″ x 4″ x 3″
Shaft: 5⁄16″ diameter, Shaft Length: 2 1⁄4″
Vented - RFI
Connector: 3 conductor Packard

73R1064 — RD-5-9245-24P

Red Dot Model R-6120-0, -1, -2, -10
Gillig Models 21-4355, 21-55565



Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Strap Mounted
Dimensions: 4 5⁄8″ x 4 3⁄16″ x 3″
Shaft: 5⁄16″ diameter, Length: 1 1⁄8″
Vented
Connector: Two conductors, combined male/female bullet

DOUBLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R4182 — RD-5-6801-0P

Amtram Model 2503276C1
IHC/Navistar Models 1691733C91, ZGG19348
Thomas Model 8566-0102



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4″ x 4″ x 3″
Shafts: 5⁄16″ diameter, length: 2 5⁄8″
Vented
Connector: 1⁄4″ spade receptacle

73R4242 — RD-5-8126-0P


Red Dot Model R-6145
Orion Model 071320015



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 5 5⁄16″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 7⁄8″
Vented
Connector: Two conductor
Packard #2984528, 1⁄4″ Blade

73R4312 — RD-5-10073-0P

Thomas Applications, Freightliner # ABP N83 301332



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 5 3⁄8″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 13⁄16″
Vented
Connector: Two conductor 1⁄4″ spade receptacle

73R4322 — RD-5-10068-0P


Thomas Model Applications, Freightliner # ABP N83 301322



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 4 7⁄8″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 1⁄2″
Vented
Connector: Two conductor spade receptacle

73R4422 — RD-5-5049-1P

IHC/Navistar Model ZGG19347
Thomas Model 8566-0297



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 5 1⁄4″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 7⁄8″
Vented
Connector: Two conductor Packard #2984528
1⁄4″ blade terminal

73R4424 — RD-5-5049-2P

Red Dot Models R-6125, R-6145
Orion Models 071310003, 071310011, 071320008, 071320015



Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 5 5⁄16″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 7⁄8″
Vented
Connector: Two conductor Packard #2984528
1⁄4″ blade terminal

73R4532 — RD-3-10538-0P

IHC/Navistar Model ZGG701071
Thomas Model 1118390



Single Speed
12 Volt
Field Wound Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 5 1⁄8″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter,
Shaft length: 2 7⁄16″
Vented
Includes gasket and wire assembly
Connector: Two conductor integrated spade receptacle

ALL PURPOSE FANS

The all purpose fan is designed to mount on either Horizontal (dash) or vertical (wall) surfaces. A unique spring loaded ball and socket allows easy adjustment of air direction, but once set remains in position. The 73R9052 fan blade has a matte black polypropylene fan guard and the 73R9062 uses a bright chrome metal wire guard.

73R9062 RD-5-5796-0P

IHC/Navistar Model 221099C1
Thomas Applications 5200-3268

Size Height	7.5" Diameter Fan, 8.625" Fan Guard, x 5.33" x 8.75"
Weight	2.5 lbs.
Motor	12 VDC
Current Draw	3.3 Amps @ 13.6 VDC: 1.65 Amps @ 27.2 VDC
Controls High	3 Position Switch – Off/Low/
Color	Black



73R9064 RD-5-5796-24P

IHC/Navistar Model 4507329R1

Size Height	7.5" Diameter Fan, 8.625" Fan Guard, x 5.33" x 8.75"
Weight	2.5 lbs.
Motor	24 VDC
Current Draw	3.3 Amps @ 13.6 VDC: 1.65 Amps @ 27.2 VDC
Controls High	3 Position Switch – Off/Low/
Color	Chrome



73R9082 RD-5-10490-0P

Amtram, IHC/Navistar Model 783966C93
Thomas Applications, Freightliner
ABP N83 309311

Size Height	7.5" Diameter Fan, 8.75" Fan Guard, x 5.33" x 8.75"
Weight	2.5 lbs.
Motor	12 VDC
Current Draw	3.3 Amps @ 13.6 VDC: 1.65 Amps @ 27.2 VDC
Controls High	3 Position Switch – Off/Low/
Color	Black or Chrome



PANCAKE FANS

73R8664 RD-5-9919-24P

Red Dot Models R-6140-2-24P, -3-24P, -5
Gillig Model 21-42075 Series Underseat Heater

Single Speed – Puller
24 Volt
Rotates Counter Clockwise
Permanent Magnet
Motor
Mounted with Shroud & Fan
Dimensions:
11 ⅝" diameter x 3" thick
Height 12 ¼"



73R8674 RD-5-10933-1P

Red Dot Models R-6140-45
Gillig Model 21-42075 Series Underseat Heater

Single Speed – Puller
24 Volt
Rotates Counter Clockwise
Brushless Motor
Mounted with Shroud & Fan
Dimensions:
10 ¾" diameter x 5" thick
Height 11 ¼"



73R8702 RD-5-8759-1P

Red Dot Models R-3540
Gillig Model 21-42075 Series Underseat Heater

Single Speed – Pusher
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Mounted with Shroud & Fan
Dimensions:
8" diameter x 2 ½" thick
Height: 8 ½"



BLADED FANS

* Rotation as viewed from discharge side.

73R8050 RD-3133-9P

Red Dot Models R-7550
Orion Model 071330501

6" Diameter
Rotates Clockwise



BLOWER WHEELS

73R6370 — RD-5-5601-0P

Red Dot Models R-6135
Orion Models 071310036, 058, 151 Underseat Heater
5 ¾" diameter, 3" width
5/16" bore diameter
Hub inset: 1 9/16"
Counter Clockwise Rotation
Plastic
Single Entry



73R7201 — RD-5-10935-0P

Red Dot Models R-7160
Thomas Bus
5 5/16" diameter, 3 ¾" width
5/16" bore diameter
Hub inset: ½"
Dual Rotation
Plastic
Double Entry



73R7130 — RD-5-10346-0P

IHC/Navistar Model 1691728C1
Thomas Model8566-0050
4 ¾" diameter, 3 7/32" width
5/16" bore diameter
Hub inset: 1 1/16"
Dual Rotation
Plastic
Double Entry




73R7202 — RD-5-10935-2P

Red Dot Models R-6120
Gillig Models 21-43550, 21-55565
5 ¼" diameter, 3 ¾" width
5/16" bore diameter
Hub inset: ½"
Counter Clockwise Rotation
Plastic
Double Entry
Fits Brushed Blower Motor
73R1064 / RD-5-9245-24P



73R7220 — RD-5-15298-0P

4 ½" diameter, 29" width
¾" bore diameter
Hub inset: Flat
Aluminum



RECEIVER DRIERS

74R0480 RD-5-14686-0P

2 ¾" diameter x 8 ¼" long
#8 Male O-Ring Inline
With moisture indicator



74R0485 RD-5-14687-0P

3" diameter x 10" long
#8 Flare O-Ring Inline



74R0490 RD-5-14688-0P

2 ½" diameter x 7 ¾" long
#12 Male O-Ring Inline
With moisture indicator



HEATER CORES


76R1550 RD-1-1401-0P

Red Dot Unit Model R-7550-1
Orion Model 071330501
6″ high x 6″ long x 3 11⁄32″ wide




76R3905 RD-3-10194-0P

Red Dot Unit Model R-6125
Orion Model 071310003, 071310011
8″ high x 20″ long x 2 ½″ wide




76R3940 RD-1-2079-0P

Red Dot Unit Model R-6135
Orion Model 071320036, 058, 151 Underseat heater
10″ high x 10 3⁄16″ long x 2 5⁄32″ wide




76R3943 RD-1-2379-0P

Red Dot Unit Model R-7160, Thomas Bus Heater
10 7⁄64″ high x 17 ¾″ long x 3 13⁄32″ wide



76R3950 RD-1-1919-0P

Red Dot Unit Model R-6140
Gillig Model 21-42075
12 ⅛″ high x 6 ¼″ long x 2 ¼″ wide




AIR FILTERS


78R5236 RD-5-10077-0P
IHC/Navistar Models ZGG720002
Thomas 8566-0439
9" x 9" x 5⁄8" thick




78R5244 RD-5-10076-0P
Thomas 8566-0237
14" x 12 3⁄4" x 5⁄16" thick




78R5249 RD-5-10080-0P
Thomas Applications
20 1⁄4" x 10 3⁄8" x 1⁄4" thick




78R5252 RD-5-10078-0P
Thomas Applications
23 1⁄2" x 5" x 5⁄16" thick




78R5254 RD-5-10079-0P
Thomas Applications
28 1⁄2" x 8 1⁄4" x 5⁄16" thick




78R5255 RD-5-10082-0P
IHC/Navistar Models ZGG720008
Thomas Applications
30" x 10 3⁄8" x 3⁄8" thick




78R5256M RD-10075-1P
IHC/Navistar Models ZGG720006
Thomas 8566-0237
28 1⁄2" x 7 1⁄8" x 1⁄4" thick



78R5257 RD-5-10081-0P
IHC/Navistar Models ZGG720005
22 1⁄2" x 10 1⁄4" x 1⁄4" thick




78R5258 RD-5-10074-0P
Thomas Applications
21" x 9 1⁄4" x 1⁄4" thick



AIR FILTERS


78R5306M RD-5-10773-1P

Red Dot Models R-6135
IHC/Navistar Models ZGG720007, ZGG14263
13 ½" Wide – 13" High – ¾" Thick




78R5309 RD-5-10249-0P

Red Dot Model R-6145
Orion Model 071320008, 071320015
23 ½" x 4" x ⅝" thick




78R5351 RD-5-10041-0P

Red Dot Model R-6125
Orion Model 071320008, 071320015
16 ¾" x 10 ⁵⁄₃₂" x ¼" thick




78R5353M RD-5-10795-1P

Red Dot Model R-7160
Thomas Applications
16 ¾" x 10 ⁵⁄₃₂" x ¼" thick




78R5361M RD-5-9234-1P

Red Dot Model R-6120, -1,-2,-10,-11,
Gillig Model 21-43550, 21-55565 Series
17" x 4 ½" x ¼" thick



78R5363 RD-5-9233-0P

Red Dot Model R-6140
Gillig Model 21-42075 Series
16 ¼" x 12 ⁹⁄₁₆" x ¼" thick



BUS PRODUCT OE / AFTERMARKET CROSS REFERENCE

Red Dot Part No.	Red Dot Factory No.	Amtran	Bluebird	Gillig Model No.	IHC Navistar	Orion Model No.	Thomas Model No.
71R8459	RD-5-9327-0P					G1310514BH	
72R6540	RD-5-9415-0P			21-43550, 21-55565			
73R0012	RD-5-10379-0P	2503277C1			2503277C1		8566-0226
73R0142	RD-5-10070-0P	2503279C1			2503279C1		8566-0378
73R0322	RD-5-6531-0P	1691708C91			691708C91		
73R0414	RD-5-4827-2P					71320058	
73R0552	RD-3106-12P						2606-2365
73R0632	RD-5-10069-0P	2503279C1	4316238		ZGG11643, ZGG19343		6500-0439, 8566-0378
73R0642	RD-5-10072-0P		4316246		ZGG701089		
73R0654	RD-5-10255-2P					71320036	
73R1064	RD-5-9245-24P			21-43550, 21-55565			
73R4182	RD-5-6801-0P	2503276C1			1691733C91, ZGG19348		8566-0102
73R4242	RD-5-8126-0P					71320015	
73R4422	RD-5-5049-1P				ZGG19347		8566-0297
73R4424	RD-5-5049-2P					071310003, 8, 11, 071320015	
73R4532	RD-3-10538-0P				ZGG701071		1118390
73R6370	RD-5-5601-0P					071310036, 058, 151	
73R7130	RD-5-10346-0P				1691728C1		8566-0050
73R7202	RD-5-10935-2P			21-43550, 21-55565			
73R8050	RD-3133-9P					71330501	
73R9062	RD-5-5796-0P				221099C1		5200-3268
73R9064	RD-5-5796-24P				4507329R1		
73R9082	RD-5-10490-0P	783966C93			783966C93		
76R1550	RD-1-1401-0P					71330501	
76R3940	RD-1-2079-0P					071310036, 058, 151	
76R3905	RD-3-10194-0P					071310003, 11	
76R3950	RD-1-1919-0P			21-42075			
78R5236	RD-5-10077-0P				ZGG720002		8566-0439
78R5244	RD-5-10076-0P						8566-0237
78R5255	RD-5-10082-0P				ZGG720008		
78R5256	RD-5-10075-0P				ZGG720006		8566-0237
78R5257	RD-5-10081-0P				ZGG720005		
78R5306M	RD-5-10773-1P				ZGG14263, ZGG720007		
78R5309	RD-5-10249-0P					71320008, 15	
78R5351	RD-5-10041-0P					71320008, 15	
78R5361	RD-5-9234-0P			21-43550, 21-55565			
78R5363	RD-5-9233-0P					71320008, 15	

CARRIER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
BLOWER MOTOR					
	Bus Parts	Blower motor	BLW-200-41	RD-5-14684-0P	**73R5772**

73R5772 RD-5-14684-0P



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
BLOWER WHEEL					
	Bus Parts	Blower Wheel	MCC# 38-00564-50	RD-5-15298-0P	**73R7220**

73R7220 RD-5-15298-0P

4 ½" diameter, 29" width
¾" bore diameter
Hub inset: Flat



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
FAN					
	Bus Parts	Vector fan	MTR-140V	RD-5-14681-0P	**73R8712**
	Bus Parts	Condenser fan	MTR-105P	RD-5-14682-0P	**73R8722**

73R8712 RD-5-14681-0P

Single Speed Pusher
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
12" diameter x 4" thick
Height 12"



73R8722 RD-5-14682-0P

Single Speed Puller
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13" diameter x 2 ½" thick
Height 13"



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
RECEIVER DRIER					
	Bus Parts	Receiver Drier	DRI-104	RD-5-14685-0P	**74R0475**

74R0475 RD-5-14685-0P

3" diameter x 8 ¼" long
Carrier #DRI-104



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

CHEVROLET/GMC

ACTUATOR

1992-01	Topkick	Electric, Rotary, Duct Door	16141802	RD-5-13605-0P	**71R3571**

71R3571 RD-5-13605-0P

Servo Actuator,
126° max. travel



COMPRESSOR

1980-85	All w/OEM Number	GM A6, 1 groove 1/2" width, 4 7/8" diameter (124mm), generic	1131202, 12300270, 1131197	RD-5-5000-0P	**75R8102**
1994-00	All w/OEM Number	Sanden 7H15, 12V, 2A Groove, 125MM, 2 Wire, QD Head	15653237, 15680077, 15020478	RD-5-10283-0P	**75R83112**
1993	All w/OEM Number	Sanden 7H15, 12V, 2A Groove, 125MM, 2 Wire, QD Head	12387671, 15679484	RD-5-10283-0P	**75R83112**

75R8102 RD-5-5000-0P

GMC A6R, Generic — Superheat switch port
5" Single Groove Clutch — 12 volt
Pulley with ½" - ¾" variable groove — R-12 / R134a
Standard thread mounting holes — Clockwise rotation
No Oil



75R83112 RD-5-10283-0P

Model: 7H15 **Head:** QD **Voltage:** 12
Mount: Ear **Sanden:** 7803
Clutch: 4.9" (125mm) A2 Groove **R-134a**



CONDENSER

2003-09	Topkick	Condenser Parallel Flow	15112434, 15-63391	RD-4-7538-0P	**77R8420**

EXPANSION VALVE

1978-92	Topkick	Block, #6 #10 #8 #8, with Mounting Holes	02-7086617	RD-5-6868-0P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



ORIFICE TUBE

1991-00	Topkick	Orifice Tube-Blk/Wht	3093576, 3096068	RD-5-10012-0P	**71R8501**
1999-10	Topkick	Orifice Tube-White	15-5151, 3033879, 3033919	RD-5-4919-0P	**71R8500**

71R8500 RD-5-4919-1P

White – GM CCOT OE#3033879, 3033919, IHC#1676822-C91
Length: 3.485", O.D.: .386", Orifice: .071"



71R8501 RD-5-10012-0P

Black/White – GM CCOT, OE#3096068
Length: 3.55", O.D.: .386", Orifice: .071"



CHEVROLET/GMC

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
RECEIVER DRIER					
1980-93	Topkick	In-line Drier, 2 1/2" X 6 9/16", #6 to #8 male O-Ring	15-1641, 15505227, 2724475, 3949269	RD-5-4947-0P	**74R0450**

74R0450 RD-5-4947-0P
2 ½" diameter x 6 9⁄16" long
#6 - #8 Male O-Ring Inline – No Port, No Glass



RELAY					
1985-93	Topkick	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	221655	RD-5-4408-0P	**71R1702**
1990-00	Topkick	Relay, Blower, 12V, 30/40A, Socket Mount	14100455, 25520198, 3949297	RD-5-9915-0P	**71R1722**
1990-95	Topkick	Relay, Blower, 12V, 30/40A, Socket Mount	14100455, 3949297	RD-5-9915-0P	**71R1722**
1983-85	Topkick	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	2098912	RD-5-4408-0P	**71R1702**

71R1702 RD-5-4408-0P
12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type



71R1722 RD-5-9915-0P
12V Relay with Diode,
40/30 amps,
SPST, 5 terminals



WATER VALVE					
1984-89	Topkick	Cable Controlled, 5/8" Hose, STR-STR, Pull to Open	3857131	RD-4257-0P	**72R5050**

72R5050 RD-4257-0P
5⁄8" hose to 5⁄8" hose



FREIGHTLINER

ACTUATOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	Single action air cylinder, 3/4" diameter, 3 1/4" length	RDH RD3267 1	RD-3267-1P	**72R1100**
2002-17	M2	Universal, 12v/24v, 4 pin Deutz Connector, 104° Max Travel	VCC32000022	RD-5-12450-1P	**71R3583**

72R1100 RD-3267-1P

.75" Dia x 3.25" Long – 1.02" Stroke – Brass



71R3583 RD-5-12450-1P

Universal, 12 or 24 Volt
4-pin Deutch
sealed connection
104° maximum
travel



BLOWER MOTOR

1994 -01	Century C112, Century C120, Columbia	Main unit (Assembly), plate mounted, 7" diameter, CW, 1 speed, 4 3/4" length	ABP N83 301137, BOA-85-440-50-009, HA1870	RD-5-11466-0P	**73R3002**
1994-04	FL50, FL60, FL70, FLB, FLL	Main unit (Assembly), plate mounted, 7" diameter, CW, 1 speed, 4 3/4" length	BOA-85-440-50-009	RD-5-11466-0P	**73R3002**
1994-04	Century C112, Century C120, Columbia	Main unit (Assembly), plate mount, 7 3/16" diameter	BOA-80-415-00-789	RD-5-11489-0P	**73R3062**
1998-00	All with OEM Part No.	A/C and heater 7 7/8" flange motor, CW, vented, shaft length 1 1/2"	ABP N83 301020	RD-5-11579-0P	**73R3072**
2000-06	All with OEM Part No.	Behr Auxillary Unit (with water valve), plate mount, 7 3/16" diameter	ABP N83 301327, 2809-841-036	RD-5-11488-0P	**73R3052**
2002-05	Century C112, Century C120, Columbia	Main unit with blower assembly, plate mount, 7 3/16" diameter	BOA-85-462-5000-900, 2809-850-053	RD-5-11488-0P	**73R3052**
2002-11	Century C112, Century C120, Columbia, Coronado	Front and Aux with Blend air system	BOA94350, BOAD8587	RD-5-13067-0P	**73R3122**
2006-07	Classic XL, FLP Conventional	Sleeper cab motor, single shaft with brackets	2808-841-036M	RD-5-8255-0P	**73R0982**

73R3002 RD-5-11466-0P

Single Speed
12 Volt
Rotates CW
PM Motor
Plate Mounted
Dimensions: 4 5/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Plate/Flange Diameter: 7"
Wheel: 6" diameter, 2 1/2" width
Vented
Connector: Two conductor Packard terminal block 12065863 with 12020120 terminal



73R3062 RD-5-11489-0P

Single Speed LS
12 Volt
Rotates CCW
Permanent Magnet Motor
Plate Mount
Dimensions: 4" x 3 13/16" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Plate/Flange Diameter: 7 3/16"
Wheel: 6" diameter, 2 1/2" width – Vented



73R3072 RD-5-11579-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Plate Mount
Dimensions: 4 5/8" x 3 3/4" x 3 1/4"
Shaft: 5/16" diameter, Length: 1 1/2"
Plate/Flange Diameter: 7 7/8"
Vented
Connector: Two conductor module #373-112-01



73R3052 RD-5-11488-0P

Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor –
Plate Mount
Dimensions: 4 1/4" x 3 13/16" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Plate/Flange Diameter: 7 3/16"
Wheel: 6" diameter, 2 1/2" width
Vented
Connector: Two conductor Packard terminal block #12064750



73R3122 RD-5-13067-0P

Single Speed
12 Volt
Rotates CW
Flange Mount



73R0982 RD-5-8255-0P


Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16
Dimensions: 4 13/16" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/16"
Vented, Strap diameter (hole to hole): 6 5/16", 120° angle
Connector: Two female ring terminals





FREIGHTLINER

CLUTCH ASSEMBLY

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	12V, PV6 Groove, 5 3/4", 2 Wire	024 25244	RD-5-10363-0P	**75R0502**
	All with OEM Part No.	12V, PV6 Groove, 5 3/4", 1 Wire	024 25144, ABP N83 303287	RD-5-10364-0P	**75R0512**
	All with OEM Part No.	12V, PV8 Groove, 6 1/8", 2 Wire	024 25247, ABP N83 303123T	RD-5-10365-0P	**75R0682**
	All with OEM Part No.	12V, PV6 Groove, 5 7/8", 2 Wire	024 25241, MAE MG07, ABP N83 303187	RD-5-10366-0P	**75R0522**
	All with OEM Part No.	12V, 2A Groove, 125MM, 2 Wire	4740-9931, 6593-6010	RD-5-10368-0P	**75R1532**
	All with OEM Part No.	Poly 6 groove, 4.7" 119mm diameter pulley, bullet plug	6524-6010	RD-5-10398-0P	**75R0032**
	All with OEM Part No.	2 groove 5 21/64" 135mm diameter pulley, 1/2" width, bullet plug	2570151, 624-19724	RD-5-11025-0P	**75R0172**
	All with OEM Part No.	12V, 1A Groove, 6", 1 Wire	024 21942, ABP N83 303051	RD-5-4966-0P	**75R0302**
	All with OEM Part No.	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	03-1104973, 501215, 518521	RD-5-4967-0P	**75R0452**
	All with OEM Part No.	12V, 2A Groove, 6", 1 Wire	024 25190, 03-1104973, 501939	RD-5-4972-1P	**75R1202**
	All with OEM Part No.	1 groove, 6 3/4" diameter pulley, 1/2" width, 1 3/4" gaugeline, bullet plug	A22-22499, L50-2731, ABP N83 303071	RD-5-4975-0P	**75R1652**
	All with OEM Part No.	12V, 2A Groove, 7", 1 Wire	ABP N83 303012, 332334, MA 7A	RD-5-4994-0P	**75R4502**
	All with OEM Part No.	12V, 2A Groove, 132MM, 1 Wire	6514-6210, 6519-6010, 6575-6310	RD-5-5486-0P	**75R0202**
	All with OEM Part No.	12V, 1A Groove-Overhang, 125MM, 1 Wire	511869, ABP N83 303261	RD-5-6646-0P	**75R0182**
	All with OEM Part No.	12V, PV6 Groove, 6 1/8", 1 Wire	024 25078, ABP N83 303007, 513352	RD-5-8009-0P	**75R0612**
	All with OEM Part No.	2 groove 7" diameter pulley, 24V, 1/2" width, 2" ga, bullet plug	ABP N83 303342, 501075	RD-5-8382-0P	**75R4534**
	All with OEM Part No.	12V, 2A Groove, 6", 2 Wire	024 25238, ABP N83 303063T	RD-5-9456-0P	**75R1302**
	All with OEM Part No.	12V, PV8 Groove, 5 3/8", 1 Wire	ABP N83 303307, ABP N83 303017	RD-5-9802-0P	**75R0662**



























CLUTCH ASSEMBLY CONTINUED ON NEXT PAGE


FREIGHTLINER

CLUTCH ASSEMBLY

75R0182 RD-5-8382-0P

Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: ½"
12 Volts
B Dimension: 2 7/16" / 62 mm

Single wire coil
Male bullet plug



75R0612 RD-5-8009-0P

Diameter: 6 ⅛"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: -


Single wire coil w diode
Female Weatherpak (IHC) plug



75R4534 RD-5-8382-0P

Diameter: 7"
Groove: 2
Width: ½"
24 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



75R1302 RD-5-9456-0P

Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"

Double wire coil w diode
Metripak plug



75R0662 RD-5-9802-0P

Diameter: 5 ⅜"
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Female Weatherpak (IHC) plug



COMPRESSOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, MDA Head	4734, 22-47692-000	RD-5-10262-0P	**75R84162**
	All with OEM Part No.	7H15, MJA head, ear mount, 2 groove, 5 1/4"(132mm) diameter	4471, 22-47691-000	RD-5-10263-0P	**75R84172**
	All with OEM Part No.	7H15, MJA head, ear mount, 2 groove, 5 1/4"(132mm) diameter	4735, 22-47691-000	RD-5-10263-0P	**75R84172**
	All with OEM Part No.	7H15, JDA head, ear mt, 2 groove, 5 1/4"(132mm) diameter	4488, 22-47690-000	RD-5-10264-0P	**75R84182**
	All with OEM Part No.	7H15, JDA head, ear mt, 2 groove, 5 1/4"(132mm) diameter	4736, 22-47690-000	RD-5-10264-0P	**75R84182**
	All with OEM Part No.	7H15, JD head, direct mt, 2 groove, 5 1/4"(132mm) diameter	4491, 22-47694-000	RD-5-10265-0P	**75R84192**
	All with OEM Part No.	7H15, JD head, direct mt, 2 groove, 5 1/4"(132mm) diameter	4752, 22-47694-000	RD-5-10265-0P	**75R84192**
	All with OEM Part No.	7H15, CBA head, direct mt, poly 6, 4.9"(125mm) diameter	4475, 22-47693-000	RD-5-10266-0P	**75R84212**
	All with OEM Part No.	7H15, CBA head, direct mt, poly 6, 4.9"(125mm) diameter	4756, 22-47693-000	RD-5-10266-0P	**75R84212**
	All with OEM Part No.	7H15, MDA head, direct mt, poly 8 groove, 4.7"(119mm) diameter	4776, ABP N83 304113	RD-5-10267-0P	**75R84232**
	All with OEM Part No.	7H15HD, MD head, ear mount, 2 groove, 5 1/4"(132mm) diameter	4617, ABP N83 304303	RD-5-10291-0P	**75R84532**
	All with OEM Part No.	7H15HD, 12V, PV6 Groove, 125MM, 1 Wire, CBA Head, Direct Mount	4687, 22-44462-000	RD-5-10303-0P	**75R84152**
	All with OEM Part No.	7H15, KCA head, direct Mount, 2 groove, 5 1/4" (132mm) diameter	4428, ABP N83 304503	RD-5-10737-0P	**75R84632**
	All with OEM Part No.	7H15, GH head, ear mount, 2 groove, 5 1/4"(132mm) diameter	4821, ABP N83 304803	RD-5-11243-0P	**75R81212**
	All with OEM Part No.	7H15, GH head, ear mount, 2 groove, 5 1/4"(132mm) diameter	4429, ABP N83 304803	RD-5-11243-0P	**75R81212**
	All with OEM Part No.	7H15, MD head, ear mount, poly 8 groove 4.7"(119mm) diameter	7822, ABP N83 304803	RD-5-11243-0P	**75R81212**
	All with OEM Part No.	7H15, GH head, direct mount, poly 6 4.9"(125mm) diameter	4430, ABP N38 304813	RD-5-11244-0P	**75R81232**
	All with OEM Part No.	7H15, MJA head, ear mount, poly 8 groove, 4.7"(119mm) diameter	4431, 22-47692-000	RD-5-11247-0P	**75R81262**
	All with OEM Part No.	7H15, GH head, direct mount, poly 8 groove, 4.7"(119mm) diameter	4417, ABP N83 304783	RD-5-11251-0P	**75R81302**
	All with OEM Part No.	7H15, GH head, direct mt, poly 6, 4.7"(119mm) diameter	4485, ABP N83 304903	RD-5-11251-0P	**75R81302**
	M2	COMPRESSOR - 12V SD7H15 GH 119MM PV8 DIR	SKI 4818	RD-5-11251-0P	**75R81302**
	All with OEM Part No.	7H15, MDA head, direct mt, poly 6, 4.9"(125mm) diameter	4492, 22-48437-000	RD-5-11254-0P	**75R81352**
	All with OEM Part No.	7H15, MDA head, direct mt, poly 6, 4.9"(125mm) diameter	4761, 22-48437-000	RD-5-11254-0P	**75R81352**
	All with OEM Part No.	7H15, GV head, ear mount, poly 8 groove 4.7"(119mm) diameter	22-59342-000	RD-5-11258-0P	**75R81382**
	All with OEM Part No.	7H15, MJA head, ear mount, 2 groove, 5 1/4"(132mm) diameter	4646, 22-41180-000	RD-5-11315-0P	**75R81462**
	All with OEM Part No.	7H15, 12V, PV8 Groove, 119MM, 1 Wire, MDA Head	4672, 22-43374-000	RD-5-11328-0P	**75R81512**
	All with OEM Part No.	7H15, KG head, ear mount, 2A groove, 4.9"(125mm) diameter	4709, 22-59343-000	RD-5-11331-0P	**75R81552**
	All with OEM Part No.	7H15, GH head, ear mount, poly 8 groove 4.7"(119mm) diameter	4820, ABP N83 304913	RD-5-11340-0P	**75R81612**
	All with OEM Part No.	with 8 groove 119mm, direct mt, PK head	SK4314	RD-5-15572-1P	**RD-5-15572-1P**
	All with OEM Part No.	12V, PV8 Groove, 4 3/4", 2 Wire. Fits Cummins 8.3 Liter	SKI4314S	RD-5-15572-1P	**75R89852Q**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, F Head, R-12	488-25063, ABP N83 304029	RD-5-5875-1P	**75R8502Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	488-25011, ABP N83 304019	RD-5-5876-1P	**75R8512Q**

COMPRESSOR CONTINUED ON NEXT PAGE

FREIGHTLINER

COMPRESSOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	7H15, JD head, ear mt, 2 groove, 5 1/4"(132mm) diameter	4644, ABP N83 304363	RD-5-7088-0P	**75R8382**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45011, ABP N83 304025	RD-5-7145-1P	**75R8612Q**
	All with OEM Part No.	QP15HD, 12V, 1 VAR Groove, 159MM, 1 Wire, D Head	488-45065, ABP N83 304015	RD-5-7164-1P	**75R8632Q**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 132MM, 2 Wire, JDA Head, Direct Mount	4626, ABP N83 304095	RD-5-7522-0P	**75R8432**
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	ER210L-25149	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	ET210L-25150	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, D Head	488-45063, ABP N83 304039	RD-5-8944-1P	**75R8532Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45077, ABP N83 304059	RD-5-9609-10P	**75R8552Q**
	All with OEM Part No.	FLX replacement, 2 groove, 5 1/4"(132mm) diameter	9285	RD-5-11012-0P with RD-5-10881-0P adapter	**75R89292 with 75R89310 adapter**
1999-00	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 2 Wire	ET210L-25246C	RD-5-11219-0P	**75R7332**
2000-04	All with OEM Part No.	709, GH head, direct mt, poly 6, 4.9"(125mm) diameter	4819, ABP N83 304813	RD-5-11244-0P	**75R81232**
2000-11	All with OEM Part No.	709, GH head, direct mt, poly 8, 4.7"(119mm) diameter	4818, ABP N83 304903	RD-5-11251-0P	**75R81302**
2001-03	All with OEM Part No.	Slimline head with flange fitting without charge ports with ester oil	ES210L-25334C	RD-5-10029-0P	**75R7300**
2010-17	M2	8 groove, 140mm clutch, 12v, 2 wire, 10S15C	22-65770-000, 10S15C	RD-5-14644-0P	**75R9072**
2011-14	All with OEM Part No.	Nippondenso PV8 159mm dia direct mount	10S15C, 22-65771-000	RD-5-14645-0P	**75R9082**


75R81462 RD-5-11315-0P
Model: SD7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4646
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**



75R84172 RD-5-10263-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4471, 4735
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**



75R84182 RD-5-10264-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4488, 4736
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**



75R84192 RD-5-10265-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4491, 4752
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**



75R84212 RD-5-10266-0P
Model: 7H15HD **Head:** CBA **Voltage:** 12
Mount: Direct **Sanden:** 4475, 4756
Clutch: 4.9" (125mm) Poly 6 **R-134a**



75R84232 RD-5-10267-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Direct **Sanden:** 4776
Clutch: 4.7" (119mm) Poly 8 **R-134a**



75R84532 RD-5-10291-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Ear **Sanden:** 4617
Clutch: 5 ¼" (132mm) A2 Groove - Sealed **R134a**




75R84152 RD-5-10303-0P
Model: 7H15HD **Head:** CBA **Voltage:** 12
Mount: Direct **Sanden:** 4687
Clutch: 4.9" (125mm) Poly 6 **R-134a**



75R84632 RD-5-10737-0P
Model: 7H15HD **Head:** KCA **Voltage:** 12
Mount: Direct **Sanden:** 4306, 4428
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R81212 RD-5-11243-0P
Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Ear **Sanden:** 4429, 4472
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R81232 RD-5-11244-0P
Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4430, 4473
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81262 RD-5-11247-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4431, 4477
Clutch: 4.7" (119mm) Poly 8 **R134a**



COMPRESSORS CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

FREIGHTLINER

COMPRESSOR

75R81302 RD-5-11251-0P
Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4417, 4485
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81352 RD-5-11254-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Direct **Sanden:** 4492, 4761
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81382 RD-5-11258-0P
Model: 7H15HD **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4453, 4495
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81462 RD-5-11315-0P
Model: SD7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4646
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R81512 RD-5-11328-0P
Model: 7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4672
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81552 RD-5-11331-0P
Model: 7H15 **Head:** KG **Voltage:** 12
Mount: Ear **Sanden:** 4709
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R81612 RD-5-11340-0P
Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Ear **Sanden:** 4820
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R8502Q RD-5-5875-1P
Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521129 **Seltec:** 488-25063
Clutch: 5" (125mm) 1 Groove overhang **R-12**



75R8512Q RD-5-5876-1P
Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8612Q RD-5-7145-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R8632Q RD-5-7164-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**



75R8432 RD-5-7522-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4626, 4695
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R7280 RD-5-8637-0P
Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied




75R7290 RD-5-8638-0P
Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R8532Q RD-5-8944-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**



75R8552Q RD-5-9609-10P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521301 **Seltec:** 488-45077
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R7332 RD-5-11219-0P
Fitting: 1" - 14
OE Replacement, Standard Duty
Clutch: 6 ⅛", Poly 8, .014"
Gauge LIne: 1 ⁵⁵⁄₆₄"
Connector: 2 wire Metripak



75R9072 RD-5-14644-0P
Model: 10S15C
Clutch: 140mm PV8 Clutch
Voltage: 12



75R9082 RD-5-14645-0P
Model: 10S15C
Clutch: 164mm PV8 Clutch
Voltage: 12



COMPRESSORS CONTINUED ON NEXT PAGE

FREIGHTLINER

CONDENSER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1992-97	FLA, FLD	Condenser	A22-32466-001	RD-4-7532-0P	**77R8405**
1992-99	Classic XL, FLD112, FLD120	Condenser	22-32302-001	RD-4-7498-0P	**77R8457**
1994-00	FL50, FL60, FL70, FL112	Condenser	A22-24885-001	RD-4-7499-0P	**77R8455**
1994-03	FL50, FL60, FL70	Condenser	ABP N83 306280, 680-830-03-70, BOA 19836S, BSM 306280	RD-4-7535-0P	**77R8415**
2000-05	Century C112, Century C120, Columbia, Coronado	Multi Flow with slim line fittings	1E 6068, BHT 92710, BHT 73002	RD-4-6527-0P	**77R6978**
2001-05	FLD112, FLD120, FLD132	Condenser	22-43941-000	RD-4-7500-0P	**77R8460**
2001-05	FL, FLA, FLD	Condenser	A22-43941-000	RD-4-7533-0P	**77R8410**
2002-06	Sprinter	Condenser	901-500-05-54, 5104114AA	RD-4-7531-0P	**77R8400**
2002-10	M2	Condenser	BHT P5631001, BHT E2108	RD-4-7386-0P	**77R8355**
2004-10	FLD, Classic XL, Coronado	Radiator mt., tube & fin style with slim line fittings	1E6854, BHT79465	RD-4-6527-0P	**77R6978**
2006-09	Columbia, Coronado	Radiator Mount	A22-67125-000, A22-66824-000, A22-66839-000, A22-72249-000	RD-4-7131-0P	**77R1277**
2008-09	Century Class, Columbia, Classic, Coronado, FLD	All w/detroit Series 60, MBE4000 Engines (main)	22-62271-000	RD-4-7131-0P	**77R1277**
2008-09	Century Class, Columbia, Classic, Coronado, FLD	All w/detroit Series 60, MBE4000 Engines (main)	22-62271-000	RD-4-7131-0P	**77R1277**
2008-11	Cascadia	Multi Flow with slim line fittings 44 1/2" X 22"	A22-72249-000, A22-66839-000, A22-66824-000, A22-72459-000	RD-4-7131-0P	**77R1277**
2008-15	Cascadia	Radiator Mount (Dual block fitting)	A22-67126-000, A22-66825-000, A22-66840-000, A22-72250-000	RD-4-7306-0P	**77R1279**
2008-16	M2	Condenser	A22-62390-000, A22-66842-000	RD-4-7529-0P	**77R8395**
2010-11	Cascadia	Condenser	A22-67126-001, A22-72250-001	RD-4-7552-0P	**77R8490**
2011-13	B2, C2, S2	Condenser	VAB1210416, 7-9102	RD-4-7541-0P	**77R8435**
2011-15	Coronado	Radiator Mount (Dual block fitting)	A22-67126-000, A22-66825-000, A22-66840-000, A22-72250-000	RD-4-7306-0P	**77r1279**
All	WFC, WFT	Radiator Mount	RDH RD4 3724 0	RD-4-3724-0P	**77R0650**

77R8457 RD-4-7498-0P



77R8455 RD-4-7499-0P

Overall Width: 33 1/4"
Fin Width: 29"
Height:: 9 3/4"
Thickness: 3/4"




77R6978 RD-4-6527-0P

Multiflow Coil Type,
Overall Width: 42 ½"
Fin Width: 31 ½"
Height: 22 ⅛"
Thickness: ¾"



77R8460 RD-4-7500-0P

Overall Width: 42 1/2"
Fin Width: 30 1/4"
Height:: 20"
Thickness: 3/4"



77R8410 RD-4-7533-0P

Overall Width: 42 1/2"
Fin Width:30 1/4"
Height:: 20 1/4"
Thickness: 3/4"



77R8355 RD-4-7386-0P

Overall Width: 24"
Fin Width: 23"
Height: 21"
Thickness: ¾



77R1277 RD-4-7131-0P

Overall Width: 34 ½"
Fin Width: 32 ¾"
Height: 17 ½"
Thickness: ¾"



77R1279 RD-4-7306-0P


Overall Width: 35"
Fin Width: 33"
Height: 22 ¾"

Thickness: ¾"



77R0650 RD-4-3724-0P

Tube & Fin Coil Type,
Overall Width: 25"
Fin Width: 23"
Height: 12 ¼"
Thickness: 1 ¾"



FREIGHTLINER

EVAPORATOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1990-99	FLD120	Evaporator	ABP N83 307040	RD-2-1660-0P	**76R6120**
1994-04	FLD112, FLD120	Evaporator	RDH RD2 1402 0, NA1040	RD-2-1402-0P	**76R6150**
2002-10	M2	Evaporator 8 3/16" high x 8" long x 2 3/8" wide	VCC50000031	RD-2-7284-0P	**76R7735**

76R6120 RD-2-1660-0P
8" high x 5 5/8" long x 2 7/8" wide



76R6150 RD-2-1402-0P
8" high x 8" long x 3 13/32" wide



76R7735 RD-2-7284-0P
8 3/16" high x 8" long x 2 3/8" wide



EXPANSION VALVE

1980-99	FLD112, FLD120	Block, #6, #10, #8, #8	A22-18591-000	RD-5-6868-1P	**71R8301**
1989-96	WFC, WFT, FLC	Block, #6 #10 #8 #10, with Mounting Holes	A22-45432-000, ABP N83 308071	RD-5-7015-1P	**71R8321**
1991-00	FLD112, FLD120, Classic XL, Coronado	Block, #6 #12 #8 #8, with Mounting Holes	BOA-80-321-00-129	RD-5-7567-0P	**71R8370**
1994-00	FL50, FL60, FL70, FL80, FL106, FL112, FLL	Block, #6 #12 #8 #8, with Mounting Holes	A06-44004-002	RD-5-10179-0P	**71R8469**
1994-03	FL50, FL60, FL70, FL80, FL106, FL112, FLB, FLL	Block, #6 #10 #8 #10, with Mounting Holes	A22-45432-000, ABP N83 308071	RD-5-7015-1P	**71R8321**
1996-00	Century C112, Century C120	Main unit	A22-45432-000	RD-5-7567-0P	**71R8370**
1996-01	Century C112, Century C120	Block, #6 #10 #8 #10, with Mounting Holes	BOA-80-821-00-129	RD-5-7015-1P	**71R8321**
1997-02	All with OEM Part No.	Block, #6 #10 #8 #10, with Mounting Holes	A22-45432-000, ABP N83 308211	RD-5-7015-1P	**71R8321**
1998-01	All with OEM Part No.	Main unit	A22-45432-000, BOA 80-321-00-129	RD-5-7567-0P	**71R8370**
1998-05	Century C112, Century C120	with main system bleed type	329-474	RD-5-10334-0P	**71R8350**
2000-02	FL50, FL60, FL70, FL80, FL106, FL112	Main unit, Hi - capacity	A22-45432-001, ABP N83 308070	RD-5-10546-0P	**71R8385**
2000-06	Century C112, Century C120, Columbia, Coronado	Main unit, (Slim line seal), gold color	ABP N83 308231	RD-5-10903-0P	**71R8451**
2000-08	Century C112, Century C120, Century S/T, Columbia, Coronado	Auxiliary Unit (Mini Stat O Seal), gold color	BOA-80-321-00-269	RD-5-12520-0P	**71R8453**
2001-07	Century C112, Century C120, Columbia, Coronado	Main unit, (Stat Seal), Behr valve	BOA 4965	RD-5-12521-0P	**71R8455**
2001-07	FLD112, FLD120, Classic XL, Coronado	Main unit, (Stat Seal), Behr valve	BOA A4965	RD-5-12521-0P	**71R8455**
2002-07	Century C112, Century C120, Columbia, Coronado	Auxiliary Unit, (Stat Seal), Behr valve, burgundy color	BOA 93674	RD-5-12522-0P	**71R8457**
2002-08	M2	Block #6 #10 #8 #10 Stat o Seal	VCC88000030	RD-5-10903-0P	**71R8451**
2002-10	Century C112, Century C120, Columbia	Main unit	BOAN9535001	RD-5-15295-0P	**71R8477**
2002-10	Century C112, Century C120, Columbia	Main unit	BOAN9535001	RD-5-15295-0P	**71R8477**
2002-10	Century C112, Century C120, Columbia	Main unit	BOAN9535001	RD-5-15295-0P	**71R8477**
2003-07	M2	Main unit (Mini Stat O Seal)	VCC 88000030	RD-5-12520-0P	**71R8453**
2003-07	Century, Columbia, Coronado	Main Unit, Stat Seal Type	ABP N83 308107, BOA 4961, 4965	RD-5-12521-0P	**71R8455**
2003-10	Coronado, FLD	Block, #6 #12 #8 #8, with Mounting Holes	BOA-80-321-00-129	RD-5-7567-0P	**71R8370**

EXPANSION VALVES CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
FREIGHTLINER					
EXPANSION VALVES					
2008-11	Cascadia	All	VCCT1000898P	RD-5-9513-0P	**71R8380**
2008-13	Century C112, Century C120, Century S/T, Columbia	Block, #8, #8, #10, #12 (Stat Seal)	BOAN8119001	RD-5-16214-0P	**71R8485**
2008-17	M2	Block type	VCCT1001838L	RD-5-15296-0P	**71R8475**
9/00-6/02	Century, Columbia, Coronado	Auxilliary Unit	BOA-80-321-00-269	RD-5-10903-0P	**71R8451**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " 0" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8350 RD-5-10334-0P

2 Ton
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 50 psig @75°F



71R8370 RD-5-7567-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8380 RD-5-9513-0P

Anti-trumpeting (2 Ton)
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8385 RD-5-10546-0P

Anti-trumpeting (2 Ton)
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 53.5 psig @75°F



71R8451 RD-5-10903-0P

Inlet: #6 (⅜") Stat-O-Seal
Outlet: #10 (⅝") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal
Replaces: OE# APB N83 308231
Superheat Rating: 8.5°F
Pressure Limit: 53 psig @90°F



71R8453 RD-5-12520-0P

Inlet: #6 (⅜") Stat-O-Seal
Outlet: #10 (⅝") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal
Replaces: OE# BOA 80-321-00-269
Superheat Rating: 12°F
Pressure Limit: 50 psig @85°F



71R8455 RD-5-12521-0P

(2 Ton)
Inlet: #6 (⅜") Stat-O-Seal
Outlet: #12 (¾") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal
Replaces: Main Unit Freightliner Egelh
#A4965



71R8457 RD-5-12522-0P

Inlet: #6 (⅜") Stat-O-Seal
Outlet: #10 (⅝") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal
Replaces: Freightliner Century Class A
BOA A93674
Color: Burgundy



71R8469 RD-5-10179-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #12 (¾") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @53.5°F



71R8475 RD-5-15296-0P

Inlet: #8 (½") Stat-O-Seal
Outlet: #12 (¾") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #12 (¾") Stat-O-Seal



71R8477 RD-5-15295-0P

Inlet: #6 (¾") Stat-O-Seal
Outlet: #12 (¾") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal




FREIGHTLINER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
FILTER					
1997-06	C, Century C112, Century C120, F	Main unit, 10 1/2"x10 1/2"x3/4" filter	22-44665-000	RD-5-11224-0P	**78R5239**
2002-07	C, Century C112, Century C120, Columbia, Coronado	Main unit, 10 5/8"x10 5/8"x1" pleated filter	BOA 91559, FR0202P	RD-5-11841-1P	**78R5237M**
2003-10	All with OEM Part No.	Sleeper unit	A22-46891-000	RD-5-11836-0P	**78R5430**
2003-11	Columbia, Coronado, Cascadia	Main unit, 10 5/8"x10 5/8"x1" pleated filter	BOA 91621	RD-5-11841-1P	**78R5237M**
2003-15	M2	8 1/4"x8 1/2"x1" filter	VCC36000006	RD-5-11836-0P	**78R5430**
2003-15	M2	8 1/4"x8 1/2"x1" filter	VCC36000006	RD-5-11836-0P	**78R5430**

78R5237M RD-5-11841-1P
10 5⁄8" Wide x 10 5⁄8" High x 1" Thick



78R5239 RD-5-11224-0P
10 ½" Wide x 10 ½" High x ¾" Thick



78R5430 RD-5-11836-0P
8 1/4" x 8 1/2" x 1" Thick



O-RING / SEALS					
	All with OEM Part No.	#10 Slimline seal, metal washer (black), 3/4" O.D., 9/16" I.D.	ABP N83 312092	RD-5-10198-0M	**70R5026**
	All with OEM Part No.	#8 Slimline seal, metal washer (black), 11/16" O.D., 5/16" I.D.	ABP N83 312060	RD-5-10199-0M	**70R5024**
	All with OEM Part No.	#6 Slimline seal, metal washer (black), 9/16" O.D., 5/16" I.D.	ABP N83 312076	RD-5-10200-0M	**70R5022**
	All with OEM Part No.	#6 Mini Stat -O - Seal, metal washer with red rubber insert, 5/8" O.D., 5/16" I.D.	23-13201-000	RD-5-11527-0M	**70R5031**
	All with OEM Part No.	#8 Mini Stat -O - Seal, metal washer with red rubber insert, 3/4" O.D., 7/16" I.D.	23-13202-000	RD-5-11528-0M	**70R5032**
	All with OEM Part No.	#10 Mini Stat -O - Seal , Red, 15/16" O.D., 9/16" I.D.	ABP N83 312361	RD-5-11529-0M	**70R5033**
	All with OEM Part No.	#12 Mini Stat -O - Seal , Red, 1" O.D., 11/16" I.D.	PH720565	RD-5-11530-0M	**70R5034**
	All with OEM Part No.	#12 Mini Stat -O - Seal , Red, 1" O.D., 11/16" I.D.	ABP N83 312372	RD-5-11530-0M	**70R5034**

70R5022 RD-5-10200-0M
#6 Slimline Seal 9⁄16" O.D., 5⁄16" I.D.
Metal Washer (Black)
10 pieces



70R5024 RD-5-10199-0M
#8 Slimline Seal 11⁄16" O.D., 5⁄16" I.D.
Metal Washer (Black)
10 pieces



70R5026 RD-5-10198-0M
#10 Slimline Seal ¾" O.D., 9⁄16" I.D.
Metal Washer (Black)
10 pieces



70R5031 RD-5-11527-0M
#6 Mini Stat-O-Seal 5⁄8" O.D., 5⁄16" I.D.
(8mm Slimline block sealing washer)
Metal Washer with Rubber Insert (Red)
10 pieces



70R5032 RD-5-11528-0M
#8 Mini Stat-O-Seal
¾" O.D., 7⁄16" I.D.
Metal Washer with
Rubber Insert (Red)
10 pieces



70R5033 RD-5-11530-0M
#10 Mini Stat-O-Seal
15⁄16" O.D., 9⁄16" I.D.
Metal Washer with
Rubber Insert (Red)
10 pieces



Fits 71R8455 expansion valve Hose side out

70R5034 RD-5-11530-0M
#12 Mini Stat-O-Seal
1 1⁄8" O.D., 11⁄16" I.D.
Metal Washer with
Rubber Insert (Red)
10 pieces



Fits 71R8455 expansion valve Evaporator side out

FREIGHTLINER

PRESSURE SWITCH

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1974-03	FL50, FL60, FL70, M2	Switch, Pressure, Trinary, NO	RDH RD5 4585 0	RD-5-4585-0P	**71R7500**
1994-03	C, F	Switch, Pressure, Low, NO	085108-00	RD-4191-0P	**71R6050**
1994-03	C, Century, Classic, Coronado, FL, W	Dual Function switch, M10 x 1.25 Low: open 455 psi, closed 30psi. High: open 28psi, closed 370	22-43249	RD-5-11169-0P	**71R7077**
1994-03	FL50, FL60, FL70, FL80, FL106, FL112	All with Fujikoki binary sw with M10 threads, 4 term.	A22-43249-000	RD-5-11169-0P	**71R7077**
1994-03	FL50, FL60, FL70, M2	Switch, Pressure, Trinary, NO	A06-18015-000	RD-5-4583-0P	**71R7550**
1994-03	FL50, FL60, FL70, M2	Switch, Pressure, High, NO	BOA-80-941-00-063	RD-5-6394-0P	**71R6080**
1994-03	FL50, FL60, FL70, FL80, FL106, FL112	High pressure switch, normally open	A22-30930-000	RD-5-8288-0P	**71R6220**
1997-04	Century C112, Century C120	Switch, Pressure, APADS, High, NC	8040279P, 8040135	RD-5-9990-0P	**71R6400**
1997-04	Century C112, Century C120	Switch, Pressure, APADS, Low, NC	3966805, 8040136, 8040152, 8040161P	RD-5-9991-0P	**71R6405**
1997-07	Century C112, Century C120	High Pressure Fan switch with M10 threads	A22-45194-001	RD-5-8287-0P	**71R6210**
2000-11	M2, FL50, FL60, FL70	Switch, Pressure	A22-512296-000	RD-5-15318-0P	**71R6267**
2009-11	Century C112, Century C120	Switch, Pressure, High	06-35209-000, BOA91619	RD-5-13234-0P	**71R6155**

71R6050 RD-4191-0P

⅜"-24-UNF-2A male threads O-Ring
Normally open - closes at 27 PSIG



71R6080 RD-5-6394-0P

Type: High Side
Fitting / Connector: ¼" female flare / two-conductor Metripak
Normally Open – Closes at 215 PSI – Opens at 170 PSI



71R6155 RD-5-13234-0P

High Pressure
4 Terminal Green
M10 Threads



71R6210 RD-5-8287-0P

Type: High Side – Gray
Fitting / Connector: M10 x 1.25 female / two-conductor male Weatherpak
Normally Closed – Closes at 250 PSI – Opens at 300 PSI



71R6220 RD-5-8288-0P

Type: High Side
Fitting / Connector: ¼" female flare / two-conductor male Weatherpak
Normally Open – Closes at 260 PSI – Opens at 174 PSI



71R6267 RD-5-15318-0P

	OPEN	CLOSED
LOW	40	28
HIGH	351	455

10mm Female
Normally Closed



71R6400 RD-5-9990-0P



71R6405 RD-5-9991-0P



71R7077 RD-5-11169-0P

	OPEN	CLOSED
LOW	455	30
HIGH	28	370

Thread: M10 x 1.25
Freightliner OE#22-43249



71R7500 RD-5-4585-0P

⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally open



71R7550 RD-5-4583-0P

⅞" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally open



FREIGHTLINER

RECEIVER DRIER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1994-01	FLD112, FLD120, Classic XL	2 3/4"x10", #6MOR in, #6MOR out, PRV, Top Glass, Side Port with Low Pressure Switch	A22-14425-003	RD-4160-1P	**74R2106**
1994-01	FL50, FL60, FL70, FL80, FL106, FL112	Male O-Ring with fuse plug, side port, top glass	A22-14425-002	RD-5-4950-1P	**74R0907**
1995-00	All with OEM Part No.	All model series with Red Dot A/C, OE# RD-5-11196-0	ABP N83 319735	RD-5-11196-0P	**74R3331**
1996-01	Century C112, Century C120	Male & Female O-Ring with HPRV, MI, 2 M10 switch ports	ABP N83 319615	RD-5-11188-0P	**74R3328**
1996-01	Century C112, Century C120	Slim-line Stato Seal with side mounting	088502-00	RD-5-11522-0P	**74R3129**
1996-03	Century C112, Century C120, Columbia	Male O-Ring with fuse plug, side port, top glass	A22-14425-001	RD-5-4950-1P	**74R0907**
1999-06	FLD, Classic XL , Coronado	3" dia 10" high with quick siconnect	088336-00	RD-5-11189-0P	**74R3323**
2000-03	Century C112, Century C120	Quick Disconnect, side mt. fittings	ABP N83 319524, 319510	RD-5-11190-0P	**74R3317**
2000-03	Century, Columbia, Coronado	Quick disconnect	ABP N83 319665	RD-5-11190-0P	**74R3317**
2000-04	Century, Columbia	Slim-line Stato Seal with side mounting	PH088538-00	RD-5-11522-0P	**74R3129**
2000-07	Century S/T	Slim-line Stato Seal with side mounting	PH088446-00	RD-5-11522-0P	**74R3129**
2002-11	Century, Columbia	Slim-Line seal top mt with opposing #6 male O-Ring	PH088518-00	RD-5-10589-1P	**74R3126**
2006-08	M2	Slim-line seal with top mounting	PH088539-00	RD-5-10589-1P	**74R3126**
2008-10	Century, Columbia , M2	4"dia 7" long PAD mount fittings	A22-63992-000, A22-63992-001, A22-72392-000	RD-5-13216-1P	**74R4215**
2010-12	Cascadia	4"dia 7" long PAD mount fittings	A22-66700-000, A22-69800-000	RD-5-14648-0P	**74R4028**
2011-17	M2	Receiver Drier	A22-66600-000, A22-69799-000	RD-5-15689-1P	**74R4218**

74R0907 RD-5-4950-1P
2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port



74R2106 RD-4160-1P
Includes Low Pressure Switch
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure / Pressure Relief
Side Port




74R3126 RD-5-10589-1P
3" diameter x 10 ¼" long
#6 Slimline Seal
High Capacity
Pressure Relief
2 M10 Ports



74R3129 RD-5-11522-0P
3" diameter x 10 ½" long
Pad Mount,
#6 Slimline connector
Two Schraders
Fuse
Side Port, M-10



74R3317 RD-5-11190-0P
3" diameter x 10" long
Quick Disconnect
High Capacity
Pressure Relief
Two ¼" Schrader Valves



74R3323 RD-5-11189-0P
3" diameter x 10" long –
Quick Disconnect
Two Top Metric Ports
Top Port



74R3328 RD-5-11188-0P
3" diameter x 10" long
#6 Male O-Ring Inlet
#6 Female O-Ring Outlet,
2 Schrader 10 X 1.25 mm ports
High Capacity



74R3331 RD-5-11196-0P
3" diameter x 10" long
#6 Male O-Ring Inlet
#6 Female O-Ring Out
High Capacity
Pressure Relief
Two Top Metric Ports



74R4028 RD-5-14648-0P



74R4215 RD-5-13216-1P
4" diameter x 7" long
In/Out - #8 Stat Seals




74R4218 RD-5-15688-1P



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
FREIGHTLINER					
RELAY					
1974-00	All with OEM Part No.	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	A22-011101-022	RD-5-4408-0P	**71R1702**
1974-00	All with OEM Part No.	Relay, Compressor, 12V, 20/30A, Tab Mount, 5 Terminals	ABP N83 320140	RD-5-4408-0P	**71R1702**
1974-00	All with OEM Part No.	Relay, Blower, 12V, 30/40A, Socket Mount	APB N83 320140	RD-5-9915-0P	**71R1722**
1974-00	All with OEM Part No.	Relay, Compressor, 12V, 30/40A, Socket Mount	POTVF415F11	RD-5-9915-0P	**71R1722**

71R1702 RD-5-4408-0P
12V Relay, 30/20 amps, SPDT, 5 terminals Bosch type



71R1722 RD-5-9915-0P
12V Relay with Diode, 40/30 amps, SPST, 5 terminals



RESISTOR					
1988-96	FLP, FLT, WCF, WFT	Blower Resistor, 4 speed, 4 terminal	BOA-80-926-00-079, RDH RD5 6450 0	RD-5-6450-0P	**71R1455**
1990-06	All with OEM Part No.	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	RDH RD5 3647 0, ABP N83 321060	RD-5-3647-0P	**71R1450**
1990-10	Classic, FLD	Blower Resistor, 4 speed, 4 terminal	BOA-80-926-00-079, RDH RD5 6450 0	RD-5-6450-0P	**71R1455**
1996-11	C, Century C112, Century C120, Columbia	Blower resistor, 4 speed, 4 terminal	BOA-80-926-00-079, ABP N83 321350	RD-5-6450-0P	**71R1455**
1997-11	Century C112, Century C120	Blower Resistor	RDH RD5 6450 0	RD-5-6450-0P	**71R1455**
2000-01	Century C112, Century C120	Blower Resistor, Sleeper Unit, 3 terminal, 3 speed	ABP N83 321300	RD-5-10341-0P	**71R1457**

71R1450 RD-5-3647-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1455 RD-5-6450-0P
4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 3 ¼" x 1 ⅜" x .10" thick – Height: 1 ⅜"



71R1457 RD-5-10341-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 3" x 1 ¼" x .10" thick – Height: 1 ¼"



SWITCH					
	All with OEM Part No.	Toggle switch with nickel plated toggle	RDH RD5 3827 2	RD-5-3827-2P	**72R0220**
	All with OEM Part No.	Toggle switch with 90 degree air fitting, 1/4" in, 1/8" out	RDH RD5 4721 0	RD-5-4721-0P	**72R0610**
1972-00	All with OEM Part No.	Valve, Solenoid, 12V, #6 MOR	207583, LA1225	RD-4188-0P	**71R9002**
1990-06	All with OEM Part No.	Thermistor, CTC, 12V, Blower Speed Control	RDH RD6 4797 0, ABP N83 322925	RD-6-4797-0P	**71R3502**
1991-10	FLD120, FLD112, Classic XL	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	A06-14889-001	RD-5-3646-0P	**71R1150**
1993-00	FL50, FL60, FL70, FL80, FL106, FL112	Switch, Micro, 2 Terminal, with Arm	BOA-80-908-00-219	RD-5-8490-0P	**71R1610**
1993-00	FLB, FLL, FLD112, FLD120, FL50, FL60, FL70, FL80, FL106, FL112, Classic XL	Switch, Rotary, 3 Speed, Short Shaft, 5 Terminal	BOA-80-926-00-059	RD-5-9833-0P	**71R1160**
1994-01	FL50, FL60, FL70, FL80, FL106, FL112	Toggle switch, DP3T, 4 position, 4 terminal	BOA-80-926-00-059	RD-5-3779-0P	**71R1165**
1994-01	FL50, FL60, FL70, FL80, FL106, FL112	Toggle switch, DP3T, 4 position, 4 terminal	BOA-80-926-00-059	RD-5-3779-0P	**71R1165**
1999-01	FLD112, FLD120, Classic XL	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	BOA-80-926-00-109	RD-5-3646-0P	**71R1150**
All	All with OEM Part No.	Switch, Toggle, SPDT, ON-OFF-ON, 3 Terminal	A06-11454-001	RD-4123-1P	**71R0100**
All	All with OEM Part No.	Toggle switch, SPST, 2 terminal	ABP N83 322030	RD-5-3748-0P	**71R0010**
All	All with OEM Part No.	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	INM2G754A	RD-5-5194-0P	**71R1210**

SWITCHES CONTINUED ON NEXT PAGE

FREIGHTLINER

SWITCH

71R0010 RD-5-3748-0P

SPST Type
Chrome Toggle
Function: ON - OFF
2 Terminals



71R0100 RD-4123-1P

SPDT Type
Black Toggle
Function: ON - OFF - ON
3 Terminals



71R1150 RD-5-3646-0P

3 speed, Long Shaft
DP3T
4-position
5 terminals
25 amps

Mounting hole: .442" x .385" - "D" hole



71R1160 RD-5-9833-0P

3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps

Mounting hole: .442" x .385" - "D" hole



71R1165 RD-5-3779-0P

3 speed (low, medium, high)
DP3T,
4-position,
5 terminals
15 amps

Mounting hole: .442" x .385" - "D" hole



71R1210 RD-5-5194-0P

3 Speed with Resistor -
DP3T,
4-position,
5 terminals
18 amps
Uses Knob
71R4050
Mounting hole: .500"




71R1610 RD-5-8490-0P

8 amp, 12 volt, SPDT, 2 terminals
Normally Open,
Base: 1 ¼" x ⅝" x ⅝"



71R3502 RD-6-4797-0P

12 Volt, 30k ohm Thermistor blower speed control switch



71R9002 RD-4188-0P

#6 Male O-Ring Fitting 12 volt



72R0220 RD-5-3827-2P

Nickle plated toggle



72R0610 RD-5-4721-0P

Black Toggle with Quick Connect fitting
¼" In and ⅛" Out



THERMOSTAT

1989-04	C, Century, Classic, Coronado, FL	Adjustable, Cable Controlled, 30" Capillary	02-7010174	RD-4226-0P	**71R2700**
1990-10	C, Century, Century S/T	Main & Sleeper unit with fixed setting thermostat	BOA-80-946-00-109	RD-5-6429-0P	**71R3150**
1994-01	FL50, FL60, FL70, FL80, FL106, FL112, FLB, FLL	Main unit with fixed setting thermostat	BOA-80-946-00-079	RD-5-6429-0P	**71R3150**
1998-10	C, Century C112, Century C120, Columbia	Main unit with fixed setting thermostat	A630-008-00, BOA-80-946-00-079	RD-5-6429-0P	**71R3150**

71R2700 RD-4226-0P

Pull for cold Variable temp. Mounting hole spacing 2 15/16"
Capillary Length: 30"
Type: Variable
Temp. Range: 34°- 54°F
Clutch Cycle Range: 5°F



71R3150 RD-5-6429-0P

Capillary Length: 16"
Type: Fixed
Temp. Range: 28°- 35°F
Clutch Cycle Range: 7°F



WATER VALVE

1991-00	FLB, FLD112, FLD120, FLL, Classic XL	Cable Operated (Bergstrom), mounts to core	MA1365	RD-5-11319-0P	**72R6533**
1991-10	FLD112, FLD120	Cable operated, Red Dot, Main unit	A22-44553-000, MVA1-6296	RD-5-8943-0P	**72R6515**
1992-01	FL50, FL60, FL70, FL80, FL106, FL112, FLB, FLL, MB70	Valve, Heater, Cable Controlled, 5/8" Hose, Offset, Pull to Close	KYS 173144, MA1425	RD-5-10344-0P	**72R6520**
1996-03	Century C112, Century C120, Columbia	Cable operated, Red Dot	A22-44463-001, A22-44553-000, MVA1-6296	RD-5-8943-0P	**72R6515**

72R6515 RD-5-8943-0P

Pull to Open Cable Controller for FTLC120 Century Class 1997



72R6520 RD-5-10344-0P

⅝" Hose to ⅝" Hose



72R6533 RD-5-11319-0P

⅝" Hose to Core Mount – Pull to Open



IHC - NAVISTAR

ACCUMULATOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
2001-07	4200, 4300, 4400, 7300, 7400, 7500, 7600, 8500, 8600	Aluminum, Pad Fittings with Studs, with Mounting Bracket	3542577-C2	RD-5-12623-0P	**74R5097**
2007-10	4,000,700,080,009,000	With OE number 3666273C1	3666273-C1	RD-5-14650-0P	**74R5401**
2008-10	9000, 9000i, ix, Eagle	with Pad Mount Accumulator with OE#	3666273C1	RD-5-14650-0P	**74R5401**
2012-14	TerraStar	Aluminum , Pad Fittings with Studs	3839360C92, 3843558C92, 6102500C91	RD-5-15287-0P	**74R5088**
2012-14	TERRASTAR with PAD MOUNT ACCUMULATOR	Accumulator	3843558C92, 6102500C91	RD-5-15697-0P	**74R5090**
After 10/10/2001	7300	Aluminum, Pad Fittings with Studs, with Mounting Bracket	3542577-2	RD-5-12623-0P	**74R5097**
All	3200	Aluminum, Pad with Stud x #6 Tube Insert	3670134C1	RD-5-14045-0P	**74R5405**

74R5088 RD-5-15287-0P



74R5090 RD-5-15697-0P



74R5097 RD-5-12623-0P

3 ½" diameter x 9 ⅛" long
Inlet: Pad Mount 1"-14 UNF
Outlet: Pad Mount 1"-14 UNF
Switch Port: M12 x 1.5
Bracket Mount:
2)M8 x 1.25 female thread
Adjustable studs



74R5401 RD-5-14650-0P

Navistar Maxx Force
3666273-C1



74R5405 RD-5-14045-0P

Navistar Prostar
3670134-C1
P6546001



ACTUATOR

	4000, 4070, 4070A, 4070B, 4100, 4200, 4300, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 4954, 5000, 5000i, 5360, 5500, 5500i, 5600i, 5870, 5900i, 6300, 7000, 7100, 7300, 7400, 7500, 7600, 7700, 8000	2 Terminal, Actuator with Label #L6402515A	3542606C1	RD-5-14607-0P	**71R3580**
2001-11	5000, 5000i, 5360, 5500, 5500i, 5600i, 5870, 5900i, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	Actuator	3685800C1	RD-5-15505-0P	**71R3591**
2001-11	5000, 5000i, 5360, 5500, 5500i, 5600i, 5870, 5900i, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	Actuator	3524465C1	RD-5-15541-0P	**71R8489**
All	All with OEM Part No.	Actuator	3542606C1, 2611234C1	RD-5-14607-0P	**71R3580**
All	All with OEM Part No.	Actuator	3599602C1	RD-5-14608-0P	**71R3581**
All	All with OEM Part No.	Actuator	2503207C1	RD-5-14609-0P	**71R3582**

ACTUATORS CONTINUED ON NEXT PAGE

IHC - NAVISTAR

ACTUATOR

71R3580 RD-5-14607-0P
Moto Mode Control - 2 terminal 4000/8000 Series



71R3581 RD-5-14608-0P
Actuator - 12V 5-pin



71R3582 RD-5-14609-0P
Actuator - 12V 4-pin



71R3591 RD-5-15505-0P




71R8489 RD-5-15541-0P



AIR FILTER

	All with OEM Part No.	Mesh filter 28 1/2" x 7 1/8" x 5/16"	ZGG720006	RD-5-10075-1P	**78R5256M**
	All with OEM Part No.	Mesh filter 9" x 9" x 5/8"	ZGG720002	RD-5-10077-1P	**78R5236M**
	All with OEM Part No.	Mesh filter 22 1/2" x 10 1/4" x 1/4"	ZGG720005	RD-5-10081-1P	**78R5257M**
	All with OEM Part No.	Mesh filter 30" x 10 3/8" x 3/8"	ZGG720008	RD-5-10082-1P	**78R5255M**
1980-00	4070A, 4070B	A/C and heater filter, in cab, 15" x 11" x 3/4"	480836-C1	RD-5-10776-0P	**78R5304**
1995-10	All with OEM Part No.	All Series with OE # 1699956-C1	1699956-C1	RD-5-10775-0P	**78R5308**
2000-10	All with OEM Part No.	Air Filter	2506656C1	RD-5-12936-0P	**78R5435**
2000-10	All with OEM Part No.	Air Filter	3839141C1	RD-5-15282-0P	**78R5440**
All	4000, 7000, 8000	A/C and heater filter, in cab, 13 1/2" x 13" x 3/4"	498144-C1, ZGG14265, ZGG720007	RD-5-10773-1P	**78R5306M**

78R5236M RD-5-10077-1P
9" x 9" x 5/8" thick




78R5255M RD-5-10082-1P
30" x 10 3/8" x 3/8" Thick




78R5256M RD-5-10075-1P
28 1/2" x 7 1/8" x 1/4" Thick




78R5257M RD-5-10081-1P
22 1/2" x 10 1/4" x 1/4" Thick




78R5304 RD-5-10776-0P
15" wide x 11" high x 3/4" thick




78R5306M RD-5-10773-1P
13 1/2" Wide x 13" High x 1" Thick
IHC-Navistar ZGG14263, ZGG720007



78R5308 RD-5-10775-0P
13 5/8" wide x 10" high x 3/4" thick



78R5435 RD-5-12936-0P
12 1/2" x 7 1/2"



78R5440 RD-5-15282-0P
12 1/2" wide x 6" high x 1 1/4" thick



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
IHC - NAVISTAR					
BLOWER MOTOR					
	All with OEM Part No.	OE style blower motor (only), 3 3/4" length, non-vented	411876C91, 442987C1	RD-5-10391-0P	**73R0092**
	All with OEM Part No.	12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	1691717C91	RD-5-6526-1P	**73R0402**
	All with OEM Part No.	12V, 1 Speed, Double 5/16" Shaft, WO/Mounting Studs	1691704C91, 1691733C91	RD-5-6801-0P	**73R4182**
	All with OEM Part No.	Double Shaft motor, 1 speed, 4 3/4" length	1691705C91	RD-5-8032-0P	**73R4122**
1988-01	2000	All with flange style motor (heavy duty)	2500485C1	RD-5-4937-0P	**73R2102**
1988-01	2000	Flange Mount, 1 speed, 4 3/4" length, CW, No Wire	1699291C1	RD-5-4937-0P	**73R2102**
2000-10	5000i, 9100i, 9200i, 9400i, 9900i	Main unit	1699949C1	RD-5-14073-0P	**73R0572**
2000-11	5000, 5000i	with flange type motor and OE#	1699949C1	RD-5-14073-0P	**73R0572**
2007-13	ProStar, LoneStar	Blower Motor Asseembly	2602570C92, 3839363C91, 3599581C2	RD-5-15574-0P	**73R3162**
2009-11	4000, 5000, 5000i, 8000, ProStar	All models Fan with wheel and OE#	3674285C1	RD-5-14612-0P	**73R3112**
After 10/1/01	7300	Single Shaft, Flange Mount	3542611C2	RD-5-13068-0P	**73R3132**

73R0092 RD-5-10391-0P



Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5⁄16"
Dimensions: 3 3⁄4" x 2 7⁄8" x 3"
Shaft: 1⁄4" diameter, Length: 1 1⁄2"
Non Vented
Connector: Two conductor, 14 gauge
Supplied with 5⁄16" adapter

73R0402 RD-5-6526-1P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 5" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0572 RD-5-14073-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Plate Mount: 7"
Dimensions: 4 1⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1.1"
Vented
Connector: Two conductor Packard male blade

73R2102 RD-5-4937-0P



Single Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Plate Mounted
Dimensions: 4 3⁄4" x 4 1⁄8" x 3 1⁄8"
Shaft: 5⁄16" diameter, Length: 1 1⁄16"
Vented Includes wire assembly
Connector: Male spade OE#IHC274243, ZGG16249

73R3112 RD-5-14612-0P



Single Speed
12 Volt
Rotates CounterCW
Permanent Magnet Motor
Flange Mount
Dimensions: 7 1⁄2" diameter
Shaft: 5⁄16" diameter, Length: 1 1⁄2"

73R3132 RD-5-13068-0P



Single Speed
12 Volt
Rotates CW
Flange Mount

73R3162 RD-5-15574-0P



Single Speed
12 Volt
Rotates Clockwise
Flange Mount
Dimensions: 6 7⁄16" x 7 13⁄64"

73R4122 RD-5-8032-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4 " x 3"
Shafts: 5⁄16" diameter, length: 3 5⁄8"
Vented - RFI
Connector: Two conductor Packard #8900420, 1⁄4" blade terminal

73R4182 RD-5-6801-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2 5⁄8"
Vented
Connector: 1⁄4" spade receptacle

CLUTCH ASSEMBLY					
	All with OEM Part No.	12V, PV6 Groove, 5 3/4", 2 Wire	ZGG704000	RD-5-10363-0P	**75R0502**
	4900	12V, PV6 Groove, 5 3/4", 1 Wire	1687780C92, 1687780C92	RD-5-10364-0P	**75R0512**
	All with OEM Part No.	12V, PV8 Groove, 6 1/8", 2 Wire	ZGG19310	RD-5-10365-0P	**75R0682**
	All with OEM Part No.	12V, PV8 Groove, 6 1/8", 2 Wire	ZGG19310, ZGG19841	RD-5-10365-0P	**75R0682**
	All with OEM Part No.	12V, PV6 Groove, 5 7/8", 2 Wire	ZGG19323, ZGG704000	RD-5-10366-0P	**75R0522**
	All with OEM Part No.	1 groove 1/2" width, 6 1/4" diameter pulley, 2 11/16" gaugeline, IHC plug	2016403C1, 2016403C2, ZGG19845	RD-5-10397-0P	**75R1342**
	All with OEM Part No.	Poly 8 groove , 5 1/8" diameter (130mm), metripak plug	4700-9931, 4885-9931	RD-5-11374-0P	**75R4802**
	9100	12V, 1A Groove, 6", 1 Wire	481800-C91, ZGG19311	RD-5-4966-0P	**75R0302**
	All with OEM Part No.	12V, 1A Groove, 6", 1 Wire	14190, 481800C91, ZGG19311,ZGG12141	RD-5-4966-0P	**75R0302**
	All with OEM Part No.	2 groove 1/2" width, 6" diameter pulley, 1 5/8" gaugeline, bullet plug	024-21590, 1647566C91, 165338C91, ZGG12135	RD-5-4967-0P	**75R0452**
	All with OEM Part No.	12V, 2A Groove, 6", 1 Wire	165129C91, 1647566C91, ZGG11566	RD-5-4972-1P	**75R1202**

CLUTCH ASSEMBLY CONTINUED ON NEXT PAGE

IHC - NAVISTAR

CLUTCH ASSEMBLY

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	12V, 2A Groove, 7", 1 Wire	1687801C91, ZGG12136	RD-5-4994-0P	**75R4502**
	All with OEM Part No.	12V, 2A Groove, 132MM, 1 Wire	576625C91, ZGG11207, 8517-6014	RD-5-5486-0P	**75R0202**
	All with OEM Part No.	12V, 1A Groove-Overhang, 125MM, 1 Wire	1691736C1, ZGG16355	RD-5-6646-0P	**75R0182**
	All with OEM Part No.	12V, PV6 Groove, 6 1/8", 1 Wire	1687780C91, ZGG18414	RD-5-8009-0P	**75R0612**
	All with OEM Part No.	2 groove 1/2" width, 7" diameter pulley, 2" gaugeline, bullet plug, 24V	1140568C91	RD-5-8382-0P	**75R4534**
	All with OEM Part No.	1 groove 1/2" width, 6" diameter pulley, 2 3/4" gaugeline, IHC plug	1653480C91, 1653480-92, ZGG14191	RD-5-9665-0P	**75R0402**
	4700	12V, PV8 Groove, 5 3/8", 1 Wire	1818128C1, 1818128C2	RD-5-9802-0P	**75R0662**

75R0182 RD-5-8382-0P
Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: 1/2"
12 Volts
B Dimension: 2 7/16" / 62 mm
Single wire coil
Male bullet plug



75R0202 RD-5-5486-0P
Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm
Single wire coil
Bare wire




75R0302 RD-5-4966-0P
Diameter: 6"
Groove: 1
Width: 1/2"
12 Volts
B Dimension: 2 3/4"
Single wire coil w diode
Weatherpak plug



75R0402 RD-5-9665-0P
Diameter: 6"
Groove: 1
Width: 1/2"
12 Volts
B Dimension: 2 3/4"
Single wire coil
Female Weatherpak (IHC) plug




75R0452 RD-5-4967-0P
Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"
Single wire coil
Male bullet plug



75R0502 RD-5-10363-0P
Diameter: 5 3/4"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 2"
Double wire coil w diode
Metripak plug



75R0512 RD-5-10364-0P
Diameter: 5 3/4"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 2"
Single wire coil w diode
Weatherpak plug



75R0522 RD-5-10366-0P
Diameter: 5 7/8"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 1 5/8"
Double wire coil w diode,
Metripak plug




75R0612 RD-5-8009-0P
Diameter: 6 1/8"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: -
Single wire coil w diode
Female Weatherpak (IHC) plug



75R0662 RD-5-9802-0P
Diameter: 5 3/8"
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Female Weatherpak (IHC) plug



75R0682 RD-5-10365-0P
Diameter: 6 1/8"
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 15/16"
Double wire coil w diode
Metripak plug



75R1202 RD-5-4972-1P
OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Weatherpak plug




75R1342 RD-5-10397-0P
Diameter: 6 1/4"
Groove: 1
Width: 5/8"
12 Volts
B Dimension: 2 11/16"
Single wire coil
Female Weatherpak (IHC) plug



75R4502 RD-5-4994-0P
Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"
Single wire coil
Male bullet plug



75R4534 RD-5-8382-0P
Diameter: 7"
Groove: 2
Width: 1/2"
24 Volts
B Dimension: 2"
Single wire coil
Male bullet plug



75R4802 RD-5-11374-0P
Model 709 / 7H15
Diameter: 5 1/8" / 130mm
Groove: Poly 8
Width: .14"
12 volts
B Distance: —
Double wire coil w diode
Metripak plug



IHC - NAVISTAR

COMPRESSOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	IHC Models with Detroit Series 60 engine, Sanden #4822	3551405C1	RD-5-10738-0P	**75R84622**
	All with OEM Part No.	7H15HD, JDA head, direct mt, poly 8, 4.7" (119mm) diameter		RD-5-10738-0P	**75R84622**
	All with OEM Part No.	QP16HD, GWA fittings, ear mount, Poly 8 groove, 4 3/4" (123mm) 12v	3547916C1	RD-5-11250-1P	**75R81292Q**
	9800	7H15HD, MDA head, direct mt, poly 6, 4.9" (125mm) diameter	3541235C91, ZGG705017	RD-5-11254-0P	**75R81352**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, JDA Head	2003413C91, ZGG705130	RD-5-11313-0P	**75R81452**
	All with OEM Part No.	IHC Models with Cummins 8.3L engine, Sanden #4647	2032287C91	RD-5-11316-1P	**75R81472Q**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, KC Head, Direct Mount	3579878C1	RD-5-11326-0P	**75R81502**
	All with OEM Part No.	7H15HD GWA head, direct mt., poly 6 groove, (125mm) diameter	3541235-C91, 3547916C1	RD-5-13235-0P	**75R84302Q**
	All with OEM Part No.	QP15HD. 12V PV 6, 125mm, direct mount GWA head	3541235C91, 4815	RD-5-13235-0P	**75R84302Q**
	ProStar, DuraStar	Sanden 4418, direct mount, poly 8, 119mm clutch	3582435C1	RD-5-14689-0P	**75R89752**
	All with OEM Part No.	Sanden 4720, direct mount, poly 8, 119mm clutch	3808548C1	RD-5-14696-0P	**75R89762**
	All with OEM Part No.	GM A6, 1 groove 1/2" width, 4 7/8" diameter (124mm), generic	509170C91	RD-5-5000-0P	**75R8102**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	488-25011	RD-5-5876-1P	**75R8512Q**
	All with OEM Part No.	7H15HD, JD head, direct mt, 2 groove, 5 1/4" (132mm) diameter	2032287C91	RD-5-7088-0P	**75R8382**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45011	RD-5-7145-1P	**75R8612Q**
	All with OEM Part No.	QP15HD, 12V, 1 VAR Groove, 159MM, 1 Wire, D Head	488-45065	RD-5-7164-1P	**75R8632Q**
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	417888C92, ER, R210L- 21237, 25062, 25149, 1676831C91, 1676832C91, 2502460C91	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	417888C91	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	417888C91, ER, R210L- 21237, 25062,	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	ET210L-25061, 21160, 25150C, ZGG19254, 1676832C91, 1676832C92, 1685127C91, 2000820C91, 2003413C91, 2502459C91, 2502460C91, 417888C91, 468323C91, 417887C93 .	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	1610046C91	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	ET210L-25061, 21160, 25150-C, ZGG19254, 1676832C91, 1676832C92, 1685127C91, 2000820C91, 2003413C91, 2502459C91, 2502460C91, 417888C91, 468323C91, 417887C93 .	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	99244-5, ET210L-25061, 21160, 25150C	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, D Head	488-45063	RD-5-8944-1P	**75R8532Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45077	RD-5-9609-10P	**75R8552Q**
	All with OEM Part No.	FLX replacement, 2 groove, 5 1/4"(132mm) diameter	9285	RD-5-11012-0P with RD-5-10881-0P adapter	**75R89292 with 75R89310 adapter**

COMPRESSORS CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

IHC - NAVISTAR

COMPRESSOR

75R7280 RD-5-8637-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7290 RD-5-8638-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied




75R8102 RD-5-5000-0P

GMC A6R, Generic — Superheat switch port
5" Single Groove Clutch — 12 volt
Pulley with ½" - ¾" variable groove — R-12 / R134a
Standard thread mounting holes — Clockwise rotation
No Oil



75R81292Q RD-5-11250-1P

Model: QP7H15 **Head:** H **Voltage:** 12V
Mount: Ear **Sander:** 4618
Clutch: 4 ¾" (123mm) Poly 7



75R81352 RD-5-11254-0P

Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Direct **Sanden:** 4492, 4761
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81452 RD-5-11313-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4645
Clutch: 4.7" (119mm) Poly 7 **R134a**




75R81472Q RD-5-11316-1P

Model: QP-7H15 **Head:** JDA **Voltage:** 12V
Mount: Ear
Clutch: 5" (125mm) 2 Groove **R134a**




75R81502 RD-5-11326-0P

Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4667
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R8382 RD-5-7088-0P

Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R84302Q RD-5-13235-0P

Model: QP-7H15 **Head:** GWA **Voltage:** 12V
Mount: Direct **Sanden:** 4815
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R84622 RD-5-10738-0P

Model: 7H15 **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4822
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R8512Q RD-5-5876-1P

Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




75R8532Q RD-5-8944-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**




75R8552Q RD-5-9609-10P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521301 **Seltec:** 488-45077
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R8612Q RD-5-7145-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R8632Q RD-5-7164-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**




75R89752 RD-5-14689-0P

Model: 7H15HD **Head:** Voltage: 12v
Mount: Direct **Sanden:** 4418
Clutch: 7" (180mm) Poly 8 **R-134a**



75R89762 RD-5-14696-0P

Model: 7H15HD **Head:** Voltage: 12v
Mount: Direct **Sanden:** 4720
Clutch: 4.7" (119mm) Poly 8 **R-134a**



IHC - NAVISTAR

CONDENSER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1982-91	9600, 9700	Condenser	586908C92	RD-4-7502-0P	**77R8475**
1989-93	7100, 8100	Condenser	1667340C5	RD-4-7496-0P	**77R8465**
1992-02	2000, 7000, 8000, 9000, 9200	Radiator Mount, IHC and Red Dot unit, #R-10035-1, -2, -3, -4	2004801C1, 2004801C2, 2004801C3, 2004801C4	RD-4-4713-0P	**77R7000**
1993-00	All with OEM Part No.	4600-4900 (7.3L engine)	2000655C2	RD-4-7283-0P	**77R0715**
1993-96	2500, 2600, 8200, 8300	Condenser	1072720, 1675462C1, 1675462C2	RD-4-7501-0P	**77R8470**
1993-99	4600, 4700, 4900	Condenser	1667340C5	RD-4-7496-0P	
1999-02	9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	Condenser	3504377C1	RD-4-7371-0P	**77R8309**
2001-06	5000, 5000i, 5360, 5500, 5500i, 5600i, 5870, 5900i	23 5/8" X 20 1/8" X 5/8"	2585373C2	RD-4-7279-0P	**77R0115**
2001-07	7000, 7100, 7300, 7400, 7500, 7600, 7700, 8000, 8100, 8200, 8300, 8500, 8600, 8600i, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	Two connections	2507482C92	RD-4-7278-0P	**77R0095**
2001-07	8000, 8100, 8200, 8300, 8500, 8600, 8600i	All with OE#	2586812C91, 1E5633, 2505650C92, 3548907F93	RD-4-7280-0P	**77R0355**
2001-07	8000, 8100, 8200, 8300, 8500, 8600, 8600i, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	Block connection	2508698C92	RD-4-7281-0P	**77R0635**
2007-10	ProStar	32 3/4" X 15 3/4" X 5/8"	2601445C91	RD-4-7277-0P	**77R7705**
2007-10	ProStar	Condenser	2591836C91, 2591621C91	RD-4-7361-0P	**77R8350**
2008-11	4000, 8000	with 20" X 23-1/2" X 5/8" Pad Fittings with OE#	2593329C91, 1E5956	RD-4-7282-0P	**77R0675**
2010-11	ProStar	ProStar with OE#	2593329C91	RD-4-7282-0P	**77R0675**
2014-16	PayStar, 9000	Condenser	2604851C92	RD-4-7473-0P	**77R8375**

CONDENSERS CONTINUED ON NEXT PAGE

IHC - NAVISTAR

CONDENSER

77R8465 RD-4-7496-0P

Overall Width: 29 1/2"
Fin Width: 26"
Height:: 26 1/2"
Thickness: 3/4"



77R0095 RD-4-7278-0P

Overall Width: 21 ¾"
Fin Width: 19 ¾"
Height: 19 ½"
Thickness: ¾"



77R0115 RD-4-7279-0P

Overall Width: 21"
Fin Width: 19 ½"
Height: 24"
Thickness: ¾"



77R0355 RD-4-7280-0P

Overall Width: 21"
Fin Width: 19 ½"
Height: 24"
Thickness: ¾"



77R0635 RD-4-7281-0P

Overall Width: 21"
Fin Width: 19 ½"
Height: 24"
Thickness: ⅞"



77R0675 RD-4-7282-0P

Overall Width: 21 ½"
Fin Width: 19 ½"
Height: 24"
Thickness: ⅝"




77R0715 RD-4-7283-0P

Overall Width: 26"
Fin Width: "
Height: 25 ¾"
Thickness: ¾"



77R7000 RD-4-4713-0P

Grilldenser Coil Type
Overall Width: 28 13/32"
Fin Width: 26 19/32"
Height: 26 5/32"
Thickness: 2 5/32"




77R7705 RD-4-7277-0P

Overall Width: 33 ½"
Fin Width: 31 ½"
Height: 16 ½"
Thickness: ⅝"




77R8309 RD-4-7371-0P

Overall Width: 36 1/2"
Fin Width: 32"
Height: 28"



77R8350 RD-4-7361-0P

Overall Width: 32 ¾"
Fin Width: 31"
Height: 16"
Thickness: ½"




77R8375 RD-4-7473-0P

Overall Width: 37 1/2"
Fin Width: 32 1/2"
Height:: 19 1/4"
Thickness: 3/4"



77R7000 RD-4-4713-0P

Grilldenser Coil Type
Overall Width: 28 13/32"
Fin Width: 26 19/32"
Height: 26 5/32"
Thickness: 2 5/32"



77R8470 RD-4-7501-0P

Overall Width: 28 1/2"
Fin Width: 25 1/2"
Height:: 27 1/4"
Thickness: 3/4"



77R8475 RD-4-7502-0P

Overall Width: 36 3/4"
Fin Width: 34"
Height:: 31 1/4"
Thickness: 1 3/4"




EVAPORATOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
2000-12	5000, 5000i, 5360, 5500, 5500i, 5600i, 5870, 5900i, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	10'' X 13'' X 2 5/8"	1699950C1	RD-5-14624-0P	**76R7712**

76R7712 RD-5-14624-0P

10" high x 12 ¾" long x 2 ¾" wide



IHC - NAVISTAR

EXPANSION VALVE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	Expansion Valve, Right Angle, Flare, with Capillary, with Equalizer	2684701C1	RD-4126-1P	**71R8050**
	All with OEM Part No.	Block, #6 #10 #8 #8, with Mounting Holes	431606-R1	RD-5-6868-1P	**71R8301**
1983-00	4000, 4070, 4070A, 4070B, 4100, 4200, 4300, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 4954	Main unit, with O-Ring style valve	1691469C2	RD-5-5862-0P	**71R8080**
1994-01	2000, 4000, 4700, 8000, S Series	Block, #6 #10 #8 #8, with Mounting Holes	2503783C91	RD-5-15291-0P	**71R8480**
1995-01	S	Main unit with Red Dot A/C	1696846C2	RD-5-10447-0P	**71R8405**
1995-01	2000, 2010, 2011A, 2050, 2070A, 2100, 2200, 2300, 2500, 2600, 4000, 4070, 4070A, 4070B, 4100, 4200, 4300, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 4954, 8000, 8100, 8200, 8300, 8500, 8600, 8600i	Main unit no nick type (0-ring) valve	1696846C2, 1696846C3, 2503783C91	RD-5-10447-0P	**71R8405**
1997-06	9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	Sleeper units	2501794C92	RD-5-10306-0P	**71R8415**
2000-02	9200, 9300, 9400, 9600, 9700, 9800	Main unit no nick type (0-ring) valve	2503783C91	RD-5-10447-0P	**71R8405**
2000-10	5000i, 9100i, 9200i, 9400i, 9900i	Main unit No Nick Type Expansion Valve	1699955C1, 2501794C92	RD-5-10306-0P	**71R8415**
2007-10	ProStar	Main Cab	3599589C1	RD-5-14618-0P	**71R8465**
2007-10	ProStar, LoneStar, 4000, 7000, 8000	Main Cab	3660853C2	RD-5-14619-0P	**71R8467**
2010-13	ProStar	Block, #8 #10 #8 #10, with Mounting Holes	3857948C3	RD-5-15292-0P	**71R8481**

71R8050 RD-4126-1P



External Equalizer
Inlet: #6 (3/8") Male Flare
Outlet: #8 (1/2") Male Flare
Equalizer Tube
Length: 18"
Nut: 1/4" Female Flare
Capillary Tube Length: 18"
Rating: 1 1/2 Ton

71R8080 RD-5-5862-0P



External Equalizer
Inlet: #6 (3/8") Male O-Ring
Outlet: #8 (1/2") Male O-Ring
Equalizer Tube
Length: 10"
Nut: 1/4" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 1/2 Ton

71R8301 RD-5-6868-0P



Inlet: #6 (3/8") Female O-Ring
Outlet: #10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #8 (1/2") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F

71R8405 RD-5-10447-0P



With Schrader Port
Inlet: #6 (3/8") Female O-Ring
Outlet: #10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #8 (1/2") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F

71R8415 RD-5-10306-0P



With M12, M10 Schrader Port
Inlet: #6 Plate (Flange) Mount
Outlet: #10 Plate (Flange) Mount
Evaporator Fittings
In: #8 Plate (Flange) Mount
Out: #8 Plate (Flange) Mount
Superheat Rating: N/A
Pressure Limit: N/A

71R8465 RD-5-14618-0P



Inlet: #6 (3/8") Plate (Flange) Mount
Outlet: #10 (5/8") Plate (Flange) Mount
Evaporator Fittings
In: #8 (1/2") Plate (Flange) Mount
Out: #10 (5/8") Plate (Flange) Mount
Superheat Rating: 7.5°F
Pressure Limit: 80 psig @53.5°F

71R8467 RD-5-14619-0P



2-Ton
Inlet: #6 (3/8") Plate (Flange) Mount
Outlet: #12 (5/8") Plate (Flange) Mount
Evaporator Fittings
In: #8 (1/2") Plate (Flange) Mount
Out: #10 (5/8") Plate (Flange) Mount
Superheat Rating: 5°F
Pressure Limit: 80 psig @53.5°F

71R8480 RD-5-15291-0P



2-ton with M10 port & one switch port
Inlet:
#6 (3/8") Plate (Flange) Mount
Outlet:
#10 (5/8") Plate (Flange) Mount
Evaporator Fittings
In: #8 (1/2") Plate (Flange) Mount
Out: #8 (1/2") Plate (Flange) Mount

71R8481 RD-5-15292-0P



2-ton
Inlet: #8 (1/2") Plate (Flange) Mount
Outlet: #10 (5/8") Plate (Flange) Mount
Evaporator Fittings
In: #8 (1/2") Plate (Flange) Mount
Out: #10 (5/8") Plate (Flange) Mount

IHC - NAVISTAR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
FAN					
	All with OEM Part No.	12 Volt Defroster Fan Assembly	783966C93	RD-5-10490-4P	**73R9092**
1979-02	All with OEM Part No.	All models with CW, plastic blower wheel	465502C1, 1693199C1, BSM302001, ZGG14606	RD-5-14613-0P	**73R7215**
2001-11	All with OEM Part No.	6" dia CCW	1699947C1	RD-5-10753-0P	**73R6253**

73R6253 RD-5-10753-0P
6" diameter, 3" width
5⁄16" bore diameter
Hub inset: 1 1⁄2"
CCW Rotation
Plastic



73R7215 RD-5-14613-0P
5" diameter, 3" width
5⁄16" bore diameter
Hub inset: 1⁄2"
CW Rotation
Plastic




73R9092 RD-5-10490-4P
12V, Black Metal Cage, two wire with toggle



FILTER					
1997-00	9200, 9400, 9800	All with AC and heater intake 12" X 11" X 1/2" with OE#	1696834C1	RD-5-14635-0P	**78R5305M**

78R5305M RD-5-14635-0P
12" Wide x 11" High x ¾" Thick
IHC/Navistar 1696834C1




HEATER CORE					
	4000, 7000, 8000	All with OE#	3542604C3, 3542604C2, BOA-85-471-77-009	RD-5-14622-0P	**76R6020**
1982-01	5000, 5000i, 5360, 5500, 5500i, 5600i, 5870, 5900i, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	9" X 11" X 1 5/16" Main Cab	501099C91	RD-5-14620-0P	**76R3475**
2007-10	ProStar	10 3/8" X 6" X 1 5/8" Auxiliary Sleeper	3599598C1	RD-5-14621-0P	**76R3945**
2007-10	ProStar	Front Main Cab with OE#	3542604C3	RD-5-14622-0P	**76R6020**

76R3475 RD-5-14620-0P
10" high x 13 1⁄2" long x 2 1⁄4" wide



76R3945 RD-5-14621-0P
6" high x 11" long x 2" wide




76R6020 RD-5-14622-0P
7 1⁄2" high x 13" long x 1 3⁄4" wide



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
IHC - NAVISTAR					
HOSE ASSEMBLY					
	ProStar	#8 Discharge Hose	3582989C91	RD-2-7302-0P	**78R3005**

78R3005 RD-2-7302-0P



ORIFICE TUBE					
2001-10	4000, 4200, 4300, 7500, 8000, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	Main unit (NGV) - Behr Orifice Tube-Purple	3548044C1, BOA-80-305-00-949	RD-5-10757-0P	**71R8507**
All	All with OEM Part No.	GM type, CCOT Orifice Tube-White with accumulator system, Main unit	1676822C91	RD-5-4919-0P	**71R8500**

71R8500 RD-5-4919-1P

White – GM CCOT OE#3033879, 3033919, IHC#1676822-C91
Length: 3.485", O.D.: .386", Orifice: .071"



71R8507 RD-5-10757-0P

Purple – Length: 3.55", O.D.: .429", Orifice: .0605"




O-RINGS / SEALS					
	All with OEM Part No.	O-ring Kit	3660865C1, 2610414C1	RD-5-14697-0P	**70R5505**
	All with OEM Part No.	O-ring Kit	3824716C1, 2610417C1	RD-5-14698-0P	**70R5501**
	All with OEM Part No.	O-ring Kit	3661318C1, 2610415C1	RD-5-14699-0P	**70R5502**
	All with OEM Part No.	O-ring Kit	3660864C1, 2610413C1	RD-5-15280-0P	**70R5503**
	All with OEM Part No.	O-ring Kit	3660862C1, 2610412C1	RD-5-15281-0P	**70R5504**

70R5501 RD-5-14698-0P



70R5502 RD-5-14699-0P



70R5503 RD-5-15280-0P



70R5504 RD-5-15281-0P



70R5505 RD-5-14697-0P



IHC - NAVISTAR

PRESSURE SWITCH

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	APADS switch high pressure	8040177P	RD-5-14636-0P	**71R6582**
	All with OEM Part No.	APADS switch low pressure	8040178P	RD-5-14637-0P	**71R6584**
1985-00	9200, 9300, 9400, 9900, 9900i	Low pressure switch, normally open 11psi, close 39 psi, 1/4" female flare	442183C1, 442183C2, 587977C1	RD-5-6397-0P	**71R6020**
1991-00	4600, 4700, 4800, 4900, 8100, 8200, 8300, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700	High pressure switch, normally closed 205psi, opens 375 psi, 1/4" female flare	1676787C1, 318000	RD-5-10166-0P	**71R6181**
1991-00	4600, 4700, 4800, 4900, 8100, 8200, 8300, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700	Low pressure switch, normally closed 5psi, open 35 psi, M10 female flare	1676786C1, 318004	RD-5-10167-0P	**71R6183**
1993-03	All with OEM Part No.	Switch, Pressure, High, NO	1514307C1	RD-5-6430-0P	**71R6110**
1993-05	All with OEM Part No.	Switch, Pressure, Trinary, NO	1676658C1	RD-5-4583-0P	**71R7550**
1993-05	All with OEM Part No.	Switch, Pressure, Trinary, NO	1691699C91	RD-5-4585-0P	**71R7500**
1998-03	All with OEM Part No.	Switch, Pressure, APADS, Low, NC	1699310-C1, 8040136	RD-5-9991-0P	**71R6405**
2001-05	9000	High Pressure Normally Closed 275 / 225psi	3521729C1	RD-5-14603-0P	**71R6235**
2006-10	4000, 4070, 4070A, 4070B, 4100, 4200, 4300, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 4954, 5000, 5000i, 5360, 5500, 5500i, 5600i, 5870, 5900i, 8000, 8100, 8200, 8300, 8500, 8600, 8600i	Transducer M10 thread 3 pin Brown	3546241C1	RD-5-14604-0P	**71R6260**
2010-14	LoneStar, ProStar, TerraStar	Low Pressure Switch	3839315C1	RD-5-15501-0P	**71R6270**
All	All with OEM Part No.	Accumulator Switch fits 3542577C2	3622764C3	RD-5-14605-0P	**71R6265**

71R6020 RD-5-6397-0P
Type: Low Side
Fitting / Connector: ¼" female flare / two-conductor Packard male/female
Normally Closed – Closes at 7 PSI – Opens at 30 PSI



71R6110 RD-5-6430-0P
Type: High Side –
Fitting / Connector: ¼" female flare / two-conductor male Weatherpak
Normally Open – Closes at 300 PSI – Opens at 210 PSI



71R6181 RD-5-10166-0P
Type: Low Side – Black
Fitting / Connector: M12 x 1.5 female / integral two-prong (round)
Normally Closed – Closes at 5 PSI – Opens at 35 PSI
Mating Plug: Packard two-prong round



71R6183 RD-5-10167-0P
Type: High Side – Green
Fitting / Connector: M10 x 1.25 female / integral two-prong (round)
Normally Closed – Closes at 205 PSI – Opens at 375 PSI
Mating Plug: Packard two-prong round



71R6235 RD-5-14603-0P
Type: High Side –
Fitting / Connector: M10x 1.25 female/ two conductor male weatherpak
Normally Closed – Closes at 225 PSI – Opens at 275 PSI



71R6260 RD-5-14604-0P
Fitting / Connector: M10, three-pin



71R6265 RD-5-14605-0P
Fitting / Connector: M12 Thread



71R6270 RD-5-15501-0P
Fitting/Connector: M12 Female
On: 22-32 PSI Off: 3-9 PSI



71R6405 RD-5-9991-0P



71R6582 RD-5-14636-0P



71R6584 RD-5-14637-0P



71R7500 RD-5-4585-0P
⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally open



71R7550 RD-5-4583-0P
7/16" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally open



IHC - NAVISTAR

RECEIVER DRIER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1973-03	2000, 2010, 2011A, 2050, 2070A, 2100, 2200, 2300, 2500, 2600, 4000, 4070, 4070A, 4070B, 4100, 4200, 4300, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 4954, 5000, 5000i, 5360, 5500, 5500i, 5600i, 5870, 5900i, 6300, 8000, 8100, 8200, 8300, 8500, 8600, 8600i, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	3"x10", 11/16" FOR In, #6 FOR out, PRV, Top Glass	2000821C1	RD-5-4959-0P	**74R3450**
1991-00	4600, 4700, 4800, 4900, 4954, 5000, 8100, 8200, 8300	3"x8 1/4", #6 MOR in, #6 MOR out, PRV, Side Glass, Top Port	1676663C1	RD-5-4955-0P	**74R2706**
1993-01	2000, 2010, 2011A, 2050, 2070A, 2100, 2200, 2300, 2500, 2600, 4000, 4070, 4070A, 4070B, 4100, 4200, 4300, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 4954, 8000, 8100, 8200, 8300, 8500, 8600, 8600i, 9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	3"x10", QD In, QD out, PRV, Top Glass, R134A Service Port	2004050C1	RD-5-10741-1P	**74R3320**
1993-08	2000, 4600, 4700, 4800, 4900, 4954, 5000, 8100, 8200, 8300, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700	3"x10", 11/16" FOR in, #6 FOR out, PRV, Top Glass, R134A Service Port	1693117C1, 2000821C1	RD-5-12757-1P	**74R3456**
2001-07	9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	3"x10", 11/16" FOR in, #6 FOR out, PRV, Top Glass, R134A Service Port	1693117C1	RD-5-12757-1P	**74R3456**
2012-17	ProStar, LoneStar, TerraStar	Receiver Drier - Day Cab	3839360C92	RD-5-15287-0P	**74R5088**
2012-17	ProStar, LoneStar, TerraStar	Receiver Drier - Sleeper Unit	3843558C92, 6102500C92	RD-5-15697-0P	**74R5090**
All	9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	Quick disconnect, #6 male, #6 female outlet, 2 M10 ports		RD-5-11189-0P	**74R3323**
All	9000, 9000i, 9100, 9100i, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900, 9900i	3"x10", 11/16", QD in, QD out, Moisture Ind, (2) M10 Switch Ports	1607149C2	RD-5-11195-0P	**74R3309**

RECEIVER DRIERS CONTINUED ON NEXT PAGE

IHC - NAVISTAR

RECEIVER DRIER

74R2706 RD-5-4955-0P
3" diameter x 8 ½" long
#6 Male O-Ring
Pressure Relief
Top Port



74R3309 RD-5-11195-0P
3" diameter x 10" long –
Quick Disconnect
High Capacity –
two 7/16" Schrader
valves
2 Top Port



74R3320 RD-5-10741-1P
Includes Moisture Indicator
3" diameter x 10" long
Quick Disconnect –
High Capacity
Pressure Relief
Side Port



74R3323 RD-5-11189-0P
3" diameter x 10" long –
Quick Disconnect
Two Top Metric
Ports
Top Port



74R3450 RD-5-4959-0P
3" diameter x 10" long
11/16 Female O-Ring Inlet
5/8 Female O-Ring Outlet
Pressure Relief
No Port




74R3456 RD-5-12757-1P
3" diameter x 9 11/16" long
11/16" Female O-Ring Inlet
5/8" Female O-Ring Outlet
Pressure Relief
R-134a Charge Port



RESISTOR

1977-00	All with OEM Part No.	Sleeper units with 3 terminal, 4 speed resistor	469458-C1	RD-5-13299-0P	**71R1462**
1977-01	2000, 2010, 2011A, 2050, 2070A, 2100, 2200, 2300, 2500, 2600, 4000, 4070, 4070A, 4070B, 4100, 4200, 4300, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 4954, 8000, 8100, 8200, 8300, 8500, 8600, 8600i	IHC Resistor, 4 terminal, 4 speed	506552C1, BSM321010, ZGG14512	RD-5-13299-0P	**71R1462**
1991-01	2000, 4600, 4700, 4800, 4900, 4954, 5000, 8100, 8200, 8300	Blower Resistor	506552C1	RD-5-13299-0P	**71R1462**
1991-02	2000, 4600, 4700, 4900, 8100, 8200, 8300	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	1696836-C1, 650179	RD-5-10341-0P	**71R1457**
2000-04	5000i, 9100i, 9200i, 9400i, 9900i	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	2500918-C1	RD-5-10341-0P	**71R1457**
2002-07	4000, 4600, 4700, 4900, 5000, 7100, 7400, 8000, 9000, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900	LPM Module 5 terminal	3562102C1	RD-5-14651-0P	**71R1470**
2007-10	5000, 9000, ProStar	LPM Module	3626414C1	RD-5-14601-0P	**71R1475**
2010-13	ProStar	LPM Module	2510671C1	RD-5-15500-0P	**71R1477**

71R1457 RD-5-10341-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 3" x 1 ¼" x .10" thick – Height: 1 ¼"



71R1462 RD-5-13299-0P
4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 2 ¾" x 1 ½" x .10" thick – Height: 1 3/16"



71R1470 RD-5-14651-0P
5 Terminals Resistor
Navistar #3562102-C1



71R1475 RD-5-14601-0P
LPM Module/Resistor –
12 volt, 4 spade, 3 pin
Navistar Prostar
#3626414-C1




71R1477 RD-5-15500-0P
LPM Module/Resistor
Navistar #2510671C1



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
IHC - NAVISTAR					
SWITCH					
1976-03	All with OEM Part No.	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	INM2G754A	RD-5-3646-0P	**71R1150**
1981-01	9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700	Blower (fan) toggle switch, 10 terminal, OFF-ON-ON-ON	501087C1, 501087C3, ZGG14469	RD-5-8256-0P	**71R0480**
2001-08	All with OEM Part No.	Switch, Rotary, 3 Speed, Short Shaft, 5 Terminal	1661420C1	RD-5-9833-0P	**71R1160**
2007-10	ProStar	Blower Switch	3600338C1	RD-5-15293-0P	**71R6259**
2007-10	ProStar	Blower Switch	3600339C1	RD-5-15294-0P	**71R6261**
All	All with OEM Part No.	Valve, Solenoid, 12V, #6 MOR	1669329C1, 1669334C1	RD-4188-0P	**71R9002**

71R0480 RD-5-8256-0P

IHC OE #501087C3
DP 4 Position Type
Function: OFF - ON - ON - ON
10 Terminals



71R1150 RD-5-3646-0P

3 speed, Long Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1160 RD-5-9833-0P

3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R6259 RD-5-15293-0P

Blower Switch,
OE #F2UZ-3600338C1



71R6261 RD-5-15294-0P

Blower Switch,
OE #3600339C1



71R9002 RD-4188-0P

#6 Male O-Ring Fitting 12 volt



THERMISTOR KIT

2001-11	DURASTAR 4000 SERIES, WORKSTAR 7000 SERIES, TRANSTAR 7000 SERIES, ALL LONESTAR/PROSTAR	Thermister Freon Sensor Kit	2606229C92	RD-5-15688-0P	**71R6266**

71R6266 RD-5-15688-0P


Freon Sensor Kit
OE# 2606229C92





IHC - NAVISTAR


THERMOSTAT


YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	Adjustable, 36" Probe	175575C1	RD-4125-36P	**71R2250**
	All with OEM Part No.	Adjustable, 48" Capillary	301305C91	RD-4125-48P	**71R2300**
	All with OEM Part No.	Adjustable, Cable Controlled, 30" Capillary	445444C1	RD-4226-0P	**71R2700**
	All with OEM Part No.	Fixed, 24" Probe	1691726C91, 3093422	RD-4427-24P	**71R3100**
	All with OEM Part No.	Fixed, 24" Probe	1676655C91, 1691722C91	RD-5-4531-24P	**71R3200**
	All with OEM Part No.	All Models with factory air with rotary switch	A45-1033, 13011C2	RD-5-4909-0P	**71R2100**
	All with OEM Part No.	Fixed Setting thermostat with 16" capillary tube, flange mt.	1691729C91, BOA-80-946-00-079	RD-5-6429-0P	**71R3150**
1973-01	5000, 7100, 9000, 9100, 9200, 9300, 9400, 9600, 9700	Cable controlled thermostat, 43" cap tube	581691C1	RD-5-4917-0P	**71R2800**
1989-01	2000, 4000, 4600, 4700, 4900, 5000, 7100, 7400, 8000, 9000, 9200, 9200i, 9300, 9370, 9400, 9400i, 9600, 9670, 9671, 9700, 9800, 9900	Fixed setting thermostat, 25" cap tube	1664248C1	RD-5-8257-0P	**71R3300**
All	5500i, 5600i, 5900i, 9100, 9300, 9400, 9800	Fixed, 25" Capillary, 34°-44°, with Threaded Mountinf Holes	1699953C1	RD-5-8257-0P	**71R3300**























WATER VALVE

	All with OEM Part No.	Cable Controlled, 5/8" Hose, STR-STR, Pull to Open	899996-R91	RD-4257-0P	**72R5050**
	All with OEM Part No.	Manual valve for 5/8" hose to 5/8" hose	ZGG14525	RD-5-5192-0P	**72R5500**
1997-00	9000, 9900i, ix, Eagle	Water Shutoff (3/4" x 1/2" NPT)	367972C92, ZGG11080	RD-5-14606-0P	**72R5090**
2001-07	4000, 4070, 4070A, 4070B, 4100, 4200, 4300, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 4954, 7000, 7100, 7300, 7400, 7500, 7600, 7700, 8000, 8100, 8200, 8300, 8500, 8600, 8600i	with OE number	3542575C1, 3542575C2	RD-5-14610-0P	**71R3585**









YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

KENWORTH

ACTUATOR

1996-03	All with OEM Part No.	Universal, 12v/24v, 4 pin Deutz Connector, 104° Max Travel	MA14400, 650341BSM	RD-5-12450-1P	**71R3583**

71R3583 RD-5-12450-1P

Universal, 12 or 24 Volt
4-pin Deutch
sealed connection
104° maximum
travel



AIR FILTER

1993-00	All with OEM Part No.	Filter, Cab Air	5X000190, 5X000180	RD-5-14695-0P	**78R5450**
1998-10	All with OEM Part No.	Filter, Cab Air	5X010007	RD-5-14694-0P	**78R5460**
2002-09	T2000	Filter, Cab Air	GD11800, 525507BSM, 525507	RD-5-10745-1P	**78R5420M**
2008-10	All with OEM Part No.	Filter, Cab Air	5X013817	RD-5-14693-0P	**78R5455**

78R5420M RD-5-10745-1P

13 ¾" Wide x 10 ¼" High x ¾" Thick



78R5450 RD-5-14695-0P

11 ¼" wide x 6" high x 1 ¼" thick




78R5455 RD-5-14693-0P

12 ½" wide x 9" high x ½" thick



78R5460 RD-5-14694-0P

10 ¼" wide x 8" high x 5/16" thick



KENWORTH

BLOWER MOTOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1978-98	C500, C500B	12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	HA1105, HA1100	RD-3106-12P	**73R0552**
1980-09	C500	12V, 1 Speed, Double 5/16" Shaft, WO/Mounting Studs	HB16100, HB1610, 203080, K318-201	RD-5-6801-0P	**73R4182**
1980-12	W900	12V, 1 Speed, Double 5/16" Shaft, WO/Mounting Studs	HB16100, HB1610, 203080	RD-5-6801-0P	**73R4182**
1983-07	K100, K100E	12V, 1 Speed, Double 5/16" Shaft, without Mounting Studs	HB15700, HB1570, HB1680, 203085, HA16050, HA1605, 203076	RD-5-10068-0P	**73R4322**
1986-07	K100E	12V, 1 Speed, Double 5/16" Shaft, without Mounting Studs	HB15700, HB1570, HB1680, 203085	RD-5-10068-0P	**73R4322**
1995-07	All with OEM Part No.	12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	HA16050, HA1605, 203076	RD-5-5512-0P	**73R0912**
1995-97	W900	12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	HA1120, 2807-517-019	RD-5-6526-1P	**73R0402**
1996-10	T2000	12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	HA15250, HA1525, 203142BSM, 871218BSM	RD-5-10867-0P	**73R0332**
1996-12	T2000	12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Tabs	HA12600, 203139BSM	RD-5-8922-0P	**73R0612**
1997-01	T300, T400, T600, W900	12V, 1 Speed, Double 5/16" Shaft, without Mounting Studs	HA13500, 203235BSM	RD-5-10068-0P	**73R4322**
2005-12	T270, T370, T470	12V, CW, 1 Speed, Single 5/16" Shaft, Flange Mount	3X010983	RD-5-13069-0P	**73R3142**
2011-12	T700	with Bergstrom main unit	203142BSM	RD-5-10867-0P	**73R0332**
All	All with OEM Part No.	12V, CW, 2 Speed, Single 5/16" Shaft, with Mounting Studs	20132P	RD-3106-12P	**73R0552**
All	All with OEM Part No.	12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	20152P1, 20302P	RD-3106-12P	**73R0552**
All	All with OEM Part No.	12V, Reversible, 1 Speed, Single 5/16" Shaft, with Mounting Studs	20322P, 20332P	RD-5-10390-0P	**73R0212**
All	All with OEM Part No.	24V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	20303P	RD-5-3751-24P	**73R0454**
All	All with OEM Part No.	12V, 1 Speed, Double 5/16" Shaft, WO/Mounting Studs	20578P	RD-5-6801-0P	**73R4182**

73R0212 RD-5-10390-0P



Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5⁄16"
Dimensions: 4" x 3 3⁄8" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Non Vented
Connector: Two conductor, 14 gauge

73R0332 RD-5-10867-0P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Flange/Plate Mounted
Dimensions: 5" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented
Connector: Two conductors,
female ring terminal, Packard #2984528

73R0402 RD-5-6526-1P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 5" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528,
2971859

73R0454 RD-5-3751-24P



Single Speed
24 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 11⁄16" x 3 7⁄8" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528

73R0552 RD-3106-12P



Two Speed
12 Volt
Rotates CW
Field Wound Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 1⁄4" x 3 13⁄32" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented
Connector: Two conductor, orange-high, red-low

73R0612 RD-5-8922-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16"
Dimensions: 5 1⁄8" x 4 11⁄16" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented, Strap Diameter: 6 3⁄4"
Connector: Two conductor Packard #12129939

73R0912 RD-5-5512-0P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 3⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Shaft Length: 1 1⁄2"
Vented - RFI
Connector: Multiple adapters in kit

73R3142 RD-5-13069-0P



Single Speed
12 Volt
Rotates CW
Flange Mount

73R4182 RD-5-6801-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2 5⁄8"
Vented
Connector: 1⁄4" spade receptacle

73R4322 RD-5-10068-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 4 7⁄8" x 4 1⁄2" x 3"
Shafts: 5⁄16" diameter, length: 2 1⁄2"
Vented
Connector: Two conductor 1⁄4" spade receptacle

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
KENWORTH					
BLOWER WHEEL					
1986-10	W900	Reversible, Double Entry	HC10500, HC1050, 589540	RD-5-10346-0P	**73R7130**
1986-10	C, T, W	w Bergstrom unit	589540	RD-5-13230-0P	**73R7135**
1987-02	All with OEM Part No.	CW, Single Entry	HC12800, HC1280, 1-1034Q, 52980P	RD-5-5263-0P	**73R6230**
1987-07	All with OEM Part No.	CW, Single Entry	HC1285, HC1280, HC 12800, 52480P, HF1060, HC1620	RD-5-3800-1P	**73R6251**
1987-96	LCF, Mid Ranger, 200, 210	Reversible, Double Entry	HC13500, HC1350, RD5-5656 0	RD-5-5656-0P	**73R7000**
1996-07	T2000	Reversible, Double Entry	HC10500, HC1050	RD-5-10346-0P	**73R7130**
All	All with OEM Part No.	CCW, Single Entry	HC10250, HC1025, 1-1033Q	RD-3106-39P	**73R6151**
All	All with OEM Part No.	CCW, Single Entry	HC10250, HC1025, RD-3106-14	RD-3106-39P	**73R6151**
All	All with OEM Part No.	Reversible, Double Entry	302042	RD-5-10346-0P	**73R7130**
All	All with OEM Part No.	CW, Single Entry	HC12800, HC1280, 1-1034Q	RD-5-3800-1P	**73R6251**
All	All with OEM Part No.	CW, Single Entry	HC16200, HC1620, RD-5-3800-1	RD-5-3800-1P	**73R6251**
All	All with OEM Part No.	Reversible, Double Entry	HC1075, 1199001	RD-5-3933-1P	**73R7101**
All	All with OEM Part No.	Reversible, Double Entry	RD-5-3933-1	RD-5-3933-1P	**73R7101**
All	All with OEM Part No.	CW, Single Entry	HC1325, HC1405, 260822, 260830	RD-5-5601-0P	**73R6370**
All	All with OEM Part No.	CW, Single Entry	HC13250, HC1325, RD5-5601-0	RD-5-5601-0P	**73R6370**
All	All with OEM Part No.	CCW, Single Entry	HC14000, HC1400, HC1015	RD-5-8618-0P	**73R6051**

73R6051 RD-5-8618-0P
5 ¼" diameter, 3 ½" width
⅝" bore diameter
Hub inset: ¾"
CCW Rotation
Steel



73R6151 RD-3106-39P
5 ¼" diameter, 2 ½" width
⅝" bore diameter
Hub inset: ⅞"
CCW Rotation
Steel



73R6230 RD-5-5263-0P
5 ¼" diameter, 3 ½" width
⅝" bore diameter
Hub inset: ¾"
CW Rotation
Steel



73R6251 RD-5-3800-1P
5 ¼" diameter, 3 7⁄16" width
⅝" bore diameter
Hub inset: Flat
CW Rotation
Steel



73R6370 RD-5-5601-0P
5 ¾" diameter, 3" width
⅝" bore diameter
Hub inset: 1 13⁄16"
CCW Rotation
Plastic



73R7000 RD-5-5656-0P
3 3⁄16" diameter, 3 13⁄16" width
⅝" bore diameter
Hub inset: 1 ⅛"
Dual Rotation
Plastic



73R7101 RD-5-3933-1P
3 3⁄4" diameter, 3 ⅞" width
5⁄16" bore diameter
Hub inset: 1 7⁄8"
Dual Rotation
Steel



73R7130 RD-5-10346-0P
4 ¾" diameter, 3 7⁄32" width
⅝" bore diameter
Hub inset: 1 1⁄16"
CW Rotation
Plastic



73R7135 RD-5-13230-0P
4 ½" diameter, 3 ⅜" width
Bore Diameter: ⅝" bore diameter
CW / CCW Rotation
Plastic



KENWORTH

CLUTCH ASSEMBLY

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	12V, PV6 Groove, 5 3/4", 2 Wire	KA14000, KA1400, 024-25244, KA332-59-7	RD-5-10363-0P	**75R0502**
	All with OEM Part No.	12V, PV6 Groove, 5 3/4", 1 Wire	KA14100, KA1410, K332-59-3, 024-25078, 024- 25144	RD-5-10364-0P	**75R0512**
	All with OEM Part No.	12V, PV8 Groove, 6 1/8", 2 Wire	KA14050, KA1405, 024-25247, K332-59-4	RD-5-10365-0P	**75R0682**
	All with OEM Part No.	12V, PV6 Groove, 5 7/8", 2 Wire	KA15350, KA1535, 024-25241, K322-59-7	RD-5-10366-0P	**75R0522**
	All with OEM Part No.	12V, 2A Groove, 125MM, 2 Wire	KA44260, KA4426, 4426-9931, 1399068	RD-5-10368-0P	**75R1532**
	All with OEM Part No.	12V, PV7 Groove, 119MM, 1 Wire	4645-9931, 6512-6210	RD-5-10399-0P	**75R0052**
	All with OEM Part No.	12V, 2A Groove, 125MM, 1 Wire	KA1160, 6511-6210, 511946, K322-39	RD-5-10723-0P	**75R0262**
	All with OEM Part No.	12V, 1A Groove, 6", 1 Wire	KA10950, KA1095, K332-62-2, 024-21942	RD-5-4966-0P	**75R0302**
	All with OEM Part No.	12V, 2A Groove, 6", 1 Wire	KA10400, KA1040, K332-62-1 K332-19, K322-24, K322-27, 5019390CC	RD-5-4972-1P	**75R1202**
	All with OEM Part No.	12V, 2A Groove, 7", 1 Wire	KA1090, 332334, MA-7A	RD-5-4994-0P	**75R4502**
	All with OEM Part No.	12V, 2A Groove, 132MM, 1 Wire	KA1075, 6519-6010, KA1350, KA1345	RD-5-5486-0P	**75R0202**
	All with OEM Part No.	12V, 1A Groove-Overhang, 125MM, 1 Wire	KA10550, KA1055, 511869, 511575, 303261	RD-5-6646-0P	**75R0182**
	All with OEM Part No.	12V, 2A Groove, 125MM, 1 Wire	6511-6110, 9353-6010	RD-5-7831-0P	**75R0192**
	All with OEM Part No.	24V, 2A Groove, 125MM, 1 Wire	K332-B25, 4611-9931	RD-5-7832-0P	**75R0194**
	All with OEM Part No.	12V, PV6 Groove, 6 1/8", 1 Wire	KA13900, KA1390, KA14000, KA1400, KA14800, KA1480	RD-5-8009-0P	**75R0612**
	All with OEM Part No.	12V, 2A Groove, 6", 2 Wire	KA15250, KA1525, 024-25238, K332-59-5	RD-5-9456-0P	**75R1302**
	All with OEM Part No.	12V, PV8 Groove, 5 3/8", 1 Wire	KA14850, KA1485, 024 25247, 14444, MA N05	RD-5-9802-0P	**75R0662**

CLUTCH ASSEMBLY CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

KENWORTH

CLUTCH ASSEMBLY

75R0052 RD-5-10399-0P

Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 7
Width: .14"
12 Volts
B Distance: 1 7/8" / 48mm

Single wire coil
Weatherpak plug



75R0182 RD-5-8382-0P

Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: ½"
12 Volts
B Dimension: 2 7/16" / 62 mm


Single wire coil
Male bullet plug



75R0192 RD-5-7831-0P

Model SD7
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Distance: -

Single wire coil
Male bullet plug



75R0194 RD-5-7832-0P

Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
24 Volts
B Distance: 1 9/16" / 40mm
Single wire coil
Female 280 HD plug



75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm


Single wire coil
Bare wire



75R0262 RD-5-10723-0P

Model: Seltec - TM15
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 9/16" / 40 mm

Single wire coil
Male bullet plug



75R0302 RD-5-4966-0P

Diameter: 6"
Groove: 1
Width: ½"
12 Volts
B Dimension: 2 3/4"

Single wire coil w diode
Weatherpak plug



75R0502 RD-5-10363-0P

Diameter: 5 3/4"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 2"

Double wire coil w diode
Metripak plug



75R0512 RD-5-10364-0P

Diameter: 5 3/4"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 2"

Single wire coil w diode
Weatherpak plug



75R0522 RD-5-10366-0P

Diameter: 5 7/8"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 1 5/8"

Double wire coil w diode,
Metripak plug



75R0612 RD-5-8009-0P

Diameter: 6 1/8"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: -

Single wire coil w diode
Female Weatherpak (IHC) plug



75R0662 RD-5-9802-0P


Diameter: 5 3/8"
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Female Weatherpak (IHC) plug



75R0682 RD-5-10365-0P

Diameter: 6 1/8"
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 15/16"

Double wire coil w diode
Metripak plug



75R1202 RD-5-4972-1P

OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Weatherpak plug



75R1302 RD-5-9456-0P

Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"

Double wire coil w diode
Metripak plug



75R1532 RD-5-10368-0P

Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Distance: 2 5/32" / 55mm

Double wire coil
Metripak plug



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



KENWORTH

COMPRESSOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	7H15HD, 12V, PV6 Groove, 125MM, 2 Wire, GSA Head, Direct Mount	4731, 4424	RD-5-10273-0P	**75R84292**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 2 Wire, JDA Head, Direct Mount	4740SAN, 4740	RD-5-10274-0P	**75R84312**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 1 Wire	LC1140, LC1015, ET210L-25073C	RD-5-11217-0P	**75R7312**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 2 Wire	LC2120, ET210L-25237C	RD-5-11218-0P	**75R7322**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, PV8 Groove, 6 1/8", 2 Wire	LC2125, ET210L-25246C	RD-5-11219-0P	**75R7332**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, JDA Head	4645SAN, 4645, LE1150	RD-5-11313-0P	**75R81452**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JDA Head	4647SAN, LE1135, 4664	RD-5-11316-1P	**75R81472Q**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JDA Head	4647SAN, LE1135, F69-6001-253, LE1640, 18-04088, 4713SAN, 4713	RD-5-11316-1P	**75R81472Q**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, JDA Head	4660	RD-5-11322-0P	**75R81482**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, KC Head, Direct Mount	LE1085, K318-103, 4667SAN, F69-6002-114	RD-5-11326-0P	**75R81502**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, MDA Head	4672SAN, 4672, F69-6001-215	RD-5-11328-0P	**75R81512**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, KG Head	4739SAN, 4739, F69-6002-214, 18-04291	RD-5-11334-0P	**75R81562**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, GQ Head, Direct Mount	4432, 4759, F69-1003, F69-6002-111	RD-5-12334-0P	**75R81662**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 2 Wire, GQ Head	LF0231, F69-6002-231, 4426SAN, 4696SAN	RD-5-12523-0P	**75R8772**
	All with OEM Part No.	QP16HD, 12V, 8GRV, 119mm, GQ head	4705, F69-6002-212, 18-04178	RD-5-12535-0P	**75R81642Q**
	All with OEM Part No.	QP16HD, 12V, PV8 Groove, 123MM, 2 Wire, H Head	LF0211, F69-6001-211, 18-04178, 252-1496	RD-5-12535-0P	**75R81642Q**
	All with OEM Part No.	7H15SHD, 12V, Direct mount, GQ head, 126mm, PV12	4078, F69-6003-151	RD-5-13210-0P	**75R89532**
	All with OEM Part No.	QP15HD, 12v direct mount GQ head, 119mm, Poly 8	F69-6003-111	RD-5-13213-1P	**75R89562Q**
	All with OEM Part No.	QP15HD, 12VDirect mount GH head, 125mm dia	F69-6003-122, 4376, 4079	RD-5-13215-1P	**75R89582Q**
	All with OEM Part No.	7H15SHD, PV8 Groove, 119mm, GSA head, direct mount	4081, 4398	RD-5-14655-0P	**75R89652**
	All with OEM Part No.	7H15SHD, PV8 Groove, 119mm, KCA head, direct mount	4090, 4391	RD-5-14656-0P	**75R89662**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, F Head, R-12	488-25063, K318-36-02	RD-5-5875-1P	**75R8502Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	LF1005, 488-25011, K318-36-03	RD-5-5876-1P	**75R8512Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	488-25077	RD-5-7023-1P	**75R8522Q**
	All with OEM Part No.	5H14HD, 12V, 2A Groove, 132MM, 1 Wire, FL Head	LE1620, LE1035, 4644	RD-5-7088-0P	**75R8382**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JD Head	LE1145, 75R8422	RD-5-7120-0P	**75R8422**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	103-55011, 435-55011, 488-45011	RD-5-7145-1P	**75R8612Q**
	All with OEM Part No.	QP15HD, 12V, 1 VAR Groove, 159MM, 1 Wire, D Head	435-55065, 488-45065	RD-5-7164-1P	**75R8632Q**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 132MM, 2 Wire, JDA Head, Direct Mount	4626SAN, 4626, 4695, LE1140, 1CC4696, F69-1000, F69-6001-153	RD-5-7522-0P	**75R8432**
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	LC2000, LD1000, 99239-5, ER210L-25149, K318-48-4	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	LC2100, LD1030, 99241-3, LD1035, 99244-3, ET210L-25150,	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, D Head	488-45063	RD-5-8944-1P	**75R8532Q**
2000-06	All with OEM Part No.	7H15HD, 12V, PV6 Groove, 125MM, 2 Wire, GQ Head, Direct Mount	4425, 4792, F69-6003-121, F69-6000, F69-6002-122	RD-5-12332-0P	**75R81632**

COMPRESSOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

KENWORTH

COMPRESSOR

75R7280 RD-5-8637-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7290 RD-5-8638-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7332 RD-5-11219-0P

Fitting: 1" - 14
OE Replacement, Standard Duty
Clutch: 6 ⅛", Poly 8, .014"
Gauge LIne: 1 15/16"
Connector: 2 wire Metripak




75R81452 RD-5-11313-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4645
Clutch: 4.7" (119mm) Poly 7 **R134a**




75R81472Q RD-5-11316-1P

Model: QP-7H15 **Head:** JDA **Voltage:** 12V
Mount: Ear
Clutch: 5" (125mm) 2 Groove **R134a**




75R81482 RD-5-11322-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4660
Clutch: 4 ¾" (119mm) Poly 8 **R134a**



75R81502 RD-5-11326-0P

Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4667
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81512 RD-5-11328-0P

Model: 7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4672
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81562 RD-5-11334-0P

Model: 7H15HD **Head:** KG **Voltage:** 12
Mount: Ear **Sanden:** 4739
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81632 RD-5-12332-0P

Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4040, 4425, 4792
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81642Q RD-5-12535-0P

Model: QP16HD **Head:** GQ **Voltage:** 12V
Mount: Ear **ICE:** 2521496
Clutch: 4 ¾" (123mm) Poly 8 **R134a**




75R81662 RD-5-12334-0P

Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4042, 4432, 4759
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R8382 RD-5-7088-0P

Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8422 RD-5-7120-0P

Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4627
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R84292 RD-5-10273-0P

Model: 7H15 **Head:** GSA **Voltage:** 12
Mount: Direct **Sanden:** 4039, 4424, 4731
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R84312 RD-5-10274-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4433, 4484, 4740
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R8432 RD-5-7522-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4626, 4695
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8502Q RD-5-5875-1P

Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521129 **Seltec:** 488-25063
Clutch: 5" (125mm) 1 Groove overhang **R-12**



75R8512Q RD-5-5876-1P

Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 ¼" (135mm) 2 Groove **R-12**



75R8522Q RD-5-7023-1P

Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521132 **Seltec:** 488-25077
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




COMPRESSOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #


KENWORTH

COMPRESSOR


75R8532Q RD-5-8944-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**



75R8612Q RD-5-7145-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R8632Q RD-5-7164-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**



75R8772 RD-5-12523-0P
Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4041, 4426, 4696
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R89532 RD-5-13210-0P
Model: SD7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4078
Clutch: 4.9" (126mm) Poly 12 **R-134a**



75R89582Q RD-5-13215-1P
Model: QP7H15 **Head:** GSA **Voltage:** 12V
Mount: Direct
Sanden: 4039, 4424, 4731, 4376, 5362
Clutch: 4.9" (125mm) Poly 6 **R-134a**



75R89652 RD-5-14655-0P
Model: 7H15SHD **Head:** GSA **Voltage:** 12v
Mount: Direct **Sanden:** 4081
Clutch: 4.7" (119mm) Poly 8 **R-134a**



75R89662 RD-5-14656-0P
Model: 7H15SHD **Head:** KCA **Voltage:** 12v
Mount: Direct **Sanden:** 4090
Clutch: 4.7" (119mm) Poly 8 **R-134a**




KENWORTH

CONDENSER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1988-96	T300	Grilldenser, Non Functional, Aluminum Finish	K137-300-1	RD-4-5226-4P	**77R8301**
1992-95	T800	Radiator Mount	K122-102, RD4-4300-0	RD-4-4300-0P	**77R6945**
1994-98	W900B	Radiator Mount	K122-121, RD4-4403-1	RD-4-4403-1P	**77R6960**
1995-00	T300	Radiator Mount	K122-128	RD-4-4613-1P	**77R6955**
1995-00	T400, T450, T470, T500, T600, T600A, T600B	Radiator Mount	K122-125	RD-5-12488-0P	**77R6957**
1996-06	T400, T602, T603	Grilldenser, Non Functional, Aluminum Finish	K137-299-1, RD4-5190-0	RD-4-5190-4P	**77R6970**
1996-06	T400, T602, T603	Grilldenser, Non Functional, Black Finish	K137-299-2	RD-4-5190-5P	**77R6975**
1996-08	T2000	Radiator Mount	486684-5008, 1514022	RD-4-6560-0P	**77R6985**
1996-11	T800, W900B	Condenser Parallel Flow	K122-143	RD-4-7534-0P	**77R8425**
2008-12	T700, T800, T2000	Radiator Mount	N4778001, M3611002, RO440001	RD-4-7081-0P	**77R8305**
2008-12	T300, T660, W900	Condenser	N4783001	RD-4-7362-0P	**77R8330**
2011-14	C500, W900, T370	Radiator Mount	R0337001	RD-4-7353-0P	**77R8310**
2013	T680	Condenser	29206001	RD-4-7551-0P	**77R8465**

77R6945 RD-4-4300-0P

Grilldenser Coil Type
Overall Width: 41 ¾"
Fin Width: 37"
Height: 29"
Thickness: ⅞"



77R6955 RD-4-4613-1P

Grilldenser Coil Type
Overall Width: 32 ¼"
Fin Width: 30"
Height: 17 ⅝"
Thickness: 1 ⅜"



77R6957 RD-5-12488-0P

Grilldenser Coil Type
Overall Width: 32 ½"
Fin Width: 28 ½"
Height: 20 ⅞"
Thickness: ¾"




77R6960 RD-4-4403-1P

Grilldenser Coil Type
Overall Width: 43 ½"
Fin Width: 41"
Height: 36 ¼"
Thickness: 13⁄16"




77R6970 RD-4-5190-4P

Nonfunctional Grill
Overall Width: 35 ½"
Fin Width: 32 15⁄16"
Height: 27 ⅜"
Thickness: ½"



77R6975 RD-4-5190-5P

Nonfunctional Grill
Overall Width: 35 ½"
Fin Width: 32 15⁄16"
Height: 27 ⅜"
Thickness: ½"




77R6985 RD-4-6560-0P

Grilldenser Type
Overall Width
with brackets: 35 ⅝"
Fin Width: 32"
Height: 24 ⅝"
Thickness: ⅝"



77R8301 RD-4-5226-4P

Grilldenser Coil Type
Overall Width: 41 ⅜"
Fin Width: 37"
Height: 22"
Thickness: ½"



77R8305 RD-4-7081-0P

Overall Width: 34"
Fin Width: 33"
Height: 22"
Thickness: ½"




77R8310 RD-4-7353-0P

Overall Width: 35"
Fin Width: 31 ¾"
Height: 20"
Thickness: ½"



77R8330 RD-4-7362-0P

Overall Width: 32 ¾"
Fin Width: 26"
Height: 20"
Thickness: ½"



77R8465 RD-4-7496-0P

Overall Width: 29 ½"
Fin Width: 26"
Height:: 26 ½"
Thickness: ¾"



EVAPORATOR

1987-95	13-210 Mid Ranger	Evaporator Coil	NA11450, NA1145	RD-2-1510-0P	**76R5000**
1995-14	C500, T300, T600, T800, W900	Evaporator Coil	NA10900, NA1090, 151328, NA10050, NA1005	RD-2-2502-0P	**76R6960**
1996-03	C500	Evaporator Coil	NA10050, NA1005, 151280	RD-2-2502-0P	**76R6960**


76R5000 RD-2-1510-0P

5 ¼" high x 12 7⁄16" long x 3" wide



76R6960 RD-2-2502-0P

8" high x 12 13⁄64" long x 3 13⁄32" wide



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
KENWORTH					
EXPANSION VALVE					
	All with OEM Part No.	Right Angle, Flare, with Capillary, with Equalizer	EA10050, EA1005, RD4126-1	RD-4126-1P	**71R8050**
	All with OEM Part No.	Right Angle, O Ring, with Capillary, with Equalizer	EA10200, EA1020, RD5-3824-1	RD-5-3824-1P	**71R8100**
1976-09	C500	Block, #6 #10 #8 #8, with Mounting Holes 1.5 ton	EA10650, EA1065, 404098	RD-5-6868-1P	**71R8301**
1980-15	C500	Sleeper Unit, Standard Block Valve, 1 1/2 ton	EA10660, 1-2467Q, 58294P, 58590P	RD-5-14084-0P	**71R8461**
1981-95	C500	Right Angle, O Ring, with Capillary, with Equalizer	EA10200, EA1020, 1-1845Q, 404073, 56380, EA12300, EA1230, 576270	RD-5-3824-1P	**71R8100**
1982-07	K100, K100C, K100E	Block, #6 #10 #8 #8, with Mounting Holes	EA10650, EA1065, RD4157-0, 404098, D2953-5350	RD-5-6868-1P	**71R8301**
1986-07	All with OEM Part No.	Block, #6 #10 #8 #8, with Mounting Holes	EA10650, EA1065, 540031	RD-5-6868-1P	**71R8301**
1995-08	C500, T300, T400, T600, T800, W900	Block, #6 #10 #8 #8, with Mounting Holes	EA10650, EA1065, 540031, 404098, EA1210	RD-5-6868-1P	**71R8301**
1996-10	T2000	Block, #6 #10 #8 #8, Flange Mount	540056	RD-5-7179-0P	**71R8420**
1996-10	T2000	Block, #6 #10 #8 #8, Flange Mount, with M10 & M12 Schrader	540057	RD-5-8936-0P	**71R8430**
2007-11	C500, T270-T470, W900	Block, M10, M12 ports 2 ton	540446BSM	RD-5-9935-0P	**71R8450**
2015	CT500, T400, T470, T660, T800, W900	Stat o Seal type, 2 Ton	31-31391, 1000534258BSM	RD-5-16206-0P	**71R8483**

71R8050 RD-4126-1P



External Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length: 18"
Rating: 1 ½ Ton

71R8100 RD-5-3824-1P



External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton

71R8301 RD-5-6868-0P



Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F

71R8420 RD-5-7179-0P



Inlet: #6 Plate (Flange) Mount
Outlet: #10 Plate (Flange) Mount
Evaporator Fittings
In: #8 Plate (Flange) Mount
Out: #8 Plate (Flange) Mount
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F

71R8430 RD-5-8936-0P



With Schrader Port (2-ton)
Inlet: #6 (⅜") Plate (Flange) Mour
Outlet: #10 (⅝") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #8 (½") Plate (Flange) Mount
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F

71R8450 RD-5-9935-0P



With Schrader Port (2-ton)
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F

71R8461 RD-5-14084-0P



2-Ton
Inlet:
#6 (⅜") Female O-Ring
Outlet:
#12 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring

71R8483 RD-5-16206-0P



With Schrader Port (2-ton HiCap)
Inlet: #6 (⅜") Plate (Flange)
Outlet: #8 (½") Plate (Flange)
Evaporator Fittings
In: #10 (⅝") Plate (Flange)
Out: #8 (½") Plate (Flange)

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
KENWORTH					
PRESSURE SWITCH					
1981-07	C500, K100, T400	Switch, Pressure, High, NC	18-03835, 79PSL2	RD-5-8220-0P	**71R6180**
1981-08	C500, K100, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W, W901	Fan Overide switch (gray) M10 NC	P93CAA-3606-01, K301-370-1	RD-5-5877-0P	**71R6060**
1989-99	C500, W900B, T2000, T270, T300, T370, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W, K100E	Switch, Pressure, Trinary, NO	BC10050, BC1005, RD5-4585-0	RD-5-4585-0P	**71R7500**
1989-99	C500, W900B, T2000, T270, T300, T370, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W, K100E	Switch, Pressure, Trinary, NC	BA12650, BA1265, RD5-4620-0	RD-5-4620-0P	**71R7600**
1989-99	C500, W900B, T2000, T270, T300, T370, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W, K100E	Switch, Pressure, High, NC	BB10250, BB1025, 867559	RD-5-5873-0P	**71R6070**
1998-07	T2000	Switch, Pressure, High, NC w M10 port	650697BSM	RD-5-8220-0P	**71R6180**
2006-08	C500, K100, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W,W900	Dual function (Brown) M10, NC,330-370psi	79PSD4-1, K301-370-1	RD-5-13233-0P	**71R7073**
All	All with OEM Part No.	ECM, APADS Controller	8042105	RD-5-10352-0P	**71R6565**
All	All with OEM Part No.	Switch, Pressure, APADS, High, NC	8040279P, 8040135P, 8040135	RD-5-9990-0P	**71R6400**
All	All with OEM Part No.	Switch, Pressure, APADS, Low, NC	8040136P, 8040152P, 8040152	RD-5-9991-0P	**71R6405**

71R6060 RD-5-5877-0P
Type: Low Side –
Fitting / Connector: ¼" female flare
Normally Open – Closes at 42 PSI – Opens at 11 PSI



71R6070 RD-5-5873-0P
Type: High Side
Fitting / Connector: ¼" female flare
Normally Closed – Closes at 210 PSI – Opens at 340 PSI



71R6180 RD-5-8220-0P
Type: High Side – Purple
Fitting / Connector: M10 x 1.25 female – integral two-prong (oval)
Normally Closed – Closes at 180-240 PSI – Opens at 330-370 PSI Plug: Packard #12052643



71R6400 RD-5-9990-0P



71R6405 RD-5-9991-0P



71R6565 RD-5-10352-0P
Detroit Series 60 engine



71R7073 RD-5-13233-0P

	OPEN	CLOSED
Binary Switch, NC	330-370 psi	180-240 psi

10MM Female
OE Part Number: K301-370-1
Kenworth 2006-2008 T400 thru T800 Binary Switch M10 (brown)



71R7500 RD-5-4585-0P
⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally open



71R7600 RD-5-4620-0P
⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally closed



KENWORTH

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
RECEIVER DRIER					
1994-02	C500, K100, T400, T450, T600, T800, W900B	3"x10", Quick Connect in, Quick Connect out, Side Glass, Moisture Indicator	JA20350, JA2035, PH088341-00	RD-5-10729-1P	**74R3318**
1994-07	C500, K100, T400, T450, T600, T800, W900B	3"x10", #6FOR in, #6MOR out, Side Glass, Moisture Indicator	GD11350, GD1135, K251-571, RD5-8254-0, F37-1003	RD-5-11184-0P	**74R3357**
1996-10	T2000	3"x10 11/16", Slimline Manifold Block	JA22250, JA2225, F37-6000C	RD-5-10434-1P	**74R2002**
2013-14	C500, K100, W900, T680	Drier with PAD mount fittings	F37-1017-100, F37-1022-100	RD-5-15703-0P	**74R4219**

74R2002 RD-5-10434-1P

3" diameter x 10 11/16" long
Flange Type
Slimline Manifold Block
High Capacity



74R3357 RD-5-11184-0P

Includes Moisture Indicator
3" diameter x 10" long
#6 Female O-Ring Inlet
#6 Male O-Ring Outlet
High Capacity



RELAY					
1986-10	All with OEM Part No.	Relay, Blower, Twin Temp, 12V, 10A, Socket Mount, 8 Terminal	CB10250, CB1025, RD4370-0	RD-4370-0P	**71R1652**
1986-10	T2000	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	CB11150, CB1115	RD-5-4408-0P	**71R1702**
1986-10	All with OEM Part No.	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	CB11150, CB1115, 652420	RD-5-4408-0P	**71R1702**
1986-10	All with OEM Part No.	Relay, Blower, 24V, 20/30A, Tab Mount, 5 Terminal	CB10750, CB1075, RD5-4417-0	RD-5-4417-0P	**71R1704**
1986-10	All with OEM Part No.	Relay, Blower, 12V, 15A, Socket Mount, 8 Terminal	CB10100, CB1010, RD5-5027-1	RD-5-5027-1P	**71R1802**
All	All with OEM Part No.	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	CB10050, CB1005, RD5-4408-0	RD-5-4408-0P	**71R1702**

71R1652 RD-4370-0P

12V Relay, 8 terminal, DPDT



71R1702 RD-5-4408-0P

12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type



71R1704 RD-5-4417-0P

24V Relay, 20/10 amps, Bosch type
SPDT, 5 terminals



71R1802 RD-5-5027-1P

12V Relay, 15 amps,
DPDT, 8 terminals



RESISTOR					
1995-09	C500, K100E, T2000, T270, T300, T370, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W, W900B	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	CA10350, CA1035, 650179	RD-5-10341-0P	**71R1457**

71R1457 RD-5-10341-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 3" x 1 ¼" x .10" thick – Height: 1 ¼"



KENWORTH

SWITCH

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1976-01	Conventional	Valve, Solenoid, 12V, #6 MOR	CD1000, RD4188-0	RD-4188-0P	**71R9002**
1976-01	All with OEM Part No.	Solenoid, 12V, Fan Clutch Air Control	BA12450, BA1245, RD5-0060-0	RD-5-0060-0P	**72R1502**
1976-01	All with OEM Part No.	Switch, Air, Push Button, Chrome	BA12350, BA1235, RD5-3827-4	RD-5-3827-4P	**72R0240**
1981-00	C500, K100E, W900B, T2000, T270, T300, T370, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W	Switch, Micro, 3 Terminal, with Arm	BA10800, BA1080, 652100	RD-5-10590-0P	**71R1620**
1981-97	C500, K100, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W, W900B	Circuit Breaker, 30A, Push Button Reset	CC10200, CC1020, K1110-0552-30	RD-5-5874-0P	**71R1300**
1986-00	C500, K100E, W900B, T2000, T270, T300, T370, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W	Switch, Bent Lever, 5 Terminal	BA10050, BA1005, 652090	RD-5-10056-0P	**71R0453**
1996-05	T2000	Circuit Breaker, 15A, Push Button Reset	CC10150, CC1015, K1110-0548-15	RD-5-6602-0P	**71R1310**
1996-05	T2000	Circuit Breaker, 20A, Push Button Reset	K1110-0548-20	RD-5-6714-0P	**71R1315**
1996-07	C500, K100E, W900B, T2000, T270, T300, T370, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	BA10650, BA1065, FG1005, 651690	RD-5-3646-0P	**71R1150**
1996-08	C500, K100E, W900B,T2000, T270, T300, T370, T400, T450, T470, T500, T600, T600A, T600B, T602, T603, T660, T700, T800, T800B, T800H, T800W	Switch, Micro, 2 Terminal, with Arm	BA10800, BA1080, BA1045	RD-5-8490-0P	**71R1610**
2006	T300	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	BA13900, BA1390, 650657	RD-5-3646-0P	**71R1150**
All	C500, W900	Switch, Rocker , 3 Terminal	BA12950, BA1295, RD-4151-1	RD-4151-1P	**71R0500**
All	All with OEM Part No.	Switch, Rocker, 5 Terminal	BA12600, BA1260, RD-4151-2	RD-4151-2P	**71R0550**
All	All with OEM Part No.	Switch, Rocker, 6 Terminal	BA10400, BA1040, RD-4151-4, K301-19	RD-4151-4P	**71R0600**
All	C500, K100, W900, W900B, W900L	Switch, Toggle, 3 Terminal	BE10250, BE1025, RD-4225-1, K301-89	RD-4225-1P	**71R0150**
All	All with OEM Part No.	Switch, Rocker, 5 Terminal	BE10050BE1005, RD-4225-2	RD-4225-2P	**71R0300**
All	All with OEM Part No.	Switch, Rocker, 5 Terminal	BA10300, BA1030, 223183, RD5-3599-0P	RD-5-3599-0P	**71R0250**

SWITCH CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

KENWORTH

SWITCH

71R0150 RD-4225-1P
SPDT Type
Safety Toggle
Function: ON - OFF - ON
3 Terminals




71R0250 RD-5-3599-0P
DPDT Type
Black Toggle
Function: ON - OFF - ON
5 Terminals




71R0300 RD-4225-2P
DPDT Type
Safety Toggle
Function: ON - OFF - ON
5 Terminals




71R0453 RD-5-10056-0P
SPST Type with Bent Lever
Uses 71R4030 knob
OFF - ON - ON - ON
5 Terminals



71R0500 RD-4151-1P
SPDT Type
Function: On-Off-On
3 Terminals
12VDC, 15 amps



71R0550 RD-4151-2P
DPDT Type with Jumper
Function: On-Off-On
5 Terminals
12VDC, 15 amps



71R0600 RD-4151-4P
DPDT Type
Function: On-Off-On
6 Terminals



71R1150 RD-5-3646-0P
3 speed, Long Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1300 RD-5-5874-0P
Current Rating: 30 amp
Maximum operating voltage:
50VDC @250VAC
Terminal: ¼" blade
Dimensions: 1 ⅜" x 1 ⅜" x ⅔"
Mounting: 7/16", 28 thread



71R1310 RD-5-6602-0P
Current Rating: 15 amp
Maximum operating voltage:
50VDC @250VAC
Terminal: ¼" blade
Dimensions: 1 ⅜" x 1 ⅜" x ⅔"
Mounting: 7/16", 28 thread



71R1315 RD-5-6714-0P
Current Rating: 20 amp
Maximum operating voltage:
50VDC @250VAC
Terminal: ¼" blade
Dimensions: 1 ⅜" x 1 ⅜" x ⅔"
Mounting: 7/16", 28 thread



71R1610 RD-5-8490-0P
8 amp, 12 volt, SPDT, 2 terminals
Normally Open,
Base: 1 ¼" x ⅝" x ⅝"



71R1620 RD-5-10590-0P
15 amp, 12 volt, DPDT, 3 terminals



71R9002 RD-4188-0P
#6 Male O-Ring Fitting 12 volt



72R0240 RD-5-3827-4P
Chrome Push Button
Momentary Off/
Maintain On



72R1502 RD-5-0060-0P
12 VDC – Draws .65 AMPS



THERMOSTAT

1986-02	K100E	Fixed, 24" Probe	BD11050, BD1105, 589490	RD-5-4531-24P	**71R3200**
1987-96	13-210 Mid Ranger	Fixed, 24" Probe	BD10750, BD1075, RD4427-24	RD-4427-24P	**71R3100**
1987-96	13-210 Mid Ranger	Fixed, 24" Probe	BD11050, BD1105, 404145	RD-5-4531-24P	**71R3200**
1991-08	C500, T300, T600, T800, W900	Fixed, 12" Probe	BD13550, BD1355, 650163BSM	RD-5-8938-0P	**71R3160**
1996-10	T2000	Fixed, 12" Probe	BD13550, BD1355, RD5-8938-0, 650163BSM	RD-5-8938-0P	**71R3160**
All	All with OEM Part No.	Adjustable, 48" Capillary	BD10350, BD1035, BD1025, 1-4185Q, 404082	RD-4125-48P	**71R2300**

71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R3100 RD-4-4272-4P
Mounting hole spacing: 2 ⅛"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F



71R3160 RD-5-8938-0P
Capillary Length: 12"
Type: Fixed
Temp. Range: 31°- 40°F
Clutch Cycle Range: 8°F



71R3200 RD-5-4531-24P
Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



KENWORTH

WATER VALVE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	Cable Controlled, 5/8" Hose, STR-STR, Pull to Open	MA10600, MA1060, MA1115, 1-1574Q, RD5-5119-0	RD-5-5119-0P	**72R5060**
	All with OEM Part No.	Cable Controlled, 5/8" Hose, STR-STR, Pull to Close	MA11000, MA1100, RD-5-5300-0	RD-5-5300-0P	**72R5200**
	All with OEM Part No.	Cable Controlled, 5/8" Hose, STR-90°, Pull to Open	MA12850, MA1285, RD5-5495-1	RD-5-5495-1P	**72R5260**
	All with OEM Part No.	Air Controlled, 3/4" Hose, 90°	MA10500, MA1050, RD5-4797-0, RD5-8859-0	RD-5-8859-0P	**72R6410**
1983-00	All with OEM Part No.	Cable Controlled, 5/8" Hose, STR-STR, Pull to Open	MA12750, MA1275, RD4257-0	RD-4257-0P	**72R5050**
1983-00	All with OEM Part No.	Cable Controlled, 5/8" Hose, STR-STR, Pull to Open	MA10650, MA1065, RD5-4923-0	RD-5-4923-0P	**72R5040**
1983-02	All with OEM Part No.	Cable Controlled, 5/8" to 3/4" Hose, STR-STR, Pull to Open	MA1345, DA1020, RD5-3877-0	RD-5-8034-0P	**72R5110**
1987-00	All with OEM Part No.	Air Controlled, 5/8" Hose, Offset	MA10850, MA1085, RD5-5138-0	RD-5-8857-1P	**72R6421**
1987-02	All with OEM Part No.	Air Controlled, 5/8" Hose, 90°	MA10200, MA1020, RD5-4800-0, RD5-8804-0, K295-193	RD-5-8804-0P	**72R6400**

72R5040 RD-5-4923-0P
⅝" hose to ⅝" hose



72R5050 RD-4257-0P
5⁄8" hose to 5⁄8" hose



72R5060 RD-5-5119-0P
⅝" hose to ⅝" hose



72R5110 RD-5-8034-0P
⅝" Hose To ¾" Hose
Pull To Open



72R5200 RD-5-5300-0P
⅝" Hose to ⅝" Hose
Pull To Close



72R5260 RD-5-5495-1P
⅝" Hose to ⅝" Hose
90° Elbow*
Pull To Open



72R6400 RD-5-8804-0P
⅝" Hose to ⅝" Hose



72R6410 RD-5-8859-0P
¾" Hose to ¾" Hose



72R6421 RD-5-8857-1P
⅝" Hose to ⅝" Hose



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
MACK					
ACTUATOR					
	All with OEM Part No.	Single action air cylinder, 3/4" diameter, 3 1/4" length	4379-RD32671	RD-3267-1P	**72R1100**
	All with OEM Part No.	Actuator, Air, Single Action	4379-RD554144	RD-5-5414-4P	**72R1200**
	All with OEM Part No.	Actuator, Air, Double Acting	4379-RD554241	RD-5-5424-1P	**72R1300**
	All with OEM Part No.	Actuator, Air, Single Action	4379-RD557845	RD-5-5784-5P	**72R1210**
2007-08	MR (Oscar)	Universal, 12v/24v, 4 pin Deutz Connector, 104° Max Travel	4379-RD5118620	RD-5-12450-1P	**71R3583**

71R3583 RD-5-12450-1P

Universal, 12 or 24 Volt 4-pin Deutch sealed connection 104° maximum travel



72R1100 RD-3267-1P

.75" Dia x 3.25" Long – 1.02" Stroke – Brass



72R1200 RD-5-5414-4P

.625" Dia x 3.69" Long – 1.10" Stroke – Plastic



72R1210 RD-5-5784-5P

.625" Dia x 3.69" Long – 1.10" Stroke – Plastic



72R1300 RD-5-5424-1P

.69" Dia x 4.74" Long – 0.5" Stroke – Plastic



BLOWER MOTOR					
	All with OEM Part No.	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	7979-275130	RD-5-10905-0P	**73R0442**
	All with OEM Part No.	Heater blower motor, 1 speed, CW, 4" length	4379-RD556340	RD-5-5634-1P	**73R0922**
	All with OEM Part No.	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	7979-274070	RD-5-9100-0P	**73R0462**
1975-81	F	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	2790-275140	RD-5-5121-0P	**73R4252**
1975-93	R, U, DM Conventional	Heater Only (Flanged Motor)(Evans) Black		RD-5-10053-0P	**73R2262**
1979-01	MS Midliner	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	275102-060	RD-5-5614-0P	**73R4062**
1979-86	All with OEM Part No.	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	4379-RD310618	RD-3106-18P	**73R0202**
1981-85	R, RL, RS, RW, U, DM	with Kysor Mini-Brute Combo A/C, heater blower motor, 1 speed, CW, 4" length	2790-275160	RD-5-5634-1P	**73R0922**
1981-86	All with OEM Part No.	Motor, 12V, CCW, 2 Speed, Single 5/16" Shaft, with Mounting Studs	4379-RD310613	RD-3106-13P	**73R0602**
1981-86	WL, WS	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	4379-RD565260	RD-5-6526-0P	**73R0422**
1985-91	Conventional	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	HA1700	RD-5-6531-0P	**73R0322**
1986-93	All with OEM Part No.	Motor, 1 speed, CW, 4" length, Sleeper Series (C.O.E.) with Bunk Blower	4379-RD556341	RD-5-5634-1P	**73R0922**
1986-93	C.O.E., Conventional	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	HA1175, 203174, 203178	RD-5-6531-0P	**73R0322**
1986-94	MH Ultraliner	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	4379-RD555120	RD-5-5512-0P	**73R0912**
1986-96	CS Midliner	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	7979-275102	RD-5-5614-0P	**73R4062**
1986-96	C.O.E.	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	4379-RD554350	RD-5-6531-0P	**73R0322**
1987-93	R, U, DM Conventional	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	4379-RD537530, 4379-RD565260	RD-5-6526-0P	**73R0422**
1987-94	All with OEM Part No.	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	4379-RD565261	RD-5-6526-1P	**73R0402**
1988-00	CH, CL	Sleeper Unit, heater blower motor, 1 speed, CW, 4" length	4379-RD591020	RD-5-5634-1P	**73R0922**
1988-02	CH	Red Dot A/C, single shaft, CCW, 4 13/32" length	4379-RD582030	RD-5-8203-0P	**73R0962**
1988-93	CS Midliner Conv	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs, RFI Shielded	HA1060, 4379-RD582040	RD-5-8204-0P	**73R0432**
1988-97	CM	Main unit with single shaft, 4 7/8" length	HA1695, 4379-RD559070	RD-5-5120-0P	**73R0512**
1990-02	CS Midliner Conv	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	4379-RD551210	RD-5-5121-0P	**73R4252**
1993-00	LE	Main unit	4379-RD552692	RD-5-5269-2P	**73R0622**
1995-02	All with OEM Part No.	Sleeper Series with Red Dot Model R-4230/R-4240	4379-RD582030	RD-5-8203-0P	**73R0962**
1999-00	CX, Vision	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	4379-RD591000	RD-5-9100-0P	**73R0462**
2000-08	CX, Vision	Main Unit Bergstrom system	7787-869445	RD-5-12551-0P	**73R3102**
2007-08	MR (Oscar)	2RD570M2, M3 Unit with heater only, Unit with Heater A/C, 12V double blower motor only	4379-RD5123580	RD-5-12358-0P	**RD-5-12358-0P**
2007-08	MR (Oscar)	2RD570M Unit with Heater A/C, 12V blower motor assy	RD 5 8837 0	RD-5-8837-0P	**73R5532**

BLOWER MOTOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

MACK

BLOWER MOTOR

73R0202 RD-3106-18P



Single Speed
12 Volt
Rotates CCW
Field Wound Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 3 7⁄8" x 3" x 3"
Shaft: 5⁄16" diameter, Length: 1 7⁄16"
Non Vented
Connector: One conductor, 14 gauge

73R0322 RD-5-6531-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 1⁄2 x 3 5⁄8" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented - RFI
Connector: Two conductor Packard

73R0402 RD-5-6526-1P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 5" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0422 RD-5-6526-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0432 RD-5-8204-0P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 7⁄8"
Vented - RFI
Connector: Two conductor Packard #12034343

73R0442 RD-5-10905-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 5⁄8" x 4 1⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 3⁄4"
Vented
Connector: Two conductor Packard
1⁄4" blade terminal #2973781

73R0462 RD-5-9100-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 5" x 4 1⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0512 RD-5-5120-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 7⁄8" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄8"
Non Vented
Connector: Two conductor Packard 1⁄4" blade terminal

73R0602 RD-3106-13P



Two Speed
12 Volt
Rotates CCW
Field Wound Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 1⁄4" x 3 13⁄32" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented
Connector: Two conductor, orange-high, red-low

73R0622 RD-5-5269-2P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 7⁄8" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 3 1⁄8"
Vented - RFI
Connector: Two conductor Packard #2984528

73R0912 RD-5-5512-0P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 3⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Shaft Length: 1 1⁄2"
Vented - RFI
Connector: Multiple adapters in kit

73R0922 RD-5-5634-1P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 7⁄8" x 4 1⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0962 RD-5-8203-0P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 13⁄32" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 2"
Vented
Connector: Two conductor, 1⁄4" blade terminals Packard #2984528

73R2262 RD-5-10053-0P



Single Speed
12 Volt
Rotates Either Direction
Black Finish
Plate Mounted
Dimensions: 4 1⁄2" x 3 1⁄2" x 3"
Shaft: 5⁄16" diameter, Length: 13⁄16"
Plate/Flange Diameter: 6 3⁄4"
Vented
Connector: Metripak

73R3102 RD-5-12551-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap Mount (4) 8" diameter
Dimensions: 4 3⁄8" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 7⁄16"
Wheel: 7" diameter, 4" width
Connector: Mack OE#7787-869445

73R4062 RD-5-5614-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4" x 3 3⁄8" x 3 1⁄8"
Shafts: 5⁄16" diameter, length: 3 1⁄4"
Vented
Connector: Two conductor Packard #2971859, 1⁄4" blade terminal

73R4252 RD-5-5121-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 13⁄16" x 4" x 3"
Shafts: 5⁄16" diameter, length: 3 5⁄8"
Vented
Connector: Two conductor Packard #8900420, 1⁄4" blade

73R5532 RD-5-8837-0P

Three Speed
442 CFM – 12 volt – 12 1⁄4" x 3 1⁄8" x 4 1⁄2"
Replacement Resistor: 71R1403



MACK

BLOWER WHEEL

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1979-86	DM C.O.E.	CCW, Single Entry	4379-RD310614	RD-3106-39P	**73R6151**
1979-86	DM, DM C.O.E.	CCW, Single Entry	4379-RD31069	RD-5-8618-0P	**73R6051**
1979-86	R, RW, RL, RS C.O.E.	CCW, Single Entry	4379-RD31069, HC1015	RD-5-8618-0P	**73R6051**
1979-99	DM, DM C.O.E., DMM	CW, Single Entry	4379-RD552630	RD-5-5263-0P	**73R6230**
1982-00	CS, CS Midliner	Reversible, Double Entry	7979-260680	RD-5-5656-0P	**73R7000**
1986-94	C.O.E.	CW, Single Entry	4379-RD538001	RD-5-3800-1P	**73R6251**
1986-99	MC	Reversible, Double Entry	4379-RD539330	RD-5-3933-1P	**73R7101**
1990-02	CS, CS Midliner Conventional	Red Dot A/C with 3 5/16" double entry wheel, 3 3/4" width	4379-RD348291	RD-3-4829-1P	**73R7071**
1990-99	MS, MS Midliner	Reversible, Double Entry	4379-RD556560	RD-5-5656-0P	**73R7000**
1993-00	LE	Reversible, Double Entry	HC1300, 4379-RD325572	RD-3-2557-2P	**73R7151**
2000-01	CX	Main unit	4379-RD566511	RD-5-6651-1P	**73R6381**

73R6051 RD-5-8618-0P

5 ¼" diameter, 3 ½" width
⅝" bore diameter
Hub inset: ¾"
CCW Rotation
Steel



73R6151 RD-3106-39P

5 ¼" diameter, 2 ½" width
⅝" bore diameter
Hub inset: ⅞"
CCW Rotation
Steel



73R6230 RD-5-5263-0P

5 ¼" diameter, 3 ½" width
⅝" bore diameter
Hub inset: ¾"
CW Rotation
Steel



73R6251 RD-5-3800-1P

5 ¼" diameter, 3 7⁄16" width
⅝" bore diameter
Hub inset: Flat
CW Rotation
Steel



73R6381 RD-5-6651-1P

5 ¾" diameter, 3 ⅛" width
⅝" bore diameter
Hub inset: ⅞"
CW Rotation
Steel



73R7000 RD-5-5656-0P

3 3⁄16" diameter, 3 13⁄16" width
⅝" bore diameter
Hub inset: 1 ⅛"
Dual Rotation
Plastic



73R7071 RD-3-4829-1P

3 5⁄16" diameter, 3 ¾" width
⅝" bore diameter
Hub inset: 1 13⁄16"
Dual Rotation
Steel



73R7101 RD-5-3933-1P

3 ¾" diameter, 3 ⅞" width
5⁄16" bore diameter
Hub inset: 1 7⁄8"
Dual Rotation
Steel



73R7151 RD-3-2557-2P

5 ¼" diameter, 3 ¾" width
⅝" bore diameter
Hub inset: 1 ⅞"
Dual Rotation
Steel



MACK

CLUTCH ASSEMBLY

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	2 groove 5 21/64" 135mm diameter pulley, 1/2" width, bullet plug	2570151, 624-19724	RD-5-11025-0P	**75R0172**
	All with OEM Part No.	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	IMX242, 7531, 332639	RD-5-4967-0P	**75R0452**
	All with OEM Part No.	12V, 2A Groove, 6", 1 Wire	IMX240, 1MXA1280, 10884	RD-5-4972-1P	**75R1202**
	All with OEM Part No.	1 groove, 6 3/4" diameter pulley, 1/2" width, 1 3/4" gaugeline, bullet plug	1MXA3217, 10582, 502731	RD-5-4975-0P	**75R1652**
	All with OEM Part No.	12V, 2A Groove, 7", 1 Wire	IMX246, 7534, 332334	RD-5-4994-0P	**75R4502**
	All with OEM Part No.	12V, 2A Groove, 132MM, 1 Wire	6574-6210, 6514-6210	RD-5-5486-0P	**75R0202**
	All with OEM Part No.	12V, 1A Groove-Overhang, 125MM, 1 Wire	511869, 4379-RD566460	RD-5-6646-0P	**75R0182**

75R0172 RD-5-11025-0P
Model: Seltec - CH
Diameter: 5 21/64" / 135mm
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 9/16"/ 40 mm
Single wire coil
Male bullet plug



75R0182 RD-5-8382-0P
Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: ½"
12 Volts
B Dimension: 2 7/16" / 62 mm
Single wire coil
Male bullet plug



75R0202 RD-5-5486-0P
Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm
Single wire coil
Bare wire




75R0452 RD-5-4967-0P
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"
Single wire coil
Male bullet plug




75R1202 RD-5-4972-1P
OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Weatherpak plug



75R1652 RD-5-4975-0P
OE #L50-2731
Diameter: 6 ¾"
Groove: 1
Width: 5/8"
12 Volts
B Dimension: 1 ¾
Single wire coil
Male bullet plug



75R4502 RD-5-4994-0P
Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"
Single wire coil
Male bullet plug



COMPRESSOR

	All with OEM Part No.	7H15SHD, 12V, 2A Groove, 132mm, WV head, Direct mount	4715, 4890, 85104593	RD-5-10278-0P	**75R84382**
	All with OEM Part No.	SD7H15, 12v 2A Groove 125mm, QD head Ear mount	7803, 15653237	RD-5-10283-0P	**75R83112**
	All with OEM Part No.	7H15HD, JDA head, direct mount, poly 8, 4.7" (119mm) diameter	4822	RD-5-10738-0P	**75R84622**
	All with OEM Part No.	7H15SHD, 12V, PV 8 Groove, 132mm, WV head, Direct mount	4493, 4733, 4892 20501067	RD-5-11256-0P	**75R81362**
	All with OEM Part No.	7H15SHD, 12V, PV 6 Groove, 132mm, WV head, Direct mount	4494,4757,4891, 20501069	RD-5-11257-0P	**75R81372**
	All with OEM Part No.	7H15SHD, 12V, 2A Groove, 132mm, WV head, Ear mount	4717, 4777, 4893, 85104592	RD-5-11343-0P	**75R81652**
	All with OEM Part No.	7H15HD direct mount, poly 6 gr. (125mm) diameter, 2 wire	206RD51M, 20514024, 4883	RD-5-12330-0P	**75R81622**
	All with OEM Part No.	7H15SHD, WV head direct mount, poly 8, (180mm) diameter	4326E, 4326	RD-5-13248-0P	**75R9612**
	All with OEM Part No.	SPRHD, WV head, direct mount, 8 groove, 7" (180mm) diameter	206RD53M, 4326	RD-5-13248-0P	**75R9612**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	488-25011, 4379-RD558760	RD-5-5876-1P	**75R8512Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	488-25077, 4379-RD570230	RD-5-7023-1P	**75R8522Q**
	All with OEM Part No.	7H15HD, JD head, ear mount, 2 groove, 5 1/4"(132mm) diameter	206RD413M, 4639	RD-5-7088-0P	**75R8382**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JD head	4379-RD571200, 4627	RD-5-7120-0P	**75R8422**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45011, 4379-RD571450	RD-5-7145-1P	**75R8612Q**
	All with OEM Part No.	QP15HD, 12V, 1 VAR Groove, 159MM, 1 Wire, D Head	488-45065, 4379-RD571640	RD-5-7164-1P	**75R8632Q**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 132MM, 2 Wire, JDA head, Direct Mount	206RD49AM, 4626	RD-5-7522-0P	**75R8432**
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	99242-5, ER210L-25149	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	99244-5, ET210L-25150	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, D Head	488-45063, 4379-RD589440	RD-5-8944-1P	**75R8532Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45077, 4379-RD596091	RD-5-9609-10P	**75R8552Q**
	All with OEM Part No.	Red Dot Roof Mounted A/C	4379-RD438741	RD-4-3874-1P	**77R0500**

CONDENSERS CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

MACK

COMPRESSOR

75R7280 RD-5-8637-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7290 RD-5-8638-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied




75R81362 RD-5-11256-0P

Model: 7H15HD **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4493, 4733, 4892
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**



75R81372 RD-5-11257-0P

Model: 7H15HD **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4494, 4757, 4891
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81622Q RD-5-12330-1P

Model: QP-7H15 **Head:** JD **Voltage:** 12V
Mount: Direct
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81652 RD-5-11343-0P

Model: 7H15 **Head:** WV **Voltage:** 12
Mount: Ear **Sanden:** 4717, 4777, 4893
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R83112 RD-5-10283-0P

Model: 7H15 **Head:** QD **Voltage:** 12
Mount: Ear **Sanden:** 7803
Clutch: 4.9" (125mm) A2 Groove **R-134a**




75R8382 RD-5-7088-0P

Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8422 RD-5-7120-0P

Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4627
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R8432 RD-5-7522-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4626, 4695
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84382 RD-5-10278-0P

Model: 7H15 **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4715, 4890
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84622 RD-5-10738-0P

Model: 7H15 **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4822
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R8512Q RD-5-5876-1P

Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




75R8522Q RD-5-7023-1P

Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521132 **Seltec:** 488-25077
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




75R8532Q RD-5-8944-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**




75R8552Q RD-5-9609-10P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521301 **Seltec:** 488-45077
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R8612Q RD-5-7145-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R8632Q RD-5-7164-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**



75R9612 RD-5-13248-0P

Model: 7H15HD **Head:** WV **Voltage:** 12v
Mount: Direct **Sanden:** 4326
Clutch: 7" (180mm) Poly 8 **R-134a**



MACK

CONDENSER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1968-80	DM Conventional	with Charge Air with Male O-Ring Fittings	4379-RD451461	RD-4-5146-1P	**77R0570**
1972-84	MH	Cab over	210RD46AM-R.H.	RD-4-5770-0P	**77R7702**
1976-05	DM, DM 600 Construction	All series with with factory A/C	210RD410M	RD-4-5763-0P	**77R7706**
1976-05	DM, DM 600 Construction	All series with with factory A/C	210RD410M	RD-4-5763-0P	**77R7706**
1976-89	R, U Conventional	All series with with factory A/C, grilldenser coil	210RD277P2	RD-4-3714-0P	**77R5910**
1980-89	DM Conventional	with charge air fittings, serpentine coil	210RD46AM, 4379-RD442320	RD-4-4232-0P	**77R0560**
1982-05	MR, MR600	All series with with factory A/C	210RD413	RD-4-5766-0P	**77R7712**
1983-01	CS, MS Midliner	Main unit with 12V auxillary fan	4379-RD441442	RD-4-4144-2P	**77R0250**
1984-95	RL, RS, RW	Condenser coil only for hood mount, grilldenser coil	210RD48	RD-4-3434-1P	**77R6900**
1986-03	CH, CH600 Construction	Main unit radiator mount, serpentine coil	210RD54M	RD-4-5769-0P	**77R7704**
1990-91	RW, RWL, RWS	with hood mount grilldenser coil	4379-RD435952	RD-4-3595-4P	**77R8200**
1991-93	DH, DM	All series with with factory A/C	210RD412M	RD-4-5765-0P	**77R7710**
1994-04	MR	All with factory A/C	210RD424	RD-4-7352-0P	**77R8320**
1994-98	CH	Main unit radiator mount, serpentine coil	210RD421M, 4379-RD457620	RD-4-5762-0P	**77R1105**
1995-00	RD, RD688S	All series with with factory A/C	210RD418	RD-4-5767-0P	**77R7714**
2000-07	Vision	Condenser Coil	210RD517M	RD-4-7360-0P	**77R8340**
2000-08	CH	Main unit radiator mount, serpentine coil	210RD411M, 4379-RD457460	RD-4-5764-0P	**77R7708**
2000-08	All with OEM Part No.	Condenser Coil	210RD59M	RD-4-7358-0P	**77R8335**
2001	CH613	Condenser	210RD510M, 25172536	RD-4-7040-0P	**77R6995**
2003	RD, RD688S	All series with with factory A/C	210RD422	RD-4-7351-0P	**77R8315**
2006	GRANITE	Condenser	210RD428	RD-4-6414-0P	**RD-4-6414-0P**
2008-12	CH,CL,CX	Main unit radiator mount, serpentine coil	210RD290	RD-4-6343-0P	**77R0585**

77R0250 RD-4-4144-2P
9 1⁄8" high x 26 21⁄32" long x 4 1⁄4" thick
With 12 VDC Fan, 5,800 BTU



77R0500 RD-4-3874-1P
Tube & Fin Coil Type
Radiator Mount
Overall Width: 23 3⁄4"
Fin Width: 20 7⁄8"
Height: 11 7⁄16"
Thickness: 1 7⁄8"



77R0560 RD-4-4232-0P
Serpentine Coil Type
Overall Width: 33"
Fin Width: 31 7⁄8"
Height: 8 1⁄2"
Thickness: 1 1⁄4"



77R0570 RD-4-5146-1P
Serpentine Coil Type
Overall Width: 32 13⁄16"
Fin Width: 31 19⁄32"
Height: 8 1⁄2"
Thickness: 2"




77R0585 RD-4-6343-0P
Multiflow Coil Type
Overall Width: 32 1⁄2"
Fin Width: 30 3⁄4"
Height: 16 3⁄8"
Thickness: 1"



77R1105 RD-4-5762-0P
Serpentine Coil Type
Overall Width: 36 3⁄16"
Fin Width: 33 3⁄4"
Height: 11 1⁄8"
Thickness: 1 1⁄8"



77R5910 RD-4-3714-0P
Grilldenser Type
Overall Width: 37"
Fin Width: 34 1⁄4"
Height: 25 3⁄4"
Thickness: 3⁄4"



77R6900 RD-4-3434-1P
Grilldenser Coil Type
Overall Width: 28 3⁄8"
Fin Width: 26 1⁄2"
Height: 26"
Thickness: 3⁄4"



77R6995 RD-4-7040-0P
MultiFlow Type
Overall Width: 34 1⁄4"
Fin Width: 30 3⁄4"
Height: 19 5⁄8"
Thickness: 1"



77R7702 RD-4-5770-0P
Serpentine Coil Type.
Overall Width: 33 3⁄5"
Fin Width: 31 13⁄16"
Height: 8 1⁄2"
Thickness: 1"



77R7704 RD-4-5769-0P
Serpentine Coil Type
Overall Width: 30"
Fin Width: 28"
Height: 28 5⁄16"
Thickness: 1"



77R7706 RD-4-5763-0P
Serpentine Coil Type
Overall Width: 33 3⁄5"
Fin Width: 31 13⁄16"
Height: 8 1⁄2"
Thickness: 1"



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

MACK

CONDENSER

77R7708 RD-4-5764-0P

Serpentine Type
Overall Width: 39 7/32"
Fin Width: 37 13/32"
Height: 6 7/16"
Thickness: 1 1/4"



77R7710 RD-4-5765-0P

Serpentine Coil Type
Overall Width: 36 13/16"
Fin Width: 34"
Height: 26 3/4"
Thickness: 1"



77R7712 RD-4-5766-0P

Serpentine Coil Type
Overall Width: 28 3/4"
Fin Width: 27 3/4"
Height: 9 1/2"
Thickness: 3"




77R7714 RD-4-5767-0P

Serpentine Coil Type
Overall Width: 34 1/2"
Fin Width: 31 1/2"
Height: 23 9/32"
Thickness: 1"



77R8200 RD-4-3595-4P

Grilldenser Coil Type
Overall Width: 51"
Fin Width: 48"
Height: 33 1/8"
Thickness: 3/4"



77R8315 RD-4-7351-0P

Overall Width: 34"
Fin Width: 31"
Height: 23 1/4"
Thickness: 3/4"



77R8320 RD-4-7352-0P

Overall Width: 20"
Fin Width: 18 1/2"
Height: 24 1/2"
Thickness: 1 1/4"



77R8335 RD-4-7358-0P

Overall Width: 44"
Fin Width: 30"
Height: 19 3/4"
Thickness: 1/2"



77R8340 RD-4-7360-0P

Overall Width: 38 1/2"
Fin Width: 32 1/2"
Height: 16 1/2"
Thickness: 1/2"



CONTROL CABLE

2007-08	MR (Oscar)	2RD570M, M2, M3 Unit, 60" length	RD 5 6410 60	RD-5-6410-60P	**RD-5-6410-60P**

EVAPORATOR

1975-84	WL, WS, Cruiseliner	Main unit (Red Dot)	4379-RD211560	RD-2-1156-0P	**76R6700**
1986-04	MC, MR	Evaporator Coil	4379-RD213810	RD-2-1381-0P	**76R6950**
1987-02	DM, DMM	Main unit (with drain pan)	4379-RD214801	RD-2-1480-1P	**76R6180**
1988-01	CH, CL Conventional	Main unit (Red Dot)	4379-RD216550	RD-2-1655-0P	**76R7510**
1990-99	MS Midliner	Evaporator Coil	4379-RD215100	RD-2-1510-0P	**76R5000**
1995-02	All with OEM Part No.	Sleeper Unit	4379-RD218981	RD-2-1898-0P	**76R6130**
2002-07	CX, Vision	Evaporator 10 x 2 19/32 x 10	7787-869224	RD-4-7540-0P	**77R8430**

76R5000 RD-2-1510-0P

5 1/4" high x 12 7/16" long x 3" wide




76R6130 RD-2-1898-0P

8 7/64" high x 7 29/32" long x 3 13/32" wide




76R6180 RD-2-1480-1P

8" high x 8 1/4" long x 3 13/32" wide




76R6700 RD-2-1156-0P

8" high x 11 13/16" long x 2 7/8" wide



76R6950 RD-2-1381-0P

8" high x 12 11/16" long x 3 13/32" wide



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
MACK					
EXPANSION VALVE					
1975-94	DM, F C.O.E.	Right Angle, O Ring, with Capillary, with Equalizer	7979-404073, 4379-RD538241	RD-5-3824-1P	**71R8100**
1976-93	DM	Block, #6 #10 #8 #8, with Mounting Holes	7979-404098	RD-5-6868-1P	**71R8301**
1979-93	CS, MS Midliner, Magirus 200, Magirus 300, CS200-2	Block, #6 #10 #8 #8, with Mounting Holes	4379-RD568680	RD-5-6868-1P	**71R8301**
1979-93	All with OEM Part No.	Block, #6 #10 #8 #8, with Mounting Holes	4300-57104, 4379-RD568680	RD-5-6868-1P	**71R8301**
1982-93	All with OEM Part No.	Main unit with Signet A/C	3230-218023	RD-5-5862-0P	**71R8080**
1988-00	CH Conventional	Block, #6 #10 #8 #10, with Mounting Holes	4379-RD570150	RD-5-7015-1P	**71R8321**
2000-02	CX	Main unit, Hi - capacity (2 ton), (Red Dot)	4379-RD5105460	RD-5-10546-0P	**71R8385**
2003-13	CH, Vision, Granite	Block, #6 #12 #8 #10 with Mount Holes	20443850	RD-5-14619-0P	**71R8467**
2007-08	MR (Oscar)	Block, #6 #10 #8 #8, with Mounting Holes	RD 5 6868 0	RD-5-6868-1P	**71R8301**

71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8385 RD-5-10546-0P

Anti-trumpeting (2 Ton)
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 53.5 psig @75°F



71R8467 RD-5-14619-0P

2-Ton
Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #12 (¾") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superheat Rating: 5°F
Pressure Limit: 80 psig @53.5°F



FAN

	All with OEM Part No.	Fan, Defrost, Universal, 12 Volt, 2 Speed	96-14, 101RD35-P1, 101RD41-P2	RD-5-5796-0P	**73R9062**

73R9062 RD-5-5796-0P

12V, Metal Cage




MACK

HEATER CORE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1979-81	All with OEM Part No.	Heater Core	4379-RD103330	RD-1-0333-0P	**76R2300**
1981-01	DM, DMM	Heater Core	4379-RD101471	RD-1-0147-1P	**76R2600**
1981-83	All with OEM Part No.	Heater Core	4379-RD103710	RD-1-0371-1P	**76R2210**
1986-02	MC, MR	Main unit with Red Dot A/C	4379-RD105500	RD-1-0550-0P	**76R3300**
1987-00	All with OEM Part No.	Sleeper Unit (withCTC)	4379-RD105630	RD-1-0563-0P	**76R2400**
1987-94	All with OEM Part No.	Heater Core	4379-RD106650	RD-1-0665-0P	**76R2450**
1988-02	DM, DMM	Main unit (without Drainpan)	4379-RD106151	RD-1-0615-1P	**76R1900**
1995-02	All with OEM Part No.	Heater Core	4379-RD108221	RD-1-0822-0P	**76R2410**
2003-06	Granite	Main unit with Red Dot A/C	4379-RD107440	RD-1-0744-0P	**76R3930**
2007-08	MR (Oscar)	2RD570M3 Unit with heater only, HP heater core	4379-RD105500	RD-1-0552-0P	**76R4310**

76R1900 RD-1-0615-1P
7" high x 8 ¼" long x 2 ½" wide




76R2210 RD-1-0371-1P
8 ½" high x 6 ⅜" long x 2 ⅝" wide




76R2300 RD-1-0333-0P
8" high x 5 ⅝" long x 2 ½" wide




76R2400 RD-1-0563-0P
8" high x 8" long x 2 ½" wide



76R2410 RD-1-0822-0P
8 ⅞" high x 7 ²⁹⁄₃₂" long x 2 ½" wide




76R2450 RD-1-0665-0P
8" high x 7 ⁵⁄₁₆" long x 2 ⅞" wide



76R2600 RD-1-0147-1P
8" high x 9" long x 2 ½" wide



76R3300 RD-1-0550-0P
8" high x 12 ¹¹⁄₁₆" long x 1 ⅞" wide



76R3930 RD-1-0744-0P
10" high x 9" long x 2 ½" wide



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
MACK					
PRESSURE SWITCH					
	All with OEM Part No.	Switch, Pressure, Low, NO	4379-RD41910	RD-4191-0P	**71R6050**
	All with OEM Part No.	All with APAds electronic pressure switch	4379-RD5107690	RD-5-10769-0P	**71R6416**
1978-94	CS, MS Midliner, Magirus	Switch, Pressure, High, NC	4379-RD558730, 7979-404141	RD-5-5873-0P	**71R6070**
1980-01	All with OEM Part No.	with Red Dot A/C, Trinary Switch with harness	4379-RD5121500	RD-5-12150-0P	**71R4501**
1980-01	All with OEM Part No.	Switch, Pressure, Trinary, NO	4379-RD545830	RD-5-4583-0P	**71R7550**
1980-01	All with OEM Part No.	Switch, Pressure, Trinary, NO	4379-RD545850	RD-5-4585-0P	**71R7500**
1983-00	R, RL, RS, RW, U, DM	with Red Dot A/C, Binary Switch	4379-RD546460	RD-5-4646-0P	**71R7000**
1983-93	R, RL, RS, RW, U, DM	with Red Dot A/C, Trinary Switch	4379-RD563950	RD-5-6395-0P	**71R6040**
1994-03	CH	Micro Switch	4379-RD584900	RD-5-8490-0P	**71R1610**
1995-04	All with OEM Part No.	ECM, APADS Controller	4379-RD5103520	RD-5-10352-0P	**71R6565**
1996-05	CH, CHN, CL, CM, CS Conventional	Micro Switch	4379-RD568330	RD-5-10590-0P	**71R1620**
1996-06	CH, CHN, CL, CM, CS Conventional	with Red Dot A/C, Binary Switch	4379-RD546400	RD-5-4640-0P	**71R7050**
2002-09	Granite, Titan	Dual Function M10 Port NC	4379-RD589460, 1MR3550M	RD-5-8946-0P	**71R6125**

71R1610 RD-5-8490-0P

8 amp, 12 volt, SPDT, 2 terminals Normally Open, Base: 1 ¼" x ⅝" x ⅝"



71R1620 RD-5-10590-0P

15 amp, 12 volt, DPDT, 3 terminals



71R4501 RD-5-12150-0P



71R6040 RD-5-6395-0P

Type: Low Side
Fitting / Connector: ¼" female flare / male bullet, female receptacle
Normally Open – Closes at 35 PSI – Opens at 15 PSI



71R6050 RD-4191-0P

⅜"-24-UNF-2A male threads O-Ring Normally open - closes at 27 PSIG



71R6070 RD-5-5873-0P

Type: High Side
Fitting / Connector: ¼" female flare
Normally Closed – Closes at 210 PSI – Opens at 340 PSI



71R6125 RD-5-8946-0P

Type: Low Side
Fitting/Connector: M10 thread/two-conductor Metripak
Normally Closed – Closes at 42 PSI – Opens at 32 PSI
High Side Cutout: 315-355 Low Side Cutout: 23-37



71R6416 RD-5-10769-0P



71R6565 RD-5-10352-0P

Detroit Series 60 engine



71R7000 RD-5-4646-0P

⅜-24 UNF-2A Male Thread with Bulkhead Type Seal using a 2-012 "O" Ring.



71R7050 RD-5-4640-0P

⅞-20 UNF-2B Female Thread for Installation on Male Schrader Type Valve.



71R7500 RD-5-4585-0P

⅜" - 24 UNF-2A Male thread with bulkhead seal, 2-012 O-Ring Shutter/fan switch is normally open



71R7550 RD-5-4583-0P

⅞" - 20 UNF-2B Female thread for male Schrader Shutter/fan switch is normally open



MACK

RECEIVER DRIER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	#6 male O-Ring, 2 3/4" X 10 5/8", without trinary switch	4379-RD565672	RD-5-6768-2P	**74R2797**
1976-93	R, RL, RS, RW, U Conventional	#6 male O-Ring, 2 3/4" X 10", binary switch	JA1120	RD-5-9455-0P	**74R1836**
1977-81	R, RB, RD, RL, RS, RW	with Econodine Engine	402529	RD-5-3593-1P	**74R1706**
1977-93	DM Conventional	2 3/4"x9 5/8", #6MOR in, #6MOR out, PRV, Top Glass, Side Port with Trinary Switch	402529	RD-5-4632-0P	**74R1956**
1977-93	DM	2 3/4"x9 5/8", #6MOR in, #6 MOR out, PRV, Side Glass, Top Port with Trinary Switch	4379-RD546321	RD-5-4632-1P	**74R1906**
1977-93	DM	O-Ring Type with side port, top glass, moisture indicator	221RD32	RD-5-7272-1P	**74R2447**
1979-87	MS Midliner, Magirus	2 3/4"x10", #6MOR in, #6 MOR out, PRV, Top Glass, Side Port	402529, 4379-RD535930	RD-5-3593-0P	**74R1756**
1979-87	WL, WS, WM, Cruiseliner C.O.E.	O-Ring Type withSide Mount L.P. Switch	210RD39303	RD-5-3593-1P	**74R1706**
1983-02	MS Midliner	High capacity O-Ring Type with trinary switch, side port, top glass	4379-RD547271	RD-5-4727-1P	**74R2596**
1983-03	MH, MH Ultraliner	O-Ring type with female switch port & moisture indicator	221RD312, 333	RD-5-8240-1P	**74R3347**
1983-94	Conventional	O-Ring Type with Kysor MiniBrute A/C	7979-402492, 7979-402562	RD-5-4950-1P	**74R0907**
1983-94	CS, MS Midliner	O-Ring Type with Kysor A/C	7979-402562	RD-5-4950-1P	**74R0907**
1986-97	All with OEM Part No.	O-Ring type with female switch port & moisture indicator	221RD333	RD-5-8240-1P	**74R3347**
1988-91	CS, MS Midliner	O-Ring Type with Behr A/C	JA1045	RD-5-4950-1P	**74R0907**
1988-98	CH, CL, CM	#6 male O-Ring, 2 3/4" X 10", without binary switch	221RD327P, 328P, 4379-RD555720	RD-5-5572-0P	**74R1856**
1989-00	CS, MS Midliner	O-Ring Type with Red Dot A/C	4379-RD570610	RD-5-7061-6P	**74R2577**
1989-00	CS, MS Midliner	O-Ring Type with Red Dot A/C	4379-RD570611	RD-5-7061-7P	**74R2537**
1993-03	All with OEM Part No.	O-Ring type with metric ports and moisture indicator	221RD331, 334, 335	RD-5-11534-0P	**74R3077**
1994-02	DM	O-Ring Type withStandard Ports and Moisture Indicator	221RD334	RD-5-11533-0P	**74R3107**
2005-07	CX	O-Ring Type withMetric Ports and Moisture Indicator	221RD335	RD-5-11534-0P	**74R3077**
2006-11	CH,CL,CX, Vision, Titan	O-Ring Type 3" by 9" with moisture indicator	221RD44M	RD-5-11531-0P	**74R1427**
2006-12	Granite	O-Ring Type with Switch Port and HPRV	088214-00, 088214-03	RD-5-11533-0P	**74R3107**
2007-13	CX, CXU, CXN, CTP	O-Ring Type 3" by 9" with moisture indicator	82733985	RD-5-11531-0P	**74R1427**

74R0907 RD-5-4950-1P
2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port



74R1427 RD-5-11531-0P
3" diameter x 9" long
#6 Male O-Ring
Volvo VN Series
OE#20447319
Mack Granite
2013-2014



74R1706 RD-5-3593-1P
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Pressure Relief – Side
Top Port –
⅜" x 24 Switch



74R1756 RD-5-3593-0P
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R1836 RD-5-9455-0P
2 ¾" diameter x 10" long
#6 Male O-Ring
Includes
Binary Switch – Top
Fuse
Top Port



74R1856 RD-5-5572-0P
2 ¾" diameter x 10" long
#6 Male O-Ring (Schrader Port)
High Capacity
Pressure Relief
Side Port



74R1906 RD-5-4632-1P
Includes Trinary™ Switch – Top
2 ¾" diameter x 9 ⅝" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R1956 RD-5-4632-0P
Includes Trinary™ Switch – Side
2 ¾" diameter x 9 ⅝" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2447 RD-5-7272-1P
Includes Moisture Indicator
3" diameter x 6 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2537 RD-5-7061-7P
3" diameter x 6 ¼" long
#6 Male O-Ring
(Schrader Port)
High Capacity
Pressure Relief
Side Port



74R2577 RD-5-7061-6P
3" diameter x 6 ¼" long
#6 Male O-Ring
(No Ports)
High Capacity
No Port
No Glass



74R2596 RD-5-4727-1P
Includes Trinary™ Switch
3" diameter x 6" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2797 RD-5-6768-2P
Includes Moisture Indicator
3" diameter x 10 ¼" long
#6 Male O-Ring
High Capacity
Press Relief
Top Port



74R3077 RD-5-11534-0P
3" diameter x 10" long with Moisture Indicator
#6 Male O-Ring
Male Metric Schrader
with Male 10 X
1.25mm Threads
High Capacity
Pressure Relief
Side Port



74R3107 RD-5-11533-0P
Includes Moisture Indicator
3" diameter x 9 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port
¼" Schrader Valve



74R3347 RD-5-8240-1P
Includes Moisture Indicator
3" diameter x 9 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port




YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

MACK

RELAY

1983-00	All with OEM Part No.	Relay, Blower, Twin Temp, 12V, 10A, Socket Mount, 8 Terminal	4379-RD43700	RD-4370-0P	**71R1652**
1983-97	All with OEM Part No.	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	2MR2014, 3917-65885-C2	RD-5-4408-0P	**71R1702**
1983-97	CS, MS Midliner, Magirus	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	2MR2014	RD-5-4408-0P	**71R1702**
1983-97	CS, CS Midliner	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	7979-221568, 7979-221655	RD-5-4408-0P	**71R1702**
1983-97	CS, MS Midliner	Relay, 12V, 20/30A, Tab Mount, 5 Terminals	2MR2014	RD-5-4408-0P	**71R1702**
1986-98	CS, CS Midliner	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	2MR1702	RD-5-4408-0P	**71R1702**

71R1652 RD-4370-0P
12V Relay, 8 terminal, DPDT



71R1702 RD-5-4408-0P
12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type



RESISTOR

1980-97	All with OEM Part No.	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	7979-220990	RD-5-10441-0P	**71R1463**
1981-95	MH Ultraliner	Behr A/C units with 3 terminal, 4 speed resistor	3230-220276	RD-5-13299-0P	**71R1462**
1985-00	CS, CS Midliner	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	4379-RD536470	RD-5-3647-0P	**71R1450**


71R1450 RD-5-3647-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1462 RD-5-13299-0P
4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1 3/16"



71R1463 RD-5-10441-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: .10" thick



SWITCH

	All with OEM Part No.	Valve, Solenoid, 12V, #6 MOR	207583, LA1225	RD-4188-0P	**71R9002**
	All with OEM Part No.	Valve, Solenoid, 12V, #6 MOR	4379-RD41880	RD-4188-0P	**71R9002**
	C.O.E., Conventional	Solenoid, 12V, Fan Clutch Air Control	4379-RD500600	RD-5-0060-0P	**72R1502**
	C.O.E., Conventional	Switch, Air, Push Button, Chrome	4379-RD538274	RD-5-3827-4P	**72R0240**
	All with OEM Part No.	Switch, Air Pressure, NC	4379-RD544750	RD-5-4475-0P	**72R0050**
1973-86	All with OEM Part No.	Switch, Toggle, DPDT, ON-ON-ON, 4 Terminal	221030, 4379-RD500710	RD-5-0071-0P	**71R0400**
1975-81	F C.O.E.	Switch, Toggle, DPDT, ON-OFF-ON, 6 Terminal	4379-RD41232	RD-4123-2P	**71R0200**
1975-81	F C.O.E.	Switch, Toggle, DPDT, ON-OFF-ON, 6 Terminal	4379-RD4123-2	RD-4123-2P	**71R0200**
1975-81	F C.O.E.	Fan Switch (Bunk)	4379-RD537480	RD-5-3748-0P	**71R0010**
1977-86	All with OEM Part No.	A/C units with rocker blower fan switch, 5 terminal	220891, BA1260, 4379-RD41512	RD-4151-2P	**71R0550**
1978-94	CS	Switch, Lever, 5 Terminal	4379-RD546941	RD-5-4694-1P	**71R0450**
1978-94	CS	Kysor A/C units, rotary blower fan switch with resistor, 3 speed, DP3T	BA1145, 2175002, 2199002, 220268	RD-5-5194-0P	**71R1210**
1979-04	All with OEM Part No.	Switch, Toggle, DPDT, ON-OFF-ON, 6 Terminal	7979-221189	RD-4123-2P	**71R0200**
1979-04	MS Midliner, Magirus	Switch, Rotary, 3 Speed, Short Shaft, 5 Terminal	7979-220635	RD-5-9833-0P	**71R1160**
1979-93	CS, MS Midliner, Magirus	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	7979-220268	RD-5-3646-0P	**71R1150**
1979-93	CS Midliner, Magirus	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	3230-221-519, 7979-220635, 1MR2355	RD-5-3646-0P	**71R1150**
1979-93	CS, MS Midliner, Magirus	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	RD536460	RD-5-3646-0P	**71R1150**
1979-93	MS Midliner, Magirus	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	3230-221-519, 1MR2355	RD-5-3646-0P	**71R1150**
1979-93	CS, MS Midliner, Magirus	with Kysor A/C,Blower Switch (12 Volt Resistor Type)	4379-RD551940	RD-5-5194-0P	**71R1210**
1979-93	MS Midliner, Magirus	with Kysor A/C,Blower Switch (12 volt resistor type)	7979-220300, 4379-RD551940	RD-5-5194-0P	**71R1210**

SWITCH CONTINUED ON NEXT PAGE

MACK

SWITCH

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1980-05	All with OEM Part No.	Thermistor, CTC, 12V, Blower Speed Control	4379-RD647970	RD-6-4797-0P	**71R3502**
1980-05	All with OEM Part No.	Thermistor, CTC, 24V, Blower Speed Control	4379-RD647971	RD-6-4797-1P	**71R3504**
1982-85	MH Ultraliner	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	4379-RD53646-0	RD-5-3646-0P	**71R1150**
1985-93	All with OEM Part No.	Switch, Lever, DP4POS, OFF-ON-ON-ON, 10 Terminal	4379-RD553021	RD-5-5302-1P	**71R0470**
1986-94	CS	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	4379-RD536460	RD-5-3646-0P	**71R1150**
1988-00	CH	Fan Switch - Lever	4379-RD546941	RD-5-4694-1P	**71R0449**
1988-00	CH	Fan Switch - Rotary	4379-RD587710	RD-5-8771-0P	**71R1175**
1993-04	CH	Switch, Micro, 3 Terminal, with Arm	4379-RD54379, 4379-RD5105900	RD-5-10590-0P	**71R1620**

71R0010 RD-5-3748-0P

SPST Type
Chrome Toggle
Function: ON - OFF
2 Terminals



71R0200 RD-4123-2P

DPDT Type
Chrome Toggle
Function: ON - OFF - ON
6 Terminals




71R0400 RD-5-0071-0P

DPDT Type
Chrome Toggle
Function: ON - ON - ON
4 Terminals




71R0449 RD-5-4694-1P

SPST Type
Uses 71R4030 knob
Function: OFF - ON - ON - ON
5 Terminals




71R0450 RD-5-4694-1P

SPST Type
Uses 71R4030 knob
Function: OFF - ON - ON - ON
5 Terminals



71R0470 RD-5-5302-1P

Fits unit model R-4140, R-4145
DP4POS Type
Uses 71R4030 knob
Function: OFF - ON - ON - ON
10 Terminals



71R0550 RD-4151-2P

DPDT Type with Jumper
Function: On-Off-On
5 Terminals
12VDC, 15 amps



71R1150 RD-5-3646-0P

3 speed, Long Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1160 RD-5-9833-0P

3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1175 RD-5-8771-0P

5 speed
DP3T
5-position
6 terminals
25 amps



Mounting hole: .375"


71R1210 RD-5-5194-0P

3 Speed with Resistor -
DP3T,
4-position,
5 terminals
18 amps
Uses Knob
71R4050
Mounting hole: .500"




71R3502 RD-6-4797-0P

12 Volt, 30k ohm Thermistor blower speed control switch



71R3504 RD-6-4797-1P

24 Volt, 30k ohm Thermistor blower speed control switch



71R9002 RD-4188-0P

#6 Male O-Ring Fitting 12 volt



72R0050 RD-5-4475-0P

Normally Closed,
Opens At 25 PSIG
⅛"-27 NPTF Male



72R0240 RD-5-3827-4P

Chrome Push Button
Momentary Off/
Maintain On



72R1502 RD-5-0060-0P

12 VDC – Draws .65 AMPS



MACK

THERMOSTAT

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1975-80	WL, WS, Cruiseliner	Adjustable, 36" Probe	2790-HV27072	RD-4125-36P	**71R2250**
1975-81	F C.O.E.	Adjustable, 36" Probe	7979-404028	RD-4125-36P	**71R2250**
1976-89	DM, DMM	All models with Kysor Mini Brute A/C and factory air with rotary switch	7979-404075, 4379-RD549090	RD-5-4909-0P	**71R2100**
1979-87	CS Midliner	Adjustable, 48" Capillary	4379-RD412548	RD-4125-48P	**71R2300**
1982-87	MH, MH Ultraliner	Cable controlled thermostat, 43" capillary tube	3230-22533, 4379-RD549170	RD-5-4917-0P	**71R2800**
1982-88	MH, MH Ultraliner	Variable, Cable Controlled, 30" Capillary	4379-RD42260	RD-4226-0P	**71R2700**
1983-89	CS 200, CS250	Fixed, 24" Probe	4379-RD5453124	RD-5-4531-24P	**71R3200**
1985-00	MC	Fixed, 24" Probe	RD 5 4531 24	RD-5-4531-24P	**71R3200**
1987-04	MS Midliner	Fixed, 24" Probe	A22-23640-000	RD-5-4531-24P	**71R3200**
1989-01	CS, CS Midliner	Fixed, 24" Probe	4379-RD442724	RD-4427-24P	**71R3100**
1999-09	CX	Fixed, 24" Probe	7787-650163, 4379-RD442724	RD-4427-24P	**71R3100**

71R2100 RD-5-4909-0P



Capillary Length: 18"
Type: Variable
Temp. Range: 28°- 62°F
Clutch Cycle Range: 6°F

71R2250 RD-4125-36P



Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

71R2300 RD-4125-48P



Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

71R2700 RD-4226-0P

Pull for cold Variable temp.



Mounting hole spacing 2 15/16"
Capillary Length: 30"
Type: Variable
Temp. Range: 34°- 54°F
Clutch Cycle Range: 5°F

71R2800 RD-5-4917-0P

Pull for warm Variable temperature,



Mounting hole spacing 2 15/16"
Capillary Length: 43"
Type: Variable
Temp. Range: 30°- 62°F
Clutch Cycle Range: 10°F
IHC#581691C1

71R3100 RD-4-4272-4P



Mounting hole spacing: 2 1/8"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F

71R3200 RD-5-4531-24P



Mounting hole spacing: 2 1/4"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F

WATER VALVE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	Cable Controlled, 5/8" Hose, STR-STR, Pull to Open	2790-HV22563	RD-4257-0P	**72R5050**
	All with OEM Part No.	Cable Controlled, 5/8" Hose, STR-STR, Pull to Open	2790-HV30644	RD-5-4923-0P	**72R5040**
	All with OEM Part No.	Cable Operated, Red Dot (5/8" to 5/8"), pull to open	4379-RD553001, 30RS326	RD-5-5300-1P	**72R5210**
	All with OEM Part No.	Air Operated (Red Dot), 5/8" to 5/8" hose	4379-RD588041	RD-5-8804-1P	**72R6401**
1980-96	R, DM	Air Operated (Red Dot), 5/8" to 5/8" hose	29RD29300	RD-5-8857-0P	**72R6420**
1983-00	All with OEM Part No.	Air Controlled, 5/8" Hose, Offset	29RD29301	RD-5-8857-1P	**72R6421**
1986-93	MH Ultraliner	Air Controlled, 5/8" Hose, 90°	4379-RD588040	RD-5-8804-0P	**72R6400**
2007-08	MR (Oscar)	2RD570M, M2, M3 Unit	4379-RD552150	RD-5-5215-0P	**72R5080**

72R5040 RD-5-4923-0P

5/8" hose to 5/8" hose




72R5050 RD-4257-0P

5/8" hose to 5/8" hose



72R5080 RD-5-5215-0P

5/8" Hose To 5/8" Hose
Pull To Open



72R5210 RD-5-5300-1P

5/8" Hose to 5/8" Hose
Pull To Open



72R6400 RD-5-8804-0P

5/8" Hose to 5/8" Hose



72R6401 RD-5-8804-1P

5/8" Hose to 5/8" Hose



72R6420 RD-5-8857-0P

5/8" Hose to 5/8" Hose



72R6421 RD-5-8857-1P

5/8" Hose to 5/8" Hose



PETERBILT

ACCUMULATOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1994-02	357, 377, 378, 379, 385 Conv	Aluminum, 3 1/2"x9 1/2", #12 FOR in, #12 FOR out	JC10800, JC1080, 18-03837, 700001	RD-5-10927-0P	**74R5061**
1994-10	357, 377, 378, 379, 385 Conventional	Aluminum, 3 1/2"x9 1/8" Pad Fitting in, Pad Fitting out	FG2618, F31-6063, 18-04171	RD-5-9556-1P	**74R5062**
1999-10	325, 330, 335, 340	Accumulator	F31-6063, 18-04171	RD-5-9556-1P	**74r5062**

74R5061 RD-5-10927-0P
3 1/2" diameter x 9 1/2" long
Inlet: 1 1/16" Female O-Ring
Outlet: 1 1/16" Female O-Ring



74R5062 RD-5-9556-1P
3 ½" diameter x 9 ⅛" long
Inlet: Pad Mount
Outlet: Pad Mount



74R5062 RD-5-9556-1P
3 ½" diameter x 9 ⅛" long
Inlet: Pad Mount
Outlet: Pad Mount



ACTUATOR

1995-06	All with OEM Part No.	Electric, Rotary, 12V, 104° Travel	MA0200-01S, P93CAA0200-01S	RD-5-6320-0P	**71R3575**
1996-08	All with OEM Part No.	Electric, Universal, Rotary, 12v/24v, 4 pin Deutz Connector, 104° Max Travel	MA14400, 650341BSM	RD-5-12450-1P	**71R3583**
All	All with OEM Part No.	Air, Single Action	DA10100, DA1010	RD-5-5414-4P	**72R1200**
All	All with OEM Part No.	Air, Double Acting	DA10350, DA1035	RD-5-5424-1P	**72R1300**
All	All with OEM Part No.	Air, Single Action	DA10050, DA1005	RD-5-5784-5P	**72R1210**
All	All with OEM Part No.	Air, Double Acting	DA10000, DA1000	RD-5-6028-1P	**72R1310**

71R3575 RD-5-6320-0P
Red Label
D161124932



71R3583 RD-5-12450-1P
Universal, 12 or 24 Volt
4-pin Deutch
sealed connection
104° maximum
travel



72R1200 RD-5-5414-4P
.625" Dia x 3.69" Long – 1.10" Stroke – Plastic



72R1210 RD-5-5784-5P
.625" Dia x 3.69" Long – 1.10" Stroke – Plastic



72R1300 RD-5-5424-1P
.69" Dia x 4.74" Long – 0.5" Stroke – Plastic




72R1310 RD-5-6028-1P
.79" Dia x 5.34" Long – 0.375" Stroke – Plastic



AIR FILTER

1998-10	All with OEM Part No.	Filter, Cab Air	5X010007	RD-5-14694-0P	**78R5460**
2002-09	387	Filter, Cab Air	GD11800, 525507BSM	RD-5-10745-1P	**78R5420**
2008-12	Conventional, C.O.E.	Filter, Cab Air, Fresh	FR11120, 525838BSM	RD-5-10775-0P	**78R5308**


78R5308 RD-5-10775-0P
13 ⅝" wide x 10" high x ¾" thick



78R5420M RD-5-10745-1P
13 ¾" Wide x 10 ¼" High x ¾" Thick



78R5460 RD-5-14694-0P
10 ¾" wide x 8" high x 5/16" thick



PETERBILT

BLOWER MOTOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1988-04	362 C.O.E, 372	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	HB10850, HB1085	RD-5-5049-1P	**73R4422**
1994-00	357, 377, 378, 379, 385 Conventional	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	HA03010, HA0301-01S, P93CAA0301-01S, P93CAA0300-01S, HA1825	RD-5-10336-0P	**73R0042**
1994-00	357, 377, 378, 379, 385 Conv	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	HA18250, HA1825, HA03010, HA0301-01S, P93CAA301-01S, P93CAA0300-01S	RD-5-10905-0P	**73R0442**
1994-02	Conventional	Motor 12V, single speed, CW or CCW, stud mount 5/16 shaft	2809-540-036, P93CAA0300-01S	RD-5-10336-0P	**73R0042**
1997-01	379, 387 Conv	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	BSM203133	RD-5-6526-0P	**73R0422**
1997-02	320, Dual Steer	Motor, 12V, 1 Speed, Double 5/16" Shaft, WO/Mounting Studs	HB10500, HB1050, 205780	RD-5-6801-0P	**73R4182**
1997-12	320	Motor, 12V, 1 Speed, Double 5/16" Shaft, WO/Mounting Studs	HB16100, HB1610, 203080	RD-5-6801-0P	**73R4182**
1998-05	C.O.E.	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, Flange Mount	5X012163	RD-5-13069-0P	**73R3142**
1998-16	330, 335, 340, 365, 367, 377,378,379,385,387,388,389	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, Flange Mount	3X010983, HA0983, HA09830, P93CAA0301-01S, ZGG701018	RD-5-13069-0P	**73R3142**
1999-12	379, 387 Conv	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Tabs	HA12600, BSM203139	RD-5-8922-0P	**73R0612**
2000-10	387	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Tabs	HB17500, HB1750, 203364	RD-5-8922-0P	**73R0612**
2000-10	387	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Tabs	203363	RD-5-8922-0P	**73R0612**
2000-12	387,587	Motor 12V, single speed, CCW flange mounted tabs	871218BSM, 203364BSM, 203142BSM	RD-5-10867-0P	**73R0332**

73R0042 RD-5-10336-0P



Single Speed
12 Volt
Rotates Either Direction
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 1⁄4" x 3 3⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 3⁄4"
Vented
Connector: Packard with two 1⁄4" blade terminals

73R0332 RD-5-10867-0P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Flange/Plate Mounted
Dimensions: 5" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented
Connector: Two conductors,
female ring terminal, Packard #2984528

73R0422 RD-5-6526-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528,
2971859

73R0442 RD-5-10905-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 5⁄8" x 4 1⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 3⁄4"
Vented
Connector: Two conductor Packard
1⁄4" blade terminal #2973781

73R0612 RD-5-8922-0P




Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16"
Dimensions: 5 1⁄8" x 4 11⁄16" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented, Strap Diameter: 6 3⁄4"
Connector: Two conductor Packard #12129939

73R3142 RD-5-13069-0P



Single Speed
12 Volt
Rotates CW
Flange Mount

73R4182 RD-5-6801-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2 5⁄8"
Vented
Connector: 1⁄4" spade receptacle

73R4422 RD-5-5049-1P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 5 1⁄4" x 4 1⁄2" x 3"
Shafts: 5⁄16" diameter, length: 2 7⁄8"
Vented
Connector: Two conductor Packard #2984528
1⁄4" blade terminal

PETERBILT

BLOWER WHEEL

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1986-03	310, 320 LCF	Reversible, Double Entry	HC10500, HC1050, BSM302042	RD-5-10346-0P	**73R7130**
1986-95	13-210 Mid Ranger	Reversible, Double Entry	HC13500, HC1350, RD5-5656-0, 260680,	RD-5-5656-0P	**73R7000**
1986-97	310, 357, 375, 377, 378, 379	CCW, Single Entry	HC12800, HC1280, RD3106-15	RD-5-8618-0P	**73R6051**
1987-08	310, 320	Reversible, Double Entry	HC10500, HC1050, 589540	RD-5-10346-0P	**73R7130**
1987-99	357, 362, 375, 376, 377, 378, 379	CW, Single Entry	HC13250, HC1325, RD5-5601-0	RD-5-5601-0P	**73R6370**
1988-03	320	Reversible, Double Entry	HC13000, HC1300, RD3-2557-2	RD-3-2557-2P	**73R7151**
1988-95	13-210 Mid Ranger	Reversible, Double Entry	HC1290, 260680	RD-5-5656-0P	**73R7000**
2000-08	387	Reversible, Double Entry	HC10050, HC1005, 563500	RD-5-10346-0P	**73R7130**
2005-10	330, 335, 340, 365, 367 Conventional	CCW, Single Entry	HC16250, HC1625, HC0400-01S0, HC0400-01S, P93CAB0400-01S	RD-5-10435-0P	**73R6383**

73R6051 RD-5-8618-0P
5 ¼" diameter, 3 ½" width
5/16" bore diameter
Hub inset: ¾"
CCW Rotation
Steel



73R6370 RD-5-5601-0P
5 ¾" diameter, 3" width
5/16" bore diameter
Hub inset: 1 13/16"
CCW Rotation
Plastic



73R6383 RD-5-10435-0P
5 ¾" diameter, 3 ¼" width
5/16" bore diameter
Hub inset: Flat
CCW Rotation
Steel



73R7000 RD-5-5656-0P
3 3/16" diameter, 3 13/16" width
5/16" bore diameter
Hub inset: 1 1/8"
Dual Rotation
Plastic



73R7130 RD-5-10346-0P
4 ¾" diameter, 3 7/32" width
5/16" bore diameter
Hub inset: 1 1/16"
CW Rotation
Plastic



73R7151 RD-3-2557-2P
5 ¼" diameter, 3 ¾" width
5/16" bore diameter
Hub inset: 1 7/8"
Dual Rotation
Steel



CLUTCH ASSEMBLY

	All with OEM Part No.	12V, PV6 Groove, 5 3/4", 2 Wire	KA14000, KA1400, 024-25244, 14432	RD-5-10363-0P	**75R0502**
	All with OEM Part No.	12V, PV6 Groove, 5 3/4", 1 Wire	KA14100, KA1410, 024-25144, 14304	RD-5-10364-0P	**75R0512**
	All with OEM Part No.	12V, PV8 Groove, 6 1/8", 2 Wire	KA14050, KA140500, 024-25247, 14372	RD-5-10365-0P	**75R0682**
	All with OEM Part No.	12V, PV6 Groove, 5 7/8", 2 Wire	KA15350, KA1535, 024-25241, 14565	RD-5-10366-0P	**75R0522**
	All with OEM Part No.	12V, 2A Groove, 125MM, 2 Wire	4695-9931, 4740-9931	RD-5-10368-0P	**75R1532**
	All with OEM Part No.	12V, PV7 Groove, 119MM, 1 Wire	4645-9931, 6512-6210	RD-5-10399-0P	**75R0052**
	All with OEM Part No.	12V, 2A Groove, 135MM, 1 Wire	KA10250, KA1025, 511868, 511051	RD-5-10722-0P	**75R0252**
	All with OEM Part No.	12V, 2A Groove, 125MM, 1 Wire	KA10250, KA1025, 511868, 524-19724	RD-5-10723-0P	**75R0262**
	All with OEM Part No.	12V, PV8 Groove, 119MM, 2 Wire	4667-9931	RD-5-10760-0P	**75R1842**
	All with OEM Part No.	12V, 2A Groove, 6", 1 Wire	KA10400, KA1040, RD5-4972-0, 18-01210, 5019390CC, 18-02572, 024-21590	RD-5-4972-1P	**75R1202**
	All with OEM Part No.	12V, 2A Groove, 132MM, 1 Wire	6514-6210, KA1245, KA1075, 6519-6010, 6574-6210	RD-5-5486-0P	**75R0202**
	All with OEM Part No.	24V, 2A Groove, 132MM, 1 Wire	6519-6210	RD-5-5487-0P	**75R0204**
	All with OEM Part No.	12V, 1A Groove-Overhang, 125MM, 1 Wire	KA10550, KA1055, 511869, 511575	RD-5-6646-0P	**75R0182**
	All with OEM Part No.	12V, 2A Groove, 125MM, 1 Wire	6560-6010, 9353-6010	RD-5-7831-0P	**75R0192**
	All with OEM Part No.	12V, 2A Groove, 6", 2 Wire	KA15250, KA1525, 024-25238, 520556	RD-5-9456-0P	**75R1302**

CLUTCH ASSEMBLY CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

PETERBILT

CLUTCH ASSEMBLY

75R0052 RD-5-10399-0P

Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 7
Width: .14"
12 Volts
B Distance: 1 7/8" / 48mm

Single wire coil
Weatherpak plug



75R0182 RD-5-8382-0P

Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: 1/2"
12 Volts
B Dimension: 2 7/16" / 62 mm

Single wire coil
Male bullet plug



75R0192 RD-5-7831-0P

Model SD7
Diameter: 4.9" / 125mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: -

Single wire coil
Male bullet plug



75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm


Single wire coil
Bare wire



75R0204 RD-5-5487-0P

Model SD5 (508, H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
24 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Male bullet plug



75R0252 RD-5-10722-0P


OE # 2570152
Model: Seltec - TM15
Diameter: 5 21/64" / 135mm
Groove: 2
Width: 1/2"
12 Volts
B Dimension: -
Single wire coil
Male bullet plug



75R0262 RD-5-10723-0P

Model: Seltec - TM15
Diameter: 4.9" / 125mm
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 9/16" / 40 mm

Single wire coil
Male bullet plug



75R0502 RD-5-10363-0P

Diameter: 5 3/4"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 2"

Double wire coil w diode
Metripak plug



75R0512 RD-5-10364-0P

Diameter: 5 3/4"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 2"

Single wire coil w diode
Weatherpak plug



75R0522 RD-5-10366-0P

Diameter: 5 7/8"
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 1 5/8"


Double wire coil w diode,
Metripak plug



75R0682 RD-5-10365-0P

Diameter: 6 1/8"
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 15/16"

Double wire coil w diode
Metripak plug



75R1202 RD-5-4972-1P

OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Weatherpak plug



75R1302 RD-5-9456-0P

Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"

Double wire coil w diode
Metripak plug



75R1532 RD-5-10368-0P


Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 2 5/32" / 55mm

Double wire coil
Metripak plug



75R1842 RD-5-10760-0P

Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 8
Width: .14"
12 volts
B Distance:
Double wire coil
Metripak plug



PETERBILT

COMPRESSOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, MDA Head	4476	RD-5-10262-0P	**75R84162**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, MDA Head	4734, 22-47692-000	RD-5-10262-0P	**75R84162**
	All with OEM Part No.	7H15HD, 12V, PV6 Groove, 125MM, 2 Wire, GSA Head, Direct Mount	4039, 4424, 4731, F69-6003-122, 18-05000	RD-5-10273-0P	**75R84292**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JDA Head	LE1640, 18-04088, 4713SAN	RD-5-10274-0P	**75R84312**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 2 Wire, JDA Head, Direct Mount	4433SAN, 4740SAN, 18-04373, F69-6001-233, 18-04088, 18-04373	RD-5-10274-0P	**75R84312**
	All with OEM Part No.	7H15HD, 12V, PV6 Groove, 125MM, 1 Wire, CBA Head, Direct Mount	4687, 22-44462-000	RD-5-10303-0P	**75R84152**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 2 Wire	LC2120, ET210L-25237C	RD-5-11218-0P	**75R7322**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 2 Wire	LC2125, ET210L-25246C	RD-5-11219-0P	**75R7332**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, JDA Head	4645SAN, LE1150, 18-03788, F69-6002-243, 4645	RD-5-11313-0P	**75R81452**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, JDA Head	4660	RD-5-11322-0P	**75R81482**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, KC Head, Direct Mount	LE1085, 4667SAN, K318-103, F69-6002-114	RD-5-11326-0P	**75R81502**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, MDA Head	4672SAN, F69-6001-215	RD-5-11328-0P	**75R81512**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, KG Head	F69-6002-214, 4739SAN, 18-04291	RD-5-11334-0P	**75R81562**
	All with OEM Part No.	7H15HD, 12V, PV6 Groove, 125MM, 2 Wire, GQ Head, Direct Mount "Heavy Duty"	4040, 4425, 4792, F69-6002-121, F69-6000,	RD-5-12332-0P	**75R81632**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 2 Wire, GQ Head, Direct Mount "Heavy Duty"	LF0111, F69-6002-111, 4432SAN,4759	RD-5-12334-0P	**75R81662**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 2 Wire, GQ Head "Heavy Duty Version"	LF0231, F69-6001-231, 4696SAN, 1CC4696, F69-1000, 18-04154,	RD-5-12523-0P	**75R8772**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 2 Wire, GQ Head "Heavy Duty Version"	LF0231, F69-6001-231, 4696SAN, 1CC4696, F69-1000, 18-04154,	RD-5-12523-0P	**75R8772**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 2 Wire, GQ Head	LF0231, F69-6001-231, 4426SAN	RD-5-12523-0P	**75R8772**
	All with OEM Part No.	QP16HD, 12V, PV8 Groove, 123MM, 2 Wire, H Head	LF0211, F69-6001-211, 252-1496, 18-04178	RD-5-12535-0P	**75R81642Q**
	All with OEM Part No.	QP16HD, 12V, PV8 Groove, 123MM, 2 Wire, H Head	LF0211, F69-6001-211, 4705SAN, 18-04175	RD-5-12535-0P	**75R81642Q**
	All with OEM Part No.	QP7H15S, 12V, PV6 Groove, 125MM, 2 Wire, GQ Head, Direct Mount "Super Duty "	F69-6003-121	RD-5-12550-1P	**75R89492**
	All with OEM Part No.	QP7H15S, 12V, PV8 Groove, 119MM, 2 Wire, GQ Head, Direct Mount "Super Heavy Duty"	F69-6003-111, 4759	RD-5-13207-1P	**75R89502Q**
	All with OEM Part No.	QP7H15S 12V, PV6, 126MM, GSA Head, Direct Mount "Super Heavy Duty"	F69-6003-122, 4079,4379	RD-5-13209-1P	**75R89522Q**
	All with OEM Part No.	QP7H15S PV12, 126MM, GQ Head, Direct Mount "Super Duty"	F69-6003-151	RD-5-13210-1P	**75R89532Q**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 2 Wire, GQ Head	LF0231, F69-6001-231, 4426SAN	RD-5-13212-1P	**75R89552Q**
	All with OEM Part No.	QP15, 12V, 2A Groove, 125MM, 2 Wire, GQ Head "Standard Duty Version"	LF0231, F69-6001-231, 4696SAN, 1CC4696, F69-1000, 18-04154,	RD-5-13212-1P	**75R89552Q**
	All with OEM Part No.	QP15, 12V, PV8 Groove, 119MM, 2 Wire, GQ Head, Direct Mount "Standard Duty"	F69-6001-111, 4759	RD-5-13213-1P	**75R89562Q**
	All with OEM Part No.	QP15 12V, PV6, 126MM, GSA Head, Direct Mount "Standard Duty"	F69-6001-122	RD-5-13215-1P	**75R89582Q**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove,125mm, GSA head, ear mount	F69-6003-112	RD-5-14655-0P	**75R89652**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	LF1005, 488-25011, 18-3006, K318-36-03	RD-5-5876-1P	**75R8512Q**
	All with OEM Part No.	5H14HD, 12V, 2A Groove, 132MM, 1 Wire, FL Head	LE1620, 4664	RD-5-7088-0P	**75R8382**
	All with OEM Part No.	5H14HD, 12V, 2A Groove, 132MM, 1 Wire, FL Head	LE1620, 4644, 18-03787	RD-5-7088-0P	**75R8382**

COMPRESSOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
		PETERBILT			
		COMPRESSOR			
	All with OEM Part No.	QP7H15, 12V, 2A Groove, 132mm, 1 Wire, JD Head	LE1620, 4664	RD-5-7088-1P	**75R8382Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	LE1260,103-55011, 435-55011, 488-45011	RD-5-7145-1P	**75R8612Q**
	All with OEM Part No.	QP15HD, 12V, 1 VAR Groove, 159MM, 1 Wire, D Head	LE1210, 435-55065, 488-45065	RD-5-7164-1P	**75R8632Q**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 132MM, 2 Wire, JDA Head, Direct Mount	4695SAN, F69-1002, F69-6002-133	RD-5-7522-0P	**75R8432**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 132MM, 2 Wire, JDA Head, Direct Mount	4626SAN, F69-6001-153, 4626, 4695, LE1140, 1CC4696, F69-1000	RD-5-7522-0P	**75R8432**
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	LC2000, LC1000, LC1005, LD1000, ER210L-25149,	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	LC2100, LD1005, LC1010, LC1130, LC2120, ET210L-25150	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, D Head	488-45063	RD-5-8944-1P	**75R8532Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	LE1135, 103-55077, 435-55077, 488-45077	RD-5-9609-10P	**75R8552Q**
	All with OEM Part No.	7H15HD, 12V, PV6 Groove, 125MM, 2 Wire, GQ Head, Direct Mount "Standard Duty"	F69-6001-121, 1027U3	RD-5-12332-1P	**75R81632Q**
1995-02	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 1 Wire	LC1140, ET210L-25073C	RD-5-11217-0P	**75R7312**

75R7280 RD-5-8637-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7290 RD-5-8638-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7332 RD-5-11219-0P

Fitting: 1" - 14
OE Replacement, Standard Duty
Clutch: 6 ⅛", Poly 8, .014"
Gauge LIne: 1 15⁄16"
Connector: 2 wire Metripak




75R81452 RD-5-11313-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4645
Clutch: 4.7" (119mm) Poly 7 **R134a**




75R81482 RD-5-11322-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4660
Clutch: 4 ¾" (119mm) Poly 8 **R134a**




75R81502 RD-5-11326-0P

Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4667
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81512 RD-5-11328-0P

Model: 7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4672
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81562 RD-5-11334-0P

Model: 7H15HD **Head:** KG **Voltage:** 12
Mount: Ear **Sanden:** 4739
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81632 RD-5-12332-0P

Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4040, 4425, 4792
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81632Q RD-5-12332-1P

Model: QP-7H15 **Head:** GQ **Voltage:** 12V
Mount: Direct **Sanden:** 4040, 4792
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81642Q RD-5-12535-0P

Model: QP16HD **Head:** GQ **Voltage:** 12V
Mount: Ear **ICE:** 2521496
Clutch: 4 ¾" (123mm) Poly 8 **R134a**



75R81662 RD-5-12334-0P

Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4042, 4432, 4759
Clutch: 4.7" (119mm) Poly 8 **R134a**




COMPRESSOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #


PETERBILT

COMPRESSOR

75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8382Q RD-5-7088-1P
Model: 5H14-HD **Head:** FL **Voltage:** 12V
Mount: Ear **Sanden:** 4509, 4639, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84152 RD-5-10303-0P
Model: 7H15HD **Head:** CBA **Voltage:** 12
Mount: Direct **Sanden:** 4687
Clutch: 4.9" (125mm) Poly 6 **R-134a**




75R84162 RD-5-10262-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4476, 4734
Clutch: 4.7" (119mm) Poly 8 **R-134a**




75R84292 RD-5-10273-0P
Model: 7H15 **Head:** GSA **Voltage:** 12
Mount: Direct **Sanden:** 4039, 4424, 4731
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R84312 RD-5-10274-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4433, 4484, 4740
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R8432 RD-5-7522-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4626, 4695
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8512Q RD-5-5876-1P
Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




75R8532Q RD-5-8944-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**




75R8552Q RD-5-9609-10P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521301 **Seltec:** 488-45077
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R8612Q RD-5-7145-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R8632Q RD-5-7164-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**



75R8772 RD-5-12523-0P
Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4041, 4426, 4696
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R89492 RD-5-12550-0P
Model: 7H15FLX **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4080
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R89502Q RD-5-13207-1P
Model: QP7H15S **Head:** GQ **Voltage:** 12V
Mount: Direct **Sanden:** 4077, 4368
Clutch: 4 ¾" (119mm) Poly 8 **R-134a**




75R89522Q RD-5-13209-1P
Model: QP7H15S **Head:** GSA **Voltage:** 12V
Mount: Direct **Sanden:** 4079, 4379
Clutch: 5" (126mm) Poly 6 **R-134a**



75R89532Q RD-5-13210-1P
Model: QP7H15S **Head:** GQ **Voltage:** 12V
Mount: Direct **Sanden:** 4078, 4370
Clutch: 5" (126mm) Poly 12 **R-134a**



75R89582Q RD-5-13215-1P
Model: QP7H15 **Head:** GSA **Voltage:** 12V
Mount: Direct
Sanden: 4039, 4424, 4731, 4376, 5362
Clutch: 4.9" (125mm) Poly 6 **R-134a**



75R89652 RD-5-14655-0P
Model: 7H15SHD **Head:** GSA **Voltage:** 12v
Mount: Direct **Sanden:** 4081
Clutch: 4.7" (119mm) Poly 8 **R-134a**



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
PETERBILT					
CONDENSER					
1987-97	357, 377, 378, 379, 385 Conv	Radiator Mount	18-03543, 23-12753 KIT	RD-4-5462-0P	**77R0580**
1988-00	320, 320 LCF	Radiator Mount	18-03903, RD4-4931-0	RD-4-4931-0P	**77R0665**
1994-07	357, 377, 378, 379, 385 Conv	Radiator Mount	18-04015, 18-03809	RD-4-5658-0P	**77R6950**
1999-04	377, 378, 379, 385, 386, 387, 388, 389 Conv	Radiator Mount	1E4582	RD-4-7020-0P	**77R0705**
2001-04	377, 378, 379, 385, 386, 387, 388, 389	Radiator Mount	F31-6097, 3S011268, 18-04454	RD-4-7018-0P	**77R0710**
2003-09	330	Radiator Mount, with Pad Fittings	18-03722	RD-4-7017-0P	**77R6982**
2004-08	289, 330, 349, 353,357,359, 375, 376, 377, 378, 379, 387	Radiator Mount, with Pad Fittings	F31-6043, 1E6043	RD-4-6812-0P	**77R1335**
2006-07	335, 340 Conventional	Radiator Mount, with Pad Fittings	F31-6042	RD-4-6812-0P	**77R1335**
2006-08	330, 335, 340	Condenser	3S010633	RD-4-7363-0P	**77R8365**
2008-12	365, 367, 387, 587	Radiator Mount	N4778001, RO440001, M3611002	RD-4-7081-0P	**77R8305**
2008-12	388	Radiator Mount	R0337001	RD-4-7353-0P	**77R8310**

77R0580 RD-4-5462-0P

Serpentine Coil Type
Overall Width: 29 ¼"
Fin Width: 28 ½"
Height: 10"
Thickness: 1 ½"



77R0665 RD-4-4931-0P

Tube & Fin Coil Type
Overall Width: 35 ⅞"
Fin Width: 30"
Height: 16 ½"
Thickness: 1 ¾"



77R0705 RD-4-7020-0P

Overall Width: 34"
Fin Width: 29 ½"
Height: 24"
Thickness: 7/8"




77R0710 RD-4-7018-0P

Tube & Fin Type
Overall Width: 31"
Fin Width: 28 ¼"
Height: 28 ½"
Thickness: 1 ½"



77R1335 RD-4-6812-0P

MultiFlow Type
Overall Width: 35 ½"
Fin Width: 31 ¾"#
Height: 25"
Thickness: ¾"



77R6950 RD-4-5658-0P

Tube & Fin Type
Overall Width: 31"
Fin Width: 28"
Height: 33 5/32"
Thickness: 1 1/4"



77R6982 RD-4-7017-0P

Grilldenser Type
Overall Width: 35 1/2"
Fin Width: 33"
Height: 17 1/4"
Thickness: 1 1/8"



77R8305 RD-4-7081-0P

Overall Width: 34"
Fin Width: 33"
Height: 22"
Thickness: ½"



77R8310 RD-4-7353-0P

Overall Width: 35"
Fin Width: 31 ¾"
Height: 20"
Thickness: ½"



77R8365 RD-4-7363-0P

Overall Width: 38"
Fin Width: 31"
Height: 15 ¼ "
Thickness: ¾ "




PETERBILT

EVAPORATOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1981-02	362 C.O.E, 372 C.O.E.	Evaporator Coil	NB10050, NB1005	RD-2-1610-0P	**76R7010**
1986-93	357, 365, 367, 375, 377, 378, 379, 382, 384, 385, 386, 387, 388, 389, 587	Evaporator Coil	151280, 15128P, NA1005	RD-2-2502-0P	**76R6960**
1987-93	357, 365, 367, 375, 377, 378, 379, 382, 384, 385, 386, 387, 388, 389, 587	Evaporator Coil	RD2-1402-0	RD-2-1402-0P	**76R6150**
1987-93	357, 365, 367, 375, 377, 378, 379, 383, 384, 385	Evaporator Coil	NC1000, RD2-1485-0	RD-2-1485-0P	**76R6850**
1987-99	Conventional, C.O.E.	Evaporator Coil	RD2-1402-0, NA1040	RD-2-1402-0P	**76R6150**
1988-96	310	Evaporator Coil	RD2-1485-0	RD-2-1485-0P	**76R6850**
1996-14	320	Evaporator Coil	108291, NA1295	RD-2-2928-0P	**76R6040**
2000-06	330, 335, 340	Evaporator Coil	3X010018	RD-2-6299-0P	**76R7730**
2008-10	357, 365, 367, 375, 377, 378, 379, 382, 384, 385, 386, 389	Evaporator Coil	3X011171	RD-2-6299-0P	**76R7730**

77R6040 RD-2-2928-0P

8 7/64" high x 21 9/32" long x 2 7/8" wide




76R6150 RD-2-1402-0P

8" high x 8" long x 3 13/32" wide




76R6850 RD-2-1485-0P

8" high x 12" long x 3 13/32" wide




76R6960 RD-2-2502-0P

8" high x 12 1/64" long x 3 13/32" wide



76R7010 RD-2-1610-0P

8" high x 14 9/16" long x 2 7/8" wide



EXPANSION VALVE

1987-96	320	Block, #6 #10 #8 #8, with Mounting Holes	EA10650, EA1065, RD5-6868-0	RD-5-6868-1P	**71R8301**
1997-07	320	Block, #6 #10 #8 #10, with Mounting Holes	EA10660, EA13150, EA1315, 540035	RD-5-7015-1P	**71R8321**
1999-07	379	Block, #6 #10 #8 #8, Flange Mount, with M10 & M12 Schrader	540057, F90-6001	RD-5-8936-0P	**71R8430**
1999-11	387	Block, #6 #10 #8 #8, Flange Mount	540056	RD-5-7179-0P	**71R8420**
2007-11	387	Block, #6 #10 #8 #8, Flange Mount, with M10 & M12 Schrader	549708, 540057BSM, F90-6001	RD-5-8936-0P	**71R8430**
2009-12	All with OEM Part No.	Main Unit M10, M12 ports block type	549708BSM	RD-5-8936-0P	**71R8430**

71R8301 RD-5-6868-0P

Inlet: #6 (3/8") Female O-Ring
Outlet: #10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #8 (1/2") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (3/8") Female " O" Ring
Outlet: #10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #10 (5/8") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8420 RD-5-7179-0P

Inlet: #6 Plate (Flange) Mount
Outlet: #10 Plate (Flange) Mount
Evaporator Fittings
In: #8 Plate (Flange) Mount
Out: #8 Plate (Flange) Mount
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F



71R8430 RD-5-8936-0P

With Schrader Port (2-ton)
Inlet: #6 (3/8") Plate (Flange) Mour
Outlet: #10 (5/8") Plate (Flange) Mount
Evaporator Fittings
In: #8 (1/2") Plate (Flange) Mount
Out: #8 (1/2") Plate (Flange) Mount
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
PETERBILT					
FAN					
All	All with OEM Part No.	Fan, Defrost, Universal, 12 Volt, 2 Speed	HD1130, HG1040, PB2-14, 2899-006-026, 038, 051	RD-5-5796-0P	**73R9062**
All	All with OEM Part No.	Fan, Defrost, Universal, 24 Volt, 2 Speed	HD10250, HD1025, 2899-006-056	RD-5-5796-24P	**73R9064**

73R9062 RD-5-5796-0P
12V, Metal Cage




73R9064 RD-5-5796-24P
24V, Metal Cage




HEATER CORE					
1981-02	362, 372 C.O.E.	Heater Core	MC11000, MC1100	RD-1-0715-0P	**76R3460**
1988-03	320	Heater Core	MC11000, MC1100	RD-1-0715-0P	**76R3460**
2014-16	579	Heater Core - Bunk unit	3599598C1, 85104200	RD-5-14621-0P	**76R3495**

76R3460 RD-1-0715-0P
8" high x 14 ½" long x 2 ½" wide



76R3945 RD-5-14621-0P
6" high x 11" long x 2" wide



ORIFICE TUBE					
1994-09	357, 377, 378, 379, 385 Conv	Orifice Tube- Red	EC10150, EC1015, EC2500-01S, P93CAB2500-01S	RD-5-9564-1P	**71R8505**
1998-05	357, 377, 378, 379, 385 Conventional	Orifice Tube-Orange	EC10250, EC1025, EC010061, 5X010061	RD-5-10011-0P	**71R8504**

71R8504 RD-5-10011-0P
Orange – Length: 3.46", O.D.: .429", Orifice: .057"



71R8505 RD-5-9564-1P
Red – Length: 3.46", O.D.: .425", Orifice: .062"



PETERBILT

PRESSURE SWITCH

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1977-00	All with OEM Part No.	Switch, Pressure, High, NO	BA12500, BA1250, RD5-6394-0, 18-03163	RD-5-6394-0P	**71R6080**
1986-00	357, 375, 376, 377, 378, 379 Conventional	Switch, Air Pressure, NC	BA12250, BA1225, RD5-4475-0	RD-5-4475-0P	**72R0050**
1986-00	357, 375, 376, 377, 378, 379 Conventional	Switch, Air Pressure, NO	BB10100, BB1010, RD5-5538-0	RD-5-5538-0P	**72R0070**
1988-95	357, 375, 377, 378, 379 Conventional	Switch, Pressure, High, NO	18-03600, 20PS40-11, BOA 80-942-01-695	RD-5-6430-0P	**71R6110**
1988-96	357, 375, 377, 378, 379 Conventional	Switch, Pressure, Low, NO	BB10050, BB1005, 20PS39-10, 18-03285	RD-5-6395-0P	**71R6040**
1988-97	362, 372, 375, 376, 377, 378, 379	Switch, Pressure, Low, NO	BB10000, BB1000, 71R6050, 2299005, 404097	RD-4191-0P	**71R6050**
1993-10	330, 335, 340, 349, 352, 353, 357, 359, 362, 365, 367, 372, 372 C.O.E., 375, 376, 377, 378, 379, 385, 386, 387	Switch, Pressure, Low, NO	18-03836, P93CAA3606-01	RD-5-8218-0P	**71R6160**
1994-10	357, 375, 377, 378, 379, 385 Conventional	Switch, Pressure, Low, NO	18-04331, 18-03834, P93CAA3604-01	RD-5-8219-0P	**71R6170**
1994-10	330, 357, 375, 377, 378, 379, 385 Conv	Switch, Pressure, High, NC	18-03835, P93CAA3605-01, 650697BSM	RD-5-8220-0P	**71R6180**
All	All with OEM Part No.	Switch, Pressure, Trinary, NO	BC10000, BC1000, BSM865700	RD-5-4583-0P	**71R7550**
All	All with OEM Part No.	Switch, Pressure, Trinary, NO	BC10050, BC1005, RD5-4585-0	RD-5-4585-0P	**71R7500**
All	All with OEM Part No.	Switch, Pressure, Trinary, NC	BA12400, BA1240, RD-5-4625-0	RD-5-4625-0P	**71R7650**
All	All with OEM Part No.	Switch, Pressure, High, NO	18-03601, 20PS39-16	RD-5-4912-0P	**71R6100**

71R6040 RD-5-6395-0P
Type: Low Side
Fitting / Connector: ¼" female flare / male bullet, female receptacle
Normally Open – Closes at 35 PSI – Opens at 15 PSI



71R6050 RD-4191-0P
⅜"-24-UNF-2A male threads O-Ring
Normally open - closes at 27 PSIG



71R6080 RD-5-6394-0P
Type: High Side
Fitting / Connector: ¼" female flare / two-conductor Metripak
Normally Open – Closes at 215 PSI – Opens at 170 PSI



71R6100 RD-5-4912-0P
Type: High Side
Fitting / Connector: ¼" female flare
Normally Open – Closes at 250 PSI – Opens at 190 PSI



71R6110 RD-5-6430-0P
Type: High Side –
Fitting / Connector: ¼" female flare / two-conductor male Weatherpak
Normally Open – Closes at 300 PSI – Opens at 210 PSI



71R6160 RD-5-8218-0P
Type: High Side – Fan Override – Gray
Fitting / Connector: M10 x 1.25 female / integral two-prong (oval)
Normally Open – Closes at 270 PSI – Opens at 200 PSI
Mating Plug: Packard #12052643



71R6170 RD-5-8219-0P
Type: Low Side – Beige housing, Black port,
Fitting / Connector: M12 x 1.5 female / integral two-prong,
Normally Open – Closes at 47 PSI – Opens at 23 PSI
Mating Plug: Packard #12052643



71R6180 RD-5-8220-0P
Type: High Side – Purple
Fitting / Connector: M10 x 1.25 female – integral two-prong (oval)
Normally Closed – Closes at 180-240 PSI – Opens at 330-370 PSI Plug: Packard #12052643



71R7500 RD-5-4585-0P
⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally open



71R7550 RD-5-4583-0P
⅞" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally open



71R7650 RD-5-4625-0P
⅞" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally closed



72R0050 RD-5-4475-0P
Normally Closed, Opens At 25 PSIG
⅛"-27 NPTF Male



72R0070 RD-5-5538-0P
Normally Open, Closes at 21 TO 29 PSIG
⅛"-27 NPTF Male



PETERBILT

RECEIVER DRIER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1988-04	362, 372 C.O.E.	3"x8 1/2", #6 MOR in, #6 MOR out, PRV, Side Glass, Top Port	JA10850, JA1085, 088248, 18-01800	RD-5-4955-0P	**74R2706**
1993-97	Conventional, C.O.E.	3"X8 1/4", #6 MOR in, #6 FOR out, PRV, Top Glass, Moisture ind, 1/4" Top Switch Port (2)	JA2145, 088301-00, 18-03783	RD-5-10735-1P	**74R3157**
1994-02	357, 377, 378, 379, 385 Conventional	Right Angle, O Ring, with Capillary	BH3804-02S, P93CAC3804-02S, EA3900-02S, P93CAC3900-02S, P93CAC3900-01S	RD-5-10734-0P	**71R8090**
1999-05	All with OEM Part No.	Sleeper Unit	540044BSM	RD-5-10447-0P	**71R8405**
2000-10	387	3"x10 11/16", Slimline Manifold Block	JA22250, JA2225, F37-6000	RD-5-10434-1P	**74R2002**
2009-11	365, 367	Drier with PAD mount fittings	F37-6009, F37-6011	RD-5-14638-0P	**74R2006**
2009-11	All with OEM Part No.	3"x10 11/16", Slimline Manifold Block	F37-6008, F37-6009	RD-5-14639-0P	**74R2016**
2009-11	382, 385, 386, 387, 388, 389	Drier with PAD mount fittings	F37-6008, F37-6010	RD-5-14639-0P	**74R2016**
2010-12	325, 330, 335, 340	Drier with PAD mount fittings	F37-6002, F37-6013	RD-5-14640-0P	**74R2016**
2011-12	587	Expansion Valve sleeper with flange type	540056BSM	RD-5-10333-0P	**71R8440**
2014-16	579	Drier with PAD mount fittings	F37-1017-100, F37-1022-100	RD-5-15703-0P	**74R4219**
2014-16	579	Drier with PAD mount fittings	F37-1017-200, F37-1022-200	RD-5-16204-0P	**74R4220**

71R8090 RD-5-10734-0P
Internal Equalizer
Inlet: M16 x 1.5
Outlet: M20 x 1.5
Capillary Tube
Length: 16"
Rating: 1 ½ Ton



71R8405 RD-5-10447-0P
With Schrader Port
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8440 RD-5-10333-0P
Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #12 (¾") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superheat Rating: 5.5°F
Pressure Limit: 65.7 psig @90°F



74R2002 RD-5-10434-1P
3" diameter x 10 11/16" long
Flange Type
Slimline Manifold Block
High Capacity



74R2006 RD-5-14638-0P
3" diameter x 10" long
Flange Fittings



74R2016 RD-5-14639-0P
3" diameter x 10" long
Flange Fittings



74R2016 RD-5-14640-0P
3" diameter x 10" long
Flange Fittings



74R2706 RD-5-4955-0P
3" diameter x 8 ½" long
#6 Male O-Ring
Pressure Relief
Top Port



74R3157 RD-5-10735-1P
Includes Moisture Indicator
3" diameter x 8" long
#6 Male O-Ring Inlet,
#6 Female O-Ring Outlet
2 Schrader Ports
Pressure Relief
Top Port (2)



RELAY

1986-10	All with OEM Part No.	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	CB11150, CB1115, 652420	RD-5-4408-0P	**71R1702**
1986-10	All with OEM Part No.	Relay, Blower, 24V, 20/30A, Tab Mount, 5 Terminal	650690	RD-5-4417-0P	**71R1704**
1986-10	All with OEM Part No.	Relay, Blower, 12V, 30/40A, Socket Mount	650731	RD-5-9915-0P	**71R1722**
1997-12	320	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	CB11150, CB1115, CB10050, CB1005, 652420	RD-5-4408-0P	**71R1702**

71R1702 RD-5-4408-0P
12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type



71R1704 RD-5-4417-0P
24V Relay, 20/10 amps, Bosch type
SPDT, 5 terminals



71R1722 RD-5-9915-0P
12V Relay with Diode,
40/30 amps,
SPST, 5 terminals



PETERBILT

RESISTOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1973-96	320	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	CA1010	RD-5-10441-0P	**71R1463**
1973-96	All with OEM Part No.	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	CA1000, CA1005, 220990	RD-5-3647-0P	**71R1450**
1987-00	All with OEM Part No.	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	CA10000, CA1000, RD5-3647-0	RD-5-3647-0P	**71R1450**
1988-96	357, 377, 378, 379 Conventional	Resistor, Blower, Potentiometer, Sliding Lever	CA10250, CA1025, RD6-4661-1	RD-6-4661-1P	**71R1510**
1991-96	All with OEM Part No.	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	CA10350, CA1035	RD-5-10341-0P	**71R1457**
1995-09	All with OEM Part No.	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	CA10350, CA1035, 650179	RD-5-10341-0P	**71R1457**


71R1450 RD-5-3647-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1457 RD-5-10341-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 3" x 1 ¼" x .10" thick – Height: 1 ¼"



71R1463 RD-5-10441-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: .10" thick



71R1510 RD-6-4661-1P
Variable resistor assembly, sliding potentiometer with lever – Two Contacts
Length: 2" Diameter: 21/32" Height: 1 3/16"



SWITCH

	Conventional, 377, 378, 379, 385, 387, 388, 389	Fan Override Switch (Orange Body) 2 pin	BSM650469	RD-5-15305-0P	**71R6157**
	All with OEM Part No.	Switch, Air, Toggle, NPT	BA13550, BA1355, MA1265, RD5-3827-6	RD-5-3827-6P	**72R0260**
	All with OEM Part No.	Switch, Air, Toggle, Push Lock	BA14500, BA1450, BA1210, 08-02445, RD5-5721-0	RD-5-5721-0P	**72R0600**
	All with OEM Part No.	Switch, Air, Toggle, Push-Lock	BA16300, BA1630, RD5-5721-1	RD-5-5721-1P	**72R0190**
1976-01	Conventional	Valve, Solenoid, 12V, #6 MOR	CD10000, CD1000, RD4188-0	RD-4188-0P	**71R9002**
1976-01	All with OEM Part No.	Switch, Air, Push Button, Chrome, NPT	BA12350, BA1235, RD5-3827-4	RD-5-3827-4P	**72R0240**
1976-95	All with OEM Part No.	Switch, Micro, 2 Terminal, with Arm	BA10800, BA1080, BA1045, RD5-8490-0, 652100	RD-5-8490-0P	**71R1610**
1993-05	330, 335, 340, 349, 352, 353, 357, 359, 362, 365, 367, 372, 372 C.O.E., 375, 376, 377, 378, 379, 385, 386, 387	Circuit Breaker, 30A, Push Button Reset	CC10200, CC1020, K1110-0552-30	RD-5-5874-0P	**71R1300**
1993-05	330, 335, 340, 349, 352, 353, 357, 359, 362, 365, 367, 372, 372 C.O.E., 375, 376, 377, 378, 379, 385, 386, 387	Circuit Breaker, 15A, Push Button Reset	CC10150, CC1015, K1110-0548-15	RD-5-6602-0P	**71R1310**
1993-05	330, 335, 340, 349, 352, 353, 357, 359, 362, 365, 367, 372, 372 C.O.E., 375, 376, 377, 378, 379, 385, 386, 387	Circuit Breaker, 20A, Push Button Reset	K1110-0548-20	RD-5-6714-0P	**71R1315**
1993-05	330, 335, 340, 349, 352, 353, 357, 359, 362, 365, 367, 372, 372 C.O.E., 375, 376, 377, 378, 379, 385, 386, 387	Switch, Micro, 2 Terminal, with Arm	BA10800, BA1080, BOA-80-908-00-219	RD-5-8490-0P	**71R1610**
All	All with OEM Part No.	Switch, Rotary, 3 Speed, Short Shaft, 5 Terminal	BA1020, BA1190, BA1390, BOA-80-926-00-059, 101019Q	RD-5-9833-0P	**71R1160**

SWITCH CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

PETERBILT

SWITCH

71R1160 RD-5-9833-0P

3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1300 RD-5-5874-0P

Current Rating: 30 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: ¼" blade
Dimensions: 1 ⅜" x 1 ⅜" x ⅔"
Mounting:⅞", 28 thread



71R1310 RD-5-6602-0P

Current Rating: 15 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: ¼" blade
Dimensions: 1 ⅜" x 1 ⅜" x ⅔"
Mounting:⅞", 28 thread



71R1315 RD-5-6714-0P

Current Rating: 20 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: ¼" blade
Dimensions: 1 ⅜" x 1 ⅜" x ⅔"
Mounting:⅞", 28 thread



71R1610 RD-5-8490-0P

8 amp, 12 volt, SPDT, 2 terminals
Normally Open,
Base: 1 ¼" x ⅝" x ⅝"



71R6157 RD-5-15305-0P

Caterpillar Pressure Switch
7/16 - 20 UNF LP: 28 PSI HP: 350 PSI
Red-



71R9002 RD-4188-0P

#6 Male O-Ring Fitting 12 volt



72R0190 RD-5-5721-1P

Black Toggle with Quick Connect fittings
¼" in and ¼" out



72R0240 RD-5-3827-4P

Chrome Push Button
Momentary Off/
Maintain On



72R0260 RD-5-3827-6P

Black Toggle



72R0600 RD-5-5721-0P

Black Toggle with Quick Connect fitting ¼" In and ¼" Out



THERMOSTAT

1987-00	Conventional, C.O.E.	Fixed, 24" Probe	323010BSM, BD11050, BD1105, BD1095, RD5-4531-24, 1-4183Q	RD-5-4531-24P	**71R3200**
1987-00	375, 376, 377, 378, 379	Fixed, 24" Probe	BD11050, BD1105, 404145	RD-5-4531-24P	**71R3200**
1987-11	320	Fixed, 24" Probe	BD11050, BD1105, 589490, BD10750, BD1075	RD-5-4531-24P	**71R3200**
1987-16	320	Fixed, 24" Probe	BD10750, BD1075, RD4427-24	RD-4427-24P	**71R3100**
1988-04	362	Fixed, 24" Probe	BD11050, BD1105, RD5-4531-24	RD-5-4531-24P	**71R3200**
1995-99	Conventional	Fixed, 24" Probe	P93CAA4230-02S	RD-5-4531-24P	**71R3200**
1999-10	387	Fixed, 12" Probe	BD13550, BD1355, 650163BSM	RD-5-8938-0P	**71R3160**

71R3100 RD-4-4272-4P

Mounting hole spacing: 2 ⅛"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F



71R3160 RD-5-8938-0P

Capillary Length: 12"
Type: Fixed
Temp. Range: 31°- 40°F
Clutch Cycle Range: 8°F



71R3200 RD-5-4531-24P

Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



WATER VALVE

1983-00	All with OEM Part No.	Cable Controlled, 5/8" Hose, Offset, Pull to Close	MA10100, MA1010	RD-5-10344-0P	**72R6520**
1987-00	357, 375, 377, 378, 379 Conventional	Cable Controlled, 5/8" Hose, STR-90°, Pull to Close	MA12050, MA1205, RD5-5495-0	RD-5-5495-2P	**72R5270**
1987-00	357, 375, 377, 378, 379 Conventional	Air Controlled, 5/8" Hose, Offset	MA10850, MA1085, RD5-5138-0	RD-5-8857-0P	**72R6420**
1987-96	320	Cable Controlled, 5/8" Hose, STR-Core, Pull to Close	MA11100, MA1110, 867405	RD-5-10345-0P	**72R6530**
All	362	Cable Controlled, 5/8" Hose, STR-STR, Pull to Close	MA11000, MA1100, RD5-5300-0	RD-5-5300-0P	**72R5200**

72R5200 RD-5-5300-0P

⅝" Hose to ⅝" Hose
Pull To Close



72R5270 RD-5-5495-2P

⅝" Hose to ⅝" Hose
90° Elbow*
Pull To Close



72R6420 RD-5-8857-0P

⅝" Hose to ⅝" Hose



72R6520 RD-5-10344-0P

⅝" Hose to ⅝" Hose



72R6530 RD-5-10345-0P

⅝" Hose to Core Mount –
Pull to Close



STERLING

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
ACCUMULATOR					
1997-06	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Accumulator with 134A charge port and pressure switch port, inlet 5/8" (#10), outlet 3/4" (#12)	F6HZ-19C836A, XC4H-19E647AA	RD-5-11546-0P	**74R5095**
2000-10	A-Line , Acterra	Accumulator with 134A charge port and pressure switch port, inlet 5/8" (#10), outlet 3/4" (#12)	4C4H19C808-AA	RD-5-11546-0P	**74R5095**

74R5095 RD-5-11546-0P



3 ½" diameter x 8" long
Inlet: ⅝" (#10) Male Insert O-Ring
Outlet: ¾" (#12) Male Insert O-Ring

BLOWER MOTOR					
1998-00	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Flange motor	F1HZ19805	RD-5-11843-0P	**73R3092**
1998-10	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	A/C and heater 7 7/8" flange motor, CW, vented, shaft length 1 1/2"	XC4H-19805-AA	RD-5-10387-0P	**73R2142**
1998-10	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	A/C and heater flange mounted motor, CW, vented, shaft length 1 5/8"	F6UZ-19805BA, F8HH-19805AA, F8HZ-19805AA, BA, X4CZ-19805BA	RD-5-11579-0P	**73R3072**

73R2142 RD-5-10387-0P

Single Speed
12 Volt
Rotates CW
Plate Mounted: 7.8"
Dimensions:
4 ½" x 3 ⅝" x 3 ¼"
Shaft: ⅝" diameter,
Shaft Length: 1 ⅝"
Vented
Connector: Two conductor module



73R3072 RD-5-11579-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Plate Mount
Dimensions: 4 ⅝" x 3 ¾" x 3 ¼"
Shaft: ⅝" diameter, Length: 1 ½"
Plate/Flange Diameter: 7 ⅞"
Vented
Connector: Two conductor module #373-112-01



73R3092 RD-5-11843-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Plate Mount
Dimensions: 4 ½" x 3 ½" x 3 ¼"
Shaft: ⅝" diameter, Length: 1 ½"
Vented
Connector: Two conductor Packard male blade module



COMPRESSOR					
	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WH head, direct mount, poly 8 groove, 4.7"(119mm) diameter	4422	RD-5-11237-0P	**75R81152**
	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WJ head, direct mount, poly 6, 4.9"(125mm) diameter	4423	RD-5-11238-0P	**75R81162**
	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WJ head, ear mount, 2A groove, 5 1/4" (132mm) diameter	4469, 4603, F4HT-19D629-CA	RD-5-11241-0P	**75R81192**
1997-03	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, GV head, ear mount, poly 8 groove, 4.7"(119mm) diameter	4482, 4885	RD-5-10267-0P	**75R84232**
1997-03	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, GV head, ear mount, poly 8 groove, 4.7"(119mm) diameter	4817	RD-5-10267-0P	**75R84232**
1997-04	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WJ head, direct mount, poly 6, 4.9"(125mm) diameter	4810	RD-5-10275-0P	**75R84352**
1997-06	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WH head, direct mount, poly 8 groove, 4.7"(119mm) diameter	4486, 4767	RD-5-11237-0P	**75R81152**
1997-06	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WH head, direct mount, poly 8 groove, 4.7"(119mm) diameter	4486, 4767, A22-48973-000	RD-5-11237-0P	**75R81152**
1997-06	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WJ head, ear mount, poly 8 groove, 4.7"(119mm) diameter	4305	RD-5-11239-0P	**75R81172**
1997-06	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WH head, direct mount, 1A groove 6 1/2" (169mm) diameter	4470, 4602, F4HT-19D629-BA	RD-5-11242-0P	**75R81202**
1997-06	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WJ head, ear mount, poly 8 groove, 4.7"(119mm) diameter	4427, 4718	RD-5-11259-0P	**75R81392**
1998-02	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	TCCI, Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	F7HS-19D629AA, ET210L-25150, C	RD-5-8638-0P	**75R7290**
1998-05	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	7H15, WH head, direct mount, poly 8 groove, 4.7"(119mm) diameter	7804, F4HT-19D629-AA	RD-5-11245-0P	**75R81252**

COMPRESSOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

STERLING

COMPRESSOR


75R7290 RD-5-8638-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied




75R81152 RD-5-11237-0P

Model: 7H15 **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4303, 4422
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81162 RD-5-11238-0P

Model: 7H15 **Head:** WJ **Voltage:** 12
Mount: Direct **Sanden:** 4304, 4423
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81172 RD-5-11239-0P


Model: SD7H15 **Head:** WJ **Voltage:** 12
Mount: Ear **Sanden:** 4305
Clutch: 4.7" (119mm) Poly 8 **R-134a**



No photo of plug available


75R81192 RD-5-11241-0P

Model: 7H15 **Head:** WJ **Voltage:** 12
Mount: Ear **Sanden:** 4469, 4603
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R81202 RD-5-11242-0P

Model: 7H15 **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4602
Clutch: 6 ½" (169mm) A1 Groove - Sealed **R134a**




75R81252 RD-5-11245-0P

Model: 7H15 **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4474, 7804
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81392 RD-5-11259-0P

Model: 7H15HD **Head:** WJ **Voltage:** 12
Mount: Ear **Sanden:** 4427, 4496, 4718
Clutch: 4.7" (119mm) Poly 8 **R134a**



No photo of plug available.


75R84232 RD-5-10267-0P

Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Direct **Sanden:** 4776
Clutch: 4.7" (119mm) Poly 8 **R-134a**



75R84352 RD-5-10275-0P

Model: 7H15 **Head:** WJ **Voltage:** 12
Mount: Direct **Sanden:** 4810
Clutch: 4.9" (125mm) Poly 6 **R134a**



CONDENSER

1995-98	A-Line , Acterra, L-Line, 5500 - 8500, Silverstar	All models withFactory Air, Grilldenser Type 37" x 19" x 3/4"	F6HT-19710-BA	RD-4-5696-0P	**77R6807**
1998-03	A-Line , Acterra, L-Line, 5500 - 8500, Silverstar	All models withFactory Air, Grilldenser Type 37" x 19" x 3/4"	F6HZ-19712A	RD-4-5696-0P	**77R6807**
2003-05	Acterra	Condenser Parallel Flow	BHT E9328	RD-4-7546-0P	**77R8455**
2008-10	A-Line, Acterra, L-Line, 5500, 6500, 7500, 8500, Silverstar	All w/OEM Number	22-62271-000	RD-4-7131-0P	**77R1277**

77R1277 RD-4-7131-0P

Overall Width: 34 ½"
Fin Width: 32 ¾"
Height: 17 ½"
Thickness: ¾"



77R6807 RD-4-5696-0P

Grilldenser Coil Type
Fin Width: 37"
Height: 19"
Thickness: ¾"



77R8455

ORIFICE TUBE

1994-01	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Orifice Tube-Red	E59H-19860AA, E69Z-19D990A	RD-5-9564-1P	**71R8505**

71R8505 RD-5-9564-1P

Red – Length: 3.46", O.D.: .425", Orifice: .062"



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
STERLING					
PRESSURE SWITCH					
	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Switch, Pressure, High, NO	18-03601, 20PS39-16	RD-5-4912-0P	**71R6100**
	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Pressure Cycling Switch, closes 46 psi	E35H-19E561A	RD-5-8026-0P	**71R6095**
1998-00	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Accumulator Cycling R-134A Switch, normally opens 46psi	F3AH-19E561AA, F3AZ-19E561A	RD-5-10442-0P	**71R6093**
1998-99	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Accumulator Cycling Switch, closes 46 psi	E35H-19E561AA	RD-5-8026-0P	**71R6095**
2007-10	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	High Pressure Switch, M10; 4 Terminal	06-35209-000, BOA91619	RD-5-13234-0P	**71R6155**

71R6093 RD-5-10442-0P
Type: High Side
Fitting / Connector: M12 x 1.5 female
Normally Closed – Closes at 23 PSI – Opens at 46 PSI



71R6095 RD-5-8026-0P
Type: Low Side –
Ford Accumulator Cycling Switch #E35H-19E561AA
Fitting / Connector: ¼" female flare
Normally Open – Closes at 46 PSI – Opens at 25 PSI



71R6100 RD-5-4912-0P
Type: High Side
Fitting / Connector: ¼" female flare
Normally Open – Closes at 250 PSI – Opens at 190 PSI




71R6155 RD-5-13234-0P
High Pressure
4 Terminal Green
M10 Threads



SWITCH					
1998-10	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Rotary switch, 4 terminal	F4DZ-19986A	RD-5-10194-0P	**RD-5-10194-0P**
1998-10	A-Line, Acterra, L-Line, 5500 - 8500, Silverstar	Lever switch, 4 terminal, 4 position	F1HZ-19986A, D5AZ-19986A	RD-5-10196-0P	**71R0487**

71R0487 RD-5-10196-0P
Lever Switch, Single Pole,
4 Position Type
Function: LOW - MED1 - MED2 - HIGH
4 Terminal



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

TRIPAC APU

BINARY BOOT

	TRIPAC APU	BOOT ASSY BINARY 2 PART	416845	RD-5-12151-2P	**71R4511**

71R4511 RD-5-12151-2P



BINARY SWITCH

	TRIPAC APU	SWITCH - BINARY PRESSURE (SCHRADER)	417020	RD-5-4640-0P	**71R7050**

71R7050 RD-5-4640-0P

7/16-20 UNF-2B Female Thread for Installation on Male Schrader Type Valve.



BLOWER MOTOR

	TRIPAC APU	MOTOR BLOWER ASSY - DOUBLE 12V	781537	RD-5-8837-0P	**73R5532**

73R5532 RD-5-8837-0P

Three Speed
442 CFM – 12 volt – 12 ¼" x 3 ⅛" x 4 ½"
Replacement Resistor: 71R1403



COMPRESSOR

	TRIPAC APU	COMPRESSOR - QP15HD 12V 123MM PV8 EAR 1266	102580	RD-5-10429-1P	**75R86132Q**

75R86132Q RD-5-10429-1P

Model: QP-15HD **Head:** A **Voltage:** 12V
Mount: Ear **ICE:** 2521266 **Seltec:** 488-45122
Clutch: 4 ¾" (123mm) Poly 8 **R134a**



CONDENSER

	TRIPAC APU	CONDENSER	672145, 672363, 672494	RD-4-7474-0P	**77R8370**

77R8370 RD-4-7474-0P

Overall Width: 21 ¾"
Fin Width: 18 ¾"
Height: 12"



EXPANSION VALVE

	TRIPAC APU	EXPANSION VALVE - R134A	613413	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



TRIPAC APU

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
PRESSURE SWITCH					
	TRIPAC APU	PRESSURE SWITCH	417509	RD-5-15711-0P	**71R6280**

71R6280 RD-5-15711-0P

1/8" -27 NPT/ two conductor bare wire
Normally Closed
Working Pressure: On 300±15 PSI - Off 400 ±15 PSI



RECEIVER DRIER					
	TRIPAC APU	RECEIVER DRIER ASSY	613316	RD-5-4727-0P	**74R2586**
	TRIPAC APU	RECEIVER DRIER	613552	RD-5-15698-0P	**74R4208**

74R2586 RD-5-4727-0P

Includes Binary™ Switch
3" diameter x 6" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R4208 RD-5-15698-0P



RECEIVER DRIER BRACKET					
	TRIPAC APU	RECEIVER DRIER - BRACKET KIT- BULKHD MT	925028	RD-3-3454-0P	**74R7210**

74R7210 RD-3-3454-0P

Receiver Drier Bracket



RELAY					
	TRIPAC APU	RELAY - 12V WITH DIODE	449111	RD-5-9915-0P	**71R1722**

71R1722 RD-5-9915-0P

12V Relay with Diode,
40/30 amps,
SPST, 5 terminals



THERMOSTAT					
	TRIPAC APU	THERMOSTAT - 12IN	416844	RD-5-8938-0P	**71R3160**

71R3160 RD-5-8938-0P



Capillary Length: 12"
Type: Fixed
Temp. Range: 31°- 40°F
Clutch Cycle Range: 8°F

VOLVO/WHITE GMC

BLOWER MOTOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	3918242, 2809-541-006	RD-5-6531-0P	**73R0322**
	All with OEM Part No.	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	60009-5005, 2807-517-019	RD-5-6526-1P	**73R0402**
	All with OEM Part No.	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	3949262, 60009-5009	RD-5-6526-0P	**73R0422**
	All with OEM Part No.	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	892106	RD-5-10905-0P	**73R0442**
	All with OEM Part No.	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	3949388	RD-5-9100-0P	**73R0462**
	All with OEM Part No.	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	1707646	RD-5-9100-0P	**73R0462**
	All with OEM Part No.	Kysor A/C, single shaft-non-vented, 1 speed, CW, 4 7/8" length	60009-5014, 275130	RD-5-7129-0P	**73R0542**
	All with OEM Part No.	Motor, Flange Mount, 1 speed, 4 3/4" length, CW, No Wire	3949261	RD-5-4937-0P	**73R2102**
	All with OEM Part No.	Motor, 12V, 1 Speed, Double 5/16" Shaft, WO/Mounting Studs	3949266	RD-5-6801-0P	**73R4182**
1988-00	WG, WXLL	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	V1118390, 3945237	RD-5-10073-0P	**73R4312**
1988-00	WC, WCA, WG, WIA	Motor, 12V, 1 Speed, Double 5/16" Shaft, without Mounting Studs	868541	RD-5-10068-0P	**73R4322**
1988-00	ACL, WC, WCA, WG, WH, WI, WIA, WX, WXLL, WXR	Motor, 12V, 1 Speed, Double 5/16" Shaft, WO/Mounting Studs, with Adapter Harness	3945237, BOA-80-415-00-159, 279, 3919288	RD-3-10538-0P	**73R4532**
1988-01	WG, WX Dual, WXLL Dual	Main unit (Bergstrom), plate mounted 6 3/4" diameter	1092319	RD-5-10395-0P	**73R3032**
1988-01	WX Dual	Main unit, Bosch motor, plate mounted 6 3/4" diameter	203038, 60009-5025, V1092319, V1119217	RD-5-10395-0P	**73R3032**
1988-02	FE	Motor, 12V, 1 Speed, Double 5/16" Shaft, with Mounting Studs	275102	RD-5-5614-0P	**73R4062**
1996-02	VN420, 610, 770, VNL64T	Behr Sleeper Unit, plate mounted, 7" diameter, CW, 1 speed, 4 3/4" length	3949102, BOA-85-440-51-009	RD-5-11466-0P	**73R3002**
1996-06	VN, VHD, VT	Main Behr unit motor with blower wheel	BOA-80-414-00-769, 3946686	RD-5-14046-0P	**73R5652**
1998-02	VN420, 610, 770	Sleeper Unit (Behr), plate mount, 7 3/16" diameter	BOA-85-462-51-009, 3949886	RD-5-11488-0P	**73R3052**
2002-10	VN, VHD, VT	Main Unit and sleeper	BOA94350, BOAD8587	RD-5-13068-0P	**73R3132**

73R0322 RD-5-6531-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 1⁄2 x 3 5⁄8" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented - RFI
Connector: Two conductor Packard #12034343

73R0402 RD-5-6526-1P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 5" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0422 RD-5-6526-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0442 RD-5-10905-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 5⁄8" x 4 1⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 3⁄4"
Vented
Connector: Two conductor Packard 1⁄4" blade terminal #2973781

73R0462 RD-5-9100-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 5" x 4 1⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0542 RD-5-7129-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 7⁄8" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄4"
Non Vented
Connector: Male blade with Packard #8900420

73R2102 RD-5-4937-0P



Single Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Plate Mounted
Dimensions: 4 3⁄4" x 4 1⁄8" x 3 1⁄8"
Shaft: 5⁄16" diameter, Length: 1 1⁄16"
Vented Includes wire assembly
Connector: Male spade OE#IHC274243, ZGG16249

73R3002 RD-5-11466-0P



Single Speed
12 Volt
Rotates CW
PM Motor
Plate Mounted
Dimensions: 4 5⁄8" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Plate/Flange Diameter: 7"
Wheel: 6" diameter, 2 1⁄2" width
Vented
Connector: Two conductor Packard terminal block 12065863 with 12020120 terminal

73R3032 RD-5-10395-0P



Single Speed
12 Volt
Rotates CW
Plate Mounted
Dimensions: 5" x 4 9⁄32" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄4"
Plate/Flange Diameter: 6 3⁄4"
Vented
Connector: Two conductor spade termination

73R3052 RD-5-11488-0P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor – Plate Mount
Dimensions: 4 1⁄4" x 3 13⁄16" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Plate/Flange Diameter: 7 3⁄16"
Wheel: 6" diameter, 2 1⁄2" width
Vented
Connector: Two conductor Packard terminal block #12064750

73R3132 RD-5-13068-0P



Single Speed
12 Volt
Rotates CW
Flange Mount

73R4062 RD-5-5614-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4" x 3 3⁄8" x 3 1⁄8"
Shafts: 5⁄16" diameter, length: 3 1⁄4"
Vented
Connector: Two conductor Packard #2971859, 1⁄4" blade terminal

VOLVO/WHITE GMC

73R4182 RD-5-6801-0P
Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2 5⁄8"
Vented
Connector: 1⁄4" spade receptacle



73R4312 RD-5-10073-0P
Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 5 3⁄8" x 4 1⁄2" x 3"
Shafts: 5⁄16" diameter, length: 2 13⁄16"
Vented
Connector: Two conductor 1⁄4" spade receptacle



73R4322 RD-5-10068-0P
Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 4 7⁄8" x 4 1⁄2" x 3"
Shafts: 5⁄16" diameter, length: 2 1⁄2"
Vented
Connector: Two conductor 1⁄4" spade receptacle



73R4532 RD-3-10538-0P
Single Speed
12 Volt
Field Wound Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 5 1⁄8" x 4 1⁄2" x 3"
Shafts: 5⁄16" diameter, Shaft length: 2 7⁄16"
Vented Includes gasket and wire assembly
Connector: Two conductor integrated spade receptacle



73R5652 RD-5-14046-0P
Single Speed – 253 CFM – 12 volt –
12 1⁄4" x 3 1⁄8" x 4 1⁄2"



BLOWER WHEEL

	All with OEM Part No.	CCW, Single Entry	60010-5001	RD-5-8618-0P	**73R6051**
	All with OEM Part No.	CCW, Single Entry	60010-5009, 1-1033Q, HC1025, HC1340	RD-3106-39P	**73R6151**
	All with OEM Part No.	CW, Single Entry	60010-5002, 3949274	RD-5-3800-1P	**73R6251**
	All with OEM Part No.	Wheel, Blower, Reversible, Double Entry	260680, BSM602005	RD-5-5656-0P	**73R7000**
	All with OEM Part No.	Reversible, Double Entry	60010-5014, HC1290	RD-5-5656-0P	**73R7000**
	All with OEM Part No.	Red Dot A/C with 3 5/16" double entry wheel, 3 3/4" width	3918247	RD-3-4829-1P	**73R7071**
1996-06	VN420, 610	Sleeper units, 5 5/8" single entry wheel, 3 7/16" width, CW	3947421, BSM302011	RD-5-10753-0P	**73R6253**
1998-00	ACL	Wheel, Blower, Reversible, Double Entry	1118417	RD-5-10346-0P	**73R7130**

73R6051 RD-5-8618-0P
5 1⁄4" diameter, 3 1⁄2" width
5⁄16" bore diameter
Hub inset: 3⁄4"
CCW Rotation
Steel



73R6151 RD-3106-39P
5 1⁄4" diameter, 2 1⁄2" width
5⁄16" bore diameter
Hub inset: 7⁄8"
CCW Rotation
Steel



73R6251 RD-5-3800-1P
5 1⁄4" diameter, 3 7⁄16" width
5⁄16" bore diameter
Hub inset: Flat
CW Rotation
Steel



73R6253 RD-5-10753-0P
6" diameter, 3" width
5⁄16" bore diameter
Hub inset: 1 1⁄2"
CCW Rotation
Plastic



73R7000 RD-5-5656-0P
3 3⁄16" diameter, 3 13⁄16" width
5⁄16" bore diameter
Hub inset: 1 1⁄8"
Dual Rotation
Plastic



73R7071 RD-3-4829-1P
3 5⁄16" diameter, 3 3⁄4" width
5⁄16" bore diameter
Hub inset: 1 13⁄16"
Dual Rotation
Steel



73R7130 RD-5-10346-0P
4 3⁄4" diameter, 3 7⁄32" width
5⁄16" bore diameter
Hub inset: 1 1⁄16"
CW Rotation
Plastic



VOLVO/WHITE GMC

CLUTCH ASSEMBLY

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	12V, 1A Groove-Overhang, 125MM, 1 Wire	511575, 511869	RD-5-6646-0P	**75R0182**
	All with OEM Part No.	12V, 2A Groove, 125MM, 1 Wire	6511-6110, 9353-6010	RD-5-7831-0P	**75R0192**
	All with OEM Part No.	12V, 2A Groove, 132MM, 1 Wire	6519-6010	RD-5-5486-0P	**75R0202**
	All with OEM Part No.	12V, 2A Groove, 132MM, 1 Wire	6514-6210	RD-5-5486-0P	**75R0202**
	All with OEM Part No.	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	61103-0019	RD-5-10367-0P	**75R0422**
	All with OEM Part No.	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	332639	RD-5-4967-0P	**75R0452**
	All with OEM Part No.	12V, 2A Groove, 6", 1 Wire	1118116, 61103-0017, 024 21590	RD-5-4972-1P	**75R1202**
	All with OEM Part No.	12V, 2A Groove, 125MM, 2 Wire	85105256, 4695-9931, 4896-9931	RD-5-10368-0P	**75R1532**
	All with OEM Part No.	1 groove, 6 3/4" diameter pulley, 1/2" width, 1 3/4" gaugeline, bullet plug	02701-0496, 10582, 502731, 520533A	RD-5-4975-0P	**75R1652**
	All with OEM Part No.	2 groove 1/2" width, 5 1/4" diameter (132mm), metripak plug	3918124	RD-5-10759-0P	**75R1832**
	All with OEM Part No.	12V, PV8 Groove, 119MM, 2 Wire	3099389, 3948140, 4606-6871, 4705-9930, 9931	RD-5-10760-0P	**75R1842**
	All with OEM Part No.	2 groove 1/2" width, 5 1/4" diameter (132mm), metripak plug	4752-9931, 4777-9931, 85100878	RD-5-10761-0P	**75R1852**
	All with OEM Part No.	12V, 2A Groove, 7", 1 Wire	31160-7760, 332334	RD-5-4994-0P	**75R4502**

75R0182 RD-5-8382-0P
Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: ½"
12 Volts
B Dimension: 2 7/16" / 62 mm
Single wire coil
Male bullet plug



75R0192 RD-5-7831-0P
Model SD7
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Distance: -
Single wire coil
Male bullet plug



75R0202 RD-5-5486-0P
Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm
Single wire coil
Bare wire



75R0422 RD-5-10367-0P
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 2 ¼"
Single wire coil
Female Weatherpak (IHC) plug



75R0452 RD-5-4967-0P
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"
Single wire coil
Male bullet plug



75R1202 RD-5-4972-1P
OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Weatherpak plug



75R1532 RD-5-10368-0P
Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Distance: 2 5/32" / 55mm
Double wire coil
Metripak plug



75R1652 RD-5-4975-0P
OE #L50-2731
Diameter: 6 ¾"
Groove: 1
Width: 5/8"
12 Volts
B Dimension: 1 3/
Single wire coil
Male bullet plug



75R1832 RD-5-10759-0P
Model 709 / 7H15
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: —
Double wire coil
Metripak plug



75R1842 RD-5-10760-0P
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 8
Width: .14"
12 volts
B Distance:
Double wire coil
Metripak plug



75R1852 RD-5-10761-0P
Model 709 / 7H15
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 volts
B Distance: —
Double wire coil with diode
Metripak plug



75R4502 RD-5-4994-0P
Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"
Single wire coil
Male bullet plug



VOLVO/WHITE GMC

COMPRESSOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	ER210L-25149	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	99242-5	RD-5-8637-0P	**75R7280**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	ET210L-25150	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	99244-5	RD-5-8638-0P	**75R7290**
	All with OEM Part No.	7H15, WV head, direct mount, poly 8 groove, 5 1/8" (130 mm) diameter	20388777, 4733	RD-5-11256-0P	**75R81362**
	All with OEM Part No.	7H15, WV head, direct mount, poly 8 groove, 5 1/8" (130 mm) diameter	20501067, 4892	RD-5-11256-0P	**75R81362**
	All with OEM Part No.	7H15, WV head, direct mount, poly 6 groove , 4.9" diameter (125 mm)	8088112, 20501069	RD-5-11257-0P	**75R81372**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JDA head	8177090, 4647	RD-5-11316-1P	**75R81472Q**
	All with OEM Part No.	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, JDA head	8177089, 4660	RD-5-11322-0P	**75R81482**
	All with OEM Part No.	7H15, JD head, direct mount, 2A groove , 5 1/4" diameter (132mm)	8080059, 85104467, 4699	RD-5-11330-0P	**75R81532**
	All with OEM Part No.	7H15, JD head, direct mount, 2A groove , 5 1/4" diameter (132mm)	8080059, 4699	RD-5-11330-0P	**75R81532**
	All with OEM Part No.	(125mm) Ear Mount JDA head, 2A groove clutch	20370291, 4779	RD-5-11336-0P	**75R81572**
	All with OEM Part No.	7H15, WV head, ear mount, 2A groove , 5 1/4" diameter (132mm)	8082270, 4717	RD-5-11343-0P	**75R81652**
	All with OEM Part No.	7H15, WV head, ear mount, 2A groove , 5 1/4" diameter (132mm)	85104592	RD-5-11343-0P	**75R81652**
	All with OEM Part No.	7H15, WV head, ear mount, 2A groove , 5 1/4" diameter (132mm)	20370289, 20501067, 4777, 4893	RD-5-11343-0P	**75R81652**
	All with OEM Part No.	7H15, JD head, direct mount, 2A groove , 5 1/4" diameter (132mm)	8080059, 85104467, 4894	RD-5-11345-0P	**75R81672**
	All with OEM Part No.	7H15, KC head, ear mount, poly 8 groove, 5 1/8" (130 mm) diameter	8080058, 8142556, 8177089	RD-5-11346-0P	**75R81682**
	All with OEM Part No.	7H15, KC head, ear mount, poly 8 groove, 5 1/8" (130 mm) diameter	85104531, 4895	RD-5-11346-0P	**75R81682**
	All with OEM Part No.	7H15, JD head , ear mount , 2A groove, 4.9" (125mm) diameter	85104468, 4896	RD-5-11347-0P	**75R81692**
	All with OEM Part No.	7H15, C head, ear mount, variable groove 6 1/4" diameter (158mm)	V1110148	RD-5-11350-0P	**75R81732**
	All with OEM Part No.	7H15, WV head, ear mount, poly 8 groove, 5 1/8" (130 mm) diameter	8082268, 4716	RD-5-11356-0P	**75R81762**
	All with OEM Part No.	5H14HD, 12V, 2A Groove, 132MM, 1 Wire, FL head	8080060, 4510	RD-5-7088-0P	**75R8382**
	All with OEM Part No.	5H14HD, 12V, 2A Groove, 132MM, 1 Wire, FL head	8177090, 6664	RD-5-7088-0P	**75R8382**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JD head	8164872, 4627	RD-5-7120-0P	**75R8422**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JD head	20370291, 8164872	RD-5-7120-0P	**75R8422**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 132MM, 2 Wire, JDA head, Direct Mount	8022507, 4626	RD-5-7522-0P	**75R8432**
	All with OEM Part No.	7H15, JD head, direct mount, 2A groove , 5 1/4" diameter (132mm)	20370292, 4780	RD-5-7522-0P	**75R8432**
	All with OEM Part No.	7H15HD, 12V, 2A Groove, 132MM, 2 Wire, JDA head, Direct Mount	8022507, 8177091	RD-5-7522-0P	**75R8432**
	All with OEM Part No.	7H15, JD head, ear mount, 2 groove , 5 1/4" diameter (132mm)	8080060, 4694	RD-5-10276-0P	**75R84362**
	All with OEM Part No.	7H15, WV head, direct mount, 2A groove , 5 1/4" diameter (132mm)	8082269, 4715	RD-5-10278-0P	**75R84382**
	All with OEM Part No.	7H15, WV head, direct mount, 2A groove , 5 1/4" diameter (132mm)	20370290, 4778	RD-5-10278-0P	**75R84382**
	All with OEM Part No.	7H15, WV head, direct mount, 2A groove , 5 1/4" diameter (132mm)	85104593, 4890	RD-5-10278-0P	**75R84382**
	All with OEM Part No.	7H15, KC head, direct mount, poly 8 groove, 5 1/8" (130 mm) diameter	20395054, 4823	RD-5-10282-0P	**75R84452**
	All with OEM Part No.	7H15, KC head, ear mount, poly 8 groove, 5 1/8" (130 mm) diameter	8142556, 4659	RD-5-10286-0P	**75R84482**
	All with OEM Part No.	7H15, KC head, ear mount, poly 8 groove, 4.9" (125mm) diameter	20370293, 4781	RD-5-10286-0P	**75R84482**
	All with OEM Part No.	7H15, KC head, ear mount, poly 8 groove, 5 1/8" (130 mm) diameter	8142556	RD-5-10286-0P	**75R84482**
	All with OEM Part No.	7H15, JD head, ear mount, poly 8 groove, 4.7" (119 mm) diameter	8142556, 4711, 8103	RD-5-9251-0P	**75R8462**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, F Head, R-12	488-25063	RD-5-5875-1P	**75R8502Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	488-25011	RD-5-5876-1P	**75R8512Q**
	All with OEM Part No.	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, D Head	488-45063	RD-5-8944-1P	**75R8532Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45077	RD-5-9609-10P	**75R8552Q**
	All with OEM Part No.	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45011	RD-5-7145-1P	**75R8612Q**
	All with OEM Part No.	QP15HD, 12V, 1 VAR Groove, 159MM, 1 Wire, D Head	488-45065	RD-5-7164-1P	**75R8632Q**

COMPRESSOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

VOLVO/WHITE GMC

COMPRESSOR

75R7280 RD-5-8637-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7290 RD-5-8638-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied




75R81362 RD-5-11256-0P

Model: 7H15HD **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4493, 4733, 4892
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**




75R81372 RD-5-11257-0P

Model: 7H15HD **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4494, 4757, 4891
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81472Q RD-5-11316-1P

Model: QP-7H15 **Head:** JDA **Voltage:** 12V
Mount: Ear
Clutch: 5" (125mm) 2 Groove **R134a**




75R81482 RD-5-11322-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4660
Clutch: 4 ¾" (119mm) Poly 8 **R134a**



75R81532 RD-5-11330-0P

Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4699
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R81572 RD-5-11336-0P

Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4779
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R81652 RD-5-11343-0P

Model: 7H15 **Head:** WV **Voltage:** 12
Mount: Ear **Sanden:** 4717, 4777, 4893
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R81672 RD-5-11345-0P

Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4894
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R81682 RD-5-11346-0P

Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4895
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**




75R81692 RD-5-11347-0P

Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4896
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R81732 RD-5-11350-0P

Model: 7H15 **Head:** C **Voltage:** 12
Mount: Ear **Sanden:** 4747
Clutch: 6 ¼" (158mm) Variable 1 Groove **R-134a**




75R81762 RD-5-11356-0P

Model: 7H15SHD **Head:** WV **Voltage:** 12
Mount: Ear **Sanden:** 4490, 4716
Clutch: 5 ⅛" (130mm) Poly 8 **R-134a**




75R8382 RD-5-7088-0P

Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8422 RD-5-7120-0P

Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4627
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R8432 RD-5-7522-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4626, 4695
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84362 RD-5-10276-0P

Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4694
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R84382 RD-5-10278-0P

Model: 7H15 **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4715, 4890
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84452 RD-5-10282-0P

Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4823
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**



COMPRESSOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

VOLVO/WHITE GMC

COMPRESSOR

75R84482 RD-5-10286-0P
Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4659
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**



75R8462 RD-5-9251-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4711, 8103
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R8502Q RD-5-5875-1P
Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521129 **Seltec:** 488-25063
Clutch: 5" (125mm) 1 Groove overhang **R-12**



75R8512Q RD-5-5876-1P
Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




75R8532Q RD-5-8944-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**




75R8552Q RD-5-9609-10P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521301 **Seltec:** 488-45077
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R8612Q RD-5-7145-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R8632Q RD-5-7164-1P
Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**




CONDENSER

	All with OEM Part No.	Radiator Mount	RD-4-3724-0	RD-4-3724-0P	**77R0650**
1994-00	White	Condenser	8022509	RD-4-7503-0P	**77R8480**
1994-99	HD	Condenser	8164786	RD-4-7504-0P	**77R8485**
1996-03	VN	Radiator Mount, Tube-Fin Type overall 32 1/2", fin width 30 3/4" x 16 3/8"	20461065, 21095290, 3092918, 8084347, 8084348	RD-4-6343-0P	**77R0585**
1999-01	VN	Condenser	8157100	RD-4-7497-0P	**77R8490**

77R0585 RD-4-6343-0P
Multiflow Coil Type
Overall Width: 32 ½"
Fin Width: 30 ¾"
Height: 16 ⅜"
Thickness: 1"



77R0650 RD-4-3724-0P
Tube & Fin Coil Type,
Overall Width: 25"
Fin Width: 23"
Height: 12 ¼"
Thickness: 1 ¾"




77R8485 RD-4-7504-0P
Overall Width: 28 3/4"
Fin Width: 25 3/4"
Height:: 18 1/4"
Thickness: 3/4"



EVAPORATOR

1994-00	WX, WXLL Dual	Evaporator Coil	60004-3201, NA1310, NB1100	RD-2-1381-0P	**76R6950**

76R6950 RD-2-1381-0P
8" high x 12 1/16" long x 3 13/32" wide



VOLVO/WHITE GMC

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
EXPANSION VALVE					
	All with OEM Part No.	Right Angle, O Ring, with Capillary, with Equalizer	60012-5002	RD-5-3824-1P	**71R8100**
	All with OEM Part No.	Main unit with internal equalizer, 1 1/2 Ton, male O-Ring	A22-14420-1	RD-5-10445-0P	**71R8220**
1988-00	ACL	Block, #6 #10 #8 #8, with Mounting Holes	3916657	RD-5-6868-1P	**71R8301**
1988-01	WCA, WH, WG, WIA, WX	Block, #6 #10 #8 #8, with Mounting Holes	BSM308011, 3916657, 540031, 040138-123, EA1065	RD-5-6868-1P	**71R8301**
1996-01	VN420, 610, 770	Block, #6 #10 #8 #8, Flange Mount	BOA-80-321-00-209	RD-5-7179-0P	**71R8420**
1996-02	VN420, 610, 770	Main Unit	3946673, BOA-80-321-00-209	RD-5-10333-0P	**71R8440**
2000-02	VHD	Block, #6 #10 #8 #10, with Mounting Holes	3916182, 3949881, BOA-80-321-00-249	RD-5-7015-1P	**71R8321**

71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (¾") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P

Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8420 RD-5-7179-0P

Inlet: #6 Plate (Flange) Mount
Outlet: #10 Plate (Flange) Mount
Evaporator Fittings
In: #8 Plate (Flange) Mount
Out: #8 Plate (Flange) Mount
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F



71R8440 RD-5-10333-0P

Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #12 (¾") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superheat Rating: 5.5°F
Pressure Limit: 65.7 psig @90°F



FAN					
	All with OEM Part No.	Bergstrom, Kysor and Red Dot A/C, 10" diameter, 23° pitch	60501-5002	RD-5-7297-0P	**73R8100**
	All with OEM Part No.	Fan, Defrost, Universal, 12 Volt, 2 Speed	4060009-000, 8911949, 2899-006-026, 038, 051	RD-5-5796-0P	**73R9062**

73R8100 RD-5-7297-0P

10" Diameter, 23° Pitch



73R9062 RD-5-5796-0P

12V, Metal Cage



FILTER					
2003-13	VN, Conventional, C.O.E.	Pleated air filter, 12 1/2" wide x 9 1/4" high x 1 1/8" thick	20435801	RD-5-12354-0P	**78R5242**

78R5242 RD-5-12354-0P

12 ½" Wide x 9 ¼" High x 1 ⅛" Thick



VOLVO/WHITE GMC

PRESSURE SWITCH

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	All with OEM Part No.	with Red Dot A/C, Trinary Switch with harness	61522-0007	RD-5-12150-0P	**71R4501**
	All with OEM Part No.	Switch, Pressure, APADS, High, NC	8040135	RD-5-9990-0P	**71R6400**
	All with OEM Part No.	APAds low pressure switch, M10 female fitting	8040189	RD-5-10783-0P	**71R6424**
	All with OEM Part No.	APAds low pressure switch, 1/4" NPTF fitting	8040223, 3948742	RD-5-10853-0P	**71R6442**
	All with OEM Part No.	APAds fan trigger control switch, M10 female fitting	8040242	RD-5-10789-0P	**71R6450**
	All with OEM Part No.	APADS controller	20579815	RD-5-11380-0P	**71R6453**
	All with OEM Part No.	ECM, APADS Controller	8042105	RD-5-10352-0P	**71R6565**
	All with OEM Part No.	APADS controller	8042108, 3939315	RD-5-10855-0P	**71R6566**
	All with OEM Part No.	APADS controller	8042133, 20357741, 20579810, 8042157	RD-5-11381-0P	**71R6571**
	All with OEM Part No.	APADS controller	8042107, 3939313	RD-5-10859-0P	**71R6573**
	All with OEM Part No.	APADS controller	8042114, 3099497	RD-5-10860-0P	**71R6576**
	All with OEM Part No.	APADS controller	8042106, 3939314	RD-5-10861-0P	**71R6578**
	All with OEM Part No.	Binary 3/8"-24 UNF male with bulkhead seal	RD 5 4646 0	RD-5-4646-0P	**71R7000**
	All with OEM Part No.	Switch, Pressure, Trinary, NO	RDH RD5 4585 0, 61522-3801	RD-5-4585-0P	**71R7500**
	All with OEM Part No.	Switch, Pressure, Trinary, NO	RD-5-4583-0P	RD-5-4583-0P	**71R7550**
	All with OEM Part No.	Switch, Pressure, Trinary, NC	RD-5-4620-0P	RD-5-4620-0P	**71R7600**
	All with OEM Part No.	Switch, Pressure, Trinary, NC	RD-5-4625-0, BA1240	RD-5-4625-0P	**71R7650**
	Conventional, C.O.E.	Switch, Pressure, Trinary, NC	61522-0006, 176225	RD-5-4625-0P	**71R7650**

71R4501 RD-5-12150-0P



71R6400 RD-5-9990-0P



71R6424 RD-5-10783-0P



71R6442 RD-5-10853-0P



71R6450 RD-5-10789-0P



71R6453 RD-5-11380-0P



71R6565 RD-5-10352-0P

Detroit Series 60 engine



71R6566 RD-5-10855-0P



71R6571 RD-5-11381-0P



71R6573 RD-5-10859-0P



71R6576 RD-5-10860-0P



71R6578 RD-5-10861-0P



71R7000 RD-5-4646-0P

⅜-24 UNF-2A Male Thread with Bulkhead Type Seal using a 2-012 "O" Ring.



71R7500 RD-5-4585-0P

⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally open



71R7550 RD-5-4583-0P

⅞" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally open



71R7600 RD-5-4620-0P

⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally closed



71R7650 RD-5-4625-0P

⅞" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally closed




VOLVO/WHITE GMC

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
RECEIVER DRIER					
	All with OEM Part No.	2 3/4"x10", #6MOR in, #6 MOR out, PRV, Top Glass, Side Port	3441124, 61510-5006	RD-5-3593-0P	**74R1756**
	All with OEM Part No.	2 3/4"x10", #6MOR in, #6MOR out, PRV, Top Glass, Side Port with Low Pressure Switch	61510-0001, 7077922, BSM319000	RD-4160-1P	**74R2106**
	All with OEM Part No.	#6 male O-Ring, 2 3/4" X 10 5/8", without trinary switch	61510-5005	RD-5-6768-2P	**74R2797**
1987-03	WG, WCA, WIA	O-Ring Type with moisture indicator	20407205, 3934718, 8025531, 088491-01, 61510-0008	RD-5-11533-0P	**74R3107**
1996-00	VN420, 610, 770	O-Ring type with female switch port, moisture indicator and 90° fittings	20407205, 088492-01, 8078261	RD-5-11532-0P	**74R1407**
1996-00	VN420, 610, 770	O-Ring type with female switch port, moisture indicator and straight fittings	20407203	RD-5-8240-1P	**74R3347**
1997-02	VN420, 610, 770	O-Ring Type with moisture indicator "Standard Version"	20447319, 8086753	RD-5-11531-0P	**74R1427**
1998-06	WH, WX, WX Dual, WXLL	O-Ring Type with Switch Port and HPRV	8025531	RD-5-11533-0P	**74R3107**
1998-10	VHD	O-Ring Type with 90° inlet and outlet	20447319, 8086753	RD-5-11533-0P	**74R3107**
1998-13	VN420, 610, 770	O-Ring Type with moisture indicator "OEM Version"	8086753, 82733985	RD-5-11531-0P	**74R1427**
1998-13	VN420, 610, 770	O-Ring Type with 90° inlet and outlet	088485-01, 8086753	RD-5-11533-0P	**74R3107**
1999-01	ACL, WG, WX, WXLL, WXR	O-Ring Type with moisture indicator	3934718, 20407203	RD-5-11533-0P	**74R3107**

74R1407 RD-5-11532-0P
Includes Moisture Indicator
3" diameter x 9" long
#6 Male O-Ring
Press Relief



74R1427 RD-5-11531-0P
3" diameter x 9" long
#6 Male O-Ring
Volvo VN Series
OE#20447319
Mack Granite
2013-2014



74R1756 RD-5-3593-0P
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2106 RD-4160-1P
Includes Low Pressure Switch
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure /
Pressure Relief
Side Port



74R2797 RD-5-6768-2P
Includes Moisture Indicator
3" diameter x 10 ¾" long
#6 Male O-Ring
High Capacity
Press Relief
Top Port



74R3107 RD-5-11533-0P
Includes Moisture Indicator
3" diameter x 9 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port
¼" Schrader Valve




74R3347 RD-5-8240-1P
Includes Moisture Indicator
3" diameter x 9 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



RELAY					
1974-00	FE	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	176569, 651150	RD-5-4408-0P	**71R1702**
1996-01	VHD, VN, 420, 610, 770	Relay, Blower, 12V, 30/40A, Socket Mount	BOA 80-945-00-079, 3949297	RD-5-9915-0P	**71R1722**
1996-01	VN420, 610, 770	Relay, Blower, 12V, 30/40A, Socket Mount	BOA-80-945-00-079	RD-5-9915-0P	**71R1722**

71R1702 RD-5-4408-0P
12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type



71R1722 RD-5-9915-0P
12V Relay with Diode,
40/30 amps,
SPST, 5 terminals



VOLVO/WHITE GMC

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
RESISTOR					
	All with OEM Part No.	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	60057-5005	RD-5-10441-0P	**71R1463**
1984-00	ACL, WG, WH, WX, WIA, WCA, WX Dual, WXR, WXLL	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	V1115284, V1118410, V212421, V313119, V3134241	RD-5-10341-0P	**71R1457**
1984-00	ACL, WCA, WG, WH, WIA, WX, WX Dual, WXLL, WXR	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	1115284	RD-5-10341-0P	**71R1457**
1987-05	All with OEM Part No.	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	V1697520, RD-5-3647-0	RD-5-3647-0P	**71R1450**
1988-02	ACL, WCA, WG, WH, WIA, WX, WX Dual, WXLL, WXR	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	3134241	RD-5-10341-0P	**71R1457**
1995-06	VN420, 610	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	650179	RD-5-10341-0P	**71R1457**
1996-06	VHD, VN, 420, 610, 770	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	BOA-80-926-00-139, 3946681	RD-5-10341-0P	**71R1457**
1997-04	VN420, 610, 770	Resistor, Blower Speed, Bakelite Back, 3 Terminal, 3 Speed	BOA-80-926-00-179, 3949112	RD-5-10341-0P	**71R1457**


71R1450 RD-5-3647-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1457 RD-5-10341-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 3" x 1 ¼" x .10" thick – Height: 1 ¼"



71R1463 RD-5-10441-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: .10" thick



SWITCH					
1988-00	All with OEM Part No.	Bergstrom A/C units, rocker, 2 terminal, 2 position, SPST	1118424, 650088	RD-5-8967-0P	**71R0840**
1993-00	All with OEM Part No.	Switch, Rotary, 3 Speed, Short Shaft, 5 Terminal	BA1020, BA1190, BOA-80-926-00-059	RD-5-9833-0P	**71R1160**
All	All with OEM Part No.	Toggle switch, SPST, 2 terminal	60015-5015	RD-5-3748-0P	**71R0010**

71R0010 RD-5-3748-0P
SPST Type
Chrome Toggle
Function: ON - OFF
2 Terminals



71R0840 RD-5-8967-0P
SPST Type
Function: Off-On
Terminals 12/24 VDC



71R1160 RD-5-9833-0P
3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps
Mounting hole: .442" x .385" - "D" hole



THERMOSTAT					
	All with OEM Part No.	with Knob Type 72" Cap Tube	30-2750267	RD-5-11029-0P	**71R2305**
1988-00	WCA, WG, WH, WIA, WX	Fixed 21" capillary tube, 31 - 40°F	1118408	RD-5-10335-0P	**71R3220**
1994-02	ACL	Fixed 32" capillary tube	3915962, 525335, BSM323020	RD-5-11031-0P	**71R2200**
2000-02	VHD	Fixed18" capillary tube, 28 - 35°F	BOA-80-946-00-129, 3093431	RD-5-10736-0P	**71R3155**

71R2200 RD-5-11031-0P
Mounting hole spacing: 2 ⅛"
Capillary Length: 24"
Type: Fixed
Temp. Range: 31°- 39°F
Clutch Cycle Range: 5°F



71R2305 RD-5-11029-0P
Capillary Length: 73"
Type: Variable
Temp. Range: 35°- 44°F



71R3155 RD-5-10736-0P
Capillary Length: 18"
Type: Fixed
Temp. Range: 28°- 35°F
Clutch Cycle Range: 7°F



71R3220 RD-5-10335-0P
Mounting hole spacing: 2 ⅛"
Capillary Length: 21"
Type: Fixed (side mount)
Temp. Range: 31°- 40°F



WATER VALVE					
1998-02	WG, WXLL Dual	Cable Operated (Bergstrom), pull to open	BSM324146	RD-5-11319-0P	**72R6533**
1999-00	WH, WX, WXR	Cable Operated (Bergstrom), pull to open	1118414	RD-5-11319-0P	**72R6533**

72R6533 RD-5-11319-0P
⅝" Hose to Core Mount –
Pull to Open



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
WESTERN STAR					
BLOWER MOTOR					
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	OE style blower motor (only), 3 3/4" length, non-vented	849601, 851402, 865236, 3093404	RD-5-10391-0P	**73R0092**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	03-7075298	RD-3106-18P	**73R0202**
1971-84	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	02-7008314, 1707686	RD-5-9100-0P	**73R0462**
1971-84	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Motor, 12V, CCW, 2 Speed, Single 5/16" Shaft, with Mounting Studs	02-7086612, 60009-5005	RD-3106-13P	**73R0602**
1983-01	Heritage 3800, 4800, 4900, 5900, 6900	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	3949263, RD-5-6526-1	RD-5-6526-1P	**73R0402**
1984-99	Heritage 4800, 4900, 5800, 5900, 6900	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	RD-5-6526-0, 6009-5003	RD-5-6526-0P	**73R0422**
1985-98	Heritage	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	6009-5003, 2807-517-019	RD-5-6526-1P	**73R0402**
1985-98	Constellation 4800, 4900, 5900, 6900	Motor, 12V, CCW, 1 Speed, Single 5/16" Shaft, with Mounting Studs, RFI Shielded	6009-5003	RD-5-8204-0P	**73R0432**
1985-99	Heritage 3800, 4800, 4900, 5900, 6900	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	60009-5009	RD-5-6526-0P	**73R0422**
1988-01	Heritage 3800, 4800, 4900, 5900, 6900	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	3949262, RD-5-6526-0, RD-5-8202-0	RD-5-6526-0P	**73R0422**
1993-02	Constellation	Sleeper unit, single shaft, CCW, 4 13/32" length	60009-3405	RD-5-8203-0P	**73R0962**
1993-03	Constellation 4800, 4900, 5800, 5900	Sleeper Unit (Red Dot), motor blower assembly	176132, RD-3-4058-0P, RD-5-6315-0	RD-3-4058-0P	**RD-3-4058-0P**
1995-05	Heritage 4800, 4900, 5900, 6900	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	RD-3-8657-0	RD-5-10905-0P	**73R0442**
1996-01	Constellation 4800, 4900, 5900, 6900	Motor, 12V, CW, 1 Speed, Single 5/16" Shaft, with Mounting Studs	RD-5-8663-0	RD-5-6526-0P	**73R0422**
1996-04	Constellation	Main cab (Red Dot), single shaft, 1 speed, CW, 4 3/8" length	RD-3-8657-0	RD-3-8657-0P	**73R1002**
1996-99	Constellation	Sleeper unit with heater blower motor, 1 speed, CW, 4" length	RD-5-9102-0	RD-5-5634-1P	**73R0922**

73R0092 RD-5-10391-0P



Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5⁄16"
Dimensions: 3 3⁄4" x 2 7⁄8" x 3"
Shaft: 1⁄4" diameter, Length: 1 1⁄2"
Non Vented
Connector: Two conductor, 14 gauge
Supplied with 5⁄16" adapter

73R0202 RD-3106-18P



Single Speed
12 Volt
Rotates CCW
Field Wound Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 3 7⁄8" x 3" x 3"
Shaft: 5⁄16" diameter, Length: 1 7⁄16"
Non Vented
Connector: One conductor, 14 gauge

73R0402 RD-5-6526-1P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 5" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0422 RD-5-6526-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0432 RD-5-8204-0P



Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 7⁄8"
Vented - RFI
Connector: Two conductor Packard #12034343

73R0442 RD-5-10905-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 5⁄8" x 4 1⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 3⁄4"
Vented
Connector: Two conductor Packard 1⁄4" blade terminal #2973781

73R0462 RD-5-9100-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 5" x 4 1⁄4" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0602 RD-3106-13P



Two Speed
12 Volt
Rotates CCW
Field Wound Motor
Stud Mounted, Span 2 5⁄16"
Dimensions: 4 1⁄4" x 3 13⁄32" x 3"
Shaft: 5⁄16" diameter, Length: 1 1⁄2"
Vented
Connector: Two conductor, orange-high, red-low

BLOWER MOTOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

WESTERN STAR

73R0922 RD-5-5634-1P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 7/8" x 4 1/4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductor Packard #2984528, 2971859



73R0962 RD-5-8203-0P

Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 13/32" x 4" x 3"
Shaft: 5/16" diameter, Length: 2"
Vented
Connector: Two conductor, 1/4" blade terminals Packard #2984528



73R1002 RD-3-8657-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 3/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 13/16"
Vented - RFI



BLOWER WHEEL

	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	CCW, Single Entry	RD-5-8618-0P, RD-3106-9P	RD-5-8618-0P	**73R6051**
1983-00	Constellation 4800, 4900, 5800, 5900	Main unit, single entry wheel (plastic), CW, 5 1/4" diame	02-7073625	RD-3106-38P	**73R6101**
1984-96	Constellation 3800, 4800, 4900, 5900, 6900	CCW, Single Entry	60010-5001, RD-5-8618-0P	RD-5-8618-0P	**73R6051**
1985-98	Heritage 3800, 4800, 4900, 5900, 6900	CW, Single Entry	60010-4401	RD-5-5263-0P	**73R6230**
1985-98	Constellation 4800, 4900, 5800, 5900	CW, Single Entry	60010-4401, RD-5-3800-1P	RD-5-3800-1P	**73R6251**
1988-01	Heritage 3800, 4800, 4900, 5900, 6900	CW, Single Entry	3949274, RD-3106-15, RD-5-3800-1	RD-5-3800-1P	**73R6251**
1995-01	Constellation 4800, 4900, 5800, 5900	CW, Single Entry	60012-5001, RD-5-5601-0	RD-5-5601-0P	**73R6370**

73R6051 RD-5-8618-0P

5 1/4" diameter, 3 1/2" width
5/16" bore diameter
Hub inset: 3/4"
CCW Rotation
Steel



73R6101 RD-3106-38P

5 1/4" diameter, 2 1/2" width
5/16" bore diameter
Hub inset: 7/8"
CW Rotation
Steel



73R6230 RD-5-5263-0P

5 1/4" diameter, 3 1/2" width
5/16" bore diameter
Hub inset: 3/4"
CW Rotation
Steel



73R6251 RD-5-3800-1P

5 1/4" diameter, 3 7/16" width
5/16" bore diameter
Hub inset: Flat
CW Rotation
Steel



73R6370 RD-5-5601-0P

5 3/4" diameter, 3" width
5/16" bore diameter
Hub inset: 1 13/16"
CCW Rotation
Plastic



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	WESTERN STAR				
	CLUTCH ASSEMBLY				
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	12V, 1A Groove-Overhang, 125MM, 1 Wire	511575, 511869	RD-5-6646-0P	**75R0182**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	12V, 2A Groove, 132MM, 1 Wire	509285, 6575-6310	RD-5-5486-0P	**75R0202**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	12V, 2A Groove, 125MM, 1 Wire	511051, 624-19749	RD-5-10723-0P	**75R0262**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	12V, 2A Groove, 6", 2 Wire	024 25238, 30932420, 520566, 522582	RD-5-9456-0P	**75R1302**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	1 groove, 6 3/4" diameter pulley, 1/2" width, 1 3/4" gaugeline, bullet plug	02-7010496, L50-2731, 502731	RD-5-4975-0P	**75R1652**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	12V, 2A Groove, 7", 1 Wire	02-7074272, 332334, MA 7A	RD-5-4994-0P	**75R4502**

75R0182 RD-5-8382-0P
Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: ½"
12 Volts
B Dimension: 2 7/16" / 62 mm
Single wire coil
Male bullet plug



75R0202 RD-5-5486-0P
Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm
Single wire coil
Bare wire



75R0262 RD-5-10723-0P
Model: Seltec - TM15
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 9/16" / 40 mm
Single wire coil
Male bullet plug



75R1302 RD-5-9456-0P
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"
Double wire coil w diode
Metripak plug



75R1652 RD-5-4975-0P
OE #L50-2731
Diameter: 6 ¾"
Groove: 1
Width: 5/8"
12 Volts
B Dimension: 1 ¾
Single wire coil
Male bullet plug



75R4502 RD-5-4994-0P
Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"
Single wire coil
Male bullet plug



WESTERN STAR

COMPRESSOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	ER210L-25149	RD-5-8637-0P	**75R7280**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Rotolock, LH Suction, #8 Discharge, #10 Suction, NO CLUTCH	99242-5	RD-5-8637-0P	**75R7280**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	ET210L-25150	RD-5-8638-0P	**75R7290**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, NO CLUTCH	99244-5	RD-5-8638-0P	**75R7290**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 1 Wire	ET210L-25073C	RD-5-11217-0P	**75R7312**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 2 Wire	ET210L-25237C	RD-5-11218-0P	**75R7322**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Tube-O, LH Suction, 1"-14 Discharge, 1"-14 Suction, 12V, 2A Groove, 6", 2 Wire	ET210L-25246C	RD-5-11219-0P	**75R7332**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	7H15HD, 12V, PV8 Groove, 119MM, 1 Wire, JDA Head	4645, 4665, 61104-3423, 85100887	RD-5-11313-0P	**75R81452**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	7H15, 12V, PV8 Groove, 119MM, 2 Wire, KC Head, Direct Mount	61104-3430, 4667, 4897	RD-5-11326-0P	**75R81502**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JD Head	61104-3411, 3916160	RD-5-7120-0P	**75R8422**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	7H15HD, 12V, 2A Groove, 125MM, 1 Wire, JD Head	4627, 8164872	RD-5-7120-0P	**75R8422**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	7H15, JD Head, direct mount, 2A groove , 5 1/4" diameter (132mm)	20370292, 4780	RD-5-7522-0P	**75R8432**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	7H15, KCA head, direct mt, poly 8, 4.7" (119mm) diameter	61104-3430, 4666, 4897	RD-5-10285-0P	**75R84472**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, F Head, R-12	488-25011	RD-5-5876-1P	**75R8512Q**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	QP15HD, 12V, 1A Groove Overhang, 125MM, 1 Wire, D Head	488-45063	RD-5-8944-1P	**75R8532Q**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45077	RD-5-9609-10P	**75R8552Q**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	QP15HD, 12V, 2A Groove, 135MM, 1 Wire, D Head	488-45011	RD-5-7145-1P	**75R8612Q**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	QP15HD, 12V, 1 VAR Groove, 159MM, 1 Wire, D Head	488-45065	RD-5-7164-1P	**75R8632Q**

COMPRESSOR CONTINUED ON NEXT PAGE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #

WESTERN STAR

COMPRESSOR

1993-03	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	7H15HD, 12V, 2A Groove, 132MM, 2 Wire, JDA Head, Direct Mount	61104-3420, 20370292, 4626	RD-5-7522-0P	**75R8432**
2010-14	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Nippondenso 12v, PV8 groove 140mm dia direct mount	10S15C, 22-65770-000	RD-5-14644-0P	**75R9072**
2011-14	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Nippondenso PV8 159mm dia direct mount	10S15C, 22-65771-000	RD-5-14645-0P	**75R9082**

75R7280 RD-5-8637-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7290 RD-5-8638-0P

Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



75R7332 RD-5-11219-0P

Fitting: 1" - 14
OE Replacement, Standard Duty
Clutch: 6 ⅛", Poly 8, .014"
Gauge LIne: 1 15⁄16"
Connector: 2 wire Metripak




75R81452 RD-5-11313-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4645
Clutch: 4.7" (119mm) Poly 7 **R134a**



75R81502 RD-5-11326-0P

Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4667
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R8422 RD-5-7120-0P

Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4627
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R8432 RD-5-7522-0P

Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4626, 4695
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84472 RD-5-10285-0P

Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4666
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R8512Q RD-5-5876-1P

Model: QP-15HD **Head:** F **Voltage:** 12V
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 ¼" (135mm) 2 Groove **R-12**



75R8532Q RD-5-8944-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**




75R8552Q RD-5-9609-10P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521301 **Seltec:** 488-45077
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R8612Q RD-5-7145-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R8632Q RD-5-7164-1P

Model: QP-15HD **Head:** D **Voltage:** 12V
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**




75R9072 RD-5-14644-0P

Model: 10S15C
Clutch: 140mm PV8 Clutch
Voltage: 12



75R9082 RD-5-14645-0P

Model: 10S15C
Clutch: 164mm PV8 Clutch
Voltage: 12



COMPRESSOR CONTINUED ON NEXT PAGE

WESTERN STAR

CONDENSER

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1986-92	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Serpentine Type overall 29 3/4", fin width 27 1/8" x 15 3/4"	61203-3209	RD-4-3916-0P	**77R0950**
1994-04	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Condenser Coil	61203-3428	RD-4-5287-0P	**77R7815**
1994-06	604	Grilldenser Type overall 39 3/7", fin width 35 1/2" x 22 5/6"	61203-3409	RD-4-5273-0P	**77R6817**
2005-08	Constellation	Grilldenser Type overall 39 3/7", fin width 35 1/2" x 22 5/6"	61203-3418	RD-4-5273-0P	**77R6817**
2008-12	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	34.5" X 22" X 3/4"	22-66839, RDH4 7131 0	RD-4-7131-0P	**77R1277**

77R0950 RD-4-3916-0P

Serpentine Coil Type
Overall Width: 29 13/16
Fin Width: 27 3/4"
Height: 15 3/4"
Thickness: 3/4"



77R1277 RD-4-7131-0P

Overall Width: 34 1/2"
Fin Width: 32 3/4"
Height: 17 1/2"
Thickness: 3/4"



77R6817 RD-4-5273-0P

Grilldenser Type
Overall Width: 39 3/7"
Fin Width: 35 1/2"
Height: 22 5/6"
Thickness: 1 1/5"



EVAPORATOR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1983-08	Heritage 3800, 4800, 4900, 5800, 5900, 6900	Evaporator Coil	176167, 6004-4403	RD-2-1402-0P	**76R6150**
1988-01	Heritage 3800, 4800, 4900, 5900, 6900	Main unit	176169, 6004-4401	RD-2-1272-0P	**76R6310**
1993-04	Constellation	Main unit (Red Dot R-5260), 8" high x 5 5/8" long x 2 1/2" wide	60004-3401	RD-2-2423-0P	**76R7530**
1993-09	Constellation	Sleeper unit (Red Dot R-4230), 8 1/8" x 7 7/8" x 3 13/32"	60004-3402	RD-2-1898-0P	**76R6130**
2004-08	Constellation	Main unit (Red Dot R-5275)		RD-2-4032-0P	**76R7535**

76R6130 RD-2-1898-0P

8 7/64" high x 7 29/32" long x 3 13/32" wide




76R6150 RD-2-1402-0P

8" high x 8" long x 3 13/32" wide




76R6310 RD-2-1272-0P

8" high x 9" long x 3" wide



76R7530 RD-2-2423-0P

10 7/64" high x 11" long x 3 13/32" wide



76R7535 RD-2-4032-0P

10 7/64" high x 11" long x 3 13/32" wide



WESTERN STAR

EXPANSION VALVE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Right Angle, Flare, with Capillary, with Equalizer	02-7010501, 02-7086617, 2684701-C1	RD-4126-1P	**71R8050**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Right Angle, O Ring, with Capillary, with Equalizer	02-7086505, RD-5-3824-1	RD-5-3824-1P	**71R8100**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Main unit, all models with male O-Ring fitting, 12" capillary	A22-14420-1	RD-5-10445-0P	**71R8220**
1988-08	Constellation 3800, 4800, 4900, 5800, 5900, 6900	Block, #6 #10 #8 #8, with Mounting Holes	3916657, 60012-4401, 60012-5001	RD-5-6868-1P	**71R8301**
1993-07	Constellation 4800, 4900, 5800, 5900, 6900	Block, #6 #10 #8 #10, with Mounting Holes	RD-5-7015-0	RD-5-7015-1P	**71R8321**

71R8050 RD-4126-1P

External Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length: 18"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P

Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



FAN

	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Bergstrom, Kysor and Red Dot A/C, 6" diameter, CW	02-7075303	RD-3133-9P	**73R8050**

73R8050 RD-3133-9P

6" Diameter




FILTER

	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Framed mesh filter, 11 5/8" wide x 5" high x 7/8" thick	60015-3418, RD-3-8777-0P	RD-3-8777-0P	**78R5241**
1995-05	4900, Constellation, Heritage	Filter, Cab Air	WS101P	RD-5-10775-0P	**78R5308**


78R5241 RD-3-8777-0P

11 5/8" wide x 5" high x 7/8" thick



78R5308 RD-5-10775-0P

13 5/8" wide x 10" high x ¾" thick




WESTERN STAR


HEATER CORE

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1983-99	3800, 4800, 4900, 5800, 5900, 6900	Heater Core	60003-4405	RD-1-0460-1P	**76R2500**
1985-03	Heritage 4800, 4900, 5800, 5900	Sleeper unit, Red Dot Heater A/C (R-2560)	RD-1-0665-0	RD-1-0665-0P	**76R2450**
1988-01	Heritage 3800, 4800, 4900, 5800, 5900, 6900	Heater Core	RD-1-0460-1, 176280, 60003-4405	RD-1-0460-1P	**76R2500**
1993-03	Constellation 4800, 4900, 5800, 5900	Main unit, Red Dot Heater A/C (R-2560)	60004-3403	RD-1-1201-0P	**76R2420**
1996-99	3800, 4800, 4900, 5800, 5900, 6900	Sleeper unit, Red Dot Heater A/C	3949252, 60003-4404	RD-1-0563-0P	**76R2400**
2004-07	Constellation	Main unit	RD-1-1965-0	RD-1-1965-0P	**76R4023**


76R2400 RD-1-0563-0P
8" high x 8" long x 2 ½" wide




76R2420 RD-1-1201-0P
10 7/64" high x 11" long x 2 ½" wide



76R2450 RD-1-0665-0P
8" high x 7 5/16" long x 2 3/8" wide



76R2500 RD-1-0460-1P
8" high x 9" long x 2 ½" wide



76R4023 RD-1-1965-0P
10 7/64" high x 11" long x 2 ¼" wide



PRESSURE SWITCH

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
1987-09	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Switch, Pressure, Trinary, NO	RD-5-4585-0, 02-2750417	RD-5-4585-0P	**71R7500**
1987-09	3800, 4800, 4900, 5900, 6900	Switch, Pressure, Trinary, NC	176225, RD-5-4625-0	RD-5-4625-0P	**71R7650**

71R7500 RD-5-4585-0P
⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally open



71R7650 RD-5-4625-0P
7/16" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally closed



YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
WESTERN STAR					
RECEIVER DRIER					
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	#6 male O-Ring, 2 3/4" X 10", binary switch	02-7077922	RD-5-9455-0P	**74R1836**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	#6 male O-Ring, 2 3/4" X 10", without binary switch	02-0707988	RD-5-5572-0P	**74R1856**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	2 3/4"x9 5/8", #6MOR in, #6 MOR out, PRV, Side Glass, Top Port with Trinary Switch	02-7077984	RD-5-4632-1P	**74R1906**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	2 3/4"x9 5/8", #6MOR in, #6MOR out, PRV, Top Glass, Side Port with Trinary Switch	RD-5-4632-0	RD-5-4632-0P	**74R1956**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	2 3/4"x9 5/8", #6MOR in, #6MOR out, PRV, Top Glass, Side Port with Trinary Switch	04-9041020	RD-5-4632-0P	**74R1956**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	#6 male O-Ring, 2 3/4" X 10 5/8", without trinary switch	RD-5-6567-2	RD-5-6768-2P	**74R2797**
1983-06	Heritage 4800, 4900, 5800, 5900, 6900	Main unit, 3" X 10", #6 male O-Ring, moisture indicator	RD-5-7517-0, 176243, 61506-3402	RD-5-11185-0P	**74R3137**
1988-93	3800, 4800, 4900, 5900, 6900	O-Ring Type with Fuse Plug & Charge Port	176243, 61506-3402-000	RD-5-9515-1P	**74R2677**
1993-06	Constellation 4800, 4900, 5800, 5900	Main unit, 3" X 10", #6 male O-Ring, moisture indicator	61506-3406-000, 088343-000	RD-5-11186-0P	**74R3377**

74R1836 RD-5-9455-0P
2 ¾" diameter x 10" long
#6 Male O-Ring
Includes
Binary Switch – Top
Fuse
Top Port



74R1856 RD-5-5572-0P
2 ¾" diameter x 10" long
#6 Male O-Ring (Schrader Port)
High Capacity
Pressure Relief
Side Port



74R1906 RD-5-4632-1P
Includes Trinary™ Switch – Top
2 ¾" diameter x 9 ⅝" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R1956 RD-5-4632-0P
Includes Trinary™ Switch – Side
2 ¾" diameter x 9 ⅝" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2677 RD-5-9515-1P
Includes Moisture Indicator
3" diameter x 7 ¾" long
#6 Male O-Ring
(Schrader Port)
High Capacity



74R2797 RD-5-6768-2P
Includes Moisture Indicator
3" diameter x 10 ¾" long
#6 Male O-Ring
High Capacity
Press Relief
Top Port



74R3137 RD-5-11185-0P
Includes Moisture Indicator
3" diameter x 10" long
#6 Male O-Ring
High Capacity
Fuse
Side Port



74R3377 RD-5-11186-0P
Includes Moisture Indicator
3" diameter x 10" long
#6 Male O-Ring
(Schrader Ports)
High Capacity
Fuse
Side Port,
¼" male Flare



RELAY					
1988-95	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Relay, Blower, 12V, 20/30A, Tab Mount, 5 Terminals	0332-204-125, 150	RD-5-4408-0P	**71R1702**
1988-95	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Relay, Blower, 24V, 20/30A, Tab Mount, 5 Terminal	0332-204-203	RD-5-4417-0P	**71R1704**
1996-04	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Relay, Blower, 12V, 30/40A, Socket Mount	BOA-80-945-00-079, VF4-15F11-501	RD-5-9915-0P	**71R1722**

71R1702 RD-5-4408-0P
12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type



71R1704 RD-5-4417-0P
24V Relay, 20/10 amps, Bosch type
SPDT, 5 terminals



71R1722 RD-5-9915-0P
12V Relay with Diode,
40/30 amps,
SPST, 5 terminals



WESTERN STAR

YEAR	MODEL	DESCRIPTION	OEM PART #	FACTORY #	RedDOT #
SWITCH					
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Switch, Rotary, 3 Speed, Long Shaft, 5 Terminal	BOA-80-926-00-109	RD-5-3646-0P	**71R1150**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	176573	RD-5-5194-0P	**71R1210**
1993-00	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Switch, Rotary, 3 Speed, Short Shaft, 5 Terminal	BOA-80-926-00-059	RD-5-9833-0P	**71R1160**

71R1150 RD-5-3646-0P
3 speed, Long Shaft
DP3T
4-position
5 terminals
25 amps
Mounting hole: .442" x .385" - "D" hole



71R1160 RD-5-9833-0P
3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps
Mounting hole: .442" x .385" - "D" hole



71R1210 RD-5-5194-0P
3 Speed with Resistor -
DP3T,
4-position,
5 terminals
18 amps
Uses Knob
71R4050
Mounting hole: .500"



THERMOSTAT					
1972-78	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Adjustable, 36" Probe	A22-15817A-001	RD-4125-36P	**71R2250**
1983-97	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Variable, Cable Controlled, 30" Capillary	02-7010174, RD-4226-0	RD-4226-0P	**71R2700**
1985-09	4800, 4900, 5800, 5900	Fixed, 24" Probe	60054-4401-000, 3949291	RD-5-4531-24P	**71R3200**
1987-96	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Adjustable, 36" Probe	RD-4125-36	RD-4125-36P	**71R2250**

71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2700 RD-4226-0P
Pull for cold Variable temp. Mounting hole spacing 2 15/16"
Capillary Length: 30"
Type: Variable
Temp. Range: 34°- 54°F
Clutch Cycle Range: 5°F



71R3200 RD-5-4531-24P
Mounting hole spacing: 2 1/4"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



WATER VALVE					
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Cable Controlled, 5/8" Hose, STR-STR, Pull to Open	RD 5 4923 0, 677413	RD-5-4923-0P	**72R5040**
	Constellation, Heritage, 3800, 4800, 4900, 5800, 5900, 6900	Cable Operated, Red Dot (5/8" to 5/8"), pull to open	RDH RD5 5300 1	RD-5-5300-1P	**72R5210**

72R5040 RD-5-4923-0P
⅝" hose to ⅝" hose



72R5210 RD-5-5300-1P
⅝" Hose to ⅝" Hose
Pull To Open



AGCO, AGCO-ALLIS

BLOWER MOTOR

Model	Description	OEM Part No.	Factory No.	Part No.
200	Double shaft motor, vented, 12V, 1 speed, 4 13/16" length	RD-5-5121-1	RD-5-5121-1P	**73R4262**
8030, 8050, 8070	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-1P	**73R0532**
Air Planter	Single shaft motor, (2 reqd), 1 speed, 12V, CW, 4 3/4" length, vented	RD-5-6526-0	RD-5-6526-0P	**73R0422**
Challenger 35, Challenger 45, Challenger55	Blower Assembly, mixed flow for standard control units	RD-3-8783-0P	RD-3-8783-0P	**RD-3-8783-0P**
Challenger 35, Challenger 45, Challenger55	Blower Assembly, mixed flow for ATC applications	RD-3-8783-0P	RD-3-8783-0P	**RD-3-8783-0P**
Gleaner F2, Gleaner F3	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-1P	**73R0532**
Gleaner F2, GleanerF3	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 7/8" length	70257336-1	RD-5-10068-0P	**73R4322**
Gleaner G, Gleaner GH	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-1P	**73R0532**
Gleaner K2	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 7/8" length	70257336-1	RD-5-10068-0P	**73R4322**
Gleaner K2	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-1P	**73R0532**
Gleaner L, Gleaner L2, Gleaner L3	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-1P	**73R0532**
Gleaner M Hillside	Kysor A/C, double shaft motor, 1 speed, 12V, 4 7/8" length	70257336-1	RD-5-10068-0P	**73R4322**
Gleaner MH2, Gleaner N2, Gleaner N3, Gleaner N5, Gleaner N6, Gleaner N7	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-1P	**73R0532**
Gleaner R4, Gleaner R5	Single shaft motor, non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0, HV33208	RD-5-3690-1P	**73R0532**

73R0422 RD-5-6526-0P




Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0532 RD-5-3690-1P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1"
Non Vented
Connector: Two conductor with ring terminal

73R4262 RD-5-5121-1P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 13/16" x 4" x 3
Shafts: 5/16" diameter, length: 2 1/8"
Vented
Connector: Two conductor Packard #8900420, 1/4" blade terminal

73R4322 RD-5-10068-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4 1/2" x 3"
Shafts: 5/16" diameter, length: 2 1/2"
Vented
Connector: Two conductor 1/4" spade receptacle

73R0422 RD-5-6526-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductor Packard #2984528, 2971859

AGCO, AGCO-ALLIS

Model	Description	OEM Part No.	Factory No.	**Part** No.
BLOWER SWITCH				
200, 4W, 6060, 6080 Type 2, 7020, 7040, 7045, 7060, 7080, 7580, 8010, 8050, 8070	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	71195109	RD-5-10934-0P	**71R1163**
200, 6060, 6080 type 1, 7020, 7040, 7045, 7060, 7080, 7580, 8550	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	1175262-3	RD-5-5194-0P	**71R1210**
F2, F3, K, L3, M2, MH2, N2, N3, N5, N6, N7, R42, R5, R52, R6, R7	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	71195109	RD-5-10934-0P	**71R1163**
L Series , M Series	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	1175262-3	RD-5-5194-0P	**71R1210**

71R1163 RD-5-10934-0P

3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1210 RD-5-5194-0P

3 Speed with Resistor -
DP3T,
4-position,
5 terminals
18 amps
Uses Knob
71R4050
Mounting hole: .500"



BLOWER WHEEL				
Gleaner F Model	Bergstrom A/C with 4 1/2" double entry wheel, 3 3/8" width	BSM302042	RD-5-10346-0P	**73R7130**
Gleaner F2, Gleaner K2, Gleaner L2, Gleaner M2, Gleaner MH2	Bergstrom A/C with 4 1/2" double entry wheel, 3 3/8" width	BSM302042	RD-5-10346-0P	**73R7130**
Gleaner N5, Gleaner N6, Gleaner N7	Bergstrom A/C with 4 1/2" double entry wheel, 3 3/8" width	BSM302042	RD-5-10346-0P	**73R7130**
Gleaner N5, Gleaner N6, Gleaner N7	Bergstrom A/C with 4 1/2" double entry wheel, 3 3/8" width	BSM302042	RD-5-10346-0P	**73R7130**

73R7130 RD-5-10346-0P

4 ¾" diameter, 3 7/32" width
5/16" bore diameter
Hub inset: 1 1/16"
CW Rotation
Plastic



CLUTCH ASSEMBLY				
4, 4W, 440	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A	RD-5-4994-0P	**75R4502**
4, 6, 7000, 8, 8000, 9000	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210, 6514-6210	RD-5-5486-0P	**75R0202**
F, K, L, L2, L3, M, N, R Series	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334, MA 7A	RD-5-4994-0P	**75R4502**

75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Bare wire



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"


Single wire coil
Male bullet plug



EVAPORATOR				
Challenger 35, Challenger 45, Challenger55	Evaporator for ATC applications	RD-2-3410-0P	RD-2-3410-0P	**76R7720**
Challenger 35, Challenger 45, Challenger55	Evaporator for standard control units	RD-2-3410-0P	RD-2-3410-0P	**76R7720**

76R7720 RD-2-3410-0P

8 7/64" high x 23 7/16" long x 3 13/32" wide



AGCO, AGCO-ALLIS

Model	Description	OEM Part No.	Factory No.	Part No.
EXPANSION VALVE/BLOCK				
6260, 6680, 6690	Block valve with female O-Ring fittings	71307202-3	RD-5-6868-1P	**71R8301**
7110, 7120	Block valve with female O-Ring fittings	4322165-4	RD-5-6868-1P	**71R8301**
8630	Block valve with female O-Ring fittings	4322165-4	RD-5-6868-1P	**71R8301**
9130, 9150, 9170, 9190, 9435, 9445, 9455, 9630, 9650, 9670, 9690	Block valve with female O-Ring fittings	4322165-4	RD-5-6868-1P	**71R8301**
9800, 9815	Block valve with female O-Ring fittings	3901517M1	RD-5-7015-1P	**71R8321**
F, G, K, M, M2, M3, MH2, N, R Series	Block valve with female O-Ring fittings	71307202-3	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " 0" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



EXPANSION VALVE / EXTERNAL EQUALIZER				
305	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	**71R8100**
7000, 7020, 7030, 7040, 7045, 7050, 7060, 7080, 7085, 7580	Male O-Ring with 13" capillary length, 13" equalizer tube length	0268470-2	RD-5-3824-1P	**71R8100**
7580	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	**71R8100**
7580	Male O-Ring, 1 1/2 Ton, 10" capillary length, 10" equalizer tube length	3380223M1	RD-5-5862-0P	**71R8080**
8010, 8030, 8050, 8070, 8550	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	**71R8100**

71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



EXPANSION VALVE / ORFICE TUBE				
Challenger 35, Challenger 45, Challenger 55	Main unit, Red orifice tube, length 3.46", OD .425", orifice .075"	RD-5-9082-0	RD-5-9564-0P	**71R8505**
Challenger 35, Challenger 45, Challenger 55	Main unit, Red orifice tube, length 3.46", OD .425", orifice .075"	RD-5-9082-0	RD-5-9564-0P	**71R8505**

71R8505 RD-5-9564-1P

Red – Length: 3.46", O.D.: .425", Orifice: .062"



HEATER CORE				
Challenger 35, Challenger 45, Challenger 55	Heater for ATC applications	RD-1-1614-0P	RD-1-1614-0P	**76R4300**
Challenger 35, Challenger 45, Challenger 55	Heater for standard control units	RD-1-1975-0P	RD-1-1975-0P	**76R4305**

76R4300 RD-1-1614-0P

8" high x 23 $^{29}/_{64}$" long x 2 ⅛" wide



76R4305 RD-1-1975-0P

8" high x 23 $^{29}/_{64}$" long x 1 ½" wide



Model	Description	OEM Part No.	Factory No.	**Part** No.

AGCO, AGCO-ALLIS

RECEIVER DRIER

6060, 6070, 6080, 7020, 7030, 7040, 7045, 7050, 7060, 7080, 7580	In Line drier with #6 Female to Male O-Ring, 4" x 8"	0264644-6	RD-5-8862-1P	**74R0401**
8010, 8030, 8050, 8070, 8550	In Line drier with #6 Female to Male O-Ring, 4" x 8"	70268464	RD-5-8862-1P	**74R0401**
8360, 8425	with #6 Male O-Ring, 2 3/4" X 9 5/8"	RDH RD5 5571 0	RD-5-5571-0P	**74R1806**
8745, 8765, 8775, 8785	Male O-ring Type with Switch Port and HPRV	338332M2	RD-5-11533-0P	**74R3107**
9735, 9745, 9755, 9765, 9775, 9785	Male O-ring Type with Switch Port and HPRV	338332M2	RD-5-11533-0P	**74R3107**
Challenger 35, Challenger 45, Challenger 55	Drier for standard control units	RD-5-9440-0P	RD-5-9440-1P	**74R3071**
Challenger 35, Challenger 45, Challenger 55	Drier for ATC applications	RD-5-9440-0P	RD-5-9440-1P	**74R3071**
DT225	Male & Male O-Ring HPRV, MI IN CAP	A22-28796-000	RD-5-11192-0P	**74R2608**
F, F2, F3, K, K2, L, L2, L3, M, M2, M3, MH2, N, N5, N6, N7, R5, R6, R7	with #6 Male Flare (top and side), 4" X 6 3/4"	1162927	RD-5-6077-1P	**74R4017**
N, N5, N6, N7	with #6 Male Flare (top and side), 4" X 6 3/4"	1162927	RD-5-6077-1P	**74R4017**
R5, R6, R9	with #6 Male Flare (top and side), 4" X 6 3/4"	71193543	RD-5-6077-1P	**74R4017**

74R0401 RD-5-8862-1P
4" diameter x 7 7/8" long
#6 Female O-Ring - #6 Male O-Ring
Dual Sight Glass



74R1806 RD-5-5571-0P
2 3/4" diameter x 10" long
#6 Male O-Ring Schrader Port
High Capacity
Pressure Relief
Top Port



74R2608 RD-5-11192-0P
3" diameter x 8 3/8" long
#6 Male O-Ring
High Capacity
Fuse




74R3071 RD-5-9440-1P
3" diameter x 9 3/4" long
#6 Male O-Ring In
#6 High Capacity
Female O-Ring Out
Pressure Relief Valve
Side Port



74R3107 RD-5-11533-0P
Includes Moisture Indicator
3" diameter x 9 1/4" long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port
1/4" Schrader Valve



74R4017 RD-5-6077-1P
4" diameter x 6 3/4" long
#6 Male Flare (Top and side)
Fuse
IHC/Novistar 539049-R91



RESISTOR, FAN

Challenger 35, Challenger 45, Challenger 55	Fan speed resistor for standard control units	RD-5-8923-0P	RD-5-8923-0P	**71R1465**

71R1465 RD-5-8923-0P
4 Terminals (1/4" blade) / 3 Speeds
Bakelite base: .10" thick



THERMOSTATIC SWITCH

Challenger 35, Challenger 45, Challenger 55	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**

71R3200 RD-5-4531-24P
Mounting hole spacing: 2 1/4"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



ALLIS-CHALMERS

BLOWER MOTOR

Model	Description	OEM Part No.	Factory No.	Part No.
All model series with Allis Chalmers OE#0578041, 0578041-6	All with 3" diameter blower motor, 1 speed, NV, CCW, 3 5/8" length	0578041 0578041-6	RD-5-4550-0P	**73R0102**
All model series with Allis Chalmers OE#1175326	All with 3 1/4" diameter blower motor, 1 speed, 4" length, 12V, Rev. direction	1175326	RD-5-10390-0P	**73R0212**
All model series with Allis Chalmers OE#1175327, 1175327-4	OE style blower motor (only), 1 speed, 3 3/4" length, 12V non-vented	1175327 1175327-4	RD-5-10391-0P	**73R0092**
All model series with 1 1/8" shaft, Allis Chalmers OE#1183560	Bergstrom - Kysor A/C, single shaft, 1 1/8" shaft length, NV, 12V, 1 speed, CW, 4 5/8" length	1183560	RD-5-5230-0P	**73R0522**
All model series with Allis Chalmers OE#1192657	OE style blower motor (only), 1 speed, 3 3/4" length, 12V non-vented	1192657	RD-5-10391-0P	**73R0092**
Combines, all series with 1 3/4" shaft, single shaft motor, OE#1183560, 275130	Bergstrom - Kysor A/C, single shaft, 1 3/4" shaft length, 12V, 1 speed, CW, 4 5/8" length	1183560 BSM205620 275130	RD-5-10905-0P	**73R0442**
Combines, with double shaft style motor, OE#275152	Double shaft blower motor (only), 1 speed, 4 3/4" length, 12V vented	275152	RD-5-6801-0P	**73R4182**
Tractor 8000, 8500 with 1 3/4" shaft, Allis Chalmers OE#275130	Bergstrom - Kysor A/C, single shaft, 12V, 1 speed, CW, 4 5/8" length	275130	RD-5-10905-0P	**73R0442**

73R0092 RD-5-10391-0P
Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5/16"
Dimensions: 3 3/4" x 2 7/8" x 3"
Shaft: 1/4" diameter, Length: 1 1/2"
Non Vented
Connector: Two conductor, 14 gauge
Supplied with 5/16" adapter



73R0102 RD-5-4550-0P
Single Speed
12 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 3/4" x 3"
Shaft: 5/16" diameter, Length: 13/16"
Non Vented
Connector: One conductor, 14 gauge



73R0212 RD-5-10390-0P
Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5/16"
Dimensions: 4" x 3 3/8" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Non Vented
Connector: Two conductor, 14 gauge




73R0442 RD-5-10905-0P
Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 5/8" x 4 1/4" x 3"
Shaft: 5/16" diameter, Length: 1 3/4"
Vented
Connector: Two conductor Packard
1/4" blade terminal #2973781



73R0522 RD-5-5230-0P
Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4 1/8" x 3"
Shaft: 5/16" diameter, Length: 1 1/8"
Non Vented




73R4182 RD-5-6801-0P
Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4" x 3"
Shafts: 5/16" diameter, length: 2 5/8"
Vented
Connector: 1/4" spade receptacle



CLUTCH ASSEMBLY

CCI/York - R12 / 134A compressors OE#024-25078, MA6, MAE6AR	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078 MA6 MAE6AR	RD-5-4967-0P	**75R0452**
CCI/York - R12 / 134A compressors OE#024 25190, 03-1104973, 501939	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
CCI/York - R12 / 134A compressors OE#2084050-0	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	2084050-0	RD-5-4994-0P	**75R4502**


75R0452 RD-5-4967-0P
Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"
Single wire coil
Male bullet plug



75R1202 RD-5-4972-1P
OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Weatherpak plug



75R4502 RD-5-4994-0P
Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"
Single wire coil
Male bullet plug



Model	Description	OEM Part No.	Factory No.	**Part** No.

ALLIS-CHALMERS

COMPRESSOR - CCI / YORK / TECUMSEH

CCI/York - Tube O-Ring compressor ET210L-25150, R12 / 134A without clutch	Tube O-Ring type head, Super HD-universal, without charge ports with ester oil	ET210L-25150	RD-5-8061-1P	**75R7295**

75R7295 RD-5-8061-1P



COMPRESSOR - GM

GM A6 compressor with Superheat switch port, without oil	1 groove ½" width, 4 ⅞" diameter (124mm), generic	0259362-2 1131243 509170-C91	RD-5-5000-0P	**75R8102**

75R8102 RD-5-5000-0P

GMC A6R, Generic — Superheat switch port
5" Single Groove Clutch — 12 volt
Pulley with ½" - ¾" variable groove — R-12 / R134a
Standard thread mounting holes — Clockwise rotation
No Oil




COMPRESSOR - SANDEN

All series with Sanden 5H14, #6664 R134a compressors, 12V	5H14, FL head, ear mount, 2A groove, 5 ¼" (132mm) diameter	6664	RD-5-7088-0P	**75R8382**
Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**


75R8382 RD-5-7088-0P

Model: 7H15 — **Head:** JD — **Voltage:** 12
Mount: Ear — **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove — **R134a**



75R8384 RD-5-7089-0P

Model: 7H15 — **Head:** JD — **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove — **R134a**



EXPANSION VALVE / BLOCK

All combine and tractor model series with OE#04322165-4	Block valve for female O-Ring fittings	04322165-4 RD 4157 0	RD-5-6868-1P	**71R8301**
All combine and tractor model series with OE#329-413	Block valve, Hi - capacity (2 ton)	329-413	RD-5-7015-1P	**71R8321**
All combine and tractor model series with OE#72162195	Block valve for female O-Ring fittings	72162195	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " 0" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



Model	Description	OEM Part No.	Factory No.	Part No.

ALLIS-CHALMERS

EXPANSION VALVE / EXTERNAL EQUALIZER

All combine and tractor model series with OE#826-003	External Equalizer with O-Ring style valve	826-003	RD-5-5862-0P	**71R8080**
All combine and tractor model series with OE#826-062	External Equalizer with male O-Ring with 13" cap length	826-062	RD-5-3824-1P	**71R8100**
All combine and tractor model series with OE#31134-300	External Equalizer unit with male flare with 18" capillary length	31134-300 RD 4126 1	RD-4126-1P	**71R8050**

71R8050 RD-4126-1P

External Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length: 18"
Rating: 1 ½ Ton



71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



EXPANSION VALVE / INTERNAL EQUALIZER

All combine and tractor model series with OE#826-004	Internal equalizer valve with male O-Ring fittings	826-004	RD-5-11033-0P	**71R8060**
All combine and tractor model series with OE#1162473-1	Internal equalizer, 1 ½ Ton, Male O-Ring	1162473-1	RD-5-10445-0P	**71R8220**

71R8060 RD-5-11033-0P

Internal Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P

Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



RECEIVER DRIER

All combine and tractor model series with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	085098-00	RD-5-4950-1P	**74R0907**
All combine and tractor model series with OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	088423-00	RD-5-7061-7P	**74R2537**
All combine and tractor model series with OE#268464-02	In Line drier with #6 Female to Male O-Ring, 4" x 8"	268464-02	RD-5-8862-1P	**74R0401**
All combine and tractor model series with OE#72161835-3	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	72161835-3	RD-4160-1P	**74R2106**
All combine and tractor model series with OE#1143539, 1162927	with #6 Male Flare (top and side), 4" X 6 ¾"	1143539 1162927	RD-5-6077-1P	**74R4017**

74R0401 RD-5-8862-1P

4" diameter x 7 ⅞" long
#6 Female O-Ring - #6 Male O-Ring
Dual Sight Glass



74R0907 RD-5-4950-1P

2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port



74R2106 RD-4160-1P

Includes Low Pressure Switch
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure /
Pressure Relief
Side Port



74R2537 RD-5-7061-7P

3" diameter x 6 ¼" long
#6 Male O-Ring
(Schrader Port)
High Capacity
Pressure Relief
Side Port



74R4017 RD-5-6077-1P

4" diameter x 6 ¾ " long
#6 Male Flare (Top and side)
Fuse
IHC/Novistar 539049-R91



Model	Description	OEM Part No.	Factory No.	**Part** No.
ALLIS-CHALMERS				
THERMOSTATIC SWITCH				
All combine and tractor model series with OE#1162472	Rotary thermostat with 48" capillary tube, 34 - 52°F	1162472	RD-4125-48P	**71R2300**
All combine and tractor model series with OE#1162474-9	Rotary thermostat, 36" capillary tube, 34 - 52°F	1162474-9	RD-4125-36P	**71R2250**
All combine and tractor model series with OE#404145	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	**71R3100**

71R2250 RD-4125-36P



Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

71R2300 RD-4125-48P



Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

71R3100 RD-4-4272-4P



Mounting hole spacing: 2 1⁄8"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F

CASE

BLOWER MOTOR

Model	Description	OEM Part No.	Factory No.	Part No.
All model series with Case OE#A42567	Kysor A/C, double shaft motor, 1 speed, 4 7/8" length	A42567	RD-5-10068-0P	**73R4322**
All model series with Case OE#A42599, F89388	All with 3" diameter blower motor, 1 speed, NV, CCW, 3 5/8" length	A42599 F89388	RD-5-4550-0P	**73R0102**
Backhoe 480F	Single speed, non vented, 12V, Reversable, 3 3/4" length	2807-508-043	RD-5-10391-0P	**73R0092**
Backhoe / Loader / Tractors 777, 963LGP, 980B	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409 8P9982 9G0393 9G0397 9G8693 9G8697	RD-5-6071-0P	**73R0364**
Tractors 766, 1066, 1466, 1566 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	539047-R2	RD-5-3690-1P	**73R0532**
Tractors 1468, 1568 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	117783-C1	RD-5-3690-1P	**73R0532**
Tractor 4166 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	66390-C1	RD-5-3690-1P	**73R0532**
Tractors 8910, 8920, 8930, 8940, 8950 - blower motor	Kysor A/C, double shaft motor, 1 speed, 4 7/8" length	80430411	RD-5-10068-0P	**73R4322**
Tractors 8910, 8920, 8930, 8940, 8950 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	80417384	RD-5-3690-1P	**73R0532**
Tractors Hydro 100 - condenser blower motor	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	539047-R2	RD-5-3690-1P	**73R0532**

73R0092 RD-5-10391-0P



Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5/16"
Dimensions: 3 3/4" x 2 7/8" x 3"
Shaft: 1/4" diameter, Length: 1 1/2"
Non Vented
Connector: Two conductor, 14 gauge
Supplied with 5/16" adapter

73R0102 RD-5-4550-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 3/4" x 3"
Shaft: 5/16" diameter, Length: 13/16"
Non Vented
Connector: One conductor, 14 gauge

73R0364 RD-5-6071-0P



Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: x 5" x 4" x 3"
Shaft: 5/16" diameter, Length: 1"
Non Vented, 1" diameter slinger

73R0532 RD-5-3690-1P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1"
Non Vented
Connector: Two conductor with ring terminal

73R4322 RD-5-10068-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4 1/2" x 3"
Shafts: 5/16" diameter, length: 2 1/2"
Vented
Connector: Two conductor 1/4" spade receptacle

BLOWER SWITCH

Combines 715, 815, 915, 1620, 1640, 1660, 1680, 1688	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822C1-C2	RD-5-10934-0P	**71R1163**
Tractors 90 series, Super D, 580, 870, 970, 1070, 1175, 1270, 1370, 1570	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822C1-C2	RD-5-10934-0P	**71R1163**
Tractors 90 series with resistor	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-5194-0P	RD-5-5194-0P	**71R1210**

71R1163 RD-5-10934-0P



3 speed
DP3T
4-position
5 terminals
25 amps
Mounting hole: .442" x .385" - "D" hole

71R1210 RD-5-5194-0P



3 Speed with Resistor -
DP3T,
4-position,
5 terminals
18 amps
Uses Knob
71R4050
Mounting hole: .500"

Model	Description	OEM Part No.	Factory No.	**Part** No.

CASE

CLUTCH ASSEMBLY

CCI/York - R12 / 134A compressors, OE#003-3938	2 groove 6" diameter pulley, ½" width, 2 ¼" ga	003-3938	RD-5-10367-0P	**75R0422**
CCI/York - R12 / 134A compressors, OE#003-4530	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	003-4530	RD-5-4994-0P	**75R4502**
Fits Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove ½" width, 5 ¼" diameter (132mm)	6504-6310	RD-5-10379-0P	**75R1542**
Fits Sanden SD508, 510, 514 R-12 compressors, OE#6514-6210	2 groove 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	6514-6210	RD-5-5486-0P	**75R0202**

75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Bare wire



75R0422 RD-5-10367-0P

Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 2 ¼"

Single wire coil
Female Weatherpak (IHC) plug



75R1542 RD-5-10369-0P

OE # 6504-6010
Model 709 / 7H15
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm
Double wire coil
Ford OE plug



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



COMPRESSOR - CCI / YORK / TECUMSEH

Combines with CCI / York Tecumseh Tube-O ET210L-25428	Tube O-Ring type head, Super HD-universal, without charge ports with ester oil	ET210L-25428	RD-5-8061-1P	**75R7295**

75R7295 RD-5-8061-1P



COMPRESSOR - GM

Tractors AGRI-King 770, 870, 970, 1070, 1270, 1370 with GM A6 with Superheat switch port, without oil	1 groove ½" width, 4 ⅞" diameter (124mm), generic	1131243 12301930 31 509170-C91	RD-5-5000-0P	**75R8102**
Tractors AGRI-King 770, 870, 970, 1070, 1270, 1370 with GM A6 with Superheat switch port, without oil	1 groove ½" width, 4 ⅞" diameter (124mm), generic	1131243 12301930 31 509170-C91	RD-5-5000-0P	**75R8102**
Tractors 4490, 4690, 4890 with GM A6 with Superheat switch port, without oil	1 groove ½" width, 4 ⅞" diameter (124mm), generic	1131243 12301930 31 509170-C91	RD-5-5000-0P	**75R8102**

75R8102 RD-5-5000-0P

GMC A6R, Generic — Superheat switch port
5" Single Groove Clutch — 12 volt
Pulley with ½" - ¾" variable groove — R-12 / R134a
Standard thread mounting holes — Clockwise rotation
No Oil



CASE

COMPRESSOR - SANDEN

Model	Description	OEM Part No.	Factory No.	Part No.
All series with 12V Sanden 7H15HD, OE #4609. Case OE#1999755C3, 86993462	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609 1999755C3 86993462	RD-5-10259-0P	**75R84112**
All series with 24V Sanden 7H15HD, OE #4611. Case OE#1999760C2, 86983967	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4611 1999760C2 86993967	RD-5-11161-0P	**75R84114**
All series with 12V Sanden 7H15HD, OE #4768. Case OE#317008A3, 86993463	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	4768 317008A3 86993463	RD-5-11200-0P	**75R84592**
All series with 24V Sanden 7H15HD, OE #4795. Case OE#352524A2, 86983968	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	4795 352524A2 86983968	RD-5-11234-0P	**75R81104**
All series with Sanden 5H14, #6664 R134a compressors, 12V	5H14, FL head, ear mount, 2A groove, 5 ¼" (132mm) diameter	6664	RD-5-7088-0P	**75R8382**
All series with Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**
All series with Sanden 510-HD, OE #8353, 9103	510-HD , B head, ear mount 2 groove, 5 ¼" (132mm) diameter	8353 9103	RD-5-6164-0P	**75R8262**
All series with Sanden 508HD, OE #9285, 9515	SD508HD, FG head, 2A groove, 5 ¼"(132mm) diameter	9285 9515	RD-5-5575-0P	**75R8292**
All series with Sanden 510-HD, #9674, 24V, R12 with Mineral Oil and Charging Ports	SD510HD, FG head, 2A groove, 5 ¼"(132mm) diameter	9674	RD-5-5626-0P	**75R8214**
All series with Sanden SD510, #9675 R-12 compressor with charge ports, mineral oil	SD510HD, FG head, variable groove, 6 ¼"(158mm) diameter	9675	RD-5-5627-0P	**75R8232**
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**
Combines 521, 525, 527 with Sanden 7H15, OE #4709, 7862, 8023	7H15, KG head, ear mount, 2A groove, 4.9"(125mm) diameter	4709 7862 8023	RD-5-11200-0P	**75R84592**
Combines 695, 795, 895, 995 with Sanden 5H14, OE#4513, 6631, 9264	5H14, M head, ear mount, 2A groove, 5 ¼" (132mm) diameter	4513 6631 9264	RD-5-11315-0P	**75R81462**
Combines 2144, 2166, 2188 with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**
Combines 2344, 2366, 2388 with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**
Cotton Pickers 1822, 1844, 2555 with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**
Tractors C, CX series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**
Tractors JX 55-95, MXM 120-190 with Sanden 7H15, OE #4660	7H15, JDA head, ear mount, poly 8, 4 ¾" (119mm) diameter	4660	RD-5-11322-0P	**75R81482**
Tractors JX 55-95, MXM 120-190 with Sanden 7H15, OE #4711, 8103	7H15, JD head, ear mount, poly 8 groove, 4.7" (119 mm) diameter	4711 8103	RD-5-9251-0P	**75R8462**
Tractors Magnum/MX 7100, 7200, 8900 series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**
Tractors Quad-Trac 9200, 9230, 9380 series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**
Tractors 90 series with Sanden 510-HD, OE #8353, 9103	510-HD , B head, ear mount 2 groove, 5 ¼" (132mm) diameter	8353 9103	RD-5-6164-0P	**75R8262**
Tractors 90 series with Sanden 508HD, OE #9285, 9515	SD508HD, FG head, 2A groove, 5 ¼"(132mm) diameter	9285 9515	RD-5-5575-0P	**75R8292**
Tractors 91 Steiger series - with Sanden 510HD, OE #8478, 9119	SD510HD, C head, ear mount, variable groove 6 ¼" diameter (158mm)	8478 9119	RD-5-5200-0P	**75R8222**


COMPRESSORS CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.
CASE				
COMPRESSOR - SANDEN				
Tractors 500, 600 Series with Sanden 5H14, OE#4513, 6631, 9264	5H14, M head, ear mount, 2A groove, 5 ¼" (132mm) diameter	4513 6631 9264	RD-5-11315-0P	**75R81462**
Tractors 8900 series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**
Wheel Loader 621DXT with 24V Sanden 7H15HD, OE #4611. Case OE#1999760C2, 86983967	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4611 1999760C2 86993967	RD-5-11161-0P	**75R84114**
Windrowers 6500, 8820, 8830, 8840, 8850, 8860, 8870 series with Sanden 7H15HD, OE #4609	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609	RD-5-10259-0P	**75R84112**


75R81104 RD-5-11234-0P
Model: 7H15SHD **Head:** MD **Voltage:** 24
Mount: Direct **Sanden:** 4300, 4795
Clutch: 6" (152mm) Poly 8 **R134a**




75R84112 RD-5-10259-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Ear **Sanden:** 4478, 4609
Clutch: 6" (152mm) A2 Groove - Sealed **R-134a**




75R84114 RD-5-11161-0P
Model: 7H15SHD **Head:** MD **Voltage:** 24
Mount: Ear **Sanden:** 4611
Clutch: 6" (152mm) A2 Groove - Sealed **R-134a**



75R81462 RD-5-11315-0P
Model: SD7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4646
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R81482 RD-5-11322-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4660
Clutch: 4 ¾" (119mm) Poly 8 **R134a**




75R82142 RD-5-10493-0P
Model: 5H09 **Head:** K **Voltage:** 12
Mount: Ear **Sanden:** 5077
Clutch: 4.9" (125mm) A2 Groove **R-134a**



75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8384 RD-5-7089-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8462 RD-5-9251-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4711, 8103
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R84592 RD-5-11220-0P
Model: 7H15SHD **Head:** GK **Voltage:** 12
Mount: Ear **Sanden:** 4608, 4657, 8108
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**



CASE

COMPRESSOR - ICE SELTEC

Model	Description	OEM Part No.	Factory No.	Part No.
All series with ICE/Seltec TM21HD # 488-47244 - R134a Compressor with PAG OIL	TM21HD, J head, direct mount, poly 8, 5 ½" (141mm) diameter	488-47244	RD-5-12530-1P	**75R86142Q**

75R86142Q RD-5-12530-1P
Model: QP-21HD **Head:** J **Voltage:** 12V
Mount: Direct **ICE:** 2521562 **Seltec:** 435-67256, 488-47244
Clutch: 5 ½" (141mm) Poly 8 **R134a**



ELECTRICAL SWITCH

All series using clutch cycling switch with OE#70500C2	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	70500C2	RD-4172-0P	**71R2310**
All series using clutch cycling switch with OE#L73646	Rotary thermostat with 36" capillary tube	L73646	RD-4125-36P	**71R2250**
All Series using clutch cycling switch with OE#1259617-7	Rotary thermostat with 48" capillary tube, 34 - 52°F	301305-C91	RD-4125-48P	**71R2300**

71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2310 RD-4172-0P
Capillary Length: 27"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



EXPANSION VALVE / BLOCK

All Series using OE#118321C1	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-1P	**71R8301**
All Series using OE#60-5880T1	Block valve, 1 ½ ton with female O-Ring fittings	60-5880T1	RD-5-6868-1P	**71R8301**
All Series using OE#1990756C1, C2	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C1-C2	RD-5-7015-1P	**71R8321**
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	Block valve, Hi - capacity (2 ton), O-Ring fittings	RD-5-9513-0	RD-5-9513-0P	**71R8380**
Combines 1620, 1640, 1644, 1660, 1666, 1680, 1688 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Combines 2166, 2188, 2344 Axial, 2366 Axial, 2555 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Sprayers SP2000, SP2500, SP3000 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Tractors C, CX series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Tractors Magnum, MX series - 5100, 5200, 7100, 7200	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Tractors Quad-Trac series - 9380	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Tractors 3088, 3288, 3388, 3488, 3588, 3688, 3788 series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-1P	**71R8301**
Tractors 5088, 5288, 5488 series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-1P	**71R8301**
Tractors 5120, 5130, 5140, 5220, 5230, 5240 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Tractors 6388, 6588, 6788 series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-1P	**71R8301**
Tractors 7110, 7120, 7130, 7140, 7150, 7210, 7220, 7230, 7240, 7250 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Tractors 7288, 7488 Series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-1P	**71R8301**
Tractors 8910, 8920, 8930, 8940, 8950 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**
Tractors 9110, 9130, 9150, 9170, 9180, 9190 Series	Block valve, 1 ½ ton with female O-Ring fittings	118321C1	RD-5-6868-1P	**71R8301**
Tractors 9210, 9230, 9240, 9250, 9260, 9270, 9280, 9310, 9330, 9350, 9370, 9380 series	Block valve, Hi - capacity (2 ton), O-Ring fittings	1990756C2	RD-5-7015-1P	**71R8321**

EXPANSION VALVES CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

CASE

EXPANSION VALVE / BLOCK

71R8301 RD-5-6868-0P
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P
High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8380 RD-5-9513-0P
Anti-trumpeting (2 Ton)
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8321 RD-5-7015-0P
High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



EXPANSION VALVE / EXTERNAL EQUALIZER

All Series using OE#A42625, RD-5-5862-0, 469475-C1, 826-081	External equalizer with male O-Ring with 10" capillary length	A42625 RD-5-5862-0 469475-C1 826-081	RD-5-5862-0P	**71R8080**
All Series using OE#1280333C1, C2	External equalizer with male O-Ring with 13" capillary length	1280333C2	RD-5-3824-1P	**71R8100**
Combines 1420, 1440, 1460, 1480 series	External equalizer with male O-Ring with 13" capillary length	1280333C2	RD-5-3824-1P	**71R8100**
Tractors 500, 600 Series	External equalizer with male O-Ring with 10" capillary length	A42625 RD-5-5862-0 469475-C1	RD-5-5862-0P	**71R8080**
Tractors 695, 795, 895, 995 series	External equalizer with male O-Ring with 13" capillary length	1280333C2	RD-5-3824-1P	**71R8100**
Tractors 790, 1070, 1270, 1370, 1570 Series	External equalizer with male O-Ring with 10" capillary length	A42625 RD-5-5862-0 469475-C1	RD-5-5862-0P	**71R8080**
Windrowers 4000, 5000, 5500 series	External equalizer with male O-Ring with 13" capillary length	1280333C2	RD-5-3824-1P	**71R8100**

71R8080 RD-5-5862-0P
External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P
External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



EXPANSION VALVE / INTERNAL EQUALIZER

All Series using OE#168903C1, C91	Internal equalizer with male flare with 9" capillary length, flare fittings	168903C1-C91	RD-5-6099-0P	**71R8210**
All Series using OE#826-004	Internal equalizer valve with male O-Ring fittings	826-004	RD-5-10445-0P	**71R8220**
Combines 615, 715, 815, 915 series	Internal equalizer with male flare with 9" capillary length, flare fittings	168903C1	RD-5-6099-0P	**71R8210**
Tractors 766, 786, 886, 966, 986, 1066, 1086, 1466, 1486, 1566, 1586 series	Internal equalizer with male flare with 9" capillary length, flare fittings	20179C1	RD-5-6099-0P	**71R8210**
Tractors 4166, 4186, 4366, 4386, 4586, 4786 series	Internal equalizer with male flare with 9" capillary length, flare fittings	20179C1	RD-5-6099-0P	**71R8210**
Windrowers 4000, 5000, 5500 series	Internal equalizer with male flare with 9" capillary length, flare fittings	168903C1	RD-5-6099-0P	**71R8210**

71R8210 RD-5-6099-0P
Internal Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Capillary Tube Length: 9"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P
Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



Model	Description	OEM Part No.	Factory No.	Part No.

CASE

PRESSURE SWITCH

All series using high pressure switch, OE#111266C1	High Pressure Switch, normally closed 210psi, opens 340 psi, ¼" female flare	111266C1	RD-5-5873-0P	**71R6070**
All series using high pressure switch, OE#92038C1	High Pressure Switch, normally open 250psi, close 375 psi, ¼" female flare	92038C1	RD-5-8289-0P	**71R6230**
All series using low pressure switch, receiver drier mounting (O-Ring seal) , OE#A47717	Low pressure cut out switch, ⅜"-24, norm. open, closes 27 psig	A47717	RD-4191-0P	**71R6050**

71R6050 RD-4191-0P

⅜"-24-UNF-2A male threads O-Ring
Normally open - closes at 27 PSIG



71R6070 RD-5-5873-0P

Type: High Side
Fitting / Connector: ¼" female flare
Normally Closed – Closes at 210 PSI – Opens at 340 PSI



71R6230 RD-5-8289-0P

Type: High Side
Fitting / Connector: ¼" female flare / two-conductor Packard male/female
Normally Open – Closes at 375 PSI – Opens at 250 PSI



RECEIVER DRIER

All series with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	A22-14425-001	RD-5-4950-1P	**74R0907**
All series with OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	088423-00	RD-5-7061-7P	**74R2537**
All series with OE#111218-C1	with #6 Male Flare (top and side), 4" X 6 ¾"	111218-C1	RD-5-6077-1P	**74R4017**
All Series with OE#118304-C1, 118418-C1	with #6 Male O-Ring (top and side), 4" X 6 ¾"	118304-C1 118418-C1	RD-5-6075-1P	**74R4007**
All Series with OE#124552-C1	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	124552-C1	RD-4160-1P	**74R2106**
All series with OE#143469-C2	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	143469-C2	RD-5-11028-1P	**74R4027**
All series with OE#1990758-C2	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
All series with OE#539049-R1, R91	with #6 Male Flare (top and side), 4" X 6 ¾"	539049-R1 R91	RD-5-6077-1P	**74R4017**
All series with OE#572832-R91	with #6 Male Flare (top and side), 4" X 6 ¾"	572832-R91	RD-5-6077-1P	**74R4017**
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Combines 521, 525, 527 series	with #6 Male flare, 3" X 6 ¼"	RD-5-4954-0 088011-00 926384-C1	RD-5-4954-0P	**74R2406**
Combines 1460, 1480 series	with #6 Male Flare (top and side), 4" X 6 ¾"	111218-C1 539049-R1 R91	RD-5-6077-1P	**74R4017**
Combines 1620, 1640, 1644, 1660, 1666, 1680, 1688 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Combines 2166, 2188, 2344, 2366, 2388, 2555 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Cotton Pickers 1822, 1844, 2555 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Tractors AGRI-King 770, 870, 970, 1070, 1270, 1370 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	A61688 A76312	RD-4160-1P	**74R2106**
Tractors C, CX series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Tractors Hydro 100, 186 series	with #6 Male Flare (top and side), 4" X 6 ¾"	111218-C1 539049-R1 R91	RD-5-6077-1P	**74R4017**
Tractors Magnum, MX 180, 200, 220, 240, 270, 5120, 5130, 5140, 7110, 7120, 7130, 7140, 7200, 8900 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**

RECEIVER DRIERS CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.
CASE				
RECEIVER DRIER				
Tractors Quad-Trac 9380 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Tractors Traction King 1470, 1570, 2470, 2670, 2870 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	A76312	RD-4160-1P	**74R2106**
Tractors 1466, 1468, 1566, 1568 series	with #6 Male Flare (top and side), 4" X 6 ¾"	111218-C1 539049-R1 R91	RD-5-6077-1P	**74R4017**
Tractors 1570, 1896 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	A76312	RD-4160-1P	**74R2106**
Tractors 2090, 2096, 2290, 2294, 2390, 2394, 2470, 2590, 2594, 2670, 2870 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	A76312	RD-4160-1P	**74R2106**
Tractors 3088, 3288, 3294, 3388, 3394, 3488, 3588, 3594, 3688, 3788 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	A76312	RD-4160-1P	**74R2106**
Tractors 4166, 4366, 4386, 4586, 4786 series	with #6 Male Flare (top and side), 4" X 6 ¾"	111218-C1 539049-R1 R91	RD-5-6077-1P	**74R4017**
Tractors 4386, 4586, 4786 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	143464-C2 143469-C2	RD-5-11028-1P	**74R4027**
Tractors 4490, 4494, 4690, 4694, 4890, 4894, 4994 series	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	A76312	RD-4160-1P	**74R2106**
Tractors 5088, 5120, 5130, 5140, 5220, 5230, 5240, 5288, 5488 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	143464-C2 143469-C2 1990758-C2	RD-5-11028-1P	**74R4027**
Tractors 6388, 6588, 6788 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Tractors 7110, 7120, 7130, 7140, 7150, 7288, 7488 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Tractors 8910, 8920, 8930, 8940, 8950 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Tractors 9110, 9130, 9150, 9170, 9180 series	Male O-ring Type with Switch Port and HPRV	088214-00 088214-03	RD-5-11533-0P	**74R3107**
Tractors 9210, 9230, 9240, 9250, 9260, 9270 series before serial no. JEE0031849	Male O-ring Type with Switch Port and HPRV	088214-00 088214-03	RD-5-11533-0P	**74R3107**
Tractors 9210, 9230, 9240, 9250, 9260, 9270 series after no. serial JEE0031850	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Tractors 9310, 9330, 9350, 9370, 9380 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**
Windrowers 4000, 5000, 8820, 8830, 8840, 8850 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	1990758-C2	RD-5-11028-1P	**74R4027**

74R0907 RD-5-4950-1P
2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port




74R2106 RD-4160-1P
Includes Low Pressure Switch
2 ¼" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure /
Pressure Relief
Side Port




74R2537 RD-5-7061-7P
3" diameter x 6 ¼" long
#6 Male O-Ring
(Schrader Port)
High Capacity
Pressure Relief
Side Port



74R4007 RD-5-6075-1P
4" diameter x 6 ¾" long
#6 Male O-Ring (Top & Side)
Fuse
Side Glass



74R4017 RD-5-6077-1P
4" diameter x 6 ¾ " long
#6 Male Flare (Top and side)
Fuse
IHC/Novistar 539049-R91



74R4027 RD-5-11028-1P
Includes Moisture Indicator
4" diameter x 7 3/4" long
#6 Female O-Ring Out;
#6 Male O-Ring In



Model	Description	OEM Part No.	Factory No.	Part No.
CASE				
THERMOSTATIC SWITCH				
All Series with OE#A42623	Rotary thermostat with 18" capillary tube, 28 - 62°F	A42623	RD-5-4909-0P	**71R2100**
All Series with OE#109268-C2	Rotary thermostat with 48" capillary tube, 34 - 52°F	109268-C1-C2	RD-4125-48P	**71R2300**
All Series with OE#1162474-9	Rotary thermostat with 36" capillary tube, 34 - 52°F	1162474-9	RD-4125-36P	**71R2250**
All Series using clutch cycling switch with OE#1259617-7	Rotary thermostat with 48" capillary tube, 34 - 52°F	1259617-7	RD-4125-48P	**71R2300**
All Series with OE#175575C-1	Rotary thermostat with 48" capillary tube, 34 - 52°F	175575C-1	RD-4125-48P	**71R2300**
All Series with OE#301395-C91	Rotary thermostat with 48" capillary tube, 34 - 52°F	301395-C91	RD-4125-48P	**71R2300**
All Series with OE#404145	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	**71R3100**
All Series with OE#70500-C2	Rotary thermostat with 18" capillary tube, 28 - 62°F	70500-C2	RD-5-4909-0P	**71R2100**
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	Rotary thermostat with 18" capillary tube, 35 - 44°F	RD-5-11029-0	RD-5-11029-0P	**71R2305**


71R2100 RD-5-4909-0P
Capillary Length: 18"
Type: Variable
Temp. Range: 28°- 62°F
Clutch Cycle Range: 6°F



71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2305 RD-5-11029-0P
Capillary Length: 73"
Type: Variable
Temp. Range: 35°- 44°F



71R3100 RD-4-4272-4P
Mounting hole spacing: 2 1⅛"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F



Model	Description	OEM Part No.	Factory No.	**Part** No.

CATERPILLAR

BLOWER - FAN

Telehandler TH26, 63, 82, 83, 103 Series with Red Dot model R-10170-0, puller fan OE#RD-5-8641-0	Pancake fan assembly, (puller) 12V	RD-5-8641-0	RD-5-8641-0P	**RD-5-8641-0P**
Telehandler TH26, 63, 82, 83, 103 Series with Red Dot model R-10170-1, puller fan OE#RD-5-8641-1	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	**RD-5-8641-1P**

BLOWER - FAN RESISTOR

Skid Steer, A series Tier I & II, with Red Dot model R-6500, R-6500-1	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Skid Steer, B series Tier II, with Red Dot model R-295-0, R-9750	Blower Resistor, Red Dot A/C units. Used on RD-5-8837-0P Blower Assembly	RD-5-9447-0	RD-5-9447-0P	**71R1403**
Large Haul Truck 793, 797 series for Red Dot models	Ceramic tube style resistor, 4 terminal, 12V, 6 ½" length x 1 3⁄16" diam	RD-5-8665-0	RD-5-8665-0P	**71R1485**
Small Tract Type Tractor D3, D4, D5 with Red Dot unit R-9789-0, -1	Ceramic style resistor	RD-5-10028-0	RD-5-10028-0P	**RD-5-10028-0P**

71R1450 RD-5-3647-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1485 RD-5-8665-0P

4 Terminals (¼" blade) /
Variable Speed 12 volt, 2.36 ohm,
Length: 6 ½",
Diameter: 1 3⁄16",
Ceramic (black wrapped)
JD Crawler
Dozer 650H



BLOWER MOTOR

D series models with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409 8P9982 9G0397 RD-5-6071-0	RD-5-6071-0P	**73R0364**
Large Haul Truck 777 series with Red Dot model R-3800-5 with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409 8P9982 9G0397 RD-5-6071-0	RD-5-6071-0P	**73R0364**
Large Haul Truck 793, 797 series with Red Dot model R-9785-0 with 24V evaporator motor	Double shaft motor, 24V, NV, 1 speed, 5 ¾" length	RD-5-10054-0P	RD-5-10054-0P	**73R4274**
Loader 963LGP, 980B with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409 8P9982 9G0397 RD-5-6071-0	RD-5-6071-0P	**73R0364**
Motor Grader 24H with Red Dot model R-9790-0, OE#3E-6392	Double shaft motor, 24V, NV, 1 speed, slinger, 5" length, 3 ¼" shafts	3E-6392	RD-5-8375-0P	**RD-5-8375-0P**
Skid Steer with Red Dot R-10500, R-10500-1 model evaporator	Blower assembly with resistor, 12V, 13 ¾" x 5 ⅜" x 5 ⅛"	RD-5-8583-0	RD-5-8583-0P	**73R5552**
Skid Steer, A series Tier 1 & 2, with Red Dot model R-6500, R-6500-1	Blower assembly, 12V, 12 ¼" x 3 ⅛" x 4 ½"	RD-5-8837-1	RD-5-8837-1P	**73R5642**
Skid Steer, B series Tier 2, with Red Dot model R-6501	2RD570M Unit with Heater A/C, 12V blower motor assy	RD 5 8837 0	RD-5-8837-0P	**73R5532**
Small Tract Type Tractor D3, D4, D5 with Red Dot unit R-9789-0, -1	Blower Assembly, mixed flow for standard control units	RD-3-8783-0P	RD-3-8783-0P	**RD-3-8783-0P**
Telehandler TH26, 63, 82, 83, 103 Series with Red Dot model R-10170-0, evaporator motor OE#2809-541-001	Double shaft motor, 1 speed, 4 ¾" length	RD-5-10068-0 2809-541-001	RD-5-10068-0P	**73R4322**
Track Type Tractor D6H, D6HLPG, D7H, D7HLPG, D8N, D9L (early & late), D9N, D10, D11N	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409 8P9982 9G0393 RD-5-6071-0	RD-5-6071-0P	**73R0364**
Wheel Tractor-Scraper 673E	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409 8P9982 9G0393 RD-5-6071-0	RD-5-6071-0P	**73R0364**

BLOWER MOTOR CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	Part No.
CATERPILLAR				
BLOWER MOTOR				
14G, 16G series models with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409 8P9982 9G0397 RD-5-6071-0	RD-5-6071-0P	**73R0364**
637E, 777, 963LGP series models with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	2G0409 8P9982 9G0393 RD-5-6071-0	RD-5-6071-0P	**73R0364**
906 series models with Red Dot model R-10160-0 evaporator motor	Double shaft motor, 12V, 3 speed, 4" length	RD-5-3780-0	RD-5-3780-0P	**73R4102**
980B series models with 24V evaporator motor	Single shaft motor, 24V, CCW, NV, 1" slinger, 1 speed, 5" length x 4" x 3" diameter	8P9982 9G0393 9G8693 9G8697 RD-5-6071-0	RD-5-6071-0P	**73R0364**

73R0364 RD-5-6071-0P

Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: x 5" x 4" x 3"
Shaft: 5/16" diameter, Length: 1"
Non Vented, 1" diameter slinger



73R4274 RD-5-10054-0P

Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 5 3/4" x 5" x 3"
Shaft: 5/16" diameter, length: 3 3/8"
Non Vented
Connector: Two conductor



73R4322 RD-5-10068-0P

Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4 1/2" x 3"
Shaft: 5/16" diameter, length: 2 1/2"
Vented
Connector: Two conductor 1/4" spade receptacle



73R5532 RD-5-8837-0P

Three Speed
442 CFM – 12 volt – 12 1/4" x 3 1/8" x 4 1/2"
Replacement Resistor: 71R1403



73R5552 RD-5-8583-0P

Three Speed – 619 CFM
12 volt – 13 3/4" x 5 3/8" x 5 1/8"



73R5642 RD-5-8837-1P

Single Speed – 253 CFM
12 volt – 12 1/4" x 3 3/8" x 4 1/2"



BLOWER SWITCH				
325 Series using Red Dot A/C unit R-10004-0, OE#RD-5-3748-0	Toggle switch, SPST, 2 terminal	RD-5-3748-0	RD-5-3748-0P	**71R0010**
906 series models with Red Dot model R-10160-0 evaporator motor	Sleeper A/C Htr. toggle switch, DPDT, ON-ON-ON	RD-5-0071-0	RD-5-0071-0P	**71R0400**

71R0010 RD-5-3748-0P

SPST Type
Chrome Toggle
Function: ON - OFF
2 Terminals



71R0400 RD-5-0071-0P

DPDT Type
Chrome Toggle
Function: ON - ON - ON
4 Terminals



Model	Description	OEM Part No.	Factory No.	**Part** No.

CATERPILLAR

CLUTCH ASSEMBLY

CCI/York - R12 / 134A compressors, Caterpillar OE#003-3938	1 groove ½" width, 6" diameter pulley, 2 ¾" ga., IHC plug	003-3938	RD-5-9665-0P	**75R0402**
CCI/York - R12 / 134A compressors, Caterpillar OE#8517-6010	2 groove 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	8517-6010	RD-5-5486-0P	**75R0202**
CCI/York - R12 / 134A compressors, OE#024-21590	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, weatherpak plug	024 21590 03-1104973 501939	RD-5-4972-1P	**75R1202**
CCI/York - R12 / 134A compressors, OE#MA6, MAE6AR	2 groove 6" diameter pulley, ½" width, 2 ¼" ga	MA6 MAE6AR	RD-5-10367-0P	**75R0422**
CCI/York - R12 / 134A compressors, OE#MA7A	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	MA7A	RD-5-4994-0P	**75R4502**

75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Bare wire



75R0402 RD-5-9665-0P

Diameter: 6"
Groove: 1
Width: ½"
12 Volts
B Dimension: 2 ¾"

Single wire coil
Female Weatherpak (IHC) plug



75R0422 RD-5-10367-0P

Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 2 ¼"

Single wire coil
Female Weatherpak (IHC) plug



75R1202 RD-5-4972-1P

OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 ⅝"
Single wire coil with diode
Weatherpak plug



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



COMPRESSOR - GM

All series with GM A6 with Superheat switch port, without oil	1 groove ½" width, 4 ⅞" diameter (124mm), generic	1131243 12301930 31 509170-C91	RD-5-5000-0P	**75R8102**

75R8102 RD-5-5000-0P

GMC A6R, Generic — Superheat switch port
5" Single Groove Clutch — 12 volt
Pulley with ½" - ¾" variable groove — R-12 / R134a
Standard thread mounting holes — Clockwise rotation
No Oil



CATERPILLAR

COMPRESSOR - SANDEN

Model	Description	OEM Part No.	Factory No.	Part No.
Backhoe Loader 416D, 420D, 420D IT, 430D with Sanden 7H15SHD, Sanden OE #4608	7H15SHD, GK head, ear mount, 1A groove, 6" (152mm) diameter	4608	RD-5-11200-0P	**75R84592**
All series with Sanden SD5H14, Sanden OE #6664	SD5H14, FL head, ear mount, 2 groove 5 ¼" Diameter with verticle O-Ring fitting	8177090 6664	RD-5-7088-0P	**75R8382**
All series with Sanden SD5H14, Caterpillar OE#72239450	SD5H14, FL head, ear mount, 2 groove 5 ¼" Diameter with verticle O-Ring fitting	72239450 6664	RD-5-7088-0P	**75R8382**
All series with Sanden 5H14, 24V, R134a compressor, Sanden OE #6665	5H14-HD, FL head, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**
All series with Sanden 7H15SHD, 12V, R-12, Sanden OE #4661, Cat OE#114-9484	7H15SHD, KC head, ear mount, 2A groove, 5 ½" (138mm) diameter	4661 114-9484	RD-5-11324-0P	**75R81492**
All series with Sanden 7H15SHD, 24V, Sanden OE#4726, Cat OE#114-9676, 218-0234	7H15SHD, GK head, ear mount, poly 8, 5 ¼"(132mm) diameter	4726-Cat OE#114-9676 218-0234	RD-5-10260-0P	**75R84594**
All series with Sanden 7H15, 24V, Sanden OE#4769, Cat OE#163-0872	7H15, MD head, ear mount, poly 8, 5 ¼"(132mm) diameter	4769-Cat OE#163-0872	RD-5-11161-0P	**75R81114**
All series with Sanden 7H15, 12V, Sanden OE#4813, Cat OE#178-9570	7H15SHD, KCA head, direct mount, poly 8, 5 ¼"(132mm) diameter	4813-Cat OE#178-9570	RD-5-11260-0P	**75R81402**
All series with Sanden 7H15, 24V, Sanden OE#4840, Cat OE#183-5106	7H15SHD, GK head, direct mount, poly 8, 6" (152mm) diameter	4840-Cat OE#183-5106	RD-5-11236-0P	**75R81134**
All series with Sanden 7H15, 24V, Sanden OE#4604, 8107, Cat OE#3E-1906	7H15SHD, GK head, ear, 1A groove, 5 ½" (138mm) diameter	4604 8107-Cat OE#3E-1906 101-1795 134-3997	RD-5-11240-0P	**75R81184**
All series with Sanden 7H15, 12V, Sanden OE#4608, 8108, Cat OE#3E-1908	7H15SHD, GK head, ear mount, 1A groove, 6" (152mm) diameter	4608 8108-Cat OE#3E-1907 1908	RD-5-11200-0P	**75R84592**
All series with Sanden 7H15, 24V, Sanden OE#4640, 8109, Cat OE#106-5122	7H15SHD, GK head, ear mount, 1A groove, 6" (152mm) diameter	4640 8109-Cat OE#106-5122	RD-5-11248-0P	**75R81274**


75R81114 RD-5-11235-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Direct **Sanden:** 4301, 4769
Clutch: 5 ¼" (133mm) Poly 8 **R134a**




75R81134 RD-5-11236-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Direct **Sanden:** 4302, 4840
Clutch: 6" (152mm) Poly 8 **R134a**




75R81184 RD-5-11240-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Ear **Sanden:** 4468, 4604, 4656, 8107
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**




75R81274 RD-5-11248-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Ear **Sanden:** 4479, 4640, 4658, 8109
Clutch: 6" (152mm) A1 Groove - Sealed **R134a**




75R81402 RD-5-11260-0P
Model: 7H15SHD **Head:** KCA **Voltage:** 12
Mount: Direct **Sanden:** 4498, 4806, 4813
Clutch: 5 ¼" (132mm) Poly 8 **R134a**




75R81492 RD-5-11324-0P
Model: 7H15SHD **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4480, 4661
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**



75R84592 RD-5-11220-0P
Model: 7H15SHD **Head:** GK **Voltage:** 12
Mount: Ear **Sanden:** 4608, 4657, 8108
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**



75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



COMPRESSOR CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.


CATERPILLAR

COMPRESSOR - SANDEN

75R8384 RD-5-7089-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84592 RD-5-11220-0P
Model: 7H15SHD **Head:** GK **Voltage:** 12
Mount: Ear **Sanden:** 4608, 4657, 8108
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**



75R84594 RD-5-10260-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Ear **Sanden:** 4487, 4726
Clutch: 5 ¼" (133mm) Poly 8 - Sealed **R134a**



COMPRESSOR - ICE SELTEC

All series with ICE/Seltec TM21HD 12V, OE#488-47244 - R134a	TM21HD, J head, direct mount, poly 8, 5 ½" (141mm) diameter	488-47244 435-67256	RD-5-12530-1P	**75R86142Q**

75R86142Q RD-5-12530-1P
Model: QP-21HD **Head:** J **Voltage:** 12V
Mount: Direct **ICE:** 2521562 **Seltec:** 435-67256, 488-47244
Clutch: 5 ½" (141mm) Poly 8 **R134a**



CATERPILLAR

CONDENSER

Model	Description	OEM Part No.	Factory No.	Part No.
325 models with Red Dot A/C unit R-10004-0	Radiator Mount,Tube & Fin type, 21 1/2" fin width x 26 1/2" x 1 1/4"	RD-4-4968-0	RD-4-4968-0P	**77R7100**
416E, 420E, 444E	Condenser	353-8584	RD-5-7543-0P	**77R8440**
826C, 836, 836G, 953C, 955C, 963, 963C, 973C, 996C, D3C, D4C, D5C, D5M, D6M, D6R, D7R	Condenser	216-0804, 216-0805, 9X3439	RD-4-7544-0P	**77R8385**
906 models with Red Dot A/C unit R-10160-0	Tube & Fin type, 20 7/8" fin width x 12" x 3 1/3"	RD-4-4738-0	RD-4-4738-0P	**77R0620**
914G, 928G models with Red Dot A/C unit R-10046-0, R-10047-0	Tube & Fin type, Red Dot unit, 23" fin width x 12 1/4" x 1 3/4"	RDH RD4 3724 0	RD-4-3724-0P	**77R0650**
950B - E, 966, 980A - C models with Red Dot A/C unit R-10044-3, R-10045-0	Tube & Fin type, 23" fin width x 9 1/8" x 3"	RD-4-4069-1	RD-4-4069-1P	**77R0110**
CT660	Tube & Fin type, 30 1/4" width x 17 1/2"	3853558F92	RD-4-7542-0P	**77R8445**
IT14G, IT28G models with Red Dot A/C unit R-10046-0, R-10047-0	Radiator Mount, Tube & Fin type, 23" fin width x 12 1/4" x 1 3/4"	RDH RD4 3724 0	RD-4-3724-0P	**77R0650**
Large Haul Trucks with Red Dot A/C unit R-10235	Grilldenser type, 37" fin width x 32" x 3/4"	RD-4-3683-2	RD-4-3683-2P	**77R7900**
Skid Steer A and B series with Red Dot R-10500, R-10500-1 model evaporator	Multi Flow type, 18 13/16" fin width x 14" x 3/4"	RD-4-5378-0	RD-4-5378-0P	**77R1290**
TH26, TH63, TH82, TH83, TH103 with Red Dot R-10170 model evaporator	Tube & Fin type, 26 7/16" fin width x 23 1/4" x 9 1/8"	RD-4-4069-0	RD-4-4069-0P	**77R0100**


77R0110 RD-4-4069-1P
Tube & Fin Type
Overall Width: 26 1/4"
Fin Width: 23"
Height: 9 1/8"
Thickness: 3"



77R0620 RD-4-4738-0P
Tube & Fin Type
Overall Width: 23 1/3"
Fin Width: 20 7/8"
Height: 12"
Thickness: 3 1/3"




77R0650 RD-4-3724-0P
Tube & Fin Coil Type,
Overall Width: 25"
Fin Width: 23"
Height: 12 1/4"
Thickness: 1 3/4"



77R1290 RD-4-5378-0P
MultiFlow Type
Overall Width: 21 3/4"
Fin Width: 18 13/16"
Height: 14"
Thickness: 3/4"



77R7100 RD-4-4968-0P
Tube & Fin Type
Overall Width: 28 1/16"
– Two Row
Fin Width: 21 1/2"
Height: 26 1/2"
Thickness: 1 1/4"



77R7900 RD-4-3683-2P
Grilldenser Type
Overall Width: 39 7/8"
Fin Width: 37"
Height: 32"
Thickness: 3/4"



EXPANSION VALVE / BLOCK

All Series using OE#3V0251, 3V0258, RD-5-6868-0	Main Unit, 1 ½ ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	3V0251 3V0258 RD-5-6868-0	RD-5-6868-1P	**71R8301**
All Series using OE#98370C3, RD-5-7015-0	Block valve, Hi - capacity (2 ton), O-Ring fittings	98370C3 RD-5-7015-0	RD-5-7015-1P	**71R8321**
All Series using Red Dot A/C unit R-10004-0, OE#RD-5-10447-0	Red Dot A/C unit R-10004-0, with female O-Ring	RD-5-10447-0	RD-5-10447-0P	**71R8405**
Challenger 1 35, 45, 55 Series with OE#362.761.0	Block valve, Hi - capacity (2 ton), O-Ring fittings	362.761.0 RD-5-7015-0	RD-5-7015-1P	**71R8321**
IT14G, IT28G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD-5-6868-0	Block valve with 1 ½ ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0 RD-5-6868-0	RD-5-6868-1P	**71R8301**
Large Haul Trucks with Red Dot A/C unit R-10235-3, -4	Block valve, Hi - capacity (2 ton), O-Ring fittings	RD-5-7015-0	RD-5-7015-1P	**71R8321**
Skid Steer A and B series with Red Dot R-10050, R-10050-1 model evaporator	Block valve, Hi - capacity (2 ton), O-Ring fittings	RD-5-7015-0	RD-5-7015-1P	**71R8321**
TH26, 63, 82, 83, 103 Series using Red Dot A/C unit R-10170-0, OE#RD-5-6868-0	Block valve with 1 ½ ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0 RD-5-6868-0	RD-5-6868-1P	**71R8301**
325 Series using Red Dot A/C unit R-10004-0, OE#RD-5-10447-0	Red Dot A/C unit R-10004-0, with female O-Ring	RD-5-10447-0	RD-5-10447-0P	**71R8405**

EXPANSION VALVE CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

CATERPILLAR

EXPANSION VALVE / BLOCK

906 Series using Red Dot A/C unit R-10160-0, OE#RD-5-6868-0	Block valve with 1 ½ ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0 RD-5-6868-0	RD-5-6868-1P	**71R8301**
914G, 928G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD-5-6868-0	Block valve with 1 ½ ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0 RD-5-6868-0	RD-5-6868-1P	**71R8301**
950B - E, 966, 980A - C Series using Red Dot A/C unit R-10044-3, OE#RD-5-6868-0	Block valve with 1 ½ ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0 RD-5-6868-0	RD-5-6868-1P	**71R8301**
950F, 966F Series using Red Dot A/C unit R-10045-0, OE#RD-5-6868-0	Red Dot A/C unit R-10045-0, 1 ½ ton Hi - cap, Female O-Ring, 5°F, 80psi@40°F	RD 4157 0 RD-5-6868-0	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " 0" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8405 RD-5-10447-0P

With Schrader Port
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F




EXPANSION VALVE / EXTERNAL EQUALIZER

All Series with OE#1P6526	Main Unit, all models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	**71R8050**
All Series with OE#2G0401	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	**71R8100**
All Series with OE#2G0401, 3E9343, RD-5-5862-0	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	2G0401 3E9343 RD-5-5862-0	RD-5-5862-0P	**71R8080**
Compactor 825B	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	**71R8050**
Loader 955L, 963LGP, 977L, 983B, 988 (late),	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	**71R8100**
Loader 980B, 988B (early), 992C	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	**71R8050**
Motor Grader 14G, 16G	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	**71R8100**
Skid Steer 225 (early) series	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	**71R8050**
Skid Steer 225 (late) series	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	**71R8100**
Track Type Tractor D6H, D6HLGP, D7G, D7H, D7HLGP, D8K (late), D8N, D9N, D10, D11N	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	**71R8100**
Track Type Tractor D8K (early), D9H	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	**71R8050**
Wheel Dozer 824B	All models with #6, #8 male flare fitting, 18" tubes	1P6526	RD-4126-1P	**71R8050**
Wheel Tractor Scraper 627B	Male O-Ring with 13" capillary length, 13" equalizer tube length	2G0401	RD-5-3824-1P	**71R8100**

71R8050 RD-4126-1P

External Equalizer
Inlet:#6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length:18"
Rating: 1 ½ Ton



71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length:10"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (¼") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length:13"
Rating: 1 ½ Ton



EXPANSION VALVES CONTINUED ON NEXT PAGE

CATERPILLAR

Model	Description	OEM Part No.	Factory No.	Part No.
EXPANSION VALVE / INTERNAL EQUALIZER				
All Series with OE#RD-5-11033-0	Internal equalizer, 1 ½ Ton, Male O-Ring	RD-5-11033-0	RD-5-11033-0P	**71R8060**
All Series with OE#RD-5-10445-0	Internal equalizer, 1 ½ Ton, Male O-Ring	RD-5-10445-0	RD-5-10445-0P	**71R8220**
777 Series Large Haul Trucks, internal equalizer	Internal equalizer with male flare with 9" capillary length, flare fittings	168903C1-C91	RD-5-6099-0P	**71R8210**

71R8060 RD-5-11033-0P
Internal Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



71R8210 RD-5-6099-0P
Internal Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Capillary Tube Length: 9"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P
Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton




EXPANSION VALVE / ORIFICE TUBE				
Backhoe Loader 416D, 420D, 420 ID, 430D	Aux. unit, Brown orifice tube	RD-5-10013-0	RD-5-10013-0P	**71R8506**
Skid Steer A & B series Tier 2 using Red Dot A/C unit R-6500-1	Aux. unit, Brown orifice tube	RD-5-10013-0	RD-5-10013-0P	**71R8506**

71R8506 RD-5-10013-1P
Brown - Length: 3.46", O.D.: .429", Orifice: .047"



FILTER				
5130, 5230 with panel filter, Cat OE#8C4120	Fresh air panel filter for Red Dot Unit R-9785-0, , 15 3/4" x 7 7/8" x 2 1/4"	8C4120	RD-5-8668-0P	**78R5318**
613C, 615C with panel filter, Cat OE#8P5142	Fresh air panel filter, 16 7/8" x 10" x 2 1/4"	8P5142	RD-5-6124-0P	**78R5320**
Backhoe Loader 416D, 420D, 420D IT, 430D with OE #1707272	Fresh air filter for Red Dot Unit R-3800-5, , 15 5/16" x 9 3/4" x 1/2"	1707272	RD-3-9805-0P	**78R5243**
Large Haul Truck 793, 797	Fresh air filter for Red Dot Unit R-9785-0, , 15 3/4" x 7 7/8" x 2 1/4"		RD-5-8668-0P	**78R5318**
Skid Steer, A Series Tier 1	Fresh air filter for Red Dot Unit R-6500-0, , 13 1/2" x 4 9/16" x 3/8"		RD-5-10416-0P	**78R5250**
Skid Steer, A Series Tier 2	Fresh air filter for Red Dot Unit R-6500-1, , 13 1/2" x 4 9/16" x 3/8"		RD-5-10416-0P	**78R5250**
Skid Steer, B Series Tier II	Recirculating air filter, (filter foam) for Red Dot Unit R-6501-0, 10 3/8" x 3 1/4" x 3/8"		RD-5-10687-0P	**78R5313**
Skid Steer, B Series Tier II	Fresh air filter for Red Dot Unit R-6501-0, , 10 3/8" x 3 3/4" x 1"		RD-3-10847-0P	**78R5367**


78R5243 RD-3-9805-0P
15 5/16" wide x 9 3/4" high x ½" thick



78R5250 RD-5-10416-0P
13 ½" wide x 4 9/16" high x ⅜" thick



78R5367 RD-3-10847-0P
10 ⅜" Wide x 3 ¾" High x 1" Thick



Model	Description	OEM Part No.	Factory No.	**Part** No.

CATERPILLAR

PRESSURE SWITCH

325 Series, Binary switch for models with Red Dot A/C unit R-10004-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
914G, 928G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD 5 4640 0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
950B - E, 966, 980A - C Series using Red Dot A/C unit R-10044-3, OE#RD-5-8433-0P	Dual function switch (Fujikoki) with 7/16-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	**71R7075**
950F, 966F Series using Red Dot A/C unit R-10045-0, OE#RD-5-8433-0	Dual function switch (Fujikoki) with 7/16-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	**71R7075**
Large Haul Trucks with Red Dot A/C unit R-10235-3, -4	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Skid Steer A and B series with Red Dot R-10050, R-10050-1 model evaporator	Dual function switch (GM), , Open: low 20-33 psi, high 315-355 psi, , Closed: low 23-37 psi, high 215-275 psi	RD-5-9577-0	RD-5-9577-0P	**71R6150**
TH26, 63, 82, 83, 103 Series using Red Dot A/C unit R-10170-0, OE#RD-5-8433-0P	Dual function switch (Fujikoki) with 7/16-20, 4 terminal	RD-5-8433-0, A22-36474-000	RD-5-8433-0P	**71R7075**

71R7050 RD-5-4640-0P

7/16-20 UNF-2B Female Thread for Installation on Male Schrader Type Valve.



71R7075 RD-5-8433-0P

	OPEN	CLOSED
LOW	± 2	28
HIGH	± 28	384

Thread: 7/16" – 20 UNF
Orange Fan Switch



71R6150 RD-5-9577-0P

	OPEN	CLOSED
LOW	20-33	23-37
HIGH	315-355	215-275

Thread: M10 x 1.25



RECEIVER DRIER

All Series with in-line drier with quick disconnect, Cat OE#3E3535	In-line, quick disconnect, 2 ½" x 13 ⅞"	3E3535	RD-5-8605-1P	**74R0470**
All Series with drier, Cat OE#088209-02, 106-5534, 5V5698	#6 Male O-Ring, 4" x 7 ¾", side port, low pressure switch, moisture indicator	088209-02 106-5534 5V5698	RD-5-5955-1P	**74R3517**
All Series with drier, Cat OE#106-5532, 106-5533, 8T8642, 9W0549	#6 Male O-Ring, 4" x 7 ¾", low pressure switch, moisture indicator	106-5532 106-5533 8T8642 9W0549	RD-5-7564-1P	**74R3527**
Challenger 1 35, 45, 55 Series with OE#362.761.0	#6 Male O-Ring in, #6 Female O-Ring out, pressure relief, metric ports	362.761.0	RD-5-11196-0P	**74R3331**
D10N, D16H Series with in-line drier with quick disconnect, Cat OE#3E3535	In-line, quick disconnect, 2 ½" x 13 ⅞"	3E3535	RD-5-8605-1P	**74R0470**
IT14G, IT28G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#088273-00	#6 Male O-Ring, 2 ½" x 7 11/16", ¼" male side port	088273-00	RD-5-7559-0P	**74R1106**
TH26, 63, 82, 83, 103 Series using Red Dot A/C unit R-10170-0, OE#088411-01	In-line, #6 Male O-Ring, 2 ½" x 9 9/16"	088411-01	RD-5-7064-1P	**74R0462**
Large Haul Trucks with Red Dot A/C unit R-10235-3, -4	#6 Male O-Ring, 2 ¾" x 9 ⅝", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	**74R1826**
Large Haul Trucks 77 Series with Red Dot A/C	#6 Male O-Ring, 3" x 6 ¼", hi capacity, pressure relief	RD-5-3843-0	RD-5-7272-1P	**74R2447**
Loader 963LGP Series with Red Dot A/C	#6 Male O-Ring, 3" x 6 ¼", hi capacity, pressure relief	RD-5-3843-0	RD-5-7272-1P	**74R2447**
Loader 988B (late), 992C series with 4" drier, Cat OE#088209-02, 106-5534, 5V5698	#6 Male O-Ring, 4" x 7 ¾", side port, low pressure switch, moisture indicator	088209-02 106-5534 5V5698	RD-5-5955-1P	**74R3517**
Motor Grader 14G, 16G Series with Red Dot A/C	#6 Male O-Ring, 3" x 6 ¼", hi capacity, pressure relief	RD-5-3843-0	RD-5-7272-1P	**74R2447**
Skid Steer A and B series with Red Dot R-10050, R-10050-1 model evaporator	O-Ring Type with Fuse Plug & Charge Port	088193-03	RD-5-9515-1P	**74R2677**

RECEIVER DRIER CONTINUED ON NEXT PAGE

CATERPILLAR

RECEIVER DRIER

Model	Description	OEM Part No.	Factory No.	Part No.
Skid Steer 235 (late), 255 (late) series with drier, Cat OE#088209-02, 106-5534, 5V5698	#6 Male O-Ring, 4" x 7 ¾", side port, low pressure switch, moisture indicator	088209-02 106-5534 5V5698	RD-5-5955-1P	**74R3517**
Track Type Tractor D7G, D8N, D9L, D9L (early), D9N, D11, D11N Series with drier, Cat OE#088209-02, 106-5534, 406217, 5V5698	#6 Male O-Ring, 4" x 7 ¾", side port, low pressure switch, moisture indicator	088209-02 106-5534 406217 5V5698	RD-5-5955-1P	**74R3517**
Track Type Tractor D9N Series, Cat OE#106-5532, 106-5533, 8T8642, 9W0549	#6 Male O-Ring, 4" x 7 ¾", low pressure switch, moisture indicator	106-5532 106-5533 8T8642 9W0549	RD-5-7564-1P	**74R3527**

74R0462 RD-5-7064-1P
2 ½" diameter x 9 9/16" long
#6 Male O-Ring Inline - High Capacity



74R0470 RD-5-8605-1P
2 ½" diameter x 13 7/8" long
Quick Disconnect – No Port
With Orifice Tube



74R1106 RD-5-7559-0P
2 ½" diameter x 7 11/16" long
#6 Male O-Ring
Side Port




74R1826 RD-5-7062-1P
2 ¾" x 10 5/16" long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port



74R2447 RD-5-7272-1P
Includes Moisture Indicator
3" diameter x 6 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2677 RD-5-9515-1P
Includes Moisture Indicator
3" diameter x 7 ¾" long
#6 Male O-Ring
(Schrader Port)
High Capacity



74R3331 RD-5-11196-0P
3" diameter x 10" long
#6 Male O-Ring Inlet
#6 Female O-Ring Out
High Capacity
Pressure Relief
Two Top Metric Ports



74R3517 RD-5-5955-1P
Includes Low Pressure Switch & Moisture Indicator
4" diameter x 7 ¾" long
#6 Male O-Ring
Pressure Relief –
Side Port



74R3527 RD-5-7564-1P
Includes Low Pressure Switch & Moisture Indicator
4" diameter x 7 7/8" long
#6 Quick Disconnect
Pressure Relief
No Port



RECEIVER DRIER / ACCUMULATOR

All Series with accumulator, Caterpillar OE#101-8789	Main Unit with Accumulator, female O-Ring, 3 ½" x 9 ½"	3E0443 106-1018 101-8789 151-5261	RD-5-10927-0P	**74R5061**
D10N, D16H Series with accumulator, Cat OE#3E0443, 106-1018, 101-8789, 151-5261	Main Unit with Accumulator, female O-Ring, 3 ½" x 9 ½"	3E0443 106-1018 101-8789 151-5261	RD-5-10927-0P	**74R5061**
914G, 924G, 950F, 950G, 980F, 980G Series accumulator, Cat OE#3E0443, 106-1018, 101-8789, 151-5261	Main Unit with Accumulator, female O-Ring, 3 ½" x 9 ½"	3E0443 106-1018 101-8789 151-5261	RD-5-10927-0P	**74R5061**

74R5061 RD-5-10927-0P
3 1/2" diameter x 9 1/2" long
Inlet: 1 1/16" Female O-Ring
Outlet: 1 1/16" Female O-Ring



Model	Description	OEM Part No.	Factory No.	**Part** No.

CATERPILLAR

RESISTOR

Skid Steer, A series Tier I & II, with Red Dot model R-6500, R-6500-1	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Skid Steer, B series Tier II, with Red Dot model R-295-0, R-9750	Blower Resistor, Red Dot A/C units. Used on RD-5-8837-0P Blower Assembly	RD-5-9447-0	RD-5-9447-0P	**71R1403**
Large Haul Truck 793, 797 series for Red Dot models	Ceramic tube style resistor, 4 terminal, 12V, 6 ½" length x 1 3⁄16" diam	RD-5-8665-0	RD-5-8665-0P	**71R1485**
Small Tract Type Tractor D3, D4, D5 with Red Dot unit R-9789-0, -1	Ceramic style resistor		RD-5-10028-0P	**RD-5-10028-0P**

71R1403 RD-5-9447-0P

3 Speed
4 Terminals
12 Amps
Fits
73R5532



71R1450 RD-5-3647-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1485 RD-5-8665-0P

4 Terminals (¼" blade) /
Variable Speed 12 volt, 2.36 ohm,
Length: 6 ½",
Diameter: 1 3⁄16",
Ceramic (black wrapped)
JD Crawler
Dozer 650H



THERMOSTATIC SWITCH

All series with OE#2G0398	Rotary thermostat with 48" capillary tube, 34 - 52°F	2G398	RD-4125-48P	**71R2300**
All series with OE#2P4338, 6K9614, 6T9395, 8P5346, 8P5349, 8P5350, 9P3498	Rotary thermostat, 36" capillary tube, 34 - 52°F	2P4338 6K9614 6T9395 8P5346 8P5349 8P5350 9P3498	RD-4125-36P	**71R2250**
Backhoe Loader 416D, 420D, 420D IT, 430D with OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	**71R3200**
Compactor 825B with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	**71R2250**
IT14G, IT28G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD-5-6429-0P	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0P	RD-5-6429-0P	**71R3150**
Large Haul Trucks with Red Dot A/C unit R-10235-3, -4, OE#RD-5-6429-0	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0P	RD-5-6429-0P	**71R3150**
Large Haul Trucks 777 Series with Red Dot A/C, OE#RD-4226-0P	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0P	RD-4226-0P	**71R2700**
Large Haul Trucks 793, 797 with OE#RD-5-8377-0	Fixed Setting thermostat with 33" capillary tube, flange mt., 40 - 85°F	RD-5-8377-0	RD-5-8377-0P	**71R3125**
Loader 955L, 977L, 983B, 988B (early-late), 992C with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	**71R2250**
Motor Grader 14G, 16G Series with Red Dot A/C, OE#RD-4226-0P	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0P	RD-4226-0P	**71R2700**
Motor Grader 24H, OE#RD-5-8377-0	Fixed Setting thermostat with 33" capillary tube, flange mt., 40 - 85°F	RD-5-8377-0	RD-5-8377-0P	**71R3125**
Skid Steer A series Tier II with Red Dot A/C unit R-6500, OE#RD-5-10239-0	Thermistor, 12V fits Red Dot A/C unit R-6500	RD-5-10239-0	RD-5-10239-0P	**71R3540**
Skid Steer A and B, B series II with Red Dot R-10050, R-10050-1 model evaporator, OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	**71R3200**
Small Track Type Tractor D3, D4, D5 with OE#RD-5-8377-0	Fixed Setting thermostat with 33" capillary tube, flange mt., 40 - 85°F	RD-5-8377-0	RD-5-8377-0P	**71R3125**
TH26, 63, 82, 83, 103 Series using Red Dot A/C unit R-10170-0, OE#RD-4427-24	Fixed Setting thermostat with 24" capillary tube, flange mt.	RD-4427-24	RD-4427-24P	**71R3100**
Tract Loader 963LGP with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	**71R2250**

THERMOSTATIC SWITCH CONTINUED ON NEXT PAGE

CATERPILLAR

THERMOSTATIC SWITCH

Model	Description	OEM Part No.	Factory No.	Part No.
Tract Type Tractor D6H, D6HLGP, D7G, D7H, D7HLGP, D8K, D8N, D9H, D9L (early) with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	**71R2250**
Wheel Tractor Scraper 627B, 637D with Red Dot A/C, OE#RD-4125-36P	Rotary thermostat with 36" capillary tube, 34 - 52°F, clutch cycle range 5°	RD-4125-36P	RD-4125-36P	**71R2250**
325 Series with Red Dot A/C unit R-10004-0, OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	**71R3200**
906 Series with Red Dot A/C unit R-10160-0, OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	**71R3200**
914G, 928G Series using Red Dot A/C unit R-10046-0, R-10047-0, OE#RD-5-6429-0P	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0P	RD-5-6429-0P	**71R3150**
950B - F, 966, 966F, 980A - C Series using Red Dot A/C unit R-10044-3, OE#RD-4172-0	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	RD-4172-0	RD-4172-0P	**71R2310**
950F, 966F Series using Red Dot A/C unit R-10045-0, OE#RD-5-4531-24P	Fixed setting thermostat with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**

71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2310 RD-4172-0P
Capillary Length: 27"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2700 RD-4226-0P
Pull for cold Variable temp.
Mounting hole spacing 2 15/16"
Capillary Length: 30"
Type: Variable
Temp. Range: 34°- 54°F
Clutch Cycle Range: 5°F



71R3100 RD-4-4272-4P
Mounting hole spacing: 2 1/8"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F



71R3125 RD-5-8377-0P
Mounting hole spacing: 2 3/16"
Capillary Length: 33"
Type: Fixed
Temp. Range: 40° - 85°F
Clutch Cycle Range: 5°F



71R3150 RD-5-6429-0P
Capillary Length: 16"
Type: Fixed
Temp. Range: 28°- 35°F
Clutch Cycle Range: 7°F



71R3200 RD-5-4531-24P
Mounting hole spacing: 2 1/4"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



Model	Description	OEM Part No.	Factory No.	**Part** No.
CATERPILLAR				
WATER VALVE				
All Series with OE#3P7994, 7G-8699	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	3P7994 7G-8699	RD-4257-0P	**72R5050**
D4E, D5B, D5H, D6D, D7G, D8K, D9H	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	7G-8699	RD-4257-0P	**72R5050**
Large Haul Trucks 793, 797 with OE#RD-5-8894-0	Cable operated valve, (pull to open), 5/8" to 5/8" hose	RD-5-8894-0	RD-5-8894-0P	**72R6535**
Motor Grader 24H Series with OE#RD-5-8390-0	Cable operated valve	RD-5-8390-0	RD-5-8390-0P	**72R6525**
Skid Steer A series Tier 1, II with Red Dot A/C unit, OE#RD-5-10635-0	Cable operated with stem water control valve, (pull to close), 5/8" to 3/4" hose	RD-5-10635-0P	RD-5-10635-0P	**72R5204**
Skid Steer B series Tier II with Red Dot A/C unit, OE#RD-3-11046-0	Cable operated with stem water control valve, (pull to close), 5/8" to 3/4" hose	RD-3-11046-0	RD-3-11046-0P	**72R5203**
Small Track Type Tractor D3, D4, D5 with OE#RD-5-10055-0	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	RD-5-10055-0	RD-5-10055-0P	**72R6547**
215, 225, 235, 245, 615, 613B, 613C, 621, 621B, 623B, 627B, 631D, 633D, 637D, 639D, 943, 953, 955L, 963, 977L, 983B973,	Cable operated valve, straight (pull to open), 5/8" to 5/8" hose	7G-8699	RD-4257-0P	**72R5050**

72R5050 RD-4257-0P
5/8" hose to 5/8" hose



72R5203 RD-3-11046-0P
3/4" Hose to 5/8" Hose with Stem Water Control Valve
Pull To Close



72R5204 RD-5-10635-0P
5/8" Hose to 3/4" Hose with Stem Water Control Valve
Pull To Close



72R6525 RD-5-8390-0P
Water Valve for Caterpillar Motor Grader 24H



72R6535 RD-5-8894-0P
5/8" Hose To Core Mount – Pull to Open
Fits Caterpillar Long / Large Haul 793, 797



72R6547 RD-5-10055-0P
5/8" Hose To Core Mount – Pull to Close



CRENLO/NEW HOLLAND

Model	Description	OEM Part No.	Factory No.	Part No.
BLOWER MOTOR				
Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C units, OE#RD-3-6770-0P	Blower assembly, single speed, 800 CFM, 12V, 18 7/16" x 3" x 6 21/32"	RD-3-6770-0	RD-3-6770-0P	**73R5502**
COMPRESSOR - SANDEN				
Genesis Tractor 8670, 8770, 8870, 8970 Series 24V Sanden 7H15FLX, OE #4874.	7H15FLX, GV head, ear mount, poly 8, 5 ¼"(133mm) diameter	4874	RD-5-11005-0P	**75R89434**
EVAPORATOR				
Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C R-3960-2 unit	Dimensions: 6 7/64" height x 23 ½" length x 3 13/32" width	RD-2-3629-0	RD-2-3629-0P	**76R7725**
PRESSURE SWITCH				
Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C	Low pressure switch, normally opens 15 psi, closes 35 psi	RD-5-7038-0	RD-5-7038-0P	**71R6135**
Genesis Tractor 8670, 8770, 8870, 8970 Series with Binary switch for Red Dot A/C	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0 61522-006	RD-5-4640-0P	**71R7050**
RECEIVER DRIER				
Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C	O-Ring Type with side port, top glass, moisture indicator	221RD32	RD-5-7272-1P	**74R2447**
THERMOSTATIC SWITCH				
Genesis Tractor 8670, 8770, 8870, 8970 Series with Red Dot A/C R-3960-2 unit	Red Dot Models, fixed setting thermostat, 24" cap tube	RD-5-4531-24	RD-5-4531-24P	**71R3200**

73R5502 RD-3-6770-0P

Single Speed – 800 CFM – 12 volt
18 7/16" x 3" x 6 21/32"
Use with Red Dot Model R-9715-0
Connector: Two conductor Packard terminal #2984528



76R7725 RD-2-3629-0P

Used on Red Dot Unit Model R-3960
6 7/64" high x 23 ½" long x 3 13/32" wide



71R6135 RD-5-7038-0P

Type: Low Side – White
Fitting / Connector: 7/16" female flare / two-conductor female spade
Normally Open – Closes at 35 PSI – Opens at 15 PSI



71R7050 RD-5-4640-0P

7/16-20 UNF-2B Female Thread for Installation on Male Schrader Type Valve.



74R2447 RD-5-7272-1P

Includes Moisture Indicator
3" diameter x 6 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



71R3200 RD-5-4531-24P

Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



DEUTZ-ALLIS

BLOWER MOTOR

Model	Description	OEM Part No.	Factory No.	**Part** No.
All series with Kysor A/C, OE#003-3938	Bergstrom - Kysor A/C, single shaft, 1 speed, CW, 4 5/8" length	275130 HA1520 BSM205620	RD-5-10905-0P	**73R0442**
Air Planter 385 Series with Red Dot A/C, OE#431-7737	Main unit (Red Dot) with single shaft, 4 3/4" length	431-7737	RD-5-6526-0P	**73R0422**
Tractor D Series 5600, 6600 condenser blower, OE#70257681-0, HV33208	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 7/8" length	70257681-0 HV33208	RD-5-3690-1P	**73R0532**
Tractor D Series 6200 evaporator blower, OE#70257681-0, HV33209	Kysor A/C, double shaft motor, 1 speed, 4 7/8" length	205840 BSM203085 2809-551-007	RD-5-10068-0P	**73R4322**

73R0422 RD-5-6526-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0442 RD-5-10905-0P



Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 5/8" x 4 1/4" x 3"
Shaft: 5/16" diameter, Length: 1 3/4"
Vented
Connector: Two conductor Packard 1/4" blade terminal #2973781

73R0532 RD-5-3690-1P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1"
Non Vented
Connector: Two conductor with ring terminal

73R4322 RD-5-10068-0P




Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4 1/2" x 3"
Shafts: 5/16" diameter, length: 2 1/2"
Vented
Connector: Two conductor 1/4" spade receptacle

BLOWER SWITCH

Model	Description	OEM Part No.	Factory No.	**Part** No.
All series with tandem blower switch, Kysor A/C	Bergstrom - Kysor A/C, tandem blower switch, DP3T, 4 position, 5 terminal, 15 amps		RD-5-4908-0P	**71R1200**
All series with rotary blower switch with resistor, OE#586082	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	586082 1175262-3	RD-5-5194-0P	**71R1210**
All series with rotary blower switch without resistor	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	71195109	RD-5-10934-0P	**71R1163**

71R1163 RD-5-10934-0P



3 speed
DP3T
4-position
5 terminals
25 amps
Mounting hole: .442" x .385" - "D" hole

71R1200 RD-5-4908-0P



Tandem Blower Switch With Resistor
DP3T,
4-position,
5 terminals
15 amps
Mounting hole: .500"

71R1210 RD-5-5194-0P



3 Speed with Resistor -
DP3T,
4-position,
5 terminals
18 amps
Uses Knob
71R4050
Mounting hole: .500"

CLUTCH ASSEMBLY

Model	Description	OEM Part No.	Factory No.	**Part** No.
All series with CCI/York - R12 / 134A compressors, OE#003-3938	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	003-3938	RD-5-4967-0P	**75R0452**
All series with CCI/York - R12 / 134A compressors, OE#003-4530	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	003-4530	RD-5-4994-0P	**75R4502**
All series with Sanden SD5 (5H14) R12/R134a compressors, OE#6585-6010	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6585-6010	RD-5-10379-0P	**75R1542**
All series with Sanden SD5 (508) R12/R134a compressors, OE#8517-6010	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	8517-6010	RD-5-5486-0P	**75R0202**

75R0202 RD-5-5486-0P



Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm
Single wire coil
Bare wire

75R0452 RD-5-4967-0P



Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"
Single wire coil
Male bullet plug

75R1542 RD-5-10369-0P



OE # 6504-6010
Model 709 / 7H15
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm
Double wire coil
Ford OE plug

75R4502 RD-5-4994-0P



Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"
Single wire coil
Male bullet plug

DEUTZ-ALLIS

COMPRESSOR - GM

Model	Description	OEM Part No.	Factory No.	Part No.
All series with GM A6 with Superheat switch port, without oil, replaces OE#s shown	1 groove ½" width, 4 ⅞" diameter (124mm), generic	0256782 70264637 70272975-6 70272976-5 70272981 79008037-8	RD-5-5000-0P	**75R8102**


75R8102 RD-5-5000-0P
GMC A6R, Generic — Superheat switch port
5" Single Groove Clutch — 12 volt
Pulley with ½" - ¾" variable groove — R-12 / R134a
Standard thread mounting holes — Clockwise rotation
No Oil



COMPRESSOR - SANDEN

Model	Description	OEM Part No.	Factory No.	Part No.
All series with Sanden 7H15, #4644 R134a compressor with PAG oil, OE#72239750	7H15, JD head, ear mount 2 groove, 5 ¼"(132mm) diameter	72239750 4644	RD-5-7088-0P	**75R8382**
All series with Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**

75R8382 RD-5-7088-0P
Model: 7H15 — **Head:** JD — **Voltage:** 12
Mount: Ear — **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove — **R134a**



75R8384 RD-5-7089-0P
Model: 7H15 — **Head:** JD — **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove — **R134a**



EXPANSION VALVE / BLOCK

Model	Description	OEM Part No.	Factory No.	Part No.
All combine and tractor model series with block valve, 2 Ton, OE#329-413	Block valve with female O-Ring fittings	329-413	RD-5-7015-1P	**71R8321**
All combine and tractor model series with block valve, OE#72162195	Block valve with female O-Ring fittings	72162195	RD-5-6868-1P	**71R8301**
All combine and tractor model series with Kysor A/C block valve, OE#71307202	Block valve with female O-Ring fittings	71307202	RD-5-6868-1P	**71R8301**
Tractors 7085, 7110, 7120, 7145 Series with OE#04322165	Block valve with female O-Ring fittings	04322165	RD-5-6868-1P	**71R8301**
Tractors 8600 Series with OE#04322165	Block valve with female O-Ring fittings	04322165	RD-5-6868-1P	**71R8301**
Tractors 9150, 9170, 9190, 9800 Series with OE#04322165	Block valve with female O-Ring fittings	04322165	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P
High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



EXPANSION VALVES CONTINUED ON NEXT PAGE

DEUTZ-ALLIS

Model	Description	OEM Part No.	Factory No.	**Part** No.
EXPANSION VALVE / EXTERNAL EQUALIZER				
All combine and tractor model series with external equalizer, OE#003-4238	Male flare with 18" capillary length, 18" equalizer tube length	003-4238 RD 4126 1	RD-4126-1P	**71R8050**
All combine and tractor model series with external equalizer, OE#003-4586	Male O-Ring with 13" capillary length, 13" equalizer tube length	003-4586	RD-5-3824-1P	**71R8100**
All combine and tractor model series with external equalizer, OE#70259978	Male O-Ring with 13" capillary length, 13" equalizer tube length	70259978	RD-5-3824-1P	**71R8100**
All combine and tractor model series with external equalizer, OE#826-003	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	826-003	RD-5-5862-0P	**71R8080**
Tractors DX Series DX90, DX160 with male O-Ring fittings	Male O-Ring with 13" capillary length, 13" equalizer tube length	RD-5-3824-1	RD-5-3824-1P	**71R8100**
Tractors 6240, 6250, 6260, 6265, 6275 Series with male O-Ring fittings	Male O-Ring with 13" capillary length, 13" equalizer tube length	RD-5-3824-1	RD-5-3824-1P	**71R8100**
Tractors 8560 Series with male O-Ring fittings	Male O-Ring with 13" capillary length, 13" equalizer tube length	RD-5-3824-1	RD-5-3824-1P	**71R8100**

71R8050 RD-4126-1P

External Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length: 18"
Rating: 1 ½ Ton



71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (¼") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



EXPANSION VALVE / INTERNAL EQUALIZER				
All combine and tractor model series with OE#1162473-1	Internal equalizer with male flare with 9" capillary length, flare fittings	1162473-1	RD-5-6099-0P	**71R8210**
All combine and tractor model series with OE#826-004	Internal equalizer, 1 ½ Ton, Male O-Ring	826-004	RD-5-10445-0P	**71R8220**

71R8210 RD-5-6099-0P

Internal Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Capillary Tube Length: 9"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P

Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



PRESSURE SWITCH				
All series using high pressure switch, OE#432-2167, 111266C1	High Pressure Switch, normally closed 210psi, opens 340 psi, ¼" female flare	432-2167 111266C1	RD-5-5873-0P	**71R6070**
All series, low pressure cut-off, drier mounting	Low pressure cut out switch, ⅜"-24, norm. open, closes 27 psig	085108-00 72162165-4	RD-4191-0P	**71R6050**

71R6050 RD-4191-0P

⅜"-24-UNF-2A male threads O-Ring
Normally open - closes at 27 PSIG



71R6070 RD-5-5873-0P

Type: High Side
Fitting / Connector: ¼" female flare
Normally Closed – Closes at 210 PSI –
Opens at 340 PSI



Model	Description	OEM Part No.	Factory No.	Part No.
DEUTZ-ALLIS				
RECEIVER DRIER				
All combine and tractor model series with OE#003-4228, 088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	003-4228 088423-00	RD-5-7061-7P	**74R2537**
All combine and tractor model series with in line drier, OE#70268464, 70264644-6, 70275847	In Line drier with #6 Female to Male O-Ring, 4" x 8"	70268464 70264644-6 70275847	RD-5-8862-1P	**74R0401**
All combine and tractor model series with OE#70276903	Male & Male O-Ring HPRV, MI IN CAP	70276903	RD-5-11192-0P	**74R2608**
All combine and tractor model series with OE#71355100	with #6 Male O-Ring, 3" X 8 ¼", top port, schrader ports	71355100	RD-5-10777-0P	**74R2616**
All combine and tractor model series with OE#72161835-3	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	72161835-3	RD-4160-1P	**74R2106**
All combine and tractor model series with OE#72275275	Male inlet, Female outlet with 2 M10 Ports	72275275	RD-5-10735-1P	**74R3157**
All combine and tractor model series with OE#72502208	Male O-Ring with fuse plug, side port, top glass	72502208	RD-5-4950-1P	**74R0907**
Tractor AGRO-Star Series 8360, 8425	with #6 Male O-Ring, 2 ¾" X 9 ⅝"	RDH RD5 5571 0	RD-5-5571-0P	**74R1806**
Tractor D series with in line drier, OE#70268464, 70264644-6, 70275847	In Line drier with #6 Female to Male O-Ring, 4" x 8"	70268464 70264644-6 70275847	RD-5-8862-1P	**74R0401**
Tractor 8600, 9400, 9600, 9800 Series	with #6 Male O-Ring, 2 ¾" X 9 ⅝"	RDH RD5 5571 0	RD-5-5571-0P	**74R1806**
Tractor 9700 Series	with #6 Male O-Ring, 3" x 6 ¼"	RD-5-7061-2	RD-5-7061-8P	**74R2527**

74R0401 RD-5-8862-1P
4" diameter x 7 ⅞" long
#6 Female O-Ring - #6 Male O-Ring
Dual Sight Glass



74R0907 RD-5-4950-1P
2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port



74R1806 RD-5-5571-0P
2 ¾" diameter x 10" long
#6 Male O-Ring Schrader Port
High Capacity
Pressure Relief
Top Port



74R2106 RD-4160-1P
Includes Low Pressure Switch
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure / Pressure Relief
Side Port



74R2527 RD-5-7061-8P
3" diameter x 6 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2537 RD-5-7061-7P
3" diameter x 6 ¼" long
#6 Male O-Ring (Schrader Port)
High Capacity
Pressure Relief
Side Port



74R2608 RD-5-11192-0P
3" diameter x 8 3⁄8" long
#6 Male O-Ring
High Capacity
Fuse



74R2616 RD-5-10777-0P
3" diameter x 8 1⁄4" long
#6 Male O-Ring
Two Schrader Ports



74R3157 RD-5-10735-1P
Includes Moisture Indicator
3" diameter x 8" long
#6 Male O-Ring Inlet,
#6 Female O-Ring Outlet
2 Schrader Ports
Pressure Relief
Top Port (2)




THERMOSTATIC SWITCH				
All combine and tractor model series with OE#003-4221	Rotary thermostat, 36" capillary tube, 34 - 52°F	003-4221	RD-4125-36P	**71R2250**
All combine and tractor model series with OE#404145	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	**71R3100**
All combine and tractor model series with OE#70268476-9	Rotary thermostat with 48" capillary tube, 34 - 52°F	70268476-9	RD-4125-48P	**71R2300**

71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R3100 RD-4-4272-4P
Mounting hole spacing: 2 ⅛"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F



Model	Description	OEM Part No.	Factory No.	**Part** No.

EUCLID

BLOWER MOTOR

Haul Truck series with Bergstrom A/C, Euclid OE#20333P	Bergstrom A/C, 24V single shaft motor, 1 speed, CCW, 5" length	20333P	RD-5-4827-24P	**73R0404**

73R0404 RD-5-7038-0P

Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented



ELECTRICAL SWITCH

All combine and tractor model series with OE#026476-9	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	**71R2250**

71R2250 RD-4125-36P

Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



EXPANSION VALVE / BLOCK

Haul Truck series with block valve	Block valve with female O-Ring fittings		RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (3/8") Female O-Ring
Outlet: #10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #8 (1/2") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



RECEIVER DRIER

Haul Truck series with receiver drier	with #6 Male O-Ring, 3" X 9 1/4", side port, pressure relief		RD-5-8240-1P	**74R3347**

74R3347 RD-5-8240-1P

Includes Moisture Indicator
3" diameter x 9 1/4" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



FORD - NEW HOLLAND (FNH)

BLOWER MOTOR

Model	Description	OEM Part No.	Factory No.	Part No.
All model series with FNH OE#271438	All with 3" diameter blower motor, 1 speed, NV, CCW, 3 5/8" length	271438	RD-5-4550-0P	**73R0102**

73R0102 RD-5-4550-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 3/4" x 3"
Shaft: 5/16" diameter, Length: 13/16"
Non Vented
Connector: One conductor, 14 gauge

CLUTCH ASSEMBLY

Model	Description	OEM Part No.	Factory No.	Part No.
All series with CCI/York - R12 / 134A compressors, FNH OE#D5NN19D649A	2 groove 6" diameter pulley, ½" width, 1 5/8" ga, bullet plug	D5NN19D649A	RD-5-4967-0P	**75R0452**
All series with CCI/York - R12 / 134A compressors, FNH OE#D2NN19D649AA	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	D2NN19D649AA	RD-5-4994-0P	**75R4502**
All series with Sanden SD508 R12/R134a compressor, Sanden OE#6514-6210	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6514-6210 6574-6210	RD-5-5486-0P	**75R0202**
All series with Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove ½" width, 5 ¼" diameter (132mm)	6504-6310	RD-5-10379-0P	**75R1542**
Combines TR70, TR75, TR76 with R210 series CCI/York compressors	2 groove 6" diameter pulley, ½" width, 1 5/8" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
Combines TR85, TR86, 87, 96, 97 with Sanden SD5 (508 / 510 / 5H14) compressors	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
FW Series including FW20 with Sanden SD508 compressor	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Harvester / Balewagon 1038, 1078, 1079, 1085 with R210 series CCI/York compressor	2 groove 6" diameter pulley, ½" width, 1 5/8" ga, bullet plug	024-25078 MA6 MAE6AR	RD-5-4967-0P	**75R0452**
Harvester / Balewagon 1038, 1078, 1079, 1085 with R210 series CCI/York compressor	2 groove 6" diameter pulley, ½" width, 1 5/8" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
Harvester / Balewagon 1915, 2115 with Sanden SD5 (508 / 510 / 5H14) compressors	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Harvester / Balewagon 1915, 2115 with CCI/York compressors	2 groove 6" diameter pulley, ½" width, 1 5/8" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
Power Shift 8630, 8730, 8830 with R210L series CCI/York compressors	2 groove 6" diameter pulley, ½" width, 1 5/8" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
Swathers / Windrowers 1118, 2450, 2550 with Sanden SD5 (508 / 510 / 5H14) compressors	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Swathers / Windrowers 1118, 2450, 2550 with CCI/York compressors	2 groove 6" diameter pulley, ½" width, 1 5/8" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
Swathers / Windrowers 4750, 4850 with Sanden SD5 510 compressor, OE#9125	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractor 230A, 233, 234, 333, 334, 355 with Sanden SD5 510 compressor	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractor 1150, 1151, 1156 Versatile with Sanden SD5 510 compressor, OE#5733	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractor 530A, 555A, 655A with T210 series CCI/York compressors	2 groove 6" diameter pulley, ½" width, 1 5/8" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**

CLUTCH ASSEMBLY CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

FORD - NEW HOLLAND (FNH)

CLUTCH ASSEMBLY

Tractor 800-900 Series Versatile with Sanden SD5 510 compressor, OE#5733	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractor 800-900 Series Versatile with T210 series CCI/ York compressors	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
Tractor 5000-8000 series with Sanden SD5 508 compressor	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractor 5000-8000 series with R210 series CCI/York compressor	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078 MA6 MAE6AR	RD-5-4967-0P	**75R0452**
Tractor 5610, 6610, 7610, 8210 series with Sanden SD5 510 compressor	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractor 9000 series (except 9030) with R210 series CCI/ York compressor	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078 MA6 MAE6AR	RD-5-4967-0P	**75R0452**
Tractor 9030 series with Sanden SD7H15 compressor	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
TW series with R210 series CCI/York compressor	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	D5NN19D649A	RD-5-4967-0P	**75R0452**
TW series with Sanden 5H14 compressor, OE#4536, 5708	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**

75R0202 RD-5-5486-0P
Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm
Single wire coil
Bare wire



75R0452 RD-5-4967-0P
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 ⅝"
Single wire coil
Male bullet plug



75R1202 RD-5-4972-1P
OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 ⅝"
Single wire coil with diode
Weatherpak plug



75R1542 RD-5-10369-0P
OE # 6504-6010
Model 709 / 7H15
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm
Double wire coil
Ford OE plug



75R4502 RD-5-4994-0P
Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"
Single wire coil
Male bullet plug



COMPRESSOR - CCI / YORK / TECUMSEH

All series with CCI/York - Tube O-Ring compressor ET210L-25150	Tube O-Ring type head without clutch, (universal - new)	ET210L-25150	RD-5-8638-1P	**75R7290**

75R7290 RD-5-8638-0P
Fitting: 1" - 14
Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
Supplied without clutch
No connector supplied



COMPRESSOR CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	Part No.
FORD - NEW HOLLAND (FNH)				
COMPRESSOR - SANDEN				
All series with Sanden 7H15HD, #4603. FNH OE#9849085	7H15, WJ head, ear mount 2 groove, 5 ¼"(132mm) diameter	9849085 4603	RD-5-11241-0P	**75R81192**
All series with Sanden 7H15HD, #4609. FNH OE#86993462	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	86993462 4609	RD-5-10259-0P	**75R84112**
All series with Sanden 7H15HD, #4617 R134a compressor, OE#86001191, 97005764	Sanden 7H15SHD, MD head, ear mt., 2 goove, 5 ¼" (132mm)	86001191 97005764 4617	RD-5-10291-0P	**75R84532**
All series with Sanden 7H15HD, #4637 R134a compressor, OE#9824775	7H15HD, KC head, ear mount poly 8, 5 ¼"(133mm) diameter	9824775 4637	RD-5-6919-0P	**75R84522**
All series with Sanden 7H15, #4643 R134a compressor, OE#9705764	Sanden 7H15, CB head, ear mt., 2 goove, 5 ¼" (132mm)	9705764 4643	RD-5-10292-0P	**75R84552**
All series with Sanden 7H15HD, #4768. FNH OE#86993463	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	86993463 4768	RD-5-11200-0P	**75R84592**
All series with Sanden 5H14HD, #5708 R134a compressor, OE#E8NN19D629AA	5H14HD, K head, ear mount 2 groove, 5 ¼"(132mm) diameter	E8NN19D629AA 5708	RD-5-9088-0P	**75R8332**
All series with Sanden 5H14, #6665, 24V	5H14HD, 24V, FL head, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**
All series with Sanden 7H15, R134a compressor with PAG oil, OE#86508521, 9822598, D6NN19D629A	7H15, JD head, ear mount 2 groove, 5 ¼"(132mm) diameter	86508521 9822598 D6NN19D629A	RD-5-7088-0P	**75R8382**
Combines TR88, TR89 with Sanden 5H14, #6629 R-12 compressor	5H14HD, FL head, ear mount poly 7, 4.7"(119mm) diameter	6629	RD-5-10295-0P	**75R84572**
Power Shift 8630, 8730, 8830 with Sanden 7H15, OE #4709, 7862, 8023	7H15, KG head, ear mount, 2A groove, 4.9"(125mm) diameter	4709 7862 8023	RD-5-11200-0P	**75R84592**
Tractors Gemini 8160, 8260, 8360, 8560 with Sanden 7H15, OE#4660.	7H15, JDA head, ear mount, poly 8, 4 ¾" (119mm) diameter	4660 4711 7890 8028	RD-5-11322-0P	**75R81482**
Tractors Gemini 8670, 8770, 8870, 8970 with Sanden 7H15HD, #4637 R134a compressor, OE#9824775	7H15HD, KC head, ear mount poly 8, 5 ¼"(133mm) diameter	9824775 4637	RD-5-6919-0P	**75R84522**
Tractors TL70, TL80, TL90, TL100 with Sanden 5H14, #4644 compressor, OE#72239750	5H14, JD head, ear mount 2 groove, 5 ¼"(132mm) diameter	72239750 4644	RD-5-7088-0P	**75R8382**
Tractors TM115-190 with Sanden 7H15, OE #4660	7H15, JDA head, ear mount, poly 8, 4 ¾" (119mm) diameter	4660	RD-5-11322-0P	**75R81482**
Tractors TN55, TN65, TN70, TN75 with Sanden 5H14, OE#6631	5H14, M head, ear mount, 2A groove, 5 ¼" (132mm) diameter	6631	RD-5-11315-0P	**75R81462**
Tractors TN90F with Sanden 7H15, #4644 R134a compressor with PAG oil, OE#72239750	7H15, JD head, ear mount 2 groove, 5 ¼"(132mm) diameter	72239750 4644	RD-5-7088-0P	**75R8382**
Tractors TS90, TS100, TS120, TV140 Bidirectional with Sanden 7H15, OE #4660	7H15, JDA head, ear mount, poly 8, 4 ¾" (119mm) diameter	4660	RD-5-11322-0P	**75R81482**
Tractors TW with Sanden 5H14HD, #5708 compressor, OE#E8NN19D629AA	5H14HD, K head, ear mount 2 groove, 5 ¼"(132mm) diameter	E8NN19D629AA 5708	RD-5-9088-0P	**75R8332**


COMPRESSOR CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

FORD - NEW HOLLAND (FNH)

COMPRESSOR - SANDEN

75R81192 RD-5-11241-0P
Model: 7H15 **Head:** WJ **Voltage:** 12
Mount: Ear **Sanden:** 4469, 4603
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R81462 RD-5-11315-0P
Model: SD7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4646
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R81482 RD-5-11322-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4660
Clutch: 4 ¾" (119mm) Poly 8 **R134a**




75R8332 RD-5-9088-0P
Model: 5H14 **Head:** K **Voltage:** 12
Mount: Ear **Sanden:** 4536, 6630, 6676
Clutch: 5 ½" (132mm) A2 Groove **R134a**




75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8384 RD-5-7089-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84112 RD-5-10259-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Ear **Sanden:** 4478, 4609
Clutch: 6" (152mm) A2 Groove - Sealed **R-134a**




75R84522 RD-5-6919-0P
Model: 7H15SHD **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4637
Clutch: 5 ¼" (133mm) Poly 8 **R134a**



75R84532 RD-5-10291-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Ear **Sanden:** 4617
Clutch: 5 ¼" (132mm) A2 Groove - Sealed **R134a**




75R84552 RD-5-10292-0P
Model: 7H15HD **Head:** CB **Voltage:** 12
Mount: Ear **Sanden:** 4643
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84572 RD-5-10295-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4665
Clutch: 4.7" (119mm) Poly 7 **R134a**



75R84592 RD-5-11220-0P
Model: 7H15SHD **Head:** GK **Voltage:** 12
Mount: Ear **Sanden:** 4608, 4657, 8108
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**



FORD - NEW HOLLAND (FNH)

EXPANSION VALVE / BLOCK

Model	Description	OEM Part No.	Factory No.	Part No.
All combine and tractor model series with block valve, 2 Ton, OE#329-403, 329-413	Block valve with female O-Ring fittings	329-403 329-413	RD-5-7015-1P	**71R8321**
Combine / Tractor P396 Series	Block valve with female O-Ring fittings	3901517M1	RD-5-7015-1P	**71R8321**
Combine TR86, TR96, TR97, TR98 model series with OE#847015	Block valve with female O-Ring fittings with 7/16" schrader port	404146 / EA1090	RD-5-7155-0P	**71R8400**
Combine TR89, TR99 model series with OE#847015	Block valve with female O-Ring fittings with 7/16" schrader port	404146 / EA1090	RD-5-7155-0P	**71R8400**
Harvesters / Balewagons 1915, 2115 model series with OE#847015	Block valve with female O-Ring fittings with 7/16" schrader port	404146 / EA1090	RD-5-7155-0P	**71R8400**
Swathers / Windrowers 1118, 2450, 2550 model series with OE#847015	Block valve with female O-Ring fittings with 7/16" schrader port	404146 / EA1090	RD-5-7155-0P	**71R8400**
Tractors D6 Series, OE#79840, E1NN-19849A	Block valve with female O-Ring fittings	79840 E1NN-19849A	RD-5-6868-1P	**71R8301**
Tractors 836, 846, 856, 876, 936, 946, 956, 976, 1156 Versatile Series, 2310 with OE#79840, E1NN-19849A	Block valve with female O-Ring fittings	79840 E1NN-19849A	RD-5-6868-1P	**71R8301**
Tractors 2610, 2910 with OE#97005763	Block valve with female O-Ring fittings	97005763	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P
Inlet: #6 (3/8") Female O-Ring
Outlet: #10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #8 (1/2") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P
High Capacity (2 Ton)
Inlet: #6 (3/8") Female " O" Ring
Outlet: #10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #10 (5/8") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8400 RD-5-7155-0P
With 7/16" Schrader Port
Inlet:
#6 (3/8") Female O-Ring
Outlet:
#10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #8 (1/2") Female O-Ring



EXPANSION VALVE / EXTERNAL EQUALIZER

All combine and tractor model series with OE#826-003	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	826-003	RD-5-5862-0P	**71R8080**
All combine and tractor model series with OE#826-081	External Equalizer, Male flare with 18" capillary length	826-081	RD-4126-1P	**71R8050**
All combine and tractor model series with OE#9966611	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	9966611	RD-5-3824-1P	**71R8100**
Combine TR70, TR75, TR85 model series with OE#274571	External Equalizer, Male flare with 18" capillary length	274571	RD-4126-1P	**71R8050**
Combine TR70, TR75, TR85, TR86, TR96, TR97, TR98 model series with OE#80449624	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	80449624	RD-5-3824-1P	**71R8100**
Harvesters / Balewagons 1038, 1078, 1079, 1085 model series with OE#274571	External Equalizer, Male flare with 18" capillary length	274571	RD-4126-1P	**71R8050**
Swathers / Windrowers 1118, 2450, 2550 model series with OE#247571	External Equalizer, Male flare with 18" capillary length	274571	RD-4126-1P	**71R8050**
Swathers / Windrowers 4750, 4850 model series with OE#247571	External Equalizer, Male flare with 18" capillary length	274571	RD-4126-1P	**71R8050**
Tractors FQ 20, 30, 40, 60 model series with OE#D3AH-18949AA	External Equalizer, Male flare with 18" capillary length	D3AH-18949AA	RD-4126-1P	**71R8050**
Tractors FX 20, 30, 40, 60 model series	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length		RD-5-3824-1P	**71R8100**
Tractors TW 10, 15, 20, 25, 30, 35 Series	External Equalizer, Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length		RD-5-5862-0P	**71R8080**
Tractors TW 10, 20, 30 model series with OE#D3AH-18949AA	External Equalizer, Male flare with 18" capillary length	D3AH-18949AA	RD-4126-1P	**71R8050**
Tractors 2600, 3600, 4100, 4600, 5600, 6600 Series, with OE#E7NN-19849A	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	E7NN-19849A 80449624	RD-5-3824-1P	**71R8100**

EXPANSION VALVES CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

FORD - NEW HOLLAND (FNH)

EXPANSION VALVE / EXTERNAL EQUALIZER

Tractors 5610, 6610, 7610, 7710, 8210 Series, with OE#E7NN-19849A	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	E7NN-19849A 80449624	RD-5-3824-1P	**71R8100**
Tractors 7600, 7700, 7710 Series, with OE#D6AH-19849AA	External Equalizer, Male O-Ring with 13" capillary length, 13" equalizer tube length	D6AH-19849AA	RD-5-3824-1P	**71R8100**
Tractors TW 8000, 9000 model series with OE#D3AH-18949AA	External Equalizer, Male flare with 18" capillary length	D3AH-18949AA	RD-4126-1P	**71R8050**

71R8050 RD-4126-1P

External Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length: 18"
Rating: 1 ½ Ton



71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (¼") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



EXPANSION VALVE / INTERNAL EQUALIZER

All combine and tractor model series with OE#D3NN-19849A	Internal equalizer, 1 ½ Ton, Male O-Ring	D3NN-19849A	RD-5-10445-0P	**71R8220**
All combine and tractor model series with OE#SFD017844, 826-004	Internal equalizer valve with male O-Ring fittings	SFD017844 826-004	RD-5-11033-0P	**71R8060**
Tractors 230A, 233, 234, 333, 334, 355 with OE#D8NN-19849A	Internal equalizer with male flare with 9" capillary length, flare fittings	D8NN-19849A	RD-5-6099-0P	**71R8210**
Tractors 530A, 555A, 655A with OE#D8NN-19849A	Internal equalizer with male flare with 9" capillary length, flare fittings	D8NN-19849A	RD-5-6099-0P	**71R8210**

71R8060 RD-5-11033-0P

Internal Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



71R8210 RD-5-6099-0P

Internal Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Capillary Tube Length: 9"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P

Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



FORD - NEW HOLLAND (FNH)

RECEIVER DRIER

Model	Description	OEM Part No.	Factory No.	Part No.
All combine and tractor model series with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	085098-00	RD-5-4950-1P	**74R0907**
All combine and tractor model series with OE#48510	Male & Male O-Ring HPRV, MI IN CAP	48510	RD-5-11192-0P	**74R2608**
All combine and tractor model series with OE#72275275	Male inlet, Female outlet with 2 M10 Ports	72275275	RD-5-10735-1P	**74R3157**
All combine and tractor model series with OE#402565	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	402565	RD-4160-1P	**74R2106**
All combine and tractor model series with OE#763787	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	763787	RD-5-7061-7P	**74R2537**
Balewagon 1038, 1078, 1079, 1085 series, OE#9827053	with #6 Male O-Ring, 3" x 10", fuse, top port	9827053	RD-5-6504-1P	**74R2306**
Combines CR920, 940, 960, 970 with male O-Ring, 3" x 8 ⅜", hi capacity	Male & Male O-Ring HPRV, MI IN CAP	PH 088193-00	RD-5-11192-0P	**74R2608**
Combines TR76, TR85, TR86, TR98 series, OE#9827053	with #6 Male O-Ring, 3" x 10", fuse, top port	9827053	RD-5-6504-1P	**74R2306**
Combines TR87, TR89, TR97, TR99 series, OE#9827050	with #6 Male O-Ring, 3" x 10", fuse, top port, moisture indicator	9827050	RD-5-6768-1P	**74R2797**
Combines TX66 series, OE#696524	#6 Male O-Ring, 4" x 7 ½", fuse, side port, moisture indicator	696524 RD-5-7565-0	RD-5-7565-1P	**74R3537**
Combines / Tractor 7600, 7700, 7710 series with OE#763787	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	763787	RD-5-7061-7P	**74R2537**
Combines / Tractor 7600, 7700, 7710 series, OE#9827053	with #6 Male O-Ring, 3" x 10", fuse, top port	9827053	RD-5-6504-1P	**74R2306**
Harvesters FX25, FX28, FX45, FX58 series, OE#89832539	#6 Male O-Ring, 4" x 7 ½", fuse, side port, moisture indicator	89832539	RD-5-7565-1P	**74R3537**
Harvesters 1915, 2115 series, OE#763787	Male & Male O-Ring HPRV, MI IN CAP	763787	RD-5-11192-0P	**74R2608**
Combine / Tractor P396 Series	with #6 Male to Female O-Ring, 3" x 10 ⅛", pressure relief, moisture indicator		RD-5-7292-0P	**74R3336**
Mower HW30 series, OE#9827050	with #6 Male O-Ring, 3" x 10", pressure relief, top port, moisture indicator	9827050	RD-5-6768-1P	**74R2797**
Swathers 4750, 4850 series, OE#763787	Male & Male O-Ring HPRV, MI IN CAP	A22-28796-000	RD-5-11192-0P	**74R2608**
Tractors Gemini 8160, 8260, 8360, 8560 series, OE#9827050	with #6 Male O-Ring, 3" x 10", fuse, top port, moisture indicator	9827050	RD-5-6768-1P	**74R2797**
Tractors Genesis 8670, 8770, 8870, 8970 series, OE#86507374	with #6 Male to Female O-Ring, 3" x 8 ¾", pressure relief, top port	86507374	RD-5-10583-0P	**74R2667**
Tractors TG210 - TG285 series	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	143469-C2	RD-5-11028-1P	**74R4027**
Tractors 4835, 5635, 6635, 7635, OE#9705765	with #6 Male O-Ring, 3" x 10"	9705765	RD-5-10450-0P	**74R3140**
Tractors TV140 Bidirectional, OE#80417372	O-Ring Type with #6 male inlet and outlet	80417372	RD-5-11531-0P	**74R1427**
Tractors Versatile 9282, 9482, 9682, 9882 series, OE#402529	Male & Male O-Ring HPRV, MI IN CAP	PH 088193-00	RD-5-11192-0P	**74R2608**
Windrowers 1118, 2450, 2550 series, OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	088423-00	RD-5-7061-7P	**74R2537**

RECEIVER DRIER CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.


FORD - NEW HOLLAND (FNH)

RECEIVER DRIER

74R0907 RD-5-4950-1P
2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port



74R1427 RD-5-11531-0P
3" diameter x 9" long
#6 Male O-Ring
Volvo VN Series
OE#20447319
Mack Granite
2013-2014



74R2106 RD-4160-1P
Includes Low Pressure Switch
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure /
Pressure Relief
Side Port



74R2306 RD-5-6504-1P
Includes Moisture Indicator
3" diameter x 10" long
#6 Male O-Ring
Fuse
Top Port



74R3537 RD-5-7565-1P
Includes Moisture Indicator
4" diameter x 7 ½" long
#6 Male O-Ring
High Capacity
Fuse
Side Port



74R2608 RD-5-11192-0P
3" diameter x 8 3⁄8" long
#6 Male O-Ring
High Capacity
Fuse



74R2797 RD-5-6768-2P
Includes Moisture Indicator
3" diameter x 10 ¼" long
#6 Male O-Ring
High Capacity
Press Relief
Top Port



74R3140 RD-5-10450-0P
3" diameter x 10" long
#6 Male O-Ring



74R3157 RD-5-10735-1P
Includes Moisture Indicator
3" diameter x 8" long
#6 Male O-Ring Inlet,
#6 Female O-Ring Outlet
2 Schrader Ports
Pressure Relief
Top Port (2)



74R3336 RD-5-7292-0P
Includes Moisture Indicator
3" diameter x 10 1⁄8" long
#6 Male O-Ring Inlet,
#6 Female O-Ring Outlet
High Capacity
Pressure Relief



74R2537 RD-5-7061-7P
3" diameter x 6 ¼" long
#6 Male O-Ring
(Schrader Port)
High Capacity
Pressure Relief
Side Port



74R4027 RD-5-11028-1P
Includes Moisture Indicator
4" diameter x 7 3⁄4" long
#6 Female O-Ring Out;
#6 Male O-Ring In



THERMOSTATIC SWITCH

All combine and tractor model series with OE#D6NN-19N683B, C	Rotary thermostat with 18" capillary tube, 28 - 62°F	D6NN-19N683B-C	RD-5-4909-0P	**71R2100**
All combine and tractor model series with OE#1162474-9	Rotary thermostat, 36" capillary tube, 34 - 52°F	1162474-9	RD-4125-36P	**71R2250**
All combine and tractor model series with OE#D3NN-19618A	Rotary thermostat with 48" capillary tube, 34 - 52°F	D3NN-19618A	RD-4125-48P	**71R2300**
All combine and tractor model series with OE#D5NN-19N633	Rotary thermostat with 48" capillary tube, 34 - 52°F	D5NN-19N633	RD-4125-48P	**71R2300**
All combine and tractor model series with OE#F0NN-19618AB	Rotary thermostat with 48" capillary tube, 34 - 52°F	F0NN-19618AB	RD-4125-48P	**71R2300**
All combine and tractor model series Red Dot unit R-9787 (Standard), OE#8600262	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	8600262	RD-5-4531-24P	**71R3200**
Combines / Tractor P396 series with Red Dot unit R-9787 (Standard)	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**

71R2100 RD-5-4909-0P
Capillary Length: 18"
Type: Variable
Temp. Range: 28°- 62°F
Clutch Cycle Range: 6°F



71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R3200 RD-5-4531-24P
Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



IHC CASE

Model	Description	OEM Part No.	Factory No.	Part No.
BLOWER MOTOR				
All series with Bergstrom A/C, OE#117283-C91	Bergstrom A/C, 12V, single shaft, 1 speed, 4 ¾" length	117283-C91	RD-5-5512-0P	**73R0912**
All model series with Allis Chalmers OE#117284-C3	All with 3" diameter blower motor, 1 speed, NV, CCW, 3 ⅝" length	117284-C3	RD-5-4550-0P	**73R0102**

73R0102 RD-5-4550-0P

Single Speed
12 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 3/4" x 3"
Shaft: 5/16" diameter, Length: 13/16"
Non Vented
Connector: One conductor, 14 gauge



73R0912 RD-5-5512-0P

Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Shaft Length: 1 1/2"
Vented - RFI
Connector: Multiple adapters in kit



CLUTCH ASSEMBLY				
All series with CCI/York - R12 / 134A compressors, OE#111631C91	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	111631C91	RD-5-4994-0P	**75R4502**
All series with CCI/York - R12 / 134A compressors, OE#165129C91	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	165129C91	RD-5-4967-0P	**75R0452**
All series with Sanden 5H14 R134a compressor, OE#6504-6310	2 groove ½" width, 5 ¼" diameter (132mm)	6504-6310	RD-5-10379-0P	**75R1542**
All series with Sanden SD508 R12/R134a compressors, OE#6514-6210	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6514-6210	RD-5-5486-0P	**75R0202**

75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Bare wire



75R0452 RD-5-4967-0P

Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"

Single wire coil
Male bullet plug



75R1542 RD-5-10369-0P

OE # 6504-6010
Model 709 / 7H15
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm
Double wire coil
Ford OE plug



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



COMPRESSOR - GM				
GM A6 with Superheat switch port, without oil, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic	1131243	RD-5-5000-0P	**75R8102**

75R8102 RD-5-5000-0P

GMC A6R, Generic — Superheat switch port
5" Single Groove Clutch — 12 volt
Pulley with ½" - ¾" variable groove — R-12 / R134a
Standard thread mounting holes — Clockwise rotation
No Oil




COMPRESSORS CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.
IHC CASE				
COMPRESSOR - SANDEN				
All series with 12V Sanden 7H15HD, OE #4609. IHC-Case OE#1999755C3, 86993462	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4609 1999755C3 86993462	RD-5-10259-0P	**75R84112**
All series with 24V Sanden 7H15HD, OE #4611. IHC-Case OE#1999760C2, 86983967	7H15, MD head, ear mount 2 groove, 6" (152mm) diameter	4611 1999760C2 86993967	RD-5-11161-0P	**75R84114**
All series with 12V Sanden 7H15HD, OE #4768. IHC-Case OE#317008A3, 86993463	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	4768 317008A3 86993463	RD-5-11200-0P	**75R84592**
All series with 24V Sanden 7H15HD, OE #4795. IHC-Case OE#4795, 352524A2, 86983968	7H15, MD head, direct mount poly 8, 6" (152mm) diameter	4795 352524A2 86983968	RD-5-11234-0P	**75R81104**
All series with Sanden 5H14, #6664 R134a compressors, 12V	5H14, FL head, ear mount, 2A groove, 5 ¼" (132mm) diameter	6664	RD-5-7088-0P	**75R8382**
All series with Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**


75R81104 RD-5-11234-0P
Model: 7H15SHD **Head:** MD **Voltage:** 24
Mount: Direct **Sanden:** 4300, 4795
Clutch: 6" (152mm) Poly 8 **R134a**




75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8384 RD-5-7089-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R84112 RD-5-10259-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Ear **Sanden:** 4478, 4609
Clutch: 6" (152mm) A2 Groove - Sealed **R-134a**



75R84114 RD-5-11161-0P
Model: 7H15SHD **Head:** MD **Voltage:** 24
Mount: Ear **Sanden:** 4611
Clutch: 6" (152mm) A2 Groove - Sealed **R-134a**



75R84592 RD-5-11220-0P
Model: 7H15SHD **Head:** GK **Voltage:** 12
Mount: Ear **Sanden:** 4608, 4657, 8108
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**



Model	Description	OEM Part No.	Factory No.	Part No.
IHC CASE				
RECEIVER DRIER				
All combine and tractor model series with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	085098-00	RD-5-4950-1P	**74R0907**
All combine and tractor model series with OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	088423-00	RD-5-7061-7P	**74R2537**
All combine and tractor model series with OE#111218-C1, 539049-R91, 572832-R91	with #6 Male Flare (top and side), 4" X 6 ¾"	111218-C1 539049-R91 572832-R91	RD-5-6077-1P	**74R4017**
All combine and tractor model series with OE#118304-C1, 118418-C1	with #6 Male O-Ring (top and side), 4" X 6 ¾"	118304-C1 118418-C1	RD-5-6075-1P	**74R4007**
All combine and tractor model series with OE#143469-C2, 1990758-C2	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	143469-C2 1990758-C2	RD-5-11028-1P	**74R4027**
All combine and tractor model series with OE#402565	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	402565	RD-4160-1P	**74R2106**

74R0907 RD-5-4950-1P
2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port




74R2106 RD-4160-1P
Includes Low Pressure Switch
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure /
Pressure Relief
Side Port



74R2537 RD-5-7061-7P
3" diameter x 6 ¼" long
#6 Male O-Ring
(Schrader Port)
High Capacity
Pressure Relief
Side Port



74R4007 RD-5-6075-1P
4" diameter x 6 ¾" long
#6 Male O-Ring (Top & Side)
Fuse
Side Glass



74R4017 RD-5-6077-1P
4" diameter x 6 ¾ " long
#6 Male Flare (Top and side)
Fuse
IHC/Novistar 539049-R91



74R4027 RD-5-11028-1P
Includes Moisture Indicator
4" diameter x 7 3/4" long
#6 Female O-Ring Out;
#6 Male O-Ring In



THERMOSTATIC SWITCH				
All combine and tractor model series using clutch cycling switch with OE#1259617-7	Rotary thermostat with 48" capillary tube, 34 - 52°F	1259617-7	RD-4125-48P	**71R2300**
All combine and tractor model series with OE#109268-C2	Rotary thermostat with 48" capillary tube, 34 - 52°F	109268-C1-C2	RD-4125-48P	**71R2300**
All combine and tractor model series with OE#1162474-9	Rotary thermostat with 36" capillary tube, 34 - 52°F	1162474-9	RD-4125-36P	**71R2250**
All combine and tractor model series with OE#175575C-1	Rotary thermostat with 48" capillary tube, 34 - 52°F	175575C-1	RD-4125-48P	**71R2300**
All combine and tractor model series with OE#175575C91	Rotary thermostat with 36" capillary tube, 34 - 52°F	175575C91	RD-4125-36P	**71R2250**
All combine and tractor model series with OE#301395-C91	Rotary thermostat with 48" capillary tube, 34 - 52°F	301395-C91	RD-4125-48P	**71R2300**
All combine and tractor model series with OE#404145	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	**71R3100**
All combine and tractor model series with OE#A42623, 70500-C2	Rotary thermostat with 18" capillary tube, 28 - 62°F	A42623 70500-C2	RD-5-4909-0P	**71R2100**
Backhoe / Loader 580, 580K, L, M, 580 Super M, Turbo, 590, 590 Super M	Rotary thermostat with 18" capillary tube, 35 - 44°F	RD-5-11029-0	RD-5-11029-0P	**71R2305**

71R2100 RD-5-4909-0P
Capillary Length: 18"
Type: Variable
Temp. Range: 28°- 62°F
Clutch Cycle Range: 6°F



71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2305 RD-5-11029-0P
Capillary Length: 73"
Type: Variable
Temp. Range: 35°- 44°F



71R3100 RD-4-4272-4P
Mounting hole spacing: 2 1/8"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F




INTERNATIONAL (IHC) / NAVISTAR

BLOWER MOTOR

Model	Description	OEM Part No.	Factory No.	**Part** No.
Combines 715, 815, 915 model series, heater only OE#936489-R91	OE style blower motor (only), 1 speed, 3 ¾" length, 12V non-vented	936489-R91	RD-5-10391-0P	**73R0092**
Tractors 66 Series, 766 thru 4366, condenser motor, OE#539047-R2	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW or CCW, 4 ⅞" length	539047-R2	RD-5-3690-1P	**73R0532**
Tractors 68 series, 1568 thru 4768, condenser motor, OE#RD-5-6526-0	Single shaft motor, (2 reqd), 1 speed, 12V, CW, 4 ¾" length, vented	RD-5-6526-0	RD-5-6526-0P	**73R0422**
Tractors 86 Series, 786 thru 4786, condenser blower, OE#539047-R2	Kysor/Evans (condenser blower), non vented, 12V, 1 speed, CW, 4 ⅞" length	539047-R2	RD-5-3690-1P	**73R0532**
All Combine / Loader / Tractor model series, blower control, OE#168822-C1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822-C1	RD-5-10934-0P	**71R1163**

71R1163 RD-5-10934-0P

3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

73R0092 RD-5-10391-0P

Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5⁄16"
Dimensions: 3 ¾" x 2 ⅞" x 3"
Shaft: ¼" diameter, Length: 1 ½"
Non Vented
Connector: Two conductor, 14 gauge
Supplied with 5⁄16" adapter



73R0422 RD-5-6526-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 ¾" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 ⅝"
Vented
Connector: Two conductor Packard #2984528, 2971859



73R0532 RD-5-3690-1P

Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 7⁄8" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1"
Non Vented
Connector: Two conductor with ring terminal



CLUTCH ASSEMBLY

Combines 715, 815, 915 series, CCI/York R210 compressors	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078 MA6 MAE6AR 165338C91	RD-5-4967-0P	**75R0452**
Combines 1400, 1600 series, CCI/York R210 compressors	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	332334 MA 7A 111631-C91 1687801C91	RD-5-4994-0P	**75R4502**
Combines 1400, 1600 series with Sanden SD510 R12/ R134a compressors	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210 576625C91	RD-5-5486-0P	**75R0202**
Combines 2144, 2166, 2188 series with Sanden SD510 R12/R134a compressors	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210 576625C91	RD-5-5486-0P	**75R0202**
Tractors 66 series 766 thru 4366 series, CCI/York R210 compressors	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078 MA6 MAE6AR 165338C91	RD-5-4967-0P	**75R0452**
Tractor 68 series 1568 thru 5768, CCI/York R210 compressors	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	332334 MA 7A 143405-C91 1687801-C91	RD-5-4994-0P	**75R4502**
Tractors 86 series thru 4186 series, CCI/York R210 compressors	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078 MA6 MAE6AR 165338C91	RD-5-4967-0P	**75R0452**
Tractor 86 series 786 thru 4786 except 4186, CCI/York R210 compressors	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	332334 MA 7A 143405-C91 1687801-C91	RD-5-4994-0P	**75R4502**

CLUTCH ASSEMBLY CONTINUED ON NEXT PAGE

INTERNATIONAL (IHC) / NAVISTAR

Model	Description	OEM Part No.	Factory No.	Part No.
CLUTCH ASSEMBLY				
Tractor 88 series 3388 thru 4788, CCI/York R210 compressors	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	332334 MA 7A 143405-C91 1687801-C91	RD-5-4994-0P	**75R4502**
Windrowers 4000, 5000, 5500, 880 series, CCI/York - R210 compressors	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078 MA6 MAE6AR 165338C91	RD-5-4967-0P	**75R0452**

75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Bare wire



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1⁄2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



75R0452 RD-5-4967-0P

Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"

Single wire coil
Male bullet plug



ELECTRICAL SWITCH

Combine / Loader / Tractor model series, blower control, OE#168822-C1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822-C1	RD-5-10934-0P	**71R1163**

71R1163 RD-5-10934-0P

3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

EXPANSION VALVE / BLOCK

Combines 1400, 1600 series with OE#1990756-C1	Block valve with female O-Ring fittings	1990756-C1	RD-5-7015-1P	**71R8321**
Combines 2100 series with OE#1990756-C2	Block valve with female O-Ring fittings	1990756-C2	RD-5-7015-1P	**71R8321**

71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



Model	Description	OEM Part No.	Factory No.	**Part** No.
INTERNATIONAL (IHC) / NAVISTAR				
EXPANSION VALVE / EXTERNAL EQUALIZER				
Combines / Tractor 60C - 90C, 250C, 412B, 431B, 560, 580 series with OE#31134-300	External Equalizer unit with male flare with 18" capillary length	31134-300 RD 4126 1	RD-4126-1P	**71R8050**
Combines / Tractor 88 series 3388 thru 4788 with OE#1280333-C1	Male O-Ring with 13" capillary length, 13" equalizer tube length	1280333-C1	RD-5-3824-1P	**71R8100**
Combines / Tractor 3305, 3307, 3309, 3311 series with OE#31134-301	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	**71R8100**
Combines / Tractor 7211, 7231, 7241, 7251, 7261, 7271AA series with OE#31134-301	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	**71R8100**
Combines / Tractor D700, D750, D800 series with OE#31134-301	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	**71R8100**
Combines / Tractor H90E, L175C, TD15C, TD25C, TD25E, series with OE#31134-300	External Equalizer unit with male flare with 18" capillary length	31134-300 RD 4126 1	RD-4126-1P	**71R8050**
Combines / Tractor TD12, TD15E, TD20E, TD20G, TD25G, TD40, TS24A, B, C series with OE#31134-301	Male O-Ring with 13" capillary length, 13" equalizer tube length	71504287-5	RD-5-3824-1P	**71R8100**
Windrowers 4000, 5000, 5500, 8800 series with OE#1280333-C1	Male O-Ring with 13" capillary length, 13" equalizer tube length	1280333-C1	RD-5-3824-1P	**71R8100**

71R8050 RD-4126-1P

External Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length: 18"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



PRESSURE SWITCH				
All series using high pressure switch, OE#111266C1	High Pressure Switch, normally closed 210psi, opens 340 psi, ¼" female flare	111266C1	RD-5-5873-0P	**71R6070**
All series using high pressure switch, OE#92038C1	High Pressure Switch, normally open 250psi, close 375 psi, ¼" female flare	92038C1	RD-5-8289-0P	**71R6230**

71R6070 RD-5-5873-0P

Type: High Side
Fitting / Connector: ¼" female flare
Normally Closed – Closes at 210 PSI – Opens at 340 PSI



71R6230 RD-5-8289-0P

Type: High Side
Fitting / Connector: ¼" female flare / two-conductor Packard male/female
Normally Open – Closes at 375 PSI – Opens at 250 PSI



INTERNATIONAL (IHC) / NAVISTAR

RECEIVER DRIER

Model	Description	OEM Part No.	Factory No.	Part No.
Combines 715, 815, 915 series, OE#539049R-1	#6 Male Flare (top and side), 4" X 6 ¾"	539049R-1	RD-5-6077-1P	**74R4017**
Combines 1420, 1440, 1460, 1480 series, OE#539049R-1	#6 Male Flare (top and side), 4" X 6 ¾"	539049R-1	RD-5-6077-1P	**74R4017**
Combines 1620, 1640, 1660, 1670, 1680, 1688 series, OE#143469C-2	#6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	143469C-2	RD-5-11028-1P	**74R4027**
Combines 2144, 2166, 2188 series, OE#143469C-2	#6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	143469C-2	RD-5-11028-1P	**74R4027**
Tractors 66 Series except 4366 series, OE#539049C-1	#6 Male Flare (top and side), 4" X 6 ¾"	539049C-1	RD-5-6077-1P	**74R4017**
Tractors 68 Series except 4568 series, OE#539049C-1	#6 Male Flare (top and side), 4" X 6 ¾"	539049C-1	RD-5-6077-1P	**74R4017**
Tractors 86 Series except 4586, 4786 series, OE#539049C-1	#6 Male Flare (top and side), 4" X 6 ¾"	539049C-1	RD-5-6077-1P	**74R4017**
Tractors 88 Series except 3388, 3788, 8588 series, OE#539049C-1	#6 Male Flare (top and side), 4" X 6 ¾"	539049C-1	RD-5-6077-1P	**74R4017**
Windrowers 4000, 5000, 5500, 8800 series, OE#143469C-2	#6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	143469C-2	RD-5-11028-1P	**74R4027**

74R4017 RD-5-6077-1P

4" diameter x 6 ¾ " long
#6 Male Flare (Top and side)
Fuse
IHC/Novistar 539049-R91



74R4027 RD-5-11028-1P

Includes Moisture Indicator
4" diameter x 7 3/4" long
#6 Female O-Ring Out;
#6 Male O-Ring In



THERMOSTATIC SWITCH

All series using clutch cycling switch with OE#70500C2	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	70500C2	RD-4172-0P	**71R2310**
Combine / Loader / Tractor model series with OE#109268C2	Rotary thermostat with 48" capillary tube, 34 - 52°F	109268C2	RD-4125-48P	**71R2300**
Combine / Loader / Tractor model series, blower control, OE#168822-C1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	168822-C1	RD-5-10934-0P	**71R1163**
Combine / Loader / Tractor series clutch cycling switch, OE#175575C1	Rotary thermostat, 36" capillary tube, 34 - 52°F	175575C1	RD-4125-36P	**71R2250**
Combines / Tractor D700, D750, D800 series	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	**71R2250**
Combines / Tractor L175C series	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	**71R2250**
Combines / Tractor TD12, TD15C, TD15E, TD20E, TD20G, TD25C, TD25E, TD25G series	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	**71R2250**
Combines / Tractor TS24A, TS24B, TS24C series	Rotary thermostat with 18" capillary tube, 28 - 62°F	A42623	RD-5-4909-0P	**71R2100**
Combines / Tractor 60C, 70C, 80C, 90C, 250C series	Rotary thermostat, 36" capillary tube, 34 - 52°F	026476-9	RD-4125-36P	**71R2250**
Combines / Tractor 560, 580 series	Rotary thermostat with 48" capillary tube, 34 - 52°F	RD-4125-48 0272229-6	RD-4125-48P	**71R2300**
Combines / Tractor 3305, 3307, 3309, 3311 series with Red Dot A/C, OE#RD-4226-0	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0	RD-4226-0P	**71R2700**
Combines / Tractor 7221, 7231, 7241, 7251, 7261 series with Red Dot A/C, OE#RD-4226-0	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0	RD-4226-0P	**71R2700**

71R1163 RD-5-10934-0P

3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R2100 RD-5-4909-0P

Capillary Length: 18"
Type: Variable
Temp. Range: 28°- 62°F
Clutch Cycle Range: 6°F



71R2250 RD-4125-36P

Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2300 RD-4125-48P

Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2310 RD-4172-0P

Capillary Length: 27"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2700 RD-4226-0P

Pull for cold Variable temp.
Mounting hole spacing 2 15/16"
Capillary Length: 30"
Type: Variable
Temp. Range: 34°- 54°F
Clutch Cycle Range: 5°F



Model	Description	OEM Part No.	Factory No.	**Part** No.

JOHN DEERE

BLOWER - FAN

All Loader / Tractor model series with remote mount condenser, OE#RD-5-8641-0	Pancake fan assembly, (puller) 12V	RD-5-8641-0	RD-5-8641-0P	**RD-5-8641-0P**
All Loader / Tractor model series with remote mount condenser, OE#RD-5-8641-1	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	**RD-5-8641-1P**
Backhoe Loader 344G, 444G with Red Dot model R-10036-0 (24V), puller fan OE#RD-5-8641-1	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	**RD-5-8641-1P**
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-1, OE#RD-5-7123-0	Fan Blade - Red Dot A/C, 8" diameter, CW, aluminum	RD-5-7123-0	RD-5-13533-0P	**73R8081**
Backhoe Loader 544E, 624E, 644E, 924E Series with Red Dot model R-10150, puller fan OE#RD-5-8641-0	Pancake fan assembly, (puller) 12V	RD-5-8641-0	RD-5-8641-0P	**RD-5-8641-0P**
Crawler Dozer 750C, 850C with OE#RD3133-9	Fan Blade - Red Dot A/C, Bergstrom, Kysor, 6" diameter, CW, plastic	RD3133-9	RD-3133-9P	**73R8050**
Wheel Loader 304H, 324H, 344H with Red Dot A/C unit R-9777 Condenser, OE#RD-5-9076-2	Fan / blower assembly, 12V, single speed, 13" x 3 ¾"	RD-5-9076-2	RD-5-9076-2P	**73R8642**
Wheel Loader 544H, 544G, 624G, 644G with Red Dot A/C unit R-10151-0P Condenser, OE#RD-5-8703-2	Fan / blower assembly, 12V, CW, single speed, 10 ⅝" x 2"	RD-5-8703-2	RD-5-8703-2P	**73R8562**

73R8050 RD-3133-9P
6" Diameter



73R8081 RD-5-13533-0P
8" Diameter



73R8562 RD-5-8703-2P
Single Speed Puller
12 Volt
Rotates Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
10 ⅝" diameter x 2" thick
Height: 11 ¼"



73R8642 RD-5-9076-2P
Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor



BLOWER - FAN RESISTOR

Excavators 110, 120, 160LC with Red Dot A/C, OE#RD-5-3647-0P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C	Fan speed resistor for standard control units	RD-5-8923-0P	RD-5-8923-0P	**71R1465**
Crawler Dozer 450H, 550H, 650H with Red Dot A/C unit R-9475-0, OE#RD-5-8665-0	Ceramic tube style resistor, (black), 4 terminal, 12V, 6 ½" length x 1 ⅜" diam	RD-5-8665-0	RD-5-8665-0P	**71R1485**
Crawler Dozer 700H with Red Dot A/C, OE#RD-5-9062-0	Ceramic tube style resistor, (white), 4 terminal, 12V, 7" length x 1 ¼" diam	RD-5-9062-0	RD-5-9062-0P	**71R1480**
Wheel Loaders 304H with Red Dot A/C models R-1400, R-1620, R-2550, R-2820, R-9777	Blower assembly fan resistor, 3 speed, 4 terminal	20604004 RD-5-9437-0	RD-5-9437-0P	**71R1402**


71R1402 RD-5-9437-0P
3 Speed
4 Terminals
22 Amps
Fits
73R5552
73R5622



71R1450 RD-5-3647-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1465 RD-5-8923-0P
4 Terminals (1/4" blade) / 3 Speeds
Bakelite base: .10" thick



71R1480 RD-5-9062-0P
4 Terminals (¼" blade) /
Variable Speed 24 volt, 5.22 ohm,
Length: 7",
Diameter: 1 ¼",
Mounting
Height: 2 ¾",
Ceramic (white)



71R1485 RD-5-8665-0P
4 Terminals (¼" blade) /
Variable Speed 12 volt, 2.36 ohm,
Length: 6 ½",
Diameter: 1 ⅜",
Ceramic (black wrapped)
JD Crawler
Dozer 650H



JOHN DEERE

BLOWER MOTOR

Model	Description	OEM Part No.	Factory No.	Part No.
All Loader / Tractor model series with OE#AR45856	All with 3 ¼" diameter blower motor, 1 speed, 4" length, 12V, Rev. direction	AR45856	RD-5-10390-0P	**73R0212**
All Loader / Tractor model series with OE#AR49962	12V, single shaft, 1 speed, 4 ¾" length	AR49962	RD-5-5512-0P	**73R0912**
All Loader / Tractor model series, OE#RE37152	12V, single shaft, 1 speed, 4" x 3 ½" x 3"	RE37152	RD-5-10379-0P	**73R0012**
All Loader / Tractor model series, OE#275140	12V, single shaft, 1 speed, CCW, 4 ⅝" length	275140	RD-5-10389-0P	**73R0372**
All Loader / Tractor model series remote mount condenser (12V), OE#RD-5-5120-0	Single shaft motor (condenser motor), 12V, NV, 4 ⅞" length	RD-5-5120-0	RD-5-5120-0P	**73R0512**
All Loader / Tractor model series remote mount condenser (24V), OE#RD-5-5120-24	Single shaft motor (condenser motor), 24V, 4 ⅞" length	RD-5-5120-24	RD-5-5120-24P	**73R0514**
Backhoe Loader 310E, 410E, 510E, 710E with Red Dot A/C unit R-9450-3, OE#RD-5-8126-0	Double shaft motor, 12V, 1 speed, 5 5/16" length, shaft length 2 ⅞"	RD-5-8126-0	RD-5-8126-0P	**73R4242**
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-0 (12V), OE#RD-5-5121-0	Double shaft motor (evaporator motor), 12V, 4 13/16" length	RD-5-5121-0	RD-5-5121-0P	**73R4252**
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-1 (24V), OE#RD-5-5120-24	Single shaft motor (condenser motor), 24V, 4 13/16" length	RD-5-5120-24	RD-5-5120-24P	**73R0514**
Backhoe Loader 344G, 444G with Red Dot A/C unit R-10036-0 (24V), OE#RD-5-4827-24	Single shaft motor (evaporator motor), 24V, 5" x 4" x 3" length	RD-5-4827-24	RD-5-4827-24P	**73R0404**
Backhoe Loader 490E, 690E, 790E, 892E with Red Dot A/C unit R-10035, OE#RD-5-3780-24	Double shaft motor, 3 speed, 24V, 4" x 3 13/32" x 3" length	RD-5-3780-24	RD-512742-2P	**RD-5-12742-2P**
Combines 3300, 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700, 7720, 7722, 8820, 9400, 9500, 9600	Kysor/Evans (condenser roof mount blower), single speed, NV, 12V, 1 speed, CW, 4 ⅞" length	AR82005	RD-5-3690-1P	**73R0532**
Crawler Dozer 450H, 550H, 650H with Red Dot A/C unit R-9475-0, OE#RD-3-9290-0	Blower assembly, 12V, single speed, 18 ½" x 7 ½" x 6 ½"	RD-3-9290-0	RD-3-9290-0P	**73R5632**
Crawler Dozer 700H with Red Dot A/C unit R-9475-0-24, OE#RD-3-9290-24	Blower assembly, 24V, single speed, 18 ½" x 7 ½" x 6 ½"	RD-3-9290-24	RD-3-9290-24P	**73R5634**
Crawler Dozer 750C, 850C with Red Dot A/C unit R-10003-0-24, OE#RD-3133-4-24	Single shaft motor (evaporator motor), 2 speed, 24V, 3 ⅝" length	RD-3133-4-24 RD-5-10491-24	RD-5-10491-24P	**73R0034**
Excavator 110, 120, 160LC, 200, 450LC with Red Dot A/C unit R-10034-0P, OE#RD-5-5049-2	Double shaft motor, 24V, 1 speed, 5 ¼" length, shaft length 2 ⅞"	RD-5-5049-2	RD-5-5049-2P	**73R4424**
Loader / Tractor 792D, 992E with Red Dot A/C unit R-10035, OE#RD-5-3780-24	Double shaft motor, 3 speed, 24V, 4" x 3 13/32" x 3" length	RD-5-3780-24	RD-5-12742-2P	**RD-5-12742-2P**
Loader / Tractor 4000 thru 7040 series with 1 ¾" single shaft motor, OE#AR49962	Bergstrom - Kysor A/C, single shaft, 1 ¾" shaft length, 12V, 1 speed, CW, 4 ⅝" length	AR49962 1183560 BSM205620 275130	RD-5-10905-0P	**73R0442**
Tractor 20 series (condenser blower) 4020, 4320, 4520, 4620, 5020, 7020, 7520	Kysor/Evans (condenser blower), single speed, NV, 12V, 1 speed, CW, 4 ⅞" length	AR82005	RD-5-3690-1P	**73R0532**
Tractor 20 series (evaporator blower) 4020, 4320, 4520, 4620, 5020, 7020, 7521	Double shaft motor, single speed, 4 ¾" x 4" x 3", shaft 2 ½" length	AR62497	RD-5-5190-0P	**73R4162**
Tractor 30 series without Sound Guard Cab 4020, 4320, 4520, 4620, 5020, 7020, 7521	Double shaft motor, single speed, 4 ¾" x 4" x 3", shaft 2 ½" length	AR62497	RD-5-5190-0P	**73R4162**
Tractor 4000 series	Double shaft motor, single speed, 4 ¾" x 4" x 3", shaft 2 ½" length	AR62497	RD-5-5190-0P	**73R4162**
Wheel Loader 304H, 324H, 344H with Red Dot A/C unit R-9777 evaporator	Evaporator motor / blower assembly with resistor, 12V, 13 ¾" x 5 ⅜" x 5 ⅛"	RD-5-8583-0	RD-5-8583-0P	**73R5552**
Wheel Loader 304H, 324H, 344H with Red Dot A/C unit R-10500 evaporator, OE#RD-5-8583-0	Evaporator blower assembly with resistor, 12V, 13 ¾" x 5 ⅜" x 5 ⅛"	RD-5-8583-0	RD-5-8583-0P	**73R5552**

BLOWER MOTOR CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

JOHN DEERE

BLOWER MOTOR

73R0012 RD-5-10379-0P

Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5/16"
Dimensions: 4" x 3 1/2" x 3"
Shaft: 5/16" diameter, Length: 1 7/8"
Vented
Connector: Two conductor, 14 gauge



73R0034 RD-5-10491-24P

Two Speed - 24 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 3/4" x 3"
Shaft: 1/4" diameter, Length: 11/16"
Non Vented
Connector:
Ring Terminal, two conductor with ground



73R0212 RD-5-10390-0P

Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5/16"
Dimensions: 4" x 3 3/8" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Non Vented
Connector: Two conductor, 14 gauge



73R0372 RD-5-10389-0P

Single Speed
12 Volt



73R0404 RD-5-7038-0P

Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented



73R0442 RD-5-10905-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 5/8" x 4 1/4" x 3"
Shaft: 5/16" diameter, Length: 1 3/4"
Vented
Connector: Two conductor Packard
1/4" blade terminal #2973781



73R0512 RD-5-5120-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/8"
Non Vented
Connector: Two conductor Packard 1/4" blade terminal



73R0514 RD-5-5120-24P

Single Speed
24 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 11/8"
Non Vented



73R0532 RD-5-3690-1P

Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1"
Non Vented
Connector: Two conductor with ring terminal



73R0912 RD-5-5512-0P

Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Shaft Length: 1 1/2"
Vented - RFI
Connector: Multiple adapters in kit




73R4162 RD-5-5190-0P

Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4" x 3"
Shafts: 5/1t" diameter, length: 2 1/2"
Vented
Connector: Two conductor spade terminal



73R4242 RD-5-8126-0P

Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 5 5/16" x 4 1/2" x 3"
Shafts: 5/16" diameter, length: 2 7/8"
Vented




73R4252 RD-5-5121-0P

Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 13/16" x 4" x 3"
Shafts: 5/16" diameter, length: 3 5/8"
Vented
Connector: Two conductor Packard #8900420, 1/4" blade



73R4424 RD-5-5049-2P

Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 5 5/16" x 4 1/2" x 3"
Shafts: 5/16" diameter, length: 2 7/8"
Vented
Connector: Two conductor Packard #2984528
1/4" blade terminal



73R5552 RD-5-8583-0P

Three Speed – 619 CFM
12 volt – 13 3/4" x 5 3/8" x 5 1/8"



73R5632 RD-3-9290-0P

Single Speed
800 CFM – 12 volt – 18 1/2" x 7 1/2" x 6 1/2"
Use on Red Dot Models: R-9475-0



73R5634 RD-3-9290-24P

Single Speed
800 CFM – 24 volt – 18 1/2" x 7 1/2" x 6 1/2"
Use on Red Dot Models: R-9475-0-24




BLOWER RELAY

All Loader / Tractor model series with Bosch relay, OE#0332-209-169	Bosch type (30 amp), SPST, 5 terminals	0332-209-169	RD-5-4408-0P	**71R1702**
All Loader / Tractor model series with Hella relay, OE#960-388-25	Hella type, SPST, 5 terminals	960-388-25	RD-5-4408-0P	**71R1702**

71R1702 RD-5-4408-0P

12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type




JOHN DEERE

BLOWER SWITCH

Model	Description	OEM Part No.	Factory No.	Part No.
All Loader / Tractor model series with OE#RD-5-10934-0	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-10934-0 71195109	RD-5-10934-0P	**71R1163**

71R1163 RD-5-10934-0P

3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

BLOWER WHEEL

Model	Description	OEM Part No.	Factory No.	Part No.
Backhoe Loader 344G, 444G with Red Dot A/C unit R-10036-0, OE#RD-5-7312-0	Red Dot A/C, single entry, 3 13/16" diameter x 2 1/2" width, CCW	RD-5-7312-0	RD-5-7312-0P	**73R6300**
Loader / Tractor 792D, 992E with Red Dot A/C unit R-10035, OE#RD-5-5656-0	Red Dot A/C, double entry, 3 3/16" diameter x 3 3/16" width	D2AZ-19834-A	RD-5-5656-0P	**73R7000**

73R6300 RD-5-7312-0P

3 13/16" diameter, 2 1/2" width
5/16" bore diameter
Hub inset: Flat
Counter Clockwise Rotation
Steel



73R7000 RD-5-5656-0P

3 3/16" diameter, 3 13/16" width
5/16" bore diameter
Hub inset: 1 1/8"
Dual Rotation
Plastic



CLUTCH ASSEMBLY

Model	Description	OEM Part No.	Factory No.	Part No.
All series with CCI/York - R12 / 134A compressors OE#AH79301	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	AH79301	RD-5-4967-0P	**75R0452**
All series with CCI/York - R12 / 134A compressors, OE#AH85847	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	AH85847	RD-5-4994-0P	**75R4502**
All series with Sanden SD508 compressors, OE#6514-6210	2 groove 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6514-6210	RD-5-5486-0P	**75R0202**
All series with Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove 1/2" width, 5 1/4" diameter (132mm)	6504-6310	RD-5-10379-0P	**75R1542**
Combines 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700 with CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	AH79301	RD-5-4967-0P	**75R0452**
Combines 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700 with CCI/York compressor	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
Combines 4400, 4420, 4425, 4435, 4435 Hydro, 6600, 6602, 6620, 6622, 7700 with CCI/York compressor	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	AH85847	RD-5-4994-0P	**75R4502**
Excavator 110, 120, 160LC with Red Dot A/C unit R-9500-0-24, R-10034-0P, Sanden SD5 R-12 compressors	2 groove, 24V, 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6519-6210 6514-6210	RD-5-5487-0P	**75R0204**
Wheel Loader 304H with Red Dot A/C unit R-9777-1, Seltec TM15 compressors	Single groove 6 1/4" (159mm), variable width, bullet plug	511051 RD-5-10723-0	RD-5-10723-0P	**75R0262**
Wheel Loader 324H, 344H with Red Dot A/C unit R-9777-1, Seltec TM15 compressors	Poly 8 groove 4 5/8" (123mm), bullet plug	RD-5-10544-0	RD-5-10544-0P	**75R0082**
Wheel Loader 444H, 544H, 624H with Red Dot A/C unit R-10060-4P, Sanden SD5 R-12 compressors	2 groove, 24V, 5 1/4" (132mm) diameter pulley, 1/2" width, 1 wire	6519-6210 6514-6210	RD-5-5487-0P	**75R0204**
Wheel Loader 544G, 624G, 644G with Red Dot A/C drop-in evaporator kit R-10151-0P, Sanden SD5 R-12 compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**

CLUTCH ASSEMBLY CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

JOHN DEERE

CLUTCH ASSEMBLY

75R0082 RD-5-10544-0P

Diameter: 4 27/32" / 123mm
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 11/32" / 34 mm

Single wire coil
Male bullet plug



75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Bare wire



75R0204 RD-5-5487-0P

Model SD5 (508, H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
24 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Male bullet plug



75R0262 RD-5-10723-0P

Model: Seltec - TM15
Diameter: 4.9" / 125mm
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 9/16" / 40 mm

Single wire coil
Male bullet plug



75R0452 RD-5-4967-0P

Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"

Single wire coil
Male bullet plug



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



75R1202 RD-5-4972-1P

OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 5/8"
Single wire coil with diode
Weatherpak plug



75R1542 RD-5-10369-0P

OE # 6504-6010
Model 709 / 7H15
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm
Double wire coil
Ford OE plug



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



COMPRESSOR - GM

All series with GM A6 with Superheat switch port, without oil, OE#1131243	1 groove ½" width, 4 7/8" diameter (124mm), generic	1131243 0259362-2 509170-C91	RD-5-5000-0P	**75R8102**

75R8102 RD-5-5000-0P

GMC A6R, Generic — Superheat switch port
5" Single Groove Clutch — 12 volt
Pulley with ½" - ¾" variable groove — R-12 / R134a
Standard thread mounting holes — Clockwise rotation
No Oil



Model	Description	OEM Part No.	Factory No.	Part No.
JOHN DEERE				
COMPRESSOR - ICE SELTEC				
All series with ICE/Seltec TM21HD, OE#488-47244	TM21HD, J head, direct mount, poly 8, 5 ½" (141mm) diameter	488-47244	RD-5-12530-1P	**75R86142Q**
All series with ICE/Seltec TM21HD 24V, OE#488-47246	TM21HD, 24V, J head, direct mount, poly 8, 5 ½" (141mm) diameter	488-47246	RD-5-13118-0P	**RD-5-13118-0P**
Wheel Loader 304H with Red Dot A/C unit R-9777-1, Seltec TM15, #488-45075, 2521168 R134a compressors	ICE-Seltec TM15, C head, ear mount, 2 groove, 5"(125mm)	488-45075 2521168	RD-5-9609-10P	**75R85032Q**
Wheel Loader 324H, 344H with Red Dot A/C unit R-9777-1, Seltec TM15, #488-45122, 2521266 R134a compressors	ICE-Seltec TM15, A head, ear mount, poly 8, 4 ¾"(123mm)	488-45122 2521266	RD-5-10429-1P	**75R86132Q**


75R85032Q RD-5-9609-9P
Model: QP-15HD **Head:** C **Voltage:** 12V
Mount: Ear **ICE:** 2521168 **Seltec:** 488-45075
Clutch: 5" (125mm) 2 Groove **R134a**



75R86132Q RD-5-10429-1P
Model: QP-15HD **Head:** A **Voltage:** 12V
Mount: Ear **ICE:** 2521266 **Seltec:** 488-45122
Clutch: 4 ¾" (123mm) Poly 8 **R134a**



75R86142Q RD-5-12530-1P
Model: QP-21HD **Head:** J **Voltage:** 12V
Mount: Direct **ICE:** 2521562 **Seltec:** 435-67256, 488-47244
Clutch: 5 ½" (141mm) Poly 8 **R134a**



COMPRESSOR - SANDEN				
Backhoe Loaders 444H with Sanden 5H14HD, #4537, 6634 R134a compressors, 24V	5H14-HD, K head, ear mount, 2A groove, 5 ¼" (132mm) diameter	4537 6634	RD-5-8680-0P	**75R8354**
Excavators 110, 120, 160LC with Sanden 5H14HD, #6665 R134a compressors, 24V	5H14-HD, FL head, ear mount, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**
Wheel Loaders 744E with Sanden 5H14HD, #6665 R134a compressors, 24V	5H14-HD, FL head, ear mount, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**
Wheel Loaders 444H, 544H, 624H with Red Dot drop-in evap kit, Sanden 5H14HD, #4537, 6634 R134a compressors, 24V	5H14-HD, K head, ear mount, 2A groove, 5 ¼" (132mm) diameter	4537 6634	RD-5-8680-0P	**75R8354**
Wheel Loader 544G, 624G, 644G with Red Dot drop-in evap kit, Sanden 5H14HD, #6664 R134a compressors, 12V	5H14-HD, FL head, ear mount, 2A groove, 5 ¼" (132mm) diameter	6664	RD-5-7088-0P	**75R8382**


75R8354 RD-5-8680-0P
Model: SD7H15 **Head:** KG **Voltage:** 24V
Mount: Ear **Sanden:** 4537, 6634, 4269
Clutch: 5 1/4" (132mm) A2 Groove



75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8384 RD-5-7089-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



Model	Description	OEM Part No.	Factory No.	**Part** No.

JOHN DEERE

COMPRESSOR MANIFOLD

Backhoe Loader 310G, 310SG, 410G	Top discharge with oil bypass, #8 and #10 Male Insert O-Ring fittings		RD-5-11151-0P	**75R8920**
Wheel Loader 304H	Rear Port Adapter, head type A, Horizontal Male O-Ring, ¾" x ⅞"		RD-5-8010-0P	**75R8505**
Wheel Loader 324H, 344H	Rear Port Adapter, head type B, Vertical Female O-Ring, ¾" x ⅞"		RD-5-9611-0P	**75R8507**
Wheel Loader 544G, 544H, 624G, 624H, 644G, 644H, 772CH, 824J	Top discharge with oil bypass, #8 and #10 Male Insert O-Ring fittings		RD-5-11152-0P	**75R8921**

75R8505 RD-5-8010-0P
Head Type A
Horizontal Male O-Ring
¾" X ⅞"



75R8507 RD-5-9611-0P
Head Type B
Vertical Female O-Ring
¾" X ⅞"



75R8920 RD-5-11151-0P
Top discharge with oil bypass, #8 and #10 Male Insert O-Ring fittings




75R8921 RD-5-11152-0P
Rear discharge, #8 and #10 Male Insert O-Ring fittings



CONDENSER

Excavators 110, 120, 160LC	Radiator Mount,Tube & Fin type, 21 ½" fin width x 26 ½" x 1 ¼"	RD-4-4968-0	RD-4-4968-0P	**77R7100**
Wheel Loaders 444H, 544H, 624H with Red Dot A/C unit R-10060-4	Serpentine type, fin width 31 19/32" x 8 ½" x 2"	RD-4-5146-1	RD-4-5146-1P	**77R0570**
Wheel Loader 544G, 624G, 644G with Red Dot A/C unit R-10150-0, -1	Radiator Mount,Tube & Fin type, 21 ⅝" fin width x 12 ½" x 2 ⅞"	RD-4-4724-1	RD-4-4724-1P	**77R7005**
Wheel Loader 744E	Radiator Mount,Tube & Fin type, 21 ⅝" fin width x 12 ½" x 2 ⅞"	RD-4-4724-1	RD-4-4724-1P	**77R7005**


77R7005 RD-4-4724-1P
Tube & Fin Type Fits
Overall Width: 24"
Fin Width: 21 ⅝"
Height: 12 ½"
Thickness: 2 ⅞"



77R0570 RD-4-5146-1P
Serpentine Coil Type
Overall Width: 32 13/16"
Fin Width: 31 19/32"
Height: 8 ½"
Thickness: 2"



77R7100 RD-4-4968-0P
Tube & Fin Type
Overall Width: 28 1/16" – Two Row
Fin Width: 21 ½"
Height: 26 ½"
Thickness: 1 ¼"



ELECTRICAL SWITCH

All Loader / Tractor model series using clutch cycling switch with OE#AR49960	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR49960	RD-4125-36P	**71R2250**
All Loader / Tractor model series with OE#RD-5-10934-0	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-10934-0 71195109	RD-5-10934-0P	**71R1163**
All Loader / Tractor model series with OE#AH80197	Rotary thermostat with 48" capillary tube, 34 - 52°F	AH80197	RD-4125-48P	**71R2300**
All Loader / Tractor model series with OE#AR59779	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR59779	RD-4125-36P	**71R2250**
Wheel Loader 544E, 624E, 644E series using clutch cycling switch with OE#70500C2	Rotary thermostat, 27" capillary, 34°-52°F, clutch cycle range 5°F	70500C2	RD-4172-0P	**71R2310**

71R1163 RD-5-10934-0P
3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R2310 RD-4172-0P
Capillary Length: 27"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F




JOHN DEERE


EVAPORATOR

Model	Description	OEM Part No.	Factory No.	Part No.
Backhoe Loader 310E, 310G, 310SG, 410E, 410G, 510E, 710E with Red Dot A/C unit R-9450-3	Dimensions: 8 ½" height x 13" length x 3 13/32" width	RD-2-2780-0	RD-2-2780-0P	**76R6655**
Crawler Dozer 450H, 550H, 650H with Red Dot A/C unit R-9475-0	Dimensions: 6 7/64" height x 23 ½" length x 3 13/32" width	RD-2-2897-0	RD-2-2897-0P	**76R7715**
Crawler Dozer 700H with Red Dot A/C unit R-9475-0-24	Dimensions: 6 7/64" height x 23 ½" length x 3 13/32" width	RD-2-2897-0	RD-2-2897-0P	**76R7715**
Excavators 110, 120, 160LC with Red Dot A/C unit R-9500-0-24	Dimensions: 8 7/64" height x 15 3/64" length x 3 ½" width	RD-2-3008-0	RD-2-3008-0P	**76R7030**
Wheel Loader 304H, 324H, 344H with Red Dot A/C unit R-9777-1	Dimensions: 6 1/8" height x 17 ½" length x 2 5/32" width	RD-2-3413-0	RD-2-3413-0P	**76R5820**
Wheel Loaders 444H, 544H, 624H with Red Dot A/C unit R-10060-4	Dimensions: 10" height x 15 ½" length x 3 ¾" width	RD-2-3395-0	RD-2-3395-0P	**76R7580**
Wheel Loader 544G, 624G, 644G with Red Dot A/C drop-in unit R-10150-0, -1	Dimensions: 6 1/8" height x 22" length x 2 ¾" width	RD-2-2495-0	RD-2-2495-0P	**76R6550**


76R5820 RD-2-3413-0P
6 1/8" high x 17 1/2" long x 2 5/32" wide




76R6550 RD-2-2495-0P
6 1/8" high x 22" long x 2 3/4" wide



76R6655 RD-2-2780-0P
8 1/2" high x 13" long x 3 13/32" wide




76R7030 RD-2-3008-0P
8 7/64" high x 15 3/64" long x 3 1/2" wide



76R7715 RD-2-2897-0P
6 7/64" high x 23 1/2" long x 3 13/32" wide



76R7580 RD-2-3395-0P
10" high x 15 1/2" long x 3 3/4" wide



EXPANSION VALVE

All Loader / Tractor model series with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**
All Loader / Tractor model series with OE#AH122867	Block valve with female O-Ring fittings	AH122867	RD-5-7015-1P	**71R8321**
All Loader / Tractor model series with Red Dot A/C unit R-10035-1thru 4, OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**
Backhoe Loader / Tractor 310D, 344E, 410D, 444E, 510D with Red Dot A/C unit R-10011-0, -1, R-10025-1	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**
Backhoe Loader / Tractor 310E with Red Dot A/C unit R-10011-0, -1, R-10025-1	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**
Backhoe Loader / Tractor 310E, 410E, 410G, 510E, 710E with Red Dot A/C unit R-9450-3	Block valve with female O-Ring fittings	RD-5-8100-0	RD-5-8100-0P	**71R8423**
Combines 9400, 9500, 9600 series with OE#AH137702	Block valve with female O-Ring fittings	AH122867 AH137702	RD-5-7015-1P	**71R8321**
Combines 9410, 9450, 9510, 9550, 9600, 9610, 9650, 9750 series with Red Dot A/C unit R-10011-0, -1, R-10025-1	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**
Combines 9410, 9450, 9510, 9550, 9600, 9610, 9650, 9750 series with OE#AH137702	Block valve with female O-Ring fittings	AH122867 AH137702	RD-5-7015-1P	**71R8321**
8Cotton Pickers 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965 series with OE#AH137702	Block valve with female O-Ring fittings	AH122867 AH137702	RD-5-7015-1P	**71R8321**
Crawler Dozer 450H, 550H, 650H, 700H with Red Dot A/C unit R-9475-0, R-9475-0-24	Block valve with female O-Ring fittings	RD-5-8100-0	RD-5-8100-0P	**71R8423**
Excavators 110, 120, 160LC, 200, 450LC with Red Dot A/C unit R-9500-0-24, R-10034-0	Block valve with female O-Ring fittings	329-403 329-413	RD-5-7015-1P	**71R8321**
Harvesters 6650, 6750, 6850, 6950 series with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**

EXPANSION VALVES CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.
JOHN DEERE				
EXPANSION VALVE				
Sprayers 6000, 6100, 6500, 6600, 6700 series with OE#AH137702	Block valve with female O-Ring fittings	AH122867 AH137702	RD-5-7015-1P	**71R8321**
Tractors 10 Series, 6010, 6110, 6210, 6310, 6410 models with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**
Tractors 10 Series, 7010, 7210, 7410, 7610, 7710, 7810 models with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**
Tractors 10 Series, 8010, 8110, 8110T, 8210, 8210T, 8310, 8310T models with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**
Wheel Loaders 304H, 324H, 344H with Red Dot A/C unit R-9777-1, OE#RD-5-9513-0	Block valve, Hi - capacity (2 ton), O-Ring fittings	RD-5-9513-0	RD-5-9513-0P	**71R8380**
Wheel Loaders 444H, 544G, 544H, 624G, 624H, 644G with Red Dot A/C unit R-10060-4, R-10151-0, -1	Block valve with female O-Ring fittings	329-403 329-413	RD-5-7015-1P	**71R8321**
Windrowers / Sprayers 4700, 4710, 4890, 4990 series with OE#RE57575	Block valve with female O-Ring fittings	RE57575	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8380 RD-5-9513-0P

Anti-trumpeting (2 Ton)
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8423 RD-5-8100-0P

(2 Ton)
Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #12 (¾") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superhe*t Rating: 5.5°F
Pressure Limit: 53.3 psig @90°F



EXPANSION VALVES CONTINUED ON NEXT PAGE

JOHN DEERE

EXPANSION VALVE / EXTERNAL EQUALIZER

Model	Description	OEM Part No.	Factory No.	Part No.
All Loader / Tractor model series with OE#AL28688, AR58482, RE13886	Male O-Ring with 13" capillary length, 13" equalizer tube length	AL28688 AR58482 RE13886	RD-5-3824-1P	**71R8100**
All Loader / Tractor model series with OE#826-003	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	826-003	RD-5-5862-0P	**71R8080**
All Loader / Tractor model series with OE#AH80191	External Equalizer unit with male flare with 18" capillary length	AH80191	RD-4126-1P	**71R8050**
Combines 7700, 7720, 8820 series with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Cotton Pickers 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965 series with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Tractors 10 Series, 6010, 6110, 6210, 6310, 6410 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Tractors 10 Series, 7010, 7210, 7410, 7610, 7710, 7810 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Tractors 20 Series, 4020, 4320, 4520, 4620, 5020, 7020, 7520 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Tractors 40 Series, 4040, 4240, 4440, 4640, 4840 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Tractors 50 Series, 4050, 4250, 4450, 4650, 4850 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Tractors 55 Series, 2955, 3055, 3155, 3255, 4055, 4255, 4455, 4755, 4955 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Tractors 60 Series, 4560, 4760, 4960 models with OE#AR58482	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AR58482	RD-5-5862-0P	**71R8080**
Tractors 80 Series, 8430, 8440, 8630, 8640 models with OE#AH140818	Male O-Ring with 13" capillary length, 13" equalizer tube length	AH140818	RD-5-3824-1P	**71R8100**
Wheel Loader 344G, 444G with Red Dot A/C unit R-10036-0	Male O-Ring with 13" capillary length, 13" equalizer tube length	AL28688 AR58482 RE13886	RD-5-3824-1P	**71R8100**
Windrowers / Sprayers 4700, 4710, 4890, 4990 series with OE#AH137702	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	AH137702	RD-5-5862-0P	**71R8080**

71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton



71R8050 RD-4126-1P

External Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length: 18"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



EXPANSION VALVE / INTERNAL EQUALIZER

Model	Description	OEM Part No.	Factory No.	Part No.
All Loader / Tractor model series with OE#826-004	Internal equalizer valve with male O-Ring fittings	826-004	RD-5-11033-0P	**71R8060**
All Loader / Tractor model series with OE#826-012	Internal equalizer, 1 ½ Ton, Male O-Ring	826-012	RD-5-10445-0P	**71R8220**
Tractors 30 Series, 4030, 4230, 4430, 4630, 6030 models with OE#AR49961	Internal equalizer, 1 ½ Ton, Male Flare	AR49961	RD-5-6099-0P	**71R8210**

71R8060 RD-5-11033-0P

Internal Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



71R8210 RD-5-6099-0P

Internal Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Capillary Tube Length: 9"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P

Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



EXPANSION VALVES CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

JOHN DEERE

EXPANSION VALVE / ORIFICE TUBE

All Loader / Tractor model series with OE#RE24958	GM type, CCOT (White) Orifice Tube with accumulator system, main unit	RE24958	RD-5-4919-0P	**71R8500**
Tractors 60 Series, 8560, 8760, 8960 models with OE#RE51969	Ford type, CCOT (Brown) Orifice Tube with accumulator system, main unit	RE51969	RD-5-10013-0P	**71R8506**
Tractors 70 Series, 8570, 8770, 8870, 8970 models with OE#RE51969	Ford type, CCOT (Brown) Orifice Tube with accumulator system, main unit	RE51969	RD-5-10013-0P	**71R8506**
Tractors 8000 Series, 8100, 8200, 8300, 8400 models with OE#RE51969	Ford type, CCOT (Brown) Orifice Tube with accumulator system, main unit	RE51969	RD-5-10013-0P	**71R8506**
Tractors 9000 Series, 9100, 9200, 9300, 9400 models with OE#RE51969	Ford type, CCOT (Brown) Orifice Tube with accumulator system, main unit	RE51969	RD-5-10013-0P	**71R8506**

71R8500 RD-5-4919-1P
White - Length: 3.485", O.D.: .386", Orifice: .071"




71R8506 RD-5-10013-1P
Brown - Length: 3.46", O.D.: .429", Orifice: .047"



FILTER

Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C unit R-9450-3	Fresh air frame filter, 14 ½" x 5" x 2 ¼"	873878	RD-5-8105-0P	**78R5315**
Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C unit R-9450	Recirculating (unframed foam element), 14 ¾" x 3 ½" x ½"	RD-5-8106-0	RD-5-8106-0P	**78R5375**
Excavators 110, 120, 160LC with Red Dot A/C unit R-9500	Fresh air frame filter, 17 ½" x 5 ½" x ⅜"	97026234	RD-5-8076-1P	**78R5360M**

78R5360M RD-5-8076-1P
17 ½" wide x 5 ½" high x ⅜" thick




78R5315 RD-5-8105-0P
14 ½" wide x 5" high x 2 ¼" thick



HEATER

Backhoe Loader 310E, 410E, 510E, 710E with Red Dot A/C unit R-9450-3	Core: 10 7/64" high x 13" long x 2 5/32" wide	RD-1-1370-0	RD-1-1370-0P	**76R3455**
Crawler Dozer 450H, 550H, 650H, 700H with Red Dot A/C unit R-9475	Core: 6 7/64" high x 23 29/64" long x 1 ½" wide	RD-1-1478-0	RD-1-1478-0P	**76R4200**

76R3455 RD-1-1370-0P
10 7/64" high x 13" long x 2 5/32" wide



76R4200 RD-1-1478-0P
6 7/64" high x 23 29/64" long x 1 ½" wide



Model	Description	OEM Part No.	Factory No.	Part No.
JOHN DEERE				
PRESSURE SWITCH				
All Loader / Tractor model series with OE#AR45868	High Pressure Fan switch with M10 threads, opens 300 psi, closes 250psi	AR45868	RD-5-8287-0P	**71R6210**
Backhoe Loader / Tractor 310D, 410D, 510D with Red Dot A/C unit R-10011-0, -1	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Backhoe Loaders 310E, 410E, 510E, 710E with Red Dot A/C, OE#RD-5-8982-0	Low pressure, normally open, metripak connector	RD-5-8982-0	RD-5-8982-0P	**71R6055**
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-1	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Backhoe Loader 344G, 444G with Red Dot model R-10036-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Backhoe Loader 490E, 690E, 790E, 792D, 892E, 992E, with Red Dot A/C unit R-10035	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Backhoe Loader / Tractor 544E, 624E, 644E with Red Dot A/C unit R-10150	All with Fujikoki binary sw with 7/16-20, 4 terminal	A22-36474-000	RD-5-8433-0P	**71R7075**
Crawler Dozer 450H, 550H, 650H, 700H with Red Dot A/C unit R-9475	Low pressure, normally open, metripak connector	RD-5-8982-0	RD-5-8982-0P	**71R6055**
Excavators 110, 120, 160LC, 200, 450LC with Red Dot A/C unit R-10034-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Wheel Loader 304H, 324H, 344H with Red Dot R-10050 model evaporator	Dual function switch (GM), Open: low 20-33, high 315-355, Closed: low 23-37, high 215-275	RD-5-9577-0	RD-5-9577-0P	**71R6150**
Wheel Loader 444H, 544H, 624H with Red Dot A/C unit R-10060, OE#RD-5-4640-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Wheel Loader 544G, 624G, 644G with Red Dot A/C, OE#RD-5-4640-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Wheel Loader 744E with Red Dot A/C unit R-10040-0	Binary 7/16"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**

71R6055 RD-5-8982-0P

Type: Low Side
Fitting / Connector: 1/4" female flare / two-conductor Metripak
Normally Open – closes at 50 PSI, opens at 25 PSI



71R6150 RD-5-9577-0P

	OPEN	CLOSED
LOW	20-33	23-37
HIGH	315-355	215-275

Thread: M10 x 1.25



71R6210 RD-5-8287-0P

Type: High Side – Gray
Fitting / Connector: M10 x 1.25 female / two-conductor male Weatherpak
Normally Closed – Closes at 250 PSI – Opens at 300 PSI



71R7050 RD-5-4640-0P

7/16-20 UNF-2B Female Thread for Installation on Male Schrader Type Valve.



71R7075 RD-5-8433-0P

	OPEN	CLOSED
LOW	± 2	28
HIGH	± 28	384

Thread: 7/16" – 20 UNF
Orange Fan Switch



Model	Description	OEM Part No.	Factory No.	**Part** No.
JOHN DEERE				
RECEIVER DRIER				
All Loader / Tractor model series with OE#AH114865, AT125596, AT151981, AT162848, AT63170	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865 AT125596 AT151981 AT162848 AT63170	RD-5-9055-1P	**74R4207**
All Loader / Tractor model series with OE#AR59780, AR74486, RE49169, AL77581, AR79486	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AR59780 AR74486 RE49169 AL77581 AR79486	RD-5-8862-1P	**74R0401**
All Loader / Tractor model series with OE#RD-5-11028-0	with #6 Male /Female O-Ring (top and bottom), 4" X 7 ¾"	RD-5-11028-0	RD-5-11028-1P	**74R4027**
All Loader / Tractor model series with OE#RE79486	with #6 Male Flare (top and side), 4" X 6 ¾"	RE79486	RD-5-6077-1P	**74R4017**
All Wheel Loader series with Red Dot A/C, OE#RD-5-6504-0	with #6 Male O-Ring, 3" x 10", fuse, top port	RD-5-6504-0	RD-5-6504-1P	**74R2306**
Backhoe Loader / Tractor 310E, 310G, 310SG, 410E, 410G, 510E, 710E series with OE#RD-5-9055-0	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-1P	**74R4207**
Backhoe Loader / Tractor 544E, 624E, 644E with Red Dot A/C unit R-10150	In-line, #6 Male O-Ring, 2 ½" x 9 9⁄16"	088411-01	RD-5-7064-1P	**74R0462**
Combines 3300, 4400, 4420, 4425, 4435, 6600, 6620, 7700, 7720, 8820 with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Combines 4445, 7440, 7445, 7721, 7772, 9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, 9750, 9930, 9950	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865 AT162848	RD-5-9055-1P	**74R4207**
Construction Series	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-1P	**74R4207**
Cotton Pickers 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965 series with OE#RE49169	Horizontal mount, in Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Cotton Pickers 9900, 9910, 9920, 9930, 9940, 9950, 9960, 9965 series with OE#RE49169	Vertical mount, #6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865 AT162848	RD-5-9055-1P	**74R4207**
Crawler Dozer 450H, 550H, 650H, 700H with Red Dot A/C unit R-9475	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-1P	**74R4207**
Excavators 110, 120, 160LC with Red Dot A/C unit R-9500	#6 Male O-Ring, 2 ¾" x 9 5⁄8", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	**74R1826**
Sprayers 4700, 4710 series with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Sprayers 6000, 6100, 6500, 6600, 6700, 6800, 6900 series with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 10 series, 6010, 6110, 6210, 6310, 6410 with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 10 Series, 7010, 7210, 7410, 7610, 7710, 7810 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 10 Series 8000, 8110, 8110T, 8210, 8210T, 8310, 8310T models	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865 AT162848	RD-5-9055-1P	**74R4207**
Tractors 30 Series, 4030, 4230, 4430, 4630, 6030, 8430, 8630 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 40 Series, 4040, 4240, 4440, 4640, 4840, 8440, 8640 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 50 Series, 4050, 4250, 4450, 4650, 4850 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 55 Series, 3055, 3255, 3355, 4055, 4255, 4455, 4555, 4755, 4955 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 60 Series, 4560, 4760, 4960 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 80 Series	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-1P	**74R4207**

RECEIVER DRIER CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	Part No.
JOHN DEERE				
RECEIVER DRIER				
Tractors 6000 Series, 6200, 6300, 6400 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 6005, 7005 Series, 6405, 6605, 7405 models with OE#AL153705	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AL153705	RD-5-8862-1P	**74R0401**
Tractors 6020 Series, 6120, 6220, 6320, 6420 models with OE#AL153705	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AL153705	RD-5-8862-1P	**74R0401**
Tractors 7000 Series, 7200, 7400, 7600, 7700, 7800 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Tractors 7020 Series, 7220, 7320, 7420, 7520 models with OE#AL153705	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AL153705	RD-5-8862-1P	**74R0401**
Tractors 8000 Series, 8100, 8200, 8300, 8400 models	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865 AT162848	RD-5-9055-1P	**74R4207**
Tractors 8020, 8020T Series, 8020, 8120, 8220, 8320, 8420, 8520 models with OE#AL153705	In Line drier with #6 Female to Male O-Ring, 4" x 8"	AL153705	RD-5-8862-1P	**74R0401**
Tractors 9000 Series, 9100, 9200, 9300, 9400 models with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Wheel Loaders 304H, 324H, 344H with Red Dot A/C unit R-9777-1, OE#RD-5-9419-0	O-Ring Type, hi cap, pressure relief, moisture indicator, 3" x 6 ¼"	RD-5-9419-0	RD-5-9419-1P	**74R2590**
Wheel Loaders 444H, 544H, 624H with Red Dot A/C unit R-10060, OE#RD-5-7061-1	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	RD-5-7061-1	RD-5-7061-7P	**74R2537**
Wheel Loaders 544G, 624G, 644G, 744E with Red Dot A/C unit R-10040	O-Ring Type with side port, top glass, moisture indicator	221RD32	RD-5-7272-1P	**74R2447**
Wheel Loaders 544G, 544H, 624G, 624H, 644G, 644H, 724J, 744E, 744H, 824J with Red Dot A/C unit R-9475	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	RD-5-9055-0	RD-5-9055-1P	**74R4207**
Windrowers / Sprayers 4890, 4990, 4995 series with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**
Windrowers / Sprayers 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830 series	#6 Male O-Ring to #6 Female O-Ring, 4" x 8", moisture indicator	AH114865 AT162848	RD-5-9055-1P	**74R4207**
Windrowers / Sprayers 5200, 5400, 5440, 5460, 5720, 5730, 5820, 5830 series with OE#RE49169	In Line drier with #6 Female to Male O-Ring, 4" x 8"	RE49169	RD-5-8862-1P	**74R0401**

74R0401 RD-5-8862-1P
4" diameter x 7 ⅞" long
#6 Female O-Ring - #6 Male O-Ring
Dual Sight Glass



74R0462 RD-5-7064-1P
2 ½" diameter x 9 ⁹⁄₁₆" long
#6 Male O-Ring Inline - High Capacity



74R1826 RD-5-7062-1P
2 ¾" x 10 ⁵⁄₁₆" long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port



74R2306 RD-5-6504-1P
Includes Moisture Indicator
3" diameter x 10" long
#6 Male O-Ring
Fuse
Top Port



74R2447 RD-5-7272-1P
Includes Moisture Indicator
3" diameter x 6 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2537 RD-5-7061-7P
3" diameter x 6 ¼" long
#6 Male O-Ring
(Schrader Port)
High Capacity
Pressure Relief
Side Port



74R2590 RD-5-9419-1P
Includes Moisture Indicator
3" diameter x 6 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
No Port



74R4017 RD-5-6077-1P
4" diameter x 6 ¾ " long
#6 Male Flare (Top and side)
Fuse
IHC/Novistar 539049-R91



74R4027 RD-5-11028-1P
Includes Moisture Indicator
4" diameter x 7 3⁄4" long
#6 Female O-Ring Out;
#6 Male O-Ring In



74R4207 RD-5-9055-1P
4" diameter x 9" long
#6 Female O-Ring In
#6 Male O-Ring Out
Side Glass



RECEIVER DRIER CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

JOHN DEERE

RECEIVER DRIER / ACCUMULATOR

All Loader / Tractor model series with OE#A78583, RE24620	Main Unit with Accumulator, female O-Ring, 3 ½" X 9 ½"	A78583 RE24620	RD-5-10927-0P	**74R5061**
Tractors 60 Series, 8560, 8760, 8960 models with OE#RE24620	Universal Accumulator, female O-Ring, 3 ½" X 8"	RE24620	RD-5-4961-0P	**74R5050**

74R5050 RD-5-4961-0P

3 ½" diameter x 8" long
Inlet: ¾" (#12) Female O-Ring
Outlet: ¾" (#12) Female O-Ring
Two R-12 Ports



74R5061 RD-5-10927-0P

3 1/2" diameter x 9 1/2" long
Inlet: 1 1/16" Female O-Ring
Outlet: 1 1/16" Female O-Ring




RELAY

All Loader / Tractor model series with Bosch relay, OE#0332-209-169	Bosch type (30 amp), SPST, 5 terminals	0332-209-169	RD-5-4408-0P	**71R1702**
All Loader / Tractor model series with Hella relay, OE#960-388-25	Hella type, SPST, 5 terminals	960-388-25	RD-5-4408-0P	**71R1702**

71R1702 RD-5-4408-0P

12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type



RESISTER

Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C	Fan speed resistor for standard control units	RD-5-8923-0P	RD-5-8923-0P	**71R1465**
Crawler Dozer 450H, 550H, 650H with Red Dot A/C unit R-9475-0, OE#RD-5-8665-0	Ceramic tube style fan resistor, 4 terminal, 12V, 6 ½" length x 1 3⁄16" diam	RD-5-8665-0	RD-5-8665-0P	**71R1485**
Crawler Dozer 700H with Red Dot A/C, OE#RD-5-9062-0	Ceramic tube style fan resistor, (white), 4 terminal, 12V, 7" length x 1 ¼" diam	RD-5-9062-0	RD-5-9062-0P	**71R1480**
Excavators 110, 120, 160LC with Red Dot A/C, OE#RD-5-3647-0P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Wheel Loaders 304H, 324H, 344H with Red Dot A/C models R-1400, R-1620, R-2550, R-2820, R-9777	Blower assembly fan resistor, 3 speed, 4 terminal	20604004 RD-5-9437-0	RD-5-9437-0P	**71R1402**

71R1450 RD-5-3647-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1480 RD-5-9062-0P

4 Terminals (¼" blade) /
Variable Speed 24 volt, 5.22 ohm,
Length: 7",
Diameter: 1 ¼",
Mounting
Height: 2 ¾",
Ceramic (white)



71R1485 RD-5-8665-0P

4 Terminals (¼" blade) /
Variable Speed 12 volt, 2.36 ohm,
Length: 6 ½",
Diameter: 1 3⁄16",
Ceramic (black wrapped)
JD Crawler
Dozer 650H



71R1465 RD-5-8923-0P

4 Terminals (¼" blade) / 3 Speeds
Bakelite base: .10" thick



JOHN DEERE

Model	Description	OEM Part No.	Factory No.	Part No.

JOHN DEERE

THERMOSTATIC SWITCH

All Loader / Tractor model series using clutch cycling switch with OE#AR49960	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR49960	RD-4125-36P	**71R2250**
All Loader / Tractor model series with OE#AH80197	Rotary thermostat with 48" capillary tube, 34 - 52°F	AH80197	RD-4125-48P	**71R2300**
All Loader / Tractor model series with OE#AR59779	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR59779	RD-4125-36P	**71R2250**
Excavators 110, 120, 160LC, 200, 450LC with Red Dot A/C unit R-10034-0	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Backhoe Loader / Tractor 310D, 310E, 410D, 410E, 510D with Red Dot A/C unit R-10011-0, -1	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Backhoe Loader 344E, 444E with Red Dot A/C unit R-10025-1	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Backhoe Loader 344G, 444G with Red Dot model R-10036-0	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Backhoe Loader 490E, 510E, 690E, 710E, 790E, 792D, 892E, 992E with Red Dot A/C unit R-10035	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Crawler Dozer 450H, 550H, 650H, 700H with OE#RD-5-4531-24	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Wheel Loaders 304H, 324H, 344H OE#AR49960, AR59779	Rotary thermostat, 36" capillary tube, 34 - 52°F	AR49960 AR59779	RD-4125-36P	**71R2250**
Wheel Loaders 444H, 544H, 624H with Red Dot A/C unit R-10060	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Wheel Loaders 544G, 624G, 644G with Red Dot model R-10036-0	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Wheel Loader 744E with Red Dot A/C unit R-10040-0	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**

71R2250 RD-4125-36P



Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

71R2300 RD-4125-48P



Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

71R3200 RD-5-4531-24P



Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F

WATER VALVE

All Loader / Tractor model series with Red Dot A/C models R-9450, OE#RD-5-8193-1	Cable operated valve (pull to open), ⅝" to ⅝" hose	RD-5-8193-1	RD-5-8193-2P	**72R5350**
Backhoe Loader / Tractor 310E, 410E, 510E, 710E with Red Dot A/C model R-9450, OE#RD-5-8193-2	Cable operated valve (pull to open), ⅝" to ⅝" hose	RD-5-8193-2	RD-5-8193-2P	**72R5350**
Crawler Dozer 450H, 550H, 650H with Red Dot A/C model R-9475-0, OE#RD-1-1746-0P	Electronic water valve, 12V, ⅝" to ⅝" hose connections	RD-1-1746-0	RD-1-1746-0P	**72R6562**
Loader / Tractor (Small Track Type) with OE#RD-5-10055-0	Cable operated valve, straight (pull to open), ⅝" to ⅝" hose	RD-5-10055-0	RD-5-10055-0P	**72R6547**
Wheel Loaders 324H, 344H with Red Dot A/C model R-9777-1, OE#RD-5-9224-1	Cable operated valve with flow restrictor, (push to open), ⅝" to ⅝" hose	RD-5-9224-1	RD-5-9224-1P	**72R5285**

72R5285 RD-5-9224-1P

⅝" Hose to ⅝" Hose
Push To Open



72R5350 RD-5-8193-2P

⅝" Hose to ⅝" Hose
Pull To Open



72R6547 RD-5-10055-0P

⅝" Hose To Core Mount – Pull to Close



72R6562 RD-1-1746-0P

Electronic water valve, 12V
⅝" to ⅝" hose connections



BLOWER MOTOR

Excavator SK100 with Red Dot A/C model #R-1550-1P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 ¾" length	20193P1 20303P	RD-5-4827-24P	**73R0404**
Excavator SK115 with Red Dot A/C model #R-1550-2P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 ¾" length	20193P1 20303P	RD-5-4827-24P	**73R0404**

BLOWER MOTOR CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

KOBELCO

BLOWER MOTOR

Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 ¾" length	20193P1 20303P	RD-5-4827-24P	**73R0404**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 ¾" length	20193P1 20303P	RD-5-4827-24P	**73R0404**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Red Dot A/C, 24V single shaft motor, 1 speed, 4 ¾" length	20193P1 20303P	RD-5-4827-24P	**73R0404**

73R0404 RD-5-7038-0P

Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented



BLOWER - FAN RESISTOR

Excavator SK100 with Red Dot A/C model #R-1550-1P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Excavator SK115 with Red Dot A/C model #R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**

71R1450 RD-5-3647-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



CLUTCH ASSEMBLY

Excavator SK100 with Red Dot A/C model #R-1550-1P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	6519-6210 6514-6210	RD-5-5487-0P	**75R0204**
Excavator SK115 with Red Dot A/C model #R-1550-2P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	6519-6210 6514-6210	RD-5-5487-0P	**75R0204**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	6519-6210 6514-6210	RD-5-5487-0P	**75R0204**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	6519-6210 6514-6210	RD-5-5487-0P	**75R0204**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P, Sanden SD5 R-12 compressor	2 groove, 24V, 5 ¼" (132mm) diameter pulley, ½" width, 1 wire	6519-6210 6514-6210	RD-5-5487-0P	**75R0204**

75R0204 RD-5-5487-0P

Model SD5 (508, H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
24 Volts
B Distance: 1 9/16" / 40mm




Single wire coil
Male bullet plug

Model	Description	OEM Part No.	Factory No.	Part No.
KOBELCO				
COMPRESSOR - SANDEN				
Excavator SK100 with Red Dot A/C model #R-1550-1P, Sanden 5H14, #6665	5H14-HD, 24V, FL head, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**
Excavator SK115 with Red Dot A/C model #R-1550-2P with Red Dot A/C model R-1550-2P with Sanden 5H14HD, #4537, 6634	5H14-HD, K head, ear mount, 2A groove, 5 ¼" (132mm) diameter	4537 6634	RD-5-8680-0P	**75R8354**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P, Sanden 5H14, #6665	5H14-HD, 24V, FL head, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P with Sanden 5H14HD, #4537, 6634	5H14-HD, K head, ear mount, 2A groove, 5 ¼" (132mm) diameter	4537 6634	RD-5-8680-0P	**75R8354**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P, Sanden 5H14HD, #4537, 6634	5H14-HD, K head, ear mount, 2A groove, 5 ¼" (132mm) diameter	4537 6634	RD-5-8680-0P	**75R8354**

75R8354 RD-5-8680-0P
Model: SD7H15 **Head:** KG **Voltage:** 24V
Mount: Ear **Sanden:** 4537, 6634, 4269
Clutch: 5 1/4" (132mm) A2 Groove



75R8384 RD-5-7089-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



CONDENSER				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Tube & fin type, 20 ½" x 18 ¼" x 1 13/16"	RD-4-5154-0	RD-4-5154-0P	**77R7010**
Excavator SK115 with Red Dot A/C model #R-1550-2P	Tube & fin type, 20 ½" x 18 ¼" x 1 13/16"	RD-4-5154-0	RD-4-5154-0P	**77R7010**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Tube & fin type, 20 ½" x 18 ¼" x 1 13/16"	RD-4-5154-0	RD-4-5154-0P	**77R7010**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Tube & fin type, 20 ½" x 18 ¼" x 1 13/16"	RD-4-5154-0	RD-4-5154-0P	**77R7010**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P		RD-4-5116-0	RD-4-5116-0P	**77R7020**

77R7010 RD-4-5154-0P
Tube & Fin Type
Overall Width: 25 1/4"
Fin Width: 20 1/2"
Height: 18 1/4"
Thickness: 1 13/16"



77R7010 RD-4-5116-0P
Tube & Fin Type
Overall Width: 27"
Fin Width: 20 1/2"
Height: 18 3/4"
Thickness: 1 3/4"



Model	Description	OEM Part No.	Factory No.	**Part** No.

KOBELCO

EXPANSION VALVE / BLOCK

Excavator SK100 with Red Dot A/C model #R-1550-1P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-1P	**71R8301**
Excavator SK115 with Red Dot A/C model #R-1550-2P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-1P	**71R8301**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-1P	**71R8301**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-1P	**71R8301**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



FILTER

Excavator SK100 with Red Dot A/C model #R-1550-1P	Fresh air frame filter, 10 ¾" x 2 $^{13}/_{16}$" x $^{11}/_{32}$"	RD-5-8078-0	RD-5-8078-1P	**RD-5-8078-1P**
Excavator SK115 with Red Dot A/C model #R-1550-2P	Fresh air frame filter, 10 ¾" x 2 $^{13}/_{16}$" x $^{11}/_{32}$"	RD-5-8078-0	RD-5-8078-1P	**RD-5-8078-1P**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Fresh air frame filter, 10 ¾" x 2 $^{13}/_{16}$" x $^{11}/_{32}$"	RD-5-8078-0	RD-5-8078-1P	**RD-5-8078-1P**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Fresh air frame filter, 10 ¾" x 2 $^{13}/_{16}$" x $^{11}/_{32}$"	RD-5-8078-0	RD-5-8078-1P	**RD-5-8078-1P**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Fresh air frame filter, 10 ¾" x 2 $^{13}/_{16}$" x $^{11}/_{32}$"	RD-5-8078-0	RD-5-8078-1P	**RD-5-8078-1P**

PRESSURE SWITCH

Excavator SK100 with Red Dot A/C model #R-1550-1P	Binary $^{7}/_{16}$"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Excavator SK115 with Red Dot A/C model #R-1550-2P	Binary $^{7}/_{16}$"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Binary $^{7}/_{16}$"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P	Binary $^{7}/_{16}$"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Binary $^{7}/_{16}$"-20 UNF female, Schrader type valve	RD 5 4640 0	RD-5-4640-0P	**71R7050**

71R7050 RD-5-4640-0P

$^{7}/_{16}$-20 UNF-2B Female Thread for Installation on Male Schrader Type Valve.



KOBELCO

Model	Description	OEM Part No.	Factory No.	Part No.
RECEIVER DRIER				
Excavator SK100 with Red Dot A/C model #R-1550-1P	#6 Male O-Ring, 2 ¾" x 9 ⅝", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	**74R1826**
Excavator SK115 with Red Dot A/C model #R-1550-2P	#6 Male O-Ring, 2 ¾" x 9 ⅝", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	**74R1826**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	#6 Male O-Ring, 2 ¾" x 9 ⅝", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	**74R1826**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	#6 Male O-Ring, 2 ¾" x 9 ⅝", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	**74R1826**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	#6 Male O-Ring, 2 ¾" x 9 ⅝", hi capacity, pressure relief	RD-5-7062-1	RD-5-7062-1P	**74R1826**

74R1826 RD-5-7062-1P

2 ¾" x 10 5/16" long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port



Model	Description	OEM Part No.	Factory No.	Part No.
RESISTOR				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Excavator SK115 with Red Dot A/C model #R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**

71R1450 RD-5-3647-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



Model	Description	OEM Part No.	Factory No.	Part No.
THERMOSTATIC SWITCH				
Excavator SK100 with Red Dot A/C model #R-1550-1P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Excavator SK115 with Red Dot A/C model #R-1550-2P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Excavator SK120, 150, 200, 220, 270 (early serial numbers)with Red Dot A/C model R-1550-1P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Excavator SK120, 150, 200, 220, 270 (late serial numbers)with Red Dot A/C model R-1550-2P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**

71R3200 RD-5-4531-24P

Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



Model	Description	OEM Part No.	Factory No.	**Part** No.
KOBELCO				
WATER VALVE				
Excavator SK100 with Red Dot A/C model #R-1550-1P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), ⅝" to ⅝" hose	RD-5-8193-1	RD-5-8193-2P	**72R5350**
Excavator SK115 with Red Dot A/C model #R-1550-2P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), ⅝" to ⅝" hose	RD-5-8193-1	RD-5-8193-2P	**72R5350**
Excavator SK120, 150, 200, 220, 270 (early serial numbers) with Red Dot A/C model R-1550-1P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), ⅝" to ⅝" hose	RD-5-8193-1	RD-5-8193-2P	**72R5350**
Excavator SK120, 150, 200, 220, 270 (late serial numbers) with Red Dot A/C model R-1550-2P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), ⅝" to ⅝" hose	RD-5-8193-1	RD-5-8193-2P	**72R5350**
Excavator SK300, 400 (early & late serial numbers) with Red Dot A/C model #R-1550-2P, for vehicles manuf. before 11/98	Cable operated valve (pull to open), ⅝" to ⅝" hose	RD-5-8193-1	RD-5-8193-2P	**72R5350**

Water valve replacement: For excavators manufactured before prior to 11/98, use water valve field installation kit RD-3-9191-0P

72R5350 RD-5-8193-2P

⅝" Hose to ⅝" Hose
Pull To Open



Model	Description	OEM Part No.	Factory No.	Part No.
KOMATSU				
BLOWER - FAN				
Wheel Loader model series with remote mount condenser, 12V fan	Pancake fan assembly, (puller) 12V	RD-5-8641-0	RD-5-8641-0P	**RD-5-8641-0P**
Wheel Loader model series with remote mount condenser, 24V fan	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	**RD-5-8641-1P**
Wheel Loader WA350 thru WA600 model series with remote mount condenser, 24V fan	Pancake fan assembly, (puller) 24V	RD-5-8641-1	RD-5-8641-1P	**RD-5-8641-1P**
BLOWER MOTOR				
All Loader / Tractor PC series models with remote mount condenser (24V), OE#RD-5-5120-24	Single shaft motor (condenser motor), 24V, 4 7/8" length	RD-5-5120-24	RD-5-5120-24P	**73R0514**
Excavator PC200-6, PC210-6, PC250-6 models, OE#2809-530-013	Double shaft, 1 speed, 24V, vented, 4 13/16" x 4" x 3"	2809-530-013	RD-5-5121-2P	**73R4264**
Wheel Loader models, OE#404-825	Double shaft, 1 speed, 24V, vented, 4 13/16" x 4" x 3"	404-825	RD-5-5121-2P	**73R4264**
Wheel Loader / Tractor model series with remote mount condenser (12V), OE#RD-5-5120-0	Single shaft motor (condenser motor), 12V, NV, 4 7/8" length	RD-5-5120-0	RD-5-5120-0P	**73R0512**
Wheel Loader / Tractor model series with remote mount condenser (24V), OE#RD-5-5120-24	Single shaft motor (condenser motor), 24V, 4 7/8" length	RD-5-5120-24	RD-5-5120-24P	**73R0514**
Wheel Loader models 344G, 444G with Red Dot A/C model #R-10036-0P	Red Dot A/C, 24V single shaft motor, 1 speed, CCW, 5" length	RD-5-4827-24	RD-5-4827-24P	**73R0404**

73R0404 RD-5-7038-0P

Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented



73R0512 RD-5-5120-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/8"
Non Vented
Connector: Two conductor Packard 1/4" blade terminal



73R0514 RD-5-5120-24P

Single Speed
24 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 11/8"
Non Vented



73R4264 RD-5-5121-2P

Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 13/16" x 4" x 3"
Shafts: 5/16" diameter, length: 2 1/8"
Vented
Connector: Two conductor Packard #8900420, 1/4" blade terminal



BLOWER WHEEL				
Excavator PC series with Red Dot A/C unit R-10015 series evaporator, OE#RD-5-7312-0	Red Dot A/C, single entry, 3 13/16" diameter x 2 1/2" width, CCW	RD-5-7311-0	RD-5-7311-0P	**73R6350**
Excavator PC series with Red Dot A/C unit R-10015 series evaporator, OE#RD-5-7312-0	Red Dot A/C, single entry, 3 13/16" diameter x 2 1/2" width, CCW	RD-5-7312-0	RD-5-7312-0P	**73R6300**

73R6300 RD-5-7312-0P

3 13/16" diameter, 2 1/2" width
5/16" bore diameter
Hub inset: Flat
Counter Clockwise Rotation
Steel



73R6350 RD-5-7311-0P

3 13/16" diameter, 2 1/2" width
5/16" bore diameter
Hub inset: Flat
Clockwise Rotation
Steel



Model	Description	OEM Part No.	Factory No.	**Part** No.

KOMATSU

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors OE#024-25078, MA6, MAE6AR	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078 MA6 MAE6AR	RD-5-4967-0P	**75R0452**
All series with CCI/York - R12 / 134A compressors, OE#332334, MA 7A	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	332334 MA 7A	RD-5-4994-0P	**75R4502**
All series with CCI/York - R12 / 134A compressors OE#024 25190, 03-1104973, 501939	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, weatherpak plug	024 25190 03-1104973 501939	RD-5-4972-1P	**75R1202**
All series with Sanden SD5 (508 / 510 / 5H14) R12/ R134a compressors	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6514-6210 6574-6210	RD-5-5486-0P	**75R0202**
All series with Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove ½" width, 5 ¼" diameter (132mm)	6504-6310	RD-5-10379-0P	**75R1542**

75R0202 RD-5-5486-0P
Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Bare wire



75R0452 RD-5-4967-0P
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 ⅝"

Single wire coil
Male bullet plug



75R1202 RD-5-4972-1P
OE #501939, MAE-6AR
Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 ⅝"
Single wire coil with diode
Weatherpak plug



75R1542 RD-5-10369-0P
OE # 6504-6010
Model 709 / 7H15
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9/16" / 40mm
Double wire coil
Ford OE plug



75R4502 RD-5-4994-0P
Diameter: 7"
Groove: 2
Width: 1⁄2"
12 Volts
B Dimension: 2"


Single wire coil
Male bullet plug



COMPRESSOR - SANDEN

All series with Sanden SD7H15 compressor #4652, Komatsu OE#1433064H91	7H15, JD head, ear mount, 2A groove, 4.9"(125mm) diameter	1433064H91 Sanden 4652	RD-5-7124-0P	**75R8424**

75R8424 RD-5-7124-0P
Model: 7H15HD **Head:** JD **Voltage:** 24
Mount: Ear **Sanden:** 4652
Clutch: 4.9" (125mm) A2 Groove **R134a**



EXPANSION VALVE / BLOCK

Excavator PC series with Red Dot A/C unit R-10015-2, -3 series evaporator, OE#RD-5-6868-0	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-1P	**71R8301**
Wheel Loader WA350 thru WA600 model series with Red Dot A/C unit R-10015-4 thru -7 series evaporator, OE#RD-5-6868-0	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



Model	Description	OEM Part No.	Factory No.	Part No.
KOMATSU				
PRESSURE SWITCH				
Excavator PC series with Red Dot A/C unit R-10015-2, -3 series evaporator, OE#RD-5-8433-0	Dual function switch (Fujikoki) with 7/16-20, 4 terminal	RD-5-8433-0 A22-36474-000	RD-5-8433-0P	**71R7075**
Wheel Loader WA350 thru WA600 model series with Red Dot A/C unit R-10015-4 thru -7 series evaporator, OE#RD-5-8433-0	Dual function switch (Fujikoki) with 7/16-20, 4 terminal	RD-5-8433-0 A22-36474-000	RD-5-8433-0P	**71R7075**

71R7075 RD-5-8433-0P

	OPEN	CLOSED
LOW	± 2	28
HIGH	± 28	384

Thread: 7/16" – 20 UNF
Orange Fan
Switch



Model	Description	OEM Part No.	Factory No.	Part No.
RECEIVER DRIER				
Excavator PC series with Red Dot A/C unit R-10015-2, -3 series evaporator, OE#RD-5-7064-0	In-line, #6 Male O-Ring, 2 1/2" x 9 9/16"	RD-5-7064-0	RD-5-7064-1P	**74R0462**
Wheel Loader WA350 thru WA600 model series with Red Dot A/C unit R-10015-4 thru -7 series evaporator, OE#RD-5-7064-0		RD-5-7064-0	RD-5-7064-1P	**74R0462**

74R0462 RD-5-7064-1P

2 1/2" diameter x 9 9/16" long
#6 Male O-Ring Inline - High Capacity



Model	Description	OEM Part No.	Factory No.	Part No.
THERMOSTATIC SWITCH				
Excavator PC series with Red Dot A/C unit R-10015-2, -3 series evaporator, OE#RD-4424-24	Fixed Setting thermostat with 24" capillary tube, flange mt.	404145	RD-4427-24P	**71R3100**
Wheel Loader WA350 thru WA600 model series with Red Dot A/C unit R-10015-4 thru -7 series evaporator, OE#RD-4424-24		404145	RD-4427-24P	**71R3100**

71R3100 RD-4-4272-4P

Mounting hole spacing: 2 1/8"
Capillary Length: 24"
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F



Model	Description	OEM Part No.	Factory No.	**Part** No.

LINKBELT

BLOWER MOTOR

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-8583-1	Blower assembly, 3 speed, 24V, 13 ¾" x 5 ⅜" x 5 ⅛"	RD-5-8583-1	RD-5-8583-1P	**73R5554**

73R5554 RD-5-8583-1P

Three Speed
619 CFM – 24 volt – 13 ¾" x 5 ⅜" x 5 ⅛"
Replacement
Resistor
71R1401



BLOWER - FAN RESISTOR

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	**71R1401**

71R1401 RD-5-9445-0P

3 Speed
4 Terminals
22 Amps



CLUTCH ASSEMBLY

Excavator 4300, 5800, 6000 series with Tama CH, TM15, TM16 compressors	24V, 2 groove ½" width, 5 $^{21}/_{64}$" diameter (135mm), bullet plug	511868 524-19724 KA1025	RD-5-10232-0P	**75R0274**

75R0274 RD-5-10232-0P

OE # 2570150
Model: Seltec - TM15
Diameter: 5 $^{21}/_{64}$" / 135mm
Groove: 2
Width: 1⁄2",
24 Volts
B Dimension: 1 $^{9}/_{16}$" / 40 mm
Single wire coil
Male bullet plug




COMPRESSOR - ICE SELTEC

Excavator 4300, 5800, 6000 series with Red Dot A/C, Seltec TM15 R134a compressors	ICE-Seltec TM15, D head, ear mount, 2 groove, 5 ¼"(135mm)	488-45015 2521153	RD-5-7163-2P	**75R8614Q**

75R8614Q RD-5-7163-2P

Model: QP-15HD **Head:** D **Voltage:** 24V
Mount: Ear **ICE:** 2521153 **Seltec:** 488-45015
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



Model	Description	OEM Part No.	Factory No.	Part No.

LINKBELT

CONDENSER

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-4-5418-0	Multiflow type, 22 13/16" x 14" x 3/4"	RD-4-5418-0	RD-4-5418-0P	**77R1300**


77R1300 RD-4-5418-0P
MultiFlow Type
Overall Width: 25 3/4"
Fin Width: 22 13/16"
Height: 14"
Thickness: 3/4"



EVAPORATOR

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-2-3070-0	Dimensions: 8 7/64" height x 15 3/64" length x 3 1/2" width	RD-2-3070-0	RD-2-3070-0P	**76R6650**

76R6650 RD-2-3070-0P
8" high x 13" long x 3 13/32" wide



EXPANSION VALVE / BLOCK

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-7015-1	Block valve, hi-capacity, 2 ton, female O-Ring	RD-5-7015-0	RD-5-7015-1P	**71R8321**


71R8321 RD-5-7015-0P
High Capacity (2 Ton)
Inlet: #6 (3/8") Female " O" Ring
Outlet: #10 (5/8") Female O-Ring
Evaporator Fittings
In: #8 (1/2") Female O-Ring
Out: #10 (5/8") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



FILTER

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-8582-0	Fresh air frame filter, 15" x 8" x 1"	RD-5-8582-0	RD-5-8582-0P	**78R5240**


78R5240 RD-5-8582-0P
15" wide x 8" high x 1" thick



HEATER CORE

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-1-1603-0	Dimensions: 6 7/64" height x 23 13/64" length x 1 1/2" width	RD-1-1603-0	RD-1-1603-0P	**76R3420**

76R3420 RD-1-1603-0P
8" high x 13" long x 1 1/2" wide



Model	Description	OEM Part No.	Factory No.	**Part** No.

LINKBELT

PRESSURE SWITCH

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-4585-0	Trinary switch, with male ⅜-24, 4 terminal, normally open	RD-5-4585-0	RD-5-4585-0P	**71R7500**

71R7500 RD-5-4585-0P

⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally open



RECEIVER DRIER

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-3593-1	#6 Male O-Ring, 2 ¾" X 9 ⅝" with pressure relief switch	RD-5-3593-1	RD-5-3593-1P	**74R1706**

74R1706 RD-5-3593-1P

2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Pressure Relief – Side
Top Port –
⅜" x 24 Switch



RESISTOR - BLOWER FAN

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	**71R1401**

71R1401 RD-5-9445-0P

3 Speed
4 Terminals
22 Amps



THERMOSTATIC SWITCH

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-5-4531-24	Fixed Setting thermostat with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**

71R3200 RD-5-4531-24P

Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



WATER VALVE

Excavator 4300, 5800, 6000 series with Red Dot A/C unit R-1620-1-24P, R-1625-0-24P, OE#RD-1-1419-2	Electronic water valve, 24V, ⅝" hose with actuator	RD-1-1419-2	RD-1-1419-2P	**72R6554**

72R6554 RD-1-1419-2P

Electronic Water Valve
⅝" Hose with Actuator
24V



Model	Description	OEM Part No.	Factory No.	Part No.

MASSEY FERGUSON

BLOWER MOTOR

Combines 410, 510, 540, 550 series, Massey Ferguson OE#274939M1	Single shaft, 2 speed, 12V, CCW, 4 ¼" length, vented	274939M1	RD-3106-13P	**73R0602**
Combines 750, 760, 850, 860, 865 series, condenser motor, OE#RD-5-6526-0	Single shaft, 1 speed, 12V, CW, 4 ¾" length, vented	RD-5-6526-0	RD-5-6526-0P	**73R0422**
Combines 8570, 8590 - with Kysor A/C, evaporator blower	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 ⅞" length	107195M91	RD-5-10068-0P	**73R4322**
Combines 8680, 8780 - with Kysor A/C, evaporator blower	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 ⅞" length	70257336-1	RD-5-10068-0P	**73R4322**

73R0422 RD-5-6526-0P

Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16
Dimensions: 4 ¾" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductor Packard #2984528, 2971859



73R0602 RD-3106-13P

Two Speed
12 Volt
Rotates CCW
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 ¼" x 3 13/32" x 3"
Shaft: 5/16" diameter, Length: 1½"
Vented
Connector: Two conductor, orange-high, red-low



73R4322 RD-5-10068-0P

Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4 ½" x 3"
Shafts: 5/16" diameter, length: 2 ½"
Vented
Connector: Two conductor ¼" spade receptacle



BLOWER SWITCH

All combine and tractor model series with OE#271105M1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	271105M1	RD-5-10934-0P	**71R1163**

71R1163 RD-5-10934-0P

3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors, OE#165129C1	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	165129C1 024-25078	RD-5-4967-0P	**75R0452**
All series with CCI/York - R12 / 134A compressors, OE#470039M91	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	470039M91 332334 MA 7A	RD-5-4994-0P	**75R4502**
Combines 8450, 8460, 8590 series with CCI/York Rotolock compressor ER, R210L-25149	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	470039M91 332334 MA 7A	RD-5-4994-0P	**75R4502**
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with Perkins diesel, fits Sanden SD510 compressors	2 groove 5 ¼" diameter, ½" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**

75R0202 RD-5-5486-0P

Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm

Single wire coil
Bare wire



75R0452 RD-5-4967-0P

Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"

Single wire coil
Male bullet plug



75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



Model	Description	OEM Part No.	Factory No.	**Part** No.

MASSEY FERGUSON

CLUTCH ASSEMBLY CYCLING SWITCH

All combine and tractor model series with OE#D45093000	Rotary thermostat with 48" capillary tube, 34 - 52°F	D45093000	RD-4125-48P	**71R2300**

71R2300 RD-4125-48P



Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

COMPRESSOR - GM

All series with universal GM A6 with Superheat switch port, without oil, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic, 12V	1131243	RD-5-5000-0P	**75R8102**
All series with new GM A6R without Superheat switch port, without oil, OE#1131243	GM A6 24V, CW, 1 groove ½" width, 7" diameter, metric threads, new, 12V	1131243	RD-5-7566-0P	**75R8184**
Combines 540, 550, 750, 760 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic, 12V	1131243	RD-5-5000-0P	**75R8102**
Combines 850, 860, 865 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic, 12V	1131243	RD-5-5000-0P	**75R8102**
Tractors 1085, 1105, 1135, 1155 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic, 12V	1131243	RD-5-5000-0P	**75R8102**
Tractors 2640, 2675, 2705, 2745, 2775 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic, 12V	1131243	RD-5-5000-0P	**75R8102**
Tractors 4800, 4840, 4880 series with universal GM A6 with Superheat switch port, OE#1131243	1 groove ½" width, 4 ⅞" diameter (124mm), generic, 12V	1131243	RD-5-5000-0P	**75R8102**

75R8102 RD-5-8255-0P

Single Speed
12 Volt
Rotates CCW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5⁄16
Dimensions: 4 13⁄16" x 4" x 3"
Shaft: 5⁄16" diameter, Length: 1 5⁄16"
Vented, Strap diameter (hole to hole): 6 5⁄16", 120° angle
Connector: Two female ring terminals



75R8184 RD-5-7566-0P

GMC A6R, New
Without Superheat switch port
7" Single Groove Clutch 24 volt
Pulley with ½" – ¾" variable groove
R-12
Shipped with 10 oz. mineral oil
Metric thread mounting holes
Clockwise rotation




COMPRESSOR - SANDEN

All series with Sanden 7H15, #4643 R134a compressor	Sanden 7H15, CB head, ear mt., 2 goove, 5 ¼" (132mm)	4643	RD-5-10292-0P	**75R84552**

75R84552 RD-5-10292-0P

Model: 7H15HD	**Head:** CB	**Voltage:** 12
Mount: Ear	**Sanden:** 4643	
Clutch: 5 ¼" (132mm) A2 Groove		**R134a**




MASSEY FERGUSON

Model	Description	OEM Part No.	Factory No.	Part No.
ELECTRICAL SWITCH				
All combine and tractor model series with OE#1034565M91, 250698M1, 320059M2	Rotary thermostat with 48" capillary tube, 34 - 52°F	1034565M91 250698M1 320059M2	RD-4125-48P	**71R2300**
All combine and tractor model series with OE#271105M1	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	271105M1	RD-5-10934-0P	**71R1163**
All combine and tractor model series with OE#D45093000	Rotary thermostat with 48" capillary tube, 34 - 52°F	D45093000	RD-4125-48P	**71R2300**

71R1163 RD-5-10934-0P

3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R2300 RD-4125-48P

Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



EXPANSION VALVE / BLOCK				
Combines 750, 760, 850, 860, 865, 885 series with OE#284238M1	Block valve with female O-Ring fittings	284238M1	RD-5-6868-1P	**71R8301**
Combines 8775 thru 9745 series with OE#3902334M91	Block valve with female O-Ring fittings	3902334M91	RD-5-7015-1P	**71R8321**
Tractor 4200 Series 4220, 4225, 4245, 4255 OE#3901517M1	Block valve with female O-Ring fittings	3901517M1	RD-5-7015-1P	**71R8321**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



EXPANSION VALVE / EXTERNAL EQUALIZER				
All combine and tractor model series with OE#3038918M91, 3321511M91	Male O-Ring with 13" capillary length, 13" equalizer tube length	3038918M91 3321511M91	RD-5-3824-1P	**71R8100**
Tractor 3500 Series 3505, 3525, 3545 before serial #C21009 with OE#3380223M1	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	3380223M1	RD-5-5862-0P	**71R8080**

71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (¼") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



EXPANSION VALVES CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

MASSEY FERGUSON

EXPANSION VALVE / INTERNAL EQUALIZER

All combine and tractor model series with OE#1024984M92, 529876M91	Internal equalizer with male flare with 9" capillary length, flare fittings	1024984M92 529876M91	RD-5-6099-0P	**71R8210**
All combine and tractor model series with OE#1034564M91, 237409M1	Internal equalizer, 1 ½ Ton, Male O-Ring	3478520M91	RD-5-10445-0P	**71R8220**
Combines 410, 450, 540, 550 series with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9 M91	RD-5-6099-0P	**71R8210**
Combines 750, 760, 850, 860, 865 series with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9 M91	RD-5-6099-0P	**71R8210**
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with OE#3478520M91	Internal equalizer, 1 ½ Ton, Male O-Ring	3478520M91	RD-5-10445-0P	**71R8220**
Tractors 1000, 1085, 1100, 1105, 1130, 1135, 1155 series with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9 M91	RD-5-6099-0P	**71R8210**
Tractors 2600, 2640, 2675, 2700, 2705, 2745, 2775 series with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9 M91	RD-5-6099-0P	**71R8210**
Tractors 4800 series 4800, 4840, 4880 with OE#3038920M9, M91	Internal equalizer with male flare with 9" capillary length, flare fittings	3038920M9 M91	RD-5-6099-0P	**71R8210**

71R8210 RD-5-6099-0P

Internal Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Capillary Tube Length: 9"
Rating: 1 ½ Ton



71R8220 RD-5-10445-0P

Internal Equalizer LS
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



PRESSURE SWITCH

All combine and tractor model series using high pressure switch, OE#111266C1	High Pressure Switch, normally closed 210psi, opens 340 psi, ¼" female flare	111266C1	RD-5-5873-0P	**71R6070**
All combine and tractor model series using normally closed trinary pressure switch	Trinary Switch, 3 speed, (on-off circuit closed)	BA1240 RD-5-4625-0	RD-5-4625-0P	**71R7650**
All combine and tractor model series using normally open trinary pressure switch	Trinary switch with female 7/16-20, 4 terminal (on-off circuit open)	A06-18015-000	RD-5-4583-0P	**71R7550**

71R6070 RD-5-5873-0P

Type: High Side
Fitting / Connector: ¼" female flare
Normally Closed – Closes at 210 PSI –
Opens at 340 PSI



71R7550 RD-5-4583-0P

7/16" - 20 UNF-2B
Female thread for
male Schrader
Shutter/fan switch is
normally open



71R7650 RD-5-4625-0P

7/16" - 20 UNF-2B
Female thread for
male Schrader
Shutter/fan switch is
normally closed



RECEIVER DRIER

All combine and tractor model series with OE#088423-00	Hi Cap #6 Male O-Ring with schrader, pressure relief, 3" x 6 ¼"	088423-00	RD-5-7061-7P	**74R2537**
All combine and tractor model series with OE#3347710M1	Male & Male O-Ring with Fuse Plug, Low Pressure Switch, use with flare adapters	3347710M1	RD-4160-1P	**74R2106**
All combine and tractor model series with OE#284208M92, 3712495M1, 376335M1	with #6 Male O-Ring, 3" x 6 ¼"	284208M92 3712495M1 376335M1	RD-5-7061-8P	**74R2527**
Combines 760 series after serial #17462474, OE#237411M91	with #6 Male O-Ring, 3" x 6 ¼"	237411M91	RD-5-7061-8P	**74R2527**
Combines 850, 860, 865 series with OE#284208M92	#6 Male O-Ring, 4" x 7 ½", fuse, side port, moisture indicator	284208M92	RD-5-7565-1P	**74R3537**
Combines 2775 thru 2805 series with OE#1018462M91	Male O-Ring with fuse plug, side port, top glass	1018462M91	RD-5-4950-1P	**74R0907**
Combines 8450, 8460 series with OE#3347710W1	#6 Male O-Ring, 2 ¾" X 9 ⅝", trinary switch (top)	3347710W1	RD-5-4632-1P	**74R1906**
Combines 8775, 8785, 9735, 9745 series with OE#284208M92, 3712495M1, 376335M1	with #6 Male O-Ring, 3" x 6 ¼"	284208M92 3712495M1 376335M1	RD-5-7061-8P	**74R2527**

RECIEVER DRIER CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	Part No.

MASSEY FERGUSON

RECEIVER DRIER

Combines 9690, 9790 with male O-Ring, 3" x 8 ⅜", hi capacity	Male & Male O-Ring HPRV, MI IN CAP	PH 088193-00 RD-5-11192-0	RD-5-11192-0P	**74R2608**
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with R-12, OE#3383321M2	O-Ring Type with #6 male inlet and outlet	3383321M2	RD-5-11531-0P	**74R1427**
Tractors 300 series 362, 375, 383, 390, 393, 398, 399 with R-134a, OE#3763351M1	with #6 Male O-Ring, 3" x 10", fuse, top port, moisture indicator	3763351M1	RD-5-6768-2P	**74R2797**
Tractors 2600, 2640, 2675, 2700, 2705, 2745, 2775 series with OE#3039149M91	#6 Male O-Ring, 2 ½" x 7 11/16", ¼" male side port	3039149M91	RD-5-7559-0P	**74R1106**
Tractors 3100 series 3120, 3140 with OE#3383321M2	O-Ring Type with #6 male inlet and outlet	3383321M2	RD-5-11531-0P	**74R1427**
Tractors 3500 series 3505, 3525, 3545 with OE#338332M1	O-Ring Type with #6 male inlet and outlet	338332M1	RD-5-11531-0P	**74R1427**
Tractors 3600 series 3660, 3670, 3680, 3690 with OE#3383321M2	O-Ring Type with #6 male inlet and outlet	3383321M2	RD-5-11531-0P	**74R1427**
Tractors 4200 series 4220, 4225, 4245, 4255 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-11533-0P	**74R3107**
Tractors 6100 series 6150, 6170, 6180 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-11533-0P	**74R3107**
Tractors 6200 series 6245, 6250, 6255, 6260, 6265, 6270, 6280, 6290 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-11533-0P	**74R3107**
Tractors 8100 series 8120, 8140, 8160 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-11533-0P	**74R3107**
Tractors 8200 series 8210, 8220, 8240, 8245, 8250, 8260, 8270, 8280 with OE#3712495M1	Male O-ring Type with Switch Port and HPRV	3712495M1	RD-5-11533-0P	**74R3107**


74R0907 RD-5-4950-1P
2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port



74R1106 RD-5-7559-0P
2 ½" diameter x 7 11/16" long
#6 Male O-Ring
Side Port



74R1427 RD-5-11531-0P
3" diameter x 9" long
#6 Male O-Ring
Volvo VN Series
OE#20447319
Mack Granite
2013-2014



74R1906 RD-5-4632-1P
Includes Trinary™ Switch – Top
2 ¾" diameter x 9 ⅛" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2106 RD-4160-1P
Includes Low Pressure Switch
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure / Pressure Relief
Side Port



74R2527 RD-5-7061-8P
3" diameter x 6 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R3537 RD-5-7565-1P
Includes Moisture Indicator
4" diameter x 7 ½" long
#6 Male O-Ring
High Capacity
Fuse
Side Port



74R2608 RD-5-11192-0P
3" diameter x 8 3⁄8" long
#6 Male O-Ring
High Capacity
Fuse



74R2797 RD-5-6768-2P
Includes Moisture Indicator
3" diameter x 10 ¼" long
#6 Male O-Ring
High Capacity
Press Relief
Top Port



74R3107 RD-5-11533-0P
Includes Moisture Indicator
3" diameter x 9 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port
¼" Schrader Valve



74R2537 RD-5-7061-7P
3" diameter x 6 ¼" long
#6 Male O-Ring
(Schrader Port)
High Capacity
Pressure Relief
Side Port



THERMOSTATIC SWITCH

All combine and tractor model series with OE#1034565M91, 250698M1, 320059M2	Rotary thermostat with 48" capillary tube, 34 - 52°F	1034565M91 250698M1 320059M2	RD-4125-48P	**71R2300**

71R2300 RD-4125-48P
Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



Model	Description	OEM Part No.	Factory No.	**Part** No.

TAKEUCHI

BLOWER MOTOR

Backhoe BL70 with Red Dot A/C, OE#RD-5-8837-1	Blower Assembly, single speed, 12V, 12 ¼" x 3 ⅛" x 4 ½"	RD-5-8837-1	RD-5-8837-1P	**73R5642**
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#R D-5-9204-1	Blower Assembly, three speed, 24V, 13 ¾" x 6 ½" x 5"	RD-5-9204-1	RD-5-9204-1P	**73R5624**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-8838-0	Blower Assembly (evaporator), three speed, 24V, 12 ¼" x 3 ⅛" x 4 ½"	RD-5-8838-0	RD-5-8838-0P	**73R5534**

73R5534 RD-5-8838-0P

Three Speed
442 CFM – 24 volt – 12 ¾" x 3 ⅛" x 4 ½"
Replacement Resistor: 71R1404



73R5624 RD-5-9204-1P

Three Speed
684 CFM – 24 volt – 13 ¾" x 6 ½" x 5"
Replacement Resistor 71R1401



73R5642 RD-5-8837-1P

Single Speed – 253 CFM
12 volt – 12 ¼" x 3 ⅛" x 4 ½"



BLOWER - FAN

Mini Excavator TB175 with Red Dot A/C unit R-20500, condenser pancake fan OE#RD-5-8747-5	Condenser pancake fan assembly, 24V, 1 speed, 13" x 13" x 3 ¾"	RD-5-8747-5	RD-5-8747-5P	**73R8654**

73R8654 RD-5-8747-5P

Single Speed Puller
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13" diameter x 3 ¾" thick
Height 13"



BLOWER - FAN RESISTOR

Backhoe BL70 with Red Dot A/C, OE#RD-5-6450-0	Fan speed blower resistor, 4 speed, 4 terminal	RD-5-6450-0	RD-5-6450-0P	**71R1455**
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	**71R1401**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-9448-0	Resistor, 3 speed for blower assembly	RD-5-9448-0	RD-5-9448-0P	**71R1404**

71R1455 RD-5-6450-0P

4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 3 ¼" x 1 ⅜" x .10" thick – Height: 1 ⅜"



71R1401 RD-5-9445-0P

3 Speed
4 Terminals
22 Amps




COMPRESSOR - SANDEN

Excavator TB1140 with Sanden 7H15FLX #4870, OE#RD-5-10895-0	Sanden 7H15FLX, GV head, ear mt., variable goove, 6 ¼" (158mm)	4870 RD-5-10895-0	RD-5-10895-0P	**75R89374**
Mini Excavator TB175 with Sanden 7H15, #4742, OE#RD-5-93190-0	Sanden 7H15-HD, KG head, ear mt., 2 goove, 4.9" (125mm)	4742 RD-5-9319-0	RD-5-9319-0P	**75R84654**
Track Loader TL140, 150 with Sanden 5H09, #5077, OE#RD-5-10493-0P	Sanden 5H09, K head, ear mt., 2 goove, 4.9" (125mm)	5077 RD-5-10493-0	RD-5-10493-0P	**75R82142**


75R89374 RD-5-10895-0P

Model: 7H15FLX **Head:** GV **Voltage:** 24
Mount: Ear **Sanden:** 4870
Clutch: 6 ¼" (158mm) Variable 1 Groove **R134a**



75R84654 RD-5-9319-0P

Model: 7H15HD **Head:** KG **Voltage:** 24
Mount: Ear **Sanden:** 4742
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R82142 RD-5-10493-0P

Model: 5H09 **Head:** K **Voltage:** 12
Mount: Ear **Sanden:** 5077
Clutch: 4.9" (125mm) A2 Groove **R-134a**



TAKEUCHI

CONDENSER

Model	Description	OEM Part No.	Factory No.	Part No.
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-9204-1	Multi Flow type, 16 ¼" fin width x 14" x ¾"	RD-4-5361-0	RD-4-5361-0P	**77R1285**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-4-5722-0	Multi Flow type, 14" fin width x 14" X ⅞"	RD-4-5722-0	RD-4-5722-0P	**77R1275**

77R1285 RD-4-5361-0P
MultiFlow Type
Overall Width: 18"
Fin Width: 16 ¼"
Height: 14"
Thickness: ¾"




77R1275 RD-4-5722-0P
MultiFlow Type
Overall Width: 14"
Fin Width: 11 13/32"
Height: 14"
Thickness: ⅞"



EVAPORATOR

Model	Description	OEM Part No.	Factory No.	Part No.
Backhoe BL70 with Red Dot A/C, OE#RD-2-3741-0	Dimensions: 8" height x 11 ½" length x 3 13/32" width	RD-2-3741-0	RD-2-6299-0P	**76R7730**
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-2-3923-0	Dimensions: 6 ⅛" height x 16 ½" length x 3 13/32" width	RD-2-3923-0	RD-2-3923-0P	**76R7450**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-2-3832-0	Dimensions: 6 ⅛" height x 9 ¾" length x 3 13/32" width	RD-2-3832-0	RD-2-3832-0P	**76R6325**

76R6325 RD-2-3832-0P
6 7/64" high x 9 ¾" long x 3 13/32" wide



76R7450 RD-2-3923-0P
6 7/64" high x 16 ½" long x 3 13/32" wide



EXPANSION VALVE / BLOCK

Model	Description	OEM Part No.	Factory No.	Part No.
Backhoe BL70 with Red Dot A/C, OE#RD-5-7015-0	Block valve with female O-Ring fittings	RD-5-7015-0	RD-5-7015-1P	**71R8321**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-6868-0	Block valve with female O-Ring fittings	RD-5-6868-0	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



71R8321 RD-5-7015-0P
High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



EXPANSION VALVE / ORIFICE TUBE

Model	Description	OEM Part No.	Factory No.	Part No.
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-10011-0	Main unit, orange tube, blue orifice with green HBNR	RD-5-10011-0	RD-5-10011-0P	**71R8504**

71R8504 RD-5-10011-0P
Orange – Length: 3.46", O.D.: .429", Orifice: .057"



Model	Description	OEM Part No.	Factory No.	**Part** No.

TAKEUCHI

FILTER

Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-3-10331-0	Recirculating air foam filter, 16 5/16" x 5 3/4" x 1/2"	RD-3-10331-0	RD-3-10331-0P	**78R5301**
Mini Excavator TB175 with Red Dot A/C unit R-1630, R-20500, OE#RD-3-10591-0	Fresh air frame filter, 10 11/16" x 4 7/16" x 1/2"	RD-3-10591-0	RD-3-10591-0P	**78R5355**

78R5301 RD-3-10331-0P

16 5/16" wide x 5 3/4" high x 1/2" thick



78R5355 RD-3-10591-0P

10 11/16" wide x 4 7/16" high x 1/2" thick




HEATER

Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-1-2333-0	Dimensions: 8" height x 11 1/2" length x 1 1/2" width	RD-1-2333-0	RD-1-2333-0P	**76R4100**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-1-2069-0	Dimensions: 6" height x 11" length x 2 3/16" width	RD-1-2069-0	RD-1-2069-0P	**76R2740**

76R4100 RD-1-2333-0P

6 7/64" high x 16 1/2" long x 2 11/64" wide



76R2740 RD-1-2069-0P

6" high x 11" long x 2 3/16" wide



PRESSURE SWITCH

Mini Excavator TB175 with Red Dot A/C unit R-1630, R-20500, OE#RD-5-8433-0	Dual function switch (Fujikoki) with 7/16-20, 4 terminal	RD-5-8433-0 A22-36474-000	RD-5-8433-0P	**71R7075**

71R7075 RD-5-8433-0P

	OPEN	CLOSED
LOW	± 2	28
HIGH	± 28	384

Thread: 7/16" – 20 UNF
Orange Fan Switch



TAKEUCHI

Model	Description	OEM Part No.	Factory No.	Part No.
RECEIVER DRIER				
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-4947-0	In-line Drier, 2 ½" X 6 9/16"	RD-5-4947-0	RD-5-4947-0P	**74R0450**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-9389-0	In-line Drier, 2 ½" X 6 9/16"	RD-5-9389-0	RD-5-9389-1P	**74R2801**

74R0450 RD-5-4947-0P
2 ½" diameter x 6 9/16" long
#6 - #8 Male O-Ring Inline – No Port, No Glass



74R2801 RD-5-9389-1P
3" diameter x 9" long
#6 Male O-Ring
Pressure Relief



RESISTOR				
Backhoe BL70 with Red Dot A/C, OE#RD-5-6450-0	Fan speed blower resistor, 4 speed, 4 terminal	RD-5-6450-0	RD-5-6450-0P	**71R1455**
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	**71R1401**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-9448-0	Resistor, 3 speed for blower assembly	RD-5-9448-0	RD-5-9448-0P	**71R1404**

71R1455 RD-5-6450-0P
4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 3 ¼" x 1 ⅜" x .10" thick – Height: 1 ⅜"



71R1401 RD-5-9445-0P
3 Speed
4 Terminals
22 Amps



71R1404 RD-5-9448-0P
3 Speed
4 Terminals
12 Amps
Fits
73R5534



THERMOSTATIC SWITCH				
Backhoe BL70 with Red Dot A/C, OE#RD-5-4531-24	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	**71R3200**
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-5-6429-0	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0	RD-5-6429-0P	**71R3150**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-5-4531-24	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	**71R3200**

71R3150 RD-5-6429-0P
Capillary Length: 16"
Type: Fixed
Temp. Range: 28°- 35°F
Clutch Cycle Range: 7°F



71R3200 RD-5-4531-24P
Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



WATER VALVE				
Excavator TB1140 with Red Dot A/C unit R-2825-1-24, OE#RD-4257-0	Cable operated for standard control units, 5/8" hose to 5/8" hose	RD-4257-0	RD-4257-0P	**72R5050**
Mini Excavator TB175 with Red Dot A/C unit R-20500, OE#RD-4257-0	Cable operated for standard control units, 5/8" hose to 5/8" hose	RD-4257-0	RD-4257-0P	**72R5050**

72R5050 RD-4257-0P
58" hose to 58" hose



Model	Description	OEM Part No.	Factory No.	**Part** No.

TEREX

CLUTCH ASSEMBLY

All series with CCI/York - R12 / 134A compressors, OE#024-25078, MA6, MAE6AR	2 groove 6" diameter pulley, ½" width, 1 ⅝" ga, bullet plug	024-25078 MA6 MAE6AR	RD-5-4967-0P	**75R0452**
All series with CCI/York - R12 / 134A compressors, OE#332334, MA 7A	2 groove 7" diameter pulley, 12V, ½" width, 2" ga, bullet plug	332334 MA 7A	RD-5-4994-0P	**75R4502**

75R4502 RD-5-4994-0P

Diameter: 7"
Groove: 2
Width: 1⁄2"
12 Volts
B Dimension: 2"

Single wire coil
Male bullet plug



75R0452 RD-5-4967-0P

Diameter: 6"
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 ⅝"

Single wire coil
Male bullet plug



EXPANSION VALVE / EXTERNAL EQUALIZER

All model series with OE#9053997	Male O-Ring with 13" capillary length, 13" equalizer tube length	9053997	RD-5-3824-1P	**71R8100**

71R8100 RD-5-3824-1P

External Equalizer
Inlet: #6 (¾") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



RECEIVER DRIER

All model series with OE#RD-5-7559-0, Eagle A/C	#6 Male O-Ring, 2 ½" x 7 11⁄16", ¼" male side port	RD-5-7559-0	RD-5-7559-0P	**74R1106**
All model series using Red Dot A/C unit R-10046-0, R-10047-0, OE#088273-00	#6 Male O-Ring, 2 ½" x 7 11⁄16", ¼" male side port	088273-00	RD-5-7559-0P	**74R1106**

74R1106 RD-5-7559-0P

2 ½" diameter x 7 11⁄16" long
#6 Male O-Ring
Side Port



THERMOSTATIC SWITCH

All model series with OE#9038467	Rotary thermostat with 18" capillary tube, 28 - 62°F	9038467	RD-5-4909-0P	**71R2100**
All model series with Red Dot A/C, OE#RD-4226-0P	Cable controlled thermostat, 30" capillary tube, 34 - 54°F	RD-4226-0P	RD-4226-0P	**71R2700**

71R2100 RD-5-4909-0P

Capillary Length: 18"
Type: Variable
Temp. Range: 28°- 62°F
Clutch Cycle Range: 6°F



71R2700 RD-4226-0P

Pull for cold Variable temp. Mounting hole spacing 2 15⁄16"
Capillary Length: 30"
Type: Variable
Temp. Range: 34°- 54°F
Clutch Cycle Range: 5°F



Model	Description	OEM Part No.	Factory No.	Part No.

TIMBERJACK

BLOWER MOTOR

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9204-1	Blower Assembly, three speed, 24V, 13 ¾" x 6 ½" x 5"	RD-5-9204-1	RD-5-9204-1P	**73R5624**
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-5-3780-0	Double shaft motor, 12V, 3 speed, 4" length	RD-5-3780-0	RD-5-3780-0P	**73R4102**
Skidder series models, condenser motor, OE#RD-5-8709-0	Single shaft, 1 speed, 12V, CW, 4 ¾" length, vented	RD-5-8709-0	RD-5-14193-0P	**RD-5-14193-0P**

73R4102 RD-5-3780-0P

Three Speed
12 Volt
Field Wound Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4" x 3 13/32" x 3"
Shafts: 5/16" diameter, length: 3"
Vented
Connector: Four conductor
¼" female spade



73R5624 RD-5-9204-1P

Three Speed
684 CFM – 24 volt – 13 ¾" x 6 ½" x 5"
Replacement Resistor 71R1401



BLOWER - FAN RESISTOR

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	**71R1401**

CONDENSER

Feller Buncher 608L, 608S with Red Dot A/C unit R-2825-0, OE#RD-5-9204-1	Grilldenser type, fin width 37" x 33 5/8" x 1 ½" thick	RD-4-5655-0	RD-4-5655-1P	**77R6255**
Feller Buncher 850 with Red Dot A/C unit R-2825-0, OE#RD-4-5743-0	Grilldenser type, fin width 31 7/8" x 34 19/32" x 1 9/64" thick	RD-4-5743-0	RD-4-5743-0P	**77R6250**
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-4-4440-0	Tube & Fin type, fin width 18 ½" x 7 3/32" x 2 ½" thick	RD-4-4440-0	RD-4-4440-0P	**77R0090**

77R0090 RD-4-4440-0P

Tube & Fin Type
Overall Width: 22 ½"
Fin Width: 18 ½"
Height: 7 3/32"
Thickness: 2 ½"



77R6250 RD-4-5743-0P

Grilldenser Type
Overall Width: 49"
Hinged 37" header to header
Fin Width: 37"
Height: 33 5/8"
Thickness: 1 ½"



77R6255 RD-4-5655-1P

Grilldenser Type
Hinged Assembly
Overall Width: 40 5/32"
Fin Width: 31 7/8"
Height: 34 19/32"
Thickness: 1 9/64"



EVAPORATOR

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9204-1	Dimensions: 6 1/8" height x 16 ½" length x 3 13/32" width	RD-2-3923-0	RD-2-3923-0P	**76R7450**
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-2-2047-0	Dimensions: 4" height x 17 7/8" length x 2 ¾" width	RD-2-2047-0	RD-2-2047-0P	**76R4920**

76R7450 RD-2-3923-0P

6 7/64" high x 16 ½" long x 3 13/32" wide



76R4920 RD-2-2047-0P

4" high x 17 7/8" long x 2 ¾" wide



EXPANSION VALVE / BLOCK

Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-2-2047-0	Block valve, 1 ½ ton, female O-Ring, 80 psig @ 40°F	RD-5-6868-1 1676649-C1	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



EXPANSION VALVES CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	**Part** No.

TIMBERJACK

EXPANSION VALVE / ORIFICE TUBE

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9204-1	Main unit, orange tube, blue orifice with green HBNR	RD-5-10011-0	RD-5-10011-0P	**71R8504**

71R8504 RD-5-10011-0P

Orange – Length: 3.46", O.D.: .429", Orifice: .057"



FILTER

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-3-10331-0	Recirculating air foam filter, 16 5/16" x 5 3/4" x ½"	RD-3-10331-0	RD-3-10331-0P	**78R5301**
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-5-6867-0	Fresh air frame filter, 18 7/8" x 4 13/16" x 5/16"	RD-5-6867-0P	RD-5-6867-0P	**78R5350**

78R5301 RD-3-10331-0P

16 5/16" wide x 5 3/4" high x ½" thick



78R5350 RD-5-6867-0P

18 7/8" wide x 4 13/16" high x 5/16" thick




HEATER

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-1-2333-0	Dimensions: 8" height x 11 ½" length x 1 ½" width	RD-1-2333-0	RD-1-2333-0P	**76R4100**

76R4100 RD-1-2333-0P

6 7/64" high x 16 ½" long x 2 11/64" wide



RESISTOR

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-9445-0	Resistor, 3 speed for blower assembly	RD-5-9445-0	RD-5-9445-0P	**71R1401**

71R1401 RD-5-9445-0P

3 Speed
4 Terminals
22 Amps



THERMOSTATIC SWITCH

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-6429-0	Fixed Setting thermostat with 16" capillary tube, flange mt.	RD-5-6429-0	RD-5-6429-0P	**71R3150**
Skidder series models with Red Dot model R-9725-0, R-9755-0, OE#RD-5-4531-24	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24	RD-5-4531-24P	**71R3200**

71R3150 RD-5-6429-0P

Capillary Length: 16"
Type: Fixed
Temp. Range: 28°- 35°F
Clutch Cycle Range: 7°F



71R3200 RD-5-4531-24P

Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



WATER VALVE

Feller Buncher 608L, 608S, 850 with Red Dot A/C unit R-2825-0, OE#RD-5-5119-0	Cable operated valve, straight, 5/8" to 5/8" hose	RD-5-5119-0 1-1574Q MA1060	RD-5-5119-0P	**72R5060**

72R5060 RD-5-5119-0P

5/8" hose to 5/8" hose



TIMBERJACK

VERSATILE

BLOWER MOTOR

Model	Description	OEM Part No.	Factory No.	Part No.
All Swathers and tractors with Kysor A/C evaporator, OE#275158	Kysor A/C (evaporator blower), double shaft motor, 1 speed, 12V, 4 7/8" length	70257336-1	RD-5-10068-0P	**73R4322**
All Swathers and tractors with Kysor A/C evaporator, OE#275152	Double shaft blower motor (only), 1 speed, 4 3/4" length, 12V vented	275152	RD-5-6801-0P	**73R4182**
All Swathers and tractors with Kysor A/C condenser, OE#275130	Kysor A/C, single shaft-non-vented, 1 speed, CW, 4 7/8" length	275130	RD-5-7129-0P	**73R0542**

73R0542 RD-5-7129-0P
Single Speed
12 Volt
Rotates CW
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/4"
Non Vented
Connector: Male blade with Packard #8900420



73R4182 RD-5-6801-0P
Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4" x 3"
Shafts: 5/16" diameter, length: 2 5/8"
Vented
Connector: 1/4" spade receptacle



73R4322 RD-5-10068-0P
Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4 1/2" x 3"
Shafts: 5/16" diameter, length: 2 1/2"
Vented
Connector: Two conductor 1/4" spade receptacle



BLOWER SWITCH

Model	Description	OEM Part No.	Factory No.	Part No.
All Swathers and tractors with OE#4K754	Rotary switch, DP3T, 3 speed, short shaft thread	4K754 BOA-80-926-00-059	RD-5-9833-0P	**71R1160**
All Swathers and tractors with OE#RD-5-10934-0, 71195109	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-10934-0 71195109	RD-5-10934-0P	**71R1163**

71R1160 RD-5-9833-0P
3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps
Mounting hole: .442" x .385" - "D" hole



71R1163 RD-5-10934-0P
3 speed
DP3T
4-position
5 terminals
25 amps
Mounting hole: .442" x .385" - "D" hole



CLUTCH ASSEMBLY

Model	Description	OEM Part No.	Factory No.	Part No.
All Swathers with Kysor A/C with Sanden SD508 compressors, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
All Swathers and tractors with CCI/York - R12 / 134A compressors OE#024-25078, MA6, MAE6AR	2 groove 6" diameter pulley, 1/2" width, 1 5/8" ga, bullet plug	024-25078 MA6 MAE6AR	RD-5-4967-0P	**75R0452**
All Swathers and tractors with CCI/York - R12 / 134A compressors, OE#332334, MA 7A	2 groove 7" diameter pulley, 12V, 1/2" width, 2" ga, bullet plug	332334 MA 7A	RD-5-4994-0P	**75R4502**
All Swathers and tractors with Sanden SD5 (508 / 510 / 5H14) R12/R134a compressors	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
All Swathers and tractors with Sanden SD7H15HD R134a compressor, OE #6504-6310	2 groove 1/2" width, 5 1/4" diameter (132mm)	6504-6310	RD-5-10379-0P	**75R1542**
Tractors 256, 276, 550, 555 with Sanden SD510 R12/ R134a compressor, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractors 855, 875, 876 with Sanden SD510 R12/R134a compressor, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractors 900, 935, 950, 975 with Sanden SD510 R12/ R134a compressor, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**
Tractors 1150, 1153 with Sanden SD510 R12/R134a compressor, OE#6574-6210, 6514-6210	2 groove 5 1/4" diameter, 1/2" width, (132mm), 1 wire plug	6574-6210 6514-6210	RD-5-5486-0P	**75R0202**

75R0202 RD-5-5486-0P
Model SD5 (508, 510, 5H14)
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm
Single wire coil
Bare wire



75R0452 RD-5-4967-0P
Diameter: 6"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 1 5/8"
Single wire coil
Male bullet plug



75R1542 RD-5-10369-0P
OE # 6504-6010
Model 709 / 7H15
Diameter: 5 1/4" / 132mm
Groove: 2
Width: 1/2"
12 Volts
B Distance: 1 9/16" / 40mm
Double wire coil
Ford OE plug



75R4502 RD-5-4994-0P
Diameter: 7"
Groove: 2
Width: 1/2"
12 Volts
B Dimension: 2"
Single wire coil
Male bullet plug




VERSATILE


COMPRESSOR - SANDEN

Model	Description	OEM Part No.	Factory No.	**Part** No.
All tractor series with Sanden 7H15, # 6664 R134a compressor	7H15, JD head, ear mount 2 groove, 5 ¼" (132mm) diameter	6664 72239750	RD-5-7088-0P	**75R8382**
All tractor series with Sanden 5H14, #6665 R134a compressors, 24V	5H14-HD, FL head, 24V, 2A groove, 5 ¼" (132mm) diameter	6665	RD-5-7089-0P	**75R8384**
Tractors 700, 750 with Sanden 5H14, OE#4511, 6671 R-134a compressor	SD5H14, C head, ear mount, 2A groove, 6 ¼" (132mm) diameter	4511 6671	RD-5-8945-0P	**75R8252**

75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8384 RD-5-7089-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



ELECTRICAL SWITCH

All Swathers and tractors with OE#53620, 404028	Rotary thermostat, 36" capillary tube, 34 - 52°F	53620 404028	RD-4125-36P	**71R2250**
All Swathers and tractors with OE#4K754	Rotary switch, DP3T, 3 speed, short shaft thread	4K754 BOA-80-926-00-059	RD-5-9833-0P	**71R1160**
All Swathers and tractors with OE#RD-5-10934-0, 71195109	Rotary switch, 3 speed, DP3T, 4 position, 5 terminal	RD-5-10934-0 71195109	RD-5-10934-0P	**71R1163**

71R2250 RD-4125-36P
Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F



71R1160 RD-5-9833-0P
3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1163 RD-5-10934-0P
3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

EXPANSION VALVE / BLOCK

All Swathers and tractors with block valve, OE#79840	Block valve with female O-Ring fittings	79840	RD-5-6868-1P	**71R8301**
Swathers and tractors with Kysor A/C with block valve, OE#404087, 404098	Block valve with female O-Ring fittings	404087 404098	RD-5-6868-1P	**71R8301**
Tractors 1150, 1153 with block valve, OE#79840	Block valve with female O-Ring fittings	79840	RD-5-6868-1P	**71R8301**

71R8301 RD-5-6868-0P
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F



EXPANSION VALVES CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	Part No.

VERSATILE

EXPANSION VALVE / EXTERNAL EQUALIZER

All Swathers and tractors with right angle valve, OE#404073	Male O-Ring with 13" capillary length, 13" equalizer tube length	404073	RD-5-3824-1P	**71R8100**
Tractors 256, 276 with right angle valve, OE#70267	Male O-Ring with 13" capillary length, 13" equalizer tube length	70267	RD-5-3824-1P	**71R8100**
All Swathers and tractors with flare fitting, OE#18384	Internal equalizer, 1 ½ ton, with male flare with 9" capillary length, flare fittings	18384	RD-5-6099-0P	**71R8210**
All Swathers and tractors with O-Ring fitting, OE#826-004	Internal equalizer valve with male O-Ring fittings	826-004	RD-5-11033-0P	**71R8060**
Tractors 800, 825, 835, 850, 900, 935, 950, 975 with OE#18384	Internal equalizer, 1 ½ Ton, Male O-Ring	18384	RD-5-6099-0P	**71R8210**

71R8060 RD-5-11033-0P
Internal Equalizer
Inlet: #6 (⅜") Male O-Ring
Outlet: #8 (½") Male O-Ring
Capillary Tube Length: 12"
Rating: 1 ½ Ton



71R8100 RD-5-3824-1P
External Equalizer
Inlet: #6 (¼") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 13"
Nut: ¼" Female O-Ring
Capillary Tube Length: 13"
Rating: 1 ½ Ton



71R8210 RD-5-6099-0P
Internal Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Capillary Tube Length: 9"
Rating: 1 ½ Ton



PRESSURE SWITCH

All Swathers and tractors with OE#404081	High Pressure Fan switch with M10 threads, opens 300 psi, closes 250psi	404081 AR45868	RD-5-8287-0P	**71R6210**

71R6210 RD-5-8287-0P
Type: High Side – Gray
Fitting / Connector: M10 x 1.25 female / two-conductor male Weatherpak
Normally Closed – Closes at 250 PSI – Opens at 300 PSI



RECEIVER DRIER

All Swathers and tractors with OE#085098-00	Male O-Ring with fuse plug, side port, top glass	085098-00	RD-5-4950-1P	**74R0907**
All Swathers and tractors with OE#088424-01	with #6 Male O-Ring, 3" x 6 ¼"	088424-01	RD-5-7061-8P	**74R2527**
All Swathers and tractors with OE#30080	with #6 Male Flare (top and side), 4" X 6 ¾"	30080 1162927	RD-5-6077-1P	**74R4017**
All Swathers and tractors with OE#48510	with #6 Male O-Ring, 3" x 10", fuse, top port	48510 9827053	RD-5-6504-1P	**74R2306**
All Swathers and tractors with OE#70966, 088411-01	In-line, #6 Male O-Ring, 2 ½" x 9 9/16"	70966 088411-01	RD-5-7064-1P	**74R0462**
Tractors 256, 276 with OE#48510	Male & Male O-Ring HPRV, MI IN CAP, 3" x 8 ⅜", hi capacity	48510 PH 088193-00	RD-5-11192-0P	**74R2608**

74R0462 RD-5-7064-1P
2 ½" diameter x 9 9/16" long
#6 Male O-Ring Inline - High Capacity



74R0907 RD-5-4950-1P
2 ½" diameter x 8" long
#6 Male O-Ring
Fuse
Side Port



74R2306 RD-5-6504-1P
Includes Moisture Indicator
3" diameter x 10" long
#6 Male O-Ring
Fuse
Top Port




74R2527 RD-5-7061-8P
3" diameter x 6 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2608 RD-5-11192-0P
3" diameter x 8 3/8" long
#6 Male O-Ring
High Capacity
Fuse



74R4017 RD-5-6077-1P
4" diameter x 6 ¾ " long
#6 Male Flare (Top and side)
Fuse
IHC/Novistar 539049-R91



Model	Description	OEM Part No.	Factory No.	**Part** No.
VERSATILE				
THERMOSTATIC SWITCH				
All Swathers and tractors with OE#18342	Rotary thermostat with 48" capillary tube, 34 - 52°F	18342 0272229-6	RD-4125-48P	**71R2300**
All Swathers and tractors with OE#53620	Rotary thermostat, 36" capillary tube, 34 - 52°F	53620	RD-4125-36P	**71R2250**
All Swathers and tractors with Kysor A/C, OE#404028	Rotary thermostat, 36" capillary tube, 34 - 52°F	404028	RD-4125-36P	**71R2250**

71R2250 RD-4125-36P



Capillary Length: 36"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

71R2300 RD-4125-48P



Capillary Length: 48"
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

Model	Description	OEM Part No.	Factory No.	Part No.

VME

EXPANSION VALVE / EXTERNAL EQUALIZER

Tractor 175B, 175C series with OE#3380223M1, RD-5-5862-0	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	3380223M1	RD-5-5862-0P	**71R8080**
Tractor 275B, 275C series with OE#3380223M1, RD-5-5862-0	Male O-Ring, 1 ½ Ton, 10" capillary length, 10" equalizer tube length	3380223M1	RD-5-5862-0P	**71R8080**

71R8080 RD-5-5862-0P

External Equalizer
Inlet: #6 (¾") Male O-Ring
Outlet: #8 (½") Male O-Ring
Equalizer Tube
Length: 10"
Nut: ¼" Male O-Ring
Capillary Tube Length: 10"
Rating: 1 ½ Ton




RECEIVER DRIER

Tractor 175C, 380 series with OE#RD-5-6075-0, 118304-C1, 118418-C1	with #6 Male O-Ring (top and side), 4" X 6 ¾"	RD-5-6075-0 118304-C1 118418-C1	RD-5-6075-1P	**74R4007**
Tractor 175B, 275C series with drier, OE#RD-5-5955-0	#6 Male O-Ring, 4" x 7 ¾", side port, low pressure switch, moisture indicator	RD-5-5955-0 088209-02 106-5534 5V5698	RD-5-5955-1P	**74R3517**

74R4007 RD-5-6075-1P

4" diameter x 6 ¾" long
#6 Male O-Ring (Top & Side)
Fuse
Side Glass



74R3517 RD-5-5955-1P

Includes Low Pressure Switch & Moisture Indicator
4" diameter x 7 ¾" long
#6 Male O-Ring
Pressure Relief –
Side Port



THERMOSTATIC SWITCH

Tractor 380 series with OE#RD-5-4911-0, 404077	Cable controlled with 18" capillary tube, 26 - 66°F	RD-5-4911-0 404077	RD-5-4911-0P	**71R2600**

71R2600 RD-5-4911-0P



Hole spacing: 2 3/16"
Capillary Length: 18"
Type: Variable
Temp. Range: 26°- 66°F
Clutch Cycle Range: 8°F

Model	Description	OEM Part No.	Factory No.	**Part** No.

VOLVO OFF-ROAD

BLOWER MOTOR

Backhoe BL70 series used with Red Dot A/C unit R-9100-0, OE#RD-5-9204-0	Blower assembly, 3 speed, 12V, 684 cfm, 13 ¾" x 6 ½" x 5"	RD-5-9204-0	RD-5-9204-0P	**73R5622**
Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-8837-1	Blower assembly, 1 speed, 12V, 12 ¼" x 3 ⅛" x 4 ½"	RD-5-8837-1	RD-5-8837-1P	**73R5642**
Backhoe, Loader and Tractor L20B, L25B series	2RD570M Unit with Heater A/C, 12V blower motor assy	RD 5 8837 0	RD-5-8837-0P	**73R5532**

73R5532 RD-5-8837-0P
Three Speed
442 CFM – 12 volt – 12 ¼" x 3 ⅛" x 4 ½"
Replacement Resistor: 71R1403



73R5622 RD-5-9204-0P
Three Speed
684 CFM – 12 volt – 13 ¾" x 6 ½" x 5"
Replacement Resistor 71R1402



73R5642 RD-5-8837-1P
Single Speed – 253 CFM
12 volt – 12 ¼" x 3 ⅛" x 4 ½"



BLOWER - FAN RESISTOR

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-6450-0	Fan speed blower resistor, 4 speed, 4 terminal	RD-5-6450-0	RD-5-6450-0P	**71R1455**
Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-3647-0	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**

71R1450 RD-5-3647-0P
3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1455 RD-5-6450-0P
4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 3 ¼" x 1 ⅜" x .10" thick – Height: 1 ⅜"



COMPRESSOR - SANDEN

Backhoe, Loader and Tractor L20B, L25B series with Sanden 7H15, #8103, OE #2811582	7H15, JD head, ear mount, poly 8 groove, 4.7" (119 mm) diameter	2811582 8103	RD-5-9251-0P	**75R8462**

75R8462 RD-5-9251-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4711, 8103
Clutch: 4.7" (119mm) Poly 8 **R134a**



EVAPORATOR

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-2-3741-0	Dimensions: 8" height x 11 ½" length x 3 13/32" width	RD-2-3741-0	RD-2-6299-0P	**76R7730**

EXPANSION VALVE / BLOCK

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-7015-0	Block valve with female O-Ring fittings	RD-5-7015-0	RD-5-7015-1P	**71R8321**

71R8321 RD-5-7015-0P
High Capacity (2 Ton)
Inlet: #6 (⅜") Female " O" Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



EXPANSION VALVES CONTINUED ON NEXT PAGE

Model	Description	OEM Part No.	Factory No.	Part No.

VOLVO OFF-ROAD

EXPANSION VALVE / ORIFICE TUBE

Backhoe, Loader and Tractor L20B, L25B model series with OE#RE24958	GM type, CCOT (White) Orifice Tube with accumulator system, main unit	RE24958	RD-5-4919-0P	**71R8500**

71R8500 RD-5-4919-1P

White - Length: 3.485", O.D.: .386", Orifice: .071"



RECEIVER DRIER

Backhoe, Loader and Tractor L20B, L25B model series with quick disconnect, Cat OE#3E3535	In-line, quick disconnect, 2 ½" x 13 ⅞"	RD-5-8605-0 3E3535	RD-5-8605-1P	**74R0470**

74R0470 RD-5-8605-1P

2 ½" diameter x 13 ⅞" long
Quick Disconnect – No Port
With Orifice Tube



RESISTOR

Backhoe BL70 series used with Red Dot A/C, OE#RD-5-6450-0	Fan speed blower resistor, 4 speed, 4 terminal	RD-5-6450-0	RD-5-6450-0P	**71R1455**
Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-3647-0	Blower Resistor, Red Dot A/C units, 3 terminal, 3 speed	RD-5-3647-0	RD-5-3647-0P	**71R1450**

71R1450 RD-5-3647-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"



71R1455 RD-5-6450-0P

4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 3 ¼" x 1 ⅜" x .10" thick – Height: 1 ⅜"



THERMOSTATIC SWITCH

Backhoe BL70 series used with Red Dot A/C unit R-9110-0, OE#RD-5-4531-24P	Thermostat for standard control units, fixed setting with 24" capillary tube, flange/side mt.	RD-5-4531-24P	RD-5-4531-24P	**71R3200**
Backhoe, Loader and Tractor L20B, L25B model series with OE#1118408	Preset (fixed) setting thermostat, 21" capillary tube, 31 - 40°F	1118408	RD-5-10335-0P	**71R3220**

71R3200 RD-5-4531-24P

Mounting hole spacing: 2 ¼"
Capillary Length: 24"
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F



71R3220 RD-5-10335-0P

Mounting hole spacing: 2 ⅛"
Capillary Length: 21"
Type: Fixed (side mount)
Temp. Range: 31°- 40°F



WATER VALVE

Backhoe BL70 series used with Red Dot A/C unit R-9100-0, OE#RD-5-10223-0	Cable operated valve, straight (pull to open), ⅝" to ⅝" hose	RD-5-10223-0	RD-5-10223-0P	**72R5055**

72R5055 RD-5-10223-0P



WABCO

Model	Description	OEM Part No.	Factory No.	**Part** No.
EXPANSION VALVE / EXTERNAL EQUALIZER				
60B, 85D Series with OE#2684701-C1	Main Unit, all models with flare fitting	2684701-C1	RD-4126-1P	**71R8050**
120CT, 120D Series with OE#2684701-C1	Main Unit, all models with flare fitting	2684701-C1	RD-4126-1P	**71R8050**

71R8050 RD-4126-1P



External Equalizer
Inlet: #6 (⅜") Male Flare
Outlet: #8 (½") Male Flare
Equalizer Tube
Length: 18"
Nut: ¼" Female Flare
Capillary Tube Length: 18"
Rating: 1 ½ Ton


RECEIVER DRIER				
60B, 85D, 120D Series with OE#72161835-3	Male & Male O-Ring with Fuse Plug, Low Pressure Switch	72161835-3	RD-4160-1P	**74R2106**

74R2106 RD-4160-1P



Includes Low Pressure Switch
2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Low Pressure / Pressure Relief
Side Port

SINGLE SHAFT MOTORS



NOTE:

1. Rotation is determined by viewing the motor from the shaft end.
2. On permanent magnet motors the red or orange lead is positive.
3. Motor type FW field wound, PM permanent magnet.

SINGLE SHAFT – Listed in ascending order by overall length [A]

[A] Overall Length	[B] Motor Length	[C] Shaft Length	Shaft Diameter	[D] Motor Diameter	Speed	Shaft Rotation	Type	Mount	Vent	Red Dot Part No.	Factory No.
12 VOLT											
3 1/2	2 5/8	1 1/16	1/4	3	2	CW	FW	Stud, span 2 5/16	NV	**73R0082**	RD-5-10071-0P
3 5/8	2 1/2	11/16	1/4	3	2	CW	FW	Stud, span 2 5/16	NV	**73R0062**	RD-5-6440-0P
3 5/8	2 3/4	5/8	1/4	3	2	CW	FW	Stud, span 2 5/16	NV	**73R0032**	RD-5-10491-0P
3 5/8	2 3/4	11/16	1/4	3	2	CW	FW	Stud, span 2 5/16	NV	**73R0032**	RD-5-10491-0P
3 5/8	2 3/4	13/16	5/16	3	1	CCW	FW	Stud, span 2 5/16	NV	**73R0102**	RD-5-4550-0P
3 5/8	2 3/4	1 7/16	5/16	3	1	CW	FW	Stud, span 2 5/16	NV	**73R0152**	RD-4183-0P
3 3/4	2 7/8	1 1/2	1/4	3	1	CW / CCW		Stud, span 2 5/16	NV	**73R0092**	RD-5-10391-0P
3 3/4	3 1/4	3/4	5/16	3 1/4	1	CW	PM	Plate (Flange)	V	**73R3082**	RD-5-11526-0P
3 7/8	3	1 7/16	5/16	3	1	CCW	FW	Stud, span 2 5/16	NV	**73R0202**	RD-3106-18P
4	3 3/8	1 1/2	5/16	3	1	CW / CCW		Stud, span 2 5/16	NV	**73R0212**	RD-5-10390-0P
4	3 1/2	1 7/8	5/16	3	1	CW / CCW		Stud, span 2 5/16	V	**73R0012**	RD-5-10379-0P
4	3 5/8	1 1/2	5/16	3	1	CW	PM	Plate (Flange)	V	**73R3002**	RD-5-11466-0P
4	3 13/16	1 1/2	5/16	3	1	CCW	PM	Plate (Flange)	V	**73R3062**	RD-5-11489-0P
4 1/4	3 13/32	1 1/2	5/16	3	2	CW	FW	Stud, span 2 5/16	V	**73R0552**	RD-3106-12P
4 1/4	3 13/32	1 1/2	5/16	3	2	CCW	FW	Stud, span 2 5/16	V	**73R0602**	RD-3106-13P
4 1/4	3 1/2	1	5/16	3	2	CW	FW	Stud, span 2 5/16	V	**73R0142**	RD-5-10070-0P
4 1/4	3 3/4	1 5/8	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0642**	RD-5-10072-0P
4 1/4	3 3/4	1 3/4	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0042**	RD-5-10336-0P
4 1/4	3 13/16	1 1/2	5/16	3	1	CW	PM	Plate (Flange)	V	**73R3002**	RD-5-11466-0P
4 1/4	3 13/16	1 1/2	5/16	3	1	CCW	PM	Plate (Flange)	V	**73R3052**	RD-5-11488-0P
4 1/4	4	1 1/8	5/16	3 1/4	1	CCW	PM	Plate (Flange)	V	**73R0572**	RD-5-14611-0P
4 3/8	4	1 13/16	5/16	3	1	CCW	PM	Stud, span 2 5/16	V	**73R1002**	RD-3-8657-0P
4 3/8	4	1 7/16	5/16	3	1	CW	PM	Strap/Plate	V	**73R3102**	RD-5-12550-0P
4 13/32	4	2	5/16	3	1	CCW	PM	Stud, span 2 5/16	V	**73R0962**	RD-5-8203-0P
4 1/2	3 1/2	13/16	5/16	3	1	CW/CCW	PM	Plate (Flange)	V	**73R2262**	RD-5-10053-0P
4 1/2	3 1/2	1 1/2	5/16	3 1/4	1	CW	PM	Plate (Flange)	V	**73R3092**	RD-5-11843-0P
4 1/2	3 5/8	1	5/16	3	1	CCW	PM	Stud, span 2 5/16	V	**73R0702**	RD-5-4927-0P
4 1/2	3 5/8	1 1/2	5/16	3	1	CCW	PM	Stud, span 2 5/16	V	**73R0322**	RD-5-6531-0P
4 1/2	3 5/8	1 5/8	5/16	3 1/4	1	CW		Plate (Flange)	V	**73R2142**	RD-5-10387-0P
4 1/2	4	1 1/16	5/16	3	1	CW		Plate (Flange)	V	**73R2132**	RD-5-10386-0P
4 9/16	3 5/8	1 5/16	5/16	3	2	CW	FW	Stud, span 2 5/16	V	**73R0652**	RD-5-10069-1P
4 1/2	4	1 3/4	5/16	3	1	CW	PM	Plate (Flange)	V	**73R0992**	RD-5-14087-0P
4 5/8	4 1/4	1 3/4	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0442**	RD-5-10905-0P
4 3/4	3 3/4	1	5/16	3	1	CCW	PM	Plate (Flange)	V	**73R2212**	RD-5-8029-0P
4 3/4	4	1 1/2	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0912**	RD-5-5512-0P
4 3/4	4	1 5/8	5/16	3	1	CW	PM	Strap/Stud 2 5/16	V	**73R0422**	RD-5-6526-0P
4 3/4	4	1 5/8	5/16	3	1	CW	PM	Strap/Stud 2 5/16	V	**73R0462**	RD-5-9100-0P
4 3/4	4	1 7/8	5/16	3	1	CCW	PM	Strap/Stud 2 5/16	V	**73R0432**	RD-5-8204-0P
4 3/4	4 1/8	1 1/16	5/16	3 1/8	1	CW	PM	Plate (Flange)	V	**73R2102**	RD-5-4937-0P
4 3/4	4 1/8	1 1/16	5/16	3 1/8	1	CW	PM	Plate (Flange)	V	**73R2102**	RD-5-4937-0P
4 3/4	4 1/4	1 5/8	5/16	3	1	CCW	PM	Plate (Flange)	V	**73R2162**	RD-5-14088-0P
4 3/4	4 1/4	7/8	5/16	3	1	CW	PM	Strap/Stud 2 5/16	NV	**73R0562**	RD-5-8709-0P
4 3/4	4 1/4	1 5/32	5/16 *	3 1/4	3	CCW	FW	Stud, span 2 5/16	V	**73R1052**	RD-5-4932-0P
4 3/4	4 3/8	1 1/2	5/16	3	1	CCW		Plate (Flange)	V	**73R3022**	RD-5-10393-0P

LS = Limited to stock on hand

* with 3/8 adapter

SINGLE SHAFT – Listed in ascending order by overall length [**A**]

[A] Overall Length	[B] Motor Length	[C] Shaft Length	Shaft Diameter	[D] Motor Diameter	Speed	Shaft Rotation	Type	Mount	Vent	Red Dot Part No.	Factory No.
12 VOLT											
4 13/16	4	1 5/16	5/16	3	1	CW	PM	Strap/Stud 2 5/16	V	**73R0982**	RD-5-8255-0P
4 7/8	4	1	5/16	3	1	CW	PM	Strap/Stud 2 5/16	NV	**73R0532**	RD-5-3690-1P
4 7/8	4	1 1/16	5/16	3 1/4	1	CW		Plate (Flange)	V	**73R2152**	RD-5-10388-0P
4 7/8	4	1 1/8	5/16	3	1	CW	PM	Strap/Stud 2 5/16	NV	**73R0512**	RD-5-5120-0P
4 7/8	4	1 1/4	5/16	3	1	CW	PM	Strap/Stud 2 5/16	NV	**73R0542**	RD-5-7129-0P
4 7/8	4	3 1/8	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0622**	RD-5-5269-2P
4 7/8	4 1/8	1 1/16	5/16	3 1/4	1	CW		Plate (Flange)	V	**73R2112**	RD-5-10383-0P
4 7/8	4 1/8	1 1/16	5/16	3 1/4	1	CW		Plate (Flange)	V	**73R2222**	RD-5-10381-0P
4 7/8	4 1/8	1 1/16	5/16	3 1/4	1	CW / CCW		Plate (Flange)	V	**73R2242**	RD-5-10382-0P
4 7/8	4 1/8	1 1/8	5/16	3	1	CW	PM	Strap/Stud 2 5/16	NV	**73R0522**	RD-5-5230-0P
4 7/8	4 1/4	1 5/8	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0922**	RD-5-5634-0P
4 7/8	4 7/16	1 1/2	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0662**	RD-5-8016-0P
5	4	3/4	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0352**	RD-5-6526-2P
5	4	1 1/2	5/16	3	1	CCW	PM	Plate (Flange)	V	**73R0332**	RD-5-10867-0P
5	4	1 5/8	5/16	3	1	CCW	PM	Stud, span 2 5/16	V	**73R0402**	RD-5-6526-1P
5	4 1/4	1 1/2	5/16	3	1	CW		Strap/Stud 2 5/16	V	**73R0462**	RD-5-9100-0P
5	4 9/32	1 1/4	5/16	3	1	CW		Plate (Flange)	V	**73R3032**	RD-5-10395-0P
5 1/8	4 11/16	1 5/8	5/16	3	1	CW	PM	Strap/Stud 2 5/16	V	**73R0612**	RD-5-8922-0P
24 VOLT											
3 5/8	2 3/4	11/16	1/4	3	2	CW	FW	Stud, span 2 5/16	NV	**73R0034**	RD-5-10491-24P
3 7/8	3	13/16	5/16	3	1	CCW	FW	Stud, span 2 5/16	NV	**73R0104**	RD-5-4550-24P
3 7/8	3	1 7/16	5/16	3	1	CCW	FW	Stud, span 2 5/16	NV	**73R0204**	RD-3106-18-24P
4 11/64	4	2 1/4	5/16	3	2	CCW	Brushless	Strap/Stud 2 5/16	V	**73R0654**	RD-5-10255-2P
4 1/4	3 13/32	1 1/2	5/16	3	2	CW	FW	Stud, span 2 5/16	V	**73R0554**	RD-3106-12-24P
4 1/4	3 13/32	1 1/2	5/16	3	2	CCW	FW	Stud, span 2 5/16	V	**73R0604**	RD-3106-13-24P
4 5/8	4 3/16	1 1/8	5/16	3	1	CW	PM	Strap/Stud 2 5/16	V	**73R1064**	RD-5-9245-24P
4 11/16	3 7/8	1 5/8	5/16	3	1	CW	PM	Stud, span 2 5/16	V	**73R0454**	RD-5-3751-24P
4 3/4	4	1 5/8	5/16	3	1	CCW	PM	Stud, span 2 5/16	V	**73R0404**	RD-5-4827-24P
4 7/8	4	1	5/16	3	1	CW	PM	Strap/Stud 2 5/16	NV	**73R0534**	RD-5-3690-1-24P
4 7/8	4	1 1/8	5/16	3	1	CW	PM	Strap/Stud 2 5/16	NV	**73R0514**	RD-5-5120-24P
4 7/8	4	1 1/4	5/16	3	1	CW	PM	Strap/Stud 2 5/16	NV	**73R0544**	RD-5-7129-24P
5	4	1	5/16	3	1	CCW	PM	Stud, span 2 5/16	NV	**73R0364**	RD-5-6071-0P
5 5/8	4 11/16	1	5/16	3	1	CW	PM	Stud, span 2 5/16	NV	**73R0984**	RD-5-6785-24P
										7RR3112	RD-5-14612-0P

SINGLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R0012 — RD-5-10379-0P



Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5/16"
Dimensions: 4" x 3 1/2" x 3"
Shaft: 5/16" diameter, Length: 1 7/8"
Vented
Connector: Two conductor, 14 gauge

73R0032 — RD-5-10491-0P



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 3/4" x 3"
Shaft: 1/4" diameter, Length: 11/16"
Non Vented
Connector: Ring Terminal, two conductor with ground

73R0034 — RD-5-10491-24P



Two Speed
24 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 3/4" x 3"
Shaft: 1/4" diameter, Length: 11/16"
Non Vented
Connector: Ring Terminal, two conductor with ground

73R0042 — RD-5-10336-0P




Single Speed
12 Volt
Rotates Clockwise / Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 1/4" x 3 3/4" x 3"
Shaft: 5/16" diameter, Length: 1 3/4"
Vented
Connector: Packard with two 1/4" blade terminals

73R0062 — RD-5-6440-0P



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 1/2" x 3"
Shaft: 1/4" diameter, Length: 11/16"
Non Vented
Connector: Two conductor, orange-high, red-low

73R0082 — RD-5-10071-0P



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 1/2" x 2 5/8" x 3"
Shaft: 1/4" diameter, Length: 1 1/16"
Non Vented
Connector: Two conductor, orange-high, red-low

73R0092 — RD-5-10391-0P



Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5/16"
Dimensions: 3 3/4" x 2 7/8" x 3"
Shaft: 1/4" diameter, Length: 1 1/2"
Non Vented
Connector: Two conductor, 14 gauge

73R0102 — RD-5-4550-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 5/8" x 2 3/4" x 3"
Shaft: 5/16" diameter, Length: 13/16"
Non Vented
Connector: One conductor, 14 gauge

73R0104 — RD-5-4550-24P



Single Speed
24 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 3 7/8" x 3" x 3"
Shaft: 5/16" diameter, Length: 13/16"
Non Vented
Connector: One conductor, 14 gauge

73R0142 — RD-5-10070-0P



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 1/4" x 3 1/2" x 3"
Shaft: 5/16" diameter, Length: 1"
Vented
Connector: Three conductor, two-speed, orange-high, red-low

LS = Limited to stock on hand

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R0152 — RD-4183-0P



Single Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16″
Dimensions: 3 5/8″ x 2 3/4″ x 3″
Shaft: 5/16″ diameter, Length: 1 7/16″
Non Vented
Connector: One conductor, 14 gauge

73R0202 — RD-3106-18P



Single Speed
12 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16″
Dimensions: 3 7/8″ x 3″ x 3″
Shaft: 5/16″ diameter, Length: 1 7/16″
Non Vented
Connector: One conductor, 14 gauge

73R0204 — RD-3106-18-24P



Single Speed
24 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16″
Dimensions: 3 7/8″ x 3″ x 3″
Shaft: 5/16″ diameter, Length: 1 7/16″
Non Vented
Connector: One conductor, 14 gauge

73R0212 — RD-5-10390-0P



Single Speed
12 Volt
Rotates Either Direction
Stud Mounted, Span 2 5/16″
Dimensions: 4″ x 3 3/8″ x 3″
Shaft: 5/16″ diameter, Length: 1 1/2″
Non Vented
Connector: Two conductor, bare, 14 gauge

73R0322 — RD-5-6531-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16″
Dimensions: 4 1/2 x 3 5/8″ x 3″
Shaft: 5/16″ diameter, Length: 1 1/2″
Vented - RFI
Connector: Two conductor Packard #12034343

73R0332 — RD-5-10867-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Flange / Plate Mounted
Dimensions: 5″ x 4″ x 3″
Shaft: 5/16″ diameter, Length: 1 1/2″
Vented
Connector: Two conductors, female ring terminal, Packard #2984528

73R0352 — RD-5-6526-2P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16″
Dimensions: 5″ x 4″ x 3″
Shaft: 5/16″ diameter, Length: 3/4″
Vented
Connector: Two conductor Packard #2984528, 29718559

73R0364 — RD-5-6071-0P



Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16″
Dimensions: x 5″ x 4″ x 3″
Shaft: 5/16″ diameter, Length: 1″
Non Vented, 1″ diameter slinger
Connector: Two conductor, 14 gauge

73R0402 — RD-5-6526-1P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16″
Dimensions: 5″ x 4″ x 3″
Shaft: 5/16″ diameter, Length: 1 5/8″
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0404 — RD-5-4827-24P



Single Speed
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16″
Dimensions: 4 3/4″ x 4″ x 3″
Shaft: 5/16″ diameter, Length: 1 5/8″
Vented
Connector: 1/4″ female ring terminal with Packard #2984528, 2971859

LS = Limited to stock on hand

SINGLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R0422 — RD-5-6526-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductor Packard #29845284, 2971859

73R0432 — RD-5-8204-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 7/8"
Vented - RFI
Connector: Two conductor Packard #12034343

73R0442 — RD-5-10905-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 5/8" x 4 1/4" x 3"
Shaft: 5/16" diameter, Length: 1 3/4"
Vented
Connector: Two conductor Packard 1/4" blade terminal #2973781

73R0454 — RD-5-3751-24P



Single Speed
24 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 11/16" x 3 7/8" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductor Packard #2984528

73R0462 — RD-5-9100-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 5" x 4 1/4" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0512 — RD-5-5120-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/8"
Non Vented
Connector: Two conductor Packard 1/4" blade terminal

73R0514 — RD-5-5120-24P



Single Speed
24 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/8"
Non Vented
Connector: Two conductor Packard 1/4" blade terminal

73R0522 — RD-5-5230-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4 1/8" x 3"
Shaft: 5/16" diameter, Length: 1 1/8"
Non Vented
Connector: Two conductor, 14 gauge

73R0532 — RD-5-3690-1P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1"
Non Vented
Connector: Two conductor with ring terminal

73R0534 — RD-5-3690-1-24P



Single Speed
24 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/8"
Non Vented
Connector: Two conductor with ring terminal

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R0542 — RD-5-7129-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/4"
Non Vented
Connector: Male blade with Packard #8900420

73R0544 — RD-5-7129-24P



Single Speed
24 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 1/4"
Non Vented
Connector: Male blade with Packard #8900420

73R0552 — RD-3106-12P



Two Speed
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 1/4" x 3 13/32" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Vented
Connector: Two conductor, orange-high, red-low

73R0554 — RD-3106-12-24P



Two Speed
24 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 1/4" x 3 13/32" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Vented
Connector: Two conductor, orange-high, red-low

73R0582 — RD-5-14193-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4 1/4" x 3"
Shaft: 5/16" diameter, Length: 7/8"
Non Vented
Connector: Two conductor Packard, spade terminal

73R0572 — RD-5-14073-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Plate Mount: 7"
Dimensions: 4 1/4" x 4" x 3"
Shaft: 5/16" diameter, Length: 1.1"
Vented
Connector: Two conductor Packard male blade

73R0602 — RD-3106-13P



Two Speed
12 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 1/4" x 3 13/32" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Vented
Connector: Two conductor, orange-high, red-low

73R0604 — RD-3106-13-24P



Two Speed
24 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 1/4" x 3 13/32" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Vented
Connector: Two conductor, orange-high, red-low

73R0612 — RD-5-8922-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap/Stud Mounted, Span 2 5/16"
Dimensions: 5 1/8" x 4 11/16" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented, Strap Diameter: 6 3/4"
Connector: Two conductor Packard #12129939

73R0622 — RD-5-5269-2P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 7/8" x 4" x 3"
Shaft: 5/16" diameter, Length: 3 1/8"
Vented - RFI
Connector: Two conductor Packard #2984528

SINGLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R0642 — RD-5-10072-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 1/4" x 3 3/4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductors, ¼" male & female spade

73R0652 — RD-5-10069-1P



Two Speed – Economy
12 Volt
Rotates Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 9/16" x 3 5/8" x 3"
Shaft: 5/16" diameter, Length: 1 5/16"
Vented
Connector: Two conductor, orange-high, red-low

73R0654 — RD-5-10255-2P



Two Speed
24 Volt
Rotates Counter Clockwise
Brushless Motor
Stud / Strap Mounted
Dimensions: 4 11/64" x 4" x 3"
Shaft: 5/16" diameter, Shaft Length: 2 1/4"
Vented - RFI
Connector: Three conductor Packard

73R0662 — RD-5-8016-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 7/8" x 4 7/16" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Vented
Connector: Two conductors, female ring terminal, Packard #2984528

73R0702 — RD-5-4927-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 1/2" x 3 5/8" x 3"
Shaft: 5/16" diameter, Length: 1"
Vented
Connector: Two conductors, combined male/female bullet

73R0912 — RD-5-5512-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 3/4" x 4" x 3"
Shaft: 5/16" diameter, Shaft Length: 1 1/2"
Vented - RFI
Connector: Multiple adapters in kit

73R0922 — RD-5-5634-1P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 7/8" x 4 1/4" x 3"
Shaft: 5/16" diameter, Length: 1 5/8"
Vented
Connector: Two conductor Packard #2984528, 2971859

73R0962 — RD-5-8203-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 4 13/32" x 4" x 3"
Shaft: 5/16" diameter, Length: 2"
Vented
Connector: Two conductor, ¼" blade terminals Packard #2984528

73R0982 — RD-5-8255-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4 13/16" x 4" x 3"
Shaft: 5/16" diameter, Length: 1 5/16"
Vented, Strap diameter *: 6 5/16", 120° angle
Connector: Two female ring terminals

73R0984 — RD-5-6785-24P



Single Speed
24 Volt
Rotates Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16"
Dimensions: 5 5/8" x 4 11/16" x 3"
Shaft: 5/16" diameter, Length: 1"
Non Vented
Connector: ¼" female ring terminals, Packard #8900420

LS = Limited to stock on hand

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R1002 — RD-3-8657-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Stud Mounted, Span 2 5/16″
Dimensions: 4 3/8″ x 4″ x 3″
Shaft: 5/16″ diameter, Length: 1 13/16″
Vented - RFI

73R1052 — RD-5-4932-0P



Three Speed
12 Volt
Rotates Counter Clockwise
Field Wound Motor
Stud Mounted, Span 2 5/16″
Dimensions: 4 3/4″ x 4 1/4″ x 3 1/4″
Shaft: 5/16″ (with 3/8″ adapter) diameter,
Length: 1 5/32″ — Vented
Connector: Three conductor Packard #2971962 with terminal block

73R1064 — RD-5-9245-24P



Single Speed
24 Volt
Rotates Clockwise
Permanent Magnet Motor
Strap Mounted
Dimensions: 4 5/8″ x 4 3/16″ x 3″
Shaft: 5/16″ diameter, Length: 1 1/8″
Vented
Connector: Two conductors, combined male/female bullet

73R2102 — RD-5-4937-0P



Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Plate Mounted: 7″
Dimensions: 4 3/4″ x 4 1/8″ x 3 1/8″
Shaft: 5/16″ diameter, Length: 1 1/16″
Vented
Includes wire assembly
Connector: Male spade
OE# IHC 274243, ZGG16249

73R2112 — RD-5-10383-0P



Single Speed
12 Volt
Rotates Clockwise
Plate Mounted: 7.9″
Dimensions:
4 7/8″ x 4 1/8″ x 3 1/4″
Shaft: 5/16″ diameter,
Shaft Length: 1 1/16″
Vented
Connector:
Two conductor module

73R2132 — RD-5-10386-0P



Single Speed
12 Volt
Rotates Clockwise
Plate Mounted : 7.4″
Dimensions:
4 1/2″ x 4″ x 3″
Shaft: 5/16″ diameter,
Shaft Length: 1 1/16″
Vented
Connector:
Two conductor bullets

73R2142 — RD-5-10387-0P



Single Speed
12 Volt
Rotates Clockwise
Plate Mounted: 7.8″
Dimensions:
4 1/2″ x 3 5/8″ x 3 1/4″
Shaft: 5/16″ diameter,
Shaft Length: 1 5/8″
Vented
Connector:
Two conductor module

73R2152 — RD-5-10388-0P



Single Speed
12 Volt
Rotates Clockwise
Plate Mounted: 7.1″
Dimensions: 4 7/8″ x 4″ x 3 1/4″
Shaft: 5/16″ diameter, Length: 1 1/16″
Vented
Connector:
Two conductor female bullet

73R2162 — RD-5-14088-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Plate Mount: 6 1/2″
Dimensions: 4 3/4″ x 4 1/4″ x 3″
Shaft: 5/16″ diameter, Length: 1 5/8″
Vented
Connector: Two conductor
Packard

SINGLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R2212 — RD-5-8029-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Plate Mounted: 7.8"
Dimensions: 4 ¾" x 3 ¾" x 3"
Shaft: 5/16" diameter, Length: 1"
Vented
Ford OE#FIHZ-19805-A

73R2222 — RD-5-10381-0P



Single Speed
12 Volt
Rotates Clockwise
Plate Mounted: 7.9"
Dimensions:
4 7/8" x 4 1/8" x 3 1/4"
Shaft: 5/16" diameter,
Shaft Length: 1 1/16"
Vented
Connector:
Two conductor female bullet

73R2242 — RD-5-10382-0P



Single Speed
12 Volt
Rotates Either Direction
Plate Mounted: 7.86"
Dimensions:
4 7/8" x 4 1/8" x 3 1/4"
Shaft: 5/16" diameter,
Shaft Length: 1 1/16"
Vented
Connector:
Two conductor female bullet

73R2262 — RD-5-10053-0P



Single Speed
12 Volt
Rotates Either Direction
Black Finish
Plate Mounted
Dimensions: 4 1/2" x 3 1/2" x 3"
Shaft: 5/16" diameter, Length: 13/16"
Plate/Flange Diameter: 6 ¾"
Vented
Connector: Metripak

73R3002 — RD-5-11466-0P



Single Speed
12 Volt
Rotates Clockwise
Plate Mounted
Dimensions: 4" x 3 5/8" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Plate/Flange Diameter: 7"
Wheel: 6" diameter, 2 ½" high
Vented
Connector:
Two conductor
Packard terminal block
12065863 with 12020120 terminal

73R3022 — RD-5-10393-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Plate Mounted
Dimensions: 4 3/4" x 4 3/8" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Plate/Flange Diameter: 7"
Vented
Connector:
Two conductor
female Metripak

73R3032 — RD-5-10395-0P



Single Speed
12 Volt
Rotates Clockwise
Plate Mounted
Dimensions: 5" x 4 9/32" x 3"
Shaft: 5/16" diameter, Length: 1 1/4"
Plate/Flange Diameter: 6 ¾"
Vented
Connector:
Two conductor spade terminal

73R3052 — RD-5-10502-0P



Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Plate Mount
Dimensions: 4 1/4" x 3 13/16" x 3"
Shaft: 5/16" diameter, Length: 1 1/2"
Plate/Flange Diameter: 7 3/16"
Wheel: 6" diameter, 2 ½" width
Vented
Connector: Two conductor Packard
terminal block #12064750

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R3062 RD-5-11488-0P

Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Plate Mount
Dimensions: 4″ x 3 13/16″ x 3″
Shaft: 5/16″ diameter, Length: 1 1/2″
Plate/Flange Diameter: 7 3/16″
Wheel: 6″ diameter, 2 1/2″ width
Vented



73R3072 RD-5-11579-0P

Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
Plate Mount
Dimensions: 4 5/8″ x 3 3/4″ x 3 1/4″
Shaft: 5/16″ diameter, Length: 1 1/2″
Plate/Flange Diameter: 7 7/8″
Vented
Connector: Two conductor
module #373-112-01



73R3082 RD-5-11526-0P

Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Plate Mount: 76.8″
Dimensions: 3 3/4″ x 3 1/4″ x 3 1/4″
Shaft: 5/16″ diameter, Length: 3/4″
Vented
Connector: Two conductor male
blade Packard



73R3092 RD-5-11843-0P

Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Plate Mount: 7.82″
Dimensions: 4 1/2″ x 3 1/2″ x 3 1/4″
Shaft: 5/16″ diameter, Length: 1 1/2″
Vented
Connector: Two conductor
Packard male blade module
OE# Sterling XC4H-19805-AA



LS = Limited to stock on hand

73R3102 RD-5-12551-0P

Single Speed
12 Volt
Rotates Clockwise
Permanent Magnet Motor
Dimensions: 4 3/8″ x 4″ x 3″
Shaft: 5/16″ diameter, Length: 1 7/16″
Wheel: 7″ diameter, 4″ width
Connector: two conductor
Mack OE#7787-869445



73R3112 RD-5-14612-0P

Single Speed
12 Volt
Rotates CounterClockwise
Permanent Magnet Motor
Flange Mount
Dimensions: 7 1/2″ diameter
Shaft: 5/16″ diameter, Length: 1 1/2″
Connector:
Proster
OE# 3674285C1



73R3122 RD-5-13067-0P

Single Speed
12 Volt
Rotates Clockwise
Flange Mount
Freightliner/Volvo BOA 94350,
BOAD 8587



73R3132 RD-5-13068-0P

Single Speed
12 Volt
Diameter: 7.75″
Rotates Clockwise
Flange Mount
Navistar BOA 80-415-00-879,
3452611C2



SINGLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R3142 RD-5-13069-0P

Single Speed
12 Volt
Diameter: 7.15″
Rotates Clockwise
Flange Mount
Peterbilt with Signet 5X012163




73R3162 RD-5-15574-0P

Single Speed
12 Volt
Rotates Clockwise
Flange Mount
Dimensions: 6 7/16″ x 7 13/64″
IHC/Proster
3599581C2
2602570C92
3839363C91



LS = Limited to stock on hand



NOTE:

1. Installation determines rotation.
2. On permanent magnet motors the red or orange lead is positive.
3. Motor type FW field wound, PM permanent magnet.

DOUBLE SHAFT – Listed in ascending order by overall length [A]

[A] Overall Length	[B] Motor Length	[C] Shaft Length	Shaft Diameter	[D] Motor Diameter	Speed	Shaft Rotation	Type	Mount	Vent	Red Dot Part No.	Factory No.
12 VOLT											
4	3 3/8	3 1/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4062**	RD-5-5614-0P
4	3 13/32	3	5/16	3	3	CW / CCW	FW	Strap/Stud 2 5/16	V	**73R4102**	RD-5-3780-0P
4 13/32	4	2	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	NV	**73R4202**	RD-5-3757-12P
4 3/4	4	2 1/2	5/16	3	1	CW / CCW	PM	Stud, span 2 5/16	V	**73R4162**	RD-5-5190-0P
4 1/2	4	2 5/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4182**	RD-5-6801-0P
4 3/4	4	3 5/8	5/16	3	1	CW / CCW	PM	Stud, span 2 5/16	V	**73R4122**	RD-5-8032-0P
4 13/16	4	2 1/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4262**	RD-5-5121-1P
4 13/16	4	3 5/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4252**	RD-5-5121-0P
4 7/8	4 1/2	2 1/2	5/16	3	1	CW / CCW	PM	Stud, span 2 5/16	V	**73R4322**	RD-5-10068-0P
5 1/8	4 1/2	2 7/16	5/16	3	1	CW / CCW	FW	Stud, span 2 5/16	V	**73R4532**	RD-3-10538-0P
5 1/4	4 1/2	2 7/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4422**	RD-5-5049-1P
5 5/16	4 1/2	2 7/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4242**	RD-5-8126-0P
5 3/8	4 1/2	2 13/16	5/16	3	1	CW / CCW	PM	Stud, span 2 5/16	V	**73R4312**	RD-5-10073-0P
5 3/4	4 3/4	2 5/8	3/8	3	1	CW / CCW	PM	Stud, span 2 5/16	NV	**73R4602**	RD-5-5837-0P
24 VOLT											
3 11/16	3 3/8	3 1/4	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4064**	RD-5-6969-0P
4 13/32	4	2	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	NV	**73R4204**	RD-5-3757-24P
4 13/16	4	2 1/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4264**	RD-5-5121-2P
4 13/16	4	3 5/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4254**	RD-5-5121-24P
5 5/16	4 1/2	2 7/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	V	**73R4424**	RD-5-5049-2P
5 3/8	4 1/2	2 7/8	5/16	3	1	CW / CCW	PM	Stud, span 2 5/16	V	**73R4504**	RD-5-4233-24P
5 3/4	5	3 3/8	5/16	3	1	CW / CCW	PM	Strap/Stud 2 5/16	NV	**73R4274**	RD-5-10054-0P

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R4062 — RD-5-5614-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4" x 3 3/8" x 3 1/8"
Shafts: 5/16" diameter, length: 3 1/4"
Vented
Connector: Two conductor Packard terminal block #2971859, 1/4" blade terminal

73R4102 — RD-5-3780-0P



Three Speed
12 Volt
Field Wound Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 4" x 3 13/32" x 3"
Shafts: 5/16" diameter, length: 3"
Vented
Connector: Four conductor 1/4" female spade

73R4064 — RD-5-6969-0P



Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5/16
Dimensions: 3 11/16" x 3 3/8" x 3"
Shafts: 5/16" diameter, length: 3 1/4"
Vented
Connector: Two conductor Packard terminal block #8900420, 1/4" blade terminal

73R4122 — RD-5-8032-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5/16
Dimensions: 4 3/4" x 4 " x 3"
Shafts: 5/16" diameter, length: 3 5/8"
Vented - RFI
Connector: Two conductor Packard #8900420, 1/4" blade terminal

DOUBLE SHAFT MOTORS

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R4162 — RD-5-5190-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2 1⁄2"
Vented
Connector: Two conductor spade terminal

73R4182 — RD-5-6801-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 3⁄4" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2 5⁄8"
Vented
Connector: 1⁄4" spade receptacle

73R4202 — RD-5-3757-12P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 13⁄32" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2"
Non Vented
Connector: Ring terminal with Packard #2984528
1⁄4" blade

73R4204 — RD-5-3757-24P



Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 13⁄32" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2"
Non Vented
Connector: Ring terminal with Packard #2984528, 1⁄4" blade

73R4242 — RD-5-8126-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 5 5⁄16" x 4 1⁄2" x 3"
Shafts: 5⁄16" diameter, length: 2 7⁄8"
Vented
Connector: Two conductor Packard #2984528, 1⁄4" blade

73R4252 — RD-5-5121-0P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 13⁄16" x 4" x 3"
Shafts: 5⁄16" diameter, length: 3 5⁄8"
Vented
Connector: Two conductor Packard #8900420, 1⁄4" blade

73R4254 — RD-5-5121-24P



Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 13⁄16" x 4" x 3"
Shafts: 5⁄16" diameter, length: 3 5⁄8"
Vented
Connector: Two conductor Packard #8900420,
1⁄4" blade terminal

73R4262 — RD-5-5121-1P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 13⁄16" x 4" x 3
Shafts: 5⁄16" diameter, length: 2 1⁄8"
Vented
Connector: Two conductor Packard #8900420,
1⁄4" blade terminal

73R4264 — RD-5-5121-2P



Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 4 13⁄16" x 4" x 3"
Shafts: 5⁄16" diameter, length: 2 1⁄8"
Vented
Connector: Two conductor Packard #8900420,
1⁄4" blade terminal

73R4274 — RD-5-10054-0P



Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 5 3⁄4" x 5" x 3"
Shafts: 5⁄16" diameter, length: 3 3⁄8"
Non Vented
Connector: Two conductor
Deutsch #DT04-2P-E005

Dimensions are listed in order by **Overall Length** x **Motor Length** x **Motor Diameter**

73R4312 — RD-5-10073-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 5 3⁄8″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 13⁄16″
Vented
Connector: Two conductor 1⁄4″ spade receptacle

73R4322 — RD-5-10068-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 4 7⁄8″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 1⁄2″
Vented
Connector: Two conductor spade receptacle

73R4422 — RD-5-5049-1P



Single Speed
12 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 5 1⁄4″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 7⁄8″
Vented
Connector: Two conductor Packard #2984528
1⁄4″ blade terminal

73R4424 — RD-5-5049-2P



Single Speed
24 Volt
Permanent Magnet Motor
Strap / Stud Mounted, Span 2 5⁄16
Dimensions: 5 5⁄16″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 7⁄8″
Vented
Connector: Two conductor Packard #2984528
1⁄4″ blade terminal

73R4504 — RD-5-4233-24P



Single Speed
24 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 5 3⁄8″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter, length: 2 27⁄32″
Vented
Connector: Two conductor, ring terminal
with Packard #2984528 1⁄4″ blade

73R4532 — RD-3-10538-0P




Single Speed
12 Volt
Field Wound Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 5 1⁄8″ x 4 1⁄2″ x 3″
Shafts: 5⁄16″ diameter,
Shaft length: 2 7⁄16″
Vented
Includes gasket and wire assembly
Connector: Two conductor integrated spade receptacle

73R4602 — RD-5-5837-0P



Single Speed
12 Volt
Permanent Magnet Motor
Stud Mounted, Span 2 5⁄16
Dimensions: 5 3⁄4″ x 4 3⁄4″ x 3″
Shafts: 3⁄8″ diameter, length: 2 5⁄8″
Non Vented

MOTORS/PANCAKE FAN ASSEMBLY



NOTE:
A. Overall diameter of fan assembly
B. Overall height of fan assembly
C. Mounting hole distance (upper left to upper right)
D. Mounting hole distance (upper to lower)
E. Maximum thickness of fan assembly

PANCAKE FANS – Listed in ascending order by overall diameter **[A]**

[A] Overall Diameter	[B] Overall Height	[C] Mounting Holes Width	[D] Mounting Holes Height	[E] Thickness	Rotation	Push/Pull	Speed	Voltage	Type	Red Dot Part No.	Factory No.
12 VOLT											
8	8 1/4	6	6	2 1/2	CW	Push	1	12	PM	**73R8702**	RD-5-8759-1P
10 5/8	11 1/4	5 5/8	9 3/4	2	CW	Pull	1	12	PM	**73R8562**	RD-5-8703-2P
11 1/2	12 3/16	6 1/8	10 5/8	2	CW	Pull	1	12	PM	**73R8612**	RD-5-8627-5P
12 5/8	13 1/4	6 5/8	11 1/2	2	CCW	Pull	1	12	PM	**73R8582**	RD-5-8631-2P
13	13	9 3/8	9 3/8	3 3/4	CCW	Push	1	12	PM	**73R8642**	RD-5-9076-2P
13	13	9 3/8	9 3/8	3 3/4	CCW	Pull	1	12	PM	**73R8652**	RD-5-8747-4P
13	13	9 3/8	9 3/8	3 3/4	CCW	Pull	1	12	PM	**73R8622**	RD-5-13259-0P
15 3/4	16 1/4	8 1/8	14	2 1/2	CW	Pull	1	12	PM	**73R8592**	RD-5-8785-2P
24 VOLT											
10 5/8	11 1/4	5 5/8	9 3/4	2	CW	Pull	1	24	PM	**73R8564**	RD-5-8703-3P
10 3/4	11 1/4			5	CCW	Pull	1	24	PM	**73R8674**	RD-5-10933-1P
11 1/2	12 3/16	6 1/8	10 5/8	2	CW	Pull	1	24	PM	**73R8554**	RD-5-8559-0P
11 1/2	12 3/16	6 1/8	10 5/8	2	CW	Pull	1	24	PM	**73R8614**	RD-5-8627-6P
12 5/8	13 1/4	6 5/8	11 1/2	2	CCW	Pull	1	24	PM	**73R8584**	RD-5-8631-3P
13	13	9 3/8	9 3/8	3 3/4	CCW	Push	1	24	PM	**73R8644**	RD-5-9076-3P
13	13	9 3/8	9 3/8	3 3/4	CCW	Pull	1	24	PM	**73R8654**	RD-5-8747-5P
13	13	9 3/8	9 3/8	3 3/4	CCW	Pull	1	24	PM	**73R8624**	RD-5-13259-1P
15 3/4	16 1/4	8 1/8	14	2 1/2	CW	Pull	1	24	PM	**73R8594**	RD-5-8785-5P

Operating temperature in working conditions must range between -4˚F (-20˚C) and +176˚F (+80˚C)

73R8554 RD-5-8559-0P

Single Speed Puller
24 Volt
Rotates Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
11½" diameter x 2" thick,
Height: 12 3/16"



73R8562 RD-5-8703-2P

Single Speed Puller
12 Volt
Rotates Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
10 5/8" diameter x 2" thick
Height: 11 1/4"



73R8564 RD-5-8703-3P

Single Speed Puller
24 Volt
Rotates Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
10 5/8″ diameter x 2″ thick
Height: 11 1/4″



73R8582 RD-5-8631-2P

Single Speed Puller
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
12 5/8″ diameter x 2″ thick
Height: 13 1/4″



73R8584 RD-5-8631-3P

Single Speed Puller
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
12 5/8″ diameter x 2″ thick
Height: 13 1/4″



73R8592 RD-5-8785-2P

Single Speed Puller
12 Volt
Rotates Clockwise
Permanent Magnet
mounted with Shroud & Fan
Dimensions:
15 3/4″ diameter x 2 1/2″ thick
Height: 16 1/4″



73R8594 RD-5-8785-5P

Single Speed Puller
24 Volt
Rotates Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
15 3/4″ diameter x 2 1/2″ thick
Height: 16 1/4″



73R8612 RD-5-8627-5P

Single Speed Puller
12 Volt
Rotates Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
11 1/2″ diameter x 2″ thick
Height: 12 3/16″



73R8614 RD-5-8627-6P

Single Speed Puller
24 Volt
Rotates Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
11 1/2″ diameter x 2″ thick
Height: 12 3/16″



73R8622 RD-5-13259-0P

Single Speed Puller
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13″ diameter x 3 3/4″ thick
Height 13″



MOTORS/PANCAKE FAN ASSEMBLY

73R8624 — RD-5-13259-1P

Single Speed Puller
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13″ diameter x 3 ¾″ thick
Height 13″



73R8642 — RD-5-9076-2P

Single Speed
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor



73R8644 — RD-5-9076-3P

Single Speed Pusher
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13″ diameter x 3 ¾″ thick
Height 13″



73R8652 — RD-5-8747-4P

Single Speed Puller
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13″ diameter x 3 ¾″ thick
Height 13″



73R8654 — RD-5-8747-5P

Single Speed Puller
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13″ diameter x 3 ¾″ thick
Height 13″



73R8674 — RD-5-10933-1P

Single Speed Puller
24 Volt
Rotates Counter Clockwise
Brushless Motor
mounted with Shroud & Fan
Dimensions:
10 ¾″ diameter x 5″ thick
Height 11 ¼″



73R8702 — RD-5-8759-1P

Single Speed Pusher
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
8″ diameter x 2 ½″ thick
Height: 8 ¼″



73R8712 — RD-5-14681-0P

Single Speed Pusher
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
12″ diameter x 4″ thick
Height 12″




73R8714 RD-5-14281-1P

Single Speed Puller
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
9″ diameter x 2″ thick
Height 9″




73R8722 RD-5-14682-0P

Single Speed Puller
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13″ diameter x 2 ½″ thick
Height 13″



73R8732 RD-5-14683-0P

Single Speed Pusher
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
12″ diameter x 4″ thick
Height 12″



73R8742 RD-5-13259-2P

Single Speed Puller
12 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13″ diameter x 4 ¾″ thick




73R8744 RD-5-13259-3P

Single Speed Puller
24 Volt
Rotates Counter Clockwise
Permanent Magnet Motor
mounted with Shroud & Fan
Dimensions:
13″ diameter x 3 ¾″ thick



BLOWER ASSEMBLIES



Listed in ascending order by **overall length [A]** x **width [B]** x **height [C]**

[A] Overall Length	[B] Width	[C] Height	Speed	CFM	Red Dot Unit Model	Red Dot Part No.	Factory No.	Resistor
12 VOLT								
4 3/4	3 1/8	4 5/8	3	153	R-290-0	**73R5522**	RD-5-8835-0P	71R1405
6 1/2	5 5/8	5 1/2	1	350	R-6830-0, R-9792-0	**73R5572**	RD-5-9194-0P	
12 1/4	3 1/8	4 1/2	3	442	R-295-0, R-9750-3, -4, -5, -6, R-8545-16	**73R5532**	RD-5-8837-0P	71R1403
12 1/4	3 1/8	4 1/2	1	253	R-6500	**73R5642**	RD-5-8837-1P	
13 3/4	5 3/8	5 1/8	3	619	R-1620, R-9777-0,-1	**73R5552**	RD-5-8583-0P	71R1402
13 3/4	6 1/2	5	3	684	R-1400, R-2550 (late), R-2820	**73R5622**	RD-5-9204-0P	71R1402
13 7/8	5	4 1/8		240	R-9755-0	**73R5662**	RD-5-12742-0P	
14 3/4	5	4 11/32	1	360	R-2000-6	**73R5512**	RD-5-14191-0P	
17 3/4	4	4 3/4	3	442	R-8500-2P, R-8500-3P	**73R5672**	RD-3-14448-0P	
18 7/16	3	6 21/32	1	800	R-9715-0, Transair 412025	**73R5502**	RD-3-6770-0P	
18 1/2	7 1/2	6 1/2	1	800	R-9475-0	**73R5632**	RD-3-9290-0P	
24 VOLT								
4 3/4	3 1/8	4 5/8	3	153	R-290-0-24	**73R5524**	RD-5-8836-0P	71R1405
6 1/2	5 5/8	5 1/2	1	350	R-6830-0-24 with Metripak plug	**73R5584**	RD-5-9194-1P	
6 1/2	5 5/8	5 1/2	1	350	R-6830-0-24 with AMP 180 906-0 plug	**73R5574**	RD-5-9194-24P	
12 1/4	3 1/8	4 1/2	3	442	R-295-0-24, R-9750-3-24, -4-24, -5-24, -6-24	**73R5534**	RD-5-8838-0P	71R1404
13 3/4	5 3/8	5 1/8	3	619	R-1620-0-24, -1-24, R-9777-0-24, -1-24	**73R5554**	RD-5-8583-1P	71R1401
13 3/4	6 1/2	5	3	684	R-2825, R-9007	**73R5624**	RD-5-9204-1P	71R1401
13 7/8	5	4 1/8		240	R-9755-0-24	**73R5664**	RD-5-12742-24P	
14 3/4	5	4 11/32	1	360	R-2000-6-24	**73R5514**	RD-5-8526-1P	
17 3/4	4 3/4	4 1/2	3	442	R-8500-2P, R-8500-3P-24P	**73R5674**	RD-3-14448-1P	
18 7/16	3	6 21/32	1	800	R-9715-0-24	**73R5504**	RD-3-6770-24P	
18 1/2	7 1/2	6 1/2	1	800	R-9475-0-24	**73R5634**	RD-3-9290-24P	


BLOWER ASSEMBLIES by OEM Model

[A] Overall Length	[B] Height	[C] Width	Speed	Volt	OEM Model	Red Dot Part No.	Factory No.	Resistor
13 3/4	5 3/8	5 1/8	1	12	Freightliner, OE# 2809-820-016; 301147	**73R5562** LS	RD-5-8948-0P	

* Operating temperature in working conditions must range between -4˚F (-20˚C) and +176˚F (+80˚C)

73R5502 — RD-3-6770-0P

Single Speed – 800 CFM – 12 volt
18 7/16" x 3" x 6 21/32"
Use with Red Dot Model R-9715-0
Connector: Two conductor Packard terminal #2984528



73R5504 — RD-3-6770-24P

Single Speed – 800 CFM – 24 volt
18 7/16" x 3" x 6 21/32"
Use with Red Dot Model R-9715-0-24
Connector: Two conductor Packard terminal #2984528



LS = Limited to stock on hand

73R5512 RD-5-14191-0P

Single Speed – 360 CFM – 12 volt – 14 ¾″ x 5″ x 4 11/32″
Use with Red Dot Model R-2000-6
Connector: Packard 2971859, 02965142



73R5514 RD-5-8526-1P

Single Speed – 360 CFM – 24 volt – 14 ¾″ x 5″ x 4 11/32″
Use with Red Dot Model R-2000-6-24
Connector: Packard 2971859, 02965142



73R5522 * RD-5-8835-0P

Three Speed – 153 CFM – 12 volt
4 ¾″ x 3 1/8″ x 4 5/8″
Use with Red Dot Model R-290-0
Connector: Three conductor module connector




73R5524 * RD-5-8836-0P

Three Speed – 153 CFM – 24 volt
4 ¾″ x 3 1/8″ x 4 5/8″
Use with Red Dot Model R-290-0-24
Connector: Three conductor module connector




73R5532 * RD-5-8837-0P

Three Speed – 442 CFM – 12 volt – 12 ¼″ x 3 1/8″ x 4 ½″
Use with Red Dot Model R-295-0, R-9750-3,-4,-5,-6
Replacement Resistor: 71R1403




73R5534 * RD-5-8838-0P

Three Speed – 442 CFM – 24 volt – 12 ¼″ x 3 1/8″ x 4 ½″
Use with Red Dot Model R-295-0-24, R-9750-3-24,-4-24,-5-24,-6-24
Replacement Resistor: 71R1404



73R5552 * RD-5-8583-0P

Three Speed – 619 CFM – 12 volt – 13 ¾″ x 5 3/8″ x 5 1/8″
Use with Red Dot Model R-1620, R-9777-0,-1
Replacement Resistor 71R1402



73R5554 * RD-5-8583-1P

Three Speed – 619 CFM – 24 volt – 13 ¾″ x 5 3/8″ x 5 1/8″
Use with Red Dot Models R-1620-1-24, R-1620-0-24, R-9777-0-24 & R-9777-1-24
Replacement Resistor 71R1401



* Operating temperature in working conditions must range between -4˚F (-20˚C) and +176˚F (+80˚C)

BLOWER ASSEMBLIES

73R5562 RD-5-8948-0P

LS Single Speed – 12 volt – 13 ¾" x 5 ⅜" x 5 ⅛"
Use on Freightliner models 2809-820-016, 301147
Connector: Two conductor MetrIpak



73R5572 RD-5-9194-0P

Single Speed – 300 CFM – 12 volt – 6 ½" x 5 ⅝" x 5 ½"
Use on Red Dot Models:
R-6830-0, R-9792-0
Connector: Two conductor Metripak




73R5574 RD-5-9194-24P

Single Speed – 350 CFM – 24 volt – 6 ½" x 5 ⅝" x 5 ½"
Use on Red Dot Model: R-6830-0-24P
Connector: AMP 180 906-0



73R5622 * RD-5-9204-0P

Three Speed – 684 CFM – 12 volt – 13 ¾" x 6 ½" x 5"
Use on Red Dot Models: R-1400, R-2550, R-2820
Replacement Resistor 71R1402



73R5624 * RD-5-9204-1P

Three Speed – 684 CFM – 24 volt – 13 ¾" x 6 ½" x 5"
Use on Red Dot Models: R-2825, R-9007
Replacement Resistor 71R1401



73R5632 RD-3-9290-0P

Single Speed – 800 CFM – 12 volt – 18 ½" x 7 ½" x 6 ½"
Use on Red Dot Models: R-9475-0



73R5634 RD-3-9290-24P

Single Speed – 800 CFM – 24 volt – 18 ½" x 7 ½" x 6 ½"
Use on Red Dot Models: R-9475-0-24



73R5642 * RD-5-8837-1P

Single Speed – 253 CFM – 12 volt – 12 ¼" x 3 ⅛" x 4 ½"
Use on Red Dot Models: R-6500



LS = Limited to stock on hand

* Operating temperature in working conditions must range between -4˚F (-20˚C) and +176˚F (+80˚C)

73R5652 RD-5-14046-0P

Single Speed – 253 CFM – 12 volt – 12 ¼" x 3 ⅛" x 4 ½"
Use on Volvo 3946686



73R5662 RD-5-12742-0P

Single Speed – 240 CFM – 12 volt – 13 ⅞" x 5" x 4 ½"
Use on Red Dot Model R-9755-0-24P




73R5664 RD-5-12742-24P

Single Speed – 240 CFM – 24 volt – 13 ⅞" x 5" x 4 ½"
Use on Red Dot Model R-9755-0-24P




73R5672 RD-3-14448-0P

Three Speed – 442 CFM – 12 volt – 17 ¾" x 4 ¾" x 4 ½"
Use on Red Dot Models: R-8500-2P, R-8500-3P



73R5674 RD-3-14448-1P

Three Speed – 442 CFM – 24 volt – 17 ¾" x 4 ¾" x 4 ½"
Use on Red Dot Models: R-8500-2P, R-8500-3P-24P



73R5682 RD-2-3000-0P

Single Speed – 360 CFM – 12 volt – 14 ¾" x 5" x 4 11/32"
Use on Red Dot Models: R-2000
Connector: Packard 2971859, 02965142


Image Not Available

* Operating temperature in working conditions must range between -4˚F (-20˚C) and +176˚F (+80˚C)

BLOWER ASSEMBLY REPLACEMENT RESISTORS

Part No.	Factory No.	Fits	Amps	Terminals Resistance (ohms) 1	2	3
71R1401	RD-5-9445-0P	73R5554, 73R5624	22	1.5	.75	0
71R1402	RD-5-9437-0P	73R5552, 73R5622	22	.5	.25	0
71R1403	RD-5-9447-0P	73R5532	12	1	.5	0
71R1404	RD-5-9448-0P	73R5534	12	2	1	0
71R1405	RD-5-9449-0P	73R5524	22	2	1	0

ALL PURPOSE FANS



The all purpose fan is designed to mount on either Horizontal (dash) or vertical (wall) surfaces. A unique spring loaded ball and socket allows easy adjustment of air direction, but once set remains in position. The 73R9052 fan blade has a matte black polypropylene fan guard and the 73R9062 uses a bright chrome metal wire guard.

ALL PURPOSE FANS - Listed in ascending order by **Fan Diameter** [**A**]

[A] Fan Diameter	[B] Fan Overall Height	[C] Fan Guard Width	[D] Overall Fan Depth	Rotation	*Speed	SPDT Switch Function	Rating	Finish	Red Dot Part No.	Factory No.
12 VOLT										
7 1/3	8 2/3	1 13/16	5	CW	2	Off-Low-High	Hi spd @ 160 cfm	Black	**73R9052**	RD-5-4575-0P
7 1/3	8 2/3	1 13/16	5	CW	2	Off-Low-High	Hi spd @ 160 cfm	Black	**73R9072**	RD-5-5887-0P
7 1/2	8 5/8	2 3/16	5 1/4	CW	2	On-Off-On	3.3 amps @ 13.6VDC	Black/Chrome	**73R9062**	RD-5-5796-0P
7 1/2	8 3/4	-	5 3/8	CW	2	Off-Low-High	3.3 amps @ 13.6VDC	Chrome	**73R9082**	RD-5-10490-0P
7 1/2	8 3/4	-	5 3/8	CW	2	Off-Low-High	3.3 amps @ 13.6VDC	Black	**73R9092**	RD-5-10490-4P
24 VOLT										
7 1/3	8 2/3	1 13/16	5	CW	2	Off-Low-High	1.65 amps @ 27.2 VDC	Black, Metal/Plastic	**73R9054**	RD-5-4575-24P
7 1/2	8 3/4	2 3/16	5 1/4	CW	2	On-Off-On	1.65 amps @ 27.2 VDC	Chrome	**73R9064**	RD-5-5796-24P

73R9052 RD-5-4575-0P

12V, Plastic Cage, two wire with toggle

73R9054 RD-5-4575-24P

24V, Plastic Cage, two wire with toggle



73R9062 RD-5-5796-0P

12V, Metal Cage

73R9064 RD-5-5796-24P

24V, Metal Cage



73R9072 RD-5-5887-0P

12V, Plastic Cage, three wire, uses remote switch



73R9082 RD-5-10490-0P

12V, Metal Cage, two wire with toggle



73R9092 RD-5-10490-4P

12V, Black Metal Cage, two wire with togale



FAN BLADES

Listed in ascending order by blade diameter

Part No.	Factory No.	Diameter	Bore Diameter	Rotation*	Pitch	Material
73R8050	RD-5-3133-9P	6	¼	CW	—	Plastic
73R8081	RD-5-13533-0P	8	5⁄16	CW	32°	Steel
73R8100	RD-5-7297-0P	10	5⁄16	CW	28°	Aluminum
73R8110	RD-4-3508-0P	10	5⁄16	CW	22°	Aluminum
73R8320	RD-5-10083-0P	10	5⁄16	CCW	18°	Aluminum

* Rotation as viewed from discharge side.

6″ Diameter

73R8050 RD-3133-9P

6″ Diameter



8″ Diameter

73R8081 RD-5-13533-0P

8″ Diameter



10″ Diameter


73R8100 RD-5-7297-0P

10″ Diameter, 28˚ Pitch



73R8110 RD-4-3508-0P

10″ Diameter, 22˚ Pitch





73R8320 RD-5-10083-0P

10″ Diameter, 18˚ Pitch



BLOWER WHEELS





Listed in ascending order by **wheel diameter**

	[A] Wheel Diameter	[B] Width	[C] Hub Inset	Bore Diameter	Rotation*	Material	Red Dot Part No.	Factory No.
SINGLE ENTRY	3 13/16	2 1/2	Flat	5/16	CCW	Steel	**73R6300**	RD-5-7312-0P
	3 13/16	2 1/2	Flat	5/16	CW	Steel	**73R6350**	RD-5-7311-0P
	5	3	1/2	5/16	CW	Plastic	**73R7215**	RD-5-14613-0P
	5 1/4	2 1/2	7/8	5/16	CW	Steel	**73R6101**	RD-3106-38P
	5 1/4	2 1/2	7/8	5/16	CCW	Steel	**73R6151**	RD-3106-39P
	5 1/4	3 7/16	Flat	5/16	CW	Steel	**73R6251**	RD-5-3800-1P
	5 1/4	3 1/2	Flat	5/16	CW	Steel	**73R6230**	RD-5-5263-0P
	5 1/4	3 1/2	7/8	5/16	CCW	Steel	**73R6051**	RD-5-8618-0P
	5 5/8	2 3/4	7/8	5/16	CCW	Plastic	**73R6253**	RD-5-10753-0P
	5 3/4	3	1 13/16	5/16	CCW	Plastic	**73R6370**	RD-5-5601-0P
	5 3/4	3 1/8	7/8	5/16	CW	Steel	**73R6381**	RD-5-6651-1P
	5 3/4	3 1/4	Flat	5/16	CW	Steel	**73R6270**	RD-5-8947-0P
	5 3/4	3 1/4	Flat	5/16	CCW	Steel	**73R6383**	RD-5-10435-0P
DOUBLE ENTRY	3 3/16	3 13/16	1 1/8	5/16	Dual	Plastic	**73R7000**	RD-5-5656-0P
	3 5/16	3 3/4	1 13/16	5/16	Dual	Steel	**73R7071**	RD-3-4829-1P
	3 3/4	3 7/8	1 7/8	5/16	Dual	Steel	**73R7101**	RD-5-3933-1P
	3 13/16	4 5/32	2	5/16	CW	Steel	**73R7110**	RD-5-6970-0P
	3 13/16	4 5/32	2	5/16	CCW	Steel	**73R7120**	RD-5-6970-1P
	4 1/4	3 1/4	1 11/16	5/16	Dual	Plastic	**73R7135**	RD-5-13230-0P
	4 3/4	3 7/32	1 1/16	5/16	Dual	Plastic	**73R7130**	RD-5-10346-0P
	5	3 7/8	1 5/8	5/16	CCW	Steel	**73R7210**	RD-5-8092-1P
	5	3 7/8	2	5/16	CW	Steel	**73R7200**	RD-5-8092-0P
	5 1/4	3 3/4	1/2	5/16	CCW	Plastic	**73R7202**	RD-5-10935-2P
	5 1/4	3 3/4	1 7/8	5/16	Dual	Steel	**73R7151**	RD-3-2557-2P
	5 5/16	3 3/4	1/2	5/16	Dual	Plastic	**73R7201**	RD-5-10935-0P

NOTE: * Rotation is determined by facing hub as pictured

SINGLE ENTRY BLOWER WHEELS

73R6051 RD-5-8618-0P

5 1/4" diameter, 3 1/2" width
5/16" bore diameter
Hub inset: 7/8"
Counter Clockwise Rotation
Steel



73R6101 RD-3106-38P

5 1/4" diameter, 2 1/2" width
5/16" bore diameter
Hub inset: 7/8"
Clockwise Rotation
Steel



SINGLE ENTRY BLOWER WHEELS

73R6151 RD-3106-39P

5 ¼" diameter, 2 ½" width
5/16" bore diameter
Hub inset: 7/8"
Counter Clockwise Rotation
Steel



73R6230 RD-5-5263-0P

5 ¼" diameter, 3 ½" width
5/16" bore diameter
Hub inset: ¾"
Clockwise Rotation
Steel



73R6251 RD-5-3800-1P

5 ¼" diameter, 3 7/16" width
5/16" bore diameter
Hub inset: Flat
Clockwise Rotation
Steel



73R6253 RD-5-10753-0P

6" diameter, 3" width
5/16" bore diameter
Hub inset: 1 ½"
Counter Clockwise Rotation
Plastic



73R6270 RD-5-8947-0P

5 ¾" diameter, 3 ¼" width
5/16" bore diameter
Hub inset: Flat
Clockwise Rotation
Steel



73R6300 RD-5-7312-0P

3 13/16" diameter, 2 ½" width
5/16" bore diameter
Hub inset: Flat
Counter Clockwise Rotation
Steel




73R6350 RD-5-7311-0P

3 13/16" diameter, 2 ½" width
5/16" bore diameter
Hub inset: Flat
Clockwise Rotation
Steel



73R6370 RD-5-5601-0P

5 ¾" diameter, 3" width
5/16" bore diameter
Hub inset: 1 13/16"
Counter Clockwise Rotation
Plastic



73R6381 RD-5-6651-1P

5 ¾" diameter, 3 1/8" width
5/16" bore diameter
Hub inset: 7/8"
Clockwise Rotation
Steel



73R6383 RD-5-10435-0P

5 ¾" diameter, 3 ¼" width
5/16" bore diameter
Hub inset: Flat
Counter Clockwise Rotation
Steel



BLOWER WHEELS

SINGLE ENTRY BLOWER WHEELS

73R7215 RD-5-14613-0P

5" diameter, 3" width
5/16" bore diameter
Hub inset: 1/2"
Clockwise Rotation
Plastic
John Deere - CB11454747



DOUBLE ENTRY BLOWER WHEELS

73R7000 RD-5-5656-0P

3 3/16" diameter, 3 13/16" width
5/16" bore diameter
Hub inset: 1 1/8"
Dual Rotation
Plastic



73R7071 RD-3-4829-1P

3 5/16" diameter, 3 3/4" width
5/16" bore diameter
Hub inset: 1 13/16"
Dual Rotation
Steel



73R7101 RD-5-3933-1P

3 3/4" diameter, 3 7/8" width
5/16" bore diameter
Hub inset: 1 7/8"
Dual Rotation
Steel



73R7110 RD-5-6970-0P

3 13/16" diameter, 4 5/32" width
5/16" bore diameter
Hub inset: 2"
Clockwise Rotation
Steel



73R7120 RD-5-6970-1P

3 13/16" diameter, 4 5/32" width
5/16" bore diameter
Hub inset: 2"
Counter Clockwise Rotation
Steel



73R7130 RD-5-10346-0P

4 3/4" diameter, 3 7/32" width
5/16" bore diameter
Hub inset: 1 1/16"
Clockwise Rotation
Plastic



73R7135 RD-5-13230-0P

4 1/2" diameter, 3 1/4" width
Bore Diameter: 5/16" bore diameter
Clockwise / Counter Clockwise Rotation
Plastic



73R7151 RD-3-2557-2P

5 1/4" diameter, 3 3/4" width
5/16" bore diameter
Hub inset: 1 7/8"
Dual Rotation
Steel



DOUBLE ENTRY BLOWER WHEELS

73R7200 — RD-5-8092-0P

5″ diameter, 3 ⅞″ width
⅝″ bore diameter
Hub inset: 2″
Clockwise Rotation
Steel



73R7201 — RD-5-10935-0P

5 ⅝″ diameter, 3 ¾″ width
⅝″ bore diameter
Hub inset: ½″
Dual Rotation
Plastic



73R7202 — RD-5-10935-2P

5 ⅝″ diameter, 3 ¾″ width
⅝″ bore diameter
Hub inset: ½″
Counter Clockwise Rotation
Plastic
Fits brushed blower motor 73R1064




73R7210 — RD-5-8092-1P

5″ diameter, 3 ⅞″ width
⅝″ bore diameter
Hub inset: 1 ⅝″
Counter Clockwise Rotation
Steel




73R7220 — RD-5-15298-0P

4 ½″ diameter, 29″ width
¾″ bore diameter
Hub inset: Flat
Aluminum



NIPPONDENSO / SAMLIN COMPRESSOR CLUTCHES



If part number on clutch being replaced cannot be read use following procedure to determine required clutch part number.

1. Determine if clutch is double or single groove.
2. Determine if 12 or 24 volt.
3. Measure outside diameter "**A**" of pulley.
4. Measure width of pulley groove "**C**".
5. Measure the "**B**" dimension accurately.

- Clutches are listed by pulley diameter
- All keys are 5⁄32".
- "D" dimension is 0.62" on all double groove clutches.

CLUTCH SPECIFICATIONS Clutches are sorted by increasing size of Pulley Diameter [A]

[A] Pulley Diameter	Grooves	[C] Width	[B] Gauge Line Dimension	Volts	Description	Red Dot No.	Red Dot Factory No.
4 1⁄2"	Poly 7	1⁄8"	7⁄8"	12	FX-15 / 2 prong Ford integral, 21 spline	**75R4762**	RD-5-10359-0P
4 7⁄8"	Poly 6	1⁄8"	—	12	FS-6 / 2 prong Ford integral	**75R4702**	RD-5-10401-0P
5"	Poly 6	1⁄8"	3⁄4"	12	FX-15 / 2 prong Ford integral, 21 spline	**75R4742**	RD-5-10357-0P
5 7⁄8"	1	7⁄16"	1 3⁄8"	12	FS-6 / 3 eye-2 prong Ford integral	**75R4732**	RD-5-9657-0P

75R4702 — RD-5-10401-0P



Model: FS-6
Diameter: 4 7⁄8"
Groove: Poly 6
Width: 1⁄8"
12 Volts
B Dimension: -

Two-prong
Ford integral

75R4732 — RD-5-9657-0P



OE # 518484, FF-E4TH-BA1
Model: FS-6
Diameter: 5 7⁄8"
Groove: 1
Width: 7⁄16"
12 Volts
B Dimension: 1 3⁄8"


Two-prong
Ford integral

75R4742 — RD-5-10357-0P



OE # F10H-19D798AA, F20H-19D786-AA
Model: FX-15
Diameter: 5"
Groove: Poly 6
Width: 1⁄8"
12 Volts
B Dimension: - 3⁄4"

Two-prong
Ford integral, 21 spline



If part number on clutch being replaced cannot be read use following procedure to determine required clutch part number.

1. Determine if clutch is double or single groove.
2. Determine if 12 or 24 volt.
3. Measure outside diameter "**A**" of pulley.
4. Measure width of pulley groove "**C**".
5. Measure the "**B**" dimension accurately.

- Clutches are listed by pulley diameter
- All keys are 5/32".
- "D" dimension is 0.62" on all double groove clutches.


CLUTCH SPECIFICATIONS Clutches are sorted by increasing size of Pulley Diameter [A]

[A] Pulley Diameter	Grooves	[C] Width	[B] Gauge Line Dimension	Volts	Description	Red Dot No.	Red Dot Factory No.
4 27/32"123mm	Poly 6	0.14	1 11/32 / 34mm	12	Seltec TM15 / 3 eye hub; single wire, male bullet	**75R0072**	RD-5-10526-0P
4 27/32"123mm	Poly 6	0.14	—	12	Seltec TM15 / spring leaf; single wire, male bullet	**75R0092**	RD-5-10545-0P
4 27/32"123mm	Poly 8	0.14	1 11/32 / 34mm	12	Seltec TM15 / 3 eye hub; single wire, male bullet	**75R0082**	RD-5-10544-0P
4.9" 125mm	1	1/2"	2 7/16"/62mm	12	Seltec/TAMA-CH / single wire coil, male bullet	**75R0182**	RD-5-6646-0P
4.9" 125mm	2	1/2"	1 9/16"/40mm	12	Seltec TM15 / spring leaf; single wire, male bullet	**75R0262**	RD-5-10723-0P
4.9" 125mm	2	1/2"	—	12	ICE - TM16 / spring leaf; double wire, Metripak plug	**75R1212**	RD-5-10724-0P
4.9" 125mm	Poly 8	0.14	—	12	ICE - TM16 / double wire coil, Metripak plug	**75R0062**	RD-5-10727-0P
5 21/64"135mm	2	1/2"	1 9/16"/40mm	12	Seltec-CH / 3 eye hub; single wire, male bullet	**75R0172**	RD-5-11025-0P
5 21/64"135mm	2	1/2"	—	12	Seltec TM15 / 3 eye hub; single wire, male bullet	**75R0252**	RD-5-10722-0P
5 21/64"135mm	2	1/2"	1 9/16"/40mm	24	Seltec TM15 / 3 eye hub; single wire, male bullet	**75R0274**	RD-5-10232-0P
6" 152mm	2	1/2"	3" / 76mm	12	ICE TM31 / 5 eye hub; single wire, male bullet	**75R4782**	RD-5-10301-0P
6" 152mm	Poly 8	0.14	2 5/8" / 67mm	12	ICE TM31 / 5 eye hub; single wire, male bullet	**75R4792**	RD-5-10302-0P
6 1/4"159mm	1	1/2-3/4" var	1 7/8"/ 47mm	12	Seltec/ICE-CH / 3 eye hub; single wire, male bullet	**75R1412**	RD-5-9249-0P
6 1/4"159mm	1	1/2-3/4" var	1 7/8"/ 47mm	24	Seltec/ICE-CH / 3 eye hub; single wire, male bullet	**75R1414**	RD-5-9250-0P

75R0062 — RD-5-10727-0P

OE # 2570201
Model: ICE - TM16
Diameter: 4.9" / 125mm
Groove: Poly 8
Width: .14"
12 Volts
B Dimension:


Double wire coil
Metripak plug



75R0082 — RD-5-10544-0P

OE # 2570155
Model: Seltec - TM15
Diameter: 4 27/32" / 123mm
Groove: Poly 8
Width: .14"
12 Volts
B Dimension: 1 11/32"/ 34 mm


Single wire coil
Male bullet plug



75R0072 — RD-5-10526-0P

OE # 2570144
Model: Seltec - TM15
Diameter: 4 27/32" / 123mm
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: 1 11/32"/ 34 mm

Single wire coil
Male bullet plug



75R0092 — RD-5-10545-0P

OE # 2570161
Model: Seltec - TM15
Diameter: 4 27/32" / 123mm
Groove: Poly 6
Width: .14"
12 Volts
B Dimension: -

Single wire coil
Male bullet plug



QUE / SELTEC / ICE / DIESEL KIKI / TAMA / ZEXEL COMPRESSOR CLUTCHES

75R0172 — RD-5-11025-0P

OE # 2570151
Model: Seltec - CH
Diameter: 5 21/64" / 135mm
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 9/16"/ 40 mm


Single wire coil
Male bullet plug



75R0182 — RD-5-6646-0P

OE # 511869
Model: Seltec/TAMA - CH
Diameter: 4.9" / 125mm
Groove: 1
Width: ½"
12 Volts
B Dimension: 2 7/16"/ 62 mm


Single wire coil
Male bullet plug



75R0252 — RD-5-10722-0P

OE # 2570152
Model: Seltec - TM15
Diameter: 5 21/64" / 135mm
Groove: 2
Width: ½",
12 Volts
B Dimension: -


Single wire coil
Male bullet plug



75R0262 — RD-5-10723-0P

OE # 2570159
Model: Seltec - TM15
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Dimension: 1 9/16"/ 40 mm


Single wire coil
Male bullet plug



75R0274 — RD-5-10232-0P

OE # 2570150
Model: Seltec - TM15
Diameter: 5 21/64" / 135mm
Groove: 2
Width: ½",
24 Volts
B Dimension: 1 9/16"/ 40 mm


Single wire coil
Male bullet plug



75R1212 — RD-5-10724-0P

OE # 2570158
Model: ICE - TM16
Diameter: 4.9" / 125mm
Groove: 2
Width: ½",
12 Volts
B Dimension: -


Double wire coil
Metripak plug



75R1412 — RD-5-9249-0P

OE # 2570148
Model: Seltec - CH
Diameter: 6 ¼" / 159mm
Groove: 1
Width: ½-¾" variable
12 Volts
B Dimension: 1 7/8"/ 47 mm


Single wire coil
Male bullet plug



75R1414 — RD-5-9250-0P

OE # 2570149
Model: Seltec - CH
Diameter: 6 ¼" / 159mm
Groove: 1
Width: ½-¾" variable
24 Volts
B Dimension: 1 7/8"/ 47 mm

Single wire coil
Male bullet plug



75R4782 RD-5-10301-0P

OE # 2570165
Model: ICE - TM31
Diameter: 6" / 152mm
Groove: 2
Width: ½
12 Volts
B Dimension: 3"/ 76mm

Single wire coil
Male bullet plug





75R4792 RD-5-10302-0P


OE # 2570168
Model: ICE - TM31
Diameter: 6" / 152mm
Groove: Poly 8
Width: .14
12 Volts
B Dimension: 2 5⁄8"/ 67mm

Single wire coil
Male bullet plug





SANDEN COMPRESSOR CLUTCHES



If part number on clutch being replaced cannot be read use following procedure to determine required clutch part number.

1. Determine if clutch is double or single groove.
2. Determine if 12 or 24 volt.
3. Measure outside diameter "**A**" of pulley.
4. Measure width of pulley groove "**C**".
5. Measure the "**B**" dimension accurately.

- Clutches are listed by pulley diameter
- All keys are 5⁄32".
- "D" dimension is 0.62" on all double groove clutches.

CLUTCH SPECIFICATIONS Clutches are sorted by increasing size of Pulley Diameter [A]

[A] Pulley Diameter	Grooves	[C] Width	[B] Gauge Line Dimension	Volts	Description	Red Dot No.	Red Dot Factory No.
4.7" 119mm	Poly 6	0.14	2 1⁄2"/ 63mm	12	709, 7H15 / double wire coil, male bullet	**75R0032**	RD-5-10398-0P
4.7" 119mm	Poly 7	0.14	—	12	SD5 (508, 510, 5H14) / single wire, male bullet	**75R0042**	RD-5-5574-0P
4.7" 119mm	Poly 7	0.14	1 7⁄8"/ 48mm	12	709, 7H15 / single wire coil, Weatherpak	**75R0052**	RD-5-10399-0P
4.7" 119mm	Poly 8	0.14	—	12	709, 7H15 / double wire coil, Metripak plug	**75R1842**	RD-5-10760-0P
4.7" 119mm	Poly 8	0.14	1 13⁄16"/ 46mm	12	709, 7H15 / single wire coil, male bullet	**75R1862**	RD-5-10762-0P
4.9" 125mm	2	1⁄2"	2 5⁄32"/ 55mm	12	709, 7H15 / double wire coil, Metripak plug	**75R1532**	RD-5-10368-0P
4.9" 125mm	2	1⁄2"	—	12	SD7 / single wire coil, male bullet	**75R0192**	RD-5-7831-0P
4.9" 125mm	2	1⁄2"	1 9⁄16"/ 40mm	24	709, 7H15 / single wire, fem. 280 HD Plug	**75R0194**	RD-5-7832-0P
4.9" 125mm	Poly 8	0.14	—	12	709, 7H15 / double wire coil, Ford OE Plug	**75R1432**	RD-5-10361-0P
5 1⁄8"130mm	Poly 8	0.14	—	12	709, 7H15 / double wire coil, Metripak plug	**75R4802**	RD-5-11374-0P
5 1⁄4" 132mm	2	1⁄2"	1 9⁄16"/ 40mm	12	SD5 (508, 510, 5H14) / single wire	**75R0202**	RD-5-5486-0P
5 1⁄4" 132mm	2	1⁄2"	1 9⁄16"/40mm	24	SD5 (508, 510, 5H14) / single wire, male bullet	**75R0204**	RD-5-5487-0P
5 1⁄4" 132mm	2	1⁄2"	1 9⁄16"/40mm	12	709, 7H15 / double wire coil, Ford OE Plug	**75R1542**	RD-5-10369-0P
5 1⁄4" 132mm	2	1⁄2"	—	12	709, 7H15 double wire coil, Metripak plug	**75R1832**	RD-5-10759-0P
5 1⁄4" 132mm	2	1⁄2"	—	12	709, 7H15 2 wire coil w diode, Metripak plug	**75R1852**	RD-5-10761-0P
6 21⁄32"169mm	1	1⁄2"	1 9⁄16"/ 40mm	12	709, 7H15 / double wire coil, Ford OE Plug	**75R1512**	RD-5-10360-0P

75R0032 RD-5-10398-0P

OE # 6524-6010
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 6
Width: .14"
12 Volts
B Distance: 2 1/2"/ 63mm

Double wire coil
Male bullet plug





75R0042 RD-5-5574-0P

OE # 6520-6010
Model SD5 (508, 510, 5H14)
Diameter: 4.7" / 119mm
Groove: Poly 7
Width: .14"
12 Volts
B Distance: -

Single wire coil
Male bullet plug






LS = Limited to stock on hand

75R0052 — RD-5-10399-0P

OE # 6512-6210
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 7
Width: .14"
12 Volts
B Distance: 1 7/8"/ 48mm


Single wire coil
Weatherpak plug



75R0192 — RD-5-7831-0P

OE # 4446-9931
Model SD7
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Distance: -


Single wire coil
Male bullet plug



75R0194 — RD-5-7832-0P

OE # 6511-6310
Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
24 Volts
B Distance: 1 9⁄16"/ 40mm


Single wire coil
Female 280 HD plug



75R0202 — RD-5-5486-0P

OE # 6575-6310
Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9⁄16"/ 40mm


Single wire coil
Bare wire



75R0204 — RD-5-5487-0P

OE # 6519-6210
Model SD5 (508, 510, 5H14)
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
24 Volts
B Distance: 1 9⁄16"/ 40mm


Single wire coil
Male bullet plug



75R1432 — RD-5-10361-0P

OE#6593-6010
Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: Poly 8
Width: .14"
12 Volts
B Distance: -


Double wire coil
Ford OE plug



75R1532 — RD-5-10368-0P

OE # 6593-6010, 4740-9931
Model 709 / 7H15
Diameter: 4.9" / 125mm
Groove: 2
Width: ½"
12 Volts
B Distance: 2 5⁄32"/ 55mm


Double wire coil
Metripak plug



75R1542 — RD-5-10369-0P

OE # 6504-6010
Model 709 / 7H15
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: 1 9⁄16"/ 40mm

Double wire coil
Ford OE plug



LS = Limited to stock on hand

75R1832 — RD-5-10759-0P

OE # 4694-9931
Model 709 / 7H15
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 Volts
B Distance: —


Double wire coil
Metripak plug



75R1842 — RD-5-10760-0P

OE #4606-6871, 4705-9930, 9931
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 8
Width: .14"
12 volts
B Distance:


Double wire coil
Metripak plug



75R1852 — RD-5-10761-0P

OE # 4752-9931
Model 709 / 7H15
Diameter: 5 ¼" / 132mm
Groove: 2
Width: ½"
12 volts
B Distance: —


Double wire coil with diode
Metripak plug



75R1862 — RD-5-10762-0P

OE #6522-6010, 9033-9900
Model 709 / 7H15
Diameter: 4.7" / 119mm
Groove: Poly 8
Width: .14"
12 volts
B Distance: 1 13⁄16"/ 46mm


Single wire coil
Male bullet plug




75R4802 — RD-5-11374-0P

OE # 4885-9931
Model 709 / 7H15
Diameter: 5 ⅛" / 130mm
Groove: Poly 8
Width: .14"
12 volts
B Distance: —

Double wire coil w diode
Metripak plug





If part number on clutch being replaced cannot be read use following procedure to determine required clutch part number.

1. Determine if clutch is double or single groove.
2. Determine if 12 or 24 volt.
3. Measure outside diameter "**A**" of pulley.
4. Measure width of pulley groove "**C**".
5. Measure the "**B**" dimension accurately.

- Clutches are listed by pulley diameter
- All keys are 5⁄32".
- "D" dimension is 0.62" on all double groove clutches.


CLUTCH SPECIFICATIONS Clutches are sorted by increasing size of Pulley Diameter [A]

[A] Pulley Diameter	Grooves	[C] Width	[B] Gauge Line Dimension	Volts	Description	Red Dot No.	Red Dot Factory No.
5"	Poly 6	0.14	—	12	double wire / Metripack plug	**75R4812**	RD-5-13784-0P
5 3⁄8"	Poly 8	0.14	1 5⁄8"	12	single wire with diode / Female Weatherpak (IHC) plug	**75R0662**	RD-5-9802-0P
5 3⁄4"	Poly 6	0.14	2"	12	double wire with diode / Metripak plug	**75R0502**	RD-5-10363-0P
5 3⁄4"	Poly 6	0.14	2"	12	single wire with diode / Weatherpak plug	**75R0512**	RD-5-10364-0P
5 7⁄8"	Poly 6	0.14	1 5⁄8"	12	double wire with diode / Metripak plug	**75R0522**	RD-5-10366-0P
6"	1	1⁄2"	2 3⁄4"	12	single wire with diode / Weatherpak plug	**75R0302**	RD-5-4966-0P
6"	1	1⁄2"	2 3⁄4"	12	single wire with diode / Female Weatherpak (IHC) plug	**75R0402**	RD-5-9665-0P
6"	2	1⁄2"	1 5⁄8"	12	single wire with diode / Weatherpak plug	**75R1202**	RD-5-4972-1P
6"	2	1⁄2"	1 5⁄8"	12	double wire with diode / Metripak plug	**75R1302**	RD-5-9456-0P
6"	2	1⁄2"	2 1⁄4"	12	single wire / Female Weatherpak (IHC) plug	**75R0422**	RD-5-10367-0P
6"	2	1⁄2"	2 1⁄4"	24	single wire / Male bullet plug	**75R4734**	RD-5-9659-0P
6 1⁄8"	Poly 6	0.14	—	12	single wire with diode / Female Weatherpak (IHC) plug	**75R0612**	RD-5-8009-0P
6 1⁄8"	Poly 8	0.14	1 15⁄16"	12	double wire with diode / Metripak plug	**75R0682**	RD-5-10365-0P
6 1⁄4"	1	5⁄8"	2 11⁄16"	12	single wire / Female Weatherpak (IHC) plug	**75R1342**	RD-5-10397-0P
6 3⁄4"	1	5⁄8"	1 3⁄4"	12	single wire / Male bullet plug	**75R1652**	RD-5-4975-0P
7"	2	1⁄2"	2"	12	single wire / Male bullet plug	**75R4502**	RD-5-4994-0P
7"	2	1⁄2"	2"	24	single wire / Male bullet plug	**75R4534**	RD-5-8382-0P

75R0302 — RD-5-4966-0P

OE #L50-2409
Diameter: 6"
Groove: 1
Width: 1⁄2"
12 Volts
B Dimension: 2 3⁄4"

Single wire coil w diode
Weatherpak plug



75R0422 — RD-5-10367-0P

Diameter: 6"
Groove: 2
Width: 1⁄2"
12 Volts
B Dimension: 2 1⁄4"


Single wire coil
Female Weatherpak (IHC) plug



75R0402 — RD-5-9665-0P

OE #508888
Diameter: 6"
Groove: 1
Width: 1⁄2"
12 Volts
B Dimension: 2 3⁄4"


Single wire coil
Female Weatherpak (IHC) plug



75R0452 — RD-5-4967-0P

OE #501215
Diameter: 6"
Groove: 2
Width: 1⁄2"
12 Volts
B Dimension: 1 5⁄8"

Single wire coil
Male bullet plug




LS = Limited to stock on hand

BLISSFIELD (TECUMSEH), TCCI (YORK) COMPRESSOR CLUTCHES

75R0502 — RD-5-10363-0P

OE #024-25244
Diameter: 5 ¾″
Groove: Poly 6
Width: .14″
12 Volts
B Dimension: 2″


Double wire coil with diode
Metripak plug



75R0512 — RD-5-10364-0P

OE #14304, 23100S
Diameter: 5 ¾″
Groove: Poly 6
Width: .14″
12 Volts
B Dimension: 2″

Single wire coil with diode
Weatherpak plug



75R0522 — RD-5-10366-0P

OE #522583, MAE-MG07
Diameter: 5 ⅞″
Groove: Poly 6
Width: .14″
12 Volts
B Dimension: 1 ⅝″


Double wire coil with diode,
Metripak plug



75R0612 — RD-5-8009-0P

OE #520226, MA-N03D
Diameter: 6 ⅛″
Groove: Poly 6
Width: .14″
12 Volts
B Dimension: -


Single wire coil with diode
Female Weatherpak (IHC) plug



75R0662 — RD-5-9802-0P

OE #515376, MA-N05
Diameter: 5 ⅜″
Groove: Poly 8
Width: .14″
12 Volts
B Dimension: 1 ⅝″


Single wire coil with diode
Female Weatherpak (IHC) plug



75R0682 — RD-5-10365-0P

OE #522584, MAE-MG01
Diameter: 6 ⅛″
Groove: Poly 8
Width: .14″
12 Volts
B Dimension: 1 15⁄16″


Double wire coil with diode
Metripak plug



75R1202 — RD-5-4972-1P

OE #501939, MAE-6AR
Diameter: 6″
Groove: 2
Width: ½″
12 Volts
B Dimension: 1 ⅝″


Single wire coil with diode
Weatherpak plug



75R1302 — RD-5-9456-0P

OE #522582, MAE-06A
Diameter: 6″
Groove: 2
Width: ½″
12 Volts
B Dimension: 1 ⅝″

Double wire coil with diode
Metripak plug



75R1342 — RD-5-10397-0P

OE #515528, MA-N06D, 2035274C1
Diameter: 6 ¼″
Groove: 1
Width: ⅝″
12 Volts
B Dimension: 2 11⁄16″


Single wire coil
Female Weatherpak (IHC) plug



75R1652 — RD-5-4975-0P

OE #L50-2731
Diameter: 6 ¾″
Groove: 1
Width: ⅝″
12 Volts
B Dimension: 1 ¾″


Single wire coil
Male bullet plug



75R4502 — RD-5-4994-0P

OE #332334, MA-7A
Diameter: 7″
Groove: 2
Width: ½″
12 Volts
B Dimension: 2″


Single wire coil
Male bullet plug



75R4534 — RD-5-8382-0P

OE #501075, MA-7A 2, MA-7A 24V
Diameter: 7″
Groove: 2
Width: ½″
24 Volts
B Dimension: 2″


Single wire coil
Male bullet plug



75R4734 — RD-5-9659-0P

OE #501076, MA-6A-2, MA6A-24V
Diameter: 6″
Groove: 2
Width: ½″
24 Volts
B Dimension: 2 ¼″


Single wire coil
Male bullet plug



75R4812 — RD-5-13784-0P

OE #4424-9931
Diameter: 5″
Groove: Poly 6
Width: 0.14″
12 Volts

Double wire coil with diode
Metripack plug



Compressor Troubleshooting Guide

To Bench Test Compressor Suction and Discharge Pressures.

1. Grasp clutch hub and Rotate compressor by hand. At the same time plug discharge port only with thumb or palm of hand. The compressor should begin to build discharge pressure while rotating.
2. Plug suction port and repeat the above step to confirm presence of suction pressure.

   Note: Absence of suction and/or discharge pressure.

Clutch Specifications


12 Volt clutch


Amperage draw 2.5 to 3 amps

Pull - in voltage 6 - 7 VDC

Working voltage 10.5 VDC

Note: less than 10.5 volts supplied to clutch coil during compressor operation will result in clutch slippage and eventual failure.




SYMPTOM
PROBLEM DIAGNOSIS
INSPECTION
REMEDY
IMPROPER COOLING
No Unusual Compressor Noise
High Suction Pressure Low Discharge Pressure
1 Inspect Valve Plate Reed and Gasket Areas
2 Consult System Manual
Replace Valve Plate and Gaskets
• Broken Head or Block Gasket
• Broken or Deformed Reed Valve
• Foreign Substance under Reed Valve or Gasket
Low Suction Pressure Low Discharge Pressure
1 Inspect Valve Plate Reed and Gasket Areas
2 Leak Check Compressor
3 Consult System Manual
Repair or Replace:
• Shaft Seal Leak
• Cylinder Head Leak
• Gaskets Leak
• Oil Fill Plug Leak
• Cracked Cylinder Block
• Front Housing O-Ring Leak
Internally Noisy Compressor
Intermittent or Non-Functioning
1 Check Belt Tension
2 Check Clutch Volts and Amps
3 Consult System Manual
Repair or Replace:
• Broken Lead Wire
• Clutch Coil Defect - Internal System Ground
Rough Running
1 Check Compressor Temperature Component Parts Run-out
2 Consult System Manual
Change Out Compressor
EXCESSIVE NOISE
Clutch Engaged
1 Check Compressor Mounting Components
2 Check for Other Engine Noise
3 Check for Clutch Slippage
Adjust Air Gap – Defective Coil
4 Check for Proper Refrigerant Charge
Charge as Necessary
5 Check Clutch Components Clearing, etc.
Replace If Needed
6 Check Compressor Oil Level
Fill to Recommended Level
7 Check Valve Plate
8 Consult System Manual
Repair or Replace:
• Broken Discharge Valve Reed or Retainer
• Broken SuctionValve Reed
• Broken Gasket
Clutch NOT Engaged
1 Check Compressor Mounting Components
Repair or Replace:
• Adjust Air Gap
• Defective Clutch Pulley or Front Plate


WHAT TO LOOK FOR & HOW IT LOOKS

In a properly maintained air conditioning system, defects in materials or workmanship will typically surface shortly after the system has been put into service. Refer to oil table shown below for oil color and system condition.


	Things to check before accepting	Explanation
1	Mounting Ears	Fractured or broken compressor mount ears are install related, non-warrantable condition.
2	Heat Sensitive Labels	Overheat condition : Melted labels due to lack of oil return or bent reed valves due to liquid slugging, non-warrantable condition.
3	Compressor Rotation	Check compressor rotation for intermittent catches or seized condition.
4	Oil Level	Remove oil plug, there should be ½ to 1 ounce of oil left in compressor to perform oil inspection.
5	Oil Color and Condition	See oil color table shown below for compressor acceptance criteria.
6	Internal Center Ball Condition (Sanden Only) view through drain plug hole	Normal: Should be chrome color with no signs of dis-coloration from heat or gauling. Discolored center ball is generally the result of poor oil return to the compressor.
7	Clutch Hub (non-seized compressor only)	Should be no signs of frosting or discoloration from clutch slippage. Clutch slippage is the result of insufficient voltage, poor compressor ground, liquid slugging or rapid cycling, all are non-warrantable conditions.
8	No Suction or Discharge Pressure	Caused by bent or broken reed valves; non-warrantable..
9	Clutch "V" groove area	Deep belt wear patterns indicate excessive belt tension that can cause premature failure of clutch bearing.
10	Clutch Bearing	Rotation should be smooth with no rough spots.
11	Clutch pulley	Check for run-out should rotate truly with no visible wobble.
12	Suction/Discharge Port	Damaged or broken threads are install related.

Return Status	Oil Color	System Condition
Warrantable	**Clear**	Normal
Warrantable	**Clear Green**	Leak detection dye is present in oil
Warrantable	**Yellow**	Moisture may be present in A/C system
Warrantable	**Grey**	Normal failure, wear material from failed component suspended in compressor oil.
Non-Warrantable Condition	**Amber**	System contaminated and acidic. Contains copper ions from coils in evaporator and condenser.
Non-Warrantable Condition	**Black**	System contaminated, oil has turned black due to presence of carbon sediment caused by severely acidic system.

WARRANTABLE



NON-WARRANTABLE





75R8102	RD-5-5000-0P
GMC A6R, Generic	
Superheat switch port	
5" Single Groove Clutch – 12 volt	
Pulley with ½" – ¾" variable groove	
R-12/R134a – no oil	
Standard thread mounting holes	
Clockwise rotation	




75R8184	RD-5-7566-0P
GMC A6R, New	
Without Superheat switch port	
7" Single Groove Clutch 24 volt	
Pulley with ½" – ¾" variable groove	
R-12	
Shipped with 10 oz. mineral oil	
Metric thread mounting holes	
Clockwise rotation	

NOTE: Generic Compressors are OEM factory built but may contain noncritical reconditioned components

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020	RD-5-9987-0P





MANIFOLDS

Part Number	Factory No.	Model Description
75R8920	RD-5-11151-0P	Nippondenso Manifold - Top discharge with oil bypass, #8 and #10 Male Insert O-Ring fittings
75R8921	RD-5-11152-0P	Nippondenso Manifold - Rear discharge, #8 and #10 Male Insert O-Ring fittings





OEM P/N	Part Number	Factory Number
Caterpillar		
178-5545	**75R9044**	RD-5-14070-0P
245-7779	**75R9044**	RD-5-14070-0P
259-7243	**75R9044**	RD-5-14070-0P
305-0324	**75R9044**	RD-5-14070-0P
305-0325	**75R9044**	RD-5-14070-0P
Freightliner		
22-65770-000	**75R9072**	RD-5-14644-0P
22-65771-000	**75R9082**	RD-5-14645-0P
22-65772-000	**75R9092**	RD-5-14646-0P
Hitachi Construction		
4361053	**75R9004**	RD-5-14066-0P
John Deere		
4333459	**75R9004**	RD-5-14066-0P
4431081	**75R9034**	RD-5-14069-0P
4436025	**75R9034**	RD-5-14069-0P
AT166518	**75R9004**	RD-5-14066-0P

OEM P/N	Part Number	Factory Number
John Deere		
AH169875	**75R9052**	RD-5-14079-0P
AT163728	**75R9024**	RD-5-14068-0P
AT168543	**75R9014**	RD-5-14067-0P
AT172975	**75R9014**	RD-5-14067-0P
AT226273	**75R9014**	RD-5-14067-0P
RE46609	**75R9052**	RD-5-14079-0P
RE46657	**75R9062**	RD-5-14080-0P
TY24304	**75R9052**	RD-5-14079-0P
TY6764	**75R9052**	RD-5-14079-0P
TY6783	**75R9024**	RD-5-14068-0P
Komatsu		
11Y-979-5450	**75R9004**	RD-5-14066-0P
134-X11-1250	**75R9004**	RD-5-14066-0P
14X-Z11-8580	**75R9004**	RD-5-14066-0P
17A-911-4810	**75R9034**	RD-5-14069-0P
195-911-7510	**75R9004**	RD-5-14066-0P

OEM P/N	Part Number	Factory Number
Komatsu		
195-911-8990	**75R9004**	RD-5-14066-0P
198-911-9580	**75R9004**	RD-5-14066-0P
20Y-810-1260	**75R9034**	RD-5-14069-0P
20Y-979-3110	**75R9004**	RD-5-14066-0P
20Y-979-3111	**75R9004**	RD-5-14066-0P
20Y-979-6121	**75R9034**	RD-5-14069-0P
20Y-979-8130	**75R9004**	RD-5-14066-0P
21N-979-1360	**75R9004**	RD-5-14066-0P
418-S62-3160	**75R9034**	RD-5-14069-0P
418-S62-3161	**75R9034**	RD-5-14069-0P
421-07-11210	**75R9034**	RD-5-14069-0P
421-07-31220	**75R9034**	RD-5-14069-0P
421-07-31221	**75R9034**	RD-5-14069-0P
425-07-21180	**75R9004**	RD-5-14066-0P
425-07-21190	**75R9004**	RD-5-14066-0P
42C-07-11210	**75R9004**	RD-5-14066-0P

Compressors are shown with shipping plate or rubber pad

75R9004 RD-5-14066-0P

Model: 10PA15C

Clutch: 152mm 1A Groove Clutch (fits 0.5" wide belt)

Voltage: 24




75R9014D RD-5-14067-1P
75R9014 RD-5-14067-0P

Model: 10PA17C

Clutch: 145mm PV8 Clutch

Voltage: 24




75R9024D RD-5-14068-1P
75R9024 RD-5-14068-0P

Model: 10PA17C

Clutch: 146mm 1A Groove Clutch (fits 0.5" wide belt)

Voltage: 24




75R9034 RD-5-14069-0P

Model: 10S15C

Clutch: 152mm 1B Groove Clutch (fits 0.66" wide belt)

Voltage: 24



75R9044 RD-5-14070-0P

Model: 10S17C

Clutch: 140mm PV8 Clutch

Voltage: 24




75R9052D RD-5-14079-1P
75R9052 RD-5-14079-0P

Model: 10PA17C

Clutch: 145mm PV8 Clutch

Voltage: 12




75R9062D RD-5-14080-1P
75R9062 RD-5-14080-0P

Model: 10PA15C

Clutch: 152mm 1A Groove Clutch (fits 0.5" wide belt)

Voltage: 12




75R9072D RD-5-14644-1P
75R9072 RD-5-14644-0P

Model: 10S15C

Clutch: 140mm PV8 Clutch

Voltage: 12




75R9082D RD-5-14645-1P
75R9082 RD-5-14645-0P

Model: 10S15C

Clutch: 164mm PV8 Clutch

Voltage: 12




75R9092D RD-5-14646-1P
75R9092 RD-5-14646-0P

Model: 10S15C

Clutch: 140mm PV6 Clutch

Voltage: 12



75R9104 RD-5-16219-1P
75R9104D RD-5-16219-0P

Model: AM Denso Compressor 24V 10SRE18C

Clutch: 4.9 (125MM) 2 Grove

Voltage: 24 Mount: Direct R134a



*Part numbers ending with a "**D**" reprsent Denso branded compressors.

75R9112	RD-5-16220-1P
75R9112D	RD-5-16220-0P

Model: AM Denso Compressor 12V 10SRE18C

Clutch: 4.9 (125MM) 2 Grove

Voltage: 12 Mount: Direct R134a



Image Not Available

75R9122	RD-5-16221-1P
75R9122D	RD-5-16221-0P

Model: AM Denso Compressor 12V 10SRE18C

Clutch: 5.6 (143MM) Poly 8

Voltage: 12 Mount: Direct R134a





Image Not Available

QP-15HD




Bore	1.42in (36mm)
Stroke	0.94in (24mm)
Number of Cylinders	6
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6000
Refrigerant	HFC-134a, CFC-12
Lubricant	ZXL100PG, 150 cc Freol DS-83P, 150 cc
Rotation	Clockwise and Counterclockwise
QP15HD Ear Mount	
Displacement per Revolution	8.9cu.in (146cm³)
Weight	9.7lbs (4.4kg)
QP15HD Direct Mount	
Displacement per Revolution	9.0cu.in (147cm³)
Weight	9.9lbs (4.5kg)





NOTE: Photos at left and above are shown with one of several options for clutches and rear adapter ports.





Mounting options up to 45° from vertical.

QP-16HD


Bore	1.42in (36mm)
Stroke	1.05in (26.7mm)
Displacement per Revolution	9.95cu.in (163cm³)
Number of Cylinders	6
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6000
Refrigerant	HFC-134a, CFC-12
Lubricant	ZXL100PG, 150 cc Freol DS-83P, 150 cc
Weight	10.8lbs (4.9kg)
Rotation	Clockwise and Counterclockwise








NOTE: Photos at left and above are shown with one of several options for clutches and rear adapter ports.





Mounting options up to 45° from vertical.

QP-21HD


Bore	1.26in (32mm)
Stroke	1.05in (26.7mm)
Displacement per Revolution	13.1cu.in (214.7cm³)
Number of Cylinders	10
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6000
Refrigerant	HFC-134a
Lubricant	(200cc) ZXL100PG
Weight	11.3lbs (5.1kg)
Rotation	Clockwise or Counterclockwise








NOTE: Photos at left and above are shown with one of several options for clutches and rear adapter ports.




Mounting options up to 45° from vertical.


QP-31

Bore	1.42in (36mm)
Stroke	1.21in (30.7mm)
Displacement per Revolution	19.1cu.in (313cm³)
Number of Cylinders	10
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6,000
Refrigerant	134a
Lubricant	PAG 16.9 oz.
Weight (includes clutch)	31.9 lbs (14.5kg)
Rotation	Clockwise



NOTE: Photo is shown with one of two options for clutches.





COMPRESSOR

QUE / ICE / SELTEC HEAD TYPE (Rear port adapters)

75R8505 RD-5-8010-0P

Head Type A
Horizontal Male O-Ring
¾" X ⅞"



75R8507 RD-5-9611-0P

Head Type B
Vertical Female O-Ring
¾" X ⅞"




75R8510 RD-5-9154-0P

Head Type C
Horizontal Male O-Ring
1" X 14



75R8515 RD-5-9155-0P

Head Type D
Vertical Male O-Ring
¾" X ⅞"



75R8520 RD-5-9156-0P

Head Type E
Vertical Male O-Ring
1" X 14




Reference Only

Head Type F
Vertical O-Ring, R-12 Compressors
¾" X ⅞"



Reference Only

Head Type G
Vertical O-Ring, Top Outlet – TM31 Series
1 1⁄16" X 1 ⅞"



Reference Only

Head Type H
Lateral Pad
Pad Fitting



Reference Only

Head Type J
GM Pad
Pad Fitting



Reference Only

Head Type L
Horizontal Pad
Volvo



Reference Only

Head Type Z
Horizontal Pad
¾" X ⅞"



COMPRESSOR

Red Dot Part No.	Factory Part No.	Sanden Part No.	ICE Part No.	Seltec Part No.	Voltage	Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size
75R81184Q	RD-5-12569-0P	4604			24	QP7H15	Ear	GK	Horizontal Pad	Pad
75R81292Q	RD-5-11250-1P	4618		QP7H15-4618	12		Direct	H	Horizontal Pad	¾ x ⅞
75R81302Q	RD-5-11251-1P	4417,4818, 4485			12	QP7H15	Direct	GH	Horizontal Pad	¾ x ⅞
75R81372Q	RD-5-11257-1P	4891			12	QP7H15	Direct	WV	Horizontal Pad	¾ x ⅞
75R81472Q	RD-5-11316-1P	4713			12	QP7H15	Ear	JDA	Horizontal Pad	¾ x ⅞
75R81622Q	RD-5-12330-1P	4883			12	QP7H15	Direct	JD	Vertical O-Ring	¾ x ⅞
75R81632Q	RD-5-12332-1P	4425, 4040, 4792 1027U3			12	QP7H15	Direct	GQ	Lateral Pad	¾ x ⅞
75R81642Q	RD-5-12535-0P	4705	2521496		12	QP16HD	Ear	GQ	Lateral Pad	¾ x ⅞
75R81652Q	RD-5-11343-1P	4893			12	QP7H15	Ear	WV	Horizontal Pad	¾ x ⅞
75R81662Q	RD-5-12334-1P	4042, 4368, 4432, 4759, 1027K8			12	QP7H15	Direct	GQ	Lateral Pad	Pad
75R82312Q	RD-5-13062-1P	4417S		QP7H15-4417S	12	QP7H15S	Direct	GH	Horizontal Pad	¾ x ⅞
75R8374Q	RD-5-7091-1P	4745			24	QP5H14	Ear	FL	Vertical O-Ring	¾ x ⅞
75R8382Q	RD-5-7088-1P	4510			12	QP5H14	Ear	FL	Vertical O-Ring	¾ x ⅞
75R84302Q	RD-5-13235-0P	4815			12	QP7H15	Direct	GWA	Horizontal Pad	¾ x ⅞
75R84612Q	RD-5-10297-1P	4644			12	QP7H15	Ear	SNA	Vertical O-Ring	¾ x ⅞
75R8502Q	RD-5-5875-1P		2521129	488-25063	12	QP15HD	Ear	F	Vertical O-Ring	¾ x ⅞
75R85032Q	RD-5-9609-9P		2521168	488-45075	12	QP15HD	Ear	C	Horizontal O-Ring	1" - 14
75R85102Q	RD-5-12899-0P				12	QP16HD	Direct	L	Horizontal O-Ring	¾ x ⅞
75R85112Q	RD-5-12901-0P				12	QP16HD	Direct	A	Horizontal O-Ring	¾ x ⅞
75R8512Q	RD-5-5876-1P		2521121	488-25011	12	QP15HD	Ear	F	Vertical O-Ring	¾ x ⅞
75R85132Q	RD-5-12900-0P				12	QP16HD	Direct	D	Vertical O-Ring	¾ x ⅞
75R8522Q	RD-5-7023-1P		2521132	488-25077	12	QP15HD	Ear	F	Vertical O-Ring	¾ x ⅞
75R8532Q	RD-5-8944-1P		2521166	488-45063	12	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R85332Q	RD-5-10319-1P		2521329	488-45094	12	QP15HD	Ear	E	Vertical O-Ring	1" - 14
75R8542Q	RD-5-9028-1P		2521158	488-45030	12	QP15HD	Ear	A	Horizontal O-Ring	¾ x ⅞
75R8544Q	RD-5-9059-1P		2521154	488-45017	24	QP15HD	Ear	A	Horizontal O-Ring	¾ x ⅞
75R8552Q	RD-5-9609-10P		2521301	488-45077	12	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R85632Q	RD-5-10321-1P		2521316	488-45023	12	QP15HD	Ear	E	Vertical O-Ring	1" - 14
75R85714Q	RD-5-10323-1P		2521279		24	QP15HD	Ear	C	Horizontal O-Ring	¾ x ⅞



CLUTCH VARIATIONS


Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE

† Head Type = see photo reference on following pages
* R-12 Compressor

	CLUTCH						
Cubic Inches	Clutch Type	Gauge Line	Connector Type	Number of wires	Clutch Shaft Type	Red Dot Clutch Part No.	Factory Clutch Part No.
9.5	6" (152mm) A1 Groove	1 9⁄16" (40mm)	Metripak	2	Spline		
9.5	4 1⁄4" (119mm) Poly 7		Metripak	2			
9.5	4 3⁄4 (119mm) Poly 8	2" (49mm)	Metripak	2	Spline		
9.5	4.9" (125mm) Poly 6	1 7⁄8" (47mm)	Metripak	2	Spline		
9.5	5" (125mm) 2 Groove	1 9⁄16" (40mm)	Weatherpak	1	Spline		
9.5	4.9" (125mm) Poly 6	2 13⁄16" (46mm)	Metripak	2	Spline		
9.5	4.9" (125mm) Poly 6	2 13⁄16" (46mm)	Weatherpak	2	Spline		
9.5	4 3⁄4" (123mm) Poly 8	1 11⁄32" (34mm)	Metripak	2	Spline	75R0062	RD-5-10727-0P
9.5	5 1⁄4" (132mm) 2 Groove	1 9⁄16" (40mm)	Metripak	2	Spline		
9.5	4.7" (119mm) Poly 8	1 57⁄64" (48mm)	Metripak	2	Key		
9.95	4.7" (119mm) Poly 8		Metripak	2			
8.4	6 1⁄4" (159mm) Variable Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
8.4	5 1⁄4 (132mm) 2 Groove	1 9⁄16 (40mm)	Bullet	1	Spline		
9.5	4.9" (125mm) Poly 6	2 13⁄16" (46mm)	Metripak	2	Spline		
9.5	5 1⁄4 (132mm) 2 Groove	1 9⁄16" (40mm)	Metripak	2	Spline		
8.9	5" (125mm) 1 Groove Overhang	2 7⁄16" (62mm)	Bullet	1	Spline	75R0182	RD-5-6646-0P
8.9	5" (125mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline	75R0262	RD-5-10723-0P
13.1	4 3⁄4" (119mm) Poly 8	2 (49mm)	Bullet	1	Spline		
13.1	4 3⁄4" (119mm) Poly 8	2 (49mm)	Bullet	1	Spline		
8.9	5 1⁄4" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
9.5	5 1⁄4" (135mm) 2 Groove	2 1⁄8 (54mm)	Bullet	1	Spline		
8.9	5 1⁄4" (135mm) 2 Groove	-	Weatherpak	1	Spline		
8.9	5" (125mm) 1 Groove Overhang	2 7⁄16" (62mm)	Bullet	1	Spline	75R0182	RD-5-6646-0P
8.9	6 1⁄4" (159mm) Variable Groove	1 7⁄8" (47mm)	Bullet	1	Spline	75R1412	RD-5-9249-0P
8.9	5 1⁄4" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
8.9	5 1⁄4" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline	75R0274	RD-5-10232-0P
8.9	5 1⁄4" (135mm) 2 Groove	-	Weatherpak	1	Spline		
8.9	5 1⁄4" (135mm) 2 Groove	1 9⁄16" (40mm)	Bullet	1	Spline		
8.9	6 1⁄4" (159mm) Variable Groove	1 7⁄8" (47mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P


Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-0P**



COMPRESSOR

Red Dot Part No.	Factory Part No.	Sanden Part No.	ICE Part No.	Seltec Part No.	Voltage	Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size
75R85732Q	RD-5-10428-1P		2521324	488-45069	12	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R85734Q	RD-5-10322-1P		2521165	488-45061	24	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R85832Q	RD-5-10324-1P		2521323	488-45068	12	QP15HD	Ear	A	Horizontal O-Ring	¾ x ⅞
75R85932Q	RD-5-10325-1P		2521156	488-45019	12	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R86092Q	RD-5-10431-1P		2521330	488-45097	12	QP15HD	Ear	C	Horizontal O-Ring	1" - 14
75R8612Q	RD-5-7145-1P		2521152	488-45011	12	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R86132Q	RD-5-10429-1P		2521266	488-45122	12	QP15HD	Ear	A	Horizontal O-Ring	¾ x ⅞
75R86134Q	RD-5-10326-1P		2521268	488-45081	24	QP15HD	Direct	A	Horizontal O-Ring	¾ x ⅞
75R86142Q	RD-5-12530-1P		2521562	488-47244	12	QP21HD	Direct	J	GM	Pad Fitting
75R86144Q	RD-5-11866-2P		2521563	488-47246	24	QP21HD	Direct	J	GM	Pad Fitting
75R8614Q	RD-5-7163-2P		2521153	488-45015	24	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R861522Q	RD-5-12902-0P				12	QP21	Direct	J	GM	Pad Fitting
75R86152Q	RD-5-10327-1P		2521280	488-45082	12	QP15HD	Direct/ Tangential	D	Vertical O-Ring	¾ x ⅞
75R86162Q	RD-5-10328-1P		2521281	488-45084	12	QP15HD	Direct	A	Horizontal O-Ring	¾ x ⅞
75R86172Q	RD-5-10329-1P		2521170	488-45088	12	QP15HD	Direct/ Tangential	D	Vertical O-Ring	¾ x ⅞
75R86182Q	RD-5-10426-1P		2521282	488-45092	12	QP15HD	Direct	D	Vertical O-Ring	¾ x ⅞
75R86194Q	RD-5-10427-2P		2521294	488-45090	24	QP15HD	Direct	D	Vertical O-Ring	¾ x ⅞
75R86202Q	RD-5-11521-1P		2521186	488-46030	12	QP16HD	Ear	A	Horizontal O-Ring	¾ x ⅞
75R86212Q	RD-5-11520-1P		2521350	488-46075	12	QP16HD	Ear	C	Horizontal O-Ring	1" - 14
75R86222Q	RD-5-11523-1P		2521596	488-46059	12	QP16HD	Ear	A	Horizontal O-Ring	¾ x ⅞
75R86232Q	RD-5-13041-0P				12	QP16HD	Ear	A	Horizontal O-Ring	¾ x ⅞
75R86322Q	RD-5-12904-0P				12	QP21	Direct	J	GM	Pad Fitting
75R86324Q	RD-5-12903-0P				24	QP21	Direct	J	GM	Pad Fitting
75R8632Q	RD-5-7164-1P		2521167	488-45065	12	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R86332Q	RD-5-13153-0P				12	QP21	Direct	J	GM	Pad Fitting
75R8634Q	RD-5-7165-1P		2521192	488-46061	24	QP16HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R8644Q	RD-5-8884-1P		2521194	488-46073	24	QP16HD	Ear	A	Horizontal O-Ring	¾ x ⅞
75R8672Q	RD-5-12529-0P		2521209	488-46500	12	QP31HD	Direct/ Tangential	G	Top Outlet	1 1⁄16 x ⅞
75R8682Q	RD-5-12528-0P		2521213	488-46540	12	QP31HD	Direct/ Tangential	G	Top Outlet	1 1⁄16 x ⅞
75R8694Q	RD-5-12528-0P				12	QP31HD	Direct/ Tangential	G	Top Outlet	1 1⁄16 x ⅞



CLUTCH VARIATIONS

Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE

† Head Type = see photo reference on following pages
* R-12 Compressor

	CLUTCH						
Cubic Inches	Clutch Type	Gauge Line	Connector Type	Number of wires	Clutch Shaft Type	Red Dot Clutch Part No.	Factory Clutch Part No.
8.9	5 ¼" (135mm) 2 Groove	-	Bullet	1	Spline	75R0252	RD-5-10722-0P
8.9	6 ¼" (159mm) Variable Groove	1 9/16" (40mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P
8.9	4 ¾" (123mm) Poly 6	1 11/32" (34mm)	Bullet	1	Spline	75R0072	RD-5-10526-0P
8.9	4 ¾" (123mm) Poly 6	1 11/32" (34mm)	Bullet	1	Spline	75R0072	RD-5-10526-0P
8.9	4 ¾" (123mm) Poly 6	1 11/32" (34mm)	Bullet	1	Spline	75R0072	RD-5-10526-0P
8.9	5 ¼" (135mm) 2 Groove	1 9/16" (40mm)	Bullet	1	Spline		
8.9	4 ¾" (123mm) Poly 8	1 11/32" (34mm)	Bullet	1	Spline	75R0082	RD-5-10544-0P
9	6 ¼" (159mm) Variable Groove	1 7/8" (47mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P
13.1	5 ½" (141mm) Poly 8	2" (51mm)	Bullet	2	Spline		
13.1	5 ½" (141mm) Poly 8	2" (51mm)	Bullet	2	Spline		
8.9	5 ¼" (135mm) 2 Groove	1 9/16" (40mm)	Bullet	1	Spline	75R0274	RD-5-10232-0P
13.1	5 ¾ (145 mm) 2GR	2 1/8 (54mm)	Bullet	2	Spline		
9	4 ¾" (123mm) Poly 8	1 11/32" (34mm)	Bullet	1	Spline	75R0082	RD-5-10544-0P
9	4 ¾" (123mm) Poly 8	1 11/32" (34mm)	Bullet	1	Spline	75R0082	RD-5-10544-0P
9	4 ¾" (123mm) Poly 6	2 7/16" (62mm)	Bullet	1	Spline	75R0092	RD-5-10545-0P
9	5 ¼" (135mm) 2 Groove	1 9/16" (40mm)	Bullet	1	Spline		
9	5 ¼" (135mm) 2 Groove	1 9/16" (40mm)	Bullet	1	Spline	75R0274	RD-5-10232-0P
9.95	5 ¼" (135mm) 2 Groove	1 9/16" (40mm)	Bullet	1			
9.95	5" (125mm) 2 Groove	1 9/16" (40mm)	Bullet	1	Spline	75R1212	RD-5-10724-0P
9.95	5 ¼" (135mm) 2 Groove	-	Weatherpak	1	Spline		
9.95	5 ¼" (135mm) 2 Groove	1 9/16" (40mm)	Bullet	1	Spline		
13.1	5 (127mm) Poly 8	2 (49mm)	Bullet	2	Spline		
13.1	5 ¾ (145 mm) 2GR	2 1/8 (54mm)	Bullet	2	Spline		
8.9	6 ¼" (159mm) Variable Groove	1 9/16" (40mm)	Bullet	1	Spline	75R1412	RD-5-9249-0P
13.1	5" (125mm) 6 Groove	2 13/16" (46mm)	Weatherpak	1	Spline		
9.95	6 ¼" (159mm) Variable Groove	1 9/16" (40mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P
9.95	6 ¼" (159mm) Variable Groove	1 9/16" (40mm)	Bullet	1	Spline	75R1414	RD-5-9250-0P
19.1	6" (152 mm) 2 Groove	3" (78mm)	Bullet	1	Spline	75R4782	RD-5-10301-0P
19.1	6" (152 mm) Poly 8	2 5/8" (67mm)	Bullet	1	Spline	75R4792	RD-5-10302-0P
19.1	6" (152 mm) Poly 8	3" (78mm)	Bullet	1	Spline		

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-0P**



COMPRESSOR

Red Dot Part No.	Factory Part No.	Sanden Part No.	ICE Part No.	Seltec Part No.	Voltage	Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size
75R8702Q	RD-5-10728-1P		2521171	488-45120	12	QP15HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R8704Q	RD-5-12525-0P				24	QP31HD	Direct/ Tangential	G	Top Outlet	1 1⁄16 x ⅞
75R8712Q	RD-5-9609-11P		2521180	488-46011	12	QP16HD	Ear	D	Vertical O-Ring	¾ x ⅞
75R8722Q	RD-5-10492-1P	4717	2521475		12	QP16HD	Ear	WV	Horizontal Pad	¾ x ⅞
75R8772Q	RD-5-12568-0P	4401, 4426, 4696			12	QP7H15	Ear	GQ	Lateral Pad	Pad
75R8782Q	RD-5-12906-0P				12	QP31HD	Direct/ Tangential	G	Top Outlet	1 1⁄16 x ⅞
75R8784Q	RD-5-12907-0P				24	QP31HD	Direct/ Tangential	G	Top Outlet	1 1⁄16 x ⅞
75R8802Q	RD-5-11318-1P		2521581		12	QP16HD	Ear	E	Vertical O-Ring	1" - 14
75R8812Q	RD-5-13655-0P				12	QP31HD	Direct/ Tangential	G	Top Outlet	1 1⁄16 x ⅞
75R8814Q	RD-5-12630-0P				24	QP31HD	Direct/ Tangential	G	Top Outlet	1 1⁄16 x ⅞
75R8822Q	RD-5-12564-0P				12	QP16HD	Ear	E	Vertical O-Ring	1" - 14
75R89492Q	RD-5-12550-1P	4377			12	QP7H15S	Direct	GQ	Lateral Pad	Pad
75R89502Q	RD-5-13207-1P	4368			12	QP7H15S	Direct	GQ	Lateral Pad	Pad
75R89522Q	RD-5-13209-1P	4376			12	QP7H15S	Direct	GSA	Lateral Pad	¾ x ⅞
75R89532Q	RD-5-13210-1P	4370			12	QP7H15S	Direct	GQ	Lateral Pad	Pad
75R89552A	RD-5-13212-2P	4041			12	SD7H15	Ear	GQ	Lateral Pad	Pad
75R89582Q	RD-5-13215-1P	1027T6			12	QP7H15	Direct	GH	Horizontal Pad	¾ x ⅞
75R89592Q	RD-5-15533-0P				12	QP21HD	Direct	J	Horizontal Pad	Pad Fitting
75R89602Q	RD-5-13226-1P	4383			12	QP7H15S	Ear	GQ	Lateral Pad	Pad
75R89624Q	RD-5-14643-0P			QP16-1661	24		Direct	D	Vertical O-Ring	¾ x ⅞
75R89632Q	RD-5-15310-0P	4761		QP7H15-4761	12	QP7H15				
75R89782A	RD-5-15523-2P				12	SD7H16	Ear	A	Horizontal Pad	Pad
75R89834Q	RD-5-15720-0P				24	QP16-1665	Direct	A	Horizontal O-Ring	¾ x ⅞
75R89840Q	RD-5-15721-1P					QP16-1000	Ear		Horizontal Pad	¾ x ⅞
75R89802Q	RD-5-15309-0P	4421			12	QP7H15	Direct	MJ	Horizontal O-Ring	1 x 14
75R89812Q	RD-5-14691-0P	4286			12	QP7H15	Direct	WV	Horizontal Tab	¾ x ⅞
75R89852A	RD-5-15572-2P	4314			12	7H15HD	Direct	PK	Lateral Pad	Pad
75R90784A	RD-5-15718-2P				24	TM15	Ear	D	Vertical O-ring	3/4 x 7/8




CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE

† Head Type = see photo reference on following pages
* R-12 Compressor

	CLUTCH						
Cubic Inches	Clutch Type	Gauge Line	Connector Type	Number of wires	Clutch Shaft Type	Red Dot Clutch Part No.	Factory Clutch Part No.
8.9	4 ¾" (123mm) Poly 8	1 11/32" (34mm)	Bullet	1	Spline	75R0082	RD-5-10544-0P
19.1	6" (152 mm) Poly 8	2 5/8" (67mm)	Bullet	2	Spline		
9.95	5 ¼" (135mm) 2 Groove	1 9/16" (40mm)	Bullet	1	Spline		
9.5	5" (125mm) 2 Groove	1 9/16" (40mm)	Metripak	2	Spline	75R1212	RD-5-10724-0P
9.5	4.9" (125mm) A2 Groove	.94" (24mm)	Metripak	2	Key		
19.1	6 ¼ (158mm) 2 Groove	3 (75mm)	Bullet	1	Spline		
19.1	6 ¼ (158mm) 2 Groove	3 (75mm)	Bullet	1	Spline		
9.95	4 ¾" (123mm) Poly 8	1 11/32" (34mm)	Weatherpak	1	Spline		
19.1	6" (152 mm) Poly 8	2 5/8" (67mm)	Weatherpak	1	Spline		
19.1	6" (152mm) Poly 10	2 23/32 (69mm)	Weatherpak	1	Spline		
9.95	4 ¾" (123mm) Poly 8	1 11/32" (34mm)	Bullet	1	Spline		
9.5	4.9" (125mm) Poly 6	1 4/5" (46mm)	Metripak	2	Key		
9.5	4 ¾" (119mm) Poly 8	2" (49mm)	Metripak	2	Key		
9.5	5" (126mm) Poly 6	1 4/5" (46mm)	Metripak	2	Key		
9.5	5" (126mm) Poly 12	2 1/5" (56mm)	Metripak	2	Key		
9.5	4.9 (125MM) 2 Grove	1 9/16" (40MM)	CAT OE	2			
9.5	4.9" (125mm) Poly 6	1 ¾" (45mm)	Metripak	2	Spline		
13.1	5" (127mm) Poly 10		Bullet	2	Spline		
9.5	4.9" (125mm) A2 Groove	0.94" (24mm)	Metripak	2	Key		
9.95	4 ¾ (119mm) Poly 8	2" (49mm)	Bullet	1	Spline		
	4.9"(125mm) Poly 6	2 1/8"	Metripak	2			
9.95	4 3/4 (119MM) Poly 8	1 11/32" (34MM)	Bullet	1			
9.95	4.7" (119mm) Poly 8	49mm	Bullet	1			
9.95	No Clutch						
9.95	4.7" (119mm) Poly 8		Metripak	2			
9.95	5 1/4" (132mm) Poly 8		Metripak	2			
9.5	4 3/4 (119MM) Poly 8	62MM	Weatherpak	2			
9.5	4 3/4 (119MM) Poly 8	1 11/32" (34MM)	Bullet	1			

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-0P**



COMPRESSOR

QUE COMPRESSORS – Replacements for ICE / Seltec / Sanden Products


Red Dot Part No.	Factory Part No.	Sanden Part No.	ICE Part No.	Seltec Part No.	Voltage	Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size
75R91182Q	RD-5-16668-0P				12	QP25	Direct	H	Horizontal Pad	Pad
75R91184Q	RD-5-16666-0P				24	QP25	Direct	H	Horizontal Pad	Pad
75R91192Q	RD-5-16669-0P				12	QP25	Direct	H	Horizontal Pad	Pad
75R91194Q	RD-5-16667-0P				24	QP25	Direct	H	Horizontal Pad	Pad
75R91212Q	RD-5-15733-1P	4106			12	QP7H-15SHD	Direct	Pad	Horizontal Tab	Pad
75R9132Q	RD-5-15735-1P	1866			12	QP7H-15SHD	Direct	PK	Lateral Pad	Pad
75R90914A	RD-5-12553-2P			TM16	24		Ear	D	Vertival Male O-ring	3/4" x 7/8"
75R86214A	RD-5-12903-2P			TM21	24		Direct	Pad	Horizontal Pad	Pad
75R90944A	RD-5-12905-2P			TM31	24		Direct	G	Direct/Tangential	7/8" x 1 1/16"
75R8792A	RD-5-12908-2P			TM31	24		Direct	G	Direct/Tangential	7/8" x 1 1/16"
75R90934A	RD-5-15316-2P			TM21	24		Direct	Pad	Horizontal Pad	Pad
75R90882A	RD-5-15717-2P			TM16	12		Ear	Pad	Horizontal Pad	Pad
75R90722A	RD-5-16529-2P			TM15	12		Ear	Vertical O-ring 3/4 x7/8	Vertical O-Ring	3/4" x 7/8"
75R90732A	RD-5-16530-2P			TM15	12		Ear	Pad	Horizontal Pad	Pad
75R90742A	RD-5-16531-2P			TM15	12		Ear	Vertical O-ring 3/4 x7/8	Vertical O-Ring	3/4" x 7/8"
75R90752A	RD-5-16532-2P			TM15	12		Ear	A	Horizontal Male O-ring	3/4" x 7/8"
75R90764A	RD-5-16533-2P			TM15	24		Ear	Vertical Port 3/4 x7/8	Vertical O-Ring	3/4" x 7/8"
75R90774A	RD-5-16534-2P			TM15	24		Ear	B	Vertical Female O-ring	3/4" x 7/8"
75R90792A	RD-5-16535-2P			TM15	12		Ear	Vertical Port 3/4 x7/8	Vertical O-Ring	3/4" x 7/8"
75R90802A	RD-5-16536-2P			TM15	12		Ear	B	Vertical Female O-ring	3/4" x 7/8"
75R90814A	RD-5-16537-2P			TM15	24		Ear	B	Vertical Female O-ring	3/4" x 7/8"
75R90842A	RD-5-16540-2P			TM16	12		Ear	Pad	Vertical	3/4" x 7/8"
75R90854A	RD-5-16541-2P			TM16	24		Ear	A	Horizontal Pad	3/4 x 7/8
75R90862A	RD-5-16542-2P			TM16	12		Ear	A	Horizontal Pad	3/4 x 7/8
75R90872A	RD-5-16543-2P			TM16	12		Ear	Pad	Horizontal Pad	Pad
75R90894A	RD-5-16544-2P			TM16	24		Ear	Pad	Horizontal Pad	Pad

Cubic Inches	Clutch Type	Gauge Line	Connector Type	Number of wires	Clutch Shaft Type	Red Dot Clutch Part No.	Factory Clutch Part No.
	5.4 (137MM) Poly 8	2" (49MM)	Bullet	1			
	5.4 (137MM) Poly 8	51MM	Bullet	1			
	5.7 (145MM) 2 Grove	55MM	Bullet	1			
	5.7 (145MM) 2 Grove	55MM	Bullet	1			
9.5	4.9 (125MM) Poly 6	46MM	Weatherpak	2			
9.5	4.9" (125mm) Poly 6	55mm	Weatherpak	1			
9.9	5.3 (135MM) 2 Grove	40MM	Bullet	1			
13.1	5 3/4 (145MM) 2GR	55MM	Metripak	2			
13.1	6 (152MM) 2 Grove	75MM	Bullet	1			
13.1	6 (152MM) Poly 8	67MM	Bullet	1			
13.1	5.9 (150MM) 1 Grove	55MM	Metripak	2			
9.9	5.3 (135MM) 2 Grove	40MM	Bullet	1			
9.5	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.5	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.5	5.3 (135MM) 2 Grove	40MM	Bullet	1			
9.5	4.9 (125MM) 2 Grove	40MM	Bullet	1			
9.5	5.3 (135MM) 2 Grove	40MM	Bullet	1			
9.5	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.5	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.5	5.3 (135MM) 2 Grove	40MM	Bullet	1			
9.5	5.3 (135MM) 2 Grove	40MM	Bullet	1			
9.9	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.9	5.3 (135MM) 2 Grove	40MM	Bullet	1			
9.9	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.9	4.9 (125MM) 2 Grove	40MM	Bullet	1			
9.9	5.3 (135MM) 2 Grove	40MM	Bullet	1			


Red Dot Part No.	Factory Part No.	Sanden Part No.	ICE Part No.	Seltec Part No.	Voltage	Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size
75R90902A	RD-5-16545-2P			TM16	12		Ear	D	Vertival Male O-ring	3/4" x 7/8"
75R90922A	RD-5-16546-2P			TM16	12		Ear	D	Vertival Male O-ring	3/4" x 7/8"
75R90952A	RD-5-16547-2P			TM31	12		Direct	G	Direct/Tangential	7/8" x 1 1/16"
75R90962A	RD-5-16548-2P			TM15	12		Ear	B	Vertical Female O-ring	3/4" x 7/8"
75R90974A	RD-5-16549-2P			TM16	24		Ear	Pad	Horizontal Pad	Pad
75R91112A	RD-5-16582-2P			TM16	12		Ear	Pad	Horizontal Pad	Pad
75R91072A	RD-5-16594-2P			TM15	12		Ear	D	Vertival Male O-ring	3/4" x 7/8"
75R91104A	RD-5-16595-2P			TM16	24		Ear	D	Vertival Male O-ring	3/4" x 7/8"
75R91092A	RD-5-16596-2P			TM16	12		Ear	Pad	Horizontal Pad	Pad
75R91084A	RD-5-16597-2P			TM16	24		Ear	A	Horizontal Pad	3/4 x 7/8
75R91002A	RD-5-16598-2P			TM16	12		Ear	D	Vertival Male O-ring	3/4" x 7/8"

Cubic Inches	Clutch Type	Gauge Line	Connector Type	Number of wires	Clutch Shaft Type	Red Dot Clutch Part No.	Factory Clutch Part No.
9.9	4.9 (125MM) 2 Grove	40MM	Bullet	1			
9.9	4 3/4 (119MM) Poly 6	34MM	Bullet	1			
13.1	6 (152MM) Poly 10	69MM	Bullet	1			
9.5	4.9 (125MM) 2 Grove	40MM	Bullet	1			
9.9	4 3/4 (119MM) Poly 6	34MM	Bullet	1			
9.9	5 (126MM) 1 Grove	62MM	Bullet	1			
9.5	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.9	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.9	5.3 (135MM) 2 Grove	40MM	Bullet	1			
9.9	4 3/4 (119MM) Poly 8	34MM	Bullet	1			
9.9	4 3/4 (119MM) Poly 8	49MM	Bullet	1			


75R81184Q RD-5-12569-0P
Model: QP-7H15 **Head:** GK **Voltage:** 24
Mount: Ear
Clutch: 6" (152mm) A1 Groove **R134a**




75R81292Q RD-5-11250-1P
75R81292A RD-5-11250-2P
Model: QP7H15 **Head:** H **Voltage:** 12
Mount: Ear **Sanden:** 4618
Clutch: 4 ¾" (123mm) Poly 7



75R81302Q RD-5-11251-1P
75R81302A RD-5-11251-3P
Model: QP-7H15 **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4485, 4818, 4417
Clutch: 4 ¾ (119mm) Poly 8 **R134a**




75R81372Q RD-5-11257-1P
Model: QP-7H15 **Head:** WV **Voltage:** 12
Mount: Direct
Clutch: 4.9" (125mm) Poly 6 **R134a**




A = Aftermarket Version


75R81472Q RD-5-11316-1P
Model: QP-7H15 **Head:** JDA **Voltage:** 12
Mount: Ear
Clutch: 5" (125mm) 2 Groove **R134a**




75R81622Q RD-5-12330-1P
Model: QP-7H15 **Head:** JD **Voltage:** 12
Mount: Direct
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81632Q RD-5-12332-1P
75R81632A RD-5-12332-2P
Model: QP-7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4040, 4792
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81642Q RD-5-12535-0P
Model: QP16HD **Head:** GQ **Voltage:** 12
Mount: Ear **ICE:** 2521496
Clutch: 4 ¾" (123mm) Poly 8 **R134a**




75R81652Q RD-5-11343-1P
Model: QP-7H15 **Head:** WV **Voltage:** 12
Mount: Ear
Clutch: 5 ¼" (132mm) 2 Groove **R134a**




75R81662Q RD-5-12334-1P
75R81662A RD-5-12334-2P
Model: QP7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4042, 4759
Clutch: 4.7" (119mm) Poly 8 **R-134a**




75R8374Q RD-5-7091-1P
Model: QP-5H14 **Head:** FL **Voltage:** 24
Mount: Ear
Clutch: 6 ¼" (159mm) Variable Groove **R134a**




75R8382Q RD-5-7088-1P
Model: 5H14-HD **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4639, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8384Q RD-5-7089-1P
Model: QP7H15 **Head:** JD **Voltage:** 24
Mount: Ear **Sanden:** 4506, 4507, 6627, 6665
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R84302Q RD-5-13235-0P
75R84302A RD-5-13235-2P
Model: QP-7H15 **Head:** GWA **Voltage:** 12
Mount: Direct **Sanden:** 4815
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R84612Q RD-5-10297-1P
Model: QP-7H15 **Head:** SNA **Voltage:** 12
Mount: Ear
Clutch: 5 ¼ (132mm) 2 Groove **R134a**




75R8502Q RD-5-5875-1P
Model: QP-15HD **Head:** F **Voltage:** 12
Mount: Ear **ICE:** 2521129 **Seltec:** 488-25063
Clutch: 5" (125mm) 1 Groove overhang **R-12**




A = Aftermarket Version


75R85032Q RD-5-9609-9P
Model: QP-15HD **Head:** C **Voltage:** 12
Mount: Ear **ICE:** 2521168 **Seltec:** 488-45075
Clutch: 5" (125mm) 2 Groove **R134a**




75R85102Q RD-5-12899-0P
Model: QP-16HD **Head:** A **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521641
Clutch: 4 ¾" (123mm) Poly 8 **R134a**




75R85112Q RD-5-12901-0P
Model: QP-16HD **Head:** A **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521677
Clutch: 4 ¾" (123mm) Poly 8 **R134a**




75R8512Q RD-5-5876-1P
Model: QP-15HD **Head:** F **Voltage:** 12
Mount: Ear **ICE:** 2521121 **Seltec:** 488-25011
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




75R85132Q RD-5-12900-0P
Model: QP16HD **Head:** D **Voltage:** 12
Mount: Direct
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R8522Q RD-5-7023-1P
Model: QP-15HD **Head:** F **Voltage:** 12
Mount: Ear **ICE:** 2521132 **Seltec:** 488-25077
Clutch: 5 ¼" (135mm) 2 Groove **R-12**




75R8532Q RD-5-8944-1P
75R8532A RD-5-8944-2P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521166 **Seltec:** 488-45063
Clutch: 5" (125mm) 1 Groove overhang **R134a**




75R85332Q RD-5-10319-1P
Model: QP-15HD **Head:** E **Voltage:** 12
Mount: Ear **ICE:** 2521329 **Seltec:** 488-45094
Clutch: 6 ¼" (159mm) 1 Variable Groove **R134a**




75R8542Q RD-5-9028-1P
75R8542A RD-5-9028-2P
Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521158, 2521479 **Seltec:** 488-45030
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R8544Q RD-5-9059-1P
75R8544A RD-5-9059-2P
Model: QP-15HD **Head:** A **Voltage:** 24
Mount: Ear **ICE:** 2521154 **Seltec:** 488-45017
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R8552Q RD-5-9609-10P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521301 **Seltec:** 488-45077
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R85632Q RD-5-10321-1P
Model: QP-15HD **Head:** E **Voltage:** 12
Mount: Ear **ICE:** 2521316 **Seltec:** 488-45023
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R85642Q RD-5-11373-1P
Model: QP15HD **Head:** E **Voltage:** 12
Mount: Ear
Clutch: 5" (125mm) 2 Groove **R134a**




75R85714Q RD-5-10323-1P
Model: QP-15HD **Head:** C **Voltage:** 24
Mount: Ear **ICE:** 2521279 **Seltec:** 488-45073
Clutch: 6 ¼" (159mm) 1 Groove **R134a**




75R85732Q RD-5-10428-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521324 **Seltec:** 488-45069
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R85734Q RD-5-10322-1P
Model: QP-15HD **Head:** D **Voltage:** 24
Mount: Ear **ICE:** 2521165 **Seltec:** 488-45061
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**




75R85832Q RD-5-10324-1P
Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521323 **Seltec:** 488-45068
Clutch: 4 ¾" (123mm) Poly 6 **R134a**




75R85932Q RD-5-10325-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521156 **Seltec:** 488-45019
Clutch: 4 ¾" (123mm) Poly 6 **R134a**



75R86092Q RD-5-10431-1P
Model: QP-15HD **Head:** C **Voltage:** 12
Mount: Ear **ICE:** 2521330 **Seltec:** 488-45097
Clutch: 4 ¾" (123mm) Poly 6 **R134a**




75R8612Q RD-5-7145-1P
75R8612A RD-5-7145-2P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521152 **Seltec:** 488-45011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




A = Aftermarket Version


75R86132Q RD-5-10429-1P
Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521266 **Seltec:** 488-45122
Clutch: 4 ¾" (123mm) Poly 8 **R134a**




75R86134Q RD-5-10326-1P
Model: QP-15HD **Head:** A **Voltage:** 24
Mount: Direct **ICE:** 2521268 **Seltec:** 488-45081
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**



75R86142Q RD-5-12530-1P
75R86142A RD-5-12530-2P
Model: QP-21HD **Head:** J **Voltage:** 12
Mount: Direct **ICE:** 2521562 **Seltec:** 435-67256, 488-47244
Clutch: 5 ½" (141mm) Poly 8 **R134a**




75R86144Q RD-5-11866-2P
75R86144A RD-5-11866-3P
Model: QP-21HD **Head:** J **Voltage:** 24
Mount: Direct **ICE:** 2521563 **Seltec:** 488-47246
Clutch: 5 ½" (141mm) Poly 8 **R134a**




A = Aftermarket Version


75R8614Q RD-5-7163-2P
75R8614A RD-5-7163-3P
Model: QP-15HD **Head:** D **Voltage:** 24
Mount: Ear **ICE:** 2521153 **Seltec:** 488-45015
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R861522Q RD-5-12902-0P
75R861522A RD-5-12902-2P
Model: QP21 **Head:** J **Voltage:** 12
Mount: Direct
Clutch: 5 ¾ (145 mm) 2GR **R-134a**




75R86152Q RD-5-10327-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521280 **Seltec:** 488-45082
Clutch: 4 ¾" (123mm) Poly 8 **R134a**




75R86162Q RD-5-10328-1P
Model: QP-15HD **Head:** A **Voltage:** 12
Mount: Direct **ICE:** 2521281 **Seltec:** 488-45084
Clutch: 4 ¾" (123mm) Poly 8 **R134a**




75R86172Q RD-5-10329-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521170 **Seltec:** 488-45088
Clutch: 4 ¾" (123mm) Poly 6 **R134a**




75R86182Q RD-5-10426-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Direct **ICE:** 2521282 **Seltec:** 488-45092
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R86194Q RD-5-10427-2P
Model: QP-15HD **Head:** D **Voltage:** 24
Mount: Direct **ICE:** 2521294 **Seltec:** 488-45090
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R86202Q RD-5-11521-1P
75R86202A RD-5-11521-2P
Model: QP-16HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521186 **Seltec:** 488-46030
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




COMPRESSOR


75R86212Q RD-5-11520-1P
Model: QP-16HD **Head:** C **Voltage:** 12
Mount: Ear **ICE:** 2521350 **Seltec:** 488-46075
Clutch: 5" (125mm) 2 Groove **R134a**




75R86222Q RD-5-11523-1P
Model: QP-16HD **Head:** A **Voltage:** 12
Mount: Ear **ICE:** 2521596 **Seltec:** 488-46059
Clutch: 5 ¼" (135mm) 2 Groove **R134a**



75R86232Q RD-5-13041-0P
Model: QP16HD **Head:** A **Voltage:** 12
Mount: Ear
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




75R86322Q RD-5-12904-0P
75R86322A RD-5-12904-2P
Model: QP21 **Head:** J **Voltage:** 12
Mount: Direct
Clutch: 5 (127mm) Poly 8 **R134a**




A = Aftermarket Version


75R86324Q RD-5-12903-0P
Model: QP21 **Head:** J **Voltage:** 24
Mount: Direct
Clutch: 5 ¾ (145 mm) 2GR **R-134a**




75R8632Q RD-5-7164-1P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521167 **Seltec:** 488-45065
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**




75R86332Q RD-5-13153-0P
Model: QP21 **Head:** J **Voltage:** 12
Mount: Direct
Clutch: 5" (125mm) Poly 6 **R134a**




75R8634Q RD-5-7165-1P
Model: QP-16HD **Head:** D **Voltage:** 24
Mount: Ear **ICE:** 2521192 **Seltec:** 488-46061
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**




75R8644Q RD-5-8884-1P
Model: QP-16HD **Head:** A **Voltage:** 24
Mount: Ear **ICE:** 2521194 **Seltec:** 488-46073
Clutch: 6 ¼" (159mm) Variable 1 Groove **R134a**




75R8672Q RD-5-12529-0P
75R8672A RD-5-12529-2P
Model: QP-31HD **Head:** G **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521209 **Seltec:** 488-46500
Clutch: 6" (152mm) 2 Groove, ½" **R134a**



75R8682Q RD-5-12528-0P
75R8682A RD-5-12528-2P
Model: QP-31HD **Head:** G **Voltage:** 12
Mount: Direct (Tangential) **ICE:** 2521213 **Seltec:** 488-46540
Clutch: 6" (152mm) Poly 8 **R134a**



75R8694Q RD-5-12905-0P
Model: QP-31HD **Head:** G **Voltage:** 24
Mount: Direct (Tangential) **ICE:** 2521213 **Seltec:** 488-46540
Clutch: 6" (152mm) 2 Groove **R134a**




75R86214A RD-5-12903-2P
Model: TM21 **Head:** Pad **Voltage:** 24
Mount: Direct
Clutch: 5 3/4 (145MM) 2GR **R134a**




Image Not Available


75R8702Q RD-5-10728-1P
75R8702A RD-5-10728-2P
Model: QP-15HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521171 **Seltec:** 488-45120
Clutch: 4 ¾" (123mm) Poly 8 **R134a**



75R8704Q RD-5-125250P
Model: QP-31HD **Head:** G **Voltage:** 24
Mount: Direct/ Tangential
Clutch: 6" (152 mm) Poly 8 **R134a**



75R8712Q RD-5-9609-11P
75R8712A RD-5-9609-12P
Model: QP-16HD **Head:** D **Voltage:** 12
Mount: Ear **ICE:** 2521180 **Seltec:** 488-46011
Clutch: 5 ¼" (135mm) 2 Groove **R134a**




A = Aftermarket Version


75R8722Q RD-5-10492-1P
Model: QP-16HD **Head:** WV **Voltage:** 12
Mount: Ear **ICE:** 2521475
Clutch: 5" (125mm) 2 Groove **R134a**




75R8772Q RD-5-12568-0P
Model: QP7H15 **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4401, 4426, 4696
Clutch: 4.9" (125mm) A2 Groove **R-134a**



75R8782Q RD-5-12906-0P
75R8782A RD-5-12906-2P
Model: QP31HD **Head:** G **Voltage:** 12
Mount: Direct/ Tangential
Clutch: 6 ¼ (158mm) 2 Groove **R-134a**



75R8784Q RD-5-12907-0P
75R8784A RD-5-12907-2P
Model: QP31HD **Head:** G **Voltage:** 24
Mount: Direct/ Tangential
Clutch: 6 ¼ (158mm) 2 Groove **R-134a**




75R8792A RD-5-12908-2P
Model: TM31 **Head:** G **Voltage:** 24
Mount: Direct
Clutch: 6 (152MM) Poly 8 **R134a**




Image Not Available


75R8802Q RD-5-11318-1P
Model: QP-16HD **Head:** E **Voltage:** 12
Mount: Ear **2521581**
Clutch: 4 ¾" (123mm) Poly 8 **R134a**



75R8812Q RD-5-13655-0P
Model: QP-31HD **Head:** G **Voltage:** 12
Mount: Direct/ Tangential
Clutch: 6" (152 mm) Poly 8 **R134a**




75R8814Q RD-5-12630-0P
Model: QP-31HD **Head:** G **Voltage:** 24
Mount: Direct/ Tangential
Clutch: 6" (152mm) Poly 10 **R134a**




75R8822Q RD-5-12564-0P
75R8822A RD-5-12564-2P

Model: QP-16HD **Head:** E **Voltage:** 12
Mount: Ear
Clutch: 4 ¾" (123mm) Poly 8 **R134a**




75R89492Q RD-5-12550-1P
75R89492A RD-5-12550-2P

Model: QP7H15S **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4080, 4377
Clutch: 4.9" (125mm) Poly 6 **R-134a**




75R89502Q RD-5-13207-1P

Model: QP7H15S **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4077, 4368
Clutch: 4 ¾" (119mm) Poly 8 **R-134a**




75R89522Q RD-5-13209-1P
75R89522A RD-5-13209-2P

Model: QP7H15S **Head:** GSA **Voltage:** 12
Mount: Direct **Sanden:** 4079, 4379
Clutch: 5" (126mm) Poly 6 **R-134a**



75R89532Q RD-5-13210-1P
75R89532A RD-5-13210-2P

Model: QP7H15S **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4078, 4370
Clutch: 5" (126mm) Poly 12 **R-134a**




75R89552Q RD-5-13212-1P
75R89552A RD-5-13212-2P

Model: SD7H15 **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4041
Clutch: 4.9 (125MM) 2 Grove **R134a**




75R89582Q RD-5-13215-1P

Model: QP7H15 **Head:** GSA **Voltage:** 12
Mount: Direct
Sanden: 4039, 4424, 4731, 4376, 5362
Clutch: 4.9" (125mm) Poly 6 **R-134a**



75R89602Q RD-5-13226-1P


Model: QP7H15S **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4089, 4383
Clutch: 4.9" (125mm) A2 Groove **R-134a**



A = Aftermarket Version


75R81232Q RD-5-11244-1P

Model: QP7H15 **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4430
Clutch: 4.9" (125mm) Poly 6 **R-134a**




75R89592Q RD-5-15533-1P
75R89592A RD-5-15533-3P

Model: QP21 **Head:** J **Voltage:** 12
Mount: Direct
Clutch: 5" (126mm) Poly 10 **R-134a**




75R89802Q RD-5-15309-0P

Model: QP7H15 **Head:** MJ **Voltage:** 12
Mount: Direct **Sanden:** 4421
Clutch: 4.7" (119mm) Poly 8 **R-134a**



75R89622Q RD-5-14652-1P
75R89622A RD-5-14652-2P


Model: QP7H15SHD **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4802S
Clutch: 5 ½" (140mm) Poly 8 **R-134a**




75R89782Q RD-5-15523-1P
75R89782A RD-5-15523-2P
Model: SD7H16 **Head:** A **Voltage:** 12
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available


75R89822Q RD-5-14690-0P
75R89822A RD-5-14690-2P
Model: QP7H155HD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4286
Clutch: 4.9" (125mm) Poly 6



75R89812Q RD-5-14691-0P
75R89812A RD-5-14691-2P
Model: QP7H15SHD **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4286
Clutch: 5 ¼" (132mm) Poly 8



75R89834Q RD-5-15720-0P
Model: QP16-1665 **Head:** A **Voltage:** 24
Mount: Direct
Clutch: 4.7" (119mm) Poly 8 **R-134a**



A = Aftermarket Version

75R89840Q RD-5-15721-1P
Model: QP16-1000
Mount: Ear
Clutch: No Clutch **R-134a**

Image Not Available

75R89852Q RD-5-15572-1P
75R89852A RD-5-15572-2P
Model: 7H15HD **Head:** PK **Voltage:** 12
Mount: Direct **Sanden:** 4314
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90694 RD-5-16527-0P
Model: TM15 **Head:** JE **Voltage:** 24
Mount: Ear **Sanden:** 8223
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90722A RD-5-16529-2P
Model: TM15 **Head:** Vertical O-ring 3/4 x7/8 **Voltage:** 12
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90732A RD-5-16530-2P
Model: TM15 **Head:** Pad **Voltage:** 12
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90742A RD-5-16531-2P
Model: TM15 **Head:** Vertical O-ring 3/4 x7/8
Voltage: 12 **Mount:** Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**

Image Not Available

75R90752A RD-5-16532-2P
Model: TM15 **Head:** A **Voltage:** 12
Mount: Ear
Clutch: 4.9 (125MM) 2 Grove **R134a**

Image Not Available

75R90764A RD-5-16533-2P
Model: TM15 **Head:** Vertical Port 3/4 x7/8
Voltage: 24 **Mount:** Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**

Image Not Available

75R90774A RD-5-16534-2P
Model: TM16 **Head:** B **Voltage:** 24
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



Image Not Available

75R90784Q RD-5-15718-1P
75R90784A RD-5-15718-2P
Model: TM15 **Head:** D **Voltage:** 24
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



Image Not Available

75R90792A RD-5-16535-2P
Model: TM15 **Head:** Vertical Port 3/4 x7/8
Voltage: 12 **Mount:** Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



Image Not Available

75R90802A RD-5-16536-2P
Model: TM15 **Head:** B **Voltage:** 12
Mount: Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**



Image Not Available

75R90814A RD-5-16537-2P
Model: TM15 **Head:** B **Voltage:** 24
Mount: Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**



Image Not Available

75R90854A RD-5-16541-2P
Model: TM16 **Head:** A **Voltage:** 24
Mount: Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**



Image Not Available

75R90862A RD-5-16542-2P
Model: TM16 **Head:** A **Voltage:** 12
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



Image Not Available

75R90872A RD-5-16543-2P
Model: TM16 **Head:** Pad **Voltage:** 12
Mount: Ear
Clutch: 4.9 (125MM) 2 Grove **R134a**



Image Not Available

75R90882A RD-5-15717-2P
Model: TM16 **Head:** Pad **Voltage:** 12
Mount: Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**



Image Not Available

75R90894A RD-5-16544-2P
Model: TM16 **Head:** Pad **Voltage:** 24
Mount: Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**



Image Not Available

75R90902A RD-5-16545-2P
Model: TM16 **Head:** D **Voltage:** 12
Mount: Ear
Clutch: 4.9 (125MM) 2 Grove **R134a**



Image Not Available

75R90914A RD-5-12553-2P
Model: TM16 **Head:** D **Voltage:** 24
Mount: Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**



Image Not Available

75R90922A RD-5-16546-2P
Model: TM16 **Head:** D **Voltage:** 12
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 6 **R134a**



75R90962A RD-5-16548-2P
Model: TM15 **Head:** B **Voltage:** 12
Mount: Ear
Clutch: 4.9 (125MM) 2 Grove **R134a**



75R91012A RD-5-16602-2P
Model: TM21 **Head:** Pad **Voltage:** 12
Mount: Direct
Clutch: 5.9 (150MM) 1 Grove **R134a**



75R90934A RD-5-15316-2P
Model: TM21 **Head:** Pad **Voltage:** 24
Mount: Direct
Clutch: 5.9 (150MM) 1 Grove **R134a**



75R90974A RD-5-16549-2P
Model: TM16 **Head:** Pad **Voltage:** 24
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 6 **R134a**



75R91024A RD-5-16603-2P
Model: TM21 **Head:** Pad **Voltage:** 24
Mount: Direct
Clutch: 5 (127MM) Poly 8 **R134a**



75R90944A RD-5-12905-2P
Model: TM31 **Head:** G **Voltage:** 24
Mount: Direct
Clutch: 6 (152MM) 2 Grove **R134a**



75R90992A RD-5-16605-2P
Model: TM16 **Head:** Pad **Voltage:** 12
Mount: Direct
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



75R91032A RD-5-16600-2P
Model: TM21 **Head:** Pad **Voltage:** 12
Mount: Direct
Clutch: 5.5 (141MM) Poly 10 **R134a**



75R90952A RD-5-16547-2P
Model: TM31 **Head:** G **Voltage:** 12
Mount: Direct
Clutch: 6 (152MM) Poly 10 **R134a**



75R91002A RD-5-16598-2P
Model: TM16 **Head:** D **Voltage:** 12
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



75R91044A RD-5-16601-2P
Model: TM21 **Head:** Pad **Voltage:** 24
Mount: Direct
Clutch: 5.3 (135MM) Poly 8 **R134a**



75R91052A RD-5-16604-2P
Model: TM21 **Head:** Pad **Voltage:** 12
Mount: Direct
Clutch: 5.4 (137MM) Poly 6 **R134a**

Image Not Available

75R91104A RD-5-16595-2P
Model: TM16 **Head:** D **Voltage:** 24
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R91192Q RD-5-16669-0P
Model: QP25 **Head:** H **Voltage:** 12
Mount: Direct
Clutch: 5.7 (145MM) 2 Grove **R134a**

Image Not Available

75R91072A RD-5-16594-2P
Model: TM21 **Head:** D **Voltage:** 12
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R91112A RD-5-16582-2P
Model: TM16 **Head:** Pad **Voltage:** 12
Mount: Ear
Clutch: 5 (126MM) 1 Grove **R134a**

Image Not Available

75R91194Q RD-5-16667-0P
Model: QP25 **Head:** H **Voltage:** 24
Mount: Direct
Clutch: 5.7 (145MM) 2 Grove **R134a**

Image Not Available

75R91084A RD-5-16597-2P
Model: TM16 **Head:** A **Voltage:** 24
Mount: Ear
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R91182Q RD-5-16668-0P
Model: QP25 **Head:** H **Voltage:** 12
Mount: Direct
Clutch: 5.4 (137MM) Poly 8 **R134a**

Image Not Available

75R91212Q RD-5-15733-1P
Model: QP7H15SHD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4106
Clutch: 4.9 (125MM) Poly 6 **R134a**

Image Not Available

75R91092A RD-5-16596-2P
Model: TM16 **Head:** Pad **Voltage:** 12
Mount: Ear
Clutch: 5.3 (135MM) 2 Grove **R134a**

Image Not Available

75R91184Q RD-5-16666-0P
Model: QP25 **Head:** H **Voltage:** 24
Mount: Direct
Clutch: 5.4 (137MM) Poly 8 **R134a**

Image Not Available


75R9132Q RD-5-15735-1P
Model: QP7H15SHD **Head:** PK **Voltage:** 12
Mount: Direct **Sanden:** 1866
Clutch: 4.9" (125mm) Poly 6 **R-134**





SD5H09

Bore	1.38 in. (35mm)
Stroke	0.71 in. (18mm)
Displacement per Revolution	5.3 cu. in. (87cc)
Number of Cylinders	5
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	7,500
Refrigerant	134A
Oil (PAG)*	3.5 fl. oz. (100cc)
Rotation	Clockwise










Mounting options up to 90° from vertical.


NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.


SD709 & SD7H15

Bore	1.153 in. 29mm
Stroke	1.29 in. 33mm
Displacement per Revolution	9.5 cu. in. 155cc
Number of Cylinders	7
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6,000
Refrigerant	R-12 / 134A
Oil (SUNISO 5GS / SP15)	4.6 fl. oz. (135cc)
Weight	16.4 LB. 7.4 kg.
Rotation	Clockwise









Mounting options up to 90° from vertical.

NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.

SANDEN'S NEW, FLEXIBLE COMPRESSOR SERIES – FLX7

FLX7 Features and Benefits


- The FLX7 utilizes interchangeable parts to increase flexibility and adaptability to a variety of vehicle applications. FLX7 compressors come standard with enhanced features previously found only on premium compressors. Features and benefits include:
- A variety of clutch rotor configurations: single, double, sealed heavy-duty and multi-groove rotors are available in 12 and 24 volt options.
- Each FLX7 comes with both a bullet and a sealed Packard clutch lead wire terminal for application flexibility.
- For protection, every FLX7 comes equipped with a pressure relief valve to guard against abnormal pressure conditions. A field coil diode is also included to prevent electrical damage caused by voltage surges.
- The FLX7 uses a standard GM pad-style cylinder head which receives a variety of port fittings ready to accommodate vertical and horizontal hose attachment. The port fittings are sold separately from the compressor, allowing the user to adapt a single compressor to fit many applications.
- Each port fitting is made of forged steel for superior strength vs. cast iron fittings.

SD7H15 Durability

- The FLX7 starts with the same SD7H15 compressor known throughout the automotive industry for its performance and durability.
- Seven cylinders for reduced operating pulsations, reduced noise and improved performance.
- Available in ear mount or direct mount configurations for flexibility and adaptability over a broad range of applications.
- Superior lubricating system for increased durability and high temperature performance.
- Heavy-duty bearing to handle higher pressures and loads.
- Shaft seal for greater leak protection and durability.

Typical Applications


- FLX7 are designed for use with:
- Light Passenger Vehicles
- Medium Duty and Heavy Trucks
- Construction Vehicles
- Agricultural Vehicles
- Passenger Buses





FLX7



Bore	1.153 in. (29mm)
Stroke	1.29 in. (33mm)
Displacement per Revolution	9.5 cu. in. (155cc)
Number of Cylinders	7
Maximum Allowable Continuous R.P.M. Normal Operating Conditions)	6,000
Refrigerant	R 134A
Oil (SP15)	6.75 fl. oz. (200cc)
Weight	16.4 lbs (7.4 kg)
Rotation	Clockwise







Mounting options up to 90° from vertical.

NOTE: Photos at left and above are shown with one of several options for clutches and cylinder head.

COMPRESSOR

SANDEN FLX-7 REAR PORT FITTING ADAPTERS

Compressor heads shown for reference only

75R89305 RD-5-10880-0P
Horizontal O-Ring
¾" X ⅞"



75R89310 RD-5-10881-0P
Vertical O-Ring
¾" X ⅞"

75R89315 RD-5-10882-0P
Vertical O-Ring
1" X 14



75R89320 RD-5-10883-0P
Vertical Flare
¾" X ⅞"



75R89325 RD-5-10884-0P
Horizontal O-Ring
1" X 14



FLX 7 WIRE ADAPTER

Red Dot No.	Factory No..	Description
75R89327	RD 5-11007-0P	Converts Single Wire to Dual Wire



FLX7 REPLACEMENT PARTS

Sanden Part No.	FLX7 Replacement	Head Adapter
4327	75R89304	N/A
4419	75R89462	N/A
4420	75R89302	N/A
4428	75R89462	75R89305
4434	75R89422	N/A
4435	75R89424	75R89310
4447	75R89422	75R89315
4448	75R89394	N/A
4501	75R89384	75R89315
4502	75R89382	75R89315
4506	75R89424	75R89310
4507	75R89424	75R89310
4508	75R89392	75R89310
4509	75R89422	75R89310
4510	75R89422	75R89310
4511	75R89372	75R89315
4513	75R89422	75R89325
4514	75R89352	75R89310
4515	75R89372	75R89310
4516	75R89374	75R89310
4518	75R89344	75R89325
4519	75R89414	GM PAD
4521	75R89424	75R89325
4522	75R89352	75R89325
4523	75R89352	75R89325
4525	75R89422	75R89315
4526	75R89392	75R89325
4527	75R89424	75R89315
4529	75R89422	75R89315
4532	75R89484	75R89310
4536	75R89422	75R89305
4537	75R89424	75R89305
4600	75R89434	75R89310
4626	75R89462	75R89310
4627	75R89312	75R89310
4637	75R89434	75R89305
4638	75R89352	75R89325
4641	75R89302	75R89325
4643	75R89422	75R89315
4646	75R89422	75R89325
4647	75R89422	75R89310
4652	75R89334	75R89310
4663	75R89312	75R89310
4664	75R89422	75R89310
4665	75R89352	75R89310
4666	75R89302	75R89305
4706	75R89312	75R89315
4707	75R89352	N/A
4708	75R89312	N/A
4709	75R89312	75R89305
4710	75R89352	75R89315
4711	75R89352	75R89310
4712	75R89352	75R89305
4741	75R89334	75R89310
4742	75R89334	75R89305
4743	75R89334	75R89315
4744	75R89334	75R89325
4745	75R89374	75R89310
4746	75R89372	75R89310
4747	75R89372	75R89315
4762	75R89354	75R89315
4763	75R89354	75R89315
4764	75R89354	75R89325
4765	75R89354	75R89305
4779	75R89312	75R89310
4864	75R89352	N/A
4866	75R89354	N/A
4867	75R89354	N/A
4868	75R89372	N/A
4869	75R89382	75R89310
4870	75R89374	N/A
4871	75R89384	75R89315
4872	75R89392	N/A
4874	75R89434	N/A
4876	75R89412	N/A
4877	75R89474	N/A
4878	75R89414	GM PAD
4881	75R89484	N/A
4882	75R89312	75R89320
5407	75R89394	75R89310
5413	75R89394	75R89310
5425	75R89382	75R89310
5754	75R89414	GM PAD
6626	75R89422	75R89310
6627	75R89424	75R89310
6629	75R89352	75R89310
6630	75R89422	75R89305
6631	75R89422	75R89325
6632	75R89424	75R89325
6634	75R89424	75R89305
6642	75R89422	75R89315
6655	75R89352	75R89325
6656	75R89392	75R89310
6664	75R89422	75R89310
6665	75R89424	75R89310
6667	75R89424	75R89325
6670	75R89392	75R89325
6671	75R89372	75R89315
6672	75R89374	75R89310
6673	75R89372	75R89310
6675	75R89352	75R89325
6676	75R89422	75R89305
6677	75R89422	N/A
6678	75R89422	N/A
6679	75R89484	75R89310
6680	75R89424	75R89305
7819	75R89312	75R89325
7822	75R89352	75R89325
8103	75R89352	75R89310
8104	75R89422	75R89310
8396	75R89312	75R89320
8399	75R89344	75R89320
8399	75R89394	75R89320
9105	75R89394	75R89320
9119	75R89382	75R89315
9122	75R89384	75R89315
9133	75R89394	75R89325
9137	75R89394	75R89315
9143	75R89394	75R89310
9265	75R89394	75R89325
9505	75R89394	75R89315
9674	75R89394	75R89310
9675	75R89382	75R89310
9676	75R89374	75R89310
9684	75R89414	N/A



ORDERING GUIDE

R-134A

Red Dot No.	Factory No.	Displacement in Inches³	Model Type	Wire Connect	Volts	Mount Type	Clutch Type	Head Type	Sanden Part No.	Clutch Part No.
75R89302	RD-5-10885-0P	9.5	7H15 FLX	1	12	Direct	4 ¾" (119mm) Poly 8	GV	4420	75R1862
75R89304	RD-5-10887-0P	9.5	7H15FLX	1	24	Direct	4 ¾" (119mm) Poly 8	GV	4327	
75R89312	RD-5-10886-0P	9.5	7H15 FLX	1	12	Ear	5" (125mm) 2A GR	GV	4860	75R0192
75R89334	RD-5-10888-0P	9.5	7H15 FLX	1	24	Ear	5" (125mm) 2A GR	GV	4862	—
75R89352	RD-5-10890-0P	9.5	7H15 FLX	1	12	Ear	4 ¾" (119mm) Poly 8	GV	4864	—
75R89354	RD-5-10892-0P	9.5	7H15 FLX	1	24	Ear	4 ¾" (119mm) Poly 8	GV	4866	—
75R89372	RD-5-10893-0P	9.5	7H15 FLX	1	12	Ear	6 ¼" (158mm) Var GR	GV	4868	—
75R89374	RD-5-10895-0P	9.5	7H15 FLX	1	24	Ear	6 ¼" (158mm) Var GR	GV	4870	—
75R89392	RD-5-10897-0P	9.5	7H15 FLX	1	12	Ear	5" (125mm) Poly 10	GV	4872	—
75R89422	RD-5-10899-0P	9.5	7H15 FLX	1	12	Ear	5 ¼" (132mm) 2A GR	GV	4434	—
75R89424	RD-5-10900-0P	9.5	7H15 FLX	1	24	Ear	5 ¼" (132mm) 2A GR	GV	4435	—
75R89432	RD-5-11005-0P	9.5	7H15 FLX	1	12	Ear	5 ¼" (133mm) Poly 8	GV	4874	—
75R89462	RD-5-11006-0P	9.5	7H15 FLX	1	12	Direct	5" (125mm) 2A GR	GV	4419	75R0192
75R89474	RD-5-11009-0P	9.5	7H15 FLX	1	24	Ear	5 ½" (138mm) 1A GR	GV	4877	—
75R89484	RD-5-11010-0P	9.5	7H15 FLX	1	24	Ear	6" (152mm) 2A GR	GV	4881	—

FLX 7 FITTINGS

Red Dot No.	Factory No..	Description
75R89305	RD-5-10880-0P	H ¾ X ⅞ Fitting
75R89310	RD-5-10881-0P	V ¾ X ⅞ Fitting
75R89315	RD-5-10882-0P	V 1 X 14 Fitting
75R89320	RD-5-10883-0P	V ¾ X ⅞ Flare Fitting


FLX 7 WIRE ADAPTER

Red Dot No.	Factory No..	Description
75R89327	RD 5-11007-0P	Converts Single Wire to Dual Wire

SANDEN CYLINDER HEAD CONFIGURATIONS

For Reference Only


TYPE B
Vertical Flare ¾" x ⅞"




TYPE CBA
Vertical Tube-O 1 x 14




TYPE FL
Vertical O-Ring ¾" x ⅞"




TYPE GSA
Vertical Pad ¾" x ⅞"



TYPE C
Vertical Tube-O 1 x 14




TYPE FC
Vertical O-Ring ¾" x ⅞"



TYPE GH
Horizontal Pad ¾" x ⅞"




TYPE GQ
Lateral Pad ¾" x ⅞"



TYPE CB
Vertical Tube-O 1 x 14



TYPE FG
Vertical O-Ring ¾" x ⅞"



TYPE GK
Horizontal Pad
With Pressure Relief Valve



TYPE GV
Horizontal Pad ¾" x ⅞"
With Pressure Relief Valve



SANDEN CYLINDER HEAD CONFIGURATIONS

For Reference Only

TYPE GWA

Horizontal Pad ¾" x ⅞"
With Pressure Relief Valve



TYPE K

Horizontal O-Ring ¾" x ⅞"



TYPE KG

75R90001 **RD-5-16215-0P**
Horizontal O-Ring ¾" x ⅞"
With Pressure Relief Valve




TYPE MDA

Horizontal Tube "0" – 1 x 14
With Pressure Relief Valve



TYPE JD

75R90002 **RD-5-16216-0P**
Vertical O-Ring ¾" x ⅞"



TYPE KC

Horizontal O-Ring ¾" x ⅞"



TYPE M

Horizontal Tube-0 1 x 14




TYPE MJ

Horizontal Tube "0" – 1 x 14



TYPE JDA

Vertical O-Ring ¾" x ⅞"
With Pressure Relief Valve



TYPE KCA

Horizontal O-Ring ¾" x ⅞"
With Pressure Relief Valve



TYPE MD

Horizontal Tube-0 1 x 14



TYPE MJA

Horizontal Tube-0 1 x 14
With Pressure Relief Valve




COMPRESSOR

SANDEN CYLINDER HEAD CONFIGURATIONS

For Reference Only

TYPE N
Vertical Tube-O ¾" x ⅞"



TYPE QH
Horizontal GM Pad



TYPE SJA
Horizontal Special Pad
SD7H15 Compressor



TYPE UK
Vertical Pad ¾" x ⅞"




TYPE Q
Horizontal GM Pad




TYPE QM
Horizontal GM Pad



TYPE UB
Vertical Pad ¾" x ⅞"



TYPE WH
Vertical Pad ¾" x ⅞"



TYPE QD
Horizontal GM Pad M10



TYPE SJ
Horizontal Special Pad
SD7H15 Compressor



TYPE UD
Horizontal Pad ¾" x ⅞"



TYPE WJ
Vertical Pad ¾" x ⅞"



SANDEN CYLINDER HEAD CONFIGURATIONS

For Reference Only

TYPE WV

Horizontal Tab ¾" x ⅞"
With Pressure Relief Valve



TYPE WL




TYPE KF



SANDEN COMPRESSORS

Sanden Part No	Factory Part No.	Red Dot Part No..	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches
4009	RD-5-16235-2P	75R89204A	24	7H15HD	Direct	SB	Horizontal Pad	Pad	9.5
4010	RD-5-16477-0P	75R90252	12	SD7H15	Direct	SJ	Horizontal Pad	Pad	9.5
4018	RD-5-16478-0P	75R90262	12	7H15HD	Direct	NSS	Lateral Pad	Pad	9.5
4020	RD-5-16241-0P	75R89882	12	SD7H15	Direct	GH	Horizontal Pad	Pad	9.5
4021	RD-5-16242-0P	75R89892	12	SD7H15E	Direct	GK	Horizontal Pad	Pad	9.5
4023	RD-5-16227-2P	75R89122A	12	7H15HD	Direct	Pad	Lateral Pad	Pad	9.5
4023	RD-5-16479-0P	75R90272	12	7H15SHD	Direct	NSS	Lateral Pad	Pad	9.5
4024	RD-5-16480-0P	75R90284	24	7H15SHD	Direct	GQ	Lateral Pad	¾" x ⅞"	9.5
4025	RD-5-16481-0P	75R90292	12	7H15SHD	Direct	WH	Vertical Pad	¾" x ⅞"	9.5
4027	RD-5-16238-0P	75R89902	12	7H15HD	Direct	GV	Horizontal Pad	¾" x ⅞"	9.5
4028	RD-5-16239-0P	75R89912	12	7H15HD	Direct	GV	Horizontal Pad	¾" x ⅞"	9.5
4033	RD-5-16482-0P	75R90302	12	7H15SHD	Direct	MD	Horizontal O-ring	1" x 14"	9.5
4034	RD-5-16240-0P	75R89922	12	SD7H15E	Direct	GV	Horizontal Pad	3/4" x 7/8"	9.5
4041	RD-5-13212-2P	75R89552A	12	SD7H15	Ear	GQ	Lateral Pad	¾" x ⅞"	9.5
4047	RD-5-16228-2P	75R89132A	12	SD7H15	Direct	WJ	Vertical Pad	3/4" x 7/8"	9.5
4060	RD-5-13071-0P	75R84672	12	SD7H15	Direct	JD	Vertical O-Ring	¾ x ⅞	9.5
4066	RD-5-16243-0P	75R89934	24	SD7H15E	Direct	GV	Horizontal Pad	¾" x ⅞"	9.5
4072	RD-5-16233-2P	75R89182A	12	7H15HD	Direct	WH	Vertical Pad	3/4" x 7/8"	9.5
4075	RD-5-13062-0P	75R82312	12	SD7H15SHD	Direct	GH	Horizontal Pad	¾ x ⅞	9.5
4077	RD-5-13207-0P	75R89502	12	SD7H15	Direct	GQ	Lateral Pad	Pad	9.5
4078	RD-5-13210-0P	75R89532	12	SD7H15	Direct	GQ	Lateral Pad	Pad	9.5
4079	RD-5-13209-0P	75R89522	12	SD7H15	Direct	GSA	Lateral Pad	¾ x ⅞	9.5
4081	RD-5-14655-0P	75R89652	12	7H15SHD	Direct	GSA	Vertical Pad	Pad	9.5
4083	RD-5-16244-0P	75R89942	12	7H15HD	Direct	WH	Vertical Pad	¾" x ⅞"	9.5
4086	Rd-5-16483-0P	75R90312	12	7H15SHD	Direct	NSS	Horizontal O-ring	¾" x ⅞"	9.5
4087	RD-5-16484-0P	75R90322	12	7H15SHD	Direct	GSA	Vertical Pad	¾" x ⅞"	9.5
4089	RD-5-13226-0P	75R89602	12	7H15SHD	Ear	GQ	Lateral Pad	Pad	9.5
4090	RD-5-14656-0P	75R89662	12	7H15SHD	Direct	KCA	Horizontal O-Ring	¾ x ⅞	9.5
4091	Rd-5-16485-0P	75R90332	12	7H15SHD	Ear	GSA	Vertical Pad	¾" x ⅞"	9.5
4093	RD-5-16245-0P	75R89954	24	7H15HD	Ear	JD	Vertical O-Ring	¾" x ⅞"	9.5
4095	RD-5-16486-0P	75R90344	24	7H15SHD	Direct	Pad	Horizontal Pad	Pad	9.5



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
4.9 (125MM) Poly 8	38MM	Female Weatherpak	2				
4 3/4 (119MM) Poly 7	47MM	Metripak	2				
5 (126MM) Poly 10	68MM	Metripak	2				
4 3/4 (119MM) Poly 8	62MM	Metripak	2				
4 3/4 (119MM) Poly 8	52MM	Metripak	2				
4.9 (125MM) Poly 6	45MM	Female Weatherpak	2				
4.9 (125MM) Poly 6	55MM	Metripak	2				
4 3/4 (119MM) Poly 8	49MM	Female Weatherpak	2				
4 3/4 (119MM) Poly 8	49MM	DELPHI 15300003	3				
4.9 (125MM) Poly 6	55MM	Weatherpak	1				
4 3/4 (119MM) Poly 8	62MM	Weatherpak	1				
5.2 (133 MM) Poly 4	34MM	FEMALE PACKARD	1				
4 3/4 (119MM) Poly 10	53MM	Metripak	2				
4.9 (125MM) 2 Grove	40MM	Weatherpak	1				
5 (126MM) Poly 10	53MM	Weatherpak	1				
4.7″ (119mm) Poly 8	49mm	Metripak	2				
4 3/4 (119MM) Poly 8	49MM	Weatherpak	1				
4 3/4 (119MM) Poly 8	49MM	Female Weatherpak	2				
4.7″ (119mm) Poly 8	49mm	Metripak	2	Key			
4.7″ (119mm) Poly 8	49mm	Metripak	2	Key			
4.9" (126mm) Poly 12	56mm	Metripak	2	Key			
4.9″ (125mm) Poly 6	56mm	Metripak	2	Key			
4.7" (119mm) Poly 8		Metripak	2	Key			
4 3/4 (119MM) Poly 8	49MM	Metripak	2				
4 3/4 (119MM) Poly 8		FEMALE PACKARD	1				
5 (126MM) Poly 7	47MM	Female Weatherpak	2				
4.9″ (125mm) A2 Groove	24mm	Metripak	2				
4.7" (119mm) Poly 8		Metripak	2	Key			
4.9 (125MM) Poly 8	47MM	Female Weatherpak	2				
4.9 (125MM) 2 Grove	40mm	Metripak	2				
5.2 (133 MM) Poly 8		FEMALE PACKARD	2				

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit


70R5020 **RD-5-9987-0P**



SANDEN COMPRESSORS

COMPRESSOR

Sanden Part No	Factory Part No.	Red Dot Part No..	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches
4096	RD-5-16487-0P	75R90352	12	7H15SHD	Direct	KCA	Horizontal O-ring	¾" x ⅞"	9.5
4098	RD-5-16226-2P	75R89112A	12	7H15HD	Direct	Pad	Lateral Pad	Pad	9.5
4099	RD-5-16225-2P	75R89102A	12	7H15HD	Direct	Pad	Lateral Pad	Pad	9.5
4103	Rd-5-16488-0P	75R90362	12	SD7H15E	Direct	WV	Horizontal Tab	3/4" x 7/8"	9.5
4119	RD-5-14093-0P	75R89612	12	7H15	Direct	WH	Vertical Pad	¾ x ⅞	9.5
4142	Rd-5-16490-0P	75R90372	12	7H15SHD	Direct	GH	Horizontal Pad	¾" x ⅞"	9.5
4148	RD-5-16491-0P	75R91202	12	7H15SHD	Direct	Pad	Horizontal Tab	Pad	9.5
4149	Rd-5-16492-0P	75R90384	24	SD7H15	Ear	JD	Vertical O-Ring	¾" x ⅞"	9.5
4250	RD-5-16493-0P	75R90394	24	7H15SHD	Direct	NSS	Horizontal Pad	Pad	9.5
4261	RD-5-16246-0P	75R89962	12	7H15HD	Direct	GT	Lateral Pad	Pad	9.5
4277	Rd-5-16494-0P	75R90402	12	SD7H15E	Direct	Pad	Vertical Tab	¾" x ⅞"	9.5
4280	RD-5-16495-0P	75R90412	24	7H15SHD	Direct	GQ	Lateral Pad	¾" x ⅞"	9.5
4290	RD-5-16496-0P	75R90422	12	SD7H15	Direct	CBA	Vertical Tube-O	1" x 14"	9.5
4303	RD-5-11237-0P	75R81152	12	SD7H15	Direct	WH	Vertical Pad (U)	¾ x ⅞	9.5
4305	RD-5-11239-0P	75R81172	12	SD7H15	Ear	WJ	Vertical Pad	Pad	9.5
4307	RD-5-16497-0P	75R91172	12	7H15HD	Direct	WJ	Vertical Pad	3/4" x 7/8"	9.5
4314	RD-5-15572-2P	75R89852A	12	7H15HD	Direct	PK	Lateral Pad	Pad	9.5
4325	RD-5-16498-0P	75R90434	24	SD7H15	Direct	JD	Vertical O-Ring	¾" x ⅞"	9.5
4327	RD-5-15719-0P	75R89304	24	7H15HD	Direct	GV	Horizontal Pad	¾" x ⅞"	9.5
4327	RD-5-15719-0P	75R89304	24	FLX7	Direct	GV	Horizontal Pad	¾ x ⅞	9.5
4334	RD-5-16247-0P	75R89972	12	7H15HD	Direct	Pad	Lateral Pad	Pad	9.5
4355	RD-5-16499-0P	75R90444	24	SD7H15E	Direct	GK	Horizontal Pad	Pad	9.5
4362	RD-5-16248-0P	75R89982	12	7H15HD	Direct	GT	Lateral Pad	Pad	9.5
4378	RD-5-16234-2P	75R89192A	12	7H15HD	Direct	Pad	Lateral Pad	Pad	9.5
4382	RD-5-16501-0P	75R90452	12	SD7H15	Direct	GW	Horizontal Pad	3/4" x 7/8"	9.5
4386	RD-5-16502-0P	75R90462	12	7H15SHD	Ear	JDA	Vertical O-ring	3/4" x 7/8"	9.5
4401	RD-5-16249-0P	75R89992	12	SD7H15E	Direct	GV	Horizontal Pad	3/4" x 7/8"	9.5
4404	RD-5-16250-0P	75R90012	12	7H15HD	Direct	KG	Horizontal O-ring	3/4" x 7/8"	9.5
4405	RD-5-16450-0P	75R90022	12	7H15HD	Direct	JDA	Vertical O-ring	3/4" x 7/8"	9.5
4407	RD-5-16504-0P	75R90472	12	7H15SHD	Direct	Pad	Vertical Pad	Pad	9.5
4409	RD-5-12179-0P	75R84684	24	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5



CLUTCH VARIATIONS

Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE

† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

CLUTCH

Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
5 (126MM) Poly 7	58MM	Female Weatherpak	2				
6 1/4 (160MM) Poly 6	45MM	Female Weatherpak	2				
6 1/4 (160MM) Poly 8	45MM	Female Weatherpak	2				
4 3/4 (119MM) Poly 8	49MM	Metripak	2				
4.9" (125mm) Poly 6	55mm	Metripak	2	Key			
5.2 (132MM) 2 Grove	55MM	Metripak	2				
5.1 (130MM) Poly 6	61MM	Metripak	2				
4 3/4 (119MM) Poly 8	50MM	Bullet	1				
6 (152MM) Poly 8	62MM	Female Weatherpak	2				
4.4 (112MM) Poly 6	36MM	Metripak	2				
4 3/4 (119MM) Poly 8	62MM	Metripak	2				
4.9 (125MM) Poly 6	55MM	Female Weatherpak	2				
5.2 (133 MM) Poly 8	49MM	Metripak	2				
4.7" (119mm) Poly 8	61mm	Delphi 15300003	3	Key	4417-9931		
4.7" (119mm) Poly 8	46mm	Ford OE	2		4427-9931		
4 3/4 (119MM) Poly 8	62MM	Metripak	2				
4 3/4 (119MM) Poly 8	62MM	Metripak	2				
5.2 (132MM) 2 Grove	55MM	Weatherpak	1				
4 3/4 (119MM) Poly 8	49MM	Weatherpak	1				
4.7" (119mm) Poly 8	49mm	Weatherpak	1				
4.8 (123MM) Poly 8	49MM	Metripak	2				
5.2 (133 MM) Poly 8	49MM	Metripak	2				
4 3/4 (119MM) Poly 7	37MM	Metripak	2				
5 (126MM) Poly 12	46MM	Female Weatherpak	2				
4 3/4 (119MM) Poly 6	55MM	Metripak	2				
4.9 (125MM) 2 Grove	40MM	Metripak	2				
4.9 (125MM) 2 Grove	55MM	Weatherpak	1				
4 3/4 (119MM) Poly 8	49MM	Metripak	2				
4 3/4 (119MM) Poly 10	53MM	Weatherpak	1				
5 (126MM) Poly 10	69MM	Metripak	2				
6" (152mm) A2 Groove	40mm		1	Key			


Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-0P**



COMPRESSOR

Sanden Part No	Factory Part No.	Red Dot Part No..	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches
4419	RD-5-11006-0P	75R89462	12	7H15 FLX7	Direct Long	GV	Horizontal Pad	3/4 x 7/8	9.5
4420	RD-5-10885-0P	75R89302	12	7H15 FLX7	Direct Long	GV	Horizontal Pad	¾ x ⅞	9.5
4434	RD-5-10899-0P	75R89422	12	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4435	RD-5-10900-0P	75R89424	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x ⅞	9.5
4448	RD-5-11013-0P	75R89394	24	7H15 FLX7	Ear	GV	Horizontal Pad	¾ x ⅞	9.5
4467	RD-5-16451-0P	75R90032	12	7H15HD	Ear	UK	Vertical Pad	¾" x ⅞"	9.5
4490	RD-5-11356-0P	75R81762	12	SD7H15	Ear	WV	Horizontal Pad	¾ x ⅞	9.5
4544	RD-5-16473-0P	75R91142	12	7H15HD	Direct	GWA	Horizontal Pad	¾" x ⅞"	9.5
4546	RD-5-16474-0P	75R84302	12	7H15HD	Direct	GWA	Horizontal Pad	¾" x ⅞"	9.5
4570	RD-5-16506-0P	75R90482	12	7H15SHD	Direct	GWA	Horizontal Pad	¾" x ⅞"	9.5
4577	RD-5-1676-0P	75R89842	12	7H15SHD	Direct				9.5
4584	RD-5-16507-0P	75R90492	12	7H15HD	Direct	NSS	Lateral Pad	Pad	9.5
4592	RD-5-16217-0P	75R89862	24	SD7H15	Direct	KF	Horizontal O-ring	¾" x ⅞"	9.5
4595	RD-5-16508-0P	75R90502	12	7H15SHD	Ear	Pad	Horizontal O-ring	¾" x ⅞"	9.5
4617	RD-5-10291-0P	75R84532	12	SD7H15SHD	Ear	MD	Horizontal Tube-O	1" - 14	9.5
4627	RD-5-7120-0P	75R8422	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5
4637	RD-5-6919-0P	75R84522	12	SD7H15SHD	Ear	KC	Horizontal O-Ring	¾ x ⅞	9.5
4641	RD-5-10294-0P	75R84562	12	SD7H15	Direct	MD	Horizontal O-Ring	1" - 14	9.5
4643	RD-5-10292-0P	75R84552	12	SD7H15	Ear	CB	Vertical O-Ring	1" - 14	9.5
4645	RD-5-11313-0P	75R81452	12	SD7H15	Ear	JDA	Vertical O-Ring	3/4 x 7/8	9.5
4646	RD-5-11315-0P	75R81462	12	SD7H15	Ear	MDA	Horizontal Tube-O	1" - 14	9.5
4647	RD-5-16266-2P	75R89872A	12	SD7H15	Ear	JD	Vertical O-Ring	¾" x ⅞"	9.5
4651	RD-5-16509-0P	75R90514	24	7H15HD	Direct	GWA	Horizontal Pad	¾" x ⅞"	9.5
4652	RD-5-7124-0P	75R8424	24	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5
4653	RD-5-16452-0P	75R90042	12	7H15HD	Ear	CB	Vertical Tube-O	1" x 14"	9.5
4654	RD-5-16453-0P	75R90052	12	7H15HD	Ear	JDA	Vertical O-ring	¾" x ⅞"	9.5



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor


LS = Limited to stock on hand

CLUTCH


Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
4.9″ (125mm) A2 Groove	39mm	Female Weatherpak plus jumper	1	Key	4713-9930		
4.7″ (119mm) Poly 8	49mm	Female Weatherpak plus jumper	1	Key	4420-9931		
5 1⁄4″ (132mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4434-9931	**75R0192**	RD-5-7831-0P
5 1⁄4″ (132mm) A2 Groove	40mm	Female Weatherpak plus jumper	1		4435-9931	**75R1862**	RD-5-10762-0P
5 1⁄4″ (132mm) A2 Groove	40mm	Female Weatherpak plus jumper	1		4435-9931		
5 (128MM) Poly 6	40MM	Weatherpak	1				
5 1⁄8″ (130mm) Poly 8	34mm	Metripak	2	Key	4700-9931		
4 3/4 (119MM) Poly 8	62MM	Metripak	2				
4.9 (125MM) Poly 6	55MM	Metripak	2				
4.9 (125MM) Poly 6	55MM	Metripak	2				
4.9″(125mm) Poly 7		Metripak	2				
4 3/4 (119MM) Poly 8	49MM	Metripak	2				
4 3/4 (119MM) Poly 8	51MM	Metripak	2				
5.2 (133 MM) Poly 8	21.63MM	Female Weatherpak	2				
5 1⁄4″ (132mm) A2 Groove	40mm	Bullet	1	Key	4617-9931, 6585-6010	**75R4802**	RD-5-11837-0P
4.9″ (125mm) A2 Groove	40mm	HD 280 series	1	Key	4627-9931, 4896-9931, 4779-9931, 6511-6110		
5 1⁄4″ (133mm) Poly 8	34mm	Metripak (Male 280 series)	2	Key	6586-6010		
4.7″ (119mm) Poly 6	55mm	Bullet	1	Key			
5 1⁄4″ (132mm) A2 Groove	36mm	Bullet	1	Key	4645-9931		
4.7″ (119mm) Poly 7	36mm	Weatherpak	1	Key	4645-9931		
5 1⁄4″ (132mm) A2 Groove	40mm	Weatherpak	1	Key	6504-6310, 4647-9931		
5.2 (132MM) 2 Grove	23.80MM	Weatherpak	1				
4.9 (125MM) Poly 6	55MM	Metripak	2				
4.9″ (125mm) A2 Groove	40mm	HD 280 series	1	Key	6511-6310	**75R0052**	RD-5-10399-0P
4 3/4 (119MM) Poly 6	54MM	Metripak	2				
5.2 (132MM) 2 Grove	40MM	Bullet	1				

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-0P**



COMPRESSOR									
Sanden Part No	**Factory Part No.**	**Red Dot Part No..**	**Voltage**	**Sanden Model Type**	**Mount Type**	**Head Type †**	**Head Fitting Position**	**Head Fitting Size**	**Cubic Inches**
4659	RD-5-10286-0P	75R84482	12	SD7H15	Ear	KC	Horizontal O-Ring	¾ x ⅞	9.5
4660	RD-5-11322-0P	75R81482	12	SD7H15	Ear	JDA	Vertical O-Ring	¾ x ⅞	9.5
4663	RD-5-10287-0P	75R84492	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5
4665	RD-5-10295-0P	75R84572	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5
4666	RD-5-10285-0P	75R84472	12	SD7H15	Direct Long	KC	Horizontal O-Ring	¾ x ⅞	9.5
4667	RD-5-11326-0P	75R81502	12	SD7H15	Direct Long	KC	Horizontal O-Ring	3/4 x 7/8	9.5
4672	RD-5-11328-0P	75R81512	12	SD7H15	Ear	MDA	Horizontal Tube-O	1" - 14	9.5
4673	RD-5-16454-0P	75R90062	12	7H15SHD	Ear	KC	Horizontal O-ring	¾" x ⅞"	9.5
4687	RD-5-10303-0P	75R84152	12	SD7H15	Direct Long	CBA	Vertical Tube-O	1" - 14	9.5
4694	RD-5-10276-0P	75R84362	12	SD7H15	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5
4698	RD-5-16510-0P	75R90522	12	7H15SHD	Direct	JD	Vertical O-ring	¾" x ⅞"	9.5
4699	RD-5-11330-0P	75R81532	12	SD7H15	Direct	JD	Vertical O-Ring	¾ x ⅞	9.5
4705	RD-5-16511-0P	75R90532	12	7H15HD	Ear	GQ	Lateral Pad	¾" x ⅞"	9.5
4706	RD-5-16455-0P	75R90072	12	7H15HD	Ear	CB	Vertical Tube-O	1" x 14"	9.5
4707	RD-5-16456-0P	75R90082	12	7H15HD	Ear	QC	Horizontal Pad	Pad	9.5
4708	RD-5-16457-0P	75R90092	12	7H15HD	Ear	QC	Horizontal Pad	Pad	9.5
4709	RD-5-11331-0P	75R81552	12	SD7H15	Ear	KG	Horizontal O-Ring	¾ x ⅞	9.5
4710	RD-5-16458-0P	75R90102	12	7H15HD	Ear	CB	Vertical Tube-O	1" x 14"	9.5
4712	RD-5-11002-0P	75R84662	12	SD7H15	Ear	KG	Horizontal O-Ring	¾ x ⅞	9.5
4738	RD-5-16459-0P	75R90112	12	7H15SHD	Ear	JD	Vertical O-ring	¾" x ⅞"	9.5
4739	RD-5-11334-0P	75R81562	12	SD7H15	Ear	KG	Horizontal O-Ring	¾ x ⅞	9.5
4741	RD-5-16460-0P	75R90124	24	7H15HD	Ear	JD	Vertical O-Ring	¾" x ⅞"	9.5
4742	RD-5-9319-0P	75R84654	24	SD7H15	Ear	KG	Horizontal O-Ring	¾ x ⅞	9.5
4743	RD-5-16461-0P	75R90134	24	7H15HD	Ear	CB	Vertical Tube-O	1" x 14"	9.5
4744	RD-5-16462-0P	75R90144	24	7H15HD	Ear	MD	Horizontal Tube-O	1" x 14"	9.5
4745	RD-5-10725-0P	75R8454	24	SD7H15HD	Ear	JD	Vertical O-Ring	¾ x ⅞	9.5



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

CLUTCH


Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
5 1⁄8″ (130mm) Poly 8	34mm	HD 280 series	1	Key	4659-9931, 4895-9931		
4 3⁄4″ (119mm) Poly 8	34mm	Female Weatherpak (IHC-Case)	1	Key	4660-9931, 4672-9931, 4895-9931	**75R0194**	RD-5-7832-0P
4.9″ (125mm) A2 Groove	40mm	Bullet	1	-	6560-6010		
4.7″ (119mm) Poly 7	36mm	Weatherpak	1	Key	6512-6210		
4.7″ (119mm) Poly 8	49mm	Bullet	1	Key	6522-6010		
4.7″ (119mm) Poly 8	61mm	Metripak	2	Key	4417-9931, 4667-9931		
4.7″ (119mm) Poly 8	46mm	Weatherpak	1	Key	4672-9931	**75R1862**	RD-5-10762-0P
5.2 (132MM) 2 Grove	40MM	Bullet	1				
4.9″ (125mm) Poly 6	46mm	Weatherpak	1	Key	4687-9931, 6571-6010	**75R1842**	RD-5-10760-0P
5 1⁄4″ (132mm) A2 Groove	40mm	Metripak	2	Key	4694-9931, 4896-9931, 6594-6010		
5.2 (133 MM) Poly 8	49MM	Female Weatherpak	2				
5 1⁄4″ (132mm) A2 Groove	38mm	Metripak	2		6594-6010		
4 3/4 (119MM) Poly 8	47MM	Metripak	2				
4.9 (125MM) 2 Grove	40MM	Weatherpak	1				
4 3/4 (119MM) Poly 8	47MM	Bullet	1				
4.9 (125MM) 2 Grove	40MM	Bullet	1				
4.9″ (125mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4647-9931, 6560-6010		
4 3/4 (119MM) Poly 8	47MM	Bullet	1				
4.7″ (119mm) Poly 8	46mm	Bullet	1	Key	6522-6010		
5.2 (133 MM) Poly 8	34MM	Metripak	2				
4.7″ (119mm) Poly 8	34mm	Metripak	2	Key	4776-9931		
4.9 (125MM) 2 Grove	40MM	Bullet	1				
4.9″ (125mm) A2 Groove	40mm	HD plug	1	Key		**75R1862**	RD-5-10762-0P
4.9 (125MM) 2 Grove	40MM	Bullet	1				
4.9 (125MM) 2 Grove	40MM	Bullet	1				
6 1⁄4″ (158mm) Variable Groove	40mm	Bullet	1	Spline			

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-0P**



COMPRESSOR									
Sanden Part No	**Factory Part No.**	**Red Dot Part No..**	**Voltage**	**Sanden Model Type**	**Mount Type**	**Head Type †**	**Head Fitting Position**	**Head Fitting Size**	**Cubic Inches**
4747	RD-5-11350-0P	75R81732	12	SD7H15	Ear	C	Vertical Tube-O	1" - 14	9.9
4753	RD-5-16512-0P	75R90542	12	7H15HD	Ear	SJ	Horizontal Special Pad	Pad	9.5
4762	RD-5-9458-0P	75R8464	24	SD7H15	Ear	JD	Vertical O-Ring	3/4 x 7/8	9.5
4766	RD-5-16463-0P	75R90152	12	7H15HD	Direct	SJ	Horizontal Special Pad	Pad	9.5
4775	RD-5-16513-0P	75R90552	12	7H15HD	Direct	GH	Horizontal Pad	¾" x 7/8"	9.5
4779	RD-5-11336-0P	75R81572	12	SD7H15	Ear	JD	Vertical O-Ring	3/4 x 7/8	9.5
4780	RD-5-11337-0P	75R81582	12	SD7H15	Direct Long	JD	Vertical O-Ring	¾ x 7/8	9.5
4785	RD-5-16514-0P	75R90562	12	7H15HD	Direct	GF	Lateral Pad	Pad	9.5
4800	RD-5-16464-0P	75R90162	12	SD7H15E	Direct	GV	Horizontal Pad	3/4" x 7/8"	9.5
4803	RD-5-16515-0P	75R90572	12	7H15HD	Direct	Pad	Vertical Pad	Pad	9.5
4805	RD-5-16465-0P	75R90172	12	SD7H15E	Ear	GV	Horizontal Pad	¾" x 7/8"	9.5
4810	RD-5-10275-0P	75R84352	12	SD7H15	Direct Long	WJ	Vertical Pad	3/4 x 7/8 Female	9.5
4814	RD-5-16516-0P	75R90582	12	7H15HD	Ear	MDA	Horizontal Tube-O	1" x 14"	9.5
4820	RD-5-11340-0P	75R81612	12	SD7H15	Ear	GH	Horizontal Pad	3/4 x 7/8	9.5
4822	RD-5-10738-0P	75R84622	12	SD7H15	Direct Long	JDA	Vertical O-Ring	3/4 x 7/8	9.5
4823	RD-5-10282-0P	75R84452	12	SD7H15	Direct	KC	Horizontal O-Ring	3/4 x 7/8	9.5
4848	RD-5-16517-0P	75R90592	12	7H15HD	Direct	WH	Vertical Pad	3/4" x 7/8"	9.5
4850	RD-5-16518-0P	75R90602	12	SD7H15	Direct	Pad	Lateral Pad	Pad	9.5
4860	RD-5-10886-0P	75R89312	12	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4862	RD-5-10888-0P	75R89334	24	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4866	RD-5-10892-0P	75R89354	24	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4868	RD-5-10893-0P	75R89372	12	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4869	RD-5-10894-0P	75R89382	12	SD7H15	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4870	RD-5-10895-0P	75R89374	24	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE
† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

CLUTCH

Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
6 1/4" (158mm) A1 Groove	40mm	Metripak	2	Key			
4 3/4 (119MM) Poly 8	47MM	Metripak	2				
4.7" (119mm) Poly 8	47mm	Bullet	1	Key	4762-9931		
4.8 (123MM) Poly 8	62MM	FORD OE	2				
4 3/4 (119MM) Poly 8	45MM	Metripak	2				
4.9" (125mm) A2 Groove	40mm	HD 280 series	1	Spline	4779-9931		
5 1/4" (132mm) A2 Groove	55mm	HD 280 series	1	Spline	4780-9931		
5.1 (130MM) Poly 7	48MM	Metripak	2				
4 3/4 (119MM) Poly 8	49MM	Weatherpak	1				
4.9 (125MM) Poly 6	55MM	Metripak	2				
4 3/4 (119MM) Poly 8	46MM	Bullet	1				
4.9" (125mm) Poly 6	46mm	Ford OE	2	Long Spline	4810-9931		
5 (128MM) Poly 6	40MM	Metripak	2				
4.7" (119mm) Poly 8	34mm	Metripak	2	Key	4734-9931, 4705-9931, 4417-9931		
4.7" (119mm) Poly 8	49mm	Metripak	2	Key	4417-9931, 4705-9931, 4734-9931		
5 1/8" (130mm) Poly 8	44mm	HD 280 series	1	Spline	4781-9931	**75R1842**	RD-5-10760-0P
4 3/4 (119MM) Poly 6	46MM	FORD OE	2				
4 3/4 (119MM) Poly 8	40MM	Metripak	2				
4.9" (125mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4713-9930	**75R1842**	RD-5-10760-0P
4.9" (125mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4862-9931		
4.7" (119mm) Poly 8	34mm	Female Weatherpak plus jumper	1	Key	4866-9931	**75R0192**	RD-5-7831-0P
6 1/4" (158mm) Variable Groove	40mm	Female Weatherpak plus jumper	1	Key	4868-9930		
6 1/4" (158mm) Variable Groove		Female Weatherpak plus jumper	1		4868-9930		
6 1/4" (158mm) Variable Groove	40mm	Female Weatherpak plus jumper	1	Key	4870-9930		


Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-0P**



COMPRESSOR

Sanden Part No	Factory Part No.	Red Dot Part No..	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches
4871	RD-5-10896-0P	75R89384*	24	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4872	RD-5-10897-0P	75R89392	12	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4874	RD-5-11005-0P	75R89432	12	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4877	RD-5-11009-0P	75R89474	24	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4881	RD-5-11010-0P	75R89484	24	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4883	RD-5-12330-0P	75R81622	12	SD7H15HD	Direct	JD	Vertical O-Ring	3/4 x 7/8	9.5
4894	RD-5-11345-0P	75R81672	12	SD7H15	Direct Long	JD	Vertical O-Ring	3/4 x 7/8	9.5
4896	RD-5-11347-0P	75R81692	12	SD7H15	Ear	JD	Vertical O-Ring	3/4 x 7/8	9.5
4945	RD-5-16476-0P	75R91172	12	7H15SHD	Direct	Pad			9.5
5072	RD-5-10307-0P	75R82102	12	SD5H09	Ear	FL	Vertical O-Ring	3/4 x 7/8	5.5
5075	RD-5-16520-0P	75R90622	12	SD5S09	Ear	FL	Vertical O-ring	3/4" x 7/8"	5.3
5077	RD-5-10493-0P	75R82142	12	SD5H09	Ear	K	Horizontal O-Ring	3/4 x 7/8	5.5
5080	RD-5-10310-0P	75R82132	12	SD505	Ear	C	Vertical Tube-O	1" - 14	5
5085	RD-5-16521-0P	75R90632	12	SD5S09	Ear	FL	Vertical O-ring	3/4" x 7/8"	5.3
5350	RD-5-16519-0P	75R90612	12	SD5L14	Ear	SW	Vertical O-Ring	3/4" x 7/8"	9.5
6035	RD-5-16522-0P	75R90644	24	SD7H15	Ear	WZ	Horizontal Tab	3/4" x 7/8"	9.5
6321	RD-5-16523-0P	75R90652	12	SD5H11	Ear	FL	Vertical O-ring	3/4" x 7/8"	6.6
6372	RD-5-14664-0P	75R89732	12	5H14HD	Ear	FL	Vertical O-Ring	3/4 x 7/8	8.4
6664	RD-5-16664-0P	75R91132	12	SD7H15	Ear	FL	Vertical O-Ring	3/4" x 7/8"	9.5
6674	RD-5-16466-0P	75R90182	12	SD5H14HD	Ear	FL	Vertical O-ring	3/4" x 7/8"	8.4
6676	RD-5-16467-0P	75R90192	12	7H15HD	Ear	KG	Horizontal O-Ring	3/4" x 7/8"	9.5
7170	RD-5-16468-0P	75R90202	12	SD7B10	Ear	PB	Vertical Tab	Pad	6.1
7176	RD-5-16469-0P	75R90212	12	SD7B10	Ear	PB	Vertical Tab	Pad	6.1
7304	RD-5-16524-0P	75R90662	12	SD7H13	Ear	JE	Vertical O-ring	3/4" x 7/8"	7.9
7312	RD-5-16525-0P	75R90672	12	SD7H13	Ear	JE	Vertical O-ring	3/4" x 7/8"	7.9
7321	RD-5-16470-0P	75R90222	12	SD7H13	Direct	JE	Vertical O-ring	3/4" x 7/8"	7.9
7803	RD-5-10283-0P	75R83112	12	SD7H15	Ear	QD	Horizontal Pad (QB)	M10	9.5
7819	RD-5-7373-0P	75R8442	12	SD7H15	Ear	MD	Horizontal Tube-O	1" - 14	9.5



CLUTCH VARIATIONS
Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅝" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE

† Head Type = see photo reference on following pages
* R-12 Compressor


LS = Limited to stock on hand

CLUTCH

Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
6 1/4" (158mm) Variable Groove	40mm	Female Weatherpak plus jumper	1	Key	4870-9930		
4.9" (125mm) Poly 10	35mm	Female Weatherpak plus jumper	1	Key	4872-9930		
5 1/4" (133mm) Poly 8 with dust cover	33mm	Female Weatherpak plus jumper	1	Key	4874-9932		
5 1/2" (138mm) A1 Groove	40mm	Female Weatherpak plus jumper	1	Key	4877-9932		
6" (152mm) A2 Groove	40mm	Female Weatherpak plus jumper	1	Key	4881-9930		
4.9" (125mm) Poly 6	46mm	Metripak	2	Key	4606-9630, 4424-9931		
5 1/4" (132mm) A2 Groove	55mm	Metripak w HD 280 series	1	Key RDA	4694-9931, 4896-9931		
4.9" (125mm) A2 Groove	40mm	Metripak w HD 280 series	1	Key RDA	4896-9931, 4779-9931		
5 (126MM) Poly 7	58MM	Female Weatherpak	2				
4.9" (125mm) A2 Groove	37mm	Bullet	1	Key	0669-6010, 9053-9841		
4.9 (125MM) Poly 4	47MM	Bullet	1				
4.9" (125mm) A2 Groove	37mm	Bullet	1	Key	8543-6310, 9053-9841		
4.9" (125mm) Variable Groove	39mm	Bullet	1		0750-6010		
4.7 (120MM) Poly 6	47MM	Bullet	1				
4 3/4 (119MM) Poly 8	47MM	Bullet	1				
5.2 (132MM) 2 Grove	40MM	Metripak	2				
4.9 (125MM) 2 Grove	67MM	Weatherpak	2				
5.5" (140mm) Poly 4		Weatherpak	1	Key			
5.2 (132MM) 2 Grove	40MM	Bullet	1				
4.9 (125MM) 1 Grove	60MM	Bullet	1				
5.2 (132MM) 2 Grove	40MM	Bullet	1				
4.4 (112MM) 2 Grove	44MM	Bullet	1				
4.4 (112MM) Poly 6	40MM	Bullet	1				
4 3/4 (119MM) Poly 6	47MM	Bullet	1				
4.9 (125MM) 2 Grove	44MM	Bullet	1				
4.9 (125MM) 2 Grove	50MM	Bullet	1				
4.9" (125mm) A2 Groove	40mm	Metripak	2	Key	7803-9931		
4.9" (125mm) A2 Groove	40mm	Bullet	1	Key	6560-6010		

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit


70R5020 **RD-5-9987-0P**



SANDEN COMPRESSORS

COMPRESSOR

Sanden Part No	Factory Part No.	Red Dot Part No..	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches
8088	RD-5-16471-0P	75R90232	12	7H15SHD	Ear	QC	Horizontal Pad	Pad	9.5
8105	RD-5-16472-0P	75R90242	12	7H15HD	Direct	JE	Vertical O-Ring	3/4" x 7/8"	9.5
8112	RD-5-16526-0P	75R90684	24	7H15HD	Direct	WZ	Horizontal Tab	Pad	9.5
8144	RD-5-14665-0P	75R89744	24	7H15HD	Direct	MD	Horizontal O-Ring	1 x 14	9.5
8174	RD-5-14666-0P	75R89742	12	7H15HD	Direct	MD	Horizontal O-Ring	1 x 14	9.5
8223	RD-5-16527-0P	75R90694	24	TM15	Ear	JE	Vertical O-Ring	3/4" x 7/8"	9.5
8234	RD-5-16665-0P	75R91154	24	7H15HD	Direct	JE	Vertical O-ring	3/4" x 7/8"	9.5
8244	RD-5-16528-0P	75R90702	12	7H15SHD	Direct	QC	Horizontal Pad	Pad	9.5
1027K8	RD-5-13213-0P	75R89562	12	SE7H15	Direct	GQ	Lateral Pad	Pad	9.5
1027U3	RD-5-13214-0P	75R89572	12	SE7H15	Direct	GQ	Lateral Pad	Pad	9.5
4039, 4424, 4731	RD-5-10273-0P	75R84292	12	SD7H15	Direct Long	GSA	Lateral Pad	3⁄4 x 7⁄8	9.5
4040, 4425, 4792	RD-5-12332-0P	75R81632	12	SD7H15	Direct	GQ	Lateral Pad	Pad	9.5
4041, 4426, 4696	RD-5-12523-0P	75R8772	12	SD7H15	Ear	GQ	Lateral Pad	Pad	9.5
4042, 4432, 4759	RD-5-12334-0P	75R81662	12	SD7H15	Direct	GQ	Lateral Pad	3⁄4 x 7⁄8	9.5
4080, 4398	RD-5-12550-0P	75R89492	12	SD7H15	Direct	GQ	Lateral Pad	Pad	9.5
4109U	RD-5-14660-0P	75R89692	12	7H15SHD	Direct	MD	Horizontal O-Ring	1 x 14	9.5
4121U	RD-5-14663-0P	75R89722	12	7H15HD	Direct	KF			9.5
4300, 4795	RD-5-11234-0P	75R81104	24	SD7H15SHD	Direct Long	MD	Horizontal Tube-O	1" - 14	9.5
4301, 4769	RD-5-11235-0P	75R81114	24	SD7H15SHD	Direct Long	GK	Horizontal Pad	3⁄4 x 7⁄8	9.5
4302, 4840	RD-5-11236-0P	75R81134	24	SD7H15SHD	Direct Long	GK	Horizontal Pad	3⁄4 x 7⁄8	9.5
4304, 4423	RD-5-11238-0P	75R81162	12	SD7H15	Direct Long	WJ	Vertical Pad	3⁄4 x 7⁄8	9.5
4306, 4428	RD-5-10737-0P	75R84632	12	SD7H15	Direct Long	KCA	Horizontal O-Ring	3⁄4 x 7⁄8	9.5
4379, 4087	RD-5-16229-2P	75R90322A	12	7H15SHD	Direct	GSA	Vertical Pad	3/4" x 7/8"	9.5
4381, 4088	RD-5-16231-2P	75R89162A	12	7H15HD	Direct	MDA	Horizontal Tube O	1" x 14"	9.5
4384S	RD-5-16230-2P	75R89152A	12	7H15HD	Direct	GQ	Lateral Pad	3/4" x 7/8"	9.5
4412, 4414	RD-5-16232-2P	75R89172A	12	7H15HD	Direct	MDA	Horizontal Tube O	1" x 14"	9.5



CLUTCH VARIATIONS

Left to Right:
TWO "A" SECTION — Fits ½" Wide Belt
ONE VARIABLE GROOVE — Fits ½", ⅜" & ¾" Wide Belt
ONE "A" SECTION OVERHANG — Fits ½" Wide Belt
POLY V GROOVE

† Head Type = see photo reference on following pages
* R-12 Compressor

LS = Limited to stock on hand

CLUTCH

Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
5.5 (140MM) 2 Grove	60MM	Female Weatherpak	2				
4 3/4 (119MM) Poly 6	62MM	Bullet	1				
5.2 (132MM) Poly 8	32MM	Bullet	1				
4.7" (119mm) Poly 8	27mm	Weatherpak	1	Key			
5.3" (135mm) A groove	49.55mm	Weatherpak	1	Key		**75R0192**	RD-5-7831-0P
4 3/4 (119MM) Poly 8	23.80MM	Bullet	1				
4 3/4 (119MM) Poly 8	60MM	Female Weatherpak	2				
4 3/4 (119MM) Poly 6			1				
4.7" (119mm) Poly 8	48mm	Metripak	2	Key	4417-9931		
4.9" (125mm) Poly 6	45mm	Delphi 15300002	2	Spline	4424-9931		
4.9" (125mm) Poly 6	46mm	Metripak	2	Spline	4756-9931		
4.9" (125mm) Poly 6	46mm	Metripak	2	Key	4424-9931		
4.9" (125mm) A2 Groove	40mm	Metripak	2	Key	6593-6010, 4695-9931, 4426-9931		
4.7" (119mm) Poly 8	49mm	Metripak	2	Spline	4417-9931		
4.9" (125mm) Poly 6	46mm	Metripak	2				
6" (152mm) Poly 8		Metripak	2	Key		**75R1532**	RD-5-10368-0P
4.7" (119mm) Poly 8		Weatherpak	2	Key		**75R1842**	RD-5-10760-0P
6" (152mm) Poly 8	49mm	Female Weatherpak (IHC-Case)	1	Key	4795-9932		
5 1/4" (133mm) Poly 8	49mm	Cat OE	1	Key	4726-9931		
6" (152mm) Poly 8	49mm	Cat OE	1	Key	4840-9932		
4.9" (125mm) Poly 6	46mm	F5TB14A464-FA	2	Key RDA	4423-9931		
5 1/4" (132mm) A2 Groove	55mm	Metripak	2	Key RDA	4428-9931		
5 (126MM) Poly 7	47MM	Female Weatherpak	2				
5 (126MM) Poly 12	46MM	Female Weatherpak	2				
5 (126MM) Poly 10	53MM	Female Weatherpak	2				
5 (126MM) Poly 10	53MM	Female Weatherpak	2				

Complete your compressor installation. Replace the receiver drier as per manufacturer's recommendation. Check all O-Rings and hoses. And use Red Dot's easy O-Ring Assortment Kit

70R5020 **RD-5-9987-0P**



COMPRESSOR

Sanden Part No	Factory Part No.	Red Dot Part No..	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches
4417, 4485	RD-5-11251-0P	75R81302	12	SD7H15	Direct Long	GH	Horizontal Pad	3/4 x 7/8	9.5
4427, 4496, 4718	RD-5-11259-0P	75R81392	12	SD7H15	Ear	WJ	Vertical Pad	3/4 x 7/8	9.5
4429, 4472	RD-5-11243-0P	75R81212	12	SD7H15	Ear	GH	Horizontal Pad	3/4 x 7/8	9.5
4430, 4473, 4819	RD-5-11244-0P	75R81232	12	SD7H15	Direct Long	GH	Horizontal Pad	3/4 x 7/8	9.5
4431, 4477	RD-5-11247-0P	75R81262	12	SD7H15	Ear	MDA	Horizontal Tube-O	1" - 14	9.5
4433, 4484, 4740	RD-5-10274-0P	75R84312	12	SD7H15	Ear	JDA	Vertical O-Ring	3/4 x 7/8	9.5
4453, 4495	RD-5-11258-0P	75R81382	12	SD7H15	Ear	GV	Vertical Pad	1" - 14	9.5
4468, 4604, 4656, 8107	RD-5-11240-0P	75R81184	24	SD7H15SHD	Ear	GK	Horizontal Pad	3/4 x 7/8	9.5
4469. 4603	RD-5-11241-0P	75R81192	12	SD7H15	Ear	WJ	Vertical Pad	3/4 x 7/8	9.5
4470, 4602	RD-5-11242-0P	75R81202	12	SD7H15	Direct Long	WH	Vertical Pad	3/4 x 7/8	9.5
4471, 4735	RD-5-10263-0P	75R84172	12	SD7H15	Ear	MDA	Horizontal Tube-O	1" - 14	9.5
4474, 7804	RD-5-11245-0P	75R81252	12	SD7H15	Direct Long	WH	Vertical Pad (U)	3/4 x 7/8	9.5
4475, 4756	RD-5-10266-0P	75R84212	12	SD7H15	Direct Long	CBA	Vertical Tube-O	1" - 14	9.5
4478, 4609	RD-5-10259-0P	75R84112	12	SD7H15SHD	Ear	MD	Horizontal Tube-O	1" - 14	9.5
4479, 4640, 4658, 8109	RD-5-11248-0P	75R81274	24	SD7H15SHD	Ear	GK	Horizontal Pad	3/4 x 7/8	9.5
4480, 4661	RD-5-11324-0P	75R81492	12	SD7H15SHD	Ear	KC	Horizontal O-Ring	3/4 x 7/8	9.5
4487, 4726	RD-5-10260-0P	75R84594	24	SD7H15SHD	Ear	GK	Horizontal Pad	3/4 x 7/8	9.5
4488, 4736	RD-5-10264-0P	75R84182	12	SD7H15	Ear	JDA	Vertical O-Ring	3/4 x 7/8	9.5
4489, 4611	RD-5-11161-0P	75R84114	24	SD7H15SHD	Ear	MD	Horizontal Tube-O	1" - 14	9.5
4491, 4699, 4752	RD-5-10265-0P	75R84192	12	7H15	Direct Long	JD	Vertical O-Ring	3/4 x 7/8	9.5
4492, 4761	RD-5-11254-0P	75R81352	12	SD7H15	Direct Long	MDA	Horizontal Tube-O	1" - 14	9.5
4493, 4733, 4892	RD-5-11256-0P	75R81362	12	SD7H15	Direct	WV	Horizontal Pad	3/4 x 7/8	9.5
4494, 4757, 4891	RD-5-11257-0P	75R81372	12	SD7H15	Direct Long	WV	Horizontal Pad	3/4 x 7/8	9.5
4497, 4704	RD-5-10261-0P	75R84132	12	SD7H15	Ear	SJ	Horizontal Pad	Pad	9.5
4498, 4806, 4813	RD-5-11260-0P	75R81402	12	SD7H15SHD	Direct Long	KCA	Horizontal O-Ring	3/4 x 7/8	9.5

CLUTCH

Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
4.7″ (119mm) Poly 8	49mm	Metripak	2	Key RDA	4705-9931, 4417-9931, 4734-9931		
4.7″ (119mm) Poly 8	34mm	Ford OE	2	Key	4427-9931, 7731-9930	**75R1852**	RD-5-10761-0P
5 1⁄4″ (132mm) A2 Groove	40mm	Metripak	2	Key RDA	4428-9931	**75R1842**	RD-5-10760-0P
4.9″ (125mm) Poly 6	46mm	Metripak	2	Key RDA	4424-9931	**75R1432**	RD-5-10361-0P
4.7″ (119mm) Poly 8	34mm	Metripak	2	Key RDA	4417-9931, 4705-9931, 4734-9931	**75R1852**	RD-5-10761-0P
4.9″ (125mm) A2 Groove	40mm	Metripak	2	Spline	4740-9931		
4.7″ (119mm) Poly 8	34mm	Weatherpak	1	Key	4672-9931	**75R1842**	RD-5-10760-0P
5 1⁄2″ (138mm) A1 Groove	40mm	Cat OE	2	Key	4604-9931, 6506-6010		
5 1⁄4″ (132mm) A2 Groove	40mm	Ford OE (Yazaki)	2	Key	4601-9931, 6504-6010		
6 1⁄2″ (169mm) A1 Groove	40mm	Ford OE	2	Key	6505-6010, 7739-9931		
5 1⁄4″ (132mm) A2 Groove	40mm	Metripak	2	Key	4428-9931, 4752-9931	**4601-9931, 6504-6010**	RD-5-10369-0P
4.7″ (119mm) Poly 8	49.55mm	Ford OE (Yazaki)	2	Key	7731-9930		
4.9″ (125mm) Poly 6	46mm	Metripak	2	Spline	4756-9931	**75R1852**	RD-5-10761-0P
6″ (152mm) A2 Groove	40mm	Female Weatherpak (IHC-Case)	1	Key	4609-9931, 6510-6010		
6″ (152mm) A1 Groove	40mm	Cat OE	2	Key	4640-9931		
5 1⁄2″ (138mm) A1 Groove	40mm	Weatherpak	2	Key	6590-6210		
5 1⁄4″ (133mm) Poly 8	34mm	Cat OE	1	Key	4726-9931		
5 1⁄4″ (132mm) A2 Groove	40mm	Metripak	2	Key	4428-9931, 4752-9931		
6″ (152mm) A2 Groove	40mm	Female Weatherpak (IHC-Case)	1	Key	4611-9931		
5 1⁄4″ (132mm) A2 Groove	55mm	Metripak	2	Key	4428-9931, 4752-9931	**75R1852**	RD-5-10761-0P
4.9″ (125mm) Poly 6	46mm	Metripak	2	Spline	4756-9931		
5 1⁄8″ (130mm) Poly 8	44mm	Metripak	2	Key RDA	4733-9931, 4892-9931, 4895-9931	**75R1852**	RD-5-10761-0P
4.9″ (125mm) Poly 6	46mm	Metripak	2	Key RDA	4757-9931, 4891-9931		
5 1⁄4″ (132mm) A2 Groove	40mm	Ford OE (Yazaki)	2	Key	4704-9931	**75R4802**	RD-5-11837-0P
5 1⁄4″ (132mm) Poly 8	49mm	Cat OE	2	Key			


COMPRESSOR

Sanden Part No	Factory Part No.	Red Dot Part No..	Voltage	Sanden Model Type	Mount Type	Head Type †	Head Fitting Position	Head Fitting Size	Cubic Inches
4499, 4768	RD-5-11310-0P	75R81412	12	SD7H15SHD	Direct Long	MD	Horizontal Tube-O	1" - 14	9.5
4506, 4507, 6627, 6665, 4271	RD-5-7089-0P	75R8384	24	SD7H15	Ear	JD	Vertical O-Ring	3/4 x 7/8	9.5
4508, 6656, 4296U1	RD-5-10288-0P	75R83152	12	SD7H15	Ear	JD	Vertical O-Ring	3/4 x 7/8	9.5
4510, 4664, 6664, 4639, 4644, 8104	RD-5-7088-0P	75R8382	12	SD7H15	Ear	JDA	Vertical O-Ring	3/4 x 7/8	9.5
4515, 6673, 4746	RD-5-7090-0P	75R8372	12	SD7H15	Ear	JD	Vertical O-Ring	3/4 x 7/8	9.5
4516, 6672	RD-5-7091-0P	75R8374	24	SD5H14-HD	Ear	FL	Vertical O-Ring	3/4 x 7/8	8.4
4536, 6630, 6676, 4272	RD-5-9088-0P	75R8332	12	SD5H14	Ear	K	Horizontal O-Ring	3/4 x 7/8	8.4
4537, 6634, 4269	RD-5-8680-0P	75R8354	24	SD7H15	Ear	KG	Horizontal O-Ring	3/4 x 7/8	9.5
4542, 4618	RD-5-10284-0P	75R83132	12	SD7H15	Ear	SJA	Horizontal Pad	Pad (QB)	9.5
4543, 4082	RD-5-16236-2P	75R89212A	12	7H15HD	Ear	GH	Horizontal Pad	3/4" x 7/8"	9.5
4549, 4076	RD-5-16237-2P	75R89222A	12	7H15HD	Direct	GH	Horizontal Pad	3/4" x 7/8"	9.5
4608, 4657, 8108	RD-5-11220-0P	75R84592	12	SD7H15SHD	Ear	GK	Horizontal Pad	3/4 x 7/8	9.5
4626, 4695	RD-5-7522-0P	75R8432	12	SD7H15	Direct Long	JDA	Vertical O-Ring	3/4 x 7/8	9.5
4628, 8105	RD-5-10290-0P	75R84512	12	SD7H15	Direct Long	JD	Vertical O-Ring	3/4 x 7/8	9.5
4711, 8103	RD-5-9251-0P	75R8462	12	SD7H15	Ear	JD	Vertical O-Ring	3/4 x 7/8	9.5
4715, 4890	RD-5-10278-0P	75R84382	12	SD7H15	Direct Long	WV	Horizontal Pad	3/4 x 7/8	9.5
4717, 4777, 4893	RD-5-11343-0P	75R81652	12	SD7H15	Ear	WV	Horizontal Pad	3/4 x 7/8	9.5
4732U1	RD-5-16205-0P	75R9892	12	7H15SHD	Direct	4670	Horizontal Pad	3/4 x 7/8	9.5
4737, 4864	RD-5-10890-0P	75R89352	12	7H15 FLX7	Ear	GV	Horizontal Pad	3/4 x 7/8	9.5
4776, 4421	RD-5-10267-0P	75R84232	12	SD7H15	Direct Long	MDA	Horizontal Tube-O	1" - 14	9.5
4895, 4700	RD-5-11346-0P	75R81682	12	SD7H15	Ear	KC	Horizontal O-Ring	3/4 x 7/8	9.5
	RD-5-15735-1P	75R9132	12	QP7H15	Direct	PK	Lateral Pad	3/4" x 7/8"	9.5


CLUTCH

Clutch Type	Gauge Line	Connector Type	No. of Wires	Clutch Shaft Type	Sanden Clutch Part No.	Red Dot Clutch Part No.	Factory Clutch Part No.
6" (152mm) Poly 8	49mm	Female Weatherpak (IHC-Case)	1	Key	4768-9932	**75R1542**	RD-5-10369-0P
5 1/4" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6210		
4.9" (125mm) Poly 10	35mm	Bullet	1	Key	6518-6010		
5 1/4" (132mm) A2 Groove	40mm	Female Weatherpak (IHC-Case)	1	Key	4647-9931, 6511-6210	**75R0204**	RD-5-5487-0P
6 1/4" (158mm) Variable Groove	40mm	Bullet	1	Key	6521-6010		
6 1/4" (158mm) Variable Groove	40mm	Bullet	1	Key	6521-6010, 6521-6210		
5 1/4" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6010		
5 1/4" (132mm) A2 Groove	40mm	Bullet	1	Key	6519-6210		RD-5-5488-0P
4.7" (119mm) Poly 7	36mm	Metripak (T&B)	2	Key	4618-9931	**75R0202**	RD-5-5486-0P
5.5 (140MM) Poly 8	49MM	Female Weatherpak	2				
4.9 (125MM) Poly 6	46MM	Female Weatherpak	2				
5 1/2" (138mm) A1 Groove	40mm	Cat OE	2	Key	4608-9930, 4608-9932, 6506-6110	**75R0204**	RD-5-5487-0P
5 1/4" (132mm) A2 Groove	55mm	HD 280 series	1	Key	4626-9931, 4780-9931, 4896-9931, 6511-6010		
4.7" (119mm) Poly 6	62mm	Bullet	1	Key	6516-6010		
4.7" (119mm) Poly 8	34mm	Bullet	1	Key	6522-6010		
5 1/4" (132mm) A2 Groove	55mm	Metripak	2	Key RDA	4694-9931, 4896-9931, 6594-6010	**75R0032**	RD-5-10398-0P
5 1/4" (132mm) A2 Groove	40mm	Metripak	2	Key	4694-9931, 4777-9931, 4896-9931, 6594-6010	**75R1862**	RD-5-10762-0P
7" (180mm) Poly 8	31.6mm	Metripak	2			**75R1852**	RD-5-10761-0P
4.7" (119mm) Poly 8	34mm	Female Weatherpak plus jumper	1	Key	4420-9931	**75R1832**	RD-5-10759-0P
4.7" (119mm) Poly 8	49mm	Metripak	2	Spline	4776-9931		
5 1/8" (130mm) Poly 8	34mm	Metripak w HD 280 series	1	Key RDA	4781-9931, 4895-9931		
4.9 (125MM) 2 Grove	55MM	Weatherpak	1				


75R81104 RD-5-11234-0P
Model: 7H15SHD **Head:** MD **Voltage:** 24
Mount: Direct **Sanden:** 4300, 4795
Clutch: 6" (152mm) Poly 8 **R134a**




75R81114 RD-5-11235-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Direct **Sanden:** 4301, 4769
Clutch: 5 ¼" (133mm) Poly 8 **R134a**



75R81134 RD-5-11236-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Direct **Sanden:** 4302, 4840
Clutch: 6" (152mm) Poly 8 **R134a**




75R81152 RD-5-11237-0P
Model: 7H15 **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4303, 4422
Clutch: 4.7" (119mm) Poly 8 **R134a**




LS = Limited to stock on hand

75R81162 RD-5-11238-0P
Model: 7H15 **Head:** WJ **Voltage:** 12
Mount: Direct **Sanden:** 4304, 4423
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81172 RD-5-11239-0P
Model: SD7H15 **Head:** WJ **Voltage:** 12
Mount: Ear **Sanden:** 4305
Clutch: 4.7" (119mm) Poly 8 **R-134a**




No photo of plug available

75R81184 RD-5-11240-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Ear **Sanden:** 4468, 4604, 4656, 8107
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**




75R81192 RD-5-11241-0P
Model: 7H15 **Head:** WJ **Voltage:** 12
Mount: Ear **Sanden:** 4469, 4603
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




A = Aftermarket Version


75R81202 RD-5-11242-0P
Model: 7H15 **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4602
Clutch: 6 ½" (169mm) A1 Groove - Sealed **R134a**




75R81212 RD-5-11243-0P
Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Ear **Sanden:** 4429, 4472
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R81232 RD-5-11244-0P
Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4430, 4473
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81252 RD-5-11245-0P
Model: 7H15 **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4474, 7804
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81262 RD-5-11247-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4431, 4477
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81274 RD-5-11248-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Ear **Sanden:** 4479, 4640, 4658, 8109
Clutch: 6" (152mm) A1 Groove - Sealed **R134a**



75R81302 RD-5-11251-0P
75R81302A RD-5-11251-3P
Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4417, 4485
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81352 RD-5-11254-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Direct **Sanden:** 4492, 4761
Clutch: 4.9" (125mm) Poly 6 **R134a**




LS = Limited to stock on hand


75R81362 RD-5-11256-0P
75R81362A RD-5-11256-3P
Model: 7H15HD **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4493, 4733, 4892
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**




75R81372 RD-5-11257-0P
Model: 7H15HD **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4494, 4757, 4891
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R81382 RD-5-11258-0P
Model: 7H15HD **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4453, 4495
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81402 RD-5-11260-0P
Model: 7H15SHD **Head:** KCA **Voltage:** 12
Mount: Direct **Sanden:** 4498, 4806, 4813
Clutch: 5 ¼" (132mm) Poly 8 **R134a**




A = Aftermarket Version


75R81412 RD-5-11310-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Direct **Sanden:** 4499, 4768, 4435
Clutch: 6" (152mm) Poly 8 **R134a**




75R81452 RD-5-11313-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4645
Clutch: 4.7" (119mm) Poly 7 **R134a**




75R81462 RD-5-11315-0P
Model: SD7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4646
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R81482 RD-5-11322-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4660
Clutch: 4 ¾" (119mm) Poly 8 **R134a**




75R81492 RD-5-11324-0P
Model: 7H15SHD **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4480, 4661
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**




75R81502 RD-5-11326-0P
Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4667
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81512 RD-5-11328-0P
Model: 7H15 **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4672
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81532 RD-5-11330-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4699
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




LS = Limited to stock on hand


75R81552 RD-5-11331-0P
Model: 7H15 **Head:** KG **Voltage:** 12
Mount: Ear **Sanden:** 4709
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R81562 RD-5-11334-0P
Model: 7H15HD **Head:** KG **Voltage:** 12
Mount: Ear **Sanden:** 4739
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R81572 RD-5-11336-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4779
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R81612 RD-5-11340-0P
Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Ear **Sanden:** 4820
Clutch: 4.7" (119mm) Poly 8 **R134a**




A = Aftermarket Version


75R81622 RD-5-12330-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4883
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81632 RD-5-12332-0P
75R81632A RD-5-12332-2P
Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4040, 4425, 4792
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R81652 RD-5-11343-0P
Model: 7H15 **Head:** WV **Voltage:** 12
Mount: Ear **Sanden:** 4717, 4777, 4893
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R81662 RD-5-12334-0P
75R81662A RD-5-12334-2P
Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4042, 4432, 4759
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R81672 RD-5-11345-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4894
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R81682 RD-5-11346-0P
Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4895
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**



75R81692 RD-5-11347-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4896
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R81732 RD-5-11350-0P
Model: 7H15 **Head:** C **Voltage:** 12
Mount: Ear **Sanden:** 4747
Clutch: 6 ¼" (158mm) Variable 1 Groove **R-134a**




LS = Limited to stock on hand


75R81762 RD-5-11356-0P
Model: 7H15SHD **Head:** WV **Voltage:** 12
Mount: Ear **Sanden:** 4490, 4716
Clutch: 5 ⅛" (130mm) Poly 8 **R-134a**




75R82102 RD-5-10307-0P
Model: 5H09 **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 5072
Clutch: 4.9" (125mm) A2 Groove **R-134a**



75R82132 RD-5-10310-0P
Model: 5H09 **Head:** C **Voltage:** 12
Mount: Ear **Sanden:** 5080
Clutch: 4.9" (125mm) Poly 4 **R134a**




75R82142 RD-5-10493-0P
Model: 5H09 **Head:** K **Voltage:** 12
Mount: Ear **Sanden:** 5077
Clutch: 4.9" (125mm) A2 Groove **R-134a**




A = Aftermarket Version


75R82312 RD-5-13062-0P
75R82312A RD-5-13062-2P
Model: 7H15SHD **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4075
Clutch: 4.7" (119mm) Poly 8 **R-134a**




75R83112 RD-5-10283-0P
Model: 7H15 **Head:** QD **Voltage:** 12
Mount: Ear **Sanden:** 7803
Clutch: 4.9" (125mm) A2 Groove **R-134a**



75R83132 RD-5-10284-0P
Model: 7H15 **Head:** QD **Voltage:** 12
Mount: Ear **Sanden:** 4542, 4618
Clutch: 4.7" (119mm) Poly 7 **R-134a**




75R83152 RD-5-10288-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4508, 6656
Clutch: 4.9" (125mm) Poly 10 **R-134a**




COMPRESSOR


75R8332 RD-5-9088-0P
Model: 5H14 **Head:** K **Voltage:** 12
Mount: Ear **Sanden:** 4536, 6630, 6676
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8354 RD-5-8680-0P
Model: 7H15 **Head:** KG **Voltage:** 24
Mount: Ear **Sanden:** 4537, 6634
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R8372 RD-5-7090-0P
Model: 7H15-HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4515, 6673, 4746
Clutch: 6 ¼" (158mm) Variable 1 Groove **R134a**




75R8374 RD-5-7091-0P
Model: 5H14-HD **Head:** FL **Voltage:** 24
Mount: Ear **Sanden:** 4516, 6672
Clutch: 6 ¼" (158mm) Variable 1 Groove **R134a**




LS = Limited to stock on hand


75R8382 RD-5-7088-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4509, 4510, 6664
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8384 RD-5-7089-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear
Sanden: 4506, 4507, 6627, 6665, 4271
Clutch: 5 ¼" (132mm) A2 Groove **R134a**



75R84112 RD-5-10259-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Ear **Sanden:** 4478, 4609
Clutch: 6" (152mm) A2 Groove - Sealed **R-134a**




75R84114 RD-5-11161-0P
Model: 7H15SHD **Head:** MD **Voltage:** 24
Mount: Ear **Sanden:** 4611
Clutch: 6" (152mm) A2 Groove - Sealed **R-134a**




A = Aftermarket Version


75R84132 RD-5-10261-0P
Model: 7H15 **Head:** SJ **Voltage:** 12
Mount: Ear **Sanden:** 4497, 4704
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R84152 RD-5-10303-0P
Model: 7H15HD **Head:** CBA **Voltage:** 12
Mount: Direct **Sanden:** 4687
Clutch: 4.9" (125mm) Poly 6 **R-134a**




75R84172 RD-5-10263-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4471, 4735
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R84182 RD-5-10264-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4488, 4736
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R84192 RD-5-10265-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4491, 4752
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R84212 RD-5-10266-0P
Model: 7H15HD **Head:** CBA **Voltage:** 12
Mount: Direct **Sanden:** 4475, 4756
Clutch: 4.9" (125mm) Poly 6 **R-134a**



75R8422 RD-5-7120-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4627
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R84232 RD-5-10267-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Direct **Sanden:** 4776
Clutch: 4.7" (119mm) Poly 8 **R-134a**




LS = Limited to stock on hand


75R8424 RD-5-7124-0P
Model: 7H15HD **Head:** JD **Voltage:** 24
Mount: Ear **Sanden:** 4652
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R84292 RD-5-10273-0P
75R84292A RD-5-10273-2P
Model: 7H15 **Head:** GSA **Voltage:** 12
Mount: Direct **Sanden:** 4039, 4424, 4731
Clutch: 4.9" (125mm) Poly 6 **R134a**



75R84312 RD-5-10274-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4433, 4484, 4740
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R84302 RD-5-16474-0P
Model: 7H15HD **Head:** GWA **Voltage:** 12
Mount: Direct **Sanden:** 4546
Clutch: 4.9 (125MM) Poly 6 **R134a**




A = Aftermarket Version


75R8432 RD-5-7522-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4626, 4695
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R84352 RD-5-10275-0P
Model: 7H15 **Head:** WJ **Voltage:** 12
Mount: Direct **Sanden:** 4810
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R84362 RD-5-10276-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4694
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R84382 RD-5-10278-0P
Model: 7H15 **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4715, 4890
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8442 RD-5-7373-0P
Model: 7H15 **Head:** MD **Voltage:** 12
Mount: Ear **Sanden:** 7819
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R84452 RD-5-10282-0P
Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4823
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**



75R84472 RD-5-10285-0P
Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Direct **Sanden:** 4666
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R84482 RD-5-10286-0P
Model: 7H15 **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4659
Clutch: 5 ⅛" (130mm) Poly 8 **R134a**




LS = Limited to stock on hand


75R84492 RD-5-10287-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4663
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R84512 RD-5-10290-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4628, 8105
Clutch: 4.7" (119mm) Poly 6 **R134a**



75R84522 RD-5-6919-0P
Model: 7H15SHD **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4637
Clutch: 5 ¼" (133mm) Poly 8 **R134a**




75R84532 RD-5-10291-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Ear **Sanden:** 4617
Clutch: 5 ¼" (132mm) A2 Groove - Sealed **R134a**




A = Aftermarket Version


75R8454 RD-5-10725-0P
Model: 7H15HD **Head:** JD **Voltage:** 24
Mount: Ear **Sanden:** 4745
Clutch: 6 ¼" (158mm) Variable 1 Groove **R134a**




75R84552 RD-5-10292-0P
Model: 7H15HD **Head:** CB **Voltage:** 12
Mount: Ear **Sanden:** 4643
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R84562 RD-5-10294-0P
Model: 7H15 **Head:** MD **Voltage:** 12
Mount: Direct **Sanden:** 4641
Clutch: 4.7" (119mm) Poly 6 **R134a**




75R84572 RD-5-10295-0P
Model: 7H15HD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4665
Clutch: 4.7" (119mm) Poly 7 **R134a**




75R84592 RD-5-11220-0P
Model: 7H15SHD **Head:** GK **Voltage:** 12
Mount: Ear **Sanden:** 4608, 4657, 8108
Clutch: 5 ½" (138mm) A1 Groove - Sealed **R134a**




75R84594 RD-5-10260-0P
Model: 7H15SHD **Head:** GK **Voltage:** 24
Mount: Ear **Sanden:** 4487, 4726
Clutch: 5 ¼" (133mm) Poly 8 - Sealed **R134a**



75R8462 RD-5-9251-0P
Model: 7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4711, 8103
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R84622 RD-5-10738-0P
Model: 7H15 **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4822
Clutch: 4.7" (119mm) Poly 8 **R134a**




LS = Limited to stock on hand


75R84632 RD-5-10737-0P
Model: 7H15HD **Head:** KCA **Voltage:** 12
Mount: Direct **Sanden:** 4306, 4428
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R8464 RD-5-9458-0P
Model: 7H15 **Head:** JD **Voltage:** 24
Mount: Ear **Sanden:** 4762
Clutch: 4.7" (119mm) Poly 8 **R134a**



75R84654 RD-5-9319-0P
Model: 7H15HD **Head:** KG **Voltage:** 24
Mount: Ear **Sanden:** 4742
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R84662 RD-5-11002-0P
Model: 7H15HD **Head:** KG **Voltage:** 12
Mount: Ear **Sanden:** 4712
Clutch: 4.7" (119mm) Poly 8 **R134a**




A = Aftermarket Version

75R84672 RD-5-13071-0P
Model: SD7H15 **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4060
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R84684 RD-5-12179-0P
Model: SD7H15 **Head:** JD **24**
Mount: Ear **Sanden:** 4409
Clutch: 6" (152mm) A2 Groove **R-134a**



No photo of plug available

75R8772 RD-5-12523-0P
Model: 7H15 **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4041, 4426, 4696
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R89102A RD-5-16225-2P
Model: 7H15HD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4099
Clutch: 6 1/4 (160MM) Poly 8 **R134a**



75R89112A RD-5-16226-2P
Model: 7H15HD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4098
Clutch: 6 1/4 (160MM) Poly 6 **R134a**

Image Not Available

75R89122A RD-5-16227-2P
Model: 7H15HD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4023
Clutch: 4.9 (125MM) Poly 6 **R134a**

Image Not Available

75R89132A RD-5-16228-2P
Model: SD7H15 **Head:** WJ **Voltage:** 12
Mount: Direct **Sanden:** 4047
Clutch: 5 (126MM) Poly 10 **R134a**

Image Not Available

75R89152A RD-5-16230-2P
Model: 7H15HD **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4384S
Clutch: 5 (126MM) Poly 10 **R134a**

Image Not Available

75R89162A RD-5-16231-2P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Direct **Sanden:** 4381, 4088
Clutch: 5 (126MM) Poly 12 **R134a**

Image Not Available

75R89172A RD-5-16232-2P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Direct **Sanden:** 4412, 4414
Clutch: 5 (126MM) Poly 10 **R134a**

Image Not Available

75R89182A RD-5-16233-2P
Model: 7H15HD **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4072
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R89192A RD-5-16234-2P
Model: 7H15HD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4378
Clutch: 5 (126MM) Poly 12 **R134a**

Image Not Available

75R89204A RD-5-16235-2P
Model: 7H15HD **Head:** SB **Voltage:** 24
Mount: Direct **Sanden:** 4009
Clutch: 4.9 (125MM) Poly 6 **R134a**

Image Not Available


75R89212A RD-5-16236-2P
Model: 7H15HD **Head:** GH **Voltage:** 12
Mount: Ear **Sanden:** 4543, 4082
Clutch: 5.5 (140MM) Poly 8 **R134a**

Image Not Available

75R89222A RD-5-16237-2P
Model: 7H15HD **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4549, 4076
Clutch: 4.9 (125MM) Poly 6 **R134a**

Image Not Available


75R89302 RD-5-10885-0P
Model: 7H15FLX **Head:** GV **Voltage:** 12
Mount: Direct **Sanden:** 4420
Clutch: 4.7" (119mm) Poly 8 **R134a**




LS = Limited to stock on hand

A = Aftermarket Version


75R89304 RD-5-15719-0P
Model: 7H15HD **Head:** GV **Voltage:** 24
Mount: Direct **Sanden:** 4327
Clutch: 4.7" (119mm) Poly 8 **R-134a**




75R89312 RD-5-10886-0P
Model: 7H15FLX **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4860
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R89334 RD-5-10888-0P
Model: 7H15FLX **Head:** GV **Voltage:** 24
Mount: Ear **Sanden:** 4862
Clutch: 4.9" (125mm) A2 Groove **R134a**




75R89352 RD-5-10890-0P
Model: 7H15FLX **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4737, 4864
Clutch: 4.7" (119mm) Poly 8 **R134a**




LS = Limited to stock on hand


75R89354 RD-5-10892-0P
Model: 7H15FLX **Head:** GV **Voltage:** 24
Mount: Ear **Sanden:** 4866
Clutch: 4.7" (119mm) Poly 8 **R134a**




75R89372 RD-5-10893-0P
Model: 7H15FLX **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4868
Clutch: 6 ¼" (158mm) Variable 1 Groove **R134a**



75R89374 RD-5-10895-0P
Model: 7H15FLX **Head:** GV **Voltage:** 24
Mount: Ear **Sanden:** 4870
Clutch: 6 ¼" (158mm) Variable 1 Groove **R134a**




75R89392 RD-5-10897-0P
Model: 7H15FLX **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4872
Clutch: 4.9" (125mm) Poly 10 **R134a**




A = Aftermarket Version


75R89394 RD-5-11013-0P
Model: 7H15FLX LS **Head:** GV **Voltage:** 24
Mount: Ear **Sanden:** 4448
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R89412 RD-5-11008-0P
Model: 7H15FLX LS **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4875, 4876
Clutch: 5 ½" (138mm) A1 Groove **R-12**




75R89422 RD-5-10899-0P
Model: 7H15FLX **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4434
Clutch: 5 ¼" (132mm) A2 Groove **R134a**




75R89424 RD-5-10900-0P
Model: 7H15 FLX7 **Head:** GV **24**
Mount: Ear **Sanden:** 4435
Clutch: 5 ¼" (132mm) A2 Groove **R-134a**




75R89432 RD-5-11005-0P
Model: 7H15FLX **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4874
Clutch: 5 ¼" (133mm) Poly 8 with Dust Cover **R13a**




75R89462 RD-5-11006-0P
Model: 7H15FLX **Head:** GV **Voltage:** 12
Mount: Direct **Sanden:** 4419
Clutch: 4.9" (125mm) A2 Groove **R134a**



75R89474 RD-5-11009-0P
Model: 7H15FLX **Head:** GV **Voltage:** 24
Mount: Ear **Sanden:** 4877
Clutch: 5 ½" (138mm) A1 Groove **R134a**




75R89484 RD-5-11010-0P
Model: 7H15FLX **Head:** GV **Voltage:** 24
Mount: Ear **Sanden:** 4881
Clutch: 6" (152mm) A2 Groove **R134a**




LS = Limited to stock on hand


75R89492 RD-5-12550-0P
75R89492A RD-5-12550-2P
Model: 7H15FLX **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4080
Clutch: 4.9" (125mm) Poly 6 **R134a**




75R89502 RD-5-13207-0P
Model: SD7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4077
Clutch: 4.7" (119mm) Poly 8 **R-134a**



75R89522 RD-5-13209-0P
75R89522A RD-5-13209-2P
Model: SD7H15 **Head:** GSA **Voltage:** 12
Mount: Direct **Sanden:** 4079
Clutch: 4.9" (125mm) Poly 6 **R-134a**




75R89532 RD-5-13210-0P
75R89532A RD-5-13210-2P
Model: SD7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 4078, 4370
Clutch: 4.9" (126mm) Poly 12 **R-134a**




75R89552 RD-5-13212-0P
75R89552A RD-5-13212-2P
Model: SD7H15 **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4041
Clutch: 4.9 (125MM) 2 Grove **R134a**

Image Not Available


75R89562 RD-5-13213-0P
Model: SE7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 1027K8
Clutch: 4.7" (119mm) Poly 8 **R-134a**



75R89572 RD-5-13214-0P
Model: SE7H15 **Head:** GQ **Voltage:** 12
Mount: Direct **Sanden:** 1027U3
Clutch: 4.9" (125mm) Poly 6 **R-134a**




75R89602 RD-5-13226-0P
Model: 7H15SHD **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4089
Clutch: 4.9" (125mm) A2 Groove **R-134a**




A = Aftermarket Version


75R89612 RD-5-14093-0P
Model: 7H15 **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4119
Clutch: 4.9" (125mm) Poly 6 **R-134a**




75R89652 RD-5-14655-0P
Model: 7H15SHD **Head:** GSA **Voltage:** 12
Mount: Direct **Sanden:** 4081, 4398
Clutch: 4.7" (119mm) Poly 8 **R-134a**




75R89662 RD-5-14656-0P
Model: 7H15SHD **Head:** KCA **Voltage:** 12
Mount: Direct **Sanden:** 4090
Clutch: 4.7" (119mm) Poly 8 **R-134a**




75R89692 RD-5-14660-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Direct **Sanden:** 4109U
Clutch: 6" (152mm) Poly 8 **R-134a**




75R89722 RD-5-14663-0P
Model: 7H15HD **Head:** KF **Voltage:** 12
Mount: Direct **Sanden:** 4121U
Clutch: 4.7" (119mm) Poly 8 **R-134a**




75R89732 RD-5-14664-0P
Model: 5H14HD **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 6372
Clutch: 5.5" (140mm) Poly 4 **R-134a**



75R89742 RD-5-14666-0P
Model: 7H15HD **Head:** MD **Voltage:** 12
Mount: Direct **Sanden:** 8174
Clutch: 5.3" (135mm) A groove **R-134a**




75R89744 RD-5-14665-0P
Model: 7H15HD **Head:** MD **Voltage:** 24
Mount: Direct **Sanden:** 8144
Clutch: 4.7" (119mm) Poly 8 **R-134a**




A = Aftermarket Version


75R89752 RD-5-14689-0P
Model: 7H15HD **Head:** Voltage: 12
Mount: Direct **Sanden:** 4418
Clutch: 7" (180mm) Poly 8 **R-134a**




75R89762 RD-5-14696-0P
Model: 7H15HD **Head:** Voltage: 12
Mount: Direct **Sanden:** 4720
Clutch: 4.7" (119mm) Poly 8 **R-134a**



75R89774 RD-5-13208-0P
Model: 7H15 **Head:** WV **Voltage:** 24
Mount: Ear **Sanden:** 8045
Clutch: 5 ¼" (132mm) 2A Groove



75R89792 RD-5-15320-0P
Model: 7H15 **Head:** GHA **Voltage:** 12
Mount: Direct **Sanden:** 4019
Clutch: 4.7" (119mm) Poly 6




COMPRESSOR

75R89832 RD-5-15359-0P
Model: 7H15 **Head:** **Voltage:** 12
Mount: Direct **Sanden:** 4440
Clutch: 5 ¼" (132mm) Poly 6 **R-134a**

Image Not Available

75R89842 RD-5-16476-0P
Model: 7H15SHD **Head:** **Voltage:** 12
Mount: Direct **Sanden:** 4577
Clutch: 4.9"(125mm) Poly 7 **R-134a**



75R89852 RD-5-15572-0P
75R89852A RD-5-15572-2P
Model: 7H15HD **Head:** PK **Voltage:** 12
Mount: Direct **Sanden:** 4314
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available


75R89862 RD-5-16217-0P
Model: SD7H15 **Head:** KF **Voltage:** 24
Mount: Direct **Sanden:** 4592
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available


75R89872 RD-5-16266-0P
75R89872A RD-5-16266-2P
Model: SD7H15 **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4647
Clutch: 5.2 (132MM) 2 Grove **R134a**

Image Not Available

75R89882 RD-5-16241-0P
Model: SD7H15 **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4020
Clutch: 4 3/4 (119MM) Poly 8 **R134a**




75R89892 RD-5-16242-0P
Model: SD7H15E **Head:** GK **Voltage:** 12
Mount: Direct **Sanden:** 4021
Clutch: 4 3/4 (119MM) Poly 8 **R134a**




75R89902 RD-5-16238-0P
Model: 7H15HD **Head:** GV **Voltage:** 12
Mount: Direct **Sanden:** 4027
Clutch: 4.9 (125MM) Poly 6 **R134a**

Image Not Available


75R89912 RD-5-16239-0P
Model: 7H15HD **Head:** GV **Voltage:** 12
Mount: Direct **Sanden:** 4028
Clutch: 4 3/4 (119MM) Poly 8 **R134a**




75R89922 RD-5-16240-0P
Model: SD7H15E **Head:** GV **Voltage:** 12
Mount: Direct **Sanden:** 4034
Clutch: 4 3/4 (119MM) Poly 10 **R134a**




75R89934 RD-5-16243-0P
Model: SD7H15E **Head:** GV **Voltage:** 24
Mount: Direct **Sanden:** 4066
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



75R89942 RD-5-16244-0P
Model: 7H15HD **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4083
Clutch: 4 3/4 (119MM) Poly 8 **R134a**




75R89954 RD-5-16245-0P
Model: 7H15HD **Head:** JD **Voltage:** 24
Mount: Ear **Sanden:** 4093
Clutch: 4.9 (125MM) 2 Grove **R134a**




75R89962 RD-5-16246-0P
Model: 7H15HD **Head:** GT **Voltage:** 12
Mount: Direct **Sanden:** 4261
Clutch: 4.4 (112MM) Poly 6 **R134a**

Image Not Available


75R89972 RD-5-16247-0P
Model: 7H15HD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4334
Clutch: 4.8 (123MM) Poly 8 **R134a**



75R89982 RD-5-16248-0P
Model: 7H15HD **Head:** GT **Voltage:** 12
Mount: Direct **Sanden:** 4362
Clutch: 4 3/4 (119MM) Poly 7 **R134a**



75R89992 RD-5-16249-0P
Model: SD7H15E **Head:** GV **Voltage:** 12
Mount: Direct **Sanden:** 4401
Clutch: 4.9 (125MM) 2 Grove **R134a**




75R90012 RD-5-16250-0P
Model: 7H15HD **Head:** KG **Voltage:** 12
Mount: Direct **Sanden:** 4404
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available


75R90022 RD-5-16450-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Direct **Sanden:** 4405
Clutch: 4 3/4 (119MM) Poly 10 **R134a**

Image Not Available

75R90032 RD-5-16451-0P
Model: 7H15HD **Head:** UK **Voltage:** 12
Mount: Ear **Sanden:** 4467
Clutch: 5 (128MM) Poly 6 **R134a**



75R90042 RD-5-16452-0P
Model: 7H15HD **Head:** CB **Voltage:** 12
Mount: Ear **Sanden:** 4653
Clutch: 4 3/4 (119MM) Poly 6 **R134a**




75R90052 RD-5-16453-0P
Model: 7H15HD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4654
Clutch: 5.2 (132MM) 2 Grove **R134a**

Image Not Available

75R90062 RD-5-16454-0P
Model: 7H15SHD **Head:** KC **Voltage:** 12
Mount: Ear **Sanden:** 4673
Clutch: 5.2 (132MM) 2 Grove **R134a**

Image Not Available


75R90072 RD-5-16455-0P
Model: 7H15HD **Head:** CB **Voltage:** 12
Mount: Ear **Sanden:** 4706
Clutch: 4.9 (125MM) 2 Grove **R134a**




75R90082 RD-5-16456-0P
Model: 7H15HD **Head:** QC **Voltage:** 12
Mount: Ear **Sanden:** 4707
Clutch: 4 3/4 (119MM) Poly 8 **R134a**




75R90092 RD-5-16457-0P
Model: 7H15HD **Head:** QC **Voltage:** 12
Mount: Ear **Sanden:** 4708
Clutch: 4.9 (125MM) 2 Grove **R134a**




75R90102 RD-5-16458-0P
Model: 7H15HD **Head:** CB **Voltage:** 12
Mount: Ear **Sanden:** 4710
Clutch: 4 3/4 (119MM) Poly 8 **R134a**




75R90112 RD-5-16459-0P
Model: 7H15SHD **Head:** JD **Voltage:** 12
Mount: Ear **Sanden:** 4738
Clutch: 5.2 (133 MM) Poly 8 **R134a**



75R90124 RD-5-16460-0P
Model: 7H15HD **Head:** JD **Voltage:** 24
Mount: Ear **Sanden:** 4741
Clutch: 4.9 (125MM) 2 Grove **R134a**



75R90134 RD-5-16461-0P
Model: 7H15HD **Head:** CB **Voltage:** 24
Mount: Ear **Sanden:** 4743
Clutch: 4.9 (125MM) 2 Grove **R134a**




75R90144 RD-5-16462-0P
Model: 7H15HD **Head:** MD **Voltage:** 24
Mount: Ear **Sanden:** 4744
Clutch: 4.9 (125MM) 2 Grove **R134a**




75R90152 RD-5-16463-0P
Model: 7H15HD **Head:** SJ **Voltage:** 12
Mount: Direct **Sanden:** 4766
Clutch: 4.8 (123MM) Poly 8 **R134a**




75R90162 RD-5-16464-0P
Model: SD7H15E **Head:** GV **Voltage:** 12
Mount: Direct **Sanden:** 4800
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



75R90172 RD-5-16465-0P
Model: SD7H15E **Head:** GV **Voltage:** 12
Mount: Ear **Sanden:** 4805
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



75R90182 RD-5-16466-0P
Model: SD5H14HD **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 6674
Clutch: 4.9 (125MM) 1 Grove **R134a**



75R90192 RD-5-16467-0P
Model: 7H15HD **Head:** KG **Voltage:** 12
Mount: Ear **Sanden:** 6676
Clutch: 5.2 (132MM) 2 Grove **R134a**



75R90202 RD-5-16468-0P
Model: SD7B10 **Head:** PB **Voltage:** 12
Mount: Ear **Sanden:** 7170
Clutch: 4.4 (112MM) 2 Grove **R134a**

Image Not Available

75R90212 RD-5-16469-0P
Model: SD7B10 **Head:** PB **Voltage:** 12
Mount: Ear **Sanden:** 7176
Clutch: 4.4 (112MM) Poly 6 **R134a**

Image Not Available

75R90222 RD-5-16470-0P
Model: SD7H13 **Head:** JE **Voltage:** 12
Mount: Direct **Sanden:** 7321
Clutch: 4.9 (125MM) 2 Grove **R134a**

Image Not Available

75R90232 RD-5-16471-0P
Model: 7H15SHD **Head:** QC **Voltage:** 12
Mount: Ear **Sanden:** 8088
Clutch: 5.5 (140MM) 2 Grove **R134a**

Image Not Available

75R90242 RD-5-16472-0P
Model: 7H15HD **Head:** JE **Voltage:** 12
Mount: Direct **Sanden:** 8105
Clutch: 4 3/4 (119MM) Poly 6 **R134a**



75R90252 RD-5-16477-0P
Model: SD7H15 **Head:** SJ **Voltage:** 12
Mount: Direct **Sanden:** 4010
Clutch: 4 3/4 (119MM) Poly 7 **R134a**

Image Not Available

75R90262 RD-5-16478-0P
Model: 7H15HD **Head:NSS** Voltage: 12
Mount: Direct **Sanden:** 4018
Clutch: 5 (126MM) Poly 10 **R134a**

Image Not Available

75R90272 RD-5-16479-0P
Model: 7H15SHD **Head:** NSS **Voltage:** 12
Mount: Direct **Sanden:** 4023
Clutch: 4.9 (125MM) Poly 6 **R134a**

Image Not Available

75R90284 RD-5-16480-0P
Model: 7H15SHD **Head:** GQ **Voltage:** 24
Mount: Direct **Sanden:** 4024
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90292 RD-5-16481-0P
Model: 7H15SHD **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4025
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90302 RD-5-16482-0P
Model: 7H15SHD **Head:** MD **Voltage:** 12
Mount: Direct **Sanden:** 4033
Clutch: 5.2 (133 MM) Poly 4 **R134a**

Image Not Available

75R90312 Rd-5-16483-0P
Model: 7H15SHD **Head:** NSS **Voltage:** 12
Mount: Direct **Sanden:** 4086
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90322 RD-5-16484-0P
75R90322A RD-5-16229-2P

Model: 7H15SHD **Head:** GSA **Voltage:** 12
Mount: Direct **Sanden:** 4379, 4087
Clutch: 5 (126MM) Poly 7 **R134a**



Image Not Available

75R90332 RD-5-16485-0P

Model: 7H15SHD **Head:** GSA **Voltage:** 12
Mount: Ear **Sanden:** 4091
Clutch: 4.9 (125MM) Poly 6 **R134a**



Image Not Available

75R90344 RD-5-16486-0P

Model: 7H15SHD **Head:** Pad **Voltage:** 24
Mount: Direct **Sanden:** 4095
Clutch: 5.2 (133 MM) Poly 8 **R134a**



Image Not Available

75R90352 RD-5-16487-0P

Model: 7H15SHD **Head:** KCA **Voltage:** 12
Mount: Direct **Sanden:** 4096
Clutch: 5 (126MM) Poly 7 **R134a**



Image Not Available

75R90362 Rd-5-16488-0P

Model: SD7H15E **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4103
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



Image Not Available

75R90372 RD-5-16490-0P

Model: 7H15 **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4142
Clutch: 5.2 (132MM) 2 Grove **R134a**



Image Not Available

75R90384 RD-5-16492-0P

Model: SD7H15 **Head:** JD **Voltage:** 24
Mount: Ear **Sanden:** 4149
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



Image Not Available

75R90394 RD-5-16493-0P

Model: 7H15SHD **Head:** NSS **Voltage:** 24
Mount: Direct **Sanden:** 4250
Clutch: 6 (152MM) Poly 8 **R134a**



Image Not Available

75R90402 Rd-5-16494-0P

Model: SD7H15E **Voltage:** 12
Mount: Direct **Sanden:** 4277
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



Image Not Available

75R90412 RD-5-16495-0P

Model: 7H15SHD **Head:** GQ **Voltage:** 24
Mount: Direct **Sanden:** 4280
Clutch: 4.9 (125MM) Poly 6 **R134a**



Image Not Available

75R90422 RD-5-16496-0P

Model: SD7H15 **Head:** CBA **Voltage:** 12
Mount: Direct **Sanden:** 4290
Clutch: 5.2 (133 MM) Poly 8 **R134a**



Image Not Available

75R90434 RD-5-16498-0P

Model: SD7H15 **Head:** JD **Voltage:** 24
Mount: Direct **Sanden:** 4325
Clutch: 5.2 (132MM) 2 Grove **R134a**



Image Not Available

75R90444 RD-5-16499-0P
Model: SD7H15E **Head:** GK **Voltage:** 24
Mount: Direct **Sanden:** 4355
Clutch: 5.2 (133 MM) Poly 8 **R134a**

Image Not Available

75R90452 RD-5-16501-0P
Model: SD7H15 **Head:** GW **Voltage:** 12
ount: Direct **Sanden:** 4382
Clutch: 4 3/4 (119MM) Poly 6 **R134a**

Image Not Available

75R90462 RD-5-16502-0P
Model: 7H15SHD **Head:** JDA **Voltage:** 12
Mount: Ear **Sanden:** 4386
Clutch: 4.9 (125MM) 2 Grove **R134a**

Image Not Available

75R90472 RD-5-16504-0P
Model: 7H15SHD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4407
Clutch: 5 (126MM) Poly 10 **R134a**

Image Not Available

75R90482 RD-5-16506-0P
Model: 7H15SHD **Head:** GWA **Voltage:** 12
Mount: Direct **Sanden:** 4570
Clutch: 4.9 (125MM) Poly 6 **R134a**

Image Not Available

75R90492 RD-5-16507-0P
Model: 7H15HD **Head:** NSS **Voltage:** 12
Mount: Direct **Sanden:** 4584
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90502 RD-5-16508-0P
Model: 7H15SHD **Head:** Pad **Voltage:** 12
Mount: Ear **Sanden:** 4595
Clutch: 5.2 (133 MM) Poly 8 **R134a**

Image Not Available

75R90514 RD-5-16509-0P
Model: 7H15HD **Head:** GWA **Voltage:** 24
Mount: Direct **Sanden:** 4651
Clutch: 4.9 (125MM) Poly 6 **R134a**

Image Not Available

75R90522 RD-5-16510-0P
Model: 7H15SHD **Head:** JD **Voltage:** 12
Mount: Direct **Sanden:** 4698
Clutch: 5.2 (133 MM) Poly 8 **R134a**

Image Not Available

75R90532 RD-5-16511-0P
Model: 7H15HD **Head:** GQ **Voltage:** 12
Mount: Ear **Sanden:** 4705
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R90542 RD-5-16512-0P
Model: 7H15HD **Head:** SJ **Voltage:** 12
Mount: Ear **Sanden:** 4753
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available


75R90552 RD-5-16513-0P
Model: 7H15HD **Head:** GH **Voltage:** 12
Mount: Direct **Sanden:** 4775
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available


75R90562 RD-5-16514-0P
Model: 7H15HD **Head:** GF **Voltage:** 12
Mount: Direct **Sanden:** 4785
Clutch: 5.1 (130MM) Poly 7 **R134a**

Image Not Available


75R90572 RD-5-16515-0P
Model: 7H15HD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4803
Clutch: 4.9 (125MM) Poly 6 **R134a**




75R90582 RD-5-16516-0P
Model: 7H15HD **Head:** MDA **Voltage:** 12
Mount: Ear **Sanden:** 4814
Clutch: 5 (128MM) Poly 6 **R134a**




75R90592 RD-5-16517-0P
Model: 7H15HD **Head:** WH **Voltage:** 12
Mount: Direct **Sanden:** 4848
Clutch: 4 3/4 (119MM) Poly 6 **R134a**



75R90602 RD-5-16518-0P
Model: SD7H15 **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4850
Clutch: 4 3/4 (119MM) Poly 8 **R134a**




75R90612 RD-5-16519-0P
Model: SD7H15 **Head:** SW **Voltage:** 12
Mount: Ear **Sanden:** 5350
Clutch: 4 3/4 (119MM) Poly 8 **R134a**



75R90622 RD-5-16520-0P
Model: SD5S09 **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 5075
Clutch: 4.9 (125MM) Poly 4 **R134a**

Image Not Available

75R90632 RD-5-16521-0P
Model: SD5S09 **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 5085
Clutch: 4.7 (120MM) Poly 6 **R134a**



75R90644 RD-5-16522-0P
Model: SD7H15 **Head:** WZ **Voltage:** 24
Mount: Ear **Sanden:** 6035
Clutch: 5.2 (132MM) 2 Grove **R134a**

Image Not Available

75R90652 RD-5-16523-0P
Model: SD5H11 **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 6321
Clutch: 4.9 (125MM) 2 Grove **R134a**

Image Not Available

75R90662 RD-5-16524-0P
Model: SD7H13 **Head:** JE **Voltage:** 12
Mount: Ear **Sanden:** 7304
Clutch: 4 3/4 (119MM) Poly 6 **R134a**

Image Not Available

75R90672 RD-5-16525-0P
Model: SD7H13 **Head:** JE **Voltage:** 12
Mount: Ear **Sanden:** 7312
Clutch: 4.9 (125MM) 2 Grove **R134a**

Image Not Available

75R90684 RD-5-16526-0P
Model: 7H15HD **Head:** WZ **Voltage:** 24
Mount: Direct **Sanden:** 8112
Clutch: 5.2 (132MM) Poly 8 **R134a**

Image Not Available

75R90702 RD-5-16528-0P
Model: Pad **Head:** QC **Voltage:** 12
Mount: Direct **Sanden:** 8244
Clutch: 4 3/4 (119MM) Poly 6 **R134a**

Image Not Available

75R91132 RD-5-16664-0P
Model: SD7H15 **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 6664
Clutch: 5.2 (132MM) 2 Grove **R134a**

Image Not Available

75R91154 RD-5-16665-0P
Model: 7H15HD **Head:** JE **Voltage:** 24
Mount: Direct **Sanden:** 8234
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R91142 RD-5-16473-0P
Model: 7H15HD **Head:** GWA **Voltage:** 12
Mount: Direct **Sanden:** 4544
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available

75R91132 RD-5-16664-0P
Model: SD7H15 **Head:** FL **Voltage:** 12
Mount: Ear **Sanden:** 6664
Clutch: 5.2 (132MM) 2 Grove **R134a**

Image Not Available

75R91154 RD-5-16665-0P
Model: 7H15HD **Head:** JE **Voltage:** 24
Mount: Direct **Sanden:** 8234
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available


75R91172 RD-5-16497-0P
Model: 7H15HD **Head:** WJ **Voltage:** 12
Mount: Direct **Sanden:** 4307
Clutch: 4 3/4 (119MM) Poly 8 **R134a**

Image Not Available


75R91202 RD-5-16491-0P
Model: 7H15SHD **Head:** Pad **Voltage:** 12
Mount: Direct **Sanden:** 4148
Clutch: 5.1 (130MM) Poly 6 **R134a**

Image Not Available

75R9612 RD-5-13248-0P
75R9612A RD-5-13248-2P
Model: 7H15HD **Head:** WV **Voltage:** 12
Mount: Direct **Sanden:** 4326
Clutch: 7" (180mm) Poly 8 **R-134a**




75R9622 RD-5-15526-0P
Model: 7H15 **Head:** Voltage: 12
Mount: Direct **Sanden:** 4347
Clutch: 4.7" (119mm) Poly 10 **R-134a**




IDENTIFYING CCI COMPRESSORS


The metal nameplate located at the top front of the compressor serves as a means of identification. The location permits viewing the nameplate with the clutch installed.


Data inscribed on the nameplate includes the serial number, combination model/part number, date of manufacture and type of refrigerant.



CCI HEAD TYPES







Bore	1.875 (47.6mm)
Stroke	1.876 47.4mm)
Displacement per Revolution	10.3 cu. in. (170cc)
Number of Cylinders	2
Maximum Allowable Continuous R.P.M. (Normal Operating Conditions)	6,000
Refrigerant	R-12/134A
Oil (PAG)	10 fl. oz. (200cc)
Weight	14.6 lbs. (6.6 kg.)
Rotation	Clockwise or Counter Clockwise


OE Model No.	Fitting Size	Red Dot Part No.	Factory Part No.	Note	Clutch Type	Gauge Line	Number of Wires Connector Type	Red Dot Clutch Part No.	RD Factory Clutch Part No.
ROTOLOCK, 12 VOLT									
LH Suction, R-12/R134a									
ER210L-21237 ER210L-25062 ER210L-25149, 99242-5	½" x ⅝"	**75R7280**	RD-5-8637-0P	1	Supplied without clutch	N/A	N/A	See clutch section	
ER210L-21237 ER210L-25427	½" x ⅝""	**75R7285** **75R7285A**	RD-5-8060-1P RD-5-8060-3P	3	Supplied without clutch	N/A	N/A	See clutch section	
TUBE-O-RING, 12 VOLT									
LH Suction, R-12/R134a									
ET210L-21160 ET210L-25061 ET210L-25150,-C 99244-5	1" - 14	**75R7290**	RD-5-8638-0P	1	Supplied without clutch	N/A	N/A	See clutch section	
ET210L-25073C	1" - 14	**75R7312**	RD-5-11217-0P	5	6", 2 Groove, ½"	1 ⅝"	1, Weatherpak	**75R1202**	RD-5-4972-1P
ET210L-25237C	1" - 14	**75R7322**	RD-5-11218-0P	5	6", 2 Groove, ½"	1 ⅝"	2, Metripak	**75R1302**	RD-5-9456-0P
ET210L-25240C	1" - 14	NA	RD-5-14049-0P	5	5 ¾", Poly 6, .014"	2"	2, Metripak	**75R0502**	RD-5-10363-0P
ET210L-25246C	1" - 14	**75R7332**	RD-5-11219-0P	5	6 ⅛", Poly 8, .014"	1 15⁄16"	2, Metripak	**75R0682**	RD-5-10365-0P
ET210L-21160 ET210L-25428 ET210L-25428C	1" - 14	**75R7295** **75R7295A**	RD-5-8061-1P RD-5-8061-3P	3	Supplied without clutch	N/A	N/A	**75R1202**	RD-5-4972-1P
ET210L-25405C	1" - 14	**75R7342**	RD-5-14641-0P	1	6", 1 Groove, ½"	2.71	1	N/A	N/A
ET210L-25406C	1" - 14	**75R7352**	RD-5-14642-0P	1	6 ¼, 1 Groove, ½"	2.71	1	N/A	N/A
SLIMLINE SERIES HEAD									
INSERT TUBE, R-12/R134a									
ES210L-25334	1" - 14	**75R7300**	RD-5-10029-0P	Note 5	Supplied without clutch	N/A	N/A	See clutch section	
MINI STAT-O-SEAL									
LH Suction, R-12/R134a									
ES210L-25334C	1" - 14	**75R7300**	RD-5-10029-0P	Note 5	Supplied without clutch	N/A	N/A	See clutch section	

Notes: Generic Compressors are OEM factory built but may contain noncritical reconditioned components

A Aftermark Version
1 Universal, Standard Duty with Super Screws, Felt Ring, PRV and Ester Oil
2 Standard Generic, with Super Screws, Felt Ring, PRV and Ester Oil
3 Super HD Generic, with Super Screws, Felt Ring, PRV and Ester Oil
4 Rotolock with 2 Groove clutch
5 OE Replacement, Standard Duty
6 Tube O with Ford Connector

COMPRESSOR SERVICE PARTS

75R5200 RD-5-8334-0M
CCI And Tecumseh Keyway — 10 Per Package



75R5201 RD-5-9979-0M
Sanden Shaft Key 508/510/709 — 10 Per Package



75R5520 RD-5-3698-0M
Teflon Rotolock Compressor Gasket Seal
10 Per Package
IHC/Navistar
ZGG19499



75R5525 RD-5-9806-0M
O-Ring Seal fits Sanden FLX7 fitting adapters
GM A6 DAG, HR6, R4, R5 compressor
Suction/Discharge Port O-Ring
10 Per Package



75R5540 RD-5-5401-0M
Plastic Schrader Port Cap — 10 Per Package
3/16" charging port



75R5555 RD-5-11325-0M
E-Z Clip Low Side Cap
20 Per Package



75R5556 RD-5-11223-0M
E-Z Clip High Side Cap
20 Per Package



75R5560 RD-5-7523-0M
13mm Low Side Service–Black – 25 Per Package
valve cap with neoprene seal;
OE & aftermarket type R-134a ports



75R5565 RD-5-8293-0M
13mm Low Side High Flow Valve Cap with neoprene seal–Blue, R-134a port — 10 Per Package



75R5570 RD-5-7524-0M
16mm High Side Service Flow Valve Cap with neoprene seal – Black – 25 Per Package



75R5575 RD-5-8292-0M
16mm High Side High Flow Valve Cap with neoprene seal – Red – R-134a Eaton OEM SSV
10 Per Package



75R5700 RD-5-4997-0M
Adapter converts Rotolock To Tube O-Ring
2 Per Package



75R5705 RD-5-9812-0P
Converts Tube O-Ring To Rotolock atapter



79R4597 RD-5-11568-0P
Sanden Oil Dip Stick



SCHRADER ADAPTER FITTINGS

70R5100 RD-5-6098-0M
⅜-24 UNF-2A Male Thread with Bulkhead Type Seal
Using a 2-012 O-Ring for Installation in Receiver
Drier Pressure Ports
10 per package



70R5110 RD-5-6691-0M
Refrigeration Valve Core for Schrader Valves
10 per package



70R5115 RD-5-9084-0M
Valve Core for 134A Fittings – High Flow
10 per package



70R5120 RD-5-9809-0M
Eaton 13mm SSV High Flow-High Side
10 per package



70R5125 RD-5-9810-0M
Eaton 16mm SSV High Flow-Low Side
10 per package



79R8945 RD-5-12674-0P
High Flow Schrader Valve Core Remover/Installer Tool



LS = Limited to stock on hand

SERVICE PORTS AND ADAPTERS

IN-LINE SERVICE PORT

75R5806	RD-5-7306-0P	#6
75R5808	RD-5-7539-0P	#8
75R5801	RD-5-7310-0P	#10



STEEL HIGHSIDE CHARGE ADAPTER

All include valve core, neoprene O-ring and threadlock

75R5825	RD-5-9816-0P	13mm ¼" (7/16 - 20) Threads Blue Cap – Low Side
75R5824	RD-5-9815-0P	16mm ¼" (7/16 - 20) Threads Red Cap – High Side



CHARGE ADAPTER KIT WITH SCHRADER INSERT

75R5815 RD-5-7964-0P



CHARGE FITTINGS

75R5813	RD-5-7277-0M	Lowside 134a Fitting
75R5814	RD-5-7278-0M	Highside 134a Fitting (for use on hard lines)
75R5833	RD-5-9218-0M	Lowside 134a Fitting
75R5834	RD-5-9219-0M	Highside 134a Fitting (for use on hard lines)



90° CHARGE ADAPTERS

All include valve core, neoprene O-ring and threadlock

75R5819	RD-5-8850-0P	Lowside 90° 134A Charge Adapter with ¼ (7/16-20) Thread 13mm, Blue Cap
75R5820	RD-5-8851-0P	Highside 90° 134A Charge Adapter with ¼ (7/16-20) Thread Red Cap



90° GM SERVICE FITTING WITH PORT

75R5858	RD-5-7438-0P	#8
75R5852	RD-5-7488-0P	#12



90° COMPRESSOR PORT REVERSED

75R5832 RD-5-7489-0P #12



ST GM SERVICE FITTING WITH PORT

75R5842 RD-5-7487-0P #12



HD RETROFIT ADAPTER KIT

79R8940 RD-5-9986-0P



COMPRESSOR O-RING FITTING

USED ON SANDEN ONLY WITH "C" OR "M" HEAD

75R5878S RD-5-8402-0P

#8 Straight Female Tube-O with 134a Port Fits Sanden "M" Heads



75R5718 RD-5-5396-0P

#8 O-Ring to 1" x 14 O-Ring with Schrader port



LS = Limited to stock on hand

COMPRESSOR SERVICE FITTINGS

Hose End Fitting Type	Hose End Fitting	Size	Valve Type	Port Description / Location	Red Dot Part No.	Red Dot Factory No.
ROTOLOCK HEAD						
Port Charge Type - R-134a						
O-Ring	8	¾″	Backseat	16mm (Hi Side)	**75R5698**	RD-5-9813-0P
O-Ring	8	¾″	Service Fitting	-	**75R5668**	RD-5-7318-0P
O-Ring	8	¾″	Service Fitting	16mm (Hi Side)	**75R5688**	RD-5-7966-0P
Beadlock	8	¾″	Service Fitting	16mm (Hi Side), Top	**75R5728**	RD-5-9952-0P
O-Ring	10	⅞″	Backseat	13mm (Lo Side)	**75R5691**	RD-5-9814-0P
O-Ring	10	⅞″	Service Fitting	-	**75R5661**	RD-5-7320-0P
O-Ring	10	⅞″	Service Fitting	13mm (Lo Side)	**75R5681**	RD-5-7967-0P
Beadlock	10	⅞″	Service Fitting	13mm (Lo Side), Top	**75R5721**	RD-5-9953-0P
Beadlock	12	1 1⁄16″	Service Fitting	13mm (Lo Side)	**75R5722**	RD-5-9955-0P
TUBE O-RING						
Port Charge Type - R-134a						
O-Ring	8	¾″	Backseat	16mm (Hi Side)	**75R5738**	RD-5-9910-0P
O-Ring	8	¾″	Service Fitting	16mm (Hi Side)	**75R5648**	RD-5-7613-0P
Beadlock	8	¾″	Service Fitting	16mm (Hi Side)	**75R5678**	RD-5-7430-0P
O-Ring	8	¾″	Service Fitting	16mm (Hi Side)	**75R5808**	RD-5-7539-0P
O-Ring	8	¾″	Service Fitting	16mm (Hi Side)	**75R5768**	RD-5-7688-0P
O-Ring	10	⅞″	Backseat	13mm (Lo Side)	**75R5731**	RD-5-9956-0P
O-Ring	10	⅞″	Service Fitting	13mm (Lo Side)	**75R5641**	RD-5-7614-0P
Beadlock	10	⅞″	Service Fitting	13mm (Lo Side)	**75R5671**	RD-5-7456-0P
O-Ring	10	⅞″	Service Fitting	13mm (Lo Side)	**75R5761**	RD-5-7690-0P
O-Ring	10	⅞″	Service Fitting	13mm (Lo Side)	**75R5801**	RD-5-7310-0P
Beadlock	12	1 1⁄16″	Service Fitting	13mm (Lo Side)	**75R5672**	RD-5-7480-0P
Port Charge Type - R-12						
O-Ring	8	¾″	Backseat	¼″ (7⁄16 -20), Top	**75R5658**	RD-5-5197-0P
O-Ring	8	¾″	Service Fitting	¼″ (7⁄16 -20)	**75R5718**	RD-5-5396-0P
O-Ring	10	⅞″	Backseat	¼″ (7⁄16 -20)	**75R5651**	RD-5-5198-0P


75R5641 RD-5-7614-0P

#10 Tube-O Compressor Fitting
O-Ring Type Fitting
R-134a



75R5658 RD-5-5197-0P

Tube-O Compressor Fitting LS
#8 O-Ring Type Fitting
Backseat Valve Type
R-12



75R5671 RD-5-7456-0P

Tube-O Compressor Fitting
#10 O-Ring Type Fitting
R-134a



75R5648 RD-5-7613-0P

#8 Tube-O Compressor Fitting LS
O-Ring Type Fitting
R-134a



75R5661 RD-5-7320-0P

Rotolock Compressor Fitting
#10 O-Ring Type Fitting
R-134a




75R5672 RD-5-7480-0P

Tube-O Compressor Fitting
#12 Hose Fitting
Service Fitting Valve



75R5651 RD-5-5198-0P

#10 Tube-O Compressor Fitting LS
O-Ring Type Fitting
Backseat Valve Type
R-12



75R5668 RD-5-7318-0P

Rotolock Compressor Fitting
#8 O-Ring Type Fitting
R-134a



75R5678 RD-5-7430-0P

Tube-O Compressor Fitting
#8 Hose Fitting
R-134a



LS = Limited to stock on hand

COMPRESSOR SERVICE FITTINGS

75R5681 * RD-5-7967-0P

Rotolock Compressor Fitting
#10 Hose Fitting
R-134a



75R5688 * RD-5-7966-0P

Rotolock Compressor Fitting
#8 O-Ring Type Fitting
R-134a



75R5691 RD-5-9814-0P

Rotolock Compressor Fitting
#10 O-Ring Type Fitting
Backseat Valve Type
13mm, ⅞"-14 thread
R-134a



75R5698 RD-5-9813-0P

Rotolock Compressor Fitting
#8 O-Ring Type Fitting
Backseat Valve Type
16mm, ¾"-16 thread
R-134a



75R5718 * RD-5-5396-0P

#8 Tube-O to 1" X 14 O-Ring
with Schrader Port
R-12



75R5721 RD-5-9953-0P

Rotolock Compressor Fitting
#10 Hose Fitting
R-134a



75R5722 RD-5-9955-0P

Tube-O Compressor Fitting
#12 Hose Fitting
R-134a



75R5728 RD-5-9952-0P

Rotolock Compressor Fitting
#8 Hose Fitting
R-134a



75R5731 RD-5-9956-0P

Tube-O Compressor Fitting
#10 O-Ring Type Fitting
Backseat Valve Type
R-134a



75R5738 RD-5-9910-0P

Tube-O Compressor Fitting
#8 O-Ring Type Fitting
Backseat Valve Type
R-134a



75R5761 RD-5-7690-0P

#10 Tube-O Compressor Fitting
O-Ring Type Fitting
R-134a
Converts Tube-O to
Male Insert O-Ring




75R5768 RD-5-7688-0P

#8 Tube-O Compressor Fitting
O-Ring Type Fitting
R-134a
Converts Tube-O to
Male Insert O-Ring




75R5801 RD-5-7310-0P

#10 Female (Long Pilot) O-Ring to
#10 Male Insert O-Ring Type Fitting
With R-134a
Service Port



75R5808 RD-5-7539-0P

#8 Female (Long Pilot) O-Ring to
#8 Male Insert O-Ring Type Fitting
With R-134a Service Port



LS = Limited to stock on hand

SANDEN COMPRESSOR ADAPTER BRACKETS

75R6000 RD-5-5031-0P

Fixed compressor adapter bracket will mount Sanden compressor to most Tecumseh or York brackets.



75R6010 RD-5-5032-0P

Adjustable compressor adapter bracket to fit Sanden mount holes



75R6015 RD-9-1150-0P

Compressor bracket for Sanden Only



75R6016 RD-9-9457-0P

⅜-16 Compressor Adjuster



75R6017 RD-9-1068-0P

Adjusting Arm



75R6018 RD-9-9910-0P

Ram Horn




COMPRESSOR ADAPTER BRACKETS

Brackets useful in designing mounts for unique engine applications

75R6020 RD-9-1048-0P

CCI/Tecumseh



75R6030 RD-9-1049-0P

Sanden



75R6040 RD-5-6547-0P

Belt Tensioner Pulley Kit Diameter 3 ⅜″ Belt Size: ½″



75R6041 RD-5-6415-0P


Belt Idler Pulley Kit Diameter 3 ⅜″ Belt Size: ½″




LS = Limited to stock on hand

TECUMSEH/YORK/CCI SHAFT SEAL KITS

6 Bolt – ¼" Heads



6 Bolt – ⅜" Heads



75R6500 RD-5-8339-0P

CCI And Tecumseh Shaft Seal Kit 6 Bolts-⅜" Head



75R6510 RD-5-8338-0P

CCI Shaft Seal Kit 6 Bolts-¼" Head



ZEXEL/SANDEN SHAFT SEAL KITS

75R6530 RD-5-8340-0P

Zexel (Diesel Kiki)



75R6540 RD-5-8335-0P

Sanden SD508-SD510



75R6545 RD-5-7704-0P

Sanden 7H15, 7H15HD



75R6550 RD-5-8336-0P

Sanden SD709



LS = Limited to stock on hand

COMPRESSOR MOUNT KIT & CLUTCH APPLICATION

Mount kits contain all components and hardware required to mount compressor to engine.
Drive belt supplied with all kits except 75R9000 & 75R9895.

Manufacturer	Year	Engine	Clutch	R-134a Compressor	R-134a Charge Fitting	Compressor Mount Kit Number	Belt No.†
MULTI-USE							
		Cat 3406B 6 Cyl 893 cu. in. 14.6 Liter		75R8382 75R8384		75R9780	G9550
		Cummins "N" Series 14 Liter (855 cu. in.) 300 thru 444 H.P. with second groove from engine open (accessary drive)		75R8382 75R8384		75R9890	G9550
		Cat 3176		75R8382		75R9545	
	1990-95	Cummins L-10		75R8382 75R8384		75R9625	G9530
	1994-	Cummins M11		75R8382 75R8384		75R9625	G9530
		Cummins 4BT & 6BT without idler pulley		75R8382 75R8384		75R9895	
	1992-95	Cummins 6BT - 5.9 Ltr. without air injection pump		75R8382 75R8384		75R9795	
	1991-95	Cummins 6C/6CT/6CTA 8.3L		75R8382 75R8384		75R9785	
AUTOCAR							
	1966-89	Cummins "N"		75R8382		75R9670	
	1970-89	Detroit Diesel 6V or 8V-92	75R1202	75R7280	75R5681** 75R5688**	75R9060	G9375
BUCYRUS							
Erie 88B Excavator		Cummins KT1150		75R8372 75R8374		75R9835	
BOMAG							
BW 851 Compactor		Cummins 1150		75R8372 75R8374		75R9835	
K351 Compactor		Cummins 855		75R8422 75R8424		75R9870	

IMPORTANT - READ THIS
ENGINE MOUNT AND DRIVE ADAPTABILITY

IMPORTANT Minor modifications are occasionally necessary and are considered part of an installation. These kits are designed to fit vehicles with standard equipment. Each model adapter kit is thoroughly checked by installation of the bracket on a standard vehicle. The addition of special or optional equipment may interfere with normal installation. Compressor mounts are an accessory, and are of no concern to the engine manufacturer. Casting dimensions and bosses utilized in the bracket mounting vary as they are of no value to the engine manufacturer. Extra tolerances have been built into the bracket to compensate for these differences. It is important that proper pulley alignment be assured before final tensioning of the mounting bolts. If sufficient tolerance has not been allowed for that particular engine, further modification, such as elongating a hole or reshaping a strap, may be necessary to achieve proper alignment and fit. Some installations may require a slight modification or rearrangement of radiator mounting, gas or water lines for proper clearance. Trucks are quite often custom built, and you may find differences in the supplier of power steering and other accessory equipment. It may be necessary to purchase a special accessory pulley, which is not furnished in the kit, from the truck distributor.

** For R12 installations use 75R5611 and 75R5618 Service Valves
† G = Gates D = Dayco GY = Goodyear

Manufacturer	Year	Engine	Clutch	R-134a Compressor	R-134a Charge Fitting	Compressor Mount Kit Number	Belt No.†
CASE							
580L, 480E, 480F Backhoe		Cummins 4-390		75R8422 75R8424		75R9840	
680L, 780D Backhoe		Cummins 6-590		75R8422 75R8424		75R9840	
580 Super E Backhoe		Cummins 4-390		75R8422 75R8424		75R9840	
680K Backhoe		Cummins 4-390		75R8422 75R8424		75R9840	
550G Crawler		Cummins 4-390		75R8422 75R8424		75R9840	
450C, 455 Crawler		Cummins 4-390		75R8422 75R8424		75R9840	
860 Trencher		Cummins 4-390		75R8422 75R8424		75R9840	
W11B Wheel Loader		Cummins 4-390		75R8422 75R8424		75R9840	
CATERPILLAR							
325, 322, 920, 950E & 966C		3116, 3304, 3306, 3322, 3325 Excavator		75R8384		75R9970	G7380
824C, 825C, 326C, 245, 245B & 980C		3406		75R8384		75R9535	G9600, G9690
768C, 769C, 772B & 773B		3408, 3412		75R8384		75R9615	G9480
950F		31,143,116		75R8384		75R9635	G9710
215, 225, 229 Excavator		3304		75R8422 75R8424		75R9973	D17501
225, EL 240 Excavator		3304		75R8422 75R8424		75R9815	
515, 518, 528, 530B Skid Steer		3304 & 3306		75R8422 75R8424		75R9815	
615 Scraper		3306		75R8422 75R8424		75R9815	
627B, 627E, with Low Crank Driven Alternator		3306		75R8422 75R8424		75R9815	
631D, 631E Scraper		3408		75R8422 75R8424		75R9565	
633C Scraper		D343		75R8422 75R8424		75R9810	
633E, 651E Scraper		3408 & 3412		75R8422 75R8424		75R9565	
637A , 637D Scraper		3408		75R8422		75R9565	
769C Haul Truck		3408		75R8422 75R8424		75R9565	
814, 815, 816 Compactor		3306		75R8422 75R8424		75R9973	D17500, GY17501

** For R12 installations use 75R5611 and 75R5618 Service Valves
† G = Gates D = Dayco GY = Goodyear

COMPRESSOR MOUNT KIT & CLUTCH APPLICATION

Manufacturer	Year	Engine	Clutch	R-134a Compressor	R-134a Charge Fitting	Compressor Mount Kit Number	Belt No.†
CATERPILLAR							
814B, 815B, 816B Compactor		3306		75R8422 75R8424		75R9973	D17500, GY17501
824C, 825C Compactor		3406		75R8422 75R8424		75R9565	
920, 930, 950, 966C Wheel Loader		3304 & 3306		75R8422 75R8424		75R9973	D17500, GY17501
920, 930, 980B Wheel Loader		3304 & 3306		75R8422 75R8424		75R9973	D17500, GY17501
951C Crawler Loader		3304		75R8422 75R8424		75R9973	D17500, GY17501
955, 977L Crawler Loader		3304 & 3306		75R8422		75R9973	D17500
988B, 988C, 992C Wheel Loader		3408 & 3412		75R8422 75R8424		75R9565	
D22B, D25C, D250B, D35C, D300B, D330B, D350B, D350C		3306		75R8422 75R8424		75R9820	
D4E, D6D, Crawler		3304 & 3306		75R8422 75R8424		75R9973	D17500
D6C, D5B Crawler		3306		75R8422 75R8424		75R9973	D17500
D6D Crawler with Scroll injector		3306		75R8422 75R8424		75R9815	
D6H Crawler		3306		75R8422 75R8424		75R9815	
CHAMPION							
740 Motor Grader		Cummins 855				75R9870	
DIAMOND REO							
Conventional or C.O.E. Cab	1975-89	Detroit Diesel 6V or 8V-92	75R1202	75R7280	75R5681** 75R5688**	75R9060	
DRESSER							
TD 20G, TD 25G, TD 40		Cummins 1150		75R8372 75R8374		75R9835	
568, 560B Wheel Loader		Cummins 1150		75R8372 75R8374		75R9835	
558 Wheel Loader		Cummins 855		75R8422 75R8424		75R9870	
EUCLID							
R-25, R-35 Haul Truck		Cummins 855		75R8422 75R8424		75R9870	
FMC							
LS 7400 Excavator		Cummins 1150		75R8372 75R8374		75R9835	

** For R12 installations use 75R5611 and 75R5618 Service Valves
† G = Gates D = Dayco GY = Goodyear

Manufacturer	Year	Engine	Clutch	R-134a Compressor	R-134a Charge Fitting	Compressor Mount Kit Number	Belt No.†
FORD							
L Models CL-9500	1997 -	Cummins M-11		75R8382		75R9550	
	1966-89	Cummins "N"		75R8382		75R9670	
CL-9000	1967-89	Detroit Diesel 6V or 8V-71	75R1202	75R7280	75R5681** 75R5688**	75R9060	G9375
GALION							
118C Motor Grader		Cummins 855		75R8422 75R8424		75R9870	
GMC/CHEVROLET		**See WHITEGMC for information on Astro, Brigadier and General.**					
H, J, & M Series	1971-89	Detroit Diesel 6V or 8V-71	75R1202	75R7280	75R5681** 75R5688**	75R9060	G9375
HITACHI							
UH801 Excavator		Cummins 1150		75R8372 75R8374		75R9835	
INTERNATIONAL / NAVISTAR							
S Series	1983-89	V/8 International 6.9 Liter, 421 cu. in.		75R8382		75R9530	G9750
2200-2500. 2600	1979-90			75R8382		75R9980	G9420
	1994-00	DT-408/DT-466		75R8382		75R9985	
S Series 2200-2500 F Series 2200-2500 & 2600	1983-94	Cummins 6 Cylinder L-10		75R8382		75R9540	G9560
JOHN DEERE							
444H		4045T		75R8354		75R9400	G9505
490E		4045T		75R8354		75R9715	
544H						75R9405	
544/624		6059T, 6-414, 4039D, 4239D, 4045D, 4045T		75R8384 75R8374 75R8374		75R9585, 75R9645	G9520, G9390
624H						75R9410	
690E/790E		6068T		75R8384		75R9710	G9476

** For R12 installations use 75R5611 and 75R5618 Service Valves
† G = Gates D = Dayco GY = Goodyear

COMPRESSOR MOUNT KIT & CLUTCH APPLICATION

Manufacturer	Year	Engine	Clutch	R-134a Compressor	R-134a Charge Fitting	Compressor Mount Kit Number	Belt No.†
744E/992E,D		6101A/6101AT		75R8384		75R9805	G9440
KENWORTH							
	1966-89	Cummins "N"		75R8382		75R9670	
CONV & COE	1966-89	Detroit Diesel 6V or 8V-71, 6V or 8V-92	75R1202	75R7280	75R5681** 75R5688**	75R9060	G9375
KOMATSU							
WA500 Wheel Loader		SA6D140		75R8384		75R9595	G9335
WS 23S-1 Scraper		Cummins 1150		75R8372 75R8374		75R9835	
PC 400LC5 Excavator		S6D125-1		75R8422 75R8424		75R9845	
WA470, WA450-1L Wheel Loader		S6D125		75R8422 75R8424		75R9845	
WA450-3 Wheel Loader		SA6D125E-2		75R8422 75R8424		75R9845	
D41P-6 Crawler		S6D102E-1		75R8422 75R8424		75R9860	
PC150-6 Excavator		SA4D102E		75R8422 75R8424		75R9860	
WA250-3 Wheel Loader		S6D102E-1		75R8422 75R8424		75R9860	
WA500 Wheel Loader		Cummins 855		75R8422 75R8424		75R9870	
PC400LC5 Excavator		Cummins L-10		75R8422 75R8424		75R9875	
WA 450-3 Wheel Loader		Cummins LTA-10		75R8422 75R8424		75R9875	
LIEBHERR							
962, 972, 974, 982 Excavator		Cummins 855		75R8422 75R8424		75R9870	
MACK							
R Models	1972-87	6 Cylinder Mack 675, 676 & 685 END-T, with or without Turbocharger		75R8382		75R9500	G9400
R, "U" & "DM" Models	1972-89	6 Cylinder Mack 675, 676 & 685 END-T, with or without Turbocharger, 2 or 4 Valve Head with United Technology or Bosch 6000 Fuel Injector System & Cast Aluminum Timing Cover		75R8382		75R9500	G9400
	1966-89	Cummins "N"		75R8382		75R9670	
		E6 Serial #T396BR192 and E7 All		75R8382		75R9515	G9495

** For R12 installations use 75R5611 and 75R5618 Service Valves
† G = Gates D = Dayco GY = Goodyear

Manufacturer	Year	Engine	Clutch	R-134a Compressor	R-134a Charge Fitting	Compressor Mount Kit Number	Belt No.†
MANITOWOC							
M-250, 3900, 4100 Crane		Cummins N14		75R8422 75R8424		75R9870	
MARMON							
HDT & "CHDT"	1977-89	Detroit Diesel 8V-92	75R1202	75R7280	75R5681** 75R5688**	75R9060	G9375
PETERBILT							
Conventional & COE Cab	1963-89	Detroit Diesel 6V or 8V-71	75R1202	75R7280	75R5681** 75R5688**	75R9060	G9375
TEREX							
3308 Haul Truck		Cummins KTTA19C		75R8372 75R8374		75R9835	
S24C Scraper		Cummins 1150		75R8372 75R8374		75R9835	
WESTERN STAR							
	1966-89	Cummins "N"		75R8382		75R9670	
WHITE GMC							
	1966-89	Cummins "N"		75R8382		75R9670	
	1966-89	Cummins "N"		75R8382		75R9670	
	1966-89	Cummins "N"		75R8382		75R9670	
WHITE GMC							
Bruin or Brigadier	1979-89	Detroit Dsl. 6V/8V-71 with Hydraulic Clutch Fan Only	75R1202	75R7280	75R5681** 75R5688**	75R9060	
	1966-89	Cummins "N"		75R8382		75R9670	
Titan & Bison Brigadier, Bruin	1977-89	Detroit Diesel 6V or 8V without Hydraulic Fan	75R1202	75R7280	75R5681** 75R5688**	75R9060	

** For R12 installations use 75R5611 and 75R5618 Service Valves
† G = Gates D = Dayco GY = Goodyear


CONDENSER COIL TYPE

SERPENTINE TYPE - Continuous extruded aluminum tube, ¾ to 2 inches thick. The fin is either skyve type or vacuum brazed ribbon type spaced approximately 14 fins per inch. High heat rejection, compact size exact O.E.M. replacements.


TUBE AND FIN TYPE - Constructed with .008 thick aluminum corrugated fin ¾ to 2 ½ inches in thickness. Fin spacing at 10 to 12 fins per inch providing maximum heat rejection. Tubes are either copper or aluminum.

GRILLDENSER TYPE - Constructed with .030 to .050 aluminum, fins are ¾ of an inch thick. Fins are spaced at 2 to 4 fins per inch providing minimal air flow restriction. Tubes are either .035" wall aluminum or .022" wall copper.

MULTI FLOW - Constructed with .0051 thick zinc coated cross flow tubes. Fin spacing is 14 fins per inch. Four pass design.



TYPICAL HEADER TYPES



Listed in ascending order by **Overall Width** x **Height** x **Depth**

DIMENSIONS [A] Overall Width	[B] Fin Width	[C] Height	[T] Thickness	FITTINGS #6 (5/8")	#8 (3/4")	HEADER FPI	Type	Mat	Coil Type	Mount Location	Application	Red Dot Part No.	Factory No.	UPS Ship
14	11 11/32	14	3/4	F	D	– –	– –	– –	MF	– –	Fits RD-4-5932-0P Power Condenser	**77R1325**	RD-4-6091-0P	N
14	11 11/32	14	7/8	F	D	–	–	–	MF	–	R-20505-0P	**77R1275**	RD-4-5722-0P	Y
18	16 1/4	14	3/4	F	D	20	3	A	MF	A	General Purpose	**77R1285**	RD-4-5361-0P	Y
19	18	19 1/4	1 7/16	D,F	–	12	1	C	TF	R	General Purpose	**77R0670**	RD-4-4414-0P	Y
20	18"	24 3/8"	1 1/4"	G	G	–		A		R	1994-1998 MR, all with factory A/C	**77R8320**	RD-4-7352-0P	
21	19 1/2	24	3/4	D	D	–				–	Navistar 5000 series 05-07	**77R0115**	RD-4-7279-0P	Y
21	19 1/2	24	3/4	D	D	–					International 4200, 4300, 4400, 8500 01-06	**77R0355**	RD-4-7280-0P	Y
21	19 1/2	24	7/8	G	G	–				–	International 4000, 7000-9000 Eagle 01-05	**77R0635**	RD-4-7281-0P	Y
21 1/2	19 1/2	24	5/8	D	F	–				–	International ProStar 8000 series 08-10	**77R0675**	RD-4-7282-0P	Y
21 3/4	18 3/4	12				–				–	Tripac 67-2145, 67-2363, 67-2494	**77R8370**	RD-4-7474-0P	
21 3/4	18 13/16	14	3/4	J	G	14			MF	R	General Purpose	**77R1290**	RD-4-5378-0P	Y
21 3/4	19 3/4	19 1/2	3/4	E	E	–				–	International 7100 series 01-06	**77R0095**	RD-4-7278-0P	Y
22 1/2	18 1/2	7 3/32	2 1/2	H,H	–	12	3	C	TF		R-9725	**77R0090**	RD-4-4440-0P	Y
22 5/8	19 5/8	10 1/8	2 3/4	G	G	12	3	C	TF	–	R-9727	**77R0350**	RD-4-3586-0P	Y
23 1/2	23 1/2	9 1/2	3	F	D	–	–	A	TF	R		**77R8385**	RD-4-7544-0P	
23 1/3	20 7/8	12	3 1/3	G	G	12	2	C	TF		R-6100 & R-6160	**77R0620**	RD-4-4738-0P	Y
23 3/4	20 7/8	11 7/16	1 7/8	F	F	12	2	C	TF	–	R6000, R6060	**77R0500**	RD-4-3874-1P	Y
24	21 1/8	26 1/2	1 1/2	G	J	6	2	C	TF	R	General Purpose	**77R7050**	RD-4-5760-0P	Y
24	21 5/8	12 1/2	2 7/8	E	E	12	3	C	TF	–	John Deere JD744E	**77R7005**	RD-4-4724-1P	Y
24	23	21	3/4	–	–	–	–			–	BHT P5631001	**77R8355**	RD-4-7386-0P	
24 1/16	21 5/8	12 1/2	2 7/8	E	E	12	3	C	TF	–	R-9737	**77R0660**	RD-4-4724-0P	Y
24 13/32	21 29/64	10 23/32	1	J (1/2")	G (3/8")	14	–	–	MF	–	R-4480, Caterpillar	**77R1305**	RD-4-12051-0P	Y
24 1/2	20	14 7/64	1 7/16	D	F	12	1	C	TF		General Purpose	**77R0900**	RD-4-4161-0P	Y
25	23	12 1/4	1 3/4	J	G	12	3	C	TF	R	General Purpose	**77R0650**	RD-4-3724-0P	Y
25 1/4	20 1/2	18 1/4	1 13/16	E	E	12	1	C	TF	–	R-1550, SK 100, 120, 150	**77R7010**	RD-4-5154-0P	Y
25 1/2	23	21 1/2	2 1/2	G	G	12	–	–	TF	–	R-6260	**77R0630**	RD-4-5122-0P	N
25 3/4	22 13/16	12	3/4	J	G	14	–	–	MF	R	General Purpose	**77R1280**	RD-4-5377-0P	Y
25 3/4	22 13/16	14	3/4	J	G	14	–	–	MF	R	General Purpose	**77R1300**	RD-4-5418-0P	Y
25 3/4	24	10 3/4	1	F	E	–	–	–	MF	–	Ford F Series	**77R1320**	RD-5-9560-0P	N
26		25 3/4	3/4	D	F	–		–	–	–	International 4900 Series 93-2000	**77R0715**	RD-4-7283-0P	Y
26 1/4	23	9 1/8	3	E,E	–	12	2	C	TF	–	R-9720	**77R0110**	RD-4-4069-1P	Y
	23 3/16	19 7/16	7/8	G	G	–	–	A	S	A	Ford F 600 / 900	**77R1419**	RD-4-5693-0P	Y
26 1/2	23 13/16	10 3/4	1 11/16	F	D	14	–	–	MF	R	R-2800, General Purpose	**77R1295**	RD-4-5503-0P	Y
26 1/2	24 1/2	25 1/2	7/8	D	F	–	–	–	–	–	International 9300 Series 93-98	**77R0720**	RD-4-7284-0P	Y
26 2/3	24 3/4	9 1/8	2 1/4	J	H	12	1	C	TF	–	Midliner R-2110	**77R0260**	RD-4-4130-0P	Y

KEY: **Mount Location:** R = Radiator Mount H = Hood Mount A = See *APPLICATIONS* Section for details
Depth = Includes motors
Header FPI = Fins Per Inch
Header Type = See illustration under *CONDENSER DESCRIPTIONS*
Header Mat = Material A = Aluminum C = Copper
Coil Type: TF = Tube & Fin S = Serpentine MF = Multi Flow GD = GrillDenser
Ship = UPS Shipping, Yes/No

Listed in ascending order by **Overall Width** x **Height** x **Depth**

DIMENSIONS [A] Overall Width	[B] Fin Width	[C] Height	[T] Thickness	FITTINGS #6 (5/8")	#8 (3/4")	HEADER FPI	Type	Mat	Coil Type	Mount Location	Application	Red Dot Part No.	Factory No.	UPS Ship
–	25	17	1	G	H	–	–	–	TF	A	Ford Aerostar	**77R1401**	RD-4-5684-0P	Y
–	25	17 1/2	1			–	–	A	S	A	Ford F 150 / 350	**77R1407**	RD-4-5687-0P	Y
–	25	18 3/4	1	H	H	–	–	–	TF	A	Ford Aerostar	**77R1403**	RD-4-5685-0P	Y
27	25 1/4	14 7/8	3/4	F	G	–	–	–	S	R	Freightliner, West. Star	**77R1100**	RD-4-3917-0P	Y
27	25 1/2	18 1/4	3/4	G	J	12	3	C	TF		R-1550, SK200, 220	**77R7020**	RD-4-5116-0P	Y
27 3/4	23 1/2	19 3/4	3/4	F	E	–	–	A	MF	R		**77R8380**	RD-4-7472-0P	
28 1/16	21 1/2	26 1/2	1 1/4	G	G	9	1	A	TF	R	General Purpose	**77R7100**	RD-4-4968-0P	Y
28 3/8	26 1/2	26	3/4	E	E	3	1	–	GD	H	Mack RL/RS, 210RD48	**77R6900**	RD-4-3434-1P	Y
28 13/32	26 19/32	26 5/32	25/32	H	H	3	1	C	GD	R	R-10035-1,2,-3,-4	**77R7000**	RD-4-4713-0P	Y
	26 3/4	32 1/2	1	G	J	–	–	–	GD	A	Ford C, E Series	**77R5240**	RD-4-5681-0P	N
28 1/2	25 1/2	27 1/4	3/4	F	G	–	–	A	TF	R		**77R8470**	RD-4-7501-0P	
28 3/4	27 3/4	9 1/2	3	J	G	–	–	A	S	R	Mack 210RD413	**77R7712**	RD-4-5766-0P	N
28 3/4	25 3/4	18 1/4	3/4	F	G	–	–	A	TF	R		**77R8485**	RD-4-7504-0P	
29 1/4	26 1/2	21 1/2	1	G	D	–	–	A	–	R		**77R8440**	RD-4-7543-0P	
29 1/2	26	26 1/2	3/4	F	F	–	–	A	PF	R		**77R8465**	RD-4-7496-0P	
29 1/2	25 3/4	18 1/4	3/4	F	D	–	–	A	PF	R		**77R8480**	RD-4-7503-0P	
29 39/64	26 3/4	19 1/4	3/4	J	D	14	3	–	MF	A	General Purpose with brackets	**77R1330**	RD-4-5709-0P	N
29 5/8	26 5/8	15 1/2	3/4	J	G	14	–	–	MF	R	General Purpose	**77R1310**	RD-4-5379-0P	Y
29 13/16	27 3/4	15 3/4	3/4	J	G	–	–	A	S	R	White-Western Star	**77R0950**	RD-4-3916-0P	Y
30	27	19 3/4	1/2	J	G	–	–	A		R	2000-2008 Mack All	**77R8335**	RD-4-7358-0P	
30	28	28 5/16	1	F	F	–	–	A	S	R	Mack 210RD54M	**77R7704**	RD-4-5769-0P	
30 1/4	25 1/2	18 3/16	1 3/4	H	H	10	1	C	TF		International	**77R0700**	RD-4-3945-0P	Y
30 1/4	28 1/2	24 1/2	3/4	F	D	–	–	A	TF	R		**77R8450**	RD-4-7498-0P	
30 1/2	27 3/8	12 1/2	3 1/4	F	D	10	3	C	TF		R-9730	**77R0800**	RD-4-3646-0P	Y
30 3/4	25 1/2	15	3/4	F	F	–	–	A	PF	R		**77R8400**	RD-4-7531-0P	
30 7/8	28 1/4	32	3/4	E	E	4	2	C	GD	R	General Purpose	**77R7800**	RD-4-3722-0P	N
31	27 1/4	33 1/4	3/4	F	D	–	2	MF				**77R6951**	RD-4-6811-0P	
31	28	33 5/32	1 1/4	J	G	14	1	C	GD		Peterbilt 357,377,378, 379,385 Conventional	**77R6950**	RD-4-5658-0P	N
	28 1/4	23	1	G	G	–	–	A	S	A	Ford E Series	**77R1405**	RD-4-5686-0P	Y
31	28 1/4	28 1/2	1 1/2	–	–	–	–	–	TF		03-09 Conventional 330	**77R0710**	RD-4-7018-0P	N
31 1/2	30 1/4	20 1/2	3/4	F	G	–	–	A	PF	R		**77R8425**	RD-4-7534-0P	
31 3/4	26 3/4	24	3/4	F	G	–	–	A	PF	R		**77R8415**	RD-4-7535-0P	
32	28	20 1/2	3/4	H	H	–	–	A	PF	R		**77R8395**	RD-4-7529-0P	
32 1/8	31 7/8	27 1/4	7/8	E	E	4	1	C	GD	R	Kenworth T600A 86-93	**77R6930**	RD-4-3999-0P	N
32 1/4	30	17 5/8	1 3/8	C	C	12	1	C	GD		General Purpose	**77R6955**	RD-4-4613-1P	Y
32 1/2	28 1/2	20 7/8	3/4	D	F	10	1	A	GD	R	Kenworth T-400, T600A	**77R6957**	RD-5-12488-0P	Y
32 1/2	31 1/2	16 1/4	7/8	D	F	–	4	A	TF	R	Volvo VN 8084348, 20461065	**77R0585**	RD-4-6343-0P	Y
32 3/4	26	20	1/2	F	D	–	–	A		R	2008-2012 Kenworth T300, T660, W900	**77R8330**	RD-4-7362-0P	
32	31 1/2	8 1/2	1 1/4	F	G	–	–	–	S	R	Peterbilt Conventional,	**77R0580**	RD-4-5462-0P	Y
32 13/16	31 19/32	8 1/2	2	F	G	–	–	–	S	R	Mack "R", 210RD45A Peterbilt Conventional	**77R0570**	RD-4-5146-1P	Y
33	30	18 1/4	1/2	J	G	5	–	A	–	R	2007-2010 ProStar	**77R8350**	RD-4-7361-0P	
33	30	21	3/4	D	D	–	–	A	–	R	2000-2007 Vision	**77R8345**	RD-4-7348-0P	
33	31 7/8	8 1/2	1 1/4	F	D	–	–	A	S	R	Mack MH, U, DM	**77R0560**	RD-4-4232-0P	Y
33 1/4	29	9 3/4	3/4	F	G	–	–	A	PF	R		**77R8455**	RD-4-7499-0P	
33 1/2	31 1/2	16 1/2	5/8	D	F	–	–	–	–	–	International 4000-9000 series 07-08	**77R7705**	RD-4-7277-0P	

Listed in ascending order by **Overall Width** x **Height** x **Depth**

DIMENSIONS [A] Overall Width	[B] Fin Width	[C] Height	[T] Thickness	FITTINGS #6 (5/8")	#8 (3/4")	HEADER FPI	Type	Mat	Coil Type	Mount Location	Application	Red Dot Part No.	Factory No.	UPS Ship
33 1/2	31	16 1/2	1 1/2	D	D	4	3	C	TF	–	General Purpose	**77R5263**	RD-4-4972-0P	Y
33 2/3	31 13/16	8 1/2	1	F	D	–	–	A	S	R	Mack 210RD46AM - R.H.	**77R7702**	RD-4-5770-0P	N
33 2/3	31 13/16	8 1/2	1	F	D	–	–	A	S	R	Mack 210RD410M	**77R7706**	RD-4-5763-0P	N
34	29 1/2	24	7/8	– –	– –	–	–	A	–	R	1999-2000 Peterbilt with OEM# 1E4582	**77R0705**	RD-4-7020-0P	
34	31	23 1/4	3/4	–	–	–	–	–	–	–	210RD422	**77R8315**	RD-4-7351-0P	
34 1/4	30	18 3/4	3/4	D	D	–	–	A	PF	R		**77R8420**	RD-4-7538-0P	
34 1/4	30 3/4	19 5/8	1	–	–	–	–	–	MF	–	94-98 Mack CH	**77R6995**	RD-4-7040-0P	N
34 1/4	33	38 3/8	13/16	–	–	2	1	A	GD	H	Kenworth K100 Series	**77R6980**	RD-4-3901-1P	Y
34 1/2	29 3/8	21 3/16	1	F	F	–	–	A	S	R	Mack 210RD428	**77R7715**	RD-4-6414-0P	N
34 1/2	31 1/2	23 9/32	1	F	F	–	–	A	S	R	Mack 210RD418	**77R7714**	RD-4-5767-0P	N
34 3/4	31	16 1/2	3/4	H	H	4	1	–	GD	R	General Purpose	**77R5250**	RD-4-3682-0P	Y
34 3/4	31	16 1/2	3/4	D	D	4	1	C	GD	R	General Purpose	**77R5260**	RD-4-4377-0P	Y
35	31 3/4	20	1/2	D	F	–	–	A		R	2008-2010 Peterbilt 386	**77R8310**	RD-4-7353-0P	
35 1/8	31	38 5/8	3/4	F	G	4	1	C	GD	H	Kenworth T602 (Dual Pass Chrome) 92-94	**77R6935**	RD-4-4550-0P	N
35 1/8	31	38 5/8	3/4	F	G	4	1	C	GD	H	Kenworth T602 (Dual Pass Black) 92-94	**77R6940**	RD-4-4550-1P	N
35 1/4	29	10	3/4	F	G	–	–	A	PF	R	–	**77R8405**	RD-4-7532-0P	
35 1/2"	31 3/4"	25"	3/4"	–	–	–	–	–	MF	–	06-07 335, 340 and 05-08 386, 387	**77R1335**	RD-4-6812-0P	N
35 1/2	32 15/16	27 3/8	1/2	–	–	2	1	C	GD	R	Kenworth T400, T602, T603, Aluminum	**77R6970**	RD-4-5190-2P	Y
35 1/2	32 15/16	27 3/8	1/2	–	–	2	1	C	GD	R	Kenworth T400, T602, T603, Black,	**77R6975**	RD-4-5190-0P	Y
35 1/2	33	17 1/2	1 1/8	–	–	–	–	–	–	–		**77R6982**	RD-4-7017-0P	Y
35 5/8	32	24 5/8	5/8	D	F	–	1	C	GD	R	Kenworth T-2000	**77R6985**	RD-4-6560-0P	Y
35 5/8	34	20 3/4	2 3/4	G	J	12	2	C	TF	–	R-4500	**77R0990**	RD-4-5045-0P	Y
35 7/8	30	16 1/2	1 3/4	E	E	10	2	–	TF	–	Peterbilt 320LCF	**77R0665**	RD-4-4931-0P	N
–	32 3/4	16 1/2	1	F	F	–	–	A	S	A	Ford F 150 / 350	**77R1409**	RD-4-5688-0P	N
36 3/16	33 3/4	11 1/8	1 1/8	D	D	–	1	A	S	–	Mack 210R421M	**77R1105**	RD-4-5762-0P	N
36 13/16	34	26 3/4	1	F	F	–	–	A	S	R	Mack 210RD412	**77R7710**	RD-4-5765-0P	N
36 1/2	32	28	–	–	–	–	–	–	–	–		**77R8309**	RD-4-7371-0P	
36 3/4	34	31 1/4	1 3/4	F	G	–	–	A	TF	R		**77R8475**	RD-4-7502-0P	
—	37	29 3/4	3/4	E	E	–	–	–	GO	–	Kenworth C500	**77R6951**	RD-4-6811-0P	Y
37	34 1/4	25 3/4	3/4	G	G	4	1	C	GD	R	IHC 'S' 2000 & up	**77R5910**	RD-4-3714-0P	Y
37 1/4	37	19	3/4	D	F				GD	R	Ford L Series	**77R6807**	RD-4-5696-0P	Y
37 1/2	32 1/2	19 1/4	3/4	F	G			A	PF	R		**77R8375**	RD-4-7473-0P	
37 3/4	35 1/4	36 9/16	7/8	J	D	4	1	C	GD	H	Kenworth W900L 89-94	**77R6965**	RD-4-4276-0P	N
38	31	15 1/4	3/4	–	–	–	–	–	–	–	3S010633	**77R8365**	RD-4-7363-0P	
38 1/2	32 1/2	16 1/2	1/2	J	G	–	–	A	–	R	2007-2010 Vision	**77R8340**	RD-4-7360-0P	
39 3/7	35 1/2	22 5/6	1 1/5	E	E	9	1	C	TF	–	Western Star 604 Cab	**77R6817**	RD-4-5273-0P	N
39 7/32	37 13/32	6 7/16	1 1/4	F	D	–	–	A	S	R	Mack 210RD411M	**77R7708**	RD-4-5764-0P	N
39 7/8	37	32	3/4	J	G	3	1	–	GD	R	Peterbilt 359	**77R7900**	RD-4-3683-2P	N
40 5/32	31 7/8	34 19/32	1 9/64	J	J	6	1	C	GD	–	R-2825, Hinged Assy	**77R6255**	RD-4-5655-0P	

KEY: **Mount Location:** R = Radiator Mount H = Hood Mount A = See *APPLICATIONS* Section for details
Depth = Includes motors
Header FPI = Fins Per Inch
Header Type = See illustration under *CONDENSER DESCRIPTIONS*
Header Mat = Material A = Aluminum C = Copper
Coil Type: TF = Tube & Fin S = Serpentine MF = Multi Flow GD = GrillDenser
Ship = UPS Shipping, Yes/No


Listed in ascending order by **Overall Width** x **Height** x **Depth**

DIMENSIONS [A] Overall Width	[B] Fin Width	[C] Height	[T] Thickness	FITTINGS #6 (5/8")	#8 (3/4")	HEADER FPI	Type	Mat	Coil Type	Mount Location	Application	Red Dot Part No.	Factory No.	UPS Ship
40 1/4	24 1/2	19	3/4	H	H	–		A	PF	R	–	**77R8390**	RD-4-7528-0P	
42 1/2	30 1/4	20 1/4	3/4	J	G	–		A	PF	R	–	**77R8410**	RD-4-7533-0P	
41 3/8	37	22	1/2	–	–	2	1	A	GD	H	Kenworth T300 Aluminum	**77R8301**	RD-4-5226-4P	N
41 3/8	37	22	1/2	–	–	2	1	A	GD	H	Kenworth T300 Black	**77R8303**	RD-4-5226-5P	N
41 3/4	37	29	7/8	J	D	4	1	C	GD	H	Kenworth T800 90-94	**77R6945**	RD-4-4300-0P	N
41 3/4	37	29	27/32	–	–	2	1	C	GD	H	Kenworth T800 (Non Functional) 88-94	**77R6990**	RD-4-4219-0P	N
42 1/4	40 1/4	36	3/4	F	D	2	1	C	GD	R	Kenworth 1400 Series 79-89	**77R6920**	RD-4-3727-2P	N
42 1/4	37	20	1/2	F	G	–	–	A	PF	R		**77R8495**	RD-4-7551-0P	
42 1/2	31 1/2	22 1/8	3/4	–	–	–	–	–	–	–	Freightliner Century	**77R6978**	RD-4-6527-0P	N
43 3/8	40 1/2	33	3/4	H	H	2	1	C	GD	R	General Purpose	**77R8100**	RD-4-3723-0P	N
43 1/2	41	36 1/4	13/16	J	D	4	1	C	GD	H	Kenworth W900B	**77R6960**	RD-4-4403-1P	N
43 1/2	41	36 13/16	7/8	J	D		1	A	GD		Kenworth T 800H Dual Pass	**77R6947**	RD-4-4360-0P	N
43 1/2	41	38 5/8	3/4	F	D	2	1	C	GD	R	Kenworth 900 B 81-90	**77R6925**	RD-4-3745-1P	N
44 1/2	38 1/4	17 3/4	3/4	F	G			A	PF	R		**77R8445**	RD-4-7542-0P	
48 1/4	34 1/4	25 3/4	3/4	E	E	4	1	C	GD	H	Ford L Series	**77R6800**	RD-4-3372-3P	
49	37	33 5/8	1 1/2	J	J	7	1	C	GD		R-2825, Hinged 37" Header to Header	**77R6250**	RD-4-5743-0P	N
51	48	33 1/8	3/4	E	E	2	1	–	GD	H	Mack RW	**77R8200**	RD-4-3595-4P	N

77R0090 RD-4-4440-0P

Tube & Fin Type Used with R-9725


Overall Width: 22 ½″
Fin Width: 18 ½″
Height: 7 3⁄32″
Thickness: 2 ½″



77R0095 RD-4-7278-0P

International 7100 series 01-06


Overall Width: 21 ¾
Fin Width: 19 ¾
Height: 19 ½
Thickness: ¾



77R0110 RD-4-4069-1P

Tube & Fin Type Used with R-9720

Overall Width: 26 ¼″
Fin Width: 23″
Height: 9 ⅛″
Thickness: 3″



77R0115 RD-4-7279-0P

Navistar 5000 series 05-07


Overall Width: 21
Fin Width: 19 ½
Height: 24
Thickness: ¾



77R0260 RD-4-4130-0P

Tube & Fin Type Used with Midliner R-2110


Overall Width: 26 ⅔″
Fin Width: 24 ¾″
Height: 9 ⅛″
Thickness: 2 ¼″



77R0350 RD-4-3586-0P

Tube & Fin Type Used with R-9727

Overall Width: 22 ⅝″
Fin Width: 19 ⅝″
Height: 10 ⅛″
Thickness: 2 ¾″




LS = Limited to stock on hand

77R0355 — RD-4-7280-0P

International 4200, 4300, 4400, 8500 01-06

Overall Width: 21
Fin Width: 19 ½
Height: 24
Thickness: ¾



77R0500 — RD-4-3874-1P

Tube & Fin Type
Overall Width: 23 ¾″
Fin Width: 20 ⅞″
Height: 11 7⁄16″
Thickness: 1 ⅞″


Used with R-6000, R-6060
Fits Freightliner WFC/WFT Series
Radiator Mount



77R0560 — RD-4-4232-0P

Serpentine Type
Overall Width: 33″
Fin Width: 31 ⅞″
Height: 8 ½″
Thickness: 1 ¼″


Used with Mack “MH”, “U”, “DM”
OE#210RD46AM



77R0570 — RD-4-5146-1P

Serpentine Type
Overall Width: 32 13⁄16″,
Fin Width: 31 19⁄32″
Height: 8 ½″
Thickness: 2″


Used with Mack “R” Series
Peterbilt Conventional
Mack OE#210R45A



77R0580 — RD-4-5462-0P

Serpentine Type
Overall Width: 32″
Fin Width: 31 ½″
Height: 8 ½″
Thickness: 1 ¼″


Peterbilt Conventional, OE#18-03543



77R0590 — RD-4-7385-0P

Serpentine Type
Overall Width: 34 ⅛″
Fin Width: 29 ¾″
Height: 10″
Thickness: 1″

Peterbilt Conventional, OE#18-03093, 15-03554
23-12762




LS = Limited to stock on hand

77R0585 — RD-4-6343-0P

Multiflow Type
Overall Width: 32 ½″
Fin Width: 31 ½″
Height: 16 ¼″
Thickness: ⅞″


Volvo VN Series OE# 8084348, 20461065
GM Pad Fittings



77R0620 — RD-4-4738-0P

Tube & Fin Type
Overall Width: 23 ⅓″
Fin Width: 20 ⅞″
Height: 12″
Thickness: 3 ⅓″


Used with R-6100, R-6160



77R0630 — RD-4-5122-0P

Tube & Fin Type
Overall Width: 25 ½″
Fin Width: 23″
Height: 21 ½″
Thickness: 2 ½″

Used with R-6260



77R0635 — RD-4-7281-0P

Tube & Fin Type
Overall Width: 21
Fin Width: 19 ½
Height: 24
Thickness: ⅞


International 4000, 7000-9000 Eagle 01-05



77R0650 — RD-4-3724-0P

Tube & Fin Type
Overall Width: 25″
Fin Width: 23″
Height: 12 ¼″
Thickness: 1 ¾″


Freightliner WFC, WFT Series
Peterbilt 289-387 Models



77R0660 — RD-4-4724-0P

Tube & Fin Type
Overall Width: 24 1⁄16″
Fin Width: 21 ⅝″
Height: 12 ½″
Thickness: 2 ⅞″

Used with R-9737




77R0665 — RD-4-4931-0P

Tube & Fin Type

Used with Peterbilt 320 LCF

Overall Width: 35 ⅞″
Fin Width: 30″
Height: 16 ½″
Thickness: 1 ¾″



77R0670 — RD-4-4414-0P

Tube & Fin Type

Overall Width: 19″
Fin Width: 18″
Height: 19 ¼″
Thickness: 1 7⁄16″



77R0675 — RD-4-7282-0P

Tube & Fin Type

International ProStar 8000 series 08-10

Overall Width: 21 ½
Fin Width: 19 ½
Height: 24
Thickness: ⅝




77R0700 — RD-4-3945-0P

Tube & Fin Type

Used with IHC Applications


Overall Width: 30 ¼″
Fin Width: 25 ½″
Height: 18 3⁄16″
Thickness: 1 ¾″



77R0705 — RD-4-7020-0P

OE#IE-4582

Overall Width: 34″
Fin Width: 29 ½″
Height: 24″
Thickness: ⅞″



77R0710 — RD-4-7018-0P

Tube & Fin Type

OE Part Number: F31-6097
Peterbilt 2003-2009 Conventional 330

Overall Width: 31″
Fin Width: 28 ¼″
Height: 28 ½″
Thickness: 1 ½″




77R0715 — RD-4-7283-0P

Tube & Fin Type

International 4900 Series 93-2000

Overall Width: 26
Fin Width:
Height: 25 ¾
Thickness: ¾



77R0720 — RD-4-7284-0P

Tube & Fin Type

International 9300 Series 93-98

Overall Width: 26 ½
Fin Width: 24 ½
Height: 25 ½
Thickness: ⅞




77R0800 — RD-4-3646-0P

Tube & Fin Type

Used with R-9730


Overall Width: 30 ½″
Fin Width: 27 ⅜″
Height: 12 ½″
Thickness: 3 ¼″



77R0900 — RD-4-4161-0P

Tube & Fin Type

Overall Width: 24 ½″
Fin Width: 20″
Height: 14 7⁄64″
Thickness: 1 7⁄16″




77R0950 — RD-4-3916-0P

Serpentine Type

Used with White-Western Star

Overall Width: 29 13⁄16″
Fin Width: 27 ¾″
Height: 15 ¾″
Thickness: ¾″




77R0990 — RD-4-5045-0P

Tube & Fin Type

Used with R-4500


Overall Width: 35 ⅝″
Fin Width: 34″
Height: 20 ¾″
Thickness: 2 ¾″



77R1100 — RD-4-3917-0P

Serpentine Type
Overall Width: 27″,
Fin Width: 25 ¼″
Height: 14 ⅞″
Thickness: ¾″


Used with Freightliner
White-Western Star Applications



77R1105 — RD-4-5762-0P

Serpentine Type
Overall Width: 36 3⁄16″
Fin Width: 33 ¾″
Height: 11 ⅛″
Thickness: 1 ⅛″


Used with Mack 210R421M



77R1275 — RD-4-5722-0P

MultiFlow Type
Overall Width: 14″
Fin Width: 11 11⁄32″
Height: 14″
Thickness: ⅞″

Used with R-20505-0P



77R1277 — RD-4-7131-0P

Overall Width: 34 ¾″
Fin Width: 32 ¾″
Height: 19 ½
Thickness: ¾″


OE# A22-66839-000
A22-72249-000
2006-2009 Columbia, Coronodo



77R1279 — RD-4-7306-0P


Overall Width: 35″
Fin Width: 33″
Height: 22 ¾″
Thickness: ¾″

OE#A22-66840-000
A22-72250-000
2010-2011 Cascadia




77R1280 — RD-4-5377-0P

MultiFlow Type
Overall Width: 25 ¾″
Fin Width: 22 13⁄16″
Height: 12″
Thickness: ¾″



77R1282 RD-4-7337-0P


Used on Red Dot Model R-6101



77R1285 RD-4-5361-0P

MultiFlow Type

Overall Width: 18″
Fin Width: 16 ¼″
Height: 14″
Thickness: ¾″



77R1290 RD-4-5378-0P

MultiFlow Type

Overall Width: 21 ¾″
Fin Width: 18 13⁄16″
Height: 14″
Thickness: ¾″




77R1295 RD-4-5503-0P

MultiFlow Type

Used with R-2800


Overall Width: 26 ½″
Fin Width: 23 13⁄16″
Height: 10 ¾″
Thickness: 1 11⁄16″



77R1300 RD-4-5418-0P

MultiFlow Type

Overall Width: 25 ¾″
Fin Width: 22 13⁄16″
Height: 14″
Thickness: ¾″




77R1305 RD-5-12051-0P

MultiFlow Type


R-4480, Caterpillar

Overall Width: 24 13⁄32″
Fin Width: 21 29⁄64″
Height: 10 23⁄32″
Thickness: 1″




77R1310 — RD-4-5379-0P

MultiFlow Type
Overall Width: 29 5/8″
Fin Width: 26 5/8″
Height: 15 1/2″
Thickness: 3/4″



77R1320 — RD-5-9560-0P

MultiFlow Type — Used with Ford "F" Series
Overall Width: 25 3/4″
Fin Width: 24″
Height: 10 3/4″
Thickness: 1″



77R1325 — RD-4-6091-0P

MultiFlow Type — Used with RD-4-5932-0P Power Condenser
Overall Width: 14″
Fin Width: 11 11/32″
Height: 14″
Thickness: 3/4″




77R1330 — RD-4-5709-0P

MultiFlow Type — Complete with Brackets
Overall Width: 29 39/64″
Fin Width: 26 3/4″
Height: 19 1/4″
Thickness: 3/4″




77R1335 — RD-4-6812-0P

MultiFlow Type — OE Part Number: F31-6042, F31-6043
Overall Width: 35 1/2″ — Peterbilt 2006-2007 335, 340, 2005-2008 386, 387
Fin Width: 31 3/4″ — All with OE#
Height: 25″
Thickness: 3/4″



77R1401 — RD-4-5684-0P


Tube & Fin Type — Ford Applications
Overall Width: —
Fin Width: 25″
Height: 17″
Thickness: 1″



77R1403 — RD-4-5685-0P

Tube & Fin Type — Ford Applications


Overall Width: —
Fin Width: 25″
Height: 18 ¾″
Thickness: 1″



77R1407 — RD-4-5687-0P

Serpentine Type — Used with Ford "F" Series


Overall Width:
Fin Width: 25″
Height: 17 ½″
Thickness: 1″



77R1409 — RD-4-5688-0P

Serpentine Type — Used with Ford Applications

Overall Width: —
Fin Width: 32 ¾″
Height: 16 ½″
Thickness: 1″



LS = Limited to stock on hand

77R5240 — RD-4-5681-0P

Grilldenser Type — Used with Ford OE#E7HZ-19712-A,D and C-CT Series


Fin Width: 26 ¾″
Height: 32 ½″
Thickness: 1″



77R5250 — RD-4-3682-0P

Grilldenser Type


Overall Width: 34 ¾″
Fin Width: 31″
Height: 16 ½″
Thickness: ¾″



77R5260 — RD-4-4377-0P

Grilldenser Type


Overall Width: 34 ¾″
Fin Width: 31″
Height: 16 ½″
Thickness: ¾″



77R5263 — RD-4-4972-0P

Tube & Fin Type


Overall Width: 33 ½" – Two Row
Fin Width: 31"
Height: 16 ½"
Thickness: 1 ½"



77R5910 — RD-4-3714-0P

Grilldenser Type — Used with IHC "S" Series

Overall Width: 37"
Fin Width: 34 ¼"
Height: 25 ¾"
Thickness: ¾"



77R6255 — RD-4-5655-1P

Grilldenser Type — Used with R-2825 Hinged Assembly


Overall Width: 40 5⁄32"
Fin Width: 31 7⁄8"
Height: 34 19⁄32"
Thickness: 1 9⁄64"



77R6800 — RD-4-3372-3P

Grilldenser Type — Used with Ford "L" Series


Overall Width: 48 ¼"
Fin Width: 34 ¼"
Height: 25 ¾"
Thickness: ¾"



77R6807 — RD-4-5696-0P

Grilldenser Type — Used with Ford "L" Series


Fin Width: 37" — Sterling/Ford OE#F6HZ-19712A, Motorcraft YJ 363
Height: 19"
Thickness: ¾"



77R6817 — RD-4-5273-0P

Grilldenser Type — Used with Western Star 604 Cab


Overall Width: 39 3⁄7"
Fin Width: 35 ½"
Height: 22 5⁄6"
Thickness: 1 1⁄5"



77R6900 RD-4-3434-1P

Grilldenser Type
Overall Width: 28 ⅜″
Fin Width: 26 ½″
Height: 26″
Thickness: ¾″


Used with Mack RL/RS Series
OE#210RD48



77R6920 RD-4-3727-2P

Grilldenser Type
Overall Width: 42 ¼″
Fin Width: 40 ¼″
Height: 36″
Thickness: ¾″


Used with Kenworth 1400 Series
OE#K122-64



77R6925 RD-4-3745-1P

Grilldenser Type
Overall Width: 43 ½″
Fin Width: 41″
Height: 38 ⅝″
Thickness: ¾″


Used with Kenworth 900B
OE#K122-62



77R6930 RD-4-3990-0P

Grilldenser Type
Overall Width: 32 ⅛″
Fin Width: 31 ⅞″
Height: 27 ¼″
Thickness: ⅞″

Used with Kenworth T600A
OE#K122-81



77R6935 RD-4-4550-0P

Grilldenser Type
Overall Width: 35 ⅛″
Fin Width: 31″
Height: 38 ⅝″
Thickness: ¾″


Used with Kenworth T602
OE#K122-124-1
Dual Pass - Aluminum Finish



77R6940 — RD-4-4550-1P

Grilldenser Type
Overall Width: 35 ⅛″
Fin Width: 31″
Height: 38 ⅝″
Thickness: ¾″


Used with Kenworth T602
OE#K122-124-2
Dual Pass - Black



77R6945 — RD-4-4300-0P

Grilldenser Type
Overall Width: 41 ¾″
Fin Width: 37″
Height: 29″
Thickness: ⅞″


Used with Kenworth T800
OE#K122-102



77R6947 — RD-4-4360-0P

Grilldenser Type
Overall Width: 43 ½″
Fin Width: 41″
Height: 36 ¹³⁄₁₆″
Thickness: ⅞″

Used with Kenworth T800 Dual Pass
OE#K122-118



77R6950 — RD-4-5658-0P

Tube & Fin Type
Overall Width: 31″
Fin Width: 28″
Height: 33 ⁵⁄₃₂″
Thickness: 1 ¼″

Used with Peterbilt 357, 377, 378, 379, 385 Conventional
OE#18-04015



77R6951 — RD-4-6811-0P

Serpentine
Overall Width: 31
Fin Width: 27 ¼
Height: 33 ¼
Thickness: ¾


Peterbilt OE#PB4015



77R6955 — RD-4-4613-1P

Grilldenser Type
Overall Width: 32 ¼″
Fin Width: 30″
Height: 17 ⅝″
Thickness: 1 ⅜″


Kenworth OE#K122-128



77R6957 — RD-5-12488-0P

Grilldenser Type
Overall Width: 32 ½″
Fin Width: 28 ½″
Height: 20 ⅞″
Thickness: ¾″

Kenworth T400-T600A, 1995-2006
OE#K122-125, Black



77R6960 — RD-4-4403-1P

Grilldenser Type
Overall Width: 43 ½″
Fin Width: 41″
Height: 36 ¼″
Thickness: 1 3⁄16″

Kenworth W900B
OE#K122-121



77R6965 — RD-4-4276-0P

Grilldenser Type
Overall Width: 37 ¾″
Fin Width: 35 ¼″
Height: 36 9⁄16″
Thickness: ⅞″


Used with Kenworth W900L
OE#K122-98



77R6970 — RD-4-5190-4P

Non-funtional Grill
Overall Width: 35 ½″
Fin Width: 32 15⁄16″
Height: 27 ⅜″
Thickness: ½″


Used with Kenworth T400, T602, T603
Aluminum Finish - Non Functional
Kenworth OE# K137-299-1
Sold without brackets



77R6975 — RD-4-5190-5P

Non-funtional Grill
Overall Width: 35 ½″
Fin Width: 32 15⁄16″
Height: 27 ⅜″
Thickness: ½″


Used with Kenworth T400, T602, T603
Black Finish - Non Functional
Kenworth OE# K137-299-2
Sold without brackets



77R6978 — RD-4-6527-0P

MultiFlow Type
Overall Width: 42 ½″
Fin Width: 31 ½″
Height: 22 ⅛″
Thickness: ¾″


Freightliner Century
BHT 97210, BHT 73002, 1E6068



77R6980 — RD-4-3901-1P


Grilldenser Type
Overall Width: 34 ¼″
Fin Width: 33″
Height: 33 ⅜″
Thickness: 13⁄16″

Kenworth K-100, K100E Series
Front Cab OE#K137-288
Non-functional



77R6982 — RD-4-7017-0P


Grilldenser Type
Overall Width: 35 ½″
Fin Width: 33″
Height: 17 ¼″
Thickness: 1 ⅛″



77R6985 — RD-4-6560-0P

Grilldenser Type
Overall Width with brackets: 35 ⅜″
Fin Width: 32″
Height: 24 ⅝″
Thickness: ⅝″


Kenworth T-2000 Series
OE#486684-5008



77R6990 — RD-4-4219-0P

Grilldenser Type
Overall Width: 41 ¾″
Fin Width: 37″
Height: 29″
Thickness: 27⁄32″

Used with Kenworth T800 - Nonfunctional
OE#K137-230



77R6995 — RD-4-7040-0P

MultiFlow Type
Overall Width: 34 ¼″
Fin Width: 30 ¾″
Height: 19 ⅝″
Thickness: 1″


OE Part Number: 210RD510M
Mack 1994-1998 CH
All with OE#



77R7000 — RD-4-4713-0P

Grilldenser Type
Overall Width: 28 13⁄32″
Fin Width: 26 19⁄32″
Height: 26 5⁄32″
Thickness: 25⁄32″

Used with John Deere 690-992E-LC
IHC 2004801C3, C4, R-10035-1,-2,-3,-4



77R7010 — RD-4-5154-0P

Tube & Fin Type — Fits R-1550, Kobelco SK 100, 120, 150


Overall Width: 25 ¼″
Fin Width: 20 ½″
Height: 18 ¼″
Thickness: 1 13⁄16″



77R7020 — RD-4-5116-0P

Tube & Fin Type — Fits R-1550, SK200, SK220

Overall Width: 27″
Fin Width: 25 ½″
Height: 18 ¼″
Thickness: 1 ¾″



77R7050 — RD-4-5760-0P

Tube & Fin Type


Overall Width: 24″ – Two Row
Fin Width: 21 ⅛″
Height: 26 ½″
Thickness: 1 ½″



77R7100 — RD-4-4968-0P

Tube & Fin Type


Overall Width: 28 1⁄16″ – Two Row
Fin Width: 21 ½″
Height: 26 ½″
Thickness: 1 ¼″



77R7702 — RD-4-5770-0P

Serpentine Type — Used with Mack OE#210RD46AM-R.H.


Overall Width: 33 ⅔″
Fin Width: 31 13⁄16″
Height: 8 ½″
Thickness: 1″



77R7704 — RD-4-5769-0P

Serpentine Type — Used with Mack OE#210RD54M


Overall Width: 30″
Fin Width: 28″
Height: 28 5⁄16″
Thickness: 1″



77R7705 — RD-4-7277-0P

Tube & Fin Type — International 4000-9000 series 07-08


Overall Width: 33 ½
Fin Width: 31 ½
Height: 16 ½
Thickness: ⅝



77R7706 — RD-4-5763-0P

Serpentine Type — Used with Mack OE#210RD410M


Overall Width: 33 ⅔″
Fin Width: 31 13⁄16″
Height: 8 ½″
Thickness: 1″



77R7708 — RD-4-5764-0P

Serpentine Type — Used with Mack 210RD411M


Overall Width: 39 7⁄32″
Fin Width: 37 13⁄32″
Height: 6 7⁄16″
Thickness: 1 ¼″



77R7710 — RD-4-5765-0P

Serpentine Type — Used with Mack 210RD412


Overall Width: 36 13⁄16″
Fin Width: 34″
Height: 26 ¾″
Thickness: 1″



77R7712 — RD-4-5766-0P

Serpentine Type — Used with Mack 210RD413


Overall Width: 28 ¾″
Fin Width: 27 ¾″
Height: 9 ½″
Thickness: 3″



77R7714 — RD-4-5767-0P

Serpentine Type — Used with Mack 210RD418

Overall Width: 34 ½″
Fin Width: 31 ½″
Height: 23 9⁄32″
Thickness: 1″




77R7715 — RD-4-6414-0P

Serpentine Type

Mack 210RD428


Overall Width: 34 ½″
Fin Width: 29 ⅜″
Height: 21 3⁄16″
Thickness: 1″



77R7800 — RD-4-3722-0P

Grilldenser Type

Overall Width: 30 ⅞″
Fin Width: 28 ¼″
Height: 32″
Thickness: ¾″



77R7900 — RD-4-3683-2P

Grilldenser Type

Used with Peterbilt 359

Overall Width: 39 ⅞″
Fin Width: 37″
Height: 32″
Thickness: ¾″




77R8100 — RD-4-3723-0P

Grilldenser Type

Used with Kenworth T-800 OE#K122-84

Overall Width: 43 ⅜″
Fin Width: 40 ½″
Height: 33″
Thickness: ¾″




77R8200 — RD-4-3595-4P

Grilldenser Type

Used with Mack RW
OE#210RD49302P2, PB1095

Overall Width: 51″
Fin Width: 48″
Height: 33 ⅛″
Thickness: ¾″




77R8301 — RD-4-5226-4P

Non-funtional Grill

Kenworth T-300 (Non-Functional)
Kenworth OE# K137-300-1
Aluminum Finish
Sold with Brackets


Overall Width: 47 ⅜″
Fin Width: 37″
Height: 22
Thickness: ½″



77R8303 RD-4-5226-5P

Non-funtional Grill
Overall Width: 47 ⅜"
Fin Width: 37"
Height: 22
Thickness: ½"


Kenworth T-300 (Non-Functional)
Kenworth OE# K137-300-2
Black Finish
Sold with Brackets



77R8305 RD-4-7081-0P

OE#N4778001


Overall Width: 34"
Fin Width: 33"
Height: 22"
Thickness: ½"



77R8307 RD-4-7292-0P


Non-funtional Grill
Overall Width: 41 ¾"
Fin Width: 37"
Height: 27 ¾"
Thickness: ½"

OE#K137-269



77R8309 RD-4-7371-0P

Overall Width: 36 ½"
Fin Width: 32"
Height: 28"
Thickness: "



77R8310 RD-4-7353-0P

OE#RO337001


Overall Width: 35"
Fin Width: 31 ¾"
Height: 20"
Thickness: ½"



77R8315 RD-4-7351-0P

Overall Width: 34"
Fin Width: 31"
Height: 23 ¼"
Thickness: ¾"

210RD422



77R8320 RD-4-7352-0P

OE#210RD424


Overall Width: 20″
Fin Width: 18 ½″
Height: 24 ½″
Thickness: 1 ¼″



77R8325 RD-4-7365-0P

OE#R0440001


Overall Width: 34 ¼″
Fin Width: 32″
Height: 14″
Thickness: 1 ¼″



77R8330 RD-4-7362-0P

OE#N4783001


Overall Width: 32 ¾″
Fin Width: 26″
Height: 20″
Thickness: ½″



77R8335 RD-4-7358-0P

OE#210RD59M


Overall Width: 44″
Fin Width: 30″
Height: 19 ¾″
Thickness: ½″



77R8340 RD-4-7360-0P

OE#210RDJ17M


Overall Width: 38 ½″
Fin Width: 32 ½″
Height: 16 ½″
Thickness: ½″



77R8345 RD-4-7348-0P

OE#210RD427


Overall Width: 34 ½″
Fin Width: 33 ½″
Height: 21 ½″
Thickness: ¾″



77R8350 — RD-4-7361-0P

OE#2591836C91
2891612C91


Overall Width: 32 ¾"
Fin Width: 31"
Height: 16"
Thickness: ½"



77R8355 — RD-4-7386-0P

BHT P5631001


Overall Width: 24"
Fin Width: 23"
Height: 21"
Thickness: ¾ "



77R8365 — RD-4-7363-0P

3S010633


Overall Width: 38"
Fin Width: 31"
Height: 15 ¼"
Thickness: ¾"



77R8370 — RD-4-7474-0P


Tripac # 67-2145
67-2363
67-2494

Overall Width: 21 ¾"
Fin Width: 18 ¾"
Height: 12"
Thickness: "



77R8375 — RD-4-7473-0P

Overall Width: 37 ½"
Fin Width: 32 ½"
Height:: 19 ¼"
Thickness: ¾"



77R8380 — RD-4-7472-0P

Overall Width: 27 ½"
Fin Width: 23 ½"
Height:: 19 ¾"
Thickness: ¾"



77R8385 — RD-4-7544-0P

216-0804, 216-0805, 9X3439

Overall Width: 23 ½"
Fin Width: 23 ½"
Height: 9 ½"
Thickness: 3"



77R8390 RD-4-7528-0P

Overall Width: 40 ¼"
Fin Width: 24 ½"
Height: 19"
Thickness: ¾"

A22-62372-000, A22-65665-000, A22-66826-000

Image Not Available

77R8395 RD-4-7529-0P

Overall Width: 32"
Fin Width:28"
Height: 20 ½"
Thickness: ¾"


A22-62390-000, A22-66842-000

Image Not Available

77R8400 RD-4-7531-0P

Overall Width: 30 ¾"
Fin Width:25 ½"
Height: 15"
Thickness: ¾"

901-500-05-54, 5104114AA



77R8405 RD-4-7532-0P

Overall Width: 35 ¼"
Fin Width:29"
Height: 10"
Thickness: ¾"


A22-32466-001



77R8410 RD-4-7533-0P

Overall Width: 42 ½"
Fin Width:30 ¼"
Height:: 20 ¼"
Thickness: ¾"

A22-43941-000



77R8415 RD-4-7535-0P

Overall Width: 31 ¾"
Fin Width:26 ¾"
Height:: 24"
Thickness: ¾"

ABP N83 306280, 680-830-03-70, BOA 19836S, BSM 306280

Image Not Available

77R8420 RD-4-7538-0P

Overall Width: 34 ¼"
Fin Width:30"
Height:: 18 ¾"
Thickness: ¾"

15112434, 15-63391



77R8425 RD-4-7534-0P

Overall Width: 31 ½"
Fin Width: 30 ¼"
Height:: 20 ½"
Thickness: ¾"

K122-143



77R8440 — RD-4-7543-0P

Overall Width: 29 1/4"
Fin Width: 26 1/2"
Height:: 21 1/2"
Thickness: 1"



77R8445 — RD-4-7542-0P

3853558F92


Overall Width: 44 1/2"
Fin Width: 38 1/4"
Height:: 17 3/4"
Thickness: 3/4"

Image Not Available

77R8450 — RD-4-7498-0P

22-32302-001

Overall Width: 30 1/4"
Fin Width: 28 1/2"
Height:: 24 1/2'
Thickness: 3/4"



77R8455 — RD-4-7499-0P

A22-24885-001

Overall Width: 33 1/4"
Fin Width: 29"
Height:: 9 3/4"
Thickness: 3/4"



77R8465 — RD-4-7496-0P

1667340C5

Overall Width: 29 1/2"
Fin Width: 26"
Height:: 26 1/2"
Thickness: 3/4"



77R8470 — RD-4-7501-0P

1072720, 1675462C1, 1675462C2

Overall Width: 28 1/2"
Fin Width: 25 1/2"
Height:: 27 1/4"
Thickness: 3/4"



77R8475 — RD-4-7502-0P

586908C92

Overall Width: 36 3/4"
Fin Width: 34"
Height:: 31 1/4"
Thickness: 1 3/4"



77R8480 RD-4-7503-0P

Overall Width: 29 1/2"
Fin Width: 25 3/4"
Height:: 18 1/4"
Thickness: 3/4"

8022509




Image Not Available

77R8485 RD-4-7504-0P

Overall Width: 28 3/4"
Fin Width: 25 3/4"
Height:: 18 1/4"
Thickness: 3/4"


8164786



77R8495 RD-4-7551-0P

Overall Width: "
Fin Width: "
Height:: "
Thickness: "

29206001



POWER CONDENSERS

Listed in ascending order by **Height** x **Length** x **Thickness**

Height	Length	Thickness	Fitting #6 (5/8")	Location #8 (3/4")	Amps	Fan CFM	BTUs	Application	Red Dot Part No.	Factory No.
12 VOLT FAN										
10 1/8	22 5/8	2 3/4	G	G		800	22,000	Fits R-2150, 2 Fans	**77R0530**	RD-4-4400-0P
12 7/8	33 1/2	4	F	D	15.7	1,210	25,000	Fits R-9475, 2 Fans	**77R1502**	RD-4-5990-0P
14 1/4	22	3 3/4	G	J	28	818	17,300	2 Fans, 28 amps @ 12.6 VDC	**77R1602**	RD-5-9616-0P
15	16 1/4	6	F	D			20,000	Fits R-20500, 1 Fan with Drier	**77R1632**	RD-4-5700-1P
12 3/8	25	6	G	J	19	1,040	30,000	19 amps @ 13.5 VDC	**77R1512**	RD-4-7083-0P
14	36	6 1/2			22	1,680	45,000	22 amps @ 13.5 VDC	**77R1522**	RD-4-7084-0P
24 VOLT FAN										
10 1/8	22 5/8	2 3/4	G	G		800	22,000	Fits R-2150, 2 Fans	**77R0534**	RD-4-4400-1P
12 7/8	33 1/2	4	F	D	7.8	1,210	25,000	Fits R-9475-0-24, 2 Fans	**77R1504**	RD-4-5990-1P
15	16 1/4	6	F	D			20,000	Fits R-20500-0-24, Fan with Drier	**77R1634**	RD-4-5700-1-24P
12 3/8	25	6	G	J	9	1,040	30,000	9 amps @ 27VDC	**77R1514**	RD-4-7083-0-24P
14	36	6 1/2			12	1,750	45,000	12 amps @ 27 VDC	**77R1524**	RD-4-7084-0-24P

77R0530 — RD-4-4400-0P

10 1/8" high x 22 5/8" long x 2 3/4" thick — Used with R-2150
With 12 VDC Fans, 800 CFM, 22,000 BTU
Replacement fan & motor assembly: RD-5-9001-2P
Replacement condenser: RD-4-4405-0P



77R0534 — RD-4-4400-1P

10 1/8" high x 22 5/8" long x 2 3/4" thick — Used with R-2150
With 24 VDC Fans, 800 CFM, 22,000 BTU
Replacement fan & motor assembly: RD-5-9001-2P
Replacement condenser: RD-4-4405-0P



77R1502 — RD-4-5990-0P

12 7/8" high x 33 1/2" long x 4" thick — Used with R-9475
With 12 VDC Fans, 15.7 Amps @ 13.6 VDC, 1,210 CFM, 25,000 BTU
Replacement fan & motor assembly: RD-5-9018-0P
Replacement condenser: RD-4-5452-0P



77R1504 — RD-4-5990-1P

12 7/8" high x 33 1/2" long x 4" thick — Used with R-9475-0-24
With 24 VDC Fans, 1210 CFM, 7.8 Amps @ 27.2 VDC, 25,000 BTU
Replacement fan & motor assembly: RD-5-9018-1P
Replacement condenser: RD-4-5452-0P



POWER CONDENSERS

77R1512 RD-4-7083-0P

12 ⅜" high x 25" long x 6" thick
With 12 VDC Fans, 1,040 CFM, 19 Amps @ 13.5 VDC, 30,000 BTU
Mounting bracket 77R9025 sold separatly



77R1514 RD-4-7083-0-24P

12 ⅜" high x 25" long x 6" thick
With 24 VDC Fans, 1,040 CFM, 9 Amps @ 27 VDC, 30,000 BTU
Mounting bracket 77R9025 sold separatly



77R1522 RD-4-7084-0P

14" high x 36" long x 6 ½" thick
With 12 VDC Fans, 1,680 CFM, 22 Amps @ 13.5 VDC, 45,000 BTU
Mounting bracket 77R9029 sold seperately



77R1524 RD-4-7084-0-24P

14" high x 36" long x 6 ½" thick
With 24 VDC Fans, 1,750 CFM, 12 Amps @ 27 VDC, 45,000 BTU
Mounting bracket 77R9029 sold seperately



77R1632 RD-4-5700-1P

15" high x 16 ¼" long x 6" thick – 12v fan with drier, 20,000 BTU
Used with R-20500-0 Heater AC TB175 Kit
Replacement fan & motor assembly: RD-5-8747-4P
Replacement condenser: RD-4-6528-0P



77R1634 RD-4-5700-1-24P

15" high x 16 ¼" long x 6" thick – 24v fan with drier, 20,000 BTU
Used with R-20500-0-24 Heater AC Kit
Replacement fan & motor assembly: 73R8654 / RD-5-8747-5P
Replacement condenser: RD-4-6528-0P



POWER CONDENSERS

77R1702 RD-4-7085-0P

12 ¼" high x 15 ½" long x 4 ½" thick
With 12 VDC Fans, 500 CFM, 11 Amps @ 13.5 VDC, 25,000 BTU
Mounting bracket 77R9027 sold separatly



77R1704 RD-4-7085-0-24P

12 ¼" high x 15 ½" long x 4 ½" thick
With 24 VDC Fans, 500 CFM, 5.4 Amps @ 27 VDC, 25,000 BTU
Mounting bracket 77R9027 sold separatly



CONDENSER MOUNTING BRACKETS


Developed to aid the installer, these universal condenser mounting brackets attach directly to the condenser. Will span a radiator with outside dimension of 44 inches.

77R9000 RD-5-5403-0P

16-gauge steel

77R9005 RD-5-5403-2P

For use with 77R0650
Heavy Duty
11-gauge steel




77R9010 RD-5-5403-1P

16-gauge steel

77R9015 RD-5-5403-3P

For use with 77R0950 & 77R1100
Heavy Duty
11-gauge steel



77R9020 RD-11-0054-0P

For use with Remote Mount Condenser
16-gauge steel



77R9025 1761

For use with 77R1512 and 77R1514 condensers
12-gauge steel



CONTROL PANELS

CONTROLS FOR A/C ONLY AND HEATER A/C

Unit Number / Control Panel	71R5212 RD-3-3751-1P	71R5600 RD-3-9379-0P	71R5605 RD-3-9379-1P	71R5122 RD-3-13600-0P	71R5812 RD-6-5452-0P	71R5814 RD-6-5524-0P	71R5815 RD-2-6169-0P
R-1630-1P		✔	✔	✔	✔		
R-2300-0P							✔
R-2300-0-24P							✔
R-2300-2P		✔	✔	✔			
R-2300-2-24P		✔	✔	✔			
R-2550-0P		✔	✔	✔	✔		
R-4122-9P	✔						
R-5040-4P		✔	✔	✔	✔		
R-5040-6P		✔	✔	✔		✔	
R-9520-0P		✔	✔	✔	✔		
R-9520-0-24P		✔	✔	✔		✔	

CONTROLS FOR HEATER-ONLY

Unit Number / Control Panel	71R5817 RD-1-3659-0P	71R5819 RD-1-3660-0P	71R5821 RD-1-3661-0P	71R5823 RD-1-3662-0P
R-254-0P		✔		
R-254-0-24P		✔		
R-254-4P		✔		
R-255-10P		✔		
R-255-10-24P		✔		
R-255-4P		✔		
R-270-0P		✔		
R-270-0-24P		✔		
R-290-0P			✔	✔
R-290-0-24P			✔	✔
R-290-4P			✔	✔
R-290-4-24P			✔	✔
R-295-0P			✔	✔
R-295-0-24P			✔	✔
R-295-4P			✔	✔
R-2020-0P	✔			
R-2300-1P			✔	✔
R-2300-1-24P			✔	✔
R-4013HP		✔		
R-5040-0P			✔	✔
R-5040-2P			✔	✔
R-6130-1P		✔		
R-6130-0P		✔		

ORDERING INFORMATION

These control designs provide a custom look by mounting into an existing control panel or the wall and flush with the interior lining.


71R5212 RD-3-3751-1P

Heater-A/C Control - Three-speed motor switch with Red Dot Twin Temp™ Control




71R5600 RD-3-9379-0P

Three-speed motor switch - (requires manual water valve)



71R5605 RD-3-9379-1P

Three-speed motor switch - (requires electronic water valve)



71R5122 RD-3-13600-0P

Three-speed motor switch - includes A/C switch and electronic water valve



71R5812 RD-6-5452-0P

Automatic Temperature Control - 12 volt (see next page for details)



71R5814 RD-6-5524-0P

Automatic Temperature Control - 24 volt (see next page for details)



71R5815 RD-2-6169-0P

Three-speed motor switch with A/C Switch



71R5817 RD-1-3659-0P

Heater control - Single speed motor switch - (requires manual water valve)



71R5819 RD-1-3660-0P

Heater control - Two-speed motor switch - (requires manual water valve)



71R5821 RD-1-3661-0P

Heater control - Three-speed motor switch - (requires manual water valve)



71R5823 RD-1-3662-0P

Heater Control - Three-speed motor switch - (requires electronic water valve 71R7110)




MAIN CAB CONTROLS – AUTOMATIC TEMPERATURE CONTROL (ATC)

The Automatic Temperature Control (ATC) is the latest in Red Dot control technology. ATC can be used in a myriad of applications offering sophisticated control technology. Check with your Red Dot Distributor regarding your particular application.
The ATC package includes:

- Touch pad controller
- Infinite fan speed manual control or Automatic fan speed control
- Electric water valve control
- Outside air temperature sensor
- Evaporator temperature sensor
- Duct outlet air sensor
- Cab temperature set point
- On board diagnostics
- Versatile mounting
- Solid state circuitry
- Dimensions: 7" x 2"

71R5812 – 12 Volt
RD-6-5452-0P

71R5814 – 24 Volt
RD-6-5524-0P



Replacement Parts for the RD-6-5452-0P (71R5812) and RD-6-5524-0P (71R5814)


Red Dot Part No.	Factory No.	Description
	RD-5-8131-0P	Thrermastor-Air Temperature Probe Assembly
	RD-5-11820-0P	Harness - Control Panel Atc
	RD-6-5451-0P	Harness - ATC Kit A/M
72R7110	RD-1-3242-0P	Valve - Water 12/24V Assembly
	RD-3-8350-0P	Control Box Assembly Am ATC 12V
	RD-3-8350-24P	Control Box Assembly Am ATC 24V

Red Dot Part No.	Factory No.	Description
	RD-6-5414-0P	Module Assembly - 12V/24V ATC ECU - Advanced
	RD-2-3373-0P	Mount Sensor
	RD-5-9216-1P	Air Temp Sensor Assembly
	RD-3-7385-0P	Evaporator Probe Assembly

CTC CIRCUIT BOARD

71R3502 RD-6-4797-0P

12 Volt, 30k ohm Thermistor blower speed control switch



71R3504 RD-6-4797-1P

24 Volt, 30k ohm Thermistor blower speed control switch



LAMP ASSEMBLIES

71R1262 RD-5-8535-0P

12 Volt



WIRE LOOM CONDUIT




79R0138 RD-5-4762-96P

0.375 inside diameter black wire loom conduit

79R0150 RD-5-5905-96P

0.500 inside diameter black wire loom conduit



79R0225 RD-5-7357-96P

0.250 inside diameter gray wire loom conduit


79R0241 RD-5-5662-96P

0.413 inside diameter gray wire loom conduit

79R0258 RD-5-5908-96P

0.625 inside diameter gray wire loom conduit

EVAPORATOR SPECIFICATIONS



Listed in ascending order by **Height** measured along the fin x **Length** of coil is the fin segment between header plates x **Width** is the coils "thickness"

[A] Height	[B] Length	[C] Width	Used on Red Dot Unit Models...	Red Dot Part No.	Factory No.
4	17 7/8	2 3/4	R-9755	**76R4920**	RD-2-2047-0P
4	19 1/8	2 3/4	R-9750	**76R4900**	RD-2-1633-0P
5	14 1/2	2 1/2	R-8500. R-10035	**76R5030**	RD-2-1909-0P
5	12	3 1/2	R-2300	**76R5323**	RD-2-5661-0P
5 1/4	12 7/16	3	R-2100	**76R5320**	RD-2-3251-0P
5 1/4	12 7/16	3	R-2110, R-2130	**76R5000**	RD-2-1510-0P
6	12 1/2	2 3/4	R-2000	**76R5200**	RD-2-0993-1P
6	13 1/2	2 3/4	R-8545	**76R5300**	RD-2-1664-0P
6	15	2 5/32	R-3300	**76R5520**	RD-2-1755-0P
6	15 1/8	2 5/32	R-6000	**76R5500**	RD-2-1195-0P
6	17 1/2	2 3/4	R-2120	**76R5600**	RD-2-1669-0P
6 7/64	9 3/4	3 13/32	R-1630	**76R6325**	RD-2-3832-0P
6 7/64	16 1/2	3 13/32	R-2825	**76R7450**	RD-2-3923-0P
6 7/64	17 1/2	2 3/4	R-2500	**76R6070**	RD-2-3773-0P
6 7/64	23 1/2	3 13/32	R-3960	**76R7725**	RD-2-3629-0P
6 7/64	23 1/2	3 13/32	R-9475	**76R7715**	RD-2-2897-0P
6 1/8	17 1/2	2 5/32	R-9777	**76R5820**	RD-2-3413-0P
6 1/8	19 1/8	3 3/8	R-10045-0	**76R7560**	RD-2-2440-0P
6 1/8	22	2 3/4	R-10151-0	**76R6550**	RD-2-2495-0P
7	9	3	Peterbilt Applications	**76R5716**	RD-2-6297-0P
7"	10 3/8"	2 5/8"		**76R7740**	RD-2-7285-0P
7 7/64	17 1/2	2 5/32	R-9737-3, R-9757	**76R6015**	RD-2-2791-0P
7 7/64	17 1/2	2 5/32	R-9800	**76R5700**	RD-2-2885-0P
8	5 5/8	2 7/8	R-4290	**76R6120**	RD-2-1660-0P
8	8	2 7/8	R-1500	**76R6160**	RD-2-1862-0P
8	8	3 13/32	R-4130, R-4160, R-4170, R-4190	**76R6150**	RD-2-1402-0P
8	8 1/4	3 13/32	R-5050 with drainpan, R-8050, R-8820	**76R6180**	RD-2-1480-1P
8	9	3	R-5060	**76R6310**	RD-2-1272-0P
8	9	2 3/4	R-7820, R-7830	**76R6350**	RD-2-1316-0P
8	9	3 13/32	R-3180	**76R6420**	RD-2-1658-0P
8	10 13/32	3 13/32	R-3130, Freightliner Applications	**76R6440** LS	RD-2-1650-0P
8	11 13/16	2 7/8	R-4040	**76R6700**	RD-2-1156-0P
8	12	3 13/32	R-5130	**76R6850**	RD-2-1485-0P
8	12 11/64	3 13/32	Kenworth Applications	**76R6960**	RD-2-2502-0P
8	12 11/16	3 13/32	R-2180, R-7070, R-10040	**76R6950**	RD-2-1381-0P
8	13	3 13/32	R-1620	**76R6650**	RD-2-3070-0P
8	14 9/16	2 7/8	R-5180	**76R7010**	RD-2-1610-0P
8	15 1/8	3	R-9727-1	**76R7100**	RD-2-1121-2P
8 1/16"	8"	2 3/8"		**76R7735**	RD-2-7284-0P
8 7/64	7 29/32	3 13/32	R-4230	**76R6130**	RD-2-1898-0P
8 7/64	15 3/64	3 13/32	R-5040, R-5045-2, R-5075, R-10170	**76R7070**	RD-2-1370-0P
8 7/64	15 3/64	3 1/2	R-2510-0	**76R7020**	RD-2-2775-1P
8 7/64	15 3/64	3 1/2	R-2520, R-9500, R-9510, R-10034	**76R7030**	RD-2-3008-0P
8 7/64	21 9/32	2 7/8	R-9715	**76R6040**	RD-2-2928-0P

Most evaporator coils are #8 male "O" ring.

LS = Limited to stock on hand

CONTINUES ON NEXT PAGE

Listed in ascending order by **Height** measured along the fin x **Length** of coil is the fin segment between header plates x **Width** is the coils "thickness"

[A] Height	[B] Length	[C] Width	Used on Red Dot Unit Models...	Red Dot Part No.	Factory No.
8 7/64	23 7/16	3 13/32	R-9787	**76R7720**	RD-2-3410-0P
8 ½	13	3 13/32	R-9450	**76R6655**	RD-2-2780-0P
9 ½"	10 ⅜"	2 ½"		**76R7750**	RD-2-7298-0P
10	9	3 ⅛	R-5150, R-8800	**76R7510**	RD-2-1655-0P
10	9	3 ⅛	R-8220, R-8230	**76R7520**	RD-2-1616-0P
10	12	4	R-2550	**76R7710**	RD-2-3398-0P
10	12 ¾	2 ¾		**76R7712**	RD-5-14624-0P
10	15 ½	3 ¾	R-10060-0, -1, -2, -3 Evaporator/Heater Combo	**76R7580**	RD-2-3395-0P
10 7/64	11	3 13/32	R-5260	**76R7530**	RD-2-2423-0P
10 7/64	11	3 13/32	R-5275	**76R7535**	RD-2-4032-0P
10 ½	8 ¼	3 ⅝	R-8725-0	**76R7505**	RD-5-7847-0P
11 ¼	13 ½	3 ½	R-10046, R-10047	**76R7570**	RD-2-3321-0P
12	6 ½	3 ⅞	F/L See Applications section	**76R7515**	RD-2-4074-0P
12	9 ¼	4 ½	Peterbilt Applications	**76R6668**	RD-2-6298-0P
12	10 19/32	2 ⅞	R-10235	**76R7550**	RD-2-1766-0P
12	11	3 13/32	R-4140	**76R7700**	RD-2-1470-0P

Most evaporator coils are #8 male O-Ring.


76R4900 RD-2-1633-0P

Used on Red Dot Unit Model R-9750
4" high x 19 ⅛" long x 2 ¾" wide




76R4920 RD-2-2047-0P

Used on Red Dot Unit Model R-9755
4" high x 17 ⅞" long x 2 ¾" wide



76R5000 RD-2-1510-0P

Used on Red Dot Unit Models R-2110, R-2130
5 ¼" high x 12 7/16" long x 3" wide



76R5030 RD-2-1909-0P

Used on Red Dot Unit Models R-8500. R-10035
5" high x 14 ½" long x 2 ½" wide




LS = Limited to stock on hand

EVAPORATOR COILS


76R5200 RD-2-0993-1P

Used on Red Dot Unit Model R-2000
6″ high x 12 ½″ long x 2 ¾″ wide




76R5300 RD-2-1664-0P

Used on Red Dot Unit Model R-8545
6″ high x 13 ½″ long x 2 ¾″ wide




76R5320 RD-2-3251-0P

Used on Red Dot Unit Model R-2100
5 ¼″ high x 12 7⁄16″ long x 3″ wide




76R5323 RD-2-5661-0P

Used on Red Dot Unit Model R-2300
5″ high x 12″ long x 3 ½″ wide




76R5500 RD-2-1195-0P

Used on Red Dot Unit Model R-6000
6″ high x 15 ⅛″ long x 2 5⁄32″ wide




76R5520 RD-2-1755-0P

Used on Red Dot Unit Model R-3300
6″ high x 15″ long x 2 5⁄32″ wide




76R5600 RD-2-1669-0P

Used on Red Dot Unit Model R-2120
6″ high x 17 ½″ long x 2 ¾″ wide




76R5700 RD-2-2885-0P

Used on Red Dot Unit Model R-9800
7 7⁄64″ high x 17 ½″ long x 2 5⁄32″ wide




76R5820 RD-2-3413-0P

Used on Red Dot Unit Model R-9777
6 1/8″ high x 17 1/2″ long x 2 5/32″ wide




76R6015 RD-2-2791-0P

Used on Red Dot Unit Models R-9737-3, R-9757
7 7/64″ high x 17 1/2″ long x 2 5/32″ wide




76R6040 RD-2-2928-0P

Used on Red Dot Unit Model R-9715
8 7/64″ high x 21 9/32″ long x 2 7/8″ wide




76R6070 RD-2-3773-0P

Used on Red Dot Unit Model R-2500
6 7/64″ high x 17 1/2″ long x 2 3/4″ wide




76R6120 RD-2-1660-0P

Used on Red Dot Unit Model R-4290
8″ high x 5 5/8″ long x 2 7/8″ wide




76R6130 RD-2-1898-0P

Used on Red Dot Unit Model R-4230
8 7/64″ high x 7 29/32″ long x 3 13/32″ wide



76R6150 RD-2-1402-0P

Used on Red Dot Unit Models R-4130, R-4160, R-4170, R-4190
8″ high x 8″ long x 3 13/32″ wide



76R6160 RD-2-1862-0P


Used on Red Dot Unit Model R-1500
8″ high x 8″ long x 2 7/8″ wide



EVAPORATOR COILS


76R6180 RD-2-1480-1P

Used on Red Dot Unit Models R-5050 with Drainpan, R-8050, R-8820
8″ high x 8 ¼″ long x 3 13⁄32″ wide




76R6310 RD-2-1272-0P

Used on Red Dot Unit Model R-5060
8″ high x 9″ long x 3″ wide




76R6325 RD-2-3832-0P

Used on Red Dot Unit Models R-1630
6 7⁄64″ high x 9 ¾″ long x 3 13⁄32″ wide




76R6350 RD-2-1316-0P

Used on Red Dot Unit Models R-7820, R-7830
8″ high x 9″ long x 2 ¾″ wide




76R6420 RD-2-1658-0P

Used on Red Dot Unit Model R-3180
8″ high x 10″ long x 3 13⁄32″ wide




76R6440 RD-2-1650-0P

Used on Red Dot Unit Model R-3130 Freightliner Application LS
8″ high x 10 13⁄32″ long x 3 13⁄32″ wide




76R6500 RD-2-1051-0P

Used on Red Dot Unit Model R-3040
8″ high x 11 1⁄8″ long x 2 7⁄8″ wide



76R6550 RD-2-2495-0P


Used on Red Dot Unit Model R-10151-0
6 1⁄8″ high x 22″ long x 2 ¾″ wide



LS = Limited to stock on hand


76R6650 RD-2-3070-0P

Used on Red Dot Unit Model R-1620
8″ high x 13″ long x 3 13/32″ wide



76R6655 RD-2-2780-0P

Used on Red Dot Unit Model R-9450
8 1/2″ high x 13″ long x 3 13/32″ wide




76R6668 RD-2-6298-0P

Used on Peterbilt applications
9″ high x 11″ long x 2 3/4″ wide




76R6700 RD-2-1156-0P

Used on Red Dot Unit Model R-4040
8″ high x 11 13/16″ long x 2 7/8″ wide




76R6850 RD-2-1485-0P

Used on Red Dot Unit Model R-5130
8″ high x 12″ long x 3 13/32″ wide




76R6950 RD-2-1381-0P

Used on Red Dot Unit Models R-2180, R-7070, R-10040
8″ high x 12 11/16″ long x 3 13/32″ wide




76R6960 RD-2-2502-0P

Used on Kenworth Models – See Applications OE#151328BSM
8″ high x 12 11/64″ long x 3 13/32″ wide



76R7010 RD-2-1610-0P

Used on Red Dot Unit Model R-5180
8″ high x 14 9/16″ long x 2 7/8″ wide




LS = Limited to stock on hand

EVAPORATOR COILS


76R7020 RD-2-2775-1P

Used on Red Dot Unit Model R-2510-0
8 7/64" high x 15 3/64" long x 3 1/2" wide




76R7030 RD-2-3008-0P

Used on Red Dot Unit Models R-2520, R-9500, R-9510, R-10034
8 7/64" high x 15 3/64" long x 3 1/2" wide




76R7070 RD-2-1370-0P

Used on Red Dot Unit Models R-5040, R-5045-2, R-5075, R-10170
8 7/64" high x 15 3/64" long x 3 13/32" wide




76R7100 RD-2-1121-2P

Used on Red Dot Unit Model R-9727-1
8" high x 15 1/8" long x 3" wide



76R7450 RD-2-3923-0P

Used on Red Dot Unit Model R-2825
6 7/64" high x 16 1/2" long x 3 13/32" wide




76R7505 RD-5-7847-0P

Used on Red Dot Unit Model R-8725-0
10 1/2" high x 8 1/4" long x 3 5/8" wide




76R7510 RD-2-1655-0P

Used on Red Dot Unit Models R-5150, R-8800
10" high x 9" long x 3 1/8" wide




76R7515 RD-2-4074-0P

12" high x 6 1/2" long x 3 7/8" wide.
OE #BOA73-000-04-02,
BOA80-375-00-569
Freightliner Applications




76R7520 RD-2-1616-0P

Used on Red Dot Unit Models R-8220, R-8230
10″ high x 9″ long x 3 ⅛″ wide




76R7530 RD-2-2423-0P

Used on Red Dot Unit Model R-5260, Western Star 60004-3401
10 7⁄64″ high x 11″ long x 3 13⁄32″ wide




76R7535 RD-2-4032-0P

Used on Red Dot Unit Model R-5275
10 7⁄64″ high x 11″ long x 3 13⁄32″ wide



76R7550 RD-2-1766-0P


Used on Red Dot Unit Model R-10235
12″ high x 10 19⁄32″ long x 2 7⁄8″ wide



LS = Limited to stock on hand


76R7555 RD-2-5125-1P

Used on Red Dot Unit Model R-6830
9 ¼″ high x 8″ long x 2 7⁄8″ wide




76R7560 RD-2-2440-0P

Used on Red Dot Unit Model R-10045-0 LS
6 ⅛″ high x 19 ⅛″ long x 3 ⅜″ wide




76R7570 RD-2-3321-0P

11 ¼″ high x 13 ½″ long x 3 ½″ wide



76R7580 RD-2-3395-0P


Used on Red Dot Unit Models R-10060-0, -1, -2, -3 Evaporator/Heat Combo
10″ high x 15 ½″ long x 3 ¾″ wide
Expansion Valve Not included



EVAPORATOR COILS


76R7700 RD-2-1470-0P

Used on Red Dot Unit Model R-4140
12″ high x 11″ long x 3 13/32″ wide




76R7710 RD-2-3398-0P

Used on Red Dot Unit Model R-2550
10″ high x 12″ long x 4″ wide




76R7712 RD-5-14624-0P

10″ high x 12 3/4″ long x 2 3/4″ wide




76R7715 RD-2-2897-0P

Used on Red Dot Unit Model R-9475
6 7/64″ high x 23 1/2″ long x 3 13/32″ wide




76R7720 RD-2-3410-0P

Used on Red Dot Unit Model R-9787
8 7/64″ high x 23 7/16″ long x 3 13/32″ wide



76R7725 RD-2-3629-0P


Used on Red Dot Unit Model R-3960
6 7/64″ high x 23 1/2″ long x 3 13/32″ wide



76R7735 RD-2-7284-0P

Used on Red Dot model R-6101
8 3/16″ high x 8″ long x 2 3/8″ wide


Freightliner M2
2002-2010
OE#VCC50000031



76R7750 RD-2-7298-0P

9 1/4″ high x 10 1/4″ long x 2 1/4″ wide

OE#BOAN9383001



EXTERNAL EQUALIZER

Part No.	Factory No.	Description	Inlet	Outlet	Nut	EqualizerTube Length	Capillary Tube Length
71R8050	RD-4126-1P	External Equalizer	#6 (3/8″) Male Flare	#8 (1/2″) Male Flare	1/4″ Female Flare	18″	18″
71R8080	RD-5-5862-0P	External Equalizer	#6 (3/8″) Male O-Ring	#8 (1/2″) Male O-Ring	1/4″ Male O-Ring	10″	10″
71R8100	RD-5-3824-1P	External Equalizer	#6 (3/8″) Male O-Ring	#8 (1/2″) Male O-Ring	1/4″ Female O-Ring	13″	13″

71R8050 **RD-4126-1P**

External Equalizer
Inlet: #6 (3/8″) Male Flare
Outlet: #8 (1/2″) Male Flare
Equalizer Tube
Length: 18″
Nut: 1/4″ Female Flare
Capillary Tube Length: 18″
Rating: 1 1/2 Ton



71R8080 **RD-5-5862-0P**

External Equalizer
Inlet: #6 (3/8″) Male O-Ring
Outlet: #8 (1/2″) Male O-Ring
Equalizer Tube
Length: 10″
Nut: 1/4″ Male O-Ring
Capillary Tube Length: 10″
Rating: 1 1/2 Ton



71R8100 **RD-5-3824-1P**

External Equalizer
Inlet: #6 (3/8″) Male O-Ring
Outlet: #8 (1/2″) Male O-Ring
Equalizer Tube
Length: 13″
Nut: 1/4″ Female O-Ring
Capillary Tube Length: 13″
Rating: 1 1/2 Ton



INTERNAL EQUALIZER

Part No.	Factory No.	Description	Inlet	Outlet	Nut Length	Equalizer Tube Length	Capillary Tube Length
71R8060	RD-5-11033-0P	Internal Equalizer	#6 (3/8″) Male O-Ring	#8 (1/2″) Male O-Ring	—	—	12″
71R8090	RD-5-10734-0P	Internal Equalizer	M16 x 1.5	M18 x 1.5	—	—	16″
71R8210	RD-5-6099-0P	Internal Equalizer	#6 (3/8″) Male Flare	#8 (1/2″) Male Flare		—	9″
71R8220	RD-5-10445-0P	Internal Equalizer	#6 (3/8″) Male O-Ring	#8 (1/2″) Male O-Ring	—	—	12″

71R8060 **RD-5-11033-0P**

Internal Equalizer
Inlet: #6 (3/8″) Male O-Ring
Outlet: #8 (1/2″) Male O-Ring
Capillary Tube Length: 12″
Rating: 1 1/2 Ton



71R8090 **RD-5-10734-0P**

Internal Equalizer
Inlet: M16 x 1.5
Outlet: M20 x 1.5
Capillary Tube
Length: 16
Rating: 1 1/2 Ton



71R8210 **RD-5-6099-0P**

Internal Equalizer
Inlet: #6 (3/8″) Male Flare
Outlet: #8 (1/2″) Male Flare
Capillary Tube Length: 9″
Rating: 1 1/2 Ton



71R8220 **RD-5-10445-0P**

Internal Equalizer LS
Inlet: #6 (3/8″) Male O-Ring
Outlet: #8 (1/2″) Male O-Ring
Capillary Tube Length: 12″
Rating: 1 1/2 Ton



LS = Limited to stock on hand

BULBLESS BLOCK TYPE

Part No.	Factory No.	Mounting	Hose Side In	Hose Side Out	Evaporator In	Evaporator Out	Rated Capacity (tonnage)	Superheat Rating	Pressure Limit*
71R8301	RD-5-6868-0P	Bulbless Block ¼" mounting hole	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#8 (½") Female Tube O-Ring	1 ½	5°F	80 psig @ 40°F
71R8310	RD-3-7822-0P	Bulbless Block 5/16"-18 threaded	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#8 (½") Female Tube O-Ring	1 ½	5°F	80 psig @ 40°F
71R8321	RD-5-7015-0P	Bulbless Block ¼" mounting hole	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	**	8°F	53.5 psig @ 75°F
71R8350	RD-5-10334-0P	Bulbless Block 5/16"-18 threaded	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	1 ½	5°F	50 psig @ 75°F
71R8370	RD-5-7567-0P	Bulbless Block ¼" mtg hole	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	1 ½	5°F	80 psig @ 40°F
71R8380	RD-5-9513-0P	Bulbless Block ¼" mtg hole	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	2 AT	8°F	53.5 psig @ 75°F
71R8385	RD-5-10546-0P	Bulbless Block	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	2 AT	5°F	53.5 psig @ 75°F
71R8400	RD-5-7155-0P	Bulbless Block ¼" mounting hole	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#8 (½") Female Tube O-Ring	1 ½ ††	5°F	50 psig @ 85°F
71R8405	RD-5-10447-0P	Bulbless Block M6 x 1.0-6H stud	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#8 (½") Female Tube O-Ring	1 ½ †	8°F	53.5 psig @ 75°F
71R8415	RD-5-10306-0P	Bulbless Block M6 x 1.0-6H stud mtg	#6 Plate (Flange) Mount	#10 Plate (Flange) Mount	#8 Plate (Flange) Mount	#8 Plate (Flange) Mount	1 ½ †††		
71R8420	RD-5-7179-0P	Bulbless Block M6 x 1.0-6H thread mtg	#6 Plate (Flange) Mount	#10 Plate (Flange) Mount	#8 Plate (Flange) Mount	#8 Plate (Flange) Mount	1 ½	8.5°F	53.5 psig @ 90°F
71R8423	RD-5-8100-0P	Bulbless Block M6 x 1.0-6H thread mtg	#6 Plate (Flange) Mount	#12 Plate (Flange) Mount	#8 Plate (Flange) Mount	#10 Plate (Flange) Mount	2	5.5°F	53.5 psig @ 90°F
71R8425	RD-5-10902-0P	Bulbless Block M8 x 1.25-6H thread	#6 Mini Stat O Seal	#10 Mini Stat O Seal	#8 Mini Stat O Seal	#10 Mini Stat O Seal	1 ½	12°F	50 psig @ 85°F
71R8430	RD-5-8936-0P	Bulbless Block M6 x 1.0-6H stud mtg	#6 Plate (Flange) Mount	#10 Plate (Flange) Mount	#8 Plate (Flange) Mount	#8 Plate (Flange) Mount	** †††	8.5°F	53.5 psig @ 90°F
71R8440	RD-5-10333-0P	Bulbless Block M6 x 1.0-6H thread mtg	#6 Plate (Flange) Mount	#12 Plate (Flange) Mount	#8 Plate (Flange) Mount	#10 Plate (Flange) Mount	1 ½	5.5°F	65.7 psig @ 90°F
71R8450	RD-5-9935-0P	Bulbless Block ¼" mounting holes	#6 (⅜") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	#8 (½") Female Tube O-Ring	#10 (⅝")Female Tube O-Ring	** †††	8°F	53.5 psig @ 75°F
71R8451	RD-5-10903-0P	Bulbless Block M8 x 1.25-6H thread mtg, OE# ABP N83 308231	#6 Stat O Seal	#10 Stat O Seal	#8 Stat O Seal	#10 Stat O Seal	1 ½	Color: Gold 8.5°F	53.5 psig @ 90°F
71R8453	RD-5-12520-0P	Bulbless Block M8 x 1.25-6H thread mtg, OE# BOA 80-321-00-269	#6 Stat O Seal	#10 Stat O Seal	#8 Stat O Seal	#10 Stat O Seal	1 ½	Color: Gold 12°F	53.5 psig @ 85°F
71R8455	RD-5-12521-0P	Bulbless Block M8 x 1.25-6H thread mtg, OE# BOA A4965	#6 Stat O Seal	#12 Stat O Seal	#8 Stat O Seal	#10 Stat O Seal	2		
71R8457	RD-5-9327-0P	Bulbless Block OE# BOA A93674	#6 Stat O Seal	#10 Stat O Seal	#8 Stat O Seal	#10 Stat O Seal	1 ½	Color: Burgundy	
71R8459	RD-5-9327-0P	Bulbless Block ¼" mounting hole	#6 (⅜") Female Tube O-Ring	#10 (⅝") Female Tube O-Ring	#8 (½") Female Tube O-Ring	#8 (½") Female Tube O-Ring	1 ½	7°F	80 psig @ 85°F
71R8461	RD-5-14084-0P	Bulbless Block	#6 (⅜") Female Tube O-Ring	#10 Female Tube O-Ring	#8 (½") Female Tube O-Ring	#8 (½") Female Tube O-Ring	1 ½	8°F	53.5 psig @ 80°F
71R8463	RD-5-14085-0P	Bulbless Block	#6 Plate (Flange) Mount	#12 Plate (Flange) Mount	#8 Plate (Flange) Mount	#10 Plate (Flange) Mount	1 ½		
71R8460	RD-5-14086-0P	Bulbless Block	#6 (⅜") Female Tube O-Ring	#10 (⅝") Female Tube O-Ring	#8 (½") Female Tube O-Ring	#8 (½") Female Tube O-Ring	2	8.5°F	

* = Maximum Operating Press (± 8.5 psig) ** = 2 T, Hi-cap AT = Anti-trumpeting † = Schrader switch port †† = 7/16" Schrader switch port ††† = M12, M10 Schrader switch ports


BULBLESS BLOCK TYPE

Part No.	Factory No.	Mounting	Hose Side In	Hose Side Out	Evaporator In	Evaporator Out	Rated Capacity (tonnage)	Superheat Rating	Pressure Limit*
71R8465	RD-5-14618-0P	Bulbless Block	#6 Plate (Flange) Mount	#10 Plate (Flange) Mount	#8 Plate (Flange) Mount	#10 Plate (Flange) Mount	1 ½	7.5°F	
71R8467	RD-5-14619-0P	Bulbless Block	#6 Plate (Flange) Mount	#12 Plate (Flange) Mount	#8 Plate (Flange) Mount	#10 Plate (Flange) Mount	2	5°F	
71R8469	RD-5-10179-0P	Bulbless Block	#6 (⅜″) Female Tube O-Ring	#10 (⅝″) Female Tube O-Ring	#8 (½″) Female Tube O-Ring	#10 (⅝″) Female Tube O-Ring		5°F	
71R8476	RD-5-15073-0P	Bulbless Block	#8 (½) Stat-O-Seal	#12 (¾) Stat-O-Seal	#8 (½) Stat-O-Seal	#12 (¾) Stat-O-Seal	1.5	6.3 deg F	
71R8480	RD-5-15291-0P	Bulbless Bock	#6 (⅜″) Plate (Flange) Mount	#10 (⅝″) Plate (Flange) Mount	#8 (½″) Plate (Flange) Mount	#8 (½″) Plate (Flange) Mount	2		
71R8481	RD-5-15292-0P	Bulbless Bock	#8 (½″) Plate (Flange) Mount	#10 (⅝″) Plate (Flange) Mount	#8 (½″) Plate (Flange) Mount	#10 (⅝″) Plate (Flange) Mount	2	6.5	
71R8483	RD-5-16206-0P	Bulbless Block	#6 (⅜) Plate (Flange) Mount	#8 (½″) Plate (Flange) Mount	#10 (⅝) Plate (Flange) Mount	#8 (½″) Plate (Flange) Mount	2 †††		
71R8485	RD-5-16214-0P	Bulbless Block	#8 (1/2″) Stat-O-Seal	#8 (1/2″) Stat-O-Seal	#10 (5/8″) Stat-O-Seal	#12 (3/4″) Stat-O-Seal	1		

* = Maximum Operating Press (± 8.5 psig) ** = 2 T, Hi-cap AT = Anti-trumpeting † = Schrader switch port †† = 7/16″ Schrader switch port ††† = M12, M10 Schrader switch ports


71R8301 RD-5-6868-0P

Inlet: #6 (⅜″) Female O-Ring
Outlet: #10 (⅝″) Female O-Ring
Evaporator Fittings
In: #8 (½″) Female O-Ring
Out: #8 (½″) Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F




71R8321 RD-5-7015-0P

High Capacity (2 Ton)
Inlet: #6 (⅜″) Female " O" Ring
Outlet: #10 (⅝″) Female O-Ring
Evaporator Fittings
In: #8 (½″) Female O-Ring
Out: #10 (⅝″) Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F




71R8370 RD-5-7567-0P

Inlet: #6 (⅜″) Female O-Ring
Outlet: #10 (⅝″) Female O-Ring
Evaporator Fittings
In: #8 (½″) Female O-Ring
Out: #10 (⅝″) Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F




71R8385 RD-5-10546-0P

Anti-trumpeting (2 Ton)
Inlet: #6 (⅜″) Female O-Ring
Outlet: #10 (⅝″) Female O-Ring
Evaporator Fittings
In: #8 (½″) Female O-Ring
Out: #10 (⅝″) Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 53.5 psig @75°F




71R8310 RD-3-7822-0P

With Threaded Mounting Holes
Inlet: #6 (⅜″) Female O-Ring
Outlet: #10 (⅝″) Female O-Ring
Evaporator Fittings
In: #8 (½″) Female O-Ring
Out: #8 (½″) Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @40°F




71R8350 RD-5-10334-0P

Inlet: #6 (⅜″) Female O-Ring
Outlet: #10 (⅝″) Female O-Ring
Evaporator Fittings
In: #8 (½″) Female O-Ring
Out: #10 (⅝″) Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 50 psig @75°F




71R8380 RD-5-9513-0P

Anti-trumpeting (2 Ton)
Inlet: #6 (⅜″) Female O-Ring
Outlet: #10 (⅝″) Female O-Ring
Evaporator Fittings
In: #8 (½″) Female O-Ring
Out: #10 (⅝″) Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F



71R8400 RD-5-7155-0P


With 7/16″ Schrader Port
Inlet: #6 (⅜″) Female O-Ring
Outlet: #10 (⅝″) Female O-Ring
Evaporator Fittings
In: #8 (½″) Female O-Ring
Out: #8 (½″) Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 50 psig @85°F



BULBLESS BLOCK-TYPE

71R8405 RD-5-10447-0P

With Schrader Port
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F




71R8415 RD-5-10306-0P

With M12, M10 Schrader Port
Inlet: #6 Plate (Flange) Mount
Outlet: #10 Plate (Flange) Mount
Evaporator Fittings
In: #8 Plate (Flange) Mount
Out: #8 Plate (Flange) Mount
Superheat Rating: N/A
Pressure Limit: N/A



71R8420 RD-5-7179-0P

Inlet: #6 Plate (Flange) Mount
Outlet: #10 Plate (Flange) Mount
Evaporator Fittings
In: #8 Plate (Flange) Mount
Out: #8 Plate (Flange) Mount
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F




71R8423 RD-5-8100-0P

(2 Ton)
Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #12 (¾") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superheat Rating: 5.5°F
Pressure Limit: 53.3 psig @90°F




71R8430 RD-5-8936-0P

With Schrader Port (2-ton HiCap)
Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #10 (⅝") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #8 (½") Plate (Flange) Mount
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F




71R8440 RD-5-10333-0P

Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #12 (¾") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superheat Rating: 5.5°F
Pressure Limit: 65.7 psig @90°F



71R8450 RD-5-9935-0P

With Schrader Port (2-ton HiCap)
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 8°F
Pressure Limit: 53.5 psig @75°F




71R8451 RD-5-10903-0P

Inlet: #6 (⅜") Stat-O-Seal
Outlet: #10 (⅝") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal
Replaces: OE# APB N83 308231
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F




71R8453 RD-5-12520-0P

Inlet: #6 (⅜") Stat-O-Seal
Outlet: #10 (⅝") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal
Replaces: OE# BOA 80-321-00-269
Superheat Rating: 12°F
Pressure Limit: 50 psig @85°F



71R8455 RD-5-12521-0P

2-Ton
Inlet: #6 (⅜") Stat-O-Seal
Outlet: #12 (¾") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal
Replaces: Main Unit Freightliner Egelhof #327302, Behr #A4965




71R8457 RD-5-12522-0P

Inlet: #6 (⅜") Stat-O-Seal
Outlet: #10 (⅝") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal
Replaces: Freightliner Century Class Aux sleeper BOA A93674
Color: Burgundy



71R8459 RD-5-9327-0P


Orion Bus Models, OE#G1310514BH
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 7°F
Pressure Limit: 80 psig @85°F



BULBLESS BLOCK-TYPE

71R8460 RD-5-14086-0P

2-Ton with Schrader Port
Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 8.5°F
Pressure Limit: 53.5 psig @90°F



71R8461 RD-5-14084-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring
Superheat Rating: 8°F



71R8463 RD-5-14085-0P

Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #12 (⅝") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #8 (½") Plate (Flange) Mount



71R8465 RD-5-14618-0P

Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #10 (⅝") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superheat Rating: 7.5°F
Pressure Limit: 80 psig @53.5°F




71R8467 RD-5-14619-0P

2-Ton
Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #12 (⅝") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superheat Rating: 5°F
Pressure Limit: 80 psig @53.5°F



71R8469 RD-5-10179-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #12 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #10 (⅝") Female O-Ring
Superheat Rating: 5°F
Pressure Limit: 80 psig @53.5°F



71R8475 RD-5-15296-0P

2-ton
Inlet: #8 (½") Stat-O-Seal
Outlet: #12 (¾") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #12 (¾") Stat-O-Seal
Superheat Rating: 4.5°F




71R8477 RD-5-15295-0P

Inlet: #8 (⅜") Stat-O-Seal
Outlet: #12 (¾") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #10 (⅝") Stat-O-Seal



71R8480 RD-5-15291-0P

1.5-ton with M10 port & one switch port
Inlet: #6 (⅜") Plate (Flange) Mount
Outlet: #10 (⅝") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #8 (½") Plate (Flange) Mount
Superheat Rating: 12°F



71R8481 RD-5-15292-0P

2-ton
Inlet: #8 (½") Plate (Flange) Mount
Outlet: #10 (⅝") Plate (Flange) Mount
Evaporator Fittings
In: #8 (½") Plate (Flange) Mount
Out: #10 (⅝") Plate (Flange) Mount
Superheat Rating: 6.5°F



71R8482 RD-5-11921-0P

Inlet: #6 (⅜") Female O-Ring
Outlet: #10 (⅝") Female O-Ring
Evaporator Fittings
In: #8 (½") Female O-Ring
Out: #8 (½") Female O-Ring



71R8476 RD-5-15073-0P

1.5 Ton
Inlet: #8 (½") Stat-O-Seal
Outlet: #12 (¾") Stat-O-Seal
Evaporator Fittings
In: #8 (½") Stat-O-Seal
Out: #12 (¾") Stat-O-Seal
Superheat Rating: 6.3°F

Image Not Available

BULBLESS BLOCK-TYPE

71R8479 **RD-5-11921-0P**

2 Ton
Inlet: #6 (3/8″) Female O-Ring
Outlet: #6 (3/8″) Female O-Ring
Evaporator Fittings
In: #8 (1/2″) Female O-Ring
Out: #10 (5/8″) Female O-Ring



71R8483 **RD-5-16206-0P**

With Schrader Port (2-ton HiCap)
Inlet: #6 (3/8″) Plate (Flange) Mount
Outlet: #8 (1/2″) Plate (Flange) Mount
Evaporator Fittings
In: #10 (5/8″) Plate (Flange) Mount
Out: #8 (1/2″) Plate (Flange) Mount



71R8485 **RD-5-16214-0P**

1 Ton
Inlet: #8 (1/2″) Stat-O-Seal
Outlet: #8 (1/2″) Stat-O-Seal
Evaporator Fittings
In: #10 (5/8″) Stat-O-Seal
Out: #12 (3/4″) Stat-O-Seal



BRACKETS FOR BULBLESS BLOCK-TYPE VALVES

71R8491 RD-5-7187-0P

Top Mounting Plate/Flange
For ⅜" x ⅝" opening for flange mount block expansion valve.



71R8493 RD-5-7267-0P

Bottom Mounting Plate/Flange
For ⅜" x ⅝" opening for flange mount block expansion valve.



71R8497 RD-5-8994-0P

Bottom Mounting Plate/Flange
For ¾" x ⅜" opening for 2-ton flange mount block expansion valve.



71R8499 RD-5-7186-0P

Bottom Mounting Plate/Flange
For ½" x ½" opening for block-type expansion valve.



71R8945 RD-5-8993-0P

Top Mounting Plate/Flange
For ¾" x ⅜" opening for 2-ton flange mount block expansion valve.



71R8991 RD-5-7188-0-35M

Allen Head Bracket Screw
M5 x 0.8" for expansion valve brackets on this page. Quantity: 25 per package



ORIFICE TUBES

71R8500 RD-5-4919-1P

White – GM CCOT OE#3033879, 3033919, IHC#1676822-C91
Length: 3.485", O.D.: .386", Orifice: .071"



71R8501 RD-5-10012-0P

Black/White – GM CCOT, OE#3096068
Length: 3.55", O.D.: .386", Orifice: .071"



71R8503 RD-5-9807-1P

Blue – Ford CCOT Orifice Tube, OE#E0VY-19D 990A,E1FZ-19D 990-A,
Length: 3.46", O.D.: .425", Orifice: .067"



71R8504 RD-5-10011-1P

Orange – Ford / Peterbilt, OE#E8TZ-19D990A, F2DZ-19D990A,
F5DZ-19D990AA, AB
Length: 3.46", O.D.: .429", Orifice: .057"



71R8505 RD-5-9564-1P

Red – Ford / Peterbilt, OE#E69Z-19D990A, F4UZ-19D990A,
F54Z-19D990AB
Length: 3.46", O.D.: .425", Orifice: .062"



71R8506 RD-5-10013-1P

Brown – Ford, OE#F39Z-19D990A, E69Z-19D990-B
Length: 3.46", O.D.: .429", Orifice: .047"




71R8507 RD-5-10757-0P

Purple– International/Navistar, OE#3548044C1, B0A8030500949
Length: 3.55", O.D.: .429", Orifice: .0605"



71R8508 RD-5-11886-0P

Yellow– International/Navistar, OE#3548044C1, B0A8030500949
Length: 3.55", O.D.: .429", Orifice: .0605"



71R8509 RD-5-15714-0P


Black/White – Ford OE#XC4H19D990AA



ORIFICE TUBES

71R8510 RD-5-10014-0P

Assortment



Contents: left to right:

White - GM Orifice tube quantity: 5
Blue - Ford Orifice tube quantity: 5
Red - Ford Orifice tube quantity:3
Orange - Ford Orifice tube quantity:3
Brown - Ford Orifice tube quantity:3
Black/white - Ford OE#XC4H19D990AA Orifice tube quantity:3
Purple - Freightliner/IHC Orifice tube OE#36002432 quantity: 2
Yellow - Volvo Orifice tube OE#1324829-9 quantity: 2

71R9300 RD-5-15723-0P

Orifice Inlet Tube Repair Kit



REFRIGERANT SOLENOID VALVE

(Liquid Line)


#6 Male O-Ring Fitting

71R9002 RD-4188-0P

12 volt

71R9004 RD-4188-24P

24 volt



FRAME FILTERS

Listed in ascending order by **Width** x **Height** x **Thickness** — All filters sold in packs of two except where noted with *

Width	Height	Thickness	Red Dot Model Unit / Application	Red Dot Part No.	Factory No.
FRAME FILTERS					
6″	4″	¾″	R-10035 Fresh Air Filter	**78R5290M**	RD-5-7262-1P
6 7/16″	7 ¾″	¾″	R-6830	**78R5291**	RD-2-3683-0P
8 ¼	8 ½	1	Freightliner M2 (2003-2007) VCC36000006	**78R5430**	RD-5-11836-0P
9″	9″	⅝″	Thomas 8566-0439, IHC ZGG 720002	**78R5236M**	RD-5-10077-1P
10″	10″	¾″	Freightliner, Mack CX/Vision, OE#7787-525784	**78R5235***	RD-5-10593-0P
10 3/8″	3 ¾″	1″	R-6501, Cat Skid Steer B Series Tier II	**78R5367M**	RD-3-10847-1P
10 ½″	10 ½″	¾″	Freightliner Century # 22-44665-000	**78R5239M**	RD-5-11224-1P
10 ½″	10 ½″	¾″	Freightliner applications, OE#BOA 91559, FRO202P	**78R5237M**	RD-5-11841-1P
10 11/16″	4 7/16″	½″	R-1630, Takeuchi Mini Excavator	**78R5355M**	RD-3-10591-1P
11 13/32″	8 19/32″	¼″	R-7830	**78R5390***	RD-3-7099-0P
11 ⅝″	5″	⅞″	R-5265, Western Star #60015-3418	**78R5241**	RD-3-8777-0P
11 27/32″	5 ⅜″	⅞″	R-5260, Aluminum/Foam Mesh, Western Star #60015-3413 - Quantity: 2	**78R5246**	RD-3-8416-0P
12	11	¾		**78R5305M**	RD-5-14635-0P
12 ½″	9 ¼″	1 ⅛″	Volvo VN Series, OE#20435801, Pleated	**78R5242M**	RD-5-12354-1P
13 ⅛″	5 ¼″	1 1/16″	R-9737, R-9757	**78R5251***	RD-3-6407-0P
13 ½″	4 9/16″	⅜″	R-6500	**78R5250M**	RD-5-10416-1P
13 ¾″	10 ¼″	¾″	Kenworth/Peterbilt 525507 BSM	**78R5420M**	RD-5-10745-1P
14″	4 15/16″	⅞″	R-9777	**78R5410M**	RD-5-9077-1P
14″	12 ¾″	5/16″	Aluminum Mesh, Thomas Bus, OE#8566-0237	**78R5244M**	RD-5-10076-1P
15″	8″	1″	R-1620	**78R5240***	RD-5-8582-0P
15 3/32″	5 13/16	⅞″	R-1400	**78R5247M**	RD-5-10415-1P
15 5/16″	9 ¾″	½″	R-3800, Cat OE# 1707272. Recirculating Air Filter	**78R5243***	RD-3-9805-0P
15 13/16″	4″	5/16″	R-8545, R-10015	**78R5340***	RD-5-6240-0P
16 ¼″	10 5/32″	1/4″	R-7160 Heater, Thomas Bus	**78R5353M**	RD-5-10795-1P
16 ¼″	12 9/16″	¼″	R-6140, Gillig Model 21-42075 Series	**78R5363M**	RD-5-9233-1P
16 ½″	5″	1″	R-5200	**78R5245M**	RD-5-9130-1P
16 13/16″	4 ¾″	½″	R-6125, Orion Bus, OE#071310003, 071310011	**78R5351M**	RD-5-10041-1P
16 ⅞″	10″	2 ¼″	R-5075 Intake Filter	**78R5320M**	RD-5-6124-1P
17″	3″	¼″	R-8500, Recirculating Filter	**78R5330M**	RD-3-6162-1P
17″	4 ½″	¼″	Model R-6120-0, -1, -2, -10, -11. Gillig Model 21-43550, 21-55565 Series	**78R5361M**	RD-5-9234-1P
17 ½″	5 ½″	⅜″	R-5075, R-9500, R-9510, R-9520, R-10051	**78R5360M**	RD-5-8076-1P
17 ½″	8″	11/32″	R-5045	**78R5400M**	RD-5-5428-1P
18 ⅞″	4 13/16″	5/16″	R-9755, Timberjack Skidder	**78R5350M**	RD-5-6867-1P
20 ¼″	10 ⅜″	¼″	Aluminum Mesh, Thomas Bus	**78R5249M**	RD-5-10080-1P
20 ¾″	4 ¼″	1 ⅞″	R-9750	**78R5310M**	RD-3-4804-1P
21″	9 ¼″	¼″	Aluminum Mesh, Thomas Bus	**78R5258M**	RD-5-10074-1P
22 ½″	10 ¼″	¼″	Mesh Bus Filter, IHC ZGG 720005	**78R5257M**	RD-5-10081-1P
22 ⅝″	5 ⅞″	11/32″	R-7150, R-9485, R-9715	**78R5253M**	RD-1-0860-1P
23 ½″	4″	⅝″	R-6145 Orion Bus, OE#071320008, 071320015	**78R5309***	RD-5-10249-0P
23 ½″	5″	5/16″	Aluminum Mesh, Thomas Bus	**78R5252M**	RD-5-10078-1P
28 ½″	7 ⅛″	¼″	Thomas 8566-0237, IHC ZGG 720006	**78R5256M**	RD-5-10075-1P
28 ½″	8 ¼″	5/16″	Aluminum Mesh, Thomas Bus	**78R5254M**	RD-5-10079-1P
30″	10 ⅜″	⅜″	Mesh Bus Filter, IHC ZGG 720008	**78R5255M**	RD-5-10082-1P
			Navistar 25066562C2		RD-5-12936-0P

FRAME FILTERS

78R5235* — RD-5-10593-0P

10″ wide x 10″ high x 1″ thick


Freightliner Applications
Mack CX/Vision OE#7787-525784



78R5236M — RD-5-10077-1P

9″ x 9″ x ⅝″ thick

IHC/Navistar Models ZGG720002
Thomas 8566-0439



78R5237M — RD-5-11841-1P

10 ½″ wide x 10 ½″ high x ¾″ thick


Freightliner
OE# BOA 91559, FR0202P



78R5239M — RD-5-11224-0P

10 ½″ wide x 10 ½″ high x ¾″ thick *


Freightliner Century
#22-44665-000,
22-4466-00,
FR9501P



78R5240* — RD-5-8582-0P

15″ wide x 8″ high x 1″ thick


For R-1620



78R5241 — RD-3-8777-0P

11 ⅝″ wide x 5″ high x ⅞″ thick

For R-5265, Western Star #60015-3418



78R5242* — RD-5-12354-0P

12 ½″ wide x 9 ¼″ high x 1 ⅛″ thick


Volvo VN Series OE#20435801
Pleated Fresh Air Filter



78R5243* — RD-3-9805-0P

15 5⁄16″ wide x 9 ¾″ high x ½″ thick


For R-3800, Recirculating Air
Cat OE#1707272



78R5244M — RD-5-10076-1P

14″ x 12 ¾″ x 5⁄16″ thick


Thomas Bus 8566-0237




All filters sold in packs of two except where noted with *

FRAME FILTERS


78R5245M — RD-5-9130-1P
16 ½″ wide x 5″ high x 1″ thick — For R-5200




78R5246 — RD-3-8416-0P
11 27/32″ wide x 5 3/8″ high x 7/8″ thick — For R-5260
Package Quantity: 2 — Western Star OE#60015-3413



78R5247M — RD-5-10415-1P
15 3/32″ wide x 5 13/16″ high x 7/8″ thick — For R-1400




78R5249M — RD-5-10080-1P
20 ¼″ x 10 3/8″ x ¼″ thick — Thomas Bus Applications



78R5250 — RD-5-10416-0P
13 ½″ wide x 4 9/16″ high x 3/8″ thick — For R-6500




78R5251* — RD-3-6407-0P
13 1/8″ wide x 5 ¼″ high x 1 1/16″ thick — For R-9737, R-9757




All filters sold in packs of two except where noted with *


78R5252M — RD-5-10078-1P
23 ½″ x 5″ x 5/16″ thick — Thomas Bus Applications




78R5253M — RD-1-0860-1P
22 5/8″ wide x 5 7/8″ high x 11/32″ thick — For R-7150, R-9715, R-9845




78R5254M — RD-5-10079-1P
28 ½″ x 8 ¼″ x 5/16″ thick — Thomas Bus Applications




78R5255M — RD-5-10082-1P
30″ x 10 3/8″ x 3/8″ thick — IHC/Navistar Models ZGG720008
Thomas Bus Applications



78R5256M — RD-5-10075-1P
28 ½″ x 7 1/8″ x ¼″ thick — IHC/Navistar Models ZGG720006
Thomas Bus 8566-0237




78R5257M — RD-5-10081-1P
22 ½″ x 10 ¼″ x ¼″ thick — IHC/Navistar Models ZGG720005



FRAME FILTERS

78R5258M — RD-5-10074-1P
21″ x 9 ¼″ x ¼″ thick — Thomas Bus Applications




78R5290 — RD-5-7262-0P
6″ wide x 4″ high x ¾″ thick — R-10035, Fresh Air Filter




78R5291M — RD-2-3683-0P
6 7⁄16″ wide x 7 ¾″ high x ¾″ thick with ⅛″ foam — For R-6830



78R5309* — RD-5-10249-0P
23 ½″ x 4″ x ⅝″ thick — Red Dot Model R-6145
Orion Bus Model 071320008, 071320015



78R5310M — RD-3-4804-1P
20 ¾″ wide x 4 ¼″ high x 1 ⅞″ thick — For R-9750




78R5315M — RD-5-8105-1P
14 ½″ wide x 5″ high x 2 ¼″ thick — For R-9450, John Deere Backhoe Loader 710E




All filters sold in packs of two except where noted with *


78R5320M — RD-5-6124-1P
16 ⅞″ x 10″ x 2 ¼″ — R-5075 Intake Filter




78R5330M — RD-3-6162-1P
17″ wide x 3″ high x ¼″ thick — For R-8500, Recirculating Filter




78R5340* — RD-5-6240-0P
15 13⁄16″ wide x 4″ high x 5⁄16″ thick — For R-8545, R-10015




78R5350 — RD-5-6867-0P
18 ⅞″ wide x 4 13⁄16″ high x 5⁄16″ thick — For R-9755, Timberjack Skidder



78R5351M — RD-5-10041-1P
16 13⁄16″ x 4 ¾″ x ½″ thick — Orion Model R-6125
Orion OE#071310003, 071310011




78R5353M — RD-5-10795-1P
16 ¼″ x 10 5⁄32″ x ¼″ thick — Red Dot Model R-7160, Thomas Bus Applications



FRAME FILTERS


78R5355M — RD-3-10591-1P

10 11/16″ wide x 4 7/16″ high x ½″ thick — For R-1630, Takeuchi Mini Excavator




78R5360M — RD-5-8076-1P

17 ½″ wide x 5 ½″ high x ⅜″ thick — For R-5075, R-9500, R-9510, R-9520, R-10051




78R5361M — RD-5-9234-1P

17″ x 4 ½″ x ¼″ thick — For Model R-6120-0, -1, -2, -10, -11 Gillig Model 21-43550, 21-55565 Series




78R5363M — RD-5-9233-1P

16 ¼″ x 12 9/16″ x ¼″ thick — Gillig Model R-6140 Series 21-42075




78R5367M — RD-3-10847-1P

10 ⅜″ wide x 3 ¾″ high x 1″ thick — For R-6501, Cat Skid Steer B series Tier II




78R5380M — RD-5-8079-1P

10 ⅞″ wide x 7 5/8″ high x 11/32″ thick — For R-1550 Recirculating Filter




78R5390* — RD-3-7099-0P

11 13/32″ wide x 8 19/32″ high x ¼″ thick — For R-7830 Recirculating Air Filter




78R5400M — RD-5-5428-0P

17 ½″ wide x 8″ high x 11/32″ thick — For R-5045



78R5410M — RD-5-9077-1P

14″ wide x 4 15/16″ high x ⅞″ thick — For R-9777



78R5420M — RD-5-10745-1P

13 ¾″ wide x 10 ¼″ high x ¾″ thick — Kenworth/Peterbilt OE#525507 BSM



All filters sold in packs of two except where noted with *

FRAME FILTERS

78R5430 RD-5-11836-0P

8 ¼″ wide x 8 ½″ high x 1″ thick


Freightliner M2 Business Class (2003-07) OE#VCC36000006



78R5435 RD-5-12936-0P

12 ½″ wide x 7 ½″ high x 1″ thick


Navistar #25066562C2



78R5440 RD-5-15282-0P

12 ½″ wide x 6″ high x 1 ¼″ thick


Navistar #3839141C1



78R5450 RD-5-14695-0P

11 ¼″ wide x 6″ high x 1 ¼″ thick

OE#5X000180
5X000190



78R5455 RD-5-14693-0P


12 ½″ wide x 9″ high x ½″ thick

OE#5X013817



78R5259M RD-3-6406-1P


12 ½″ wide x 4 ½″ high x ⅜″ thick



78R5460 RD-5-14694-0P


10 ¾″ wide x 8″ high x 5/16″ thick

OE#5X010007



78R5465 RD-3-8821-0P

12 ½″ wide x 4 ½″ high x ⅜″ thick



78R5470M RD-3-9158-2P

9″ wide x 8″ high x ⅜″ thick

CANISTER FILTERS

Listed in ascending order by **Width** x **Height** x **Thickness**

Length	Diameter	Thickness	Red Dot Model Unit / Application	Red Dot Part No.	Factory No.
CANNISTER FILTERS					
10 ¼"	8 ¼"	—	Filter for 78R5100, 78R5110 Horizontal Mount Kit - Booster Pressurizer	**78R5210**	RD-5-5432-0P
12 ½"	6 ¼"	—	Filter for 78R5000 Backpack	**78R5200**	RD-5-5431-0P


78R5200 — RD-5-5431-0P

12 ½" Long x 6 ¼" Diameter — For R-9727, R-9777, R-9800
Filter for 78R5000 Backpack Mount Kit - Booster Pressurizer



78R5210 — RD-5-5432-0P

10 ¼" Long x 8 ¼" Diameter — For R-9727, R-9777, R-9800 (Remote Mount)
Filter for 78R5100 & 78R5110 Horizontal Mount Kit - Booster Pressurizer



UNFRAMED FILTERS


Listed in ascending order by **Width** x **Height** x **Thickness** — All filters sold in packs of two (* except where noted)

Width	Height	Thickness	Red Dot Model Unit / Application	Red Dot Part No.	Factory No.
UNFRAMED FILTERS					
10 3/8"	3 1/4"	3/8"	R-6501, Cat Skid Steer B Series Tier II	**78R5313M**	RD-5-10687-1P
10 1/2"	9 3/4"	3/4"	IHC-Navistar 481813C1	**78R5302M**	RD-5-10774-1P
10 7/8"	2 3/4"	5/8"	R-6000, R-6100, R-9727	**78R5300***	RD-5-5937-0P
13 1/2"	13"	1"	IHC-Navistar ZGG14263, ZGG720007	**78R5306M**	RD-5-10773-1P
13 5/8"	10"	3/4"	IHC-Navistar 1699956C1	**78R5308M**	RD-5-10775-1P
14 3/4"	3 1/2"	1/2"	R-9450, Foam element. John Deere Backhoe, Loader 310E, 410E, 510E, 710E	**78R5375M**	RD-5-8106-1P
15"	11"	3/4"		**78R5304M**	RD-5-10776-1P
16 5/16"	5 3/4"	1/2"	R-2820, Takeuchi Excavator, Timberjack Feller Buncher	**78R5301M**	RD-3-10331-1P
24"	4 7/8"	1"	R-9757	**78R5370***	RD-3-6408-10

78R5300* RD-5-5937-0P

10 7/8" wide x 2 3/4" high x 5/8" thick
For Models R-6000, R-6100, R-9727






78R5301M RD-3-10331-1P

16 5/16" wide x 5 3/4" high x 1/2" thick


For R-2820 Takeuchi Excavator, Timberjack Feller Buncher




78R5302M RD-5-10774-1P

10 1/2" wide x 9 3/4" high x 3/4" thick

IHC-Navistar 481813C1






78R5304M RD-5-10776-1P

15" wide x 11" high x 3/4" thick






78R5305 RD-5-15366-0P

12" wide x 11" high x 3/4" thick

IHC/Navistar 1696834C1







78R5306M RD-5-10773-1P

13 1/2" wide x 13" high x 3/4" thick

For IHC #ZGG14263, ZGG720007







78R5308M RD-5-10775-1P

13 5/8" wide x 10" high x 3/4" thick

IHC-Navistar 1699956C1
Peterbilt BSM525838






FILTERS

UNFRAMED FILTERS

78R5313M RD-5-10687-1P

10 ⅜" wide x 3 ¼" high x ⅜" thick


For Cat Skid Steer B Series Tier II



78R5370M RD-3-6408-1P

24" wide x 4 ⅞" high x 1" thick


R-9757



78R5375M RD-5-8106-1P

14 ¾" wide x 3 ½" high x ½" thick


R-9450 Recirc Air Filter
John Deere Backhoe/Loader 310E, 410E, 510E, 710E



78R5385M RD-5-15285-0P

5 ¾" wide x 4 ½" high x ⅜" thick

Evaporator Filter
Sterling F6H2-19N619BA
1998-2010



All filters sold in packs of two

ENGINAIRE

78R5120 **RD-5-15299-0P**

Pressurizer Pump
Use with a downstream filter
12/24v



78R5125 **RD-5-15300-0P**

Precleaner and pressurizer pump
Use with a downstream filter
12/24v



78R5130 **RD-5-15301-0P**

Precleaner, filter and pressurizer pump
12/24v



78R5155 **RD-5-15546-0P**

Precleaner, charcoal filter and pressurizer pump
12/24v



78R5165 **RD-5-15570-0P**

Precleaner, HEPA filter and pressurizer pump
12/24v



78R5170 **RD-5-15327-0P**

Model EL
12/24v



FILTERS

ENGINAIRE ACCESSORIES

78R5135 **RD-5-15302-0P**
Flanged air inlet



78R5140 **RD-5-15303-0P**
Filter



78R5145 **RD-5-15304-0P**
HEPA filter




78R5160 **RD-5-15547-0P**
Charcoal filter




78R5180 **RD-5-15334-0P**
VLR Retro Kit (fits Donaldson 8")




78R5172 **RD-5-15350-0P**
Model EL Filter



78R5173 **RD-5-15350-1P**
Model EL Charcoal Filter



78R5174 **RD-5-15350-2P**
Model EL HEPA Filter



REMOTE MOUNT FILTERS REPLACEMENT SERVICE PARTS

BACKPACK MOUNT

9″ Dia x 16″ long
(228mm x 464mm)




78R5000 RD-5-3905-0P

Filter Kit

78R5200 RD-5-5431-0P

Replacement Filter - 12 ½″ long x 6 ¼″ diameter



78R5003 RD-5-4288-0P

Hood Inlet



78R5007 RD-5-4289-0P

Mounting Band



78R5500 RD-5-6427-1P

90° Rubber Elbow



72R4531 RD-3-4812-2P

Air Outlet Adapter For Pressurization
For 3″ Hose to square plate



HORIZONTAL MOUNT

10 ¼″ Dia x 18″ long
(260mm x 457mm)



78R5100 RD-5-5147-0P

Replacement Filter Kit – Fits models including
R-8545, R-9727, R-9757, R-9777, R-9800

78R5210 RD-5-5432-0P

Replacement Filter - 10 ¼″ long x 8 ¼″ diameter



78R5005 RD-5-5151-0P

4″ Hood Inlet



78R5008 RD-5-12975-0P

Air Filter Duck Bill (3″ diameter)



78R5006 RD-5-5150-0P

10″ Band Assembly



72R4531 RD-3-4812-2P

Air Outlet Adapter For Pressurization
For 3″ Hose to square plate



VERTICAL MOUNT

10 ¼″ Dia x 23 ¾″ long
(260mm x 503mm)



78R5110 RD-5-5147-1P

Replacement Filter Kit – Fits models including
R-8545, R-9727, R-9757, R-9777, R-9800

78R5210 RD-5-5432-0P

Replacement Filter10 ¼″ long x 8 ¼″ diameter



78R5004 RD-5-5152-0P

3 ¾″ Hood Inlet



78R5006 RD-5-5150-0P

10″ Band Assembly



72R4531 RD-3-4812-2P

Air Outlet Adapter For Pressurization
For 3″ Hose to square plate



BOOSTER PRESSURIZERS

Booster Pressurizers can only be used with Remote Mount Filters

PRESSURIZER SPECIFICATIONS	
AIR FLOW	140 CFM (238m3/h) with filter; 230 CFM (391m3/h) free flow
WEIGHT	7 lbs. (3 kg)
MOTOR/FAN	One 12 VDC, single speed (24 VDC available)
CURRENT DRAW	10.2 amps @ 13.6 VDC 6 amps @ 27.2 VDC
DIMENSIONS	4″ inlet 3″ outlet
UNITS	**73R9202** RD-5-4296-0P (12 VDC) **73R9204** RD-5-4296-1P (24 VDC) Pressure Inlet Cap **RD-5-6423-0P**
NOTE	Attaching directly to the 78R5100 and 78R5110 remote mount filters (previous page) The Booster Blower forces dust-free air into the cab through our heater and air conditioner units.



72R4531 RD-3-4812-2P

Air Outlet Adapter For Pressurization
For 3″ Hose to square plate




GUIDE TO FITTINGS

Circulating the refrigerant in an air conditioning system is more complex than the plumbing required for a heater. Circulating heated antifreeze and water only stresses the hoses and their connectors with around 15 psi. A fully charged and properly maintained a/c system sustains a much higher load. When the system is off it's in the neighborhood of 65-125 psi, when in use you'll see around 275 psi on the high-side and 35-40 psi on the low side. For that reason, greater care must be taken whenever working on an air conditioning system.


Recent environmental concerns have resulted in more stringent standards for connecting air conditioning hoses for vehicles and heavy equipment. This is particularly true for systems using R-134a refrigerant. R-134a is more likely to permeate or leak than the now retired R-12 refrigerant. Because of this it is very important to match the fitting with the correct hose. On the following pages you will find Red Dot recommendations for the correct hose/fittings combinations.

R-12 refrigerant was banned for manufacture in the United States on January 1, 1996. However, maintenance shops still find they need to support older systems. Any fitting that is suitable for R-134a will also work for older systems needing repair that use R-12.




Fitting Identification


1. Determine the **Fitting Type**: male or female o-ring, male insert o-ring, male or female flare, male or female springlock, or pad.




O-Ring Male | **O-Ring** Female | **Insert O-Ring** Male | **Flare** Male | **Flare** Female | **Springlock** Male | **Springlock** Female | **Pad Mount** Female

2. Determine the **Fitting Size**: measure the outside diameter (O.D.) of the tube directly behind the nut.
3. Check the hose-end size of the fitting. Measure the outside diameter of the part of the fitting that will insert in the hose. This is the same as the inside diameter (I.D.) of the hose.






4. Is the fitting regular, step-up or step-down?
   Regular: the hose-end size is the same as the fitting size. For example, a #6 hose-end and a #6 fitting.
   Step-up: the hose-end size is larger than the fitting size. For example, a #8 hose-end and a #6 fitting.
   Step-down: the hose-end size is smaller than the fitting size. For example, a #6 hose-end and a #8 fitting.
5. Is the fitting straight, 45° or 90° ?
6. Is the connection to the hose EZ-Clip, Beadlock, Reduced Diameter Beadlock or reusable?




Crimped Beadlock Fitting




EZ-Clip | **Beadlock** | **Reduced Diameter Beadlock** | **Reusable Fitting**

7. Are there **Charge Ports**?
Many refrigerant fittings have charge ports for use when checking pressures or evacuating or refilling an air conditioning system. They come in two types: a simple Schrader valve and a quick-disconnect valve.



Schrader Valve
R-12 Service Port
R-134a Switch Port



Quick-Disconnect Valve
R-134a ***ONLY***
13 mm – Low Side
16 mm – High Side


Aeroquip

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

AEROQUIP® E-Z CLIP ASSEMBLY INSTRUCTIONS

Cut the Hose



Cut the hose to proper length with an appropriate cutting tool. Aeroquip's hand-held cutter (79R8930) has been specially designed for cutting all non-wire reinforced hose. Be sure the cut is made square to the hose length.

Slip Two Clips on the Hose

Slide two clips (be sure to use the correct size) onto the cut end of the hose. The orientation of the clips does not affect the performance of the connection. However, for ease of assembly, both clips should be oriented in the same direction. NOTE: If you don't slide the clips over the hose at this time, you will have to stretch the clips over the hose and fitting later. This may permanently damage the clip.




Oil the Nipple



Lubricate the nipple with a generous amount of the refrigeration or A/C system's compressor lubricating oil. This MUST be done to lower the force of nipple insertion.

Insert the Nipple into the Hose



Insert the nipple into the hose. To ensure that the nipple is fully inserted, check the gap between the cut end of the hose and the shoulder of the nipple. Care should be taken to avoid kinking or other damage to the hose during this step. NOTE: Be sure to wipe excess oil from the nipple and hose.



Snap on the Cage

Snap the cage into the groove on the nipple. The arms of the cage should extend over the hose-covered length of nipple. When the cage has been correctly installed in the cage groove, the cage will be able to rotate in the groove. This step MUST be performed to ensure that:

1. The clips will be located over the O-Rings on the nipple.
2. The connection will be compatible with the connection's pressure rating.



Position the Clips

Slide the clips over the cage arms and into the channels on each arm of the cage.



Close the Clips

Using the Connecting Tool (79R8920) to close the clips. The tool should be positioned squarely on the clip connection points and should remain square as pressure is applied and the clip is closed.



The nose of the plier should be firmly seated under the assembly bump and lock latch. If the pliers are not kept square as you close the clip, the clasp may have an offset. Use the pliers to correct the clasp alignment.



NOTE: E-Z Clip components should not be reused.

FITTINGS

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP SPLICER FITTING KITS

Splicer


Straight



	Factory No.	Hose	Thread
70R8216	RD-5-10699-1P	6	N/A
70R8218	RD-5-10700-1P	8	N/A
70R8211	RD-5-10701-1P	10	N/A
70R8212	RD-5-10702-1P	12	N/A

Splicer


With Low Side Charge Port (134a)



	Factory No.	Hose	Thread
70R8271	RD-5-10704-1P	10	N/A
70R8272	RD-5-10705-1P	12	N/A

Splicer


With High Side Charge Port (134a)



	Factory No.	Hose	Thread
70R8276	RD-5-10706-1P	6	N/A
70R8278	RD-5-10707-1P	8	N/A
70R8261	RD-5-10708-1P	10	N/A


Splicer

With R12 Charge Port (7/16 - 20 thread)




	Factory No.	Hose	Thread
70R8066	RD-5-10570-1P	6	N/A
70R8068	RD-5-10571-1P	8	N/A
70R8061	RD-5-10572-1P	10	N/A
70R8062	RD-5-10573-1P	12	N/A

90° Splicer



	Factory No.	Hose	Thread
70R8296	RD-5-10578-1P	6	N/A
70R8298	RD-5-10579-1P	8	N/A
70R8291	RD-5-10580-1P	10	N/A
70R8292	RD-5-10703-1P	12	N/A

"T" Splicer




	Factory No.	Hose	Thread
70R8288	RD-5-11838-1P	8	N/A
70R8281	RD-5-11839-1P	10	N/A
70R8282	RD-5-11840-1P	12	N/A

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP O-RING FITTING KITS

90° Female O-Ring


With Low Side Charge Port (134a)



	Factory No.	Hose	Fitting	Thread
70R8091	RD-5-10528-1P	10	10	⅞" - 14
70R8761	RD-5-10529-1P	12	10	⅞" - 14
70R8092	RD-5-10530-1P	12	12	1 1/16" - 14

90° Female O-Ring


With High Side Charge Port (134a)



	Factory No.	Hose	Fitting	Thread
70R8096	RD-5-10719-1P	6	6	⅜" - 18
70R8098	RD-5-10720-1P	8	8	¾" - 16
70R8198	RD-5-10721-1P	10	8	¾" - 16

90° Female O-Ring


With 7/16" Switch Port



	Factory No.	Hose	Fitting	Thread
70R8996	RD-5-10567-1P	6	6	⅝" - 18
70R8998	RD-5-10568-1P	8	8	¾" - 16
70R8221	RD-5-11573-1P	10	10	⅞" - 14
70R8891	RD-5-10569-1P	12	10	⅞" - 14

Straight Female O-Ring


With Low Side Charge Port



	Factory No.	Hose	Fitting	Thread
70R8201	RD-5-10564-1P	10	10	⅞" - 14
70R8621	RD-5-10565-1P	12	10	⅞" - 14

Straight Female O-Ring

With High Side Charge Port (134a)




	Factory No.	Hose	Fitting	Thread
70R8226	RD-5-12485-1P	6	6	⅝" - 18
70R8208	RD-5-10566-1P	8	8	¾" - 16

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.


E-Z CLIP O-RING FITTING KITS

Straight Female O-Ring




	Factory No.	Hose	Fitting	Thread
70R8606	RD-5-10508-1P	6	6	5/8" - 18
70R8706	RD-5-10509-1P	8	6	5/8" - 18
70R8608	RD-5-10510-1P	8	8	3/4" - 16
70R8708	RD-5-10511-1P	10	8	3/4" - 16
70R8601	RD-5-10512-1P	10	10	7/8" - 14
70R8701	RD-5-10513-1P	12	10	7/8" - 14
70R8602	RD-5-10515-1P	12	12	1 1/16" - 14

45° Female O-Ring




	Factory No.	Hose	Fitting	Thread
70R8646	RD-5-10516-1P	6	6	5/8" - 18
70R8648	RD-5-10517-1P	8	8	3/4" - 16
70R8641	RD-5-10518-1P	10	10	7/8" - 14
70R82511	RD-5-11387-1P	12	10	7/8" - 14
70R8642	RD-5-10519-1P	12	12	1 1/16" - 14

90° Female O-Ring



	Factory No.	Hose	Fitting	Thread
70R8696	RD-5-10520-1P	6	6	5/8" - 18
70R8796	RD-5-10521-1P	8	6	5/8" - 18
70R8698	RD-5-10522-1P	8	8	3/4" - 16
70R8798	RD-5-10523-1P	10	8	3/4" - 16
70R8691	RD-5-10524-1P	10	10	7/8" - 14
70R8791	RD-5-10525-1P	12	10	7/8" - 14
70R8692	RD-5-10527-1P	12	12	1 1/16" - 14

90° Female O-Ring (ORS) Flat Face O-Ring Seal




	Factory No.	Hose	Fitting	Thread
70R82256	RD-5-10694-1P	6	6	1 1/16" - 16
70R82258	RD-5-10695-1P	8	8	13/16" - 16
70R82251	RD-5-10696-1P	10	10	1" - 14
70R82252	RD-5-10697-1P	12	12	1 3/16" - 12
70R82261	RD-5-10698-1P	12	10	1" - 14

Straight Male O-Ring



	Factory No.	Hose	Fitting	Thread
70R8306	RD-5-10531-1P	6	6	5/8" - 18
70R8716	RD-5-10532-1P	8	6	5/8" - 18
70R8308	RD-5-10533-1P	8	8	3/4" - 16
70R8301	RD-5-10534-1P	10	10	7/8" - 18
70R8711	RD-5-10535-1P	12	10	7/8" - 18
70R8302	RD-5-10536-1P	12	12	1 1/16" - 14

45° Male O-Ring




	Factory No.	Hose	Fitting	Thread
70R8346	RD-5-10555-1P	6	6	5/8" - 18
70R8348	RD-5-10554-1P	8	8	3/4" - 18
70R8341	RD-5-10556-1P	10	10	7/8" - 18

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP O-RING FITTING KITS

90˚ Male O-Ring


With Low Side Charge Port (134a)



	Factory No.	Hose	Fitting	Thread
70R8598	RD-5-10577-1P	12	12	⅞″ - 18


90˚ Male O-Ring

With High Side Charge Port (134a)



	Factory No.	Hose	Fitting	Thread
70R8398	RD-5-10576-1P	8	8	¾″ - 18


90˚ Male O-Ring



	Factory No.	Hose	Fitting	Thread
70R8006	RD-5-10537-1P	6	6	⅝″ - 18
70R8786	RD-5-10538-1P	8	6	⅝″ - 18
70R8008	RD-5-10539-1P	8	6	¾″ - 18
70R8788	RD-5-10540-1P	10	8	¾″ - 18
70R8001	RD-5-10543-1P	10	10	⅞″ - 18
70R8781	RD-5-10541-1P	12	10	⅞″ - 18
70R8002	RD-5-10542-1P	12	12	1 1⁄16″ - 16

Straight Male O-Ring


With Low Side Charge Port (134a)



	Factory No.	Hose	Fitting	Thread
70R8681	RD-5-10574-1P	12	10	⅞″ - 18

Straight Male O-Ring

With High Side Charge Port (134a)




	Factory No.	Hose	Fitting	Thread
70R8688	RD-5-10575-1P	8	8	¾″ - 18

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP PAD FITTING KITS

Straight Pad


With 180° Pad



	Hose to Factory No.	Hose	Fitting	Thread
70R85206	RD-5-11536-1P	6	8	N/A
70R85201	RD-5-11537-1P	10	8	N/A
70R85202	RD-5-11538-1P	12 to 10	N/A	

Straight Pad


With Low Side 134a Port, 96° Pad



	Hose to Factory No.	Hose	Fitting	Thread
70R85212	RD-5-11539-1P	12	10	N/A

45° Elbow Pad


With Low Side 134a Port



	Hose to Factory No.	Hose	Fitting	Thread
70R85222	RD-5-11540-1P	12	10	N/A

90° Elbow Pad


With 53° Pad



	Hose to Factory No.	Hose	Fitting	Thread
70R85301	RD-5-11541-1P	10	8	N/A

90° Elbow Pad


With Right Side Bolt Hole, 90° Pad



	Hose to Factory No.	Hose	Fitting	Thread
70R85336	RD-5-11545-1P	8	6	N/A

90° Elbow Pad

With Left Side Bolt Hole, 180° Pad




	Hose to Factory No.	Hose	Fitting	Thread
70R85326	RD-5-11543-1P	6	8	N/A
70R85321	RD-5-11544-1P	8	10	N/A

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP PAD FITTING KITS

90° Elbow Pad

With Right Side Bolt Hole, 90° Pad and Low Side 134a Port



	Hose to Factory No.	Hose	Fitting	Thread
70R85311	RD-5-11542-1P	12	10	N/A


E-Z CLIP BRAZE & BULKHEAD FITTING KITS

Steel "Lifesaver" Braze Nipple



	Factory No.	Hose	Fitting	Thread
70R8556	RD-5-10547-1P	6	6	N/A
70R8558	RD-5-10548-1P	8	8	N/A
70R8551	RD-5-10549-1P	10	10	N/A
70R8511	RD-5-10550-1P	12	10	N/A
70R85312	RD-5-12839-1P	12	12	N/A


Aluminum"Lifesaver" Braze Nipple



	Factory No.	Hose	Fitting	Thread
70R8566	RD-5-10547-1P	6	6	N/A
70R8568	RD-5-10548-1P	8	8	N/A
70R8561	RD-5-10549-1P	10	10	N/A
70R8562	RD-5-15589-1P	12	12	N/A

Bulkhead Fitting


Straight Fitting



	Factory No.	Hose	Fitting	Thread
70R8886	RD-5-10557-1P	6	6	5/8" - 18
70R8888	RD-5-10558-1P	8	8	3/4" - 16
70R8881	RD-5-10559-1P	10	10	7/8" - 14

Bulkhead Fitting

90° Fitting




	Factory No.	Hose	Fitting	Thread
70R8086	RD-5-10560-1P	6	6	5/8" - 18
70R8088	RD-5-10561-1P	8	8	3/4" - 16
70R8071	RD-5-10562-1P	10	10	7/8" - 14
70R8591	RD-5-10563-1P	12	10	7/8" - 14

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP PAD FITTING KITS


45° Female Rotolock



	Factory No.	Hose	Fitting	Thread
75R75218	RD-5-11829-1P	8	8	1″ X 14
75R75212	RD-5-11830-1P	12	12	1″ X 14


90° Female Rotolock

Compressor Block



	Factory No.	Hose	Fitting	Thread
75R75208	RD-5-11833-1P	8	8	1″ X 14
75R75202	RD-5-11834-1P	12	12	1″ X 14

90° Female Rotolock



	Factory No.	Hose	Fitting	Thread
75R75228	RD-5-11831-1P	8	8	1″ X 14
75R75201	RD-5-11978-1P	10	10	1″ X 14
75R75222	RD-5-11832-1P	12	12	1″ X 14

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP HOSE FITTINGS & TOOLS



Use with Aeroquip® E-Z Clip Fittings ONLY

Hose Size	Length	Part No.	Factory No.	I.D.	Max.O.D.
#6	50 ft. box	**78R8456**	RD-5-10504-600P	5/16″	37/64″
	560 ft. spool	**78R8456SP**	RD-5-10504-0P	5/16″	37/64″
#8	50 ft. box	**78R8458**	RD-5-10505-600P	13/32″	45/64″
	575 ft. spool	**78R8458SP**	RD-5-10505-0P	13/32″	45/64″
#10	50 ft. box	**78R8451**	RD-5-10506-600P	1/2″	25/32″
	550 ft. spool	**78R8451SP**	RD-5-10506-0P	1/2″	25/32″
#12	50 ft. box	**78R8452**	RD-5-10507-600P	5/8″	63/64″
	367 ft. spool	**78R8452SP**	RD-5-10507-0P	5/8″	63/64″
#16	250 ft. spool	**78R84566SP**	RD-5-12647-0P	7/8″	1 13/64″

#16 available in spools only

CAGES & CLIPS

Packages of 10



Cages			Clips	
Size		**Factory No.**		**Factory No.**
#6	**70R8806**	RD-5-10709-0M	**70R8826**	RD-5-10713-0M
#8	**70R8808**	RD-5-10710-0M	**70R8828**	RD-5-10714-0M
#10	**70R8801**	RD-5-10711-0M	**70R8821**	RD-5-10715-0M
#12	**70R8802**	RD-5-10712-0M	**70R8822**	RD-5-10716-0M
#16	**70R88066**	RD-5-11996-0M	**70R88266**	RD-5-11997-0M

CAPS

Threaded protective caps — Packages of 20

	Factory No.	Description
75R5555	RD-5-11325-0M	E-Z Clip Low Side Cap
75R5556	RD-5-11223-0M	E-Z Clip High Side Cap

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

AEROQUIP TOOL

79R8920 RD-5-10717-0P

#6-#12 Connecting Tool



79R8926 RD-5-13543-0P

#16 Connecting Tool



79R8930 RD-5-10739-0P

Hose Cutter & Blade, maximum hose O.D.: 2″



Replacement Blade for 79R8930: **79R8931** RD-5-10740-0P

TOOL KIT

79R8915 RD-5-10718-0P

Includes:

20 each: Clips: #6, #8, #10, #12
10 each: Cages: #6, #8, #10, #12
Connecting Tool 79R8920
Hose Cutter 79R8930
Replacement blade for Hose Cutter



STEEL FIELDCASE

79R8916 RD-5-11372-0P

Includes:

100 each: Clips: #6, #8, #10, #12
50 each: Cages: #6, #8, #10, #12
50 each: O-Rings: #6, #8, #10, #12
100 each: O-Ring Nipple: #6, #8, #10, #12
Connecting Tool 79R8920
Hose Cutter 79R8930
2 Replacement blades for Hose Cutter



EZ CLIP NIPPLE O-RINGS

70R8836	70R8838	70R8831	70R8832	70R8840
RD-5-11461-0M	RD-5-11462-0M	RD-5-11463-0M	RD-5-11464-0M	RD-5-13242-0M
#6	**#8**	**#10**	**#12**	**#16**



O-Rings ship 25 per package

FITTINGS

PAGE 513

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP STARTER INVENTORY KIT

AeroQuip's line of E-Z Clip fittings are easy to use, make complex installations a snap. We recommend E-Z Clip above all other fittings. To help get you started we offer a selection of the most-used fittings and the hardware to install them. We also supply 50' of hose in all four sizes supported by these starter kits.



70R9903	RD-5-11559-3P

Each starter kit includes the tool kit (79R8915) plus **four** of each fitting listed below. It also includes **50'** each #6, #8, #10 and #12 hose.

#6 Hose: **78R8456**
#8 Hose: **78R8458**
#10 Hose: **78R8451**
#12 Hose: **78R8452**

Splicer – Straight			
#8	70R8218	**#12**	70R8212
Splicer with 134a Low Side Charge Port			
#10	70R8271	**#12**	70R8272
Splicer with 134a High Side Charge Port			
#8	70R8278	**#10**	70R8261
Splicer with R12 Charge Port			
#8	70R8068	**#12**	70R8062
#10	70R8061		
90˚ Splicer			
#12	70R8292		
90˚ Female O-Ring with 134a Low Side Charge Port			
#10	70R8091		
90˚ Female O-Ring with 134a High Side Charge Port			
#8	70R8098		
Straight Female O-Ring			
#6	70R8606	**#10**	70R8601
#6 to #8	70R8706	**#10 to #12**	70R8701
#8	70R8608	**#12**	70R8602
#8 to #10	70R8708		

90˚ Female O-Ring			
#6	70R8696	**#10**	70R8691
#6 to #8	70R8796	**#10 to #12**	70R8791
#8	70R8698	**#12**	70R8692
#8 to #10	70R8798		
Straight Male O-Ring			
#6	70R8306	**#10 to #12**	70R8711
#10	70R8301		
90˚ Male O-Ring			
#6	70R8006	**#6 to #8**	70R8786
#10 to #12	70R8781		
"Lifesaver" Braze Nipple			
#6	70R8556	**#10**	70R8551
#8	70R8558	**#10 to #12**	70R8511
90° Elbow Compressor Fitting			
#8	75R75208	**#12**	75R75202
90° Elbow Compressor Fitting			
#8	75R75228	**#12**	75R752222
45° Elbow Compressor Fitting			
#8	75R75218	**#12**	75R75212

All **Aeroquip E-Z Clip Refrigerant Fitting Kits** contain the fitting and all necessary cage, clips and o-rings. **Use with Aeroquip E-Z Clip hose ONLY**.

E-Z CLIP STARTER INVENTORY KIT–LIGHT

AeroQuip's line of E-Z Clip fittings are easy to use, make complex installations a snap. We recommend E-Z Clip above all other fittings. To help get you started we offer a selection of the most-used fittings and the hardware to install them. We also supply 50' of hose in all four sizes supported by these starter kits.

70R9904 RD-5-13822-0P

Each starter kit includes the Connecting Tool (79R9520) and Hose Cutter & Blade (79R8930) plus **three** of each fitting listed below. It also includes **50'** each #6, #8, #10 and #12 hose.

#6 Hose: **78R8456** #8 Hose: **78R8458** #10 Hose: **78R8451** #12 Hose: **78R8452**

Splicer – Straight			
#8	70R8218	**#12**	70R8212
Splicer with 134a Low Side Charge Port			
#10	70R8271	**#12**	70R8272
Splicer with 134a High Side Charge Port			
#8	70R8278	**#10**	70R8261
90° Female O-Ring with 134a Low Side Charge Port			
#10	70R8091		
90° Female O-Ring with 134a High Side Charge Port			
#8	70R8098		
Straight Female O-Ring			
#6	70R8606	**#10**	70R8601
#6 to #8	70R8706	**#10 to #12**	70R8701
#8	70R8608	**#12**	70R8602
90° Female O-Ring			
#6	70R8696	**#10**	70R8691
#6 to #8	70R8796	**#10 to #12**	70R8791
#8	70R8698	**#12**	70R8692

Straight Male O-Ring			
#6	70R8306	**#10 to #12**	70R8711
#10	70R8301		
90° Male O-Ring			
#6	70R8006	**#10 to #12**	70R8781
"Lifesaver" Braze Nipple			
#6	70R8556	**#10**	70R8551
#8	70R8558	**#12**	70R8511
90° Elbow Compressor Fitting			
#8	75R75208	**#12**	75R75202
90° Elbow Compressor Fitting			
#8	75R75228	**#12**	75R752222
45° Elbow Compressor Fitting			
#8	75R75218	**#12**	75R75212

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.

CRIMP INSPECTION GUIDE

Always inspect crimps visually and dimensionally.

Visual Inspection

Visually inspect the first crimp to make sure that the correct dies were used, crimp location is correct, crimp is uniform, and there is no internal deformation of the fitting. A good crimp will be properly centered on the ferrule, meet the target depth dimension, and be symmetrical in shape.

What to look for:


1) The first visual criteria for a good crimp is the location of the crimp rings on the ferrule. The instructions provided should produce a crimp that is well centered on the ferrule. The first crimp ring will be approximately ¼" from the open end of the ferrule.
2) The second visual characteristic is symmetry. When the Crimper is properly setup, used, and maintained, it will produce a crimp which is evenly shaped with respect to the crimp depths and the pinched ears in between. Many conditions in the process could cause an irregular crimp including: worn guide blocks, dies not seated, missing woodruff key, or deterioration in the plastic die carriers. These faults will produce crimps that are noticeably irregular with varying depth of crimp, or several prominent "ears" between crimp segments.

Dimensional Inspection

If the crimp is properly centered and regular, the crimp depth is the only remaining characteristic to check. The target dimensions can be measured with a set of blade or pin micrometers. The dimensional gauging should be used to verify the proper setup or when the tool is disassembled for maintenance. Gauges also should be used periodically during operation to verify continued acceptable crimps.

What to Measure

With the use of a micrometer measure across the diameter at the center of the crimp. The tooling manufacturer recommends checking in three locations: one reading on each of the three crimp bands, rotating the part to the next facet each time to assure checking each opposing die segment. In this manner each band and facet are checked.
NOTE: Using a Vernier Caliper may be an acceptable alternate gauge for the larger size fittings but not the smaller ones. Depending on ferrule size, the crimped "ears" may extend higher than the crimp diameter giving a false reading.



CRIMP SPECIFICATIONS

Standard Barrier Hose

The cirtical target dimensional tolerance is as follows:

Die Size	Target Diameter	Tolerance Range
#6	.660"	.650" to .675"
#8	.830"	.820" to .845"
#10	.936"	.926" to .951
#12	1.035"	1.025" to 1.050"

Reduced Barrier Hose

The cirtical target dimensional tolerance is as follows:

Die Size	Target Diameter	Tolerance Range
#6	.556"	.551" to .571"
#8	.640"	.635" to .655"
#10	.742"	.737" to .757
#12	.897"	.892" to .912"


It is normal for one of the three measurements to be close to the nominal target while the other two may be up to .010" larger, but still in tolerance.

This Crimp Inspection Guide is intended for use with fittings and Red Dot or Goodyear Galaxy™ hose, crimped with an 3700 crimper (79R1510 & 79R1515) only.

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.

REFRIGERANT HOSE SPLICERS


Straight Splicer



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R2016S	RD-5-8267-0P	N/A	N/A	6 X 6	N/A
70R2018S	RD-5-8268-0P	N/A	N/A	8 X 8	N/A
70R2011S	RD-5-8265-0P	N/A	N/A	10 X 10	N/A
70R2012S	RD-5-8266-0P	N/A	N/A	12 X 12	N/A

Straight Splicer


Step-Up



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R2036S	RD-5-8274-0P	N/A	N/A	6 X 8	N/A
70R2038S	RD-5-12026-0P	N/A	N/A	8 X 10	N/A
70R2031S	RD-5-8273-0P	N/A	N/A	10 X 12	N/A

Straight Splicer


With R134a Quick Disconnect Service Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R2076S	RD-5-7074-0P	N/A	N/A	6 X 6	16mm
70R2076 LS	RD-5-7072-0P	N/A	N/A	6 X 6	16mm
70R2078S	RD-5-7057-0P	N/A	N/A	8 X 8	16mm
70R2071S	RD-5-7058-0P	N/A	N/A	10 X 10	13mm
70R22071	RD-5-8036-0P	N/A	N/A	10 X 10	16mm
70R2072S	RD-5-7075-0P	N/A	N/A	12 X 12	13mm

Straight Splicer

With R12 Service Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R2066S	RD-5-8271-0P	N/A	N/A	6 X 6	¼"
70R2068S	RD-5-8272-0P	N/A	N/A	8 X 8	¼"
70R2061S	RD-5-8269-0P	N/A	N/A	10 X 10	¼"
70R2062S	RD-5-8270-0P	N/A	N/A	12 X 12	¼"

LS = Limited to stock on hand


Plain (no suffix) = aluminum S= Steel

REFRIGERANT HOSE FITTINGS

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.


REFRIGERANT HOSE SPLICERS

90˚ Splicer




	Factory No.	Thread	Fitting Size	Hose Size	Port
70R2096S	RD-5-12028-0P	N/A	N/A	6 X 6	N/A
70R2098S	RD-5-12029-0P	N/A	N/A	8 X 8	N/A
70R2091S	RD-5-12030-0P	N/A	N/A	10 X 10	N/A
70R2092S	RD-5-12031-0P	N/A	N/A	12 X 12	N/A

Tee Splicer



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R2406S	RD-5-12032-0P	N/A	N/A	6 x 6 x 6	N/A
70R2406 LS	RD-5-8234-0P	N/A	N/A	6 x 6 x 6	N/A
70R2408S	RD-5-12033-0P	N/A	N/A	8 x 8 x 8	N/A
70R2401 LS	RD-5-8236-0P	N/A	N/A	10 x 10 x 10	N/A
70R2402S	RD-5-12035-0P	N/A	N/A	12 x 12 x 12	N/A
70R2402 LS	RD-5-8237-0P	N/A	N/A	12 x 12 x 12	N/A

Tee Splicer Threaded



	Factory No.	Thread	Male Insert O-Ring Fitting Size	Female O-Ring Fitting Size	Hose Size
70R2116S	RD-5-12036-0P	⅝″ - 18	6	6	6
70R2111S	RD-5-12037-0P	¾″ - 14	10	10	10
70R2112S	RD-5-12038-0P	1 1/16″ - 14	12	12	10
70R2112 LS	RD-5-7493-0P	1 1/16″ - 14	12	12	10


LS = Limited to stock on hand

Plain (no suffix) = aluminum S= Steel

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.


COMPRESSION FITTINGS

Straight Compression Fitting



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4006S	RD-5-7405-0P	⅜" Tube	6	6	N/A
70R4008S	RD-5-7431-0P	½" Tube	8	8	N/A
70R4001S	RD-5-7457-0P	⅝" Tube	10	10	N/A
70R4002S	RD-5-7481-0P	¾" Tube	12	12	N/A


90˚ Compression Fitting



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4096S	RD-5-7406-0P	⅜" Tube	6	6	N/A
70R4098S	RD-5-7432-0P	½" Tube	8	8	N/A
70R4091S	RD-5-7458-0P	⅝" Tube	10	10	N/A
70R4092S	RD-5-7482-0P	¾" Tube	12	12	N/A


MALE INSERT O-RING FITTINGS

Straight Male Insert O-Ring




	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4506S	RD-5-7629-0P	⅝" - 18	6	6	N/A
70R4508S	RD-5-8277-0P	¾" - 16	8	8	N/A
70R4501S	RD-5-7661-0P	⅞" - 14	10	10	N/A
70R4502S	RD-5-12286-0P	1 1/16" - 14	12	12	N/A

45˚ Male Insert O-Ring



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4546S	RD-5-12287-0P	⅝" - 18	6	6	N/A
70R4541S	RD-5-12289-0P	¼" - 14	10	10	N/A

90˚ Male Insert O-Ring



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4596S	RD-5-8279-0P	⅝" - 18	6	6	N/A
70R4596 LS	RD-5-7401-0P	⅝" - 18	6	6	N/A
70R4598S	RD-5-8280-0P	¾" - 16	8	8	N/A
70R4598 LS	RD-5-6488-0P	¾" - 16	8	8	N/A
70R4591S	RD-5-8278-0P	⅞" - 14	10	10	N/A
70R4591 LS	RD-5-6487-0P	⅞" - 14	10	10	N/A

LS = Limited to stock on hand


Plain (no suffix) = aluminum S= Steel

REFRIGERANT HOSE FITTINGS

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.


O-RING REFRIGERANT FITTINGS

Straight Male O-Ring




	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4306S	RD-5-7805-0P	5/8" - 18	6	6	N/A
70R4308S	RD-5-6946-0P	3/4" - 18	8	8	N/A
70R4308 LS	RD-5-6478-0P	3/4" - 18	8	8	N/A
70R4301S	RD-5-6951-0P	7/8" - 18	10	10	N/A
70R4302S	RD-5-8261-0P	1 1/16" - 16	12	12	N/A

45° Male O-Ring



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4346S	RD-5-6942-0P	5/8" - 18	6	6	N/A
70R4346 LS	RD-5-6527-0P	5/8" - 18	6	6	N/A
70R4348S	RD-5-8262-0P	3/4" - 18	8	8	N/A
70R4348 LS	RD-5-7423-0P	3/4" - 18	8	8	N/A
70R4341S	RD-5-6953-0P	7/8" - 18	10	10	N/A
70R4341 LS	RD-5-7451-0P	7/8" - 18	10	10	N/A
70R4342S	RD-5-8264-0P	1 1/16" - 16	12	12	N/A
70R4342 LS	RD-5-7476-0P	1 1/16" - 16	12	12	N/A

90° Male O-Ring




	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4396S	RD-5-6944-0P	5/8" - 18	6	6	N/A
70R4398S	RD-5-6949-0P	3/4" - 18	8	8	N/A
70R4391S	RD-5-6955-0P	7/8" - 18	10	10	N/A
70R4391 LS	RD-5-6484-0P	7/8" - 18	10	10	N/A
70R4392S	RD-5-8263-0P	1 1/16" - 16	12	12	N/A
70R4392 LS	RD-5-7477-0P	1 1/16" - 16	12	12	N/A

LS = Limited to stock on hand
Plain (no suffix) = aluminum S= Steel

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.


O-RING REFRIGERANT FITTINGS

Straight Female O-Ring




	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4406S	RD-5-6838-0P	⅝" - 18	6	6	N/A
70R4408S	RD-5-6947-0P	¾" - 16	8	8	N/A
770R4401S	RD-5-6841-0P	⅞" - 14	10	10	N/A
70R4402S	RD-5-7740-0P	1 1⁄16" - 14	12	12	N/A
70R4402 LS	RD-5-7471-0P	1 1⁄16" - 14	12	12	N/A

45° Female O-Ring




	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4446S	RD-5-6943-0P	⅝" - 18	6	6	N/A
70R4446 LS	RD-5-6511-0P	⅝" - 18	6	6	N/A
70R4448S	RD-5-6948-0P	¾" - 16	8	8	N/A
70R4448 LS	RD-5-6719-0P	¾" - 16	8	8	N/A
70R4441S	RD-5-6954-0P	⅞" - 14	10	10	N/A
70R4442S	RD-5-8462-0P	1 1⁄16" - 14	12	12	N/A
70R4442 LS	RD-5-7473-0P	1 1⁄16" - 14	12	12	N/A

90° Female O-Ring



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4496S	RD-5-6945-0P	⅝" - 18	6	6	N/A
70R4498S	RD-5-6840-0P	¾" - 16	8	8	N/A
70R4491S	RD-5-6956-0P	⅞" - 14	10	10	N/A
70R4492S	RD-5-7733-0P	1 1⁄16" - 14	12	12	N/A


180° Female O-Ring



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R2006S	RD-5-12298-0P	⅝" - 18	6	6	N/A
70R2001S	RD-5-12300-0P	⅛" - 14	10	10	N/A

Straight Female O-Ring


With Schrader Valve (R-12)



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4416S	RD-5-8539-0P	⅝" - 18	6	6	¼"

90° Female O-Ring


With Schrader Valve (R-12)



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4996	RD-5-7612-0P	⅝" - 18	6	6	¼"
70R4991	RD-5-6524-0P	⅛" - 14	10	10	¼"

Straight Female O-Ring

With R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R7006S	RD-5-12303-0P	⅝" - 18	6	6	16mm
70R7008S	RD-5-7632-0P	¾" - 16	8	8	16mm
70R7001S	RD-5-8017-0P	⅛" - 14	10	10	13mm
70R7002S	RD-5-8281-0P	1 1⁄16" - 14	12	12	13mm

LS = Limited to stock on hand

Plain (no suffix) = aluminum S= Steel


REFRIGERANT HOSE FITTINGS

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.

O-RING REFRIGERANT FITTINGS

45˚ Female O-Ring


With R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R6446S	RD-5-12302-0P	⅝" - 18	6	6	16mm

90˚ Female O-Ring


With R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R6496S	RD-5-7546-0P	⅝" - 18	6	6	16mm
70R6496 LS	RD-5-7283-0P	⅝" - 18	6	6	16mm
70R6598S	RD-5-7225-0P	¾" - 16	8	8	16mm
70R6491S	RD-5-7231-0P	⅞" - 14	10	10	13mm
70R6492S	RD-5-8282-0P	1 1⁄16" - 14	12	12	13mm

90˚ Female O-Ring


With R134a Side Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R6498S	RD-5-7119-0P	¾" - 16	8	8	16mm

Straight Male O-Ring


With R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4316S	RD-5-12290-0P	⅝" - 18	6	6	16mm
70R4311S	RD-5-12291-0P	⅞" - 18	10	10	13mm
70R4312S	RD-5-12292-0P	1 1⁄16" - 16	12	12	13mm
70R4310S	RD-5-12293-0P	⅞" - 18	10	12	13mm


90˚ Male O-Ring

With R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R42396S	RD-5-12294-0P	⅝" - 18	6	6	16mm
70R42390S	RD-5-12295-0P	⅞" - 18	10	10	13mm

Fitting-In Line Sight Glass



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R3510S	RD-5-8393-0P	N/A	N/A	6 x 6	N/A

LS = Limited to stock on hand


Plain (no suffix) = aluminum S= Steel

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.

BULKHEAD FITTINGS

Straight Bulkhead Style


With Male Insert O-Ring (MIO)



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R6006S	RD-5-8537-0P	5/8" - 18	6	6	N/A
70R6006 LS	RD-5-7396-0P	5/8" - 18	6	6	N/A
70R6008S	RD-5-8538-0P	3/4" - 16	8	8	N/A
70R6001S	RD-5-12304-0P	7/8" - 14	10	10	N/A
70R6002S	RD-5-13536-0P	1 1/16" - 14	12	12	N/A


90° Bulkhead Style

With Male Insert O-Ring (MIO)



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R6096S	RD-5-12305-0P	5/8" - 18	6	6	N/A
70R6096 LS	RD-5-7397-0P	5/8" - 18	6	6	N/A
70R6098S	RD-5-12306-0P	3/4" - 16	8	8	N/A
70R6091S	RD-5-12307-0P	7/8" - 14	10	10	N/A

Bulkhead Style




	Factory No.	Thread	Fitting Size	Hose Size	Port
70R6506	RD-5-8772-0P	5/8" - 18	6	N/A	N/A
70R6508	RD-5-8773-0P	3/4" - 16	8	N/A	N/A
70R6501	RD-5-8774-0P	7/8" - 14	10	N/A	N/A

STEP-DOWN O-RING FITTINGS

Straight Male O-Ring


Step Down



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4005S	RD-5-12308-0P	11/16"	7	6	N/A
70R4006	RD-5-8405-0P	11/16"	7	6	N/A

90° Male O-Ring

Step-Down



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4798S	RD-5-12309-0P	3/4" - 18	8	6	N/A
70R4798 LS	RD-5-7424-0P	3/4" - 18	8	6	N/A

LS = Limited to stock on hand


Plain (no suffix) = aluminum S= Steel

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.

STEP-UP O-RING FITTINGS

Straight Male O-Ring


Step-Up



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4706S	RD-5-8275-0P	5/8" - 18	6	8	N/A
70R4701S	RD-5-6979-0P	7/8" - 18	10	12	N/A

90° Male O-Ring


Step-Up



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4796S	RD-5-8276-0P	5/8" - 18	6	8	N/A
70R4791S	RD-5-8195-0P	7/8" - 18	10	12	N/A

Straight Female O-Ring


Step-Up



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4606S	RD-5-8283-0P	5/8" - 18	6	8	N/A
70R4606 LS	RD-5-7534-0P	5/8" - 18	6	8	N/A
70R4608S	RD-5-8284-0P	3/4" - 16	8	10	N/A
70R4608 LS	RD-5-7421-0P	3/4" - 16	8	10	N/A
70R4601S	RD-5-7495-0P	7/8" - 14	10	12	N/A
70R4601 LS	RD-5-7535-0P	7/8" - 14	10	12	N/A

45° Female O-Ring


Step-Up



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4646S	RD-5-8285-0P	5/8" - 18	6	8	N/A
70R4641S	RD-5-7543-0P	7/8" - 14	10	12	N/A
70R4641 LS	RD-5-6493-0P	7/8" - 14	10	12	N/A

90° Female O-Ring


Step-Up



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R4696S	RD-5-8286-0P	5/8" - 18	6	8	N/A
70R4696 LS	RD-5-6520-0P	5/8" - 18	6	8	N/A
70R4698S	RD-5-8463-0P	3/4" - 16	8	10	N/A
70R4698 LS	RD-5-7445-0P	3/4" - 16	8	10	N/A
70R4691S	RD-5-6978-0P	7/8" - 14	10	12	N/A
70R4691 LS	RD-5-6562-0P	7/8" - 14	10	12	N/A

90° Female O-Ring

Step-Up with R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R5091S	RD-5-7641-0P	7/8" - 14	10	12	13mm

LS = Limited to stock on hand

Plain (no suffix) = aluminum S= Steel

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.

REDUCED BEAD LOCK O-RING FITTINGS

Straight Splicer


Reduced Bead Lock



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9016S	RD-5-8916-0P	6 X 6	6	6	N/A
70R9018S	RD-5-8917-0P	8 X 8	8	8	N/A
70R9011S	RD-5-8918-0P	10 X 10	10	10	N/A
70R9012S	RD-5-8941-0P	12 X 12	12	12	N/A

Straight Splicer

Reduced Bead Lock with R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9076S	RD-5-8919-0P	6 X 6	6	6	16mm
70R9078S	RD-5-8920-0P	8 X 8	8	8	16mm
70R9071S	RD-5-8921-0P	10 X 10	10	10	13mm
70R9072S	RD-5-8952-0P	12 X 12	12	12	13mm

Straight Male O-Ring


Reduced Bead Lock



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9306S	RD-5-8910-0P	5/8" - 18	6	6	N/A
70R9308S	RD-5-8911-0P	3/4" - 18	8	8	N/A
70R9301S	RD-5-8912-0P	7/8" - 18	10	10	N/A
70R9312S	RD-5-12310-0P	1 1/16" - 16	12	12	N/A

90˚ Male O-Ring

Reduced Bead Lock




	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9396S	RD-5-8913-0P	5/8" - 18	6	6	N/A
70R9398S	RD-5-8914-0P	3/4" - 18	8	8	N/A
70R9391S	RD-5-8915-0P	7/8" - 18	10	10	N/A
70R9392S	RD-5-12311-0P	1 1/16" - 16	12	12	N/A

Plain (no suffix) = aluminum S= Steel

Straight Female O-Ring


Reduced Bead Lock



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9408S	RD-5-8899-0P	3/4" - 16	8	8	N/A
70R9401S	RD-5-8900-0P	7/8" - 14	10	10	N/A
70R9402S	RD-5-8939-0P	1 1/16" - 14	12	12	N/A

90˚ Female O-Ring


Reduced Bead Lock



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9496S	RD-5-8904-0P	5/8" - 18	6	6	N/A
70R9498S	RD-5-12246-0P	3/4" - 16	8	8	N/A
70R9491S	RD-5-8906-0P	7/8" - 14	10	10	N/A
70R9492S	RD-5-8940-0P	1 1/16" - 14	12	12	N/A

Straight Female O-Ring


Reduced Bead Lock with R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9906S	RD-5-8901-0P	5/8" - 18	6	6	16mm
70R9908S	RD-5-8902-0P	3/4" - 16	8	8	16mm
70R9901S	RD-5-8903-0P	7/8" - 14	10	10	13mm
70R9902S	RD-5-12312-0P	1 1/16" - 14	12	12	13mm

90˚ Female O-Ring

Reduced Bead Lock with R134a Charge Port



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9996S	RD-5-8907-0P	5/8" - 18	6	6	16mm
70R9991S	RD-5-8909-0P	7/8" - 14	10	10	13mm
70R9998S	RD-5-8909-0P	3/4" - 16	8	8	16mm


REFRIGERANT HOSE FITTINGS

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.

REDUCED BEAD LOCK STEP-UP O-RING FITTINGS

Straight Male O-Ring


Step-Up with Reduced Bead Lock



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9706S	RD-5-12313-0P	5/8" - 18	6	8	N/A
70R9708S	RD-5-12314-0P	3/4" - 18	8	10	N/A
70R9701S	RD-5-8957-0P	7/8" - 18	10	12	N/A

90° Male O-Ring


Step-Up with Reduced Bead Lock



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9796S	RD-5-12315-0P	5/8" - 18	6	8	N/A
70R9791S	RD-5-8951-0P	7/8" - 18	10	12	N/A

Straight Female O-Ring


Step-Up with R134a Charge Port & Reduced Bead Lock



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9001S	RD-5-8955-0P	7/8" - 14	10	12	13mm


90° Female O-Ring

Step-Up with R134a Charge Port & Reduced Bead Lock



	Factory No.	Thread	Fitting Size	Hose Size	Port
70R9091S	RD-5-8956-0P	7/8" - 14	10	12	13mm

RED DOT REDUCED O.D. BARRIER HOSE



DAYCO NYLON BARRIER HOSE

The DAYCO OEM 3054 has thinner-wall construction that offers improved flexibility and reduced weight without sacrificing permeation resistance and burst strength.

Part No.	Factory No.	SAE Hose Size	I.D.	Max. O.D.	Length
78R9466	RD-5-12106-600P	#6	5/16"	39/64"	50 ft. Box
78R9468	RD-5-12108-600P	#8	13/32"	45/64"	50 ft. Box
78R9461	RD-5-12110-600P	#10	1/2"	25/32"	50 ft. Box
78R9462	RD-5-12112-600P	#12	5/8"	61/64"	50 ft. Box
78R9464	RD-5-12114-600P	#14	3/4"	1"	50 ft. Box
78R9416	RD-5-15716-0P	#16	13/16"	1 1/4"	800 ft. Spool

Plain (no suffix) = aluminum S= Steel

For all **Refrigerant Fittings** be sure to use **Red Dot Refrigerant Hose** or equivalent.

CRIMP TOOLS

79R1560 RD-5-11225-0P

Bubble Crimp Kit for use with Air Impact Wrench



79R1565 RD-5-11232-0P

Bubble Crimp Kit with
Hydraulic Hand Pump and 6' Hose

DROP SHIP ONLY



79R1520 RD-5-7731-0P

Hydraulic Hand Pump And 6' Hose With
Male Quick Disconnect



79R1525 RD-5-7732-0P

HYDRAULIC CYLINDER
Retro Fit Hydraulic Cylinder For 79R1510, Bubble Crimp Kit With Female Quick Disconnect



CRIMP TOOL REPLACEMENT PARTS

79R1560		79R1565 / 79R1510 / 79R1515		
———		**79R1502**	RD-5-7788-0P	Actuator Screw
———		**79R1503**	RD-5-7787-0P	Strain Rod Set (2)
———		**79R1504**	RD-5-7786-0P	Latch Plate
———		**79R1505**	RD-5-8481-0P	Actuator Bar
79R1531	RD-5-11230-0P	———		Standard Crimp Die #10 and Reduced #12
79R1532	RD-5-11231-0P	**79R1532**	RD-5-11231-0P	Standard Crimp Die #12
79R1536	RD-5-11227-0P	———		Standard Crimp Die #6 to Reduced Bead Crimp Die #8
79R1538	RD-5-11228-0P	**79R1538**	RD-5-11228-0P	Standard Crimp Die #8
79R1541	RD-5-11229-0P	**79R9521**	RD-5-8897-0P	Reduced Bead Crimp Die #10
79R1546	RD-5-11226-0P	**79R9516**	RD-5-8895-0P	Reduced Bead Crimp Die #6

RED DOT REFRIGERANT HOSE

Galaxy 4826 Barrier Hose Type C Class II



RED DOT INTERNAL NYLON BARRIER

REDUCED OZONE PERMEATION.

Internal Nylon Barrier hose is specifically designed to reduce the permeation level of ozone-depleting refrigerant and chemicals in heavy duty air conditioning systems.

"UNIVERSAL" COMPATIBILITY.

Extensive testing has shown Red Dot Refrigerant Hose to be compatible with today's state-of-the-art refrigerants, including R-12, R-134a and Ternary Blends.

Part No.	Factory No.	SAE Hose Size	I.D.	Max. O.D.	Length
78R0456	RD-5-5006-600P	#6	5/16"	3/4"	50 ft. Box
78R0456SP	RD-5-5006-0P	#6	5/16"	3/4"	825 ft. Spool
78R0458	RD-5-5008-600P	#8	13/32"	29/32"	50 ft. Box
78R0458SP	RD-5-5008-0P	#8	13/32"	29/32"	725 ft. Spool
78R0451	RD-5-5010-600P	#10	1/2"	1"	50 ft. Box
78R0451SP	RD-5-5010-0P	#10	1/2"	1"	700 ft. Spool
78R0452	RD-5-5012-600P	#12	5/8"	1 1/8"	50 ft. Box
78R0452SP	RD-5-5012-0P	#12	5/8"	1 1/8"	525 ft. Spool

NOTE: For use with Bead Lock or "Bubble Style" Crimp Fittings

LS = Limited to stock on hand

FLARE ADAPTERS

(LONG PILOT) Originally Designed by Red Dot
Shipped 10 / Package



70R3006 – RD-2-0750-0M
#6 O-Ring to #6 45° Flare


70R3008 – RD-2-0861-0M
#8 O-Ring to #8 45° Flare

70R3001 – RD-2-1495-0M
#10 O-Ring to #10 45° Flare

CONDENSER REPAIR FITTINGS

Fittings fit directly onto the end of ⅜" copper tubes used on Red Dot condensers

Brass Condenser Fitting



70R3206 #6
RD-4177-0P

70R3208 #8
RD-4179-0P

70R3201 #10
RD-5-3849-1P

Aluminum Condenser Fitting



70R3406 #6
RD-4-3364-0P

70R3408 #8
RD-4-3365-0P

EVAPORATOR REPAIR FITTINGS

Universal Evaporator Repair Parts for Red Dot Evaporators

70R3256 RD-4296-0M

#8 Male O-Ring
Swivel Fitting
10 per Package



70R3258 RD-4322-1P

#10 Male O-Ring
Swivel Fitting
1 per Package



70R7050 RD-4317-6M


Fitting Neck: #8 Length: 2 ¼"
10 per Package



QUICK DISCONNECT FITTINGS

70R3803 RD-5-9777-0P

Quick Disconnect #6 O-Ring




70R3906 RD-2-0871-2P

Quick Disconnect #6 Male O-Ring (5 7⁄16" long)
1" diameter mounting hole required
Some assembly required



70R3901 RD-2-0872-2P

Quick Disconnect#10 Male O-Ring (6 11⁄16" long)
1½" diameter mounting hole required
Some assembly required
Replaces Cat #5P-3929



NOTE: For component removal (such as evaporator unit) without loss of refrigerant from A/C system

EZ CLIP to QUICK DISCONNECT FITTING ADAPTERS

70R3908 RD-2-4844-0P

#8 EZ-Clip male fitting to #6 quick disconnect female adapter (converts 70R3906 above)



70R3912 RD-2-4845-0P

#12 EZ-Clip male fitting to #10 quick disconnect female adapter (converts 70R3901 above)



SCHRADER ADAPTER FITTING

70R5100 RD-5-6098-0M

⅜-24 UNF-2A Male Thread with Bulkhead Type Seal Using a 2-012 O-Ring for Installation in Receiver Drier Pressure Ports
10 per package



70R5110 RD-5-6691-0M

Refrigeration Valve Core for Schrader Valves
10 per package



70R5115 RD-5-9084-0M

Valve Core for 134A Fittings – High Flow
10 per package



70R5120 RD-5-9809-0M

Eaton 13mm SSV High Flow High Side
10 per package



70R5125 RD-5-9810-0M

Eaton 16mm SSV High Flow Low Side
10 per package



79R8945 RD-5-12674-0P

High Flow Schrader Core Remover/Installer Tool



BRAZE-ON M10 ACCESS VALVES

Must use 70R5110 valve core and 70R5056 O-ring to complete installation.

70R5103 RD-5-7759-0M

Schrader Valve with M10 Thread with .188 Radius Saddle for use on #6 tube
10 per package



70R5105 RD-5-8984-0M

Schrader Valve with M10 Thread with .250 Radius Saddle for use on #8 tube
10 per package



HOSE CLAMPS

70R5550* RD-5-4035-10M

⅝" Heater Hose Clamp



70R5565* RD-5-4476-12M

#12 size Double Silicone Hose Clamp



70R5600* RD-5-4035-16M

¾" Heater Hose Clamp



70R5650 RD-5-4035-52P

3 ¾" Defrost Hose Clamp



70R5701* RD-5-3791-0P

#10 Size Single Hose Clamp



70R5702* RD-5-6865-0M

#12 Size Single Hose Clamp



70R5706* RD-5-4665-0M

#6 Size Single Hose Clamp



70R5708* RD-5-4666-0M

#8 Size Single Hose Clamp



70R5718 RD-5-5256-0M

#8 Size Single Hose Clamp



70R5770 RD-5-4400-0P

Double Hose Clamp



RED DOT HEATER HOSE CONNECTORS AND ADAPTERS**

70R7100 RD-4130-1P

⅝" Hose to ⅝" Hose–Straight



70R7200 RD-5-3876-1P

¾" Hose to ¾" Hose–Straight



70R7110 RD-5-5525-0P

⅝" Hose to ¾" Hose Setup



70R7115 RD-5-5305-0P

⅝" Hose to ⅝" Hose Rubber Elbow



70R7150 RD-4366-0P

⅝" Hose to ⅝" Hose 90° Elbow



70R7170 RD-1-0662-0P

⅝" to ⅝" Hose 90° Elbow - 8 ¼" x 6"



70R7175 RD-1-0662-2P

⅝" to ⅝" Hose 90° Elbow - 9 ¼" x 7"



70R7250 RD-5-4471-0P

¾" Hose to ¾" Hose 90° Elbow



70R7270 RD-1-0661-0P

⅝" to ¾" Hose 90° Elbow Setup



70R7310 RD-1-0795-0P

Tee ⅝" & ¾" to ⅝" & ¾"



70R7500 RD-5-3746-1P

½" NPT to ⅝" Hose Straight



70R7550 RD-5-3686-0P

½" NPT to ⅝" Hose 90° Elbow



70R7600 RD-1-0425-0P

#8 O-Ring to ⅝" Hose Straight



70R7650 RD-1-0426-0P

#8 O-Ring to ⅝" Hose 90° Elbow




70R7750 RD-5-3686-1P

¾" NPT to ⅝" Hose 90° Elbow



NOTE: All hose dimensions are inside dimensions NPT = National Pipe Thread * 10 per package ** For use with 78R0100 Heater Hose..

HEATER CORE SPECIFICATIONS



Listed in ascending order by **Height** measured along the fin x **Length** of coil is the fin segment between header plates x **Width** is the coils "thickness"

[A] Height	[B] Length	[C] Width	Inlet	Outlet	Used On Red Dot Models	Part No.	Factory No.
4	10 3/4	1 7/8	#8 Male "O" Ring	#8 Male "O" Ring	R-2020	**76R0500**	RD-1-0427-0P
4	19 1/8	1 7/8			R-9750	**76R1000**	RD-1-0726-0P
5 1/8	15 2/3	2 7/8	#8 Male "O" Ring	#8 Male "O" Ring	R-8500, R-10035-0, -1, -2, -3, -4	**76R1030**	RD-1-0830-0P
6	6	1 7/8			R-254-0, R-256, R-290-0	**76R1100**	RD-1-0355-0P
6	6	1 7/8	3/4" O.D. Nipple	3/4" O.D. Nipple	R-254-1	**76R1110**	RD-1-0355-1P
6	6	1 7/8			R-254-4, R-290-4	**76R1120**	RD-1-0355-4P
6	6	3 11/32			R-7550-1	**76R1550**	RD-1-1401-0P
6	11	2				**76R3495**	RD-5-14621-0P
6	11	2 3/16			R-1630	**76R2740**	RD-1-2069-0P
6	12 7/16	1 7/8			R-255-0, R-295	**76R1400**	RD-1-0355-2P
6	12 7/16	1 7/8	3/4" O.D. Nipple	3/4" O.D. Nipple	R-255-1	**76R1410**	RD-1-0355-3P
6	12 7/16	1 7/8			R-255-4, R-295-4	**76R1450**	RD-1-0355-5P
6	13 1/2	1 7/8			R-8545	**76R1510**	RD-1-0771-1P
6	15	2 5/32			R-3300	**76R1600**	RD-1-0799-0P
6	18 5/8	2 1/4			R-9777	**76R1560**	RD-1-1755-0P
6 7/64	16 1/2	2 11/64			R-2825	**76R4100**	RD-1-2333-0P
6 7/64	23 13/64	1 1/2			R-3960	**76R1710**	RD-1-1485-0P
6 7/64	23 29/64	1 1/2			R-9475	**76R4200**	RD-1-1478-0P
7	8 1/4	2 1/2			R-5050 with Drainpan, R-8050, R-8150, R-8820	**76R1900**	RD-1-0615-1P
7	8 1/2	2 1/2			R-8820-2	**76R2010**	RD-1-0958-0P
7	17 1/2	2 5/32			R-9800	**76R1870**	RD-1-1480-0P
7 1/2	13	1 3/4				**76R6020**	RD-5-14622-0P
7 7/64	17 1/2	2 5/32			R-9737-3, R-9757	**76R1860**	RD-1-1379-0P
7 7/16	11	2				**76R5711**	RD-1-11524-0P
8	5 5/8	2 1/2			R-3911	**76R2300**	RD-1-0333-0P
8	5 5/8	2 7/8			R-4290	**76R2320**	RD-1-0755-0P
8	5 5/8	2 7/8			R-4190, R-4290	**76R2330**	RD-1-0752-0P
8	7 5/16	2 7/8			R-4120, R-4122, R-4160	**76R2450**	RD-1-0665-0P
8	7 7/8	2 7/8			R-1500	**76R2360**	RD-1-0820-0P
8	7 7/8	2 7/8			R-4190	**76R2340**	RD-1-0752-1P
8	8	2 1/2			R-4130	**76R2350**	RD-1-0574-0P
8	8	2 1/2			R-4170	**76R2400**	RD-1-0563-0P
8	9	2 1/2			R-5060, R-5075, R-10170	**76R2500**	RD-1-0460-1P
8	9	2 1/2			R-4013H, R-8810	**76R2600**	RD-1-0147-0P
8	9	2 7/8			R-3180	**76R2730**	RD-1-0746-0P
8	11 1/8	2 1/2	3/8" NPT Inlet	1/2" NPT Outlet	R-3040	**76R3000**	RD-1-0266-1P
8	12	2 1/2			R-5130	**76R3250**	RD-1-0650-0P
8	12 11/16	1 7/8			R-7070	**76R3300**	RD-1-0550-0P
8	13	1 1/2			R-1620, R-9510	**76R3420**	RD-1-1603-0P
8	14 5/16	2 1/2			R-6080	**76R3450**	RD-1-0520-0P
8	14 1/2	2 1/2			R-5180	**76R3460**	RD-1-0715-0P
8	14 9/16	2 1/2			R-4000	**76R3400**	RD-1-0388-0P

LS = Limited to stock on hand


All heater cores have 5/8" O.D. inlet and outlet nipples unless noted.

Listed in ascending order by **Height** measured along the fin x **Length** of coil is the fin segment between header plates x **Width** is the coils "thickness"

[A] Height	[B] Length	[C] Width	Inlet	Outlet	Used On Red Dot Models	Part No.	Factory No.
8	15	1 7/8			R-4010, R-5040, R-5045, R-5075, R-10170	**76R3500**	RD-1-0325-0P
8	17 1/2	2 1/4			R-3500	**76R3920**	RD-1-1281-0P
8	20	2 1/2			R-6125	**76R3905**	RD-3-10194-0P
8	23 29/64	2 1/8			R-9787	**76R4300**	RD-1-1614-0P
8	23 29/64	1 1/2			R-9787	**76R4305**	RD-1-1975-0P
8 7/64	7 29/32	2 1/2			R-4230	**76R2410**	RD-1-0822-0P
8 7/64	9 21/32	2 1/2			R-3510	**76R2550**	RD-1-1326-0P
8 7/64	15 3/64	2 3/64			R-2520	**76R3470**	RD-1-1364-0P
8 1/8	6 3/8	2 5/8			R-4020	**76R2210**	RD-1-0371-1P
8 1/8	13	1 1/2			R-9520	**76R3465**	RD-1-2006-0P
10	9	1 7/8			R-8220, R-8230	**76R3910**	RD-1-0700-0P
10	9	2 1/8			R-8720	**76R3900**	RD-1-0680-0P
10	9	2 1/2			R-5150	**76R3930**	RD-1-0744-0P
10	10 3/16	2 5/32			R-6135, Orion 071320036, 058, 151	**76R3940**	RD-1-2079-0P
10	12	2 5/32			R-2550	**76R4020**	RD-1-1748-0P
10 5/64	11	2 3/4			R-5275, R-5260	**76R4023**	RD-1-1965-0P
10 7/64	11	2 1/2			R-2560	**76R2420**	RD-1-1201-0P
10 7/64	13	2 5/32			R-9450	**76R3455**	RD-1-1370-0P
10 7/64	17 3/4	3 13/32			R-7160, Thomas Bus	**76R3943**	RD-1-2379-0P
12	6 3/8	2			Freightliner Applications	**76R2155**	RD-1-2557-0P
12	11	2 1/2			R-4140	**76R4000**	RD-1-0600-0P
12 1/8	6 1/4	2 1/4			R-6140, Gillig model 21-42075	**76R3950**	RD-1-1919-0P
						76R3475	RD-5-14620-0P


76R0500 RD-1-0427-0P

Used on Red Dot Unit Model R-2020
4" high x 10 3/4" long x 1 7/8" wide
#8 Male "O" Ring




76R1030 RD-1-0830-0P

Used on Red Dot Unit Model R-8500, R-10035-0,-1,-2,-3,-4
5 1/8" high x 15 2/3" long x 2 7/8" wide
#8 Male "O" Ring




76R1000 RD-1-0726-0P

Used on Red Dot Unit Model R-9750
4" high x 19 1/8" long x 1 7/8" wide




76R1100 RD-1-0355-0P

Used on Red Dot Unit Models R-254-0, R-256, R-290-0
6" high x 6" long x 1 7/8" wide




76R1110 RD-1-0355-1P

Used on Red Dot Unit Model R-254-1
6" high x 6" long x 1 7/8" wide
3/4" O.D. Nipples




76R1120 RD-1-0355-4P

Used on Red Dot Unit Models R-254-4, R-290-4
6" high x 6" long x 1 7/8" wide




76R1400 RD-1-0355-2P

Used on Red Dot Unit Models R-255-0, R-295
6" high x 12 7/16" long x 1 7/8" wide




76R1410 RD-1-0355-3P

Used on Red Dot Unit Model R-255-1
6" high x 12 7/16" long x 1 7/8" wide
3/4" O.D. Nipples




76R1450 RD-1-0355-5P

Used on Red Dot Unit Models R-255-4, R-295-4
6" high x 12 7/16" long x 1 7/8" wide



76R1510 RD-1-0771-1P

Used on Red Dot Unit Model R-8545
6" high x 13 1/2" long x 1 7/8" wide




76R1550 RD-1-1401-0P

Used on Red Dot Unit Model R-7550-1
6" high x 6" long x 3 11/32" wide




76R1560 RD-1-1755-0P

Used on Red Dot Unit Model R-9777
6" high x 18 5/8" long x 2 1/4" wide




76R1600 RD-1-0799-0P

Used on Red Dot Unit Model R-3300
6" high x 15" long x 2 5⁄32" wide




76R1710 RD-1-1485-0P

Used on Red Dot Unit Model R-3960
6 7⁄64" high x 23 13⁄64" long x 1 1⁄2" wide




76R1860 RD-1-1379-0P

Used on Red Dot Unit Models R-9737-3, R-9757
7 7⁄64" high x 17 1⁄2" long x 2 5⁄32" wide




76R1870 RD-1-1480-0P

Used on Red Dot Unit Model R-9800
7" high x 17 1⁄2" long x 2 5⁄32" wide




76R1900 RD-1-0615-1P

Used on Red Dot Unit Model R-5050, R-8050, R-8150, R-8820 with Drainpan
7" high x 8 1⁄4" long x 2 1⁄2" wide



76R2010 RD-1-0958-0P

Used on Red Dot Unit Model R-8820-2
7" high x 8 1⁄2" long x 2 1⁄2" wide




76R2155 RD-1-2557-0P

See Freightliner Applications
12" high x 6 3⁄8" long x 2" wide




76R2210 RD-1-0371-1P

Used on Red Dot Unit Model R-4020
8 1⁄8" high x 6 3⁄8" long x 2 5⁄8" wide




76R2300 RD-1-0333-0P

Used on Red Dot Unit Model R-3911
8″ high x 5 5⁄8″ long x 2 1⁄2″ wide




76R2320 RD-1-0755-0P

Used on Red Dot Unit Model R-4290
8″ high x 5 5⁄8″ long x 2 7⁄8″ wide




76R2330 RD-1-0752-0P

Used on Red Dot Unit Model R-4190, R-4290
8″ high x 5 5⁄8″ long x 2 7⁄8″ wide




76R2340 RD-1-0752-1P

Used on Red Dot Unit Model R-4190
8″ high x 7 7⁄8″ long x 2 7⁄8″ wide




76R2350 RD-1-0574-0P

Used on Red Dot Unit Model R-4130
8″ high x 8″ long x 2 1⁄2″ wide




76R2360 RD-1-0820-0P

Used on Red Dot Unit Model R-1500
8″ high x 7 7⁄8″ long x 2 7⁄8″ wide




76R2400 RD-1-0563-0P

Used on Red Dot Unit Model R-4170, R-4190
8″ high x 8″ long x 2 1⁄2″ wide



76R2410 RD-1-0822-0P


Used on Red Dot Unit Model R-4230
8 7⁄64″ high x 7 29⁄32″ long x 2 1⁄2″ wide



LS = Limited to stock on hand


76R2420 RD-1-1201-0P

Used on Red Dot Unit Model R-2560, Western Star OE#60004-3403
10 7/64" high x 11" long x 2 ½" wide




76R2450 RD-1-0665-0P

Used on Red Dot Unit Models R-4120, R-4122, R-4160
8" high x 7 5/16" long x 2 7/8" wide




76R2500 RD-1-0460-1P

Used on Red Dot Unit Model R-5060, R-5075, R-10170
8" high x 9" long x 2 ½" wide




76R2550 RD-1-1326-0P

Used on Red Dot Unit Model R-3510
8 7/64" high x 9 21/32" long x 2 ½" wide




76R2600 RD-1-0147-1P

Used on Red Dot Unit Models R-4013H, R-8810
8" high x 9" long x 2 ½" wide




76R2730 RD-1-0746-0P

Used on Red Dot Unit Model R-3180
8" high x 9" long x 2 7/8" wide




76R2740 RD-1-2069-0P

Used on Red Dot Unit Model R-1630
6" high x 11" long x 2 3/16" wide




76R3000 RD-1-0266-1P

Used on Red Dot Unit Model R-3040
8" high x 11 1/8" long x 2 ½" wide
3/8" NPT Inlet ½" NPT Outlet




76R3250 RD-1-0650-0P

Used on Red Dot Unit Model R-5130
8″ high x 12″ long x 2 ½″ wide




76R3300 RD-1-0550-0P

Used on Red Dot Unit Model R-7070
8″ high x 12 11⁄16″ long x 1 7⁄8″ wide




76R3400 RD-1-0388-0P

Used on Red Dot Unit Model R-4000
8″ high x 14 9⁄16″ long x 2 ½″ wide




76R3420 RD-1-1603-0P

Used on Red Dot Unit Models R-1620, R-9510
8″ high x 13″ long x 1 ½″ wide




76R3450 RD-1-0520-0P

Used on Red Dot Unit Model R-6080
8″ high x 14 5⁄16″ long x 2 ½″ wide




76R3455 RD-1-1370-0P

Used on Red Dot Unit Model R-9450
10 7⁄64″ high x 13″ long x 2 5⁄32″ wide




76R3460 RD-1-0715-0P

Used on Red Dot Unit Model R-5180
8″ high x 14 ½″ long x 2 ½″ wide




76R3465 RD-1-2006-0P

Used on Red Dot Unit Model R-9520
8 1⁄8″ high x 14″ long x 1 ½″ wide




76R3470 RD-1-1364-0P

Used on Red Dot Unit Model R-2520
8 7⁄64″ high x 15 3⁄64″ long x 2 3⁄64″ wide




76R3475 RD-5-14620-0P

10″ high x 13 ½″ long x 2 ¼″ wide IH#501099C91




76R3495 RD-5-14621-0P

6″ high x 11″ long x 2″ wide IH#3599598C1




76R3500 RD-1-0325-0P

Used on Red Dot Unit Models R-4010, R-5040, R-5045, R-5075, R-10170
8″ high x 15″ long x 1 7⁄8″ wide




76R3900 RD-1-0680-0P

Used on Red Dot Unit Model R-8720
10″ high x 9″ long x 2 1⁄8″ wide




76R3905 RD-3-10194-0P

Used on Red Dot Unit Model R-6125
Orion Model 071310003, 071310011
8″ high x 20″ long x 2 ½″ wide




76R3910 RD-1-0700-0P

Used on Red Dot Unit Models R-8220, R-8230
10″ high x 9″ long x 1 7⁄8″ wide




76R3920 RD-1-1281-0P

Used on Red Dot Unit Model R-3500
8″ high x 17 ½″ long x 2 ¼″ wide




76R3930 RD-1-0744-0P

Used on Red Dot Unit Model R-5150
10″ high x 9″ long x 2 ½″ wide




76R3940 RD-1-2079-0P

Red Dot Unit Model R-6135
Orion Model 071320036, 058, 151 Underseat heater
10″ high x 10 3⁄16″ long x 2 5⁄32″ wide




76R3943 RD-1-2379-0P

Red Dot Unit Model R-7160, Thomas Bus Applications
Orion Model 071330501
10 7⁄64″ high x 17 3⁄4″ long x 3 13⁄32″ wide




76R3950 RD-1-1919-0P

Red Dot Unit Model R-6140
Gillig Model 21-42075
12 1⁄8″ high x 6 1⁄4″ long x 2 1⁄4″ wide




76R4000 RD-1-0600-0P

Used on Red Dot Unit Model R-4140
12″ high x 11″ long x 2 ½″ wide




76R4020 RD-1-1748-0P

Used on Red Dot Unit Model R-2550
10″ high x 12″ long x 2 5⁄32″ wide




76R4023 RD-1-1965-0P

10 5⁄64″ high x 11″ long x 2 3⁄4″ wide




76R4100 RD-1-2333-0P

Used on Red Dot Unit Model R-2825
6 7⁄64″ high x 16 1⁄2″ long x 2 11⁄64″ wide




76R4200 RD-1-1478-0P

Used on Red Dot Unit Model R-9475
6 7⁄64″ high x 23 29⁄64″ long x 1 ½″ wide




76R4300 RD-1-1614-0P

Used on Red Dot Unit Model R-9787 — High Flow Version
8″ high x 23 29⁄64″ long x 2 ⅛″ wide



76R4305 RD-1-1975-0P

Used on Red Dot Unit Model R-9787 — Standard Version
8″ high x 23 29⁄64″ long x 1 ½″ wide



76R6020 RD-5-14622-0P

7 ½″ high x 13″ long x 1 ¾″ wide IH#3542604C3
3542604C2



HOSE INSTALLATION KIT INFORMATION

Part No	Factory No.	Length of Refrigerant Hose in Inches #6	#8	#10	#12	Drier	Fitting / Hose
78R1025	RD-5-5015-4P	300	120	300	—	Yes	ATCO / Red Dot
78R1070	RD-5-5406-2P	300	300	198	—	—	ATCO / Red Dot
78R1505	RD-5-5014-1P		300	—	300	—	ATCO / Red Dot
78R1605	RD-5-3789-8P		300	300	—	—	ATCO / Red Dot
78R1705	RD-11-0092-2P	301	301	—	302	Yes	ATCO / Red Dot
78R1805	RD-5-3789-9P		300	—	300	—	ATCO / Red Dot
78R1027	RD-5-11864-1P	300	120	300	—	Yes	E-Z Clip Installation Kit - Fittings for use with Front Mount Condensers
78R1077	RD-5-14072-0P	300	300	198	—	—	E-Z Clip Installation Kit - Fittings for use with Rooftop Condensers

RED DOT REFRIGERANT HOSE

Galaxy 4826 Barrier Hose Type C Class II



RED DOT INTERNAL NYLON BARRIER

Reduced Ozone Permeation.

Internal Nylon Barrier hose is specifically designed to reduce the permeation level of ozone-depleting refrigerant and chemicals in heavy duty air conditioning systems.

"Universal" Compatibility.


Extensive testing has shown Red Dot Refrigerant Hose to be compatible with today's state-of-the-art refrigerants, including R-12, R-134a and Ternary Blends.

Part No.	Factory No.	SAE Hose Size	I.D.	Max. O.D.	Length
78R0456	RD-5-5006-600P	#6	5/16"	3/4"	50 ft. Box
78R0456SP	RD-5-5006-0P	#6	5/16"	3/4"	825 ft. Spool
78R0458	RD-5-5008-600P	#8	13/32"	29/32"	50 ft. Box
78R0458SP	RD-5-5008-0P	#8	13/32"	29/32"	725 ft. Spool
78R0451	RD-5-5010-600P	#10	1/2"	1"	50 ft. Box
78R0451SP	RD-5-5010-0P	#10	1/2"	1"	700 ft. Spool
78R0452	RD-5-5012-600P	#12	5/8"	1 1/8"	50 ft. Box
78R0452SP	RD-5-5012-0P	#12	5/8"	1 1/8"	525 ft. Spool

For use with ATCO Bead Lock or "Bubble Style" Crimp Fittings

RED DOT REDUCED BARRIER HOSE

Galaxy SLE 4890 Barrier Hose Type C Class I



DAYCO NYLON BARRIER HOSE

Part No.	Factory No.	SAE Hose Size	I.D.	Max. O.D.	Length
78R9466	RD-5-12106-600P	#6	5/16"	39/64"	50 ft. Box
78R9468	RD-5-12108-600P	#8	13/32"	45/64"	50 ft. Box
78R9461	RD-5-12110-600P	#10	1/2"	25/32"	50 ft. Box
78R9462	RD-5-12112-600P	#12	5/8"	61/64"	50 ft. Box
78R9464	RD-5-12114-600P	#14	3/4"	1	50ft. Box
78R9416	RD-5-15716-0P	#16	13/16"	1 1/4"	800ft. Spool

See **Bead Lock Fittings**

RED DOT E-Z CLIP REFRIGERANT HOSE



Part No.	Factory No.	SAE Hose Size	I.D.	Max. O.D.	Length
78R8456	RD-5-10504-600P	#6	5/16"	37/64"	50 ft. box
78R8456SP	RD-5-10504-0P	#6	5/16"	37/64"	560 ft. spool
78R8458	RD-5-10505-600P	#8	13/32"	45/64"	50 ft. box
78R8458SP	RD-5-10505-0P	#8	13/32"	45/64"	575 ft. spool
78R8451	RD-5-10506-600P	#10	1/2"	25/32"	50 ft. box
78R8451SP	RD-5-10506-0P	#10	1/2"	25/32"	550 ft. spool
78R8452	RD-5-10507-600P	#12	5/8"	63/64"	50 ft. box
78R8452SP	RD-5-10507-0P	#12	5/8"	63/64"	367 ft. spool

Use with Aeroquip® E-Z Clip Fittings ONLY

LS = Limited to stock on hand

MISCELLANEOUS HOSES & RELATED PARTS

DRAIN HOSE CHECK VALVE

72R9010 RD-5-4659-0P

½" Hose Plastic Check Valve



DRAIN FITTING

72R9020 RD-5-5901-0P

Duck Bill – Hole Size: ⅝"



REDUCER

72R9030 RD-5-4756-0P

½" to ⅜" Drain Hose Reducer



HOSE CONNECTIONS

72R9040 RD-5-3653-0P

90˚ Elbow ½" Hose to ½" Hose



72R9045 RD-5-4086-0P

90˚ Elbow ½" Hose to ½" Npt



78R5500 RD-5-6427-1P

90˚ Elbow (rubber) 3 ½" OD 6 ½" long x 6 ¼" high



DRAIN HOSE



78R0070 RD-5-3550-120P

7⁄16" Drain Hose (10 ft)

78R0075 RD-5-6532-120P

½" Drain Hose (10 ft)

HEATER HOSE



78R0101 RD-5-6304-600P

⅝" Heater Hose (50 ft)

70R7310 RD-1-0795-0P

Tee, Drain Hose, ⅝" & ¾" to ⅝" & ¾"



FILTER RETAINERS

78R0090

Foam Filter Retainiers 12 in a Pack



NYLON TIES

78R9600 RD-5-4021-0M

8" length 25 in a Pack



HOSES

AIR LINE



78R0030 RD-5-4680-0-WHTP
White 1/8" Air Line (50 ft)

78R0040 RD-5-4680-0-BLKP
Black 1/8" Air Line (50 ft)

78R0050 RD-5-3657-0P
Black 1/4" Air Line (50 ft)

78R0060 RD-5-5791-600-WHTP
White 3/16" Air Line (50 ft)

78R0063 RD-5-5791-600-GRNP
Green 3/16" Air Line (50 ft)

78R0065 RD-5-5791-600-REDP
Red 3/16" Air Line (50 FT.)

DEFROST HOSE



78R0200 RD-5-5122-108P
2" Defrost Hose (9 ft)

78R0250 RD-5-5123-108P
2½" Defrost Hose (9 ft)

78R0300 RD-5-3930-108P
3" Defrost Hose (9 ft)

78R0350 RD-4156-108P
3½"" Defrost Hose (9 ft)

78R0400 RD-5-3927-108P
4" Defrost Hose (9 ft)

HOSE PROTECTION

79R0100 RD-5-9900-96P
Nylon Braided sleeve Hose Protection (8 ft)




79R0102 RD-5-7747-96P
Spiral Hose Wrap (8 ft)




OEM REPLACEMENT HOSE ASSEMBLIES

78R3000 RD-2-7322-0P
OE#22-52178-300
Century/Columbia




78R3001 RD-2-7323-0P
OE#22-52177-331
Century/Columbia




78R3002 RD-2-7299-0P

OE#3592145C92
Prostar




78R3003 RD-2-7300-0P

OE#3565481C91
ProStar




78R3004 RD-2-7301-0P

OE#22-57504-002
M2




78R3005 RD-2-7302-0P

OE#3582989C91
ProStar




78R3006 RD-2-7303-0P

OE#22-59792-004
Columbia




78R3007 RD-2-7304-0P

OE#3565464C91




78R3008 RD-2-7511-0P

OE#3582987C92




78R3009 RD-2-7598-0P

3600647C91, 3600647C92




78R3010 RD-2-7599-0P

3612296C92, 3612296C93



78R3011 RD-2-7597-0P

3612298C92



72R2000 RD-5-5476-0P

Snap In Louver Fits 1⅜" x 5 ¾" Opening



72R2100 RD-5-3709-0P

Louver Fits 1 ¾" x 3 ⅝" Opening - Oval Connection



72R2105 RD-5-6220-0P

Oval Connection All Black - 1 15/16" x 4 ¾" Opening



72R2110 RD-5-6555-0P

Louver Fits 1.4" x 4.4" Opening



72R2120 RD-3-8989-0P

Louver Fit 3" x 7 ¼" Opening




72R2130 RD-5-5520-0P

Louver Fits 1.6" x 5.1" Opening - Stud Mount



72R2140 RD-5-5552-0P

Louver Fits 1 ¾" x 5 ⅛" Hole - Snap Mount



72R2150 RD-5-4452-0P

Louver Fits 1⅞" x 3 ⅝" Opening - Snap Mount



72R2160 RD-5-9637-0P

3 ½" x 2 ¼" x 1 ⅜" deep Opening - 3 ¼" x 1 11/16" Pivot: ¼" diameter



72R2200 RD-5-4451-0P

Louver Fits 1 15/16" x 4 25/32" Opening - Stud Mount



72R2250 RD-5-3597-0P

Fits 1 11/16" x 5 11/16" Opening - Clip Mount Louver* Dimensions: 2½" x 7 ½" – 100% Shutoff



72R2255 RD-5-10418-0P

Fits 2 ½" x 7 ½" Opening - Clip Mount Louver * Outside dimension: 3" x 8"




72R2300 RD-4340-0P

Louver Fits 2.69" x 6.50" Opening - Stud Mount



72R2350 RD-5-10478-0P

Louver Fits 2 ¾" x 7 ¼" Opening - Snap Mount



72R2351 RD-5-6987-0P

5 ⅛" x 2" x 1" deep – Opening 4 ¾" x 2" x 1" deep



72R2500 RD-5-3701-0P

Ball Louver With 2" Hose Adapter* Fits 2½" Hole



72R2551 RD-5-3758-1P

2½" Flush Mount Ball Louver*



72R2600 RD-5-3702-0P

Ball Louver With 2½" Hose Adapter*



72R2605 RD-5-10211-0P

Ball Louver With 2½" Hose Adapter*



72R3000 RD-5-6017-0P

Fixed Vane 1⅛" x 8½"



72R3010 RD-3-7838-2P

Right Hand Fixed Vane Defrost Outlet



72R3020 RD-3-7838-3P

Left Hand Fixed Vane - Defrost Outlet



72R3050 RD-5-3596-0P

2" Diffuser (Flush)



72R3100 RD-5-5223-1P

3 ½" Diffuser, 3 ⅝" O.D.. 3 7/16" mounting hole



* 100% Shut Off

† Retaining Ring Sold Separately: RD 5-4611-0P

DIFFUSERS, LOUVERS, DUCTS AND ADAPTERS

72R3110 RD-5-5223-0P
3 ½" Diffuser, 3 ⅝" O.D., 3 5/16" mounting hole
With Angled Base, includes spring


72R3111 RD-5-5222-0P
3 ¾" x .907" Louver – 3 ¼" Opening


72R3120 RD-5-8436-0P
3" Diffuser


72R3130 RD-5-9024-0P
3" Diffuser


72R3135 RD-5-10236-0P
3 ½" Diffuser, 3 ⅜" O.D., 3 ¼" mounting hole


72R3140 RD-5-9053-0P
4" Diffuser


72R3149 RD-5-11560-0P
Fits 3" Hole – 2" Hose


72R3150 RD-5-9425-0P
Fits 3"Hole – 2 ¼"Hose 100% Shut Off – Inlet = 2.165"



72R3151 RD-5-10030-0P
2" Hose


72R3155 RD-5-9426-0P
Fits 3" Hole – 2 ¼" Hose


72R3159 RD-5-12783-0P
2" Hose, 3" O.D., 2 ¼" x 2" mounting hole


72R3157 RD-5-8928-0P
Louver Outlet


72R3158 RD-5-14615-0P
Ball Louver with 2 ½" Hose Adapter (100% Shutoff)


72R3200 RD-5-3846-0P
4½" Diffuser (Flush)


72R3510 RD-3196-1P
2 ½" Defrost Outlet Assembly


72R3530 RD-3196-3P
3" Defrost Outlet Assembly


72R3550 RD-3196-5P
3 ½" Defrost Outlet Assembly


72R3600 RD-5-9313-0P
2 ½" Hose


72R3601 RD-1-0422-0P
2 ½" Auxiliary Outlet Assembly


72R3603 RD-1-0423-0P
3" Auxiliary Outlet Assembly


72R4010 RD-5-9152-0P
Defrost Duct With 2 ½" Hose Adapter
20 ¼"L x 2 ½"W x3 ⅜"H


72R4400 RD-5-9157-0P
2 ½" Flexhose "Y" Adapter


72R4500 RD-5-9158-0P
2 ½" To 3" Flexhose Adapter


72R4510 RD-5-9159-0P
2 ½" To 2" Flexhose Adapter


DIFFUSERS, LOUVERS, DUCTS AND ADAPTERS

72R4530 RD-3-1566-2P
Air Outlet Assembly for 4" Hose To Square Plate



72R4531 RD-3-4812-2P
Air Outlet Assembly for 3" Hose To Square Plate



72R4532 RD-5-8926-0P
Straight 2 ¼" Hose Outlet




72R4533 RD-1-0639-0P
3 ½" Defrost Hose Outlet



72R4534 RD-1-1651-0P
2 ½" Outlet Adapter, 4-way Duct, fits R-2100




72R4535 RD-2-3279-0P
Four Louver Outlet Adapter, fits R-2100




72R4536 RD-3-10111-0P
Louvered Plenum Assembly, fits R-9520




72R4537 RD-3-10112-0P
Ductable Plenum Assembly, fits R-9520



72R4538 RD-3-6060-0P
Plenum Assembly with 2 ½" Hose Adapters



78R2100 RD-5-6683-0P
Universal Duct Kit



DEFROST HOSE

78R0200 RD-5-5122-108P
2" Defrost Hose (9 ft)

78R0250 RD-5-5123-108P
2½" Defrost Hose (9 ft)

78R0300 RD-5-3930-108P
3" Defrost Hose (9 ft)


78R0350 RD-4156-108P
3½" Defrost Hose (9 ft)

78R0400 RD-5-3927-108P
4" Defrost Hose (9 ft)



O-RINGS

70R5056	70R5046	70R5058	70R5051	70R5052	70R5042	70R5057
RD-5-3728-0M	RD-5-10942-0M	RD-5-3729-0M	RD-5-3730-0M	RD-5-9061-0M	RD-5-10943-0M	RD-5-10085-0M
GREEN #6	**BLUE #6**	**GREEN #8**	**GREEN #10**	**GREEN #12**	**BLACK #12**	**GREEN Expansion Valve Equalizer Tube**
	GM CAPTIVE				GM CAPTIVE	



O-Rings ship 25 per package

75R5520 RD-5-3698-0M

Teflon Rotolock Compressor Gasket Seal
IHC/Navistar ZGG19499
10 Per Package



75R5525 RD-5-9806-0M

O-Ring seal fits Sanden FLX7 fitting adapters used on suction and discharge side of compressor. GM A6/DA6/HR6/R4/V5/FS10 Suction/Discharge Port O-Ring Seal
10 Per Package



75R5530 RD-5-14076-0M

IHC/Navistar #3543727C1
Yellow



75R5535 RD-5-14077-0M

IHC/Navistar #3543728C1
Yellow




75R5580 RD-5-15288-0M

⅝" metal gasket with rubber insert and O-ring
Discharge 10 Per Package



75R55585 RD-5-15289-0M

13⁄16" metal gasket with rubber insert and O-ring
Suction 10 Per Package



70R5501 RD-5-14698-0P

IHC/Navistar 3824716C1, 2610417C1



70R5502 RD-5-14699-0P

IHC/Navistar 3661318C1, 2610415C1



70R5503 RD-5-15280-0P

IHC/Navistar 3660864C1, 2610413C1



70R5504 RD-5-15281-0P

IHC/Navistar 3660862C1, 2610412C1



70R5506 RD-5-15358-0P

Navistar 2614861C91



70R5505 RD-5-14697-0P

Navistar 366086SC1, 2610414C1







Universal O-Ring & Service Parts

70R5000	RD-5-4905-0P
10	Cover, Stem, Service Valve
25	O-Ring - #12 Hose Fitting
25	O-Ring - #10 Hose Fitting
25	O-Ring - #8 Hose Fitting
25	O-Ring - #6 Hose Fitting
10	Cap - Access Schrader Port
10	O-Ring - Gm Capillary Tube
10	Gasket - York/tecumseh Flange Hd
3	Refrigeration Valve Core
10	Nut - Acorn, Service Vlv. Port Aluminum
3	Cap - ¼" Quick Seal
3	Cap - 3⁄16" Quick Seal
10	Gasket - Teflon Rotolock
2	Adapter - Rotolock To Tube "O"

Universal O-Ring Assortment

70R5010	RD-5-9988-0P
10	No. 10 GM Captive O-Ring
10	Chrysler Block Valve O-Ring
10	GM A6, DA6, HR6, V5, Ford, FS10, FX15, 10PA Service Valve O-Ring
10	GM Compressor Service Valve O-Ring
10	No. 8 GM Captive O-Ring
10	No. 10 GM, Ford, Chrysler, Import Hose Fitting O-Ring
10	Capillary O-Ring
10	Nissan No.8 Hose Fitting/Drier O-Ring
10	No.8 GM, Ford, Chrysler, Import Hose Fitting O-Ring
10	No. 12 GM Captive O-Ring
10	No. 6 GM Captive O-Ring
10	GM No.10 Dual O-Ring
10	No. 12 GM, Ford, Chrysler/Import Hose Fitting O-Ring
10	No. 6 GM/Ford, Chrysler/Import Hose Fitting O-Ring
10	No. 8 Dual O-Ring
10	No. 10 Ford Springlock Fitting O-Ring
10	Comp. Switch Port/Oil Plug/No.6 Compression Fitting O-Ring
10	No. 8 Ford Springlock Fitting O-Ring
10	No. 12 Ford Springlock Fitting O-Ring
10	No. 6 Ford Springlock Fitting O-Ring
10	GM No. 12 Dual O-Ring
10	GM "Oval" Service Valve O-Ring
10	Chrysler Block Valve/GM R4 Service Valve O-Ring

UNIVERSAL O-RING AND FASTENER KITS





O-Ring & Service Assortment Kit

70R5005		RD-5-9989-0P
7	GM Compressor Port O-Ring	
7	No. 8 GM Captured O-Ring	
7	No. 10 Hose Fitting O-Ring	
7	Equalizer Tube O-Ring	
7	No. 8 Hose Fitting O-Ring	
7	No. 12 Captured Fitting O-Ring	
7	No. 6 Captured O-Ring	
7	No. 12 Hose Fitting O-Ring	
7	No. 6 Hose Fitting O-Ring	
10	CCI & Tecumseh Rotolock Service Valve Teflon Tape	
3	CCI & Tecumseh Long Stem Cap	
10	Charging Port Cap (3⁄16″)	
10	Service Valve Cap (¼″)	
1	A-6 Shaft Nut	
1	Washer	
1	Clutch Retaining Ring	
10	Charging Hose Seal	
10	Charging Hose Depressor	
10	Can Tap Seal Gasket	
3	A-6 Shaft Key	
3	CCI & Tecumseh Compressor Woodruff Key	
3	Sanden Shaft Key	
10	Schrader Valve Core	
10	Expansion Valve Inlet	

Bagged O-Ring Assortment Kit

70R5020		RD-5-9987-0P
1	O-Ring #4	
7	O-Ring #6	
6	O-Ring #8	
4	O-Ring #10	
1	O-Ring #12	



Bagged Stat-O-Seal Assortment Kit

70R5036		RD-5-15284-0P
2	Stat-O-Seal GM #6	
2	Stat-O-Seal GM #8	
2	Stat-O-Seal GM #10	
2	Stat-O-Seal Red HNBR #10	
2	Slimline Washer GM #12	

SLIMLINE SEALS

70R5022 RD-5-10200-0M

#6 Slimline Seal 9⁄16" O.D., 5⁄16" I.D.
Metal Washer (Black)
10 pieces
OE# ABP N83 312076



70R5024 RD-5-10199-0M

#8 Slimline Seal 11⁄16" O.D., 7⁄16" I.D.
Metal Washer (Black)
10 pieces
OE# ABP N83 312060



70R5026 RD-5-10198-0M

#10 Slimline Seal ¾" O.D., 9⁄16" I.D.
Metal Washer (Black)
10 pieces
OE# ABP N83 312092



70R5035 RD-5-12675-0M

Freightliner/GM 1" O.D., ⅝" I.D. 17mm Slimline
Block Sealing Washer
10 pieces
OE# ABP N83 312222, 23-13204-000



MINI STAT-O-SEALS

70R5031 RD-5-11527-0M

#6 Mini Stat-O-Seal ⅝" O.D., 5⁄16" I.D.
(8mm Slimline block sealing washer)
Metal Washer with Rubber Insert (Red)
10 pieces
OE# ABP N83 312366, 23-13201-000, Parker 336565



70R5032 RD-5-11528-0M

#8 Mini Stat-O-Seal ¾" O.D., 7⁄16" I.D.
Metal Washer with Rubber Insert (Red)
10 pieces
OE# ABP N83 312368, 23-13202-000, Parker 556565



70R5033 RD-5-11529-0M

#10 Mini Stat-O-Seal 15⁄16" O.D., 9⁄16" I.D.
Metal Washer with Rubber Insert (Red)
10 pieces
OE# ABP N83 312361, 23-13203-000, Parker 668565
Fits 71R8455 expansion valve
Hose side out



70R5034 RD-5-11530-0M

#12 Mini Stat-O-Seal 1 1⁄8" O.D., 11⁄16" I.D.
Metal Washer with Rubber Insert (Red)
10 pieces
OE# ABP N83 312372, 23-13205-000, Parker 720565
Fits 71R8455 expansion valve
Evaporator side out



SLIMLINE/STAT-O-SEAL SERVICE KIT

79R8950 RD-5-12676-0P




This assortment of popular valve cores and seals fits today's various air conditioning parts including pad fittings for block valves, driers / accumulators, compressors, cores and parts where a positive seal is required. The seals in this kit are made from today's modern materials including Teflon, viton and elastomers which assure a positive seal.



RED DOT O-RING TEE BLOCKS


70R2201 RD-5-4527-0P

#10 Tee Block with Swivel Nut



70R2206 RD-5-4528-0P

#6 Tee Block with Swivel Nut



70R2306 RD-4187-0P

Three #6 Female Inlets




70R2301 RD-4186-0P

Three #10 Female Inlets




NOTE: Use tee block to tee sleeper A/C into existing system.


IDENTIFICATION GUIDE




O-Ring
Male / Male




O-Ring
Male / Female



Flare
Male / Male



Quick Disconnect
Male / Male



Slimline Manifold Block
Male / Male
With two Schrader valve charge ports

Components in an air conditioning system require a clean, non-corrosive environment. Moisture is corrosive to air conditioner system components and must be eliminated for efficient a/c system operation. Any time the a/c system is opened, the receiver drier (or accumulator and orifice tube) needs to be replaced. A good preventative maintenance practice is to replace the receiver drier or the accumulator / orifice tube at regular intervals. See the **Preventive Maintenance Guide** at the beginning of the Reference Section in the back of this catalog.

Receiver driers have a variety of maintenance components that may be installed to assist with receiver drier operation. Typically not all will be installed on a given unit. See the following pages that detail receiver drier features.


A. Moisture Indicator
Contains a litmus paper device which turns colors to designate the condition of the refrigerant;

Blue = normal;
Pink = moisture in the system;
White = very wet;
Gray = oil contamination

B. Pressure Relief Valve
A protection device designed to open and "bleed off" excessive pressure.


C. Fuse Plug
A fuse plug is a bi-metal device that melts down to release excessive pressure.

D. Schrader Valve / M-10 Valve
A gauge or charge port that allows access to the system for checking and charging refrigerant pressures.



Low / High Pressure Switches
A switch port allows for a male or female pressure switch to be added to the drier. The first function prevents the compressor from operating if the system charge is lost or ambient temperature is too low. The second stops the compressor if head pressure increases to unsafe levels. It automatically resets when pressure drops back to normal. A Binary Switch™ assembly performs both the above functions. Install Binary on liquid side of A/C system between condenser and expansion valve, for use with R-12 and R-134a.

A Trinary Switch™ switch assembly performs both functions detailed above. The third function is a shutter/fan override switch that keeps head pressure within normal range by opening shutters or operating engine fan to increase air flow across condenser when head pressure rises above set valve. A Trinary switch is also installed on the liquid side of a/c system between condenser and expansion valve. For use with R-12 and R-134a systems.




Maintenance Components

Shown on an O-Ring receiver drier with male / male connections. Not all receiver driers will have all these components; they may be combined in a wide variety of ways.

A Moisture Indicator
B High Pressure Relief Valve
C Fuse Plug
D Schrader Charge / Gauge Port

CUT-AWAY



THREE REASONS TO BUY HEAVY-DUTY, HIGH CAPACITY RED DOT DRIERS

1 Loaded Retention Spring. Red Dot offers more driers with loaded retention springs which provide better stability of desiccant and filter media. Vibration, especially in Heavy Duty and off-road environments lead to fretting and wear of desiccant and filter media, a leading cause of drier failure. With the retention spring, we reduce this harmful movement of desiccant and filter media, thus prolonging drier life.

2 Red Dot's superior filter media with advanced desiccant provide unsurpassed filtration and higher restriction to flow of harmful moisture and contaminants.

3 Red Dot's heavy duty driers provide higher capacity storage of harmful moisture and contaminants insuring prolonged drier life.

Receiver Driers are used on most heavy-duty air conditioning installations. It is mounted between the condenser and the expansion valve. It is composed of a tank, a filter, a drying agent (desiccant) and a pickup tube. An alternative device, commonly used on automobiles, is an Accumulator. Red Dot sells a variety of these. You will find them listed at the following our selection of Receiver Driers.

A receiver Drier serves two principle functions.

1 **Storage Tank**- The Receiver Drier *receives* liquid refrigerant from the condenser, caching it until it is needed by the evaporator.
2 **Refrigerant Drier-** The Receiver Drier contains a drying agent that absorbs moisture that may have accumulated in the liquid refrigerant. This drying agent, called desiccant, is usually in the form of beads of silica gel. Moisture is extremely harmful to air conditioning components.

The Receiver Drier's operation is very simple. As shown in the illustration, the liquid refrigerant enters the top chamber. It flows through a fiberglass filter pad (which also serves to hold the desiccant in place), then through the desiccant which removes any moisture in the refrigerant. It then flows through a second filter pad until it exits the Receiver Drier through the pickup tube at the bottom. The spring on the top of the desiccant chamber serves to give the desiccant room to expand as it absorbs the unwanted moisture.

RECEIVER DRIERS SPECIFICATIONS

Listed in ascending order by **Diameter** x **Height** x **Fitting Type** and **Size**

Dia.	Height	Fitting Size	High Capacity	Fuse/ Pressure Relief	Switch Port	Red Dot Part No.	Factory No.
2 ½	6 9/16	#6 - #8 Male O-Ring In-Line		—	—	**74R0450**	RD-5-4947-0P
2 ½	7 11/16	#6 Male O-Ring		—	Side	**74R1106**	RD-5-7559-0P
2 ½	8	#6 Male O-Ring		Fuse	Side	**74R0907**	RD-5-4950-1 P
2 ½	9 9/16	#6 Male O-Ring In Line	X	—	—	**74R0462**	RD-5-7064-1P
2 ½	11	#6 Male O-Ring to #8 Male O-Ring				**74R0455**	RD-5-14094-0P
2 ½	13 7/8	Quick Disconnect In Line		—	—	**74R0470**	RD-5-8605-0P
2 ¾	8 ¾	#6 Male O-Ring	X	Fuse	Side	**74R1986**	RD-5-14078-0P
2 ¾	9 5/8	#6 Male O-Ring	X	Trinary Switch/Pressure Relief	Side	**74R1906** *	RD-5-4632-1P
2 ¾	9 5/8	#6 Male O-Ring	X	Trinary Switch/Pressure Relief	Side	**74R1956** *	RD-5-4632-0P
2 ¾	10	#6 Male O-Ring	X	Pressure Relief	Top	**74R1706**	RD-5-3593-1P
2 ¾	10	#6 Male O-Ring	X	Pressure Relief	Side	**74R1756**	RD-5-3593-0P
2 ¾	10	#6 Male O-Ring	X	Pressure Relief	Side	**74R1866**	RD-5-7063-0P
2 ¾	10	#6 Male O-Ring (Schrader Port)	X	Pressure Relief	Top	**74R1806**	RD-5-5571-0P
2 ¾	10	#6 Male O-Ring	X	L Press/Pressure Relief	Side	**74R2106** **	RD-4160-1P
2 ¾	10	#6 Male O-Ring		Bin. Switch/Fuse	Top	**74R1836** †	RD-5-9455-0P
2 ¾	10	#6 Male O-Ring		Trinary Switch/Fuse	Top	**74R1846** *	RD-5-6575-0P
2 ¾	10	#6 Male O-Ring (Schrader Port)	X	Pressure Relief	Side	**74R1856**	RD-5-5572-0P
2 ¾	10 5/16	#6 Male O-Ring	X	Pressure Relief	Top	**74R1826**	RD-5-7062-1P
2 ¾	10 5/8	#6 Male O-Ring	X	Pressure Relief	Top	**74R2797**	RD-5-6568-2P
3	6	#6 Male O-Ring	X	Binary Switch/Pressure Relief	Side	**74R2586** †	RD-5-4727-0P
3	6	#6 Male O-Ring	X	Trinary Switch/Pressure Relief	Side	**74R2596** *	RD-5-4727-1P
3	6 ¼	#6 Male O-Ring	X	Pressure Relief	Side	**74R2547** ††	RD-5-7272-1P
3	6 ¼	#6 Male O-Ring (Schrader Port)	X	Pressure Relief	Side	**74R2536**	RD-5-7061-1P
3	6 ¼	#6 Male O-Ring	X	Pressure Relief	—	**74R2590** ††	RD-5-9419-1P
3	7 ¾	#6 Male O-Ring (Schrader Port)	X	—	—	**74R2677** ††	RD-5-9515-6P
3	8	#6 Male O-Ring	X	—	—	**77R3332**	RD-5-13250-8P
3	8 ¼	#6 Male O-Ring (Schrader Port)	X	—	Side	**77R2688**	RD-5-10591-1P
3	8 ¼	#6 Male ORing, 2 Schrader Ports		—	2 Top	**77R2616**	RD-5-10777-0P
3	8 ¼	#6 Male O-Ring Inlet - #6 Female O-Ring Outlet		Pressure Relief	2 Top	**74R3157** ††	RD-5-10735-1P
3	8 ⅜	#6 Male O-Ring	X	Fuse	Top	**74R2608**	RD-5-11192-0P
3	8 ⅜	#6 Male O-R - #6 Female O-R (2 Schrader Ports)	X	Pressure Relief	Top	**74R2668**	RD-5-11193-0P
3	8 ½	#6 Male O-Ring		Pressure Relief	Top	**74R2706**	RD-5-4955-0P
3	9	#6 Male O-Ring		Pressure Relief	—	**74R2801**	RD-5-9389-1P
3	9	#6 Male O-Ring		—	—	**74R1427** ††	RD-5-11531-0P
3	9	#6 Male O-Ring		Pressure Relief	—	**74R2802**	RD-5-11183-0P
3	9	#6 Male O-Ring		Pressure Relief	—	**74R1407** ††	RD-5-11532-0P
3	9 ¼	#6 Male O-Ring (Schrader Port)		Fuse	Side	**74R3067**	RD-5-5589-1P
3	9 ¼	#6 Male O-Ring	X	Pressure Relief	Top	**74R3107** ††	RD-5-11533-0P
3	9 ¼	#6 Male O-Ring	X		Side	**74R3347**	RD-5-8240-1P
3	9 ½	#6 Male O-Ring		Pressure Relief	—	**74R3326** ††	RD-5-10744-1P
3	9 ¾	#6 Male O-Ring In- #6 Female O-Ring Out	X	Pressure Relief	Side	**74R3148**	RD-5-11194-0P
3	9 ¾	#6 Male O-Ring In- #6 Female O-Ring Out	X	Pressure Relief	Side	**74R3071**	RD-5-9440-1P

* With Trinary™ Switch ** With Low Pressure Switch † With Binary™ Switch †† With Moisture Indicator ‡ 2 Schraders ‡‡ Schrader

Fitting Conversion: **#6** = ⅜" **#8** = ½" **#10** = ⅝" **#12** = ¾"

Dia.	Height	Fitting Size	High Capacity	Fuse/ Press. Relief	Switch Port	Red Dot Part No.	Factory No.
3	9 11/16	11/16 Female O-Ring Inlet – 5/8 Female O-Ring Outlet		Pressure Relief	134 Port	**74R3456**	RD-5-12757-1P
3	10	#6 Male O-Ring	X	Fuse	Side	**74R3137** ††	RD-5-11185-0P
3	10	#6 Female O-Ring In - #6 Male O-Ring Out	X	—	—	**74R3357** ††	RD-5-11184-0P
3	10	#6 Male O-Ring		Fuse	Top	**74R2306** ††	RD-5-6504-1P
3	10	#6 Male O-Ring (Schrader Port), 1/4" male flare Schrader with Male 10 x 1.25mm threads	X	Fuse, 1/4" port	Side	**74R3377** ††	RD-5-11186-0P
3	10	#6 Male O-Ring, Male Metric Schrader with Male 10 x 1.25mm threads	X	Pressure Relief	Side	**74R3077** ††	RD-5-11534-0P
3	10	#6 Female O-Ring In - #6 Male O-Ring Out	X	Pressure Relief	2 Top Metric	**74R3331**	RD-5-11196-0P
3	10	#6 Male O-Ring Inlet - #6 Female O-Ring Outlet, Two M10 x 1.25mm Schrader Valves	X	—	—	**74R3328**	RD-5-11188-0P
3	10	11/16 Female O-Ring In X #6 Female O-Ring Out		Pressure Relief	—	**74R3450**	RD-5-4959-0P
3	10	Quick Disconnect, Two 1/4" Schrader valves	X	—	2 Top	**74R3309**	RD-5-11195-0P
3	10	Quick Disconnect, Two 1/4" Schrader valves	X	Pressure Relief	2 Top	**74R3318** ††	RD-5-10729-1P
3	10	Quick Disconnect	X	Pressure Relief	Side	**74R3320** ††	RD-5-10741-1P
3	10	Quick Disconnect, Two 1/4" Schrader valves	X	Pressure Relief	2 Top	**74R3317**	RD-5-11190-0P
3	10	Quick Disconnect, Two 7/16" Schrader valves	X	Pressure Relief	2 Top	**74R3323**	RD-5-11189-0P
3	10	Flange			134 Port	**74R3325**	RD-5-14095-0P
3	10	Flange				**74R2006**	RD-5-14638-0P
3	10	Flange				**74R2016**	RD-5-14639-0P
3	10	Flange				**74R2026**	RD-5-14640-0P
3	10 1/8	#6 Male O-Ring In - #6 Female O-Ring Out	X	Pressure Relief		**74R3337** ††	RD-5-7292-1P
3	10 1/4	#6 Male O-Ring	X	Pressure Relief	Top	**74R3121**	RD-5-10589-1P
3	10 1/4	#6 Male O-Ring		—	—	**74R3317** ††	RD-5-9872-0P
3	10 1/4	#6 Male O-Ring	X	Pressure Relief	Top	**74R2797** ††	RD-5-6768-2P
3	10 1/4	#6 Male O-Ring	X	Pressure Relief	Top	**74R3324** ††	RD-5-11535-0P
3	10 1/2	11/16 Female O-Ring In x #8 Female O-Ring Out	X	Pressure Relief	Side	**74R3477**	RD-5-7563-1P
3	10 1/2	Pad Mount, #6 Slim Line Conn, #0126 Seal		Fuse	Side ‡‡M10	**74R3129**	RD-5-11522-0P
3	10 11/16	Flange style, Slim Line maniflold block	X	—	—	**74R2002**	RD-5-10434-1P
4	6 3/4	#6 Male O-Ring (Top & Side)		Fuse	—	**74R4007**	RD-5-6075-1P
4	6 3/4	#6 Male Flare (Top & Side)		Fuse	—	**74R4017**	RD-5-6077-1P
4	7	#8 Stat Seals	X			**74R4215**	RD-5-13216-1P
4	7 1/2	#6 Male O-Ring	X	Fuse	Side	**74R3537** ††	RD-5-7565-1P
4	7 3/4	#6 Fem O-Ring In - #6 Male O-Ring Out (top-bottom)		—	—	**74R4027** ††	RD-5-11028-1P
4	7 3/4	#6 Male O-Ring w low side Pressure switch		L Pr/Pressure Relief	Side	**74R3517** **††	RD-5-5955-1P
4	7 7/8	#6 Quick Disconnect w low side Pressure switch		L Pr/Pressure Relief	—	**74R3527** **††	RD-5-7564-1P
4	7 7/8	# 6 Female O-Ring - #6 Male O-Ring In Line		—	—	**74R0401**	RD-5-8862-1P
4	8	#6 Fem O-Ring In x #6 Male O-Ring Out In Line		—	Side	**74R4116**	RD-5-6076-0P
4	9	#6 Female O-Ring In; #6 Male O-Ring Out		—	—	**74R4207** ††	RD-5-9055-1P

LS = Limited to stock on hand

Fitting Conversion: **#6** = 3/8" **#8** = 1/2" **#10** = 5/8" **#12** = 3/4"

➔ Refrigerant flow is from left to right ➔

INLINE FILTERS

74R0401 RD-5-8862-1P

4" diameter x 7 ⅞" long — AGCO RE49169
#6 Female O-Ring - #6 Male O-Ring
Dual Sight Glas




74R0450 RD-5-4947-0P

2 ½" diameter x 6 9⁄16" long — Takeuchi 3949269
#6 - #8 Male O-Ring Inline
No Port
No Glass



74R0455 RD-5-14094-0P

2 ½" diameter x 11" long — CAT 257-3227
#8 Male O-Ring Out #6 Male O-Ring In
With Orifice Tube



74R0462 RD-5-7064-1P

2 ½" diameter x 9 9⁄16" long — Caterpillar 088411-01
#6 Male O-Ring Inline
High Capacity



74R0470 RD-5-8605-1P

2 ½" diameter x 13 ⅞" long — Caterpillar OE#3E3595
Quick Disconnect – No Port
With Orifice Tube




74R0480 RD-5-14686-0P

2 ¾" diameter x 8 ¼" long — Blue Paint Finish
#8 Male O-Ring Inline
With moisture indicator



74R0485 RD-5-14687-0P

3" diameter x 10" long — Blue Paint Finish
#8 Flare O-Ring Inline



74R0490 RD-5-14688-0P

2 ½" diameter x 7 ¾" long — Blue Paint Finish
#12 Male O-Ring Inline
With moisture indicator



74R0495 RD-5-14647-0P

2 ½" diameter x 10 ¾" long — Caterpillar OE#320-0562, 320-0563
Pad Fittings



74R0500 RD-5-15710-0P

3" diameter x 9" long — Carrier#14-00326-05
#10 Male O-Ring Inline



74R0505 RD-5-15713-0P

3" diameter x 11 ⅝" long — John Deere#RE175116, RE291796, RE214440
#6 Female O-Ring In
#6 Male O-Ring Out



Fitting Conversion: **#6** = ⅜" **#8** = ½" **#10** = ⅝" **#12** = ¾"

→ Refrigerant flow is from left to right →


74R0475 RD-5-14685-0P

3″ diameter x 8 ¼″ long
Carrier #DRI-104



74R1427 RD-5-11531-0P

3″ diameter x 9″ long
#6 Male O-Ring
Volvo VN Series
OE#20447319



74R1826 RD-5-7062-1P

2 ¾" x 10 5⁄16″ long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port
Fits Caterpillar & John Deere



74R0907 RD-5-4950-1P

2 ½″ diameter x 8″ long
#6 Male O-Ring
Fuse
Side Port
Freightliner A22-14425-001
IHC/Navistar 1691709-C91



74R1706 RD-5-3593-1P

2 ¾″ diameter x 10″ long
#6 Male O-Ring
High Capacity
Pressure Relief-Side
⅜″- 24 Switch
Port-Top
IHC Navistar 1676651-C1
Kenworth 402566



74R1836 RD-5-9455-0P

2 ¾″ diameter x 10″ long
#6 Male O-Ring
Includes Binary Switch
Fuse
Top Port
IHC / Navistar 124552-C1
Peterbilt JA1130
Western Star 02-7077922



74R1106 RD-5-7559-0P

2 ½″ diameter x 7 11⁄16″ long
#6 Male O-Ring
Side Port
Terex, Caterpillar
088273-00



74R1756 RD-5-3593-0P

2 ¾″ diameter x 10″ long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port
Mack 402529
Peterbilt JA1895



74R1846 RD-5-6575-0P

Includes Trinary™ Switch
2 ¾″ diameter x 10″ long
#6 Male O-Ring
Fuse
Top Port



74R1407 RD-5-11532-0P

Includes Moisture Indicator
3″ diameter x 9″ long
#6 Male O-Ring
Press Relief
Volvo 20407205,
088492-01, 8078261



74R1806 RD-5-5571-0P

2 ¾″ diameter x 10″ long
#6 Male O-Ring Schrader Port
High Capacity
Pressure Relief
Top Port
Peterbilt JA1090



74R1856 RD-5-5572-0P

2 ¾″ diameter x 10″ long
#6 Male O-Ring Schrader Port
High Capacity
Pressure Relief
Side Port
Peterbilt JA1090
Mack 328P
Western Star 02-0707922




Fitting Conversion: **#6** = ⅜″ **#8** = ½″ **#10** = ⅝″ **#12** = ¾″

RECEIVER DRIERS

→ Refrigerant flow is from left to right →

74R1866 — RD-5-7063-0P

2 ¾" diameter x 10" long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port




74R1906 — RD-5-4632-1P

Includes Trinary™ Switch-Top — IHC / Navistar
2 ¾" diameter x 9 ⅝" long — 1676652-C1
#6 Male O-Ring — Kenworth JA1105
High Capacity
Trinary Switch /
Pressure Relief
Side Port



74R1956 — RD-5-4632-0P

Includes Trinary™ Switch-Side — IHC / Navistar
2 ¾" diameter x 9 ⅝" long — 1676664-C1
#6 Male O-Ring — Kenworth JA2225
High Capacity
Trinary Switch /
Pressure Relief
Side Port



74R1986 — RD-5-14078-0P

2 ¾" diameter x 8 ¾" long
#6 Male O-Ring
Switch Port Body
Switch Port Side
Fuse Side
Sight Glass Body
Pressure Relief



74R2002 — RD-5-10434-1P

3" diameter x 10 11⁄16" long — Peterbilt F37-600
Flange Type, — Kenworth JA2225
Slimline Manifold Block
High Capacity



74R2006 — RD-5-14638-0P

3" diameter x 10" long — Peterbilt #F37-6011
Flange Fittings



74R2016 — RD-5-14639-0P

3" diameter x 10" long — Peterbilt #F37-6010
Flange Fittings




74R2026 — RD-5-14640-0P

3" diameter x 10" long — Peterbilt #F37-6013
Flange Fittings




74R2106 — RD-4160-1P

Includes Low Pressure Switch — Freightliner
2 ¾" diameter x 10" long — A22-14425-003
#6 Male O-Ring — Volvo BSM319000
High Capacity
Low Pressure /
Pressure Relief
Side Port




74R2306 — RD-5-6504-1P

Includes Moisture Indicator — IHC / Navistar
3" diameter x 10" long — 1691738-C91
#6 Male O-Ring
Fuse
Top Port




74R2527 — RD-5-7061-8P

3" diameter x 6 ¼" long — Kenworth OE#K251-566
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2537 — RD-5-7061-7P

3" diameter x 6 ¼" long
#6 Male O-Ring
Schrader Port
High Capacity
Pressure Relief




Fitting Conversion: **#6** = ⅜" **#8** = ½" **#10** = ⅝" **#12** = ¾"

→ Refrigerant flow is from left to right →

74R2447 RD-5-7272-1P

Includes Moisture Indicator
3″ diameter x 6 ¼″ long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port

Mack 221RD32



74R2596 RD-5-4727-1P

Includes Trinary™ Switch
3″ diameter x 6″ long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R2677 RD-5-9515-1P

Includes Moisture Indicator
3″ diameter x 7 ¾″ long
#6 Male O-Ring
Schrader Port
High Capacity


Western Star 176243,
61506-3402-000
Caterpillar 088193-03



74R2577 RD-5-7061-6P

3″ diameter x 6 ¼″ long
#6 Male O-Ring
(No Ports)
High Capacity
No Port
No Glass


IHC/Navistar 1691604-C1



74R2608 RD-5-11192-0P

3″ diameter x 8 ⅜″ long
#6 Male O-Ring
High Capacity
Fuse

Freightliner 088193-003



74R2688 RD-5-10591-1P

3″ diameter x 8 ¼″ long
#6 Male O-Ring
Schrader Port
High Capacity
Side Port

Western Star 61506-3402



74R2586 RD-5-4727-0P

Includes Binary™ Switch
3″ diameter x 6″ long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port


John Deere



74R2616 RD-5-10777-0P

3″ diameter x 8 ¼″ long
#6 Male O-Ring
Two Schrader Ports

Peterbilt 18-03619



74R2706 RD-5-4955-0P

3″ diameter x 8 ½″ long
#6 Male O-Ring
Pressure Relief
Top Port

IHC/Navistar 1676663-C1



74R2590 RD-5-9419-1P

Includes Moisture Indicator
3″ diameter x 6 ¼″ long
#6 Male O-Ring
High Capacity
Pressure Relief
No Port



74R2668 RD-5-11193-0P

3″ diameter x 8 ⅜″ long
#6 Male O-Ring
#6 Female O-Ring,
2 Schrader Ports
High Capacity
Pressure Relief
Top Port


Peterbilt 18-03783
Freightliner A22-32150



74R2797 RD-5-6768-2P

Includes Moisture Indicator
3″ diameter x 10 ¼″ long
#6 Male O-Ring
High Capacity
Press Relief
Top Port

Ford 9827050



Fitting Conversion: **#6** = ⅜″ **#8** = ½″ **#10** = ⅝″ **#12** = ¾″

RECEIVER DRIERS

→ Refrigerant flow is from left to right →

74R2801 — RD-5-9389-1P

3" diameter x 9" long
#6 Male O-Ring
Pressure Relief

Mack 7753-08836001
CAT 2488232



74R3077 — RD-5-11534-0P

3" diameter x 10" long
with Moisture Indicator
#6 Male O-Ring
Male Metric Schrader
with Male 10 X
1.25mm Threads
High Capacity
Pressure Relief
Side Port

Mack 088294-01, 02,
221RD335



74R3137 — RD-5-11185-0P

Includes Moisture Indicator
3" diameter x 10" long
#6 Male O-Ring
High Capacity
Fuse
Side Port

Western Star 176243,
61506-3402



74R2802 — RD-5-11183-0P

3" diameter x 9" long
#6 Male O-Ring
Pressure Relief

AGCO 0256818-6



74R3107 — RD-5-11533-0P

Includes Moisture Indicator
3" diameter x 9 ¼" long
#6 Male O-Ring
High Capacity
Pressure Relief
Top Port

Volvo 39347181,
20407203




74R3148 — RD-5-11194-0P

3" diameter x 9 ¾" long
#6 Male O-Ring Inlet,
#6 Female O-Ring Outlet
2 Schrader Ports
Pressure Relief
Side Port



74R3067 — RD-5-5589-1P

3" diameter x 9 ¼" long
#6 Male O-Ring
Schrader Port
Fuse
Side Port



74R3126 — RD-5-10589-1P

3" diameter x 10 ¼" long
#6 Slimline Seal
High Capacity
Pressure Relief
2 M10 Ports


Freightliner 088539-00



74R3157 — RD-5-10735-1P

Includes Moisture Indicator
3" diameter x 8 ¼" long
#6 Male O-Ring Inlet,
#6 Female O-Ring Outlet
M10 Ports
Pressure Relief
Top Port (2)

Peterbilt 18-03783



74R3071 — RD-5-9440-1P

3" diameter x 9 ¾" long
#6 Male O-Ring In
#6 High Capacity Female O-Ring Out
Pressure Relief Valve
Side Port

Freightliner 088539-00



74R3129 — RD-5-11522-0P


3" diameter x 10 ½" long
Pad Mount,
#6 Slimline Connection
Two Schraders
Side Port, M10
Fuse

Freightliner PH088446-00
←Flow



74R3309 — RD-5-11195-0P

3" diameter x 10" long – Quick Disconnect
High Capacity – 7/16" Schrader valve
2 Top Port




LS = Limited to stock on hand

Fitting Conversion: **#6** = ⅜" **#8** = ½" **#10** = ⅝" **#12** = ¾"

→ Refrigerant flow is from left to right →


74R3317 RD-5-11190-0P

3″ diameter x 10″ long Freightliner 319510, 088537-00
Quick Disconnect - two M10 Schrader Valves
High Capacity
Pressure Relief
Two Top Ports



74R3323 RD-5-11189-0P

3″ diameter x 10″ long – Quick Disconnect
Two Top Metric Ports



74R3324 RD-5-11535-1P

Includes Moisture Indicator
3″ diameter x 10″ long
#6 Male O-Ring
Pressure Relief
Top Port




74R3325 RD-5-14095-0P

3″ diameter x 10″ long Volvo #11164457
Flange Fittings
R-134a Port




74R3328 RD-5-11188-1P

3″ diameter x 10″ long 088397-01
#6 Male O-Ring Inlet
#6 Female O-Ring Outlet,
2 M10 Schrader Valves
High Capacity




74R3331 RD-5-11196-0P

3″ diameter x 10″ long Freightliner 088337-00
#6 Male O-Ring Inlet
#6 Female O-Ring Out
High Capacity
Pressure Relief
Two Top Metric Ports



74R3337 RD-5-7292-1P

Includes Moisture Indicator
3″ diameter x 10 ⅛″ long
#6 Male O-Ring Inlet
#6 Female O-Ring Out
High Capacity
Pressure Relief



74R3347 RD-5-8240-1P

Includes Moisture Indicator Mack 221RD312, 333
3″ diameter x 9 ¼″ long
#6 Male O-Ring
High Capacity
Pressure Relief
Side Port



74R3357 RD-5-11184-0P

Includes Moisture Indicator Kenworth K251-571
3″ diameter x 10″ long
#6 Female O-Ring Inlet
#6 Male O-Ring Outlet
High Capacity



74R3377 RD-5-11186-0P

Includes moisture indicator Western Star
3″ diameter x 10″ long 61506-3406
#6 Male O-Ring
(Schrader Ports)
High Capacity
Fuse
Side Port




74R3450 RD-5-4959-0P

3″ diameter x 10″ long Volvo 3949280, 8086753
11⁄16″ Female O-Ring Inlet
⅝″ Female O-Ring Outlet
Pressure Relief
No Port



74R3456 RD-5-12757-1P

3″ diameter x 9 11⁄16″ long IHC/Navistar
11⁄16″ Female O-Ring Inlet 1682171-C1, 2000821-C1
⅝″ Female O-Ring Outlet 1693117-C1
Pressure Relief
R-134a Charge Port



RECEIVER DRIERS\ ACCUMULATORS


LS = Limited to stock on hand

Fitting Conversion: **#6** = ⅜″ **#8** = ½″ **#10** = ⅝″ **#12** = ¾″

→ Refrigerant flow is from left to right →


74R3477 RD-5-7563-1P

3" diameter x 10 ½
11/16 Female O-Ring In, t
#8 Female O-Ring Out
High Capacity
Pressure Relief
Side Port




74R3517 RD-5-5955-1P

Includes Low Pressure Switch & Moisture Indicator
4" diameter x 7 ¾" long
#6 Male O-Ring
Pressure Relief –
Side Port
VME 088209-02,
106-5534, 5V5698




74R3527 RD-5-7564-1P

Includes Low Pressure Switch & Moisture Indicator
4" diameter x 7 ⅞" long
#6 Quick Disconnect
Pressure Relief
No Port
Caterpillar
06-5532,
106-5533,
8T8642,
9W0549




74R3537 RD-5-7565-1P

Includes Moisture Indicator Ford 696524
4" diameter x 7 ½" long
#6 Male O-Ring
High Capacity
Fuse
Side Port



74R4007 RD-5-6075-1P

4" diameter x 6 ¾" long IHC/Navistar 118304-C1,
#6 Male O-Ring (Top & Side) 118418-C1
Fuse
Side Glass



74R4017 RD-5-6077-1P

4" diameter x 6 ¾" long
#6 Male Flare (Top and side)
Fuse IHC/Navistar 539049-R91



74R4027 RD-5-11028-1P

Includes Moisture Indicator Ford 143469-C2
4" diameter x 7 ¾" long
#6 Female O-Ring Out;
#6 Male O-Ring In



74R4028 RD-5-14648-0P

4" diameter x 7 ¼" long A22-69800-000
In/Out #8 Stat-O-Seal 22-66700-000
2010-2012 Freightliner Cascadia
←Flow




74R4116 RD-5-6076-0P

4" diameter x 8" long
#6 Female O-Ring In; #6 Male O-Ring Out
John Deere Applications



74R4207 RD-5-9055-1P

4" diameter x 9" long John Deere AH114865,
#6 Female O-Ring In; AT125596, AT151981,
#6 Male O-Ring Out AT162848, AT63170
Side Glass



74R4208 RD-5-15698-0P

Tri Pac #61-355
3 ¼" diameter x 6 ¼" long
#10 Male O-Ring In and
#10 Male O-Ring Out with Pressure Relief Valve



74R4215 RD-5-13216-1P


4" diameter x 7" long A22-63992-000 / 001
In/Out - #8 Stat Seals A22-72392-000
Freightliner 2008-2010 M2, Cascadia Century/
Columbia with Pad Type
←Flow



Fitting Conversion: **#6** = ⅜" **#8** = ½" **#10** = ⅝" **#12** = ¾"

74R4216 RD-5-15323-0P

4" diameter x 8" long
A22-63993-000
In/Out - #8 Stat Seals
←**Flow**



74R4217 RD-5-15324-0P

4" diameter x 8" long
A22-63994-001
In/Out - #8 Stat Seals
Coronado
←**Flow**



74R4218 RD-5-15689-1P

4" diameter x 6" long — A22-66600-000
In/Out #8 Stat o Seals — A22-69799-000



74R4220 RD-5-16204-0P

3" diameter x 10 1/4" long
Flange Fittings
Kenworth F37-1017-200, F37-1022-200



74R4230 RD-5-16629-0P

3" diameter x 9.2" long

Image Not Available

74R4232 RD-5-16630-0P

3" diameter x 8.5" long

Image Not Available

Fitting Conversion: **#6** = ⅜" **#8** = ½" **#10** = ⅝" **#12** = ¾"

SIGHT GLASS MOISTURE INDICATOR

The easy to see element in this sight glass changes from blue to pink when it is time to change your Receiver Drier. (After installing a new drier indicator returns to blue.)

70R3500 RD-5-4903-0P

#6 (5/8 - 18 UNF-2A) Male O-Ring to #6 (5/8 - 18 UNF-2B) O-Ring, Female Swivel Nut




70R3530 RD-5-7071-0P

#6 (5/8 - 18 UNF-2A) Male O-Ring to #6 (5/8 - 18 UNF-2B) O-Ring, Female Swivel Nut
With high pressure relief valve (opens 450-550 psi; reseals before 400 psi & Gage port 7/16 -020 UNF-2A thread Schrader type



70R3550 RD-5-4904-0P

#6 (5/8 - 18 UNF-2A) O-Ring to #6 (5/8 - 18 UNF-2B) O-Ring, Female Swivel Nut with low pressure switch & high pressure relief valve (#6 O-Ring)



70R3590 RD-5-4813-0P

90° #6 (5/8 - 18 UNF-2A) O-Ring to #6 (5/8 - 18 UNF-2B) O-Ring, Female Swivel Nut
With pressure sensing switch & Gage port, 1/4 SAE Flare Schrader



RECEIVER DRIER ACCESSORIES

74R7210 RD-3-3454-0P

Receiver Drier Bracket



74R7220 RD-4220-0P

Receiver Drier Bracket



74R8006 RD-5-7570-0M

Fitting Adapter Assembly
#6 Adaptor to #5 Metric Fitting–




Listed in ascending order by **Diameter** x **Length** x **Fitting Type** and **Size**

Dia.	Length	Inlet Type	Size	Outlet Type	Size	Red Dot Part No	Red Dot Factory No	OEM No.	Description
2 1/4"	10	Pad Type		Pad Type		**74R5076**	RD-5-14083-0P	20Y-979-3120	Fits Komatsu
3"	6"	Pad Type		Pad Type		**74R5088**	RD-5-15287-0P	3839360C92 6102498C93	ProStar Main Unit Day Cab Unit
3 1/2"	8"	Male Insert O Ring	5/8" #10	Male Insert O Ring	3/4" #12	**74R5095**	RD-5-11546-0P	4C4H19808-AA F6HZ-19C836A	Fits Ford, Sterling
3 1/2"	8"	Female O Ring	3/4" #12	Female O Ring	3/4" #12	**74R5050**	RD-5-4961-0P	849748, 15-1274	2) R-12 Ports, Fits GM & Peterbilt
3 1/2"	8 5/64"	Male Insert O Ring	5/8" #10	Male Insert O Ring	5/8" #10	**74R5093**	RD-5-10201-0P	089235-000	
3 1/2"	9 1/8"	Pad Mount	1"-14 UNF	Pad Mount	1"-14 UNF	**74R5097**	RD-5-12623-0P	3542577C2	Fits IHC/Navistar
3 1/2"	9 1/2"	Female O Ring	1 1/16"	Female O Ring	1 1/16"	**74R5061**	RD-5-10927-0P	18-03837	Fits Peterbilt
4 1/2"	10"	Male O-Ring	1 1/16"	Female O-Ring	1 1/16"	**74R2716**	RD-5-12462-0P		
4 1/4"	9 1/2"	Male Insert O-Ring	1 1/16" Male	Female Insert O-Ring	1 1/16" Female	**74R5100**	RD-5-16200-0P	Caterpillar 274-5909	
4 1/4"	9 1/2"	Pad Type	3/4" Male	Pad Type	3/4"	**74R5102**	RD-5-16202-0P	Caterpillar 308-2583	
4 1/4"	9"	Pad Type	3/4" Female	Pad Type	3/4" Female	**74R5103**	RD-5-16203-0P	Caterpillar 320-0564	
5"	10 1/4"	Female Insert O-Ring	1 1/16" Female	Male Insert O-Ring	1 1/16" Female	**74R5101**	RD-5-16201-0P	Caterpillar 170-0235	
ACCESSORIES:									
Accumulator Tube		Male O Ring	3/4" #12	Male Insert O Ring	3/4" #12	**74R5600**	RD-5-4962-0P	Accumulator tube for GM, Fits 74R5050 Accumulator	
Adapter		#6 Adapter to #5 Metric Fitting		Female Spring Lock	3/4" #12	**74R8006**	RD-5-7570-0M	Adapter, 2 per Package	


Fitting Conversion: **#6** = 3/8" **#8** = 1/2" **#10** = 5/8" **#12** = 3/4"

GUIDE TO ACCUMULATOR FITTINGS


Components in an air conditioning system require a clean, non-corrosive environment. Moisture is corrosive to air conditioner system components and must be eliminated for efficient a/c system operation. Any time the a/c system is opened, the accumulator and orifice tube need to be replaced. A good preventative maintenance practice is to replace the accumulator / orifice tube at regular intervals (at least once a year). A/C compressor manufacturer's warranties will be void without proof of flushing the system, accompanied by replacement of the accumulator and orifice tube when replacing a compressor.



Accumulators have a variety of connecting fittings, often connected to tubing designed for a specific application. Here are the different types of fitting connections you will experience while working with accumulators.




Springlock Male




Springlock Female



O-Ring Male



O-Ring Female




Insert O-Ring Male

Pad Mount Female



Charge Port Schrader



Charge Port M-10

74R2716 RD-5-12462-0P

4 ¼" diameter x 10" long
Inlet: 1 1/16"
Outlet: 1 1/16"
No Desiccant



74R2717 RD-5-12462-1P

4 ¼" diameter x 10" long
Inlet: 1 1/16"
Outlet: 1 1/16"
W/ Desiccant



74R5050 RD-5-4961-0P

Universal Accumulator for
Peterbilt 849748, 15-1274, JC1080
3 ½" diameter x 8" long
Inlet: 3/4" (#12) Female O-Ring
Outlet: 3/4" (#12) Female O-Ring
Two R-12 Ports



74R5061 RD-5-10927-0P

Peterbilt 357, 375, 378, 379, 385. 18-03837
3 ½" diameter x 9 ½" long
Inlet: 1 1/16" Female O-Ring
Outlet: 1 1/16" Female O-Ring



74R5062 RD-5-9556-1P

Peterbilt 18-04171
3 ½" diameter x 9 1/8" long
Inlet: Pad Mount
Outlet: Pad Mount



74R5093 RD-5-10201-0P

Ford OE #089235-000
3 ½" diameter x 8 5/64" long
Inlet: 5/8" (#10) Male Insert O-Ring
Outlet: 5/8" (#10) Male Insert O-Ring
With 71R6095 Pressure Switch



LS = Limited to stock on hand

74R5095 RD-5-11546-0P

Ford F6HH-19E647AA, F6HZ-19C836A
3 ½" diameter x 8" long
Inlet: ⅝" (#10) Male Insert O-Ring
Outlet: ¾" (#12) Male Insert O-Ring



74R5097 RD-5-12623-0P

IHC / Navistar 3542577-2, BOA80-323-00-139
3 ½" diameter x 9 ⅛" long
Inlet: Pad Mount 1"-14 UNF
Outlet: Pad Mount 1"-14 UNF
Switch Port: M12 x 1.5
Bracket Mount:
2)M8 x 1.25 female thread
Adjustable Studs



74R5099 RD-5-10202-0P

Ford Sterling F1HZ19C836C
3 ½" diameter x 10" long
Two swivel ports



74R5401 RD-5-14650-0P

Navistar Maxx Force
3666273-C1



74R5405 RD-5-14045-0P

Navistar Prostar
3670134-C1
P6546001




74R5076 RD-5-14083-0P

Komatsu
2 ¼" diameter x 10" long
204-979-3120




74R5088 RD-5-15287-0P

3839360C92
3" diameter x 6" long



74R5090 RD-5-15697-0P

3843558C92
6102500C92



74R5100 RD-5-16200-0P

Caterpillar 274-5909
4 1/4" diameter x 9 1/2" long
Inlet: 1 1/16" Male
Outlet: 1 1/16" Female



LS = Limited to stock on hand

For Sight Glass Moisture Indicator and Quick Disconnect Fittings see Fittings Section.

74R5101 RD-5-16201-0P

Caterpillar 170-0235
5″ diameter x 10 1/4″ long
Inlet: 1 1/16″ Male
Outlet: 1 1/16″ Female



74R5102 RD-5-16202-0P

Caterpillar 308-2583
4 1/4″ diameter x 9 1/2″ long
Inlet: 3/4″ Male
Outlet: 3/4″ Female



74R5103 RD-5-16203-0P

Caterpillar 320-0564
4 1/4″ diameter x 9″ long
Inlet: 1 1/16″ Male
Outlet: 1 1/16″ Female



ACCUMULATOR ACCESSORIES

74R5600 RD-5-4962-0P

Accumulator Tube for 74R5050, fits GM
3/4″ (#12) Male O-Ring (1 3/4″-16 thread)
3/4″ (#12) Male Insert O-Ring (1 3/4″-14 thread)



74R8006 RD-5-7570-0M

Fitting Adapter Assembly
#6 Adaptor to #5 Metric Fitting–
2 Per Package



ROTARY ACTUATORS

Compact electronic actuators for mode door, blend air door, air distribution, and water valve actuation. **12 and 24 Volts DC**

71R3572 RD-5-13605-0P
Servo Actuator, 126° maximum travel, Red N



71R3574 RD-5-13604-0P
Two Position Actuator, 140° maximum travel, Green T



71R3579 RD-5-13540-0P
Servo Actuator, 104° maximum travel, Red D



71R3576 RD-5-9063-0P
Servo Actuator - Sealed, 126° maximum travel sealed to IP68



71R3578 RD-5-9021-0P
Feedback Actuator, 130° maximum travel



71R3570 RD-3-6038-0M
Nylon Rod Adapter
Dimensions: 15/32" x 3/8" x 5/8" depth



71R3575 RD-5-6320-0P
Red Label D161124932
OE# P93CAA0200-015



71R3580 RD-5-14607-0P
Moto Mode Control - 2 terminal 4000/8000 Series
OE#3452606C1; 3611234C1



71R3581 RD-5-14608-0P
Actuator - 12V 5-pin
OE#3599602-C1 OE#3452606C1; 2611234C1



71R3582 RD-5-14609-0P
Actuator - 12V 4-pin
OE#2503207-C1; 7787-650694



71R3585 RD-5-14610-0P
Actuator - 12V 2-pin
OE#3542575C1



71R3593 RD-5-15543-0P
OE#P93CAB0200-01S



71R3595 RD-5-15544-0P
OE#P93CAB0201-01S



UNIVERSAL SEALED ACTUATOR


71R3583 RD-5-15544-0P
Universal, 12 Volt or 24 Volt
Mounts in same manner as many OE actuators, sealed to IP68, control signal by linear voltage (peteniometer) or or 100 Hz pulse width modulation (PWM) signal.
4-pin Deutch sealed connection
104° maximum travel



AIR SENSING SWITCHES


72R0050 RD-5-4475-0P

Normally Closed,
Opens at 25 PSIG
⅛"-27 NPTF Male



72R0070 RD-5-5538-0P

Normally Open,
Closes at 21 TO 29 PSIG
⅛" - 27 NPTF Male



RED DOT AIR SWITCHES

72R0100 RD-5-4740-0P

Air Switch Guard



72R0190 RD-5-5721-1P

Black Toggle
With Quick Connect fittings
¼" in and ¼" out



72R0200 RD-5-3827-0P

Black Toggle, Flat



72R0210 RD-5-3827-1P

Black Toggle, Round




72R0220 RD-5-3827-2P

Nickle plated toggle



72R0240 Rd-5-3827-4P

Chrome Push Button
Momentary Off/Maintain On




72R0260 RD-5-3827-6P

Black Toggle



72R0500 RD-5-4747-0P

TOGGLE with guard used in fifth wheel slide and other pneumatic applications.
Inlet & outlet are ⅛"-27 NPTF Female



72R0600 RD-5-5721-0P

Black Toggle with Quick Connect fitting ¼" In and ¼" Out



72R0610 RD-5-4721-0P

Black Toggle with Quick Connect fitting
¼" In and ⅛" Out



72R0270 RD-5-3827-10P

Black Toggle, Flat with Switch Guard



AIR HOSE SHOWN IN SECTION 78

Chrome mounting nut (15/32-32 UNF-2B)

SWITCHES

SINGLE ACTION RED DOT AIR CYLINDERS

Part No.	Factory No.	Cylinder Diameter	Cylinder Length	Stroke	Material	Mount	Air Fitting	
72R1100	RD-3267-1P	.75″	3.25″	1.02″	Brass	D	A	
72R1200	RD-5-5414-4P	.625″	3.69″	1.10″	Plastic	F	B	
72R1210	RD-5-5784-5P	.625″	3.69″	1.10″	Plastic	F	C	

DOUBLE ACTING RED DOT AIR CYLINDERS

Part No.	Factory No.	Cylinder Diameter	Cylinder Length	Stroke	Material	Mount	Air Fitting	
72R1300	RD-5-5424-1P	.69″	4.74″	.5″	Plastic	F	B	
72R1310	RD-5-6028-1P	.79″	5.34″	.375″	Plastic	F	C	

A ⅛″ NPT Threads
B ⅛″ Nylon Hose Push-in Fitting
C 3⁄16″ Nylon Hose Push-in Fitting
D 9⁄16″-18 UNF-2A Threaded Mounting
F Plastic Mounting Plate

SOLENOID VALVE

Provides electric control for operation of air cylinders, air actuated shutters, air controlled clutching fans.
Solenoid can be normally open or normally closed depending on control port used.
⅛″ - 27 NPT Threads

72R1502 RD-5-0060-0P

12 VDC – Draws .65 AMPS



72R1504 RD-5-0060-24P

24 VDC – Draws .45 AMPS



CIRCUIT BREAKERS

Listed in ascending order by current (amps) rating

Amps	Mounting Dimensions Length	Width	Height	Dimension	Shaft Contact	Terminal Description	Voltage Rating	Maximum Operating Voltage	Part No.	Factory No.
5	1 3/8	1 3/8	11/16	7/16" - 28 thread	2	1/4" Blade	250VAC	50VDC	**71R1320**	RD-5-7807-0P
15	1 3/8	1 3/8	11/16	7/16" - 28 thread	2	1/4" Blade	250VAC	50VDC	**71R1310**	RD-5-6602-0P
20	1 3/8	1 3/8	11/16	7/16" - 28 thread	2	1/4" Blade	250VAC	50VDC	**71R1315**	RD-5-6714-0P
25	1 3/8	1 3/8	11/16	7/16" - 28 thread	2	1/4" Blade	250VAC	50VDC	**71R1325**	RD-5-7809-0P
30	1 3/8	1 3/8	11/16	7/16" - 28 thread	2	1/4" Blade	250VAC	50VDC	**71R1300**	RD-5-5874-0P
35	1 3/8	1 3/8	11/16	7/16" - 28 thread	2	1/4" Blade	250VAC	50VDC	**71R1330**	RD-5-7192-0P

71R1300 RD-5-5874-0P

Current Rating: 30 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: 1/4" blade
Dimensions: 1 3/8" x 1 3/8" x 2/3"
Mounting:7/16", 28 thread



71R1315 RD-5-6714-0P

Current Rating: 20 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: 1/4" blade
Dimensions: 1 3/8" x 1 3/8" x 2/3"
Mounting:7/16", 28 thread



71R1325 RD-5-7809-0P

Current Rating: 25 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: 1/4" blade
Dimensions: 1 3/8" x 1 3/8" x 2/3"
Mounting:7/16", 28 thread



71R1310 RD-5-6602-0P

Current Rating: 15 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: 1/4" blade
Dimensions: 1 3/8" x 1 3/8" x 2/3"
Mounting:7/16", 28 thread



71R1320 RD-5-7807-0P

Current Rating: 5 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: 1/4" blade
Dimensions: 1 3/8" x 1 3/8" x 2/3"
Mounting:7/16", 28 thread



71R1330 RD-5-7192-0P

Current Rating: 35 amp
Maximum operating voltage: 50VDC @250VAC
Terminal: 1/4" blade
Dimensions: 1 3/8" x 1 3/8" x 2/3"
Mounting:7/16", 28 thread




TWIN TEMPERATURE RELAYS

Amps	Mounting Dimension Length	Width	Height	Hole - Hole Dimension	Terminal Speed Contact	Voltage	Rating	Rating	Part No.	Factory No.
10	1 7/16	1 1/4	2	NA	8, DPDT	NA	12V	Pull-in: 9.0 V Max. Drop Out: 1.2V 120 ohms, Socket Mount, 3/16 blade term.	**71R1652**	RD-4370-0P
5	1 5/8	1 1/4	1 7/8	NA	8, DPDT	NA	24V	99K ohm resistance coil, socket mount	**71R1654**	RD-5-4287-0P


71R1652 RD-4370-0P

12V Relay, 8 Terminal, DPDT



71R1654 RD-5-4287-0P

24V Relay, 8 Terminal, DPDT



SWITCHES

CONTROL KNOBS

71R4010 RD-5-8654-1P
Convex, Flush Mount
Diameter: 1.6″
Height: .91″
“D” Shaft diameter: ¼″ @ 46°



71R4011 RD-5-8654-2P
Convex, Flush Mount
Diameter: 1.6″
Height: .91″
“D” Shaft diameter: ¼″ @ 270°



71R4015 RD-5-8812-0P
Convex, Flush Mount
Diameter: 1.31″ with pointer: 1.61″
Height: .88″
“D” Shaft diameter: ¼″ @ 90°




71R4020 RD-5-8654-0P
Convex, Flush Mount
Diameter: 1.6″
Height: .91″
“D” Shaft diameter: ¼″ @ 90°



71R4030 RD-5-4302-0M
10 per Package
Black Plastic Press Fit
Lever control
Base: .400 X .390
Height: ⅞″
Fits: .3″ x .1″ lever shaft, spring retainer




71R4035 RD-5-4450-0P
Black Plastic Press Fit
Lever control
Base: .67″ x .45″
Height: ⅝″
Fits: .3″ x .1″ lever shaft, spring retainer



71R4040 RD-5-5928-0P
¼″ Shaft & Set Screw



71R4050 RD-4181-0P
Fits R-290, R-295
¼″ Shaft & Set Screw
45° offset
Flush mount
Diameter: 1 ¼″
Height: .85″
Shaft recess: ¾″



71R4060 RD-5-8075-0P
Fits R-290, R-295
¼″ Shaft & Set Screw
45° offset
Flush mount
Diameter: 1 ¼″
Height: .85″
Shaft recess: ¾″



71R4063 RD-5-8134-0P
Control knob for electronic water valves 72R7000 and 72R7100



71R4065 RD-5-9133-0M
10 per Package
Control knob for water valves, optional for 72R7000 and 72R7100




71R4105 RD-5-8673-0P
10-32 Internal Threads
Shaft diameter: ¼″



PUSH BUTTON SWITCH


71R0030 RD-5-8459-0P

12v AC Compressor Switch SPST, 6 amps,
½" square button, 1 ¾" frame




71R0031 RD-5-10686-0P

24v AC Compressor Switch SPST, 6 amps,
½" square button, 1 ¾" frame



71R0040 RD-5-4283-0P

3-Speed Fan Switch, 12 volt
Base: 1 ⅛" x 2"
Length: 2 ¾"
¼" Blade Connector



MICRO SWITCH

71R1610 RD-5-8490-0P

15 amp, 12 volt, SPDT, 2 Terminal
Normally Open
Base: 1 ¼" x ⅝" x ⅝"



71R1620 RD-5-10590-0P

15 amp, 12 volt, DPDT, 3 Terminal




DIODE

71R1900 RD-5-4216-0P

Used on R-6100 & R-6160



RELAYS



Listed in ascending order by dimension:
A=Base length **B**=Base width **C**=Overall length **D**= Blade length

Dimensions					Terminals			Red Dot	
A	B	C	D	Rating/Desription	Pole	#	Type	Part No.	Factory No.
1 1/8	13/16	1 5/8	1/4	Contact Rating: 15 amps @ 30 VDC. 12V	DPDT	8	1/4 male blade	**71R1802**	RD-5-5027-1P
1 1/8	1	1.91	1/2	Make/Break: 30/20 amps. 12V	SPDT	5	1/4 male blade	**71R1702**	RD-5-4408-0P
1 1/8	1	2.05	1/2	Make/Break: 20/10 amps. 24V	SPDT	5	1/4 male blade	**71R1704**	RD-5-4417-0P
1 1/8	1 1/8	2 15/32	1/2	Make/Break: 40/30 amps. 12V Relay w Diode	SPDT	5	1/4 male blade	**71R1722**	RD-5-9915-0P
1 3/8	1 3/8	1 7/16	1/2	5 contact spade connector. For Metripak connection.	NA	5	1/4 male blade	**71R1910**	RD-5-8210-0P
1 13/32	1 13/32	2 5/8	1/2	Contact Rating: Open, 60 amps, closed 40 amps, 12V	SPDT	5	1/4 male blade	**71R1902**	RD-5-6690-0P
1 13/32	1 13/32	2 5/8	1/2	Contact Rating: Open, 20 amps, closed 15 amps, 24V	SPDT	5	1/4 male blade	**71R1904**	RD-5-6693-0P
1 13/32	1 13/32	2 5/8	1/2	Contact Rating: Open, 50 amps, closed 30 amps, 12V	SPDT	5	1/4 male blade	**71R1912**	RD-5-7232-0P
1 13/32	1 13/32	2 5/8	1/2	Contact Rating: 20/15 amps, 24V	SPDT	5	1/4 male blade	**71R1914**	RD-5-7233-0P

71R1702 RD-5-4408-0P
12V Relay, 30/20 amps,
SPDT, 5 terminals Bosch type



71R1802 RD-5-5027-1P
12V Relay, 15 amps,
DPDT, 8 terminal



71R1910 RD-5-8210-0P
Relay Connector Kit – For Metri-Pack Relays, 5 terminals



71R1704 RD-5-4417-0P
24V Relay, 20/10 amps,
SPDT, 5 terminals Bosch type



71R1902 RD-5-6690-0P
12V Relay, 60/40 amps,
SPDT, 5 terminals



71R1912 RD-5-7232-0P
12V Relay with coil suppression, 50/30 amp,
SPDT, 5 terminals



71R1722 RD-5-9915-0P
12V Relay with Diode 40/30 amps,
SPDT, 5 terminals



71R1904 RD-5-6693-0P
24V Relay, 20/15 amps,
SPDT, 5 terminals



71R1914 RD-5-7233-0P
24V Relay with coil suppression, 20/15 amps,
SPDT, 5 terminals



RESISTORS

Ohms	Mounting Dimension Length	Width	Hole to Hole Height	Terminal Dimension	Contact	Voltage Speed	Rating	Description	Part No.	Factory No.
1.5	2 ¼	1 ½	1	1 ¾	3	3	12V	Pos 1 to 3: 9 amps @ .50 ohms Pos 1 to 2: 4 amps @ 1.5 ohms	**71R1450**	RD-5-3647-0P
N/A	2 ¼	1 ½	1 3/16	1 ¾	4	4	12V	¼" Spade Term	**71R1462**	RD-5-13299-0P
N/A	3	1 ¼	1 ¼	2 ½	3	3	12V	.10" thick Bakelite base, ¼" Spade Term	**71R1457**	RD-5-10341-0P
1.3	3 ¼	1 ⅜	1 ⅜	2 ¾	4	4	12V	.10" thick Bakelite base, ¼" Spade Term	**71R1455**	RD-5-6450-0P
N/A	N/A	N/A	N/A	N/A	3	3	12V	.10" thick Bakelite base, ¼" Spade Term	**71R1463**	RD-5-10441-0P
N/A	N/A	N/A	N/A	N/A	N/A	N/A	12V	.10" thick Bakelite base, ¼" Spade Term	**71R1465**	RD-5-8923-0P
N/A	3	1 ¼	1 ¼	2 ½	3	3	12V	.10" thick Bakelite base, ¼" Spade Term	**71R1467**	RD-5-13239-0P

71R1450 RD-5-3647-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1"




71R1462 RD-5-13299-0P

4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 2 ¼" x 1 ½" x .10" thick – Height: 1 3/16"
IHC#506552C1




71R1467 RD-5-13239-0P

4 Terminals (¼" blade) / 3 Speeds
Bakelite base: .10" thick




71R1455 RD-5-6450-0P

4 Terminals (¼" blade) / 4 Speeds
Bakelite base: 3 ¼" x 1 ⅜" x .10" thick – Height: 1 ⅜"




71R1463 RD-5-10441-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: .10" thick




71R1475 RD-5-14601-0P

LPM Module/Resistor – 12 volt, 4 spade, 3 pin
Navistar Prostar #3626414-C1, K2675
2007-10



71R1457 RD-5-10341-0P

3 Terminals (¼" blade) / 3 Speeds
Bakelite base: 3" x 1 ¼" x .10" thick – Height: 1 ¼"



71R1465 RD-5-8923-0P

4 Terminals (¼" blade) / 3 Speeds
Bakelite base: .10" thick



71R1477 RD-5-15500-0P

LPM Module/Resistor
Navistar #2510671C1



SWITCHES

FAN RESISTORS

Ohms	Length	Dia.	Height	Hole to Hole Dimension	Terminal Contact	Speed	Voltage Rating	Description	Part No.	Factory No.
2.36	6 ½	1 3⁄16	1 3⁄16	N/A	4	Variable	12V	Fan Resistor, Ceramic (Black wrapped) ¼" Spade Term. JD Crawler 650H	**71R1485**	RD-5-8665-0P
5.22	7	1 ¼	2 ¾	6	4	Variable	24V	Fan Resistor, Ceramic (White), L Bracket ¼" Spade Term. JD Crawler 700H	**71R1480**	RD-5-9062-0P
N/A	2	21⁄32 width	1 3⁄16	N/A	2	Variable	12V	Slide Potentiometer with Diode, Lever style Packard connector 2984528	**71R1510**	RD-6-4661-0P
10K	N/A	1	1 ½ with knob	N/A	5	Variable	12V	Rotary Potentiometer with Diode 56 Series ¼" Spade Receptacle	**71R1520**	RD-6-4691-0P
5K	5 ¾	1	1 4⁄9	N/A	3	Variable	12/24V	Rotary Potentiometer with Diode Metripak Connector	**71R1530**	RD-5-8487-1P

71R1480 RD-5-9062-0P

4 Terminals (¼" blade) / Variable Speed 24 volt, 5.22 ohm, Length: 7", Diameter: 1 ¼", Mounting Height: 2 ¾", Ceramic (white) JD Crawler Dozer 700H



71R1485 RD-5-8665-0P

4 Terminals (¼" blade) / Variable Speed 12 volt, 2.36 ohm, Length: 6 ½", Diameter: 1 3⁄16", Ceramic (black wrapped) JD Crawler Dozer 650H




71R1510 RD-6-4661-0P

Variable resistor assembly, sliding potentiometer with lever Two Contacts Length: 2" Diameter: 21⁄32" Height: 1 3⁄16"



71R1520 RD-6-4691-0P

Variable resistor assembly, Rotary potentiometer - 10k ohms with diode Freightliner with Behr blower motor #A06-21497-001



71R1530 RD-5-8487-1P

Variable resistor assembly, Rotary potentiometer - 5k ohms, knob not included

Metripak Connection



LPM MODULE


71R1470 RD-5-14651-0P

Resistor 5 Terminal Navistar 3562102C1



71R1472 RD-5-16211-0P

Resistor 4 Terminal OE# 20443826




Listed in ascending order by dimension:
A=Base length **B**=Base width
C=Overall Depth **D**=Flange to Rocker Height

Dimensions A	B	C	D	Type	Rating	Function	No. of Terminals	Type	Light Illumination	Red Dot Part No.	Factory No.
7/8	5/8	1	1/8	SPST	12VDC, 15 amps	On-Off	3	1/4 male blade	Blue	**71R0512**	RD-5-9037-0P
7/8	5/8	1	1/8	SPST	12VDC	On-Off	3	1/4 male blade	Green	**71R0522**	RD-5-8830-0P
7/8	5/8	1	1/8	SPST	12VDC	On-Off	3	1/4 male blade	White	**71R0532**	RD-5-8831-0P
7/8	5/8	1	1/8	SPST	12/24VDC	Off-On	2	1/4 male blade	None	**71R0840**	RD-5-8967-0P
1 1/3	5/8	1 3/4	1/4	SPDT	12VDC, 15 amps	On-Off-On	3	1/4 male blade	None	**71R0500**	RD-4151-1P
1 9/16	7/8	1 7/8	3/8	DPDT w jumper	12VDC, 15 amps	On-Off-On	5	1/4 male blade	None	**71R0550**	RD-4151-2P
1 9/16	7/8	1 7/8	3/8	DPDT	12VDC	On-Off-On	6	1/4 male blade	None	**71R0600**	RD-4151-4P
1 9/16	7/8	1 7/8	3/8	DPST w jumper	12VDC	On-On	5	1/4 male blade	None	**71R0650**	RD-4151-6P
2	1	2	1/2	DPDT	12VDC	Off-On-On	4	1/4 male blade	Blue	**71R0852**	RD-5-7215-0P
2	1	2	1/2	DPDT	24VDC	Off-On-On	4	1/4 male blade	Blue	**71R0854**	RD-5-7183-0P
2	1	2	1/2	SPDT	12VDC	On-Off-On*	4	1/4 male blade	Red	**71R0862**	RD-5-8315-0P
2	1	2	1/2	DPDT	12VDC	On-On-On	4	1/4 male blade	None	**71R0872**	RD-5-7181-0P
2	1	2	1/2	SPST	24VDC	Off-On*	4	1/4 male blade	White	**71R0884**	RD-5-8995-0P
2 7/8	15/16	1 7/8	3/8	—	12VDC	—	8	1/4 male blade	Blue	**71R0892**	RD-5-8509-0P

71R0500 RD-4151-1P

SPDT Type
Function: On-Off-On
3 Terminals, 12 VDC
15 amps





71R0512 RD-5-9037-0P

SPST Type
Function: On-Off
3 Terminals 12 VDC
15 amps, Blue Lignt





71R0522 RD-5-8830-0P

SPST Type
Function: On-Off
3 Terminals 12 VDC
Green Lignt





71R0532 RD-5-8831-0P

SPST Type
Function: On-Off
3 Terminals 12 VDC
White Lignt






71R0550 RD-4151-2P

DPDT Type with Jumper
Function: On-Off-On
5 Terminals, 12 VDC
15 amps





71R0600 RD-4151-4P

DPDT Type
Function: On-Off-On
6 Terminals






71R0650 RD-4151-6P

DPST Type with Jumper
Function: On-On
5 Terminals





71R0840 RD-5-8967-0P

SPST Type
Function: Off-On
2 Terminals 12/24 VDC






71R0852 RD-5-7215-0P


DPDT Type
Function: Off-On-On
4 Terminals 12 VDC
Blue Light






71R0854 RD-5-7183-0P

DPDT Type
Function: Off-On-On
4 Terminals 24 VDC
Blue Light




71R0862 RD-5-8315-0P

SPDT Type
Function: On-Off-On**
4 Terminals 12 VDC
Red Light




71R0872 RD-5-7181-0P

DPDT Type
Function: On-On-On
4 Terminals 12 VDC



71R0884 RD-5-8995-0P


SPST OE Cat #107-6070
Function: Off-On
4 Terminals 24 VDC



71R0892 RD-5-8509-0P

8 Terminals 12 VDC
Blue Light






Listed in ascending order by dimension:
A=Base length **B**=Base width **C**=Overall Depth
D= Flange to Shaft Height **E**=Diameter-Thread **F**= "D" Shaft Diameter

Dimensions A	B	C	D	E	F	Type	Rating	Function	No. of Terminals	Type	Red Dot Part No.	Factory No.
1	1	1 1/4	11/16	7/16" -28UNF	1/4			Off-Low-High	4	1/4 male blade	**71R1167**	RD-5-8013-0P
1	1	1 1/4	1	7/16-28UNF	1/4	DP3T	25 amps	Off-Low-Med-High	5	1/4 male blade	**71R1150**	RD-5-3646-0P
1 5/32	1 1/16	1 1/4	5/8	7/16-28UNF	1/4	DP3T	15 amps	Off-Low-Med-High	5	1/4 male blade	**71R1165**	RD-5-3779-0P
1 5/32	1 1/16	1 1/4	11/16	7/16-28UNF	3/8	DP3T	25 amps	Off-Low-Med-High	5	1/4 male blade	**71R1160**	RD-5-9833-0P
1 5/32	1 1/16	1 1/4	7/8	7/16-28UNF	1/4	DP3T	25 amps	Off-Low-Med-High	5	1/4 male blade	**71R1163**	RD-5-10934-0P
1 5/32	1 1/16	1 25/32	11/16	7/16-28UNF	1/4	DP3T	18 amps	Off-Low-Med-High	5	1/4 male blade	**71R1210**	RD-5-5194-0P
1 5/16	1 7/16	2 5/8	5/8	7/16-28UNF	1/4	DP3T	15 amps 12VDC	Off-Low-Med-High	5	1/4 male blade	**71R1200**	RD-5-4908-0P
1 3/4	1 3/8	1 5/32	1 1/4	3/8" -24	1/4	DP3T	25 amps	Off-Low-Med 1-Med 2-High	6	1/4 male blade	**71R1175**	RD-5-8771-0P

71R1150 — RD-5-3646-0P


3 speed, Long Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1160 — RD-5-9833-0P


3 speed, Short Shaft
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1163 — RD-5-10934-0P


3 speed
DP3T
4-position
5 terminals
25 amps



Mounting hole: .442" x .385" - "D" hole

71R1165 — RD-5-3779-0P

3 speed (low, medium, high)
DP3T,
5-position,
5 terminals
15 amps




Mounting hole: .442" x .385" - "D" hole

LS = Limited to stock on hand

71R1175 — RD-5-8771-0P


5 speed
DP3T
5-position
6 terminals
25 amps



Mounting hole: .375"

71R1200 — RD-5-4908-0P


Tandem Blower Switch With Resistor
DP3T,
4-position,
5 terminals
15 amps



Mounting hole: .500"


71R1167 — RD-5-9013-0P

2 Speed
3-position
4 terminal




71R1210* — RD-5-5194-0P

3 Speed with Resistor -
DP3T,
4-position,
5 terminals
18 amps
Uses Knob
71R4050, right.
Mounting hole: .500"




71R6259 — RD-5-15293-0P

Blower Switch,
OE #-3600338C1
ProStar




71R6261 — RD-5-15294-0P

Blower Switch,
OE #3600339C1



SWITCHES

TOGGLE SWITCHES



Listed in ascending order by dimension:
A=Base length **B**=Base width **C**=Flange to Blade End
D= Flange to Bezel Shaft Top **E**=Diameter-Thread **F**= Keyway

All terminal utilize a ¼" male blade connection

Dimensions A	B	C	D	E	F	Type/Description	Function	No. of Terminals	Red Dot Part No.	Factory No.
1 1/8	5/8	1 7/64	1/2	15/32-32UNS-2A	.072 x .038	SPST / Chrome	On-Off	2	**71R0010**	RD-5-3748-0P
1 1/8	5/8	1 3/32	1/2	15/32-32UNS-2A	.072 x .038	SPDT / Black	On-Off-On	3	**71R0100**	RD-4123-1P
1 5/16	3/4	1 1/4	1/2	15/32-32UNS-2A	.072 x .038	DPDT / Chrome	On-On-On	4	**71R0400**	RD-5-0071-0P
1 5/16	3/4	1 1/4	1/2	15/32-32UNS-2A	.072 x .038	DPDT / Chrome	On-Off-On	6	**71R0200**	RD-4123-2P
1 5/16	3/4	1 5/16	1/2	15/32-32UNS-2A	.068 x .035	DPDT / Black	On-Off-On	5	**71R0250**	RD-5-3599-0P
1 5/16	3/4	1 11/32	1/2	15/32-32UNS-2A	.068 x .035	SPST / Black	On-Off	3	**71R0050**	RD-5-3923-0P
1 1/2	1	1 1/4	1 3/4	Lever	Lever	SPST / Lever	Off-On-On-On	5	**71R0450**	RD-5-4694-1P
1 3/4	3/4	1 1/2	7/8	Paddle	Paddle	SPDT / Safety	On-Off-On	3	**71R0150**	RD-4225-1P
1 3/4	3/4	1 1/2	7/8	Paddle	Paddle	DPDT / Safety	On-Off-On	5	**71R0300**	RD-4225-2P
1 15/16	1 11/16	1 3/16	1 25/32	Lever	Lever	DP4POS / Lever	Off-On-On-On	10	**71R0470**	RD-5-5302-1P
				15/32-32UNS-2A	¼"	DPDT / Black	On-On-On	4	**71R0260**	RD-5-5400-0P
				15/32-32UNS-2A		3PDT / Chrome	On-Off-On	9	**71R0350**	RD-5-3988-0P
				Lever	Lever	SPST /Bent Lever	Off-On-On-On	5	**71R0453**	RD-5-10056-0P
				Lever	Lever	SPST / Lever	Off-On-On-On	5	**71R0460**	RD-5-6804-0P
				Lever	Lever	4 Position / Lever	Off-Low-Med-Hi	4	**71R0475**	RD-5-10192-0P
				Lever	Lever	DP4POS / Lever	Off-On-On-On	10	**71R0480**	RD-5-8256-0P
				Lever	Lever	4 Position / Lever	Off-Low-Med-Hi	5	**71R0485**	RD-5-10188-0P
				Lever	Lever	4 Position / Lever	Low-Med 1-Med 2-Hi	4	**71R0487**	RD-5-10196-0P

71R0010 RD-5-3748-0P

SPST Type
Chrome Toggle
Function: ON - OFF
2 Terminals






71R0150 RD-4225-1P

SPDT Type
Safety Toggle
Function: ON - OFF - ON
3 Terminals






71R0260 RD-5-5400-0P

DPDT Type
Black Toggle
Function: ON - ON - ON
4 Terminals





71R0050 RD-5-3923-0P

SPST Type
Black Toggle
Function: ON - OFF
3 Terminals






71R0200 RD-4123-2P

DPDT Type
Chrome Toggle
Function: ON - OFF - ON
6 Terminals






71R0300 RD-4225-2P

DPDT Type
Safety Toggle
Function: ON - OFF - ON
5 Terminals






71R0100 RD-4123-1P

SPDT Type
Black Toggle
Function: ON - OFF - ON
3 Terminals






71R0250 RD-5-3599-0P

DPDT Type
Black Toggle
Function: ON - OFF - ON
5 Terminals






71R0350 RD-5-3988-0P

3PDT Type
Chrome Toggle
Function: ON - OFF - ON
9 Terminals






71R0400 RD-5-0071-0P

DPDT Type
Chrome Toggle
Function: ON - ON - ON
4 Terminals






71R0450 RD-5-4694-1P

SPST Type
Uses 71R4030 knob
Function: OFF - ON - ON - ON
5 Terminals






71R0453 RD-5-10056-0P

SPST Type with Bent Lever
Uses 71R4030 knob
OFF - ON - ON - ON
5 Terminals






71R0460 RD-5-6804-0P

SPST Type
Uses 71R4030 knob
Function: OFF - ON - ON - ON
5 Terminals






71R0470 RD-5-5302-1P


Fits unit model R-4140, R-4145
DP4POS Type
Uses 71R4030 knob
Function: OFF - ON - ON - ON
10 Terminals






71R0475 RD-5-10192-0P

Freightlner
Lever Switch, Single Pole,
4 Position Type
Uses 71R4030 knob
Function: OFF - LOW - MED - HIGH
4 Terminals



71R0480 RD-5-8256-0P


IHC OE #501087C3
DP4POS Type
Function: OFF - ON - ON - ON
10 Terminals



71R0485 RD-5-10188-0P


Lever Switch, Single Pole,
4 Position Type
Function: OFF - LOW - MED - HIGH
5 Terminals





71R0487 RD-5-10196-0P

Lever Switch, Single Pole,
4 Position Type
Function: LOW - MED1 - MED2 - HIGH
4 Terminal



PRESSURE SWITCH SPECIFICATIONS

Listed in ascending order by open pressure

NORMALLY OPEN (Opens at low pressure - closes at high pressure)

Open	Close	Fitting	Connector	Red Dot No. Part No.	Red Dot Factory No.
LOW PRESSURE (± 5 psi)					
11	39	¼" Female Flare	2 conductor bare wire for 2 Packard connectors	**71R6115**	RD-5-6639-0P
11	42	¼" Female Flare	2 conductor bare wire for 2 Packard connectors	**71R6060**	RD-5-5877-0P
15	35	¼" Female Flare	2 conductor bullet male & female receptacle	**71R6040**	RD-5-6395-0P
15	35	¼" Female Flare	2 conductor male Weatherpak	**71R6045**	RD-5-6395-1P
15	35	7/16" Female Flare	2 conductor wire to male/female Spade plugs (white)	**71R6135**	RD-5-7038-0P
23	47	M12 x 1.5 Female	Integral prong connection, Packard 12052643 (beige), black port	**71R6170**	RD-5-8219-0P
25	45	⅛" Male Thread	2 conductor integral prong connection	**71R6257**	RD-5-10444-0P
25	45	12mm	2 Pin Cycling Switch	**71R6145**	RD-5-13227-0P
25	46	¼" Female Flare	Integral prong connection, for Ford accum cycling switch	**71R6095**	RD-5-8026-0P
25	50	¼" Female Flare	2 conductor Metripak	**71R6055**	RD-5-8982-0P
32	42	¼" Female Flare	2 conductor bare wire for 2 Packard connectors	**71R6030**	RD-5-4833-0P
32	42	¼" Female Flare	2 conductor male Weatherpak	**71R6130**	RD-5-6834-0P
N/A	N/A	¼" Female Flare	Cycling Switch, Ford F5VY-19E561A	**71R6255**	RD-5-10443-0P
HIGH PRESSURE (± 5 psi)					
100	250	¼" Female Flare	2 conductor female Packard boot connector	**71R6090**	RD-5-6396-0P
170	215	¼" Female Flare	2 conductor female Weatherpak, Pckrd #20PS39-38	**71R6080**	RD-5-6394-0P
174	260	¼" Female Flare	2 conductor male Weatherpak	**71R6220**	RD-5-8288-0P
190	250	¼" Female Flare	2 conductor bare wire for Packard connectors	**71R6100**	RD-5-4912-0P
190	250	M10 x 1.25 Female	2 conductor Metripak - Fan Override	**71R6185**	RD-5-10096-0P
190	250	¼" Female Flare	2 conductor Metripak - Fan Override	**71R6140**	RD-5-6835-0P
200	270	M10 x 1.25 Female	Integral 2 prong, #P93CAA-3606-01 - Fan Override	**71R6160**	RD-5-8218-0P
210	300	¼" Female Flare	2 conductor male Weatherpak, IHC#1514307-C1, 20PS3937	**71R6110**	RD-5-6430-0P
210	300	M10 x 1.25 Female	2 conductor female Weatherpak (green)	**71R6245**	RD-5-10097-0P
250	375	¼" Female Flare	2 conductor wire to male/female Packard plugs	**71R6230**	RD-5-8289-0P
275	225	M10 x 1.25 female	2 conductor male weatherpak	**71R6236**	RD-5-14603-0P

NORMALLY CLOSED (Opens at high pressure - closes at low pressure)

Open	Close	Fitting	Connector	Red Dot No. Part No.	Red Dot Factory No.
LOW PRESSURE (± 5 psi)					
30	7	¼" Female Flare	2 conductor wire to male/female Packard plugs	**71R6020**	RD-5-6397-0P
35	5	M12 x 1.5 Female	Integral prong connection	**71R6181**	Stet
46	23	M12 x 1.5 Female	Integral prong connection, for Ford accum cycling switch	**71R6093**	RD-5-10442-0P
HIGH PRESSURE (± 5 psi)					
205	375	M10x1.25 Female	Integral prong connection	**71R6285**	RD-5-16213-0P
300	250	M10 x 1.25 Female	2 conductor male Weatherpak	**71R6210**	RD-5-8287-0P
330-370	180-240	M10 x 1.25 Female	Integral prong connection, Packard #18-038535 (purple)	**71R6180**	RD-5-8220-0P
340	210	¼" Female Flare	2 conductor bare wire for 2 Packard connectors	**71R6070**	RD-5-5873-0P
340	210	¼" Female Flare	2 conductor male Weatherpak (red)	**71R6120**	RD-5-6833-0P
375	205	M10 x 1.25 Female	Integral prong connection, IHC#1676787C1	**71R6183**	RD-5-10167-0P

71R6020 RD-5-6397-0P

Type: Low Side
Fitting / Connector: ¼" female flare / two-conductor Packard male/female
Normally Closed – Closes at 7 PSI – Opens at 30 PSI



71R6030 RD-5-4833-0P

Type: Low Side
Fitting / Connector: ¼" female flare
Normally Open – Closes at 42 PSI – Opens at 32 PSI



71R6040 RD-5-6395-0P

Type: Low Side
Fitting / Connector: ¼" female flare / male bullet, female receptacle
Normally Open – Closes at 35 PSI – Opens at 15 PSI



71R6045 RD-5-6395-1P

Type: Low Side
Fitting / Connector: ¼" female flare / two-conductor male Weatherpak
Normally Open – Closes at 35 PSI – Opens at 15 PSI



71R6055 RD-5-8982-0P

Type: Low Side
Fitting / Connector: ¼" female flare / two-conductor Metripak
Normally Open – closes at 50 PSI, opens at 25 PSI



71R6060 RD-5-5877-0P

Type: Low Side
Fitting / Connector: ¼" female flare / two conductor bare wire
Normally Open – Closes at 42 PSI – Opens at 11 PSI



71R6070 RD-5-5873-0P

Type: High Side
Fitting / Connector: ¼" female flare / two conductor bare wire
Normally Closed – Closes at 210 PSI – Opens at 340 PSI



71R6080 RD-5-6394-0P

Type: High Side
Fitting / Connector: ¼" female flare / two-conductor Metripak
Normally Open – Closes at 215 PSI – Opens at 170 PSI



71R6090 RD-5-6396-0P

Type: High Side
Fitting / Connector: ¼" female flare / two-conductor female Packard
Normally Open – Closes at 250 PSI – Opens at 100 PSI



71R6093 RD-5-10442-0P

Type: High Side – Ford Accumulator Cycling Switch
Fitting / Connector: M12 x 1.5 female
Normally Closed – Closes at 23 PSI – Opens at 46 PSI



71R6095 RD-5-8026-0P

Type: Low Side Ford Accumulator Cycling Switch #E35H-19E561-AA
Fitting / Connector: ¼" female flare
Normally Open – Closes at 46 PSI – Opens at 25 PSI



71R6100 RD-5-4912-0P

Type: High Side
Fitting / Connector: ¼" female flare / two conductor bare wire
Normally Open – Closes at 250 PSI – Opens at 190 PSI



71R6110 RD-5-6430-0P

Type: High Side – OE# Behr BOA 80-926-00-091
Normally Open – IHC 1514307-C1, 20PS3937
Fitting / Connector: ¼" female flare /two-conductor male Weatherpak
Closes at 300 PSI – Opens at 210 PSI



71R6115 RD-5-6639-0P

Type: Low Side
Fitting / Connector: ¼" female flare / two conductor bare wire
Normally Open – Closes at 39 PSI – Opens at 11 PSI



71R6120 RD-5-6833-0P

Type: High Side – Red
Fitting / Connector: ¼" female flare / two-conductor male Weatherpak
Normally Closed – Closes at 210 PSI – Opens at 340 PSI



71R6130 RD-5-6834-0P

Type: Low Side
Fitting / Connector: ¼" female flare / two-conductor male Weatherpak
Normally Open – Closes at 42 PSI – Opens at 32 PSI



71R6135 RD-5-7038-0P

Type: Low Side – White
Fitting / Connector: 7/16" female flare / two-conductor female spade
Normally Open – Closes at 35 PSI – Opens at 15 PSI



71R6140 RD-5-6835-0P

Type: High Side – Fan Override
Fitting / Connector: ¼" female flare / two-conductor Metripak
Normally Open – Closes at 250 PSI – Opens at 190 PSI




71R6145 RD-5-13227-0P

Cycling Switch 12mm OE Part Number: 95BW-19E561-AA
R134a Low Pressure NO F5VY-19E561A, F6RZ-19E561AA, YH-1462
Open: 25psi – Close: 45psi Ford:
2 Pin 1997-2000 All Bronco II, Ranger, Explorer, Expedition
1997-2010 E150 / 350, 1999 - 2011 F100-550SD
Sterling
2007-2010 All (95BW19E561AA)
All M12 Connection with OE#



71R6155 RD-5-13234-0P

High Pressure OE Part Number: 06-35209-000
4 Terminal Green Freightliner
M10 Threads Business Class M2 100 thru 112V, FL50, 60, 70
2009-2010 All
2009-2010 Century Class/Columbia



71R6157 RD-5-15305-0P

Caterpillar Pressure Switch OE Part Number: 114-5333
7/16 - 20 UNF LP: 28 PSI HP: 350 PSI
Red-



71R6160 RD-5-8218-0P

Type: High Side – Fan Override – Gray Kenworth OE# P93CAA-3606-01
Fitting / Connector: M10 x 1.25 female / integral two-prong (oval)
Normally Open – Closes at 270 PSI – Opens at 200 PSI
Mating Plug: Packard #12052643



71R6170 RD-5-8219-0P

Type: Low Side – Beige housing, Black port Peterbilt OE#18-83824,
Fitting / Connector: M12 x 1.25 female / integral two-prong 18-04331,
Normally Open – Closes at 47 PSI – Opens at 23 PSI P93CAA-3604-1
Mating Plug: Packard #12052643



71R6175 RD-5-15317-0P

Fitting/Connector: M12 Female Kenworth #2214003
On: 30 PSI Off: 10 PSI 652578BSM



71R6180 RD-5-8220-0P

Type: High Side – Purple Peterbilt OE#18-03835
Fitting / Connector: M10 x 1.25 female / integral two-prong (oval)
Normally Closed – Closes at 180-240 PSI – Opens at 330-370 PSI
Mating Plug: Packard #12052643




71R6181 RD-5-10166-0P

Type: Low Side – Black
Fitting / Connector: M12 x 1.5 female / integral two-prong (round)
Normally Closed – Closes at 5 PSI – Opens at 35 PSI
Mating Plug: Packard two-prong round



71R6183 RD-5-10167-0P

Type: High Side – Green OE# IHC 1676787C1
Fitting / Connector: M10 x 1.25 female / integral two-prong (round)
Normally Closed – Closes at 256 PSI – Opens at 384 PSI
Mating Plug: Packard two-prong round



71R6185 RD-5-10096-0P

Type: High Side – Fan Override Switch
Fitting / Connector: M10 x 1.25 female / two-conductor Metripak
Normally Open – Closes at 250 PSI – Opens at 190 PSI



71R6210 RD-5-8287-0P

Type: High Side – Gray Freightliner OE# A22-45194-001
Fitting / Connector: M10 x 1.25 female / two-conductor male Weatherpak
Normally Closed – Closes at 250 PSI – Opens at 300 PSI



71R6220 RD-5-8288-0P

Type: High Side
Fitting / Connector: ¼" female flare / two-conductor male Weatherpak
Normally Open – Closes at 260 PSI – Opens at 174 PSI



71R6230 RD-5-8289-0P

Type: High Side
Fitting / Connector: ¼" female flare / two-conductor Packard male/female
Normally Open – Closes at 375 PSI – Opens at 250 PSI



71R6245 RD-5-10097-0P

Type: High Side – Green
Fitting / Connector: M10 x 1.25 female / two-conductor male Metripak
Normally Open – Closes at 300 PSI – Opens at 210 PSI



71R6255 RD-5-10443-0P

Type: Low Side – Green
Fitting / Connector: ¼" female flare / integral two-prong (round)
Normally Open – Cycling Switch – Ford F5VY-19E561A
Mating Plug: Packard two-prong round



71R6257 RD-5-10444-0P

Type: Low Side – Ford OE# F6RZ-19E561AA
Fitting / Connector: ⅛" male thread / two-conductor integral prong
Normally Open – Closes at 45 PSI – Opens at 25 PSI



71R6235 RD-5-14603-0P

Type: High Side –
Fitting / Connector: M10x 1.25 female/ two conductor male weatherpak
Normally Closed – Closes at 225 PSI – Opens at 275 PSI



71R6260 RD-5-14604-0P

Type: Transducer OE# 3546241C1
Fitting / Connector: M10, three-pin
International 2001-2006 4000, 7000, 8000 Series



SWITCHES

71R6263 RD-5-13183-0P

Low Pressure Transducer
Operating Temperature: 32° F – 275° F

Image Not Available

71R62164 RD-5-13184-0P

High Pressure Transducer
Operating Temperature: 32° F – 275° F

Image Not Available

71R6270 RD-5-15501-0P

Fitting/Connector: M12 Female International OE# 3839315C1
On: 22-32 PSI Off: 3-9 PSI-



71R6275 RD-5-15504-0P

Fitting/Connector: M12 Female OE# 65044685M
Normally Closed – Closes at 30 PSI – Opens at 13 PSI
KWT2000
379 Pete



71R6280 RD-5-15711-0P

Fitting/Connector: 1/8" -27 NPT/ two conductor bare wire OE# 41-7509
Normally Closed
Working Pressure:
On 300±15 PSI
Off 400 ±15 PSI



71R6285 RD-5-16213-0P


Fitting/Connector: M10 x 1.25 Female 2614390C1
Normally Closed
Working Pressure:
On 205±15 PSI
Off 375 ±15 PSI

Image Not Available

LOW PRESSURE CUTOFF SWITCH

71R6050 RD-4191-0P

⅜″-24-UNF-2A male threads O-Ring
Normally open - closes at 27 PSIG



HEAT SENSING SWITCH

71R6300 RD-4527-0P

High temperature safety switch opens at 200°F
NOTE: Switch clamps to ⅜″ tube.



REFRIGERANT SENSOR

71R6265 RD-5-14605-0P

Fitting / Connector: M12 Thread
OE# 3622764C3



71R6266 RD-5-15688-0P

Freon Sensor Kit
OE# 2606229C92



DUAL FUNCTION SWITCHES

71R6125 RD-5-8946-0P

Type: Low Side
Fitting/Connector: M10 thread/two-conductor Metripak
Normally Closed – Closes at 42 PSI – Opens at 32 PSI High Side Cutout: 315-355 Low Side Cutout: 23-37



71R6150 RD-5-9577-0P

	OPEN	CLOSED
LOW	20-33	23-37
HIGH	315-355	215-275

Thread: M10 x 1.25



71R6267 RD-5-15318-0P

	OPEN	CLOSED
LOW	28	40
HIGH	455	351

10mm Female
Normally Closed



71R7073 RD-5-13233-0P

	OPEN	CLOSED
Binary Switch, NC	330-370 psi	180-240 psi


10MM Female
OE Part Number: K301-370-1
Kenworth 2006-2008 T400 thru T800 Binary Switch
M10 (brown)



71R7075 RD-5-8433-0P

	OPEN	CLOSED
LOW	28	29
HIGH	384	298

Thread: 7/16″ – 20 UNF
Orange Fan Switch
Peterbilt



71R7076 RD-5-12840-0P

	OPEN	CLOSED
LOW	20	30
HIGH	384	298

Thread: 7/16″ – 20 UNF
Freightliner OE#22-36474



71R7077 RD-5-11169-0P

	OPEN	CLOSED
LOW	30	57
HIGH	455	370

Thread: M10 x 1.25
Freightliner OE#22-43249



71R7078 RD-5-14649-0P

	OPEN	CLOSED
LOW	28	40
HIGH	455	341



SWITCHES

RED DOT BINARY™ PRESSURE SWITCHES

This switch assembly performs two distinct functions. The first function prevents the compressor from operating if system charge is lost or ambient temperature is too low. The second stops compressor if head pressure increases to unsafe levels. It automatically resets when pressure drops back to normal. Install Binary™ on liquid side of A/C system between condenser and expansion valve, for use with R-12 and R-134a.

ELECTRICAL
7 AMP Resistive
4 AMP Inductive
28 VOLT D.C. Maximum
2.50 Series Male Tab Terminals

BINARY™
E/C Connection end of BINARY™



Terminals 1 & 2
Controls Clutch
High/Low Pressure Protection

Terminal 1: To compressor clutch "compressor" black wire

Terminal 2: To thermostat "AC/Thermostat" black/white wire

	Opens	Closes
Low Pressure Protection	30 - 15 Psig (Falling Pressure)	40 PSIG Maximum (Rising Pressure)
High Pressure Protection	300 - 350 Psig (Rising Pressure)	210 - 250 Psig Below (Opening Pressure)

MOUNTING CONFIGURATION

71R7000 RD-5-4646-0P

3/8-24 UNF-2A Male Thread With Bulkhead Type Seal Using a 2-012 "0" Ring.



71R7050 RD-5-4640-0P

7/16-20 UNF-2B Female Thread For Installation On Male "Schrader" Type Valve.



RED DOT BINARY™ HARNESS

71R4511 RD-5-12151-2P

RED DOT BINARY™ boot (provides a molded 2 wire connection to Binary switch; lead wires are 28" long.) helps eliminate terminal corrosion and breakage.



LS = Limited to stock on hand

RED DOT TRINARY™ PRESSURE SWITCHES - GENERATION II

This switch assembly performs three distinct functions. The first function prevents the compressor from operating if system charge is lost or ambient temperature is too low. The second stops compressor if head pressure increases to unsafe levels. It automatically resets when pressure drops back to normal. The third function is a shutter/fan override switch that keeps head pressure within normal range by opening shutters or operating engine fan to increase air flow across condenser when head pressure rises above set valve.

Install Trinary on liquid side of a/c system between condenser and expansion valve. For use with R-12 and R-134a systems.

ELECTRICAL
7 AMP Resistive
4 AMP Inductive
28 VOLT D.C. Maximum
2.50 Series Male Tab Terminals

TRINARY™
E/C Connection end of TRINARY™



Terminals 1 & 2
Controls Clutch High/Low Pressure Protection

Terminal 1: To compressor clutch "compressor" black wire
Terminal 2: To thermostat "AC/Thermostat" black/white wire

Terminals 3 & 4
Controls Fan Clutch or Shutters

Terminal 3: To solenoid valve "override" yellow wire
Terminal 4: To ignition "DC power" orange wire

	OPENS	CLOSES
Low Pressure Protection	22.5 ± 7.5 PSIG (Descending Pressure)	40 Psig Maximum (Rising Pressure)
High Pressure Protection	325 ± 25 PSIG	230 ± 20 PSIG
Shutter Fan/Override	35 - 60 PSIG Below Closing Pressure	200 - 230 PSIG (Rising Pressure)

MOUNTING CONFIGURATION

71R7500 — RD-5-4585-0P

⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally open



71R7600 — RD-5-4620-0P

⅜" - 24 UNF-2A
Male thread with bulkhead seal, 2-012 O-Ring
Shutter/fan switch is normally closed



71R7550 — RD-5-4583-0P

7/16" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally open



71R7650 — RD-5-4625-0P

7/16" - 20 UNF-2B
Female thread for male Schrader
Shutter/fan switch is normally closed



RED DOT TRINARY™ HARNESS

71R4501 — RD-5-12150-0P

TRINARY™ boot (provides a molded 4 wire connection to Trinary switch; lead wires are 28" long.) helps eliminate terminal corrosion and breakage.



CONTROL MODULE REPLACEMENTS

Sorted by OEM Number

OEM No.	Part No.	Factory Part No.	Connector	Function	Set point
20357741	**71R6571**	RD-5-11381-0P	10 pin	AC Ctrl APAds	CM-814 30 Sec. Volvo
20579810	**71R6571**	RD-5-11381-0P	10 pin	AC Ctrl APAds	CM-814 30 sec Volvo
20579815	**71R6453**	RD-5-11380-0P	10 pin	AC Ctrl APAds	CM-814 Std Volvo
228RD31	**71R6565**	RD-5-10352-0P	Deutsch (2)	AC Ctrl APAds	CM-813 ECM
228RD32	**71R6563**	RD-5-10772-0P	Deutsch (2)	AC Ctrl APAds	CM-813 ECM Mack
228RD33	**71R6561**	RD-5-10771-0P	Deutsch (2)	AC Ctrl APAds	CM-812 Visc-DD-AM
3099497	**71R6576**	RD-5-10860-0P	Deutsch (2)	AC Ctrl APAds	CM-812 Visc-DD-AM
3939313	**71R6573**	RD-5-10859-0P	Deutsch (2)	AC Ctrl APAds	CM-813 ECM Volvo
3939314	**71R6578**	RD-5-10861-0P	Deutsch (2)	AC Ctrl APAds	CM-813 Std Volvo
3939315	**71R6566**	RD-5-10855-0P	Deutsch (2)	AC Ctrl APAds	CM-813 30 Sec Volvo
8042103	**71R6560**	RD-5-10449-0P	Deutsch (2)	AC Ctrl APAds	CM-813 Std 3 min. Fan
8042105	**71R6565**	RD-5-10352-0P	Deutsch (2)	AC Ctrl APAds	CM-813 ECM
8042106	**71R6578**	RD-5-10861-0P	Deutsch (2)	AC Ctrl APAds	CM-813 Std Volvo
8042107	**71R6573**	RD-5-10859-0P	Deutsch (2)	AC Ctrl APAds	CM-813 ECM Volvo
8042108	**71R6566**	RD-5-10855-0P	Deutsch (2)	AC Ctrl APAds	CM-813 30 Sec.Volvo
8042114	**71R6576**	RD-5-10860-0P	Deutsch (2)	AC Ctrl APAds	CM-812 Visc-DD-AM
8042121	**71R6563**	RD-5-10772-0P	Deutsch (2)	AC Ctrl APAds	CM-813 ECM Mack
8042124	**71R6561**	RD-5-10771-0P	Deutsch (2)	AC Ctrl APAds	CM-812 Visc-DD-AM
8042133	**71R6571**	RD-5-11381-0P	10 pin	AC Ctrl APAds	CM-814 30 Sec.Volvo
8042156	**71R6453**	RD-5-11380-0P	10 pin	AC Ctrl APAds	CM-814 Std Volvo
8042157	**71R6571**	RD-5-11381-0P	10 pin	AC Ctrl APAds	CM-814 30 Sec.Volvo

71R6453 RD-5-11380-0P

OEM No. 20579815, 8042156



71R6560 RD-5-10449-0P

OEM No. 8042103 Cummins, Caterpillar engine applications



71R6561 RD-5-10771-0P

OEM No. 228RD33, 8042124



71R6563 RD-5-10772-0P

OEM No. 228RD32, 8042121



71R6565 RD-5-10352-0P

OEM No. 228RD31, 8042105 Detroit Series 60 engines



71R6566 RD-5-10855-0P

OEM No. 3939315, 8042108



CONTROL MODULE REPLACEMENTS

71R6571 RD-5-11381-0P

OEM No. 20357741, 20579810, 8042133, 8042157



71R6573 RD-5-10859-0P

OEM No. 3939313, 8042107



71R6576 RD-5-10860-0P

OEM No. 3099497, 8042114



71R6578 RD-5-10861-0P

OEM No. 3939314, 8042106



CONVERSION KIT

Sorted by OEM Number

OEM No.	Part No.	Factory Part No.	Connector / Function
3919194	**71R6600**	RD-5-11000-0P	Kit Conversion TE-803 to TE-742
8041114	**71R6600**	RD-5-11000-0P	Kit Conversion TE-803 to TE-742

PRESSURE SWITCH REPLACEMENTS

Sorted by OEM Number

OEM No.	Part No.	Factory Part No.	Connector	Thread Type	Function	Set point	Differential	Resistive Amps	Inductive Amps
1622648C91	**71R6470**	RD-5-11026-0P	Weatherpack	¼" Female Schrader	NC	275 psi +/- 10 psi	40 psi +/- 10 psi	7	4
1699309C1	**71R6422**	RD-5-10779-0P	Metripack 280	M10 Female Schrader	NC	300 psi +/- 10 psi	40 psi +/- 10 psi	7	4
1MR2451	**71R6416**	RD-5-10769-0P	Metripack 280	¼" Female Schrader	NC	325 /310 psi +/- 10 psi	75 psi +/- 10 psi	7	4
1MR2456	**71R6402**	RD-5-10763-0P	Metripack	¼" Female Schrader	NC	280-295 psi	70 psi min.	7	4
1MR3475M	**71R6424**	RD-5-10783-0P	Metripack	M12 Female Schrader	NC	034 psi +/- 4 psi	26 psi +/- 3 psi	7	4
1MR3561	**71R6408**	RD-5-10766-0P	Metripack	M12 Female Schrader	NO	034 psi +/- 4 psi	26 psi +/- 3 psi	7	4
1MR3562	**71R6414**	RD-5-10768-0P	Metripack 280	M10 Female Schrader	NC	335 psi +/- 20 psi	100 psi +/- Psi	7	4
1MR3571	**71R6400**	RD-5-9990-0P	Closed, Metripack 280	300 psi, M10 Female Schrader	NC	300 psi +/- 10 psi	40 psi +/- 10 psi	7	4
1MR3572	**71R6405**	RD-5-9991-0P	Closed, Metripack	34 psi, M12 Female Schrader	NC	034 psi +/- 4 psi	24 psi +/- 3 psi	7	4
20437760	**71R6424**	RD-5-10783-0P	Metripack	M12 Female Schrader	NC	034 psi +/- 4 psi	26 psi +/- 3 psi	7	4
3934379	**71R6450**	RD-5-10789-0P	Deutsch	M10 Female Schrader	NC	275 psi +/- 10 psi	040 psi +/- 10 psi	7	4
3939317	**71R6422**	RD-5-10779-0P	Metripack 280	M10 Female Schrader	NC	300 psi +/- 10 psi	40 psi +/- 10 psi	7	4
3948741	**71R6438**	RD-5-10852-0P	Weatherpack	¼" NPTF external	NC	014 psi max	006 psi +/-1.5psi & amp 7		4
3948742	**71R6442**	RD-5-10853-0P	Weatherpack	¼" NPTF external	NC	018 psi max	008 psi +/- 2 psi	7	4
3948743	**71R6445**	RD-5-10351-0P	Weatherpack	¼" Female Flare	NC	310-330 psi	100/090 psi +/- 10 psi	7	4
3948747	**71R6426**	RD-5-10784-0P	Metripack 280	M10 Female Schrader	NC	325 psi +/- 10 psi	050 psi +/- 10 psi	7	4
3948749	**71R6434**	RD-5-10787-0P	Metripack 280	M10 Female Schrader	NO	040 psi +/- 4 psi	008 psi +/- 4 psi	7	4
3949288	**71R6422**	RD-5-10779-0P	Metripack 280	M10 Female Schrader	NC	300 psi +/- 10 psi	40 psi +/- 10 psi	7	4
3949500	**71R6450**	RD-5-10789-0P	Deutsch	M10 Female Schrader	NC	275 psi +/- 10 psi	040 psi +/- 10 psi	7	4
3949501	**71R6444**	RD-5-10854-0P	Weatherpack	¼" Female Schrader	NC	275 psi +/- 10 psi	040 psi +/- 10 psi	7	4
3966805	**71R6418**	RD-5-10778-0P	Metripack	M12 Female Scrader	NC	034 psi +/- 4 psi	026 psi +/- 3 psi	7	4
8025565	**71R6420**	RD-5-10470-0P	Metripack 280	M12 Female Scrader	NO	034 psi +/- 4 psi	024 psi +/- 3 psi	7	4
8040082	**71R6415**	RD-5-10009-0P	Deutsch	¼" Female Flare	Closed	275 psi +/- 10 psi	40 psi +/- 10 psi	7	4
8040088	**71R6410**	RD-5-10008-0P	Deutsch	M10 Female Schrader	Closed	300 psi +/- 10 psi	35 psi +/- 10 psi	7	4
8040114	**71R6438**	RD-5-10852-0P	Weatherpack	¼" NPTF external	NC	014 psi max	007 psi +/-1.5 psi 7	7	4
8040132	**71R6450**	RD-5-10789-0P	Deutsch	M10 Female Schrader	NC	275 psi +/- 10 psi	040 psi +/- 10 psi	7	4
8040135	**71R6400**	RD-5-9990-0P	Metripack 280	M10 Female Schrader	Closed	300 psi +/- 10 psi	040 psi +/- 10 psi	7	4
8040136	**71R6405**	RD-5-9991-0P	Metripack	M12 Female Schrader	NC	034 psi +/- 4 psi	24 psi +/- 4 psi	7	4
8040147	**71R6422**	RD-5-10779-0P	Metripack 280	M10 Female Schrader	NC	300 psi +/- 10 psi	40 psi +/- 10 psi	7	4
8040161	**71R6418**	RD-5-10778-0P	Metripack 280	M12 Female Schrader	NC	034 psi +/- 4 psi	26 psi +/- 3 psi	7	4
8040189	**71R6424**	RD-5-10783-0P	Metripack 280	M12 Female Schrader	NC	034 psi +/- 4 psi	26 psi +/- 3 psi	7	4
8040202	**71R6420**	RD-5-10470-0P	Metripack 280	M12 Female Schrader	NO	034 psi +/- 4 psi	24 psi +/- 3 psi	7	4
8040204	**71R6475**	RD-5-10901-0P	Weatherpack	¼" Female Schrader	NO	034 psi +/- 4 psi	26 psi +/- 3 psi	7	4
8040207	**71R6408**	RD-5-10766-0P	Metripack	M12 Female Schrader	NO	034 psi +/- 4 psi	26 psi +/- 3 psi	7	4
8040217	**71R6434**	RD-5-10787-0P	Metripack 280	M10 Female Schrader	NO	040 psi +/- 4 psi	008 psi +/- 4 psi	7	4
8040222P	**71R6438**	RD-5-10852-0P	Weatherpack	¼" NPTF external	NC	014 psi max	007 psi +/-1.5 psi 7	7	4
8040223	**71R6442**	RD-5-10853-0P	Weatherpack	¼" NPTF external	NC	018 psi max	008 psi +/- 4 psi	7	4
8040225	**71R6445**	RD-5-10351-0P	Weatherpack	¼" Female Flare	NC	310-330 psi	100/090 psi +/-10 psi	7	4
8040226	**71R6416**	RD-5-10769-0P	Metripack 280	¼" Female Schrader	NC	325/310 psi +/-10 psi	75 psi +/- 10 psi	7	4
8040229	**71R6414**	RD-5-10768-0P	Metripack 280	M10 Female Schrader	NC	335 psi +/- 10 psi	20 psi +/- 10 psi	7	4
8040230	**71R6402**	RD-5-10763-0P	Metripack	¼" Female Schrader	NC	280-295 psi	70 psi min.	7	4
8040232	**71R6470**	RD-5-11026-0P	Weatherpack	¼" Female Schader	NC	275 psi +/- 10 psi	40 psi +/- 10 psi	7	4
8040233	**71R6471**	RD-5-10857-0P							
8040236	**71R6402**	RD-5-10763-0P	Metripack	¼" Female Schrader	NC	280-295 psi	70 psi min.	7	4
8040240	**71R6426**	RD-5-10784-0P	Metripack 280	M10 Female Schrader	NC	325 psi +/- 10 psi	050 psi +/- 10 psi	7	4
8040242	**71R6450**	RD-5-10789-0P	Deutsch	M10 Female Schrader	NC	275 psi +/- 10 psi	040 psi +/- 10 psi	7	4
8040243	**71R6444**	RD-5-10854-0P	Weatherpack	¼" Female Schader	NC	275 psi +/- 10 psi	235 psi +/- 10 psi	7	4
8040279	**71R6422**	RD-5-10779-0P	Metripack 280	M10 Female Schrader	NC	300 psi +/- 10 psi	40 psi +/- 10 psi	7	4
8040281	**71R6408**	RD-5-10766-0P	Metripack	M12 Female Schrader	NO	034 psi +/- 4 psi	26 psi +/- 3 psi	7	4
8040304	**71R6424**	RD-5-10783-0P	Metripack 280	M12 Females Schrader	NC	034 psi +/- 10 psi	005 psi max	7	4
8040316	**71R6416**	RD-5-10769-0P	Metripack 280	¼" Female Schrader	NC	335 psi +/- 15 psi	245 psi +/- 15 psi	7	4

PRESSURE SWITCH REPLACEMENTS

Sorted by OEM Number

OEM No.	Part No.	Factory Part No.	Connector	Thread Type	Function	Set point	Differential	Resistive Amps	Inductive Amps
83948743	**71R6444**	RD-5-10854-0P	Weatherpack	¼" Female Schrader	NC	275 psi +/- 10 psi	235 psi +/- 10 psi	7	4
8040177P	**71R6582**	RD-5-14636-0P	Metripack 280	M10 Female Schrader	NC	300psi +/- 10psi		7	4
8040178P	**71R6584**	RD-5-14637-0P	Metripack	M12X1.5 Female Schrader	NC	34psi +/- 4psi		7	4

71R6400 RD-5-9990-0P

OEM No. 1MR3571. 8040135



71R6402 RD-5-10763-0P

OEM No. 1MR2456, 8040230, 8040236, 8040243



71R6405 RD-5-9991-0P

OEM No. 1MR3572, 3966805, 8040136



71R6408 RD-5-10766-0P

OEM No. 1MR3561, 8040207, 8040281



71R6410 RD-5-10008-0P

OEM No. 8040088



71R6414 RD-5-10768-0P

OEM No. 1MR3562, 8040229



71R6415 RD-5-10009-0P

OEM No. 8040082



71R6416 RD-5-10769-0P

OEM No. 1MR2451, 8040226, 8040316



71R6418 RD-5-10778-0P

OEM No. 3966805, 8040161



71R6420 RD-5-10470-0P

Volvo OEM No. 8025565 , 8040202



71R6422 RD-5-10779-0P

OEM No. 3939317, 8040147, 8040279 Normally Closed, Opens 300psi

IHC #1699309C1 3949288 Closes 260 psi



71R6424 RD-5-10783-0P

OEM No. 1MR3475M, 20437760, 8040189, 8040304



PRESSURE SWITCH REPLACEMENTS

71R6426 RD-5-10784-0P

OEM No. 3948747, 8040240



71R6434 RD-5-10787-0P

OEM No. 3948749, 8040217



71R6438 RD-5-10852-0P

OEM No. 3948741, 8040114, 8040222P



71R6442 RD-5-10853-0P

OEM No. 3948742, 8040223



71R6444 RD-5-10854-0P

OEM No. 3949501, 8040243, 83948743



71R6445 RD-5-10351-0P

OEM No. 3948743. 8040225



71R6450 RD-5-10789-0P

OEM No. 3949500, 8040242



71R6470 RD-5-11026-0P

OEM No. 1622648C91, 8040232



71R6475 RD-5-10901-0P

OEM No. 8040204



71R6582 RD-5-14636-0P

OEM No. 8040177P



71R6584 RD-5-14637-0P

OEM No. 8040178P



TEMPERATURE CONTROL REPLACEMENTS

Sorted by OEM Number

OEM No.	Part No.	Factory Part No.	Connector	Thread Type	Function	Set point	Differential	Resistive	Inductive
3134059 *	**71R6460**	RD-5-10851-0P	Single Post	½" NPTF	Open	220° F	10° F	1 amp	.5 amps
3918038	**71R6500**	RD-5-11021-0P	2 Terminal	½" NPTF	Open	205° F	5-9° F	7 amp	4 amps
3918479 *	**71R6463**	RD-5-11001-0P	Single Post	½" NPTF	Open	215° F	10° F	1 amp	.5 amps
3946910	**71R6480**	RD-5-10592-0P	3 Terminal	½" NPTF	Open/Closed	185° F	5-9° F	7 amp	4 amps
3946911	**71R6458**	RD-5-10850-0P	3 Terminal	½" NPTF	Open/Closed	190° F	5-9° F	7 amp	4 amps
3946914	**71R6448**	RD-5-10780-0P	3 Terminal	½" NPTF	Open/Closed	205° F	5-9° F	7 amp	4 amps
8037030	**71R6456**	RD-5-10790-0P	2 Terminal	½" NPTF	Open	200° F	5-9° F	7 amp	4 amps
8037034	**71R6500**	RD-5-11021-0P	2 Terminal	½" NPTF	Open	205° F	5-9° F	7 amp	4 amps
8037045	**71R6480**	RD-5-10592-0P	3 Terminal	½" NPTF	Open/Closed	185° F	5-9° F	7 amp	4 amps
8037048	**71R6458**	RD-5-10850-0P	3 Terminal	½" NPTF	Open/Closed	190° F	5-9° F	7 amp	4 amps
8037055	**71R6448**	RD-5-10780-0P	3 Terminal	½" NPTF	Open/Closed	205° F	5-9° F	7 amp	4 amps
8039019 *	**71R6463**	RD-5-11001-0P	Single Post	½" NPTF	Open	215° F	10° F	1 amp	.5 amps
8039023 *	**71R6460**	RD-5-10851-0P	Single Post	½" NPTF	Open	220° F	10° F	1 amp	.5 amps
8167882	**71R6456**	RD-5-10790-0P	2 Terminal	½" NPTF	Open	200° F	5-9° F	7 amp	4 amps

* Includes Case Ground (single post) Temperature Switches

71R6448 RD-5-10780-0P

OEM No. 3946914, 8037055



71R6456 RD-5-10790-0P

OEM No. 8037030, 8167882



71R6458 RD-5-10850-0P

OEM No. 3946911, 8037048



71R6460 RD-5-10851-0P

OEM No. 3134059, 8039023 Case Ground



71R6463 RD-5-11001-0P

OEM No. 3918479, 8039019 Case Ground



71R6480 RD-5-10592-0P

OEM No. 3946910, 8037045



71R6500 RD-5-11021-0P

OEM No. 3918038, 8037034



Terminology

Function

Open: Normally Open; switch contacts are open (not conducting) at room temperature.

Closed: Normally Closed; switch contacts are closed (conducting) at room temperature.

Open/Closed: Can be connected either Normally Open or Normally Closed (part has three terminals or wires).

Set Point

Rising temperature at which switch actuates (in degrees Fahrenheit).

Set Point Tolerance

± 2.5˚F for set points to 220˚.
± 5˚ F for set points 225˚ and above.

Differential

Number of degrees *below* the set point that the switch resets to normal state in response to falling temperature.
5˚ to 10˚F below set point up to 220˚F.
15˚F maximum for 225˚F and above.

TEMPERATURE FAN TIMER

Includes Electronic Switches

Sorted by OEM Number

OEM No.	Part No.	Factory Part No.	Connector	Thread Type	Function	Set point	Differential	Resistive	Inductive
3940177	**71R6451**	RD-5-10781-0P	Deutsch	½' NPTF	NC	195° +/- 1.5 F	7 +/- 1.5 F	2 amps	
3942759	**71R6430**	RD-5-10471-0P	Metripack	½" NPTF	NC	205° +/- 1.5 F	7 +/- 1.5 F	2 amps	
3942809	**71R6452**	RD-5-10782-0P	Deutsch	½" NPTF	NC	205° +/- 1.5 F	7 +/- 1.5 F	2 amps	
3942917	**71R6454**	RD-5-10788-0P	Deutsch	½" NPTF	NC	205° +/- 1.5 F	7 +/- 1.5 F	2 amps	
8036165	**71R6451**	RD-5-10781-0P	Deutsch	½" NPTF	NC	195° +/- 1.5 F	7 +/- 1.5 F	2 amps	
8036167	**71R6430**	RD-5-10471-0P	Metripack	½" NPTF	NC	205° +/- 1.5 F	7 +/- 1.5 F	2 amps	
8036168	**71R6454**	RD-5-10788-0P	Deutsch	½" NPTF	NC	205° +/- 1.5 F	7 +/- 1.5 F	2 amps	
8036169	**71R6452**	RD-5-10782-0P	Deutsch	½" NPTF	NC	205° +/- 1.5 F	7 +/- 1.5 F	2 amps	

71R6430 RD-5-10471-0P

OEM No. 3942759, 8036167



71R6451 RD-5-10781-0P

OEM No. 3940177, 8036165



71R6452 RD-5-10782-0P

OEM No. 3942809, 8036169



71R6454 RD-5-10788-0P

OEM No. 3942917, 8036168



THERMOSTAT SPECIFICATIONS

Listed in ascending order by Capillary Length

Capillary Length	Temperature Range [°F]	Clutch Cycle Range	Mount Hole Spacing	Description/Notes	Red Dot Part No.	Factory No.
ROTARY (VARIABLE)						
18″	28° - 62°	6°	—	Variable	**71R2100**	RD-5-4909-0P
27″	34° - 52°	5°	—	Variable	**71R2310**	RD-4172-0P
36″	34° - 52°	5°	—	Variable	**71R2250**	RD-4125-36P
48″	34° - 52°	5°	—	Variable	**71R2300**	RD-4125-48P
66″	34° - 52°	5°	—	Variable	**71R2400**	RD-4125-66P
73″	35° - 44°	5°	—	Variable	**71R2305**	RD-5-11029-0P
CABLE CONTROLLED						
18″	26° - 66°	8°	2 3/16	Variable	**71R2600**	RD-5-4911-0P
30″	34° - 54°	5°	2 15/16	Variable	**71R2700**	RD-4226-0P
43″	30° - 62°	10°	2 15/16	Variable	**71R2800**	RD-5-4917-0P
PRESET (FIXED) SETTING						
12″	31° - 40°	8°	—	Flange base with optional side mount	**71R3160**	RD-5-8938-0P
16″	28° - 35°	7°	—	Flange base with optional side mount	**71R3150**	RD-5-6429-0P
18″	28° - 35°	7°	—	Flange base mount	**71R3155**	RD-5-10736-0P
21″	31° - 40°	-	—	Flange base with optional side mount	**71R3220**	RD-5-10335-0P
24″	31° - 39°	8°	2 1/4	Flange base with optional side mount	**71R3200**	RD-5-4531-24P
24″	34° - 38°	5°	2 1/8	Flange base mount	**71R3100**	RD-4427-24P
25″	34° - 44°	8°	2 3/16	Flange base mount	**71R3300**	RD-5-8257-0P
29″	34°-39°	5°	2 1/8	Flange base mount	**71R3350**	RD-6-5916-0P
32″	31° - 39°	-	2 1/8	Flange base with optional side mount	**71R2200**	RD-5-11031-0P
33″	40° - 85°	5°	2 3/16	Flange base with optional side mount	**71R3125**	RD-5-8377-0P


ROTARY (VARIABLE) THERMOSTATS

71R2100 — RD-5-4909-0P



Capillary Length: 18″
Type: Variable
Temp. Range: 28°- 62°F
Clutch Cycle Range: 6°F

71R2300 — RD-4125-48P



Capillary Length: 48″
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

71R2250 — RD-4125-36P



Capillary Length: 36″
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F


71R2305 — RD-5-11029-0P



Capillary Length: 73″
Type: Variable
Temp. Range: 35°- 44°F


ROTARY (VARIABLE) THERMOSTATS

71R2310 RD-4172-0P



Capillary Length: 27″
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F


71R2400 RD-4125-66P



Capillary Length: 66″
Type: Variable
Temp. Range: 34°- 52°F
Clutch Cycle Range: 5°F

CABLE CONTROLLED THERMOSTATS


71R2600 RD-5-4911-0P



Hole spacing: 2 3⁄16″
Capillary Length: 18″
Type: Variable
Temp. Range: 26°- 66°F
Clutch Cycle Range: 8°F

71R2700 RD-4226-0P


Pull for cold variable temp. Mounting hole spacing 2 15⁄16″



Capillary Length: 30″
Type: Variable
Temp. Range: 34°- 54°F
Clutch Cycle Range: 5°F

71R2800 RD-5-4917-0P


Pull for warm variable temperature Mounting hole spacing 2 15⁄16″



Capillary Length: 43″
Type: Variable
Temp. Range: 30°- 62°F
Clutch Cycle Range: 10°F
IHC #581691C1


PRESET (FIXED) SETTING THERMOSTATS

71R2200 — RD-5-11031-0P



Mounting hole spacing: 2 ⅛″
Capillary Length: 32″
Type: Fixed
Temp. Range: 31°- 39°F

71R3100 — RD-4427-24P




Mounting hole spacing: 2 ⅛″
Capillary Length: 24″
Type: Fixed
Temp. Range: 34°- 38°F
Clutch Cycle Range: 5°F

71R3125 — RD-5-8377-0P



Mounting hole spacing: 2 3⁄16″
Capillary Length: 33″
Type: Fixed
Temp. Range: 40° - 85°F
Clutch Cycle Range: 5°F

71R3150 — RD-5-6429-0P




Capillary Length: 16″
Type: Fixed
Temp. Range: 28°- 35°F
Clutch Cycle Range: 7°F

71R3155 — RD-5-10736-0P




Capillary Length: 18″
Type: Fixed
Temp. Range: 28°- 35°F
Clutch Cycle Range: 7°F

71R3160 — RD-5-8938-0P



Capillary Length: 12″
Type: Fixed
Temp. Range: 31°- 40°F
Clutch Cycle Range: 8°F

71R3200 — RD-5-4531-24P




Mounting hole spacing: 2 ¼″
Capillary Length: 24″
Type: Fixed (side mount)
Temp. Range: 31°- 39°F
Clutch Cycle Range: 8°F

71R3220 — RD-5-10335-0P




Mounting hole spacing: 2 ⅛″
Capillary Length: 21″
Type: Fixed (side mount)
Temp. Range: 31°- 40°F

71R3300 — RD-5-8257-0P



Mounting hole spacing: 2 3⁄16
Capillary Length: 25″
Type: Fixed
Temp. Range: 34°- 44°F
Clutch Cycle Range: 8°F

71R3350 — RD-6-5916-0P



Mounting hole spacing (for the bracket): 2 ⅛
Capillary Length: 29″
Type: Fixed
Temp. Range: 34°- 39°F
Clutch Cycle Range: 5°F
Operating Voltage: 9 to 32 VDC
Power Rating: 3A at 24 VDC
6A at 12 VDC

LS = Limited to stock on hand

SERVICE EQUIPMENT

E-Z CLIP FITTINGS & TOOLS

79R8920 RD-5-10717-0P

#6-#12 Connecting Tool



79R8926 RD-5-13543-0P

#16 Connecting Tool



79R8930 RD-5-10739-0P

Hose Cutter & Blade, maximum hose O.D.: 2″



79R8931 RD-5-10740-0P

Replacement Blade for 79R8930 above

TOOL KIT

79R8915 RD-5-10718-0P

Includes:

20 each: Clips: #6, #8, #10, #12
10 each: Cages: #6, #8, #10, #12
Connecting Tool 79R8920
Hose Cutter 79R8930
Replacement blade for Hose Cutter



STEEL FIELDCASE

79R8916 RD-5-11372-0P




Includes:

100 each: Clips: #6, #8, #10, #12
50 each: Cages: #6, #8, #10, #12
50 each: O-Rings: #6, #8, #10, #12
100 each: O-Ring Nipple: #6, #8, #10, #12
Connecting Tool 79R8920
Hose Cutter 79R8930
2 Replacement blades for Hose Cutter

EZ CLIP NIPPLE O-RINGS

70R8836	70R8838	70R8831	70R8832	70R8840
RD-5-11461-0M	RD-5-11462-0M	RD-5-11463-0M	RD-5-11464-0M	RD-5-13242-0M
#6	**#8**	**#10**	**#12**	**#16**



O-Rings ship 25 per package

CAGES & CLIPS

Packages of 10



Cages			Clips	
Size		**Factory No.**		**Factory No.**
#6	**70R8806**	RD-5-10709-0M	**70R8826**	RD-5-10713-0M
#8	**70R8808**	RD-5-10710-0M	**70R8828**	RD-5-10714-0M
#10	**70R8801**	RD-5-10711-0M	**70R8821**	RD-5-10715-0M
#12	**70R8802**	RD-5-10712-0M	**70R8822**	RD-5-10716-0M
#16	**79R8920**	RD-5-13543-0P		

CAPS

Threaded protective caps — Packages of 20

	Factory No.	Description
75R5555	RD-5-11325-0M	E-Z Clip Low Side Cap
75R5556	RD-5-11223-0M	E-Z Clip High Side Cap

SERVICE EQUIPMENT

CRIMP TOOLS

79R1560 RD-5-11225-0P

Bubble Crimp Kit
for use with
Air Impact Wrench



79R1565 RD-5-11232-0P

Bubble Crimp Kit with
Hydraulic Hand Pump and 6' Hose

Drop-Ship Only



CRIMP TOOL REPLACEMENT PARTS

Description	79R1560 & 79R1565		79R1510 & 79R1515	
Actuator Screw			**79R1502**	RD-5-7788-0P
Strain Rod Set (2)			**79R1503**	RD-5-7787-0P
Latch Plate			**79R1504**	RD-5-7786-0P
Actuator Bar			**79R1505**	RD-5-8481-0P
Standard Crimp Die #12	**79R1532**	RD-5-11231-0P		
Standard Crimp Die #6, Reduced Bead Crimp Die #8	**79R1536**	RD-5-11227-0P		
Reduced Bead Crimp Die #10	**79R1541**	RD-5-11229-0P	**79R9521**	RD-5-8897-0P
Reduced Bead Crimp Die #6	**79R1546**	RD-5-11226-0P	**79R9516**	RD-5-8895-0P
Standard Crimp Die #8	**79R1538**	RD-5-11228-0P		

79R1520 RD-5-7731-0P

Hydraulic Hand Pump and 6' Hose with
Male Quick Disconnect



79R1525 RD-5-7732-0P

HYDRAULIC CYLINDER
Retro Fit Hydraulic Cylinder for 79R1510, Bubble Crimp Kit with Female Quick Disconnect



R-134A



79R0120 LS — RD-5-11580-0P

Drop-Ship Only

Air Conditioning Recovery/Recycling Unit (R-134a, 110V, 60 Hz)

- Simplest, easiest to use air conditioning service units on the market today (helps technicians meet today's tough service standards)
- Operation is quick and efficient (lowers air conditioning service costs)
- Easy-to-operate (just connect quick connect couplings to vehicle and push Recovery Recycle switch—unit completes recovery and recycle process)
- Built with quality components, such as 1/2 hp, oil-less compressor, new advanced shock resistant scale, dual protected solenoids, and more
- Vacuum timer allows technician to set time and two-stage vacuum pump automatically pulls a deep vacuum
- Easy to set LCD display (simply scroll to correct charge and push charge switch—system quickly receives refrigerant)
- Large 75 mm (3.5 in) gauges allows technician to easily monitor air conditioning system
- One-touch air purge eliminates non-condensables in system
- One-touch oil drain, after every service, tells how much oil is needed to keep compressor fully lubricated
- Automatic tank full and high pressure shut-offs
- Shock resistant scales for accurate charging
- Single-pass filtering system
- Built-in manifold gauge set
- Moisture indicator
- Tank refill adapter
- Modular design for easy repair
- Large pneumatic tires
- Premium hoses approved to SAE2197 standard
- Fully factory tested
- Built-in accessory and tool storage box

SPECIFICATIONS

Recovery tank	One 50-pound
Dimensions (h x w x d)	53" x 22" x 27" (63 x 68 x 134 cm)
Weight	120 lbs(54 kg)
Vacuum Pump	Two-stage 6 cfm
Hose length	15 ft (4.5 m)
	½" ACME female x 13 mm male adapter

SERVICE PARTS


79R0101


79R4006



79R0101 LS	RD-5-11081-0P	Refrigerant Filter
79R4006 LS	RD-5-11148-0P	¼" Female x ¼" Male Acme Refill Adapter (R-134a)
79R0109 LS	RD-5-11146-0P	Red Flex Hose (¼")

LS = Limited to stock on hand

SERVICE EQUIPMENT

PORTABLE RECOVERY SYSTEM

79R0122 RD-5-15353-0P

YJ-LTE Refrigerant Recovery System


The smallest, lightest, most powerful unit in its class. Don't let the small size fool you. The YJ-LTE™ Refrigerant Recovery System is packed with the features you need. Like a built in purge circuit which eliminates the need for external equipment and makes for easy clearing at the end of the job. And superior condenser performance which means the recovery tank stays cooler for a longer period of time, allowing you to recover more refrigerant without high-pressure cut-out. And it's simple to operate, too, with a single valve, single gauge control panel.



RECHARGE OIL PUMP

79R1730 RD-5-11117-0P

- Used to replace oil in air conditioning system or compressors after oil has been removed
- Easily works with system pressures up to 2070 kPa (300 PSI)
- Includes bottle with calibration marks, hose, and low side R-134a coupler
- Can be used for R-12 systems (use a regular charging hose with ¼ inch flare fittings)
- Volume per stroke: 1.5 ounces
- System pressures: up to 2070 kPa (300 PSI)
- Holds 16 ounces



REFRIGERANT FILTER & PREFILTER

SERVICE PARTS FOR:

79R0120	RD-5-11087-0P	Air Conditioning Recovery/Recycling Unit (R-134a, 110V)
79R0130	RD-5-11089-0P	Air Conditioning Recovery/Recycling Unit (R-134a, 220V)

79R0101 RD-5-11081-0P

Refrigerant Filter

Capacity	41 cubic inches
Color	GRAY
Dimensions	3½" (89mm) diameter by 9½" (241cm) overall length



SEALANT FILTER

79R0115 RD-5-14063-0P

Trap™ Sealant Filter System

This rugged filter cartridge connects in-line between a vehicle and any A/C service equipment to protect refrigerant supply, recovery system and oil separators.



Features:

Hi-tech design captures large volumes of sealant oil sludge and other contaminants while still filtering effectively without plugging. Maintenance is fast and simple with a clean-out drain, and when necessary, easy filter replacement.

LS = Limited to stock on hand

DIGITAL ELECTRONIC CHARGING SCALE

79R0170 RD-5-11154-0P

Drop-Ship Only

Manual Refrigerant Charging Scale – Battery Powered

- Large heavy duty platform and oversized strain gauge bridge for accuracy and repeatability
- High quality load cell for improved accuracy
- Retractable 5' coiled cord for easier storage
- Water & environment resistance with sealed LCD display and membrane keypad with tactile metal domes
- Overload Protection
- 1/2" bold dark numbers for easy reading outdoors
- Low battery indicator icon on LCD
- Optional AC power pack
- Measure imperial or metric units
- Meets UL and CE requirements
- Compatible with all refrigerants



Refrigerant tank not included.

Specifications:

Capacity:	110 lbs (50kg)
Resolution:	0.1 Ounce / 0.01 Pound / 0.01kg
Accuracy:	± 0.5 oz., ± 0.03 lb., ± 0.015 kg.
Total Unit Weight:	9 lbs. (4.1 kg)
Case Size (LxWxH)	15 ½" x 12 ¼" x 3 ¼" (394mm x 311mm x 83mm)
Platform Size:	9" X 9" (228mm X 228mm)
Battery:	25 hours continuous use (approximate)
Battery:	9v
Operating Temperature:	32˚ F to 122˚ F (0˚ C to 50˚ C)

PROGRAMMABLE ELECTRONIC CHARGING SCALE WITH CHARGING MODULE

79R0180 RD-5-11153-0P

Drop-Ship Only

Automatic Refrigerant Charging Scale – 110v, 50 hz

Same features as the 79R0170 above with additional capabilities for automated, economical charging.
Charging module hooks to scale with coiled cord. Simple 3-button operation. Use with all refrigerants.

- Hold/resume mode for switching supply tanks in mid-charge
- Automatic hold if refrigerant flow stops. Extends solenoid life.
- Schrader valve prevents backflow through solenoid
- Power pack eliminates battery draw during charging.



Refrigerant tank not included.

LS = Limited to stock on hand

MANIFOLD GAUGES

79R3120 RD-5-11104-0P

Manifold Assembly (R-134a)

79R3140 RD-5-11085-0P

Manifold Assembly (R-12)

- Used to check pressure in R-134a and R-12 cooling systems
- Bold, easy to read gauges (large bold numbers and colored scales are easy to read)
- Removable Lexan crystals resist breakage
- Gauge cases are color-coded red and blue
- Pressure tested for reliability
- Forged brass body with metal valve handles for durability
- Surge protector and silicone dampened movement helps minimize needle pulsation for easier, more accurate readings
- Sliding, double O-ring pistons with non-rotating design reduces wear and extends service life
- Fast acting valve (only $1^1/_2$ turns for full flow)

SERVICE PARTS

79R3137	RD-5-11137-0P	Handle Group



STANDARD MANIFOLD GAUGES


79R3125 RD-5-11105-0P

Manifold Gauge, Red, R-134a – 0 to 500 PSI (0 to 3447 kPa)

79R3127 RD-5-11106-0P

Manifold Gauge, Blue, R-134a – 30 to 0 to 120 PSI (206 to 0 to 827 kPa)

- Bold, high-visibility dials have colored temperature scales for easy reading
- Flutterless technology and surge protection minimize needle pulsation




Accuracy	3-2-3 percent
Diameter	2 ½" (64 mm)
Connections	⅛" NPT

79R3131 RD-5-15355-0P

3.5" (90mm) Liquid-Filled Manifold Gauge Red 0-500psi
Offset stem fits all major manifold brands
Now with zero adjustment
⅛" NPT Male connection
Calibrated to 1% accuracy (Class 1)

79R3133 RD-5-15356-0P

3.5" (90mm) Liquid-Filled Manifold Guage Blue 30"-0-120psi
Offset stem fits all major manifold brands
Now with zero adjustment
⅛" NPT Male connection
Calibrated to 1% accuracy (Class 1)



REFRIGERANT RECOVERY TANKS

Drop-Ship Only

FOR R-134A & R-12

- Used to store recovered refrigerants
- 79R1810 and 79R1820 are equipped with 3-pin Brad Harrison connector
- Gray and yellow color coding
- Y-valve allows liquid/vapor collection
- Cylinders equipped with a protective collar and handle
- Float switch plug: 3/4"
- Pressure rating: 2400 kPa (350 PSI)



PART NUMBERS

79R1810	RD-5-11120-0P	Cylinder with Float, 30 pound
79R1815	RD-5-11121-0P	Cylinder with Y-Valve (no float) 30 pound
79R1820	RD-5-11122-0P	Cylinder with Float, 50 pound
79R1825	RD-5-11083-0P	Cylinder with Y-Valve (no float) 50 pound

REFRIGERANT IDENTIFIER

79R3591 RD-5-12321-0P

Drop-Ship Only

Hand-held micro infrared spectrometer detector that can readily identify and measure the percentage of purity of R-134a, R-22 and R-12 with 98% accuracy. It can also detect blends and contaminated refrigerants and digitally displays the percentage of air and alerts you with audible and visual alarms for flammable hydrocarbons.

Operates on 12 volt DC. Includes analyzer, hose, adapters, cord and carrying case.



R-134A TANKS

Drop-Ship Only

- For R-134a refrigerant
- Refillable refrigerant tanks are D.O.T. approved for safety
- Come with the valving necessary for recovery and recycling
- Distinctive blue exterior clearly identifies these tanks as R-134a equipment



79R1911 RD-5-11562-0P

30 lb. Tank with float switch – 134a

79R1912 RD-5-11563-0P

50 lb. Tank only – 134a

79R1914 RD-5-11561-0P


30 lb. Tank only – 134a

WRAP-AROUNDHEATER

79R1800 RD-5-11114-0P

Wrap-Around Heater (115V)

- Used to heat 30, 50, and 125 pound refrigerant cylinders
- Maintains an even temperature for constant positive pressure that speeds transfer of refrigerant for a complete charge every time
- Expandable (wraps around 30, 50, and 125 pound refrigerant tanks)
- Thermostat controlled



LS = Limited to stock on hand

SERVICE COUPLERS

79R3178 RD-5-11102-0P

Coupler, chrome with blue anodized body, to 14 mm



- Couplers interface with R-134a service ports
- Quick, easy connect/ disconnect
- Control valve allows access to system even at working pressures
- Integral safety sleeve holds coupler securely to service port
- High-flow characteristics

79R3179 RD-5-11103-0P

Coupler, chrome with red anodized body, high side to 14 mm



- Couplers interface with R-134a service ports
- Quick, easy connect/ disconnect
- Control valve allows access to system even at working pressures
- Integral safety sleeve holds coupler securely to service port
- High-flow characteristics

79R4005 RD-5-8329-0P

Retrofit R-12 Vacuum Pump to R-134a



R-12 AIR CONDITIONING CHARGING HOSES

- Proven performance
- Double barrier protection for R-12 and R-134a
- Nylon permeation barrier meets U.L. requirements for R-12, R-134a, R-22, and R-503 refrigerants
- Moisture barrier provides improved resistance to moisture (contaminates expensive refrigerant)
- SealRight fittings immediately trap refrigerant in hose when disconnected
- 45˚ end allows easier connection in tight areas
- Gaskets resist deterioration from R-12 and R-134a refrigerants and oils



PART NUMBERS

79R3162	RD-5-11086-0P	Red 457 cm (15 ft)
79R3164	RD-5-11088-0P	Blue 457cm (15ft)
79R3166	RD-5-11090-0P	Yellow 457 cm (15 ft)
79R3165	RD-5-11091-0P	Yellow 244 cm (8 ft)
79R3161	RD-5-11093-0P	Red (high) 244 cm (8 ft)
79R3163	RD-5-11092-0P	Blue (low) 244 cm (8 ft)

R-134A AIR CONDITIONING CHARGING HOSES

- 1/4" hoses for R-134a refrigerant
- 1/2" Acme fitting meets SAE requirements
- Double-barrier protection
- Threads:
  1/2" Acme female
  14 mm Acme male



PART NUMBERS

79R3175	RD-5-11094-0P	Yellow 244 cm (8 ft)
79R3173	RD-5-11095-0P	Blue 244 cm (8 ft)
79R3171	RD-5-11096-0P	Red 244 cm (8 ft)
79R3176	RD-5-11097-0P	Yellow 457 cm (15 ft)
79R3174	RD-5-11098-0P	Blue 457 cm (15 ft)
79R3172	RD-5-11099-0P	Red 457 cm (15 ft)
79R3180	RD-5-14064-0P	Blue 914 cm (30 in)
79R3182	RD-5-14065-0P	Red 914 cm (30 in)

LS = Limited to stock on hand

7 CFM VACUUM PUMPS

79R4060 RD-5-14061-0P

Vacuum Pump, 115V, 60 Hz

- Rated as "free air displacement" pump
- Rugged metal construction with no plastic to crack or fall off
- Oil reservoir port has a wide-mouth for easier, neater filling; doubles as an pump exhaust; and is threaded to attach garden type hose for exhausting to remote location
- Large oil reservoir helps reduce operating temperature and dilute corrosive contaminants
- Large sight glass for easier monitoring
- Large oil drain valve for quicker draining
- Longer heat dissipation fins for a cooler running unit
- Low operating temperature improves efficiency and vacuum
- Low profile on/off switch to avoid breakage
- Vacuum indicator gauge at pump intake fitting shows evacuation progress at a glance (electronic gauge then provides more precise readings)
- Gas ballast speeds evacuation and keeps oil cleaner
- Tethered caps stay with the unit

Drop-Ship Only



Pump rating	7 cfm
Field rating	25 microns
Intake	¼ flare and ½" ACME thread
Motor	½ horsepower at 1725 rpm
Internal capacitor thermal overload	Temperature Rise 104°F (40°C)
Voltage (single phase)	115 Volt, 60 Hz or 220 Volt, 50 Hz
Oil capacity	28 oz (0.8 liter)
Dimensions	16 ¼" x 6" x 11 ½" (41.28 x 15.24 x 23.5 cm)

LS = Limited to stock on hand

WIRELESS TESTING

79R3578 RD-5-15352-0P

Simplify and automate measurements

- Saves time and reduces costs
- Wirelessly calculates and displays the system's actual pressures, temperatures, superheat and sub cooling in an easy-to-read color format on your smart phone device
- Share screenshots via e-mail right from your phone
- Easily track and store service history
- Rechargeable lithium polymer battery with 10 hours battery life

Package includes:

- Hardware (two devices) with boot
- Temperature Probe Clamp (2)
- USB Cable

YELLOW JACKET ManTooth APP (free download)



Mantooth Dual Pressure Wireless Digital P/T Gauge

- Wireless connection to your smart device (iPhone, iPad, Android compatible)
- Test system without losing refrigerant (no hoses and manifolds necessary)
- Built-in Schrader ports to easily adjust refrigerant charge
- Range up to 400' (unobstructed)



LCD VACUUM GAUGE & SENSOR

79R0190 RD-5-11115-0P

Drop-Ship Only

LCD Vacuum Gauge



- Vacuum gauge combines thermocoupler sensor technology with advanced IC electronics for precise readings and repeatability not found with thermistor sensors or analog meters
- Precision circuitry to control sensor and then translate sensor input into micron readings
- Provides accurate readings on job after job from 1999 to 1 micron without calibration
- Large, high-contrast digital display for easy reading
- Female to female coupler to connect sensor into system
- Powered from one D cell battery
- Compact design with storage case for sensor, cable, and hose
- Rugged molded case protects electronic circuitry and sensor

79R0195 RD-5-11116-0P

Drop-Ship Only

Thermocouple Sensor

- No adjustments or warmup
- Stays calibrated after on/off switching and long evacuations
- Automatic ambient temperature compensation
- Automatic battery compensation
- Replaceable thermocouple sensor with ¼-inch flare (no calibration required)
- Comes with 182 cm (6 ft) long sensor cable

HEAVY DUTY RETROFIT ADAPTER KIT

79R8940 RD-5-9986-0P



LS = Limited to stock on hand

A/C FLUSH

79R4650 RD-5-10206-0P

128 ounce (1 gallon)
6 per case



79R4655 RD-5-10207-0P

32 ounce (1 quart)
4 per case



79R4685 RD-5-15571-0P

A/C Flush-Power Clean Aerosol



VACUUM PUMP OIL

79R4710 RD-5-11327-0P

Use with 79R4010
1 quart

Promotes internal sealing for good vacuum and absorbs unwanted vapor from evacuated units. Regular oil changes promote longer vacuum pump life.



LEAK DETECTOR

79R3576 RD-5-11365-0P

Heated accuprobe electronic leak detector

DROPSHIP ONLY



Combines proven technology with user-friendly features. Santoprene® holster provides protection and a comfortable grip. Gooseneck probe is 16" long, wraps onto the back for storage; sensing tip fits into the recessed slot. Other features include audible and visual leak indicators, volume control and sensitivity selection for most refrigerants including R-134a, new blends and substitutes.

COMPRESSOR OIL INJECTOR

79R1710 RD-5-8291-0P

R134a

Adding oil to air conditioning compressors is a necessary but slow process. The refrigerant charge is wasted and some disassembly is required. 79R1700 and 79R1710 is used in conjunction with a gauge manifold assembly. It utilizes the pressure differential from the high to the low side of the system to inject 2 oz. of oil into the unit.



OIL DIPSTICK

79R4597 RD-5-11568-0P

Sanden Oil Dipstick



COIL CLEANER

79R4660 RD-5-14082-0P



REFRIGERANT OIL

79R4550 RD-5-5916-0P

R-12 ONLY

MINERAL OIL 1 quart
Quality, wax-free, compressor oil for air conditioning systems.
Printed calibrations to facilitate measured pouring.
Viscosity: 500 S.S.U. @ 100°F.
6 per case



79R4561 RD-5-9633-0P

(12 oz.) Ester Oil Plastic Bottle – 100 viscosity
6 per case



79R4562 RD-5-9634-0P

(32 oz.) Ester Oil Plastic Bottle – 100 viscosity
6 per case



79R4563 RD-5-9635-0P

(128 oz.) Ester Oil Plastic Bottle – 100 viscosity
4 per case



79R4580 RD-5-7103-0P

(8 oz.) SP15 Pag Oil – Use with R-134a Sanden Compressors – 80 viscosity
6 per case



79R4585 RD-5-7166-0P

(32 oz.) Pag Oil – Use with R-134a Zexel/Seltec/Que (Diesel Kiki) Compressors – 46 viscosity
6 per case



79R4587 RD-5-13221-0P

(8 oz.) Pag Oil – Use with R-134a Que and Nipon Denso Compressors – 46 viscosity
6 per case



79R4595 RD-5-8062-0P

R-134a and R-12
(12 oz.) Ester oil – Use with CCI Compressors
12 per case



MISCELLANEOUS

DIAL THERMOMETER

79R1150 RD-5-10209-0P

1 ¾" dial face with 0° to 220° F range.



DYE

79R5035 RD-5-13225-0P

For Ester Oil



REFRIGERATION TAPE

79R4400 RD-5-4058-360P

2" wide by ⅛" tape used in covering exposed A/C fittings (30 foot roll)



FIN COMB

79R1255 RD-5-11113-0P

- Multi-head tool straightens 8, 9, 10, 12, 14, and 15 fins per inch
- Works on radiator evaporator coils and aluminum finned heat exchangers
- Breaks down easily for tool box storage
- Compact 10 cm (4") length



AIR CONDITIONING SERVICE MANUAL

79R5901 RD-5-11043-0P



WIRE LOOM CONDUIT



79R0125 RD-5-9569-96P

0.250 inside diameter black wire loom conduit

79R0138 RD-5-4762-96P

0.375 inside diameter black wire loom conduit

79R0150 RD-5-5905-96P

0.500 inside diameter black wire loom conduit



79R0225 RD-5-7357-96P

0.250 inside diameter gray wire loom conduit

79R0241 RD-5-5562-96P

0.413 inside diameter gray wire loom conduit

79R0258 RD-5-55908-96P

0.625 inside diameter gray wire loom conduit

LS = Limited to stock on hand

R-134A RETRO KITS

79R4600 RD-5-8958-0P

CCI / Tecumseh Retro-kit Applications
Allis Chalmers, Autocar, Brockway, Caterpillar, Chevy/GMC, Deutz-Allis, Diamond Rio, Fiat-Allis, Ford (FS-6, Nippondenso 6E171 use 4379-RD599830 retro fit kit), Ford-Sperry, Ford Tractor, Fox River, Freightliner, Hesston (HFI), International Harvester, IH/Navistar, J.I.Case, John Deere, Long, Kenworth, Mack, Marmon, Massey Ferguson, New Holland, New Idea/Avco, Oliver, Peterbilt, Steiger, Versatile, Volvo/White/GM, Western Star, White Farm. All with compressor model Climate Control/York, Tecumseh



FOR CONVERTING R12 A/C SYSTEMS TO ENVIRONMENTALLY SAFE HFC-134A
Kits include the minumum components necessary to convert from an R12 system to R134a system. Kit includes "O" rings and gaskets, retro charging adapters, R12 charging port eliminator cap, retrofitted identification label and 8oz. of Retro A/C Ester Oil.

NOTE: RETRO KITS ARE NOT ENDORSED BY THE COMPRESSOR MANUFACTURERS.

SEALANT

79R6700 RD-5-7242-0P


Adhesive – 2.8 oz.



LEAK LOCK

79R6710 RD-5-14090-0P

Blue Leak Lock 1.33 oz.



79R6720 RD-5-14089-0P

4 oz. jar




LS = Limited to stock on hand

ORIFICE TUBE REMOVER KIT

79R1660 RD-5-11135-0P

Designed to remove all necessary parts of complete or damaged orifice tube



SCHRADER CORE TOOL

79R8945 RD-5-12674-0P

High Flow Schrader Core Remover/Installer Tool




REFRIGERANT CAUTION LABELS

PLEASE NOTE: When servicing R-12 and R-134a systems, the tools that come in contact with the refrigerant (such as gauge sets, charging equipment and recovery recycle equipment) must be dedicated to one refrigerant or cross contamination may occur.


79R0020 RD-5-7106-0M

10 per package



ADAPTERS AND COUPLER

- Adapt female quick connect to male thread
- Knurled fittings for easy connection




PART NUMBERS

79R0105	RD-5-11143-0P	Adapter, ½" acme female hex to 13mm male R-134a low-side (R-12 to R-134a)
79R4006	RD-5-11148-0P	Coupler, Converts Standard R-12 ¼" flare to R-134a ½" acme thread
79R4007	RD-5-11123-0P	Adatpter, R-12, female QD to ¼" male flare
79R4008	RD-5-11138-0P	Adapter, R-134a, ¼" female QD to ½" male ACME

REFRIGERANT RETROFIT LABELS


79R0030 RD-5-10908-0P

10 per package




RED DOT CABLE CONTROLLED WATER VALVES
METAL

Automotive & Heavy Duty TYPE - IN LINE			FLOW	ON	OFF
72R5040	RD-5-4923-0P	⅝" hose to ⅝" hose	A	X	Y
72R5050	RD-4257-0P	⅝" hose to ⅝" hose	B	X	Y
72R5055	RD-5-10223-0P	⅝" hose to ⅝" hose	B	X	Y
72R5060	RD-5-5119-0P	⅝" hose to ⅝" hose	A	Y	X
72R5070	RD-5-5191-0P	¾" hose to ¾" hose	A	X	Y



72R5080 — RD-5-5215-0P
⅝" Hose, 90° elbow to ⅝" Hose, 110° elbow
Pull To Open



72R5110 — RD-5-8034-0P
⅝" Hose to ¾" Hose
Pull To Open



72R5600 — RD-5-5193-0P
¾" Hose to ¾" Hose
Manual Open & Close



72R5500 — RD-5-5192-0P
⅝" Hose to ⅝" Hose
Manual Open & Close



RED DOT CABLE CONTROLLED WATER VALVES
ENGINEERED POLYMER

72R5200 RD-5-5300-0P

⅝" Hose to ⅝" Hose
Pull To Close



72R5203 RD-3-11046-0P

¾" Hose to ⅝" Hose with Stem Water Control Valve
Pull To Close



Fits Caterpillar Skid Steer, B-Series, Tier II

72R5204 RD-5-10635-0P

⅝" Hose to ¾" Hose with Stem Water Control Valve
Pull To Close



Fits Caterpillar Skid Steer, A-Series, Tier I & II

72R5210 RD-5-5300-1P

⅝" Hose to ⅝" Hose
Pull To Open



72R5260 RD-5-5495-1P

⅝" Hose to ⅝" Hose
90° Elbow*
Pull To Open



72R5270 RD-5-5495-2P

⅝" Hose to ⅝" Hose
90° Elbow*
Pull To Close



72R5285 RD-5-9224-1P

⅝" Hose to ⅝" Hose
Push To Open
Fits John Deere Wheel Loader 324H, 344H
Replacement Cable Clip RD-5-8885-0M



72R5350 RD-5-8193-2P

⅝" Hose to ⅝" Hose
Pull To Open



72R5360 RD-5-9224-0P

⅝" Hose to ⅝" Hose




All cable controlled water valves are complete with cable clamp & mounting hardware.


RED DOT CABLE CONTROLLED WATER VALVES
WITH FLOW RESTRICTER

Red Dot has designed these water valves with a flow restricter.
The restricter reduces water flow to approximately 5 to 6 gallons per minute through the heater core.
The benefits are easier modulation, extended water valve life and maximized heater core efficiency.


72R5220 RD-5-7760-1P
⅝" Hose to ⅝" Hose
Push To Open




72R5230 RD-5-7760-2P
⅝" Hose to ⅝" Hose
Pull To Open




72R5240 RD-5-7760-3P
⅝" Hose to ⅝" Hose
Pull To Open



72R5250 RD-5-7760-0P
⅝" Hose to ⅝" Hose
Push To Open



72R5280 RD-5-8083-0P
⅝" Hose to ⅝" Hose
Push To Open



72R5355 RD-1-2246-0P
⅝" Hose to ⅝" Hose – Water Valve & Self Clinching Pin
Pull To Open



Fits R-9787 Model,
AGCO Tractor 35, 45, 55
Standard & Advanced

72R6515 RD-5-8943-0P
Pull To Open Cable Controller
Fits Freightliner FTLC120
Century Class 1996-2002
OE#A22-44-553-000



72R6520 RD-5-10344-0P
⅝" Hose To ⅝" Hose
Pull to Close
Fits Freightliner
Applications




72R6525 RD-5-8390-0P
Water Valve for Caterpillar Motor Grader 24H



72R6530 RD-5-10345-0P
⅝" Hose To Core Mount – Pull to Close
Fits Freightliner and Volvo Applications



72R6533 RD-5-11319-0P
⅝" Hose To Core Mount – Pull to Open
Fits Freightliner and Volvo Applications
Volvo OE#1118414, 176362



72R6535 RD-5-8894-0P
⅝" Hose To Core Mount – Pull to Open
Fits Caterpillar Long / Large Haul 793, 797



72R6540 RD-5-9415-0P
Red Dot Model R-6120 Gillig Bus, R-6135 Orion Bus
Gillig Models 21-43550, 21-55565
Orion Models 071320036, 058, 151
5⁄8" x 5⁄8" hose

Cable controlled
Pull to Open



72R6547 RD-5-10055-0P
⅝" Hose To Core Mount – Pull to Close
Fits Caterpillar Small Track Tractor
(STTT Series)
D3, D4, D5



RED DOT
AIR OPERATED WATER VALVES

72R6400 RD-5-8804-0P

⅝" Hose To ⅝" Hose



72R6401 RD-5-8804-1P

⅝" Hose To ⅝" Hose



72R6403 RD-5-8804-2P

⅝" Hose To ⅝" Hose




72R6410 RD-5-8859-0P

¾" Hose To ¾" Hose



72R6420 RD-5-8857-0P

⅝" Hose To ⅝" Hose



72R6421 RD-5-8857-1P

⅝" Hose To ⅝" Hose



72R6423 RD-5-8857-2P

⅝" Hose To ⅝" Hose



72R6425 RD-5-8857-3P

⅝" Hose To ⅝" Hose



70R8420 RD-5-4497-0P

Female fitting for air operated water valves on this page




NOTE: Air operated water valves require 80 to 120 PSI of air to operate. Air supply threads are ⅛"-27 NPT.

LS = Limited to stock on hand

ELECTRONIC WATER VALVE

72R7100 RD-5-10258-0P

12 or 24 Volt ⅝" hose connections
Replacement knob available separately: 71R4063



72R7115 RD-3-17795-0P

12 or 24 Volt ⅝" hose connections
Replacement knob available separately: 71R4063



72R7105 RD-5-8135-0P

Replacement
Electronic Water Valve



72R7125 RD-5-13576-0P


12 or 24 Volt ¾" hose connections
Replacement water valve for R-5300



WATER VALVES CONTROL CABLES


CONTROL CABLES

PART NO.	Factory No.	Description	End 1	End 2
72R7280	RD-4124-18P	18" with knob	C	B
72R7290	RD-4124-20P	20" with knob	C	B
72R7600	RD-4124-38P	38" with knob	C	B
72R7700	RD-4124-76P	76" with knob	C	B
72R8190	RD-4180-24P	24"	A	C
72R8200	RD-4180-29P	29"	A	C
72R8250	RD-4180-36P	36"	A	C
72R8255	RD-5-9225-36P	36"	C	C
72R8270	RD-5-6802-0P	41"	C	C
72R8280	RD-5-6803-0P	44"	C	C
72R8300	RD-4180-46P	46"	A	C
72R8315	RD-5-6667-46P	46"	C	C
72R8360	RD-4180-57P	57"	A	C
	RD-3-9188-0P	65 ½"	A	B
72R8400	RD-4180-76P	76"	A	C
72R8410	RD-4180-79P	79"	A	C
72R8415	RD-5-6410-48P	48"	C	C



72R9000 RD-5-7999-0P


Shown With Knob 71R4020 — Use With Cable Ends "A" & "C"
Replacement Hot/Cool Label RD-5-8886-0M



72R9005 RD-5-6917-2P

Converter Control and Cable 28 ¾" long

Recommended knob: 71R4040



CABLE CONVERTER ASSEMBLIES



PART NO.	Factory No	Length	Cable End
72R8260	RD-5-9443-2P	24 1/16"	C
72R8265	RD-5-9443-3P	27 ¼"	C
72R8275	RD-5-9443-4P	83 ¼"	C

Wire Guide

Maximum Wire Length for 0.5 Voltage Drop

* Include return wire length (i.e. ground path)

WIRE GAUGE	Maximum Current In Amps													
	1	2	3	4	5	7.5	10	15	20	25	30	35	40	50
18	91	45	30	23	18	12	9	6	5					
16	116	58	39	29	23	16	12	8	6	5				
14	185	93	62	46	37	25	19	12	9	7	6	5		
12	294	147	98	74	59	39	29	20	15	12	10	8	7	6
10	455	227	152	114	91	61	45	30	23	18	15	13	11	9
8	714	357	238	179	143	95	71	48	36	29	24	20	18	14
ATO Fuse Color	Black	Gray	Violet	Pink	Tan	Brown	Red	Blue	Yellow	White	Green	Blu/Grn	Orange	Red

Maximum wire length in feet [multiply by 0.3048 to convert to meters]

Wire Insulation O.D.

WIRE GAUGE	Metric Wire Size [mm²]	Insulation Diameter in Inches [MM]		
		TXL	GXL	SXL
18	0.80	0.08 [2.0]	0.09 [2.3]	0.11 [2.7]
16	1.00	0.09 [2.3]	0.10 [2.6]	0.12 [3.0]
14	2.00	0.10 [2.5]	0.12 [3.0]	0.14 [3.6]
12	3.00	0.12 [2.9]	0.14 [3.6]	0.16 [4.1]
10	5.00	0.15 [3.8]	0.17 [4.4]	0.19 [5.0]
8	8.00	0.18 [4.6]	0.21 [5.3]	0.23 [5.8]

Voltage Drop Through Connectors*

TERMINAL	Current in Amps RESULTS BELOW in Millivolts DC								
	5	7.5	10	15	20	25	30	35	40
0.250" Blade	2	4	5	7	10	12	15	17	20
630 Metri-Pack	5	7	10	15	20	25	30	35	
280 Metri-Pack	6	9	12	18	23	29	35		
Weather-Pack	9	14	18	27	36				
150 Metri-Pack	13	20	26	39					
100 Micro-Pack	19	29	38						
Deutsch Size 12	2	3	4	7	9	11			
Deutsch Size 16	4	6	8	13					
Deutsch Size 20	9	13							
Thermostat	61	70							
ISO Relay	46	54	62	79	95	111	128	144	161
Butt Splice	1	2	2	3	4	5	6	7	8
Ring Terminal	2	3	3	5	7	9	10	12	14

* Millivolt drop through connector terminals/components @ 20°C

Estimate only - values may vary due to condition and age of terminal/component and other ambient conditions. Consult manufacturer for specific information and usage limitations.

R-134a Pressure/Temperature Chart - SAE

Evaporator: Pressure (PSIG) represents gas temperatures inside the coil and not the coil surfaces. Add to temperature for coil and air-off temperatures (8°–10°F). Conditions will vary for different system configurations. Refer to manufacturers specifications.

Condenser: Temperatures are not ambient temperatures. Add to ambient (35°–40°F) for proper heat transfer, then refer to pressure chart. For example: 90°F ambient temperature + 40°F = 130°F Condenser temperature = 180 PSIG (based on 30 mph air flow)

Evaporator

PSIG	°F
16	16
18	19
20	22
22	25
24	27
26	30
28	32
30	34
32	36
34	39
36	41
38	44
40	48
42	47
44	49
46	50
48	52
50	54
55	58
60	62
65	66
70	69

Condenser

PSIG	°F
75	73
80	76
85	79
90	82
95	85
100	88
105	91
110	93
115	96
120	98
125	101
130	103
135	105
140	107
145	110
150	112
160	116
170	120
180	124
190	127
200	131
210	134
220	137
230	141
240	144
250	147
260	150
270	152
280	155
290	158
300	160
310	163
320	165
330	168
340	170
350	172
360	175
370	177
380	179
390	181
400	183

RD-5-13053-0P Rev–

REFERENCE INFORMATION

R-134a Pressure/Temperature Chart - Metric

Evaporator

kPa	°C
110	-9
124	-7
138	-6
152	-4
165	-3
179	-1
193	0
207	1
221	2
234	4
248	5
262	7
276	9
290	8
303	9
317	10
331	11
345	12
379	14
414	17
448	19
483	21

Condenser

kPa	°C
517	23
552	24
586	26
621	28
655	29
689	31
724	33
758	34
793	36
827	37
862	38
896	39
931	41
965	42
1000	43
1034	44
1103	47
1172	49
1241	51
1310	53
1379	55
1448	57
1517	58
1586	61
1655	62
1724	64
1793	66
1862	67
1931	68
1999	70
2068	71
2137	73
2206	74
2275	76
2344	77
2413	78
2482	79
2551	81
2620	82
2689	83
2758	84

Evaporator: Pressure (kPa) represents gas temperatures inside the coil and not the coil surfaces. Add to temperature for coil and air-off temperatures (8°–10°F). Conditions will vary for different system configurations. Refer to manufacturers specifications.

Condenser: Temperatures are not ambient temperatures. Add to ambient (35°–40°F) for proper heat transfer, then refer to pressure chart. For example: 90°F ambient temperature + 40°F = 130°F Condenser temperature = 180 kPa (based on 30 mph air flow)

Copyright ©2017 Red Dot Corporation

RED DOT CORPORATION

Air Conditioning System


Preventative Maintenance Schedule

MAINTENANCE INTERVALS				
3	=	First 3 months of ownership	15,000 miles	375 hours
6	=	First 6 months of ownership	30,000 miles	750 hours
12	=	12 months	60,000 miles	1500 hours

SPECIAL NOTE:
Use caution when performing preventative system maintenance,
ambient conditions (heat load) will increase refrigerant hose temperatures.

	Owner/Operator Maintenance		Technician Maintenance
Maintenance Interval (months)	3	6	12
1. System Maintenance			
❑ Perform visual system inspection	●	●	
❑ Perform manifold gauge check. ❑ Recover and Recycle System refrigerant ❑ Perform system evacuation and leak test ❑ Recharge system with correct refrigerant charge amount			●
2. Compressor and Belt Drive System			
For systems that do not have A/C interlock, (A/C compressor engages when the defrost mod is activated) use the following procedure on a monthly basis. Activate the A/C system for a minimum of 5 minutes every 30 days to circulate the refrigerant system lubrication and verify that the condenser fan(s) (either engine fan for radiator-mounted condensers or electric fans for remote-mounted condensers) engage and/or cycle on and off.			
❑ Check discharge line (warm/hot to touch)	●	●	
❑ Check suction line (cool to touch)	●	●	
❑ Inspect face of clutch hub for signs of slippage (heat discoloration)	●	●	
❑ Check clutch working voltage and current draw (4 amps @ 12 volts / 2 amps @ 24 volts)			●
❑ Inspect shaft seal for presence of oil and dirt indicating leakage	●	●	
❑ Confirm alignment of clutch pulley with crankshaft drive pulley (belt will show side wear)	●	●	
❑ Inspect idler pulley for bearing wear (looseness)	●	●	
❑ Inspect compressor belt for glazing or cracking	●	●	
❑ Check belt tension (verify manufacturer's specs in owners manual)	●	●	
3. Condenser			
❑ Inspect tubes for obvious dents and oil stains/dirt indicating leakage	●	●	
❑ Clean dirt and bugs from condenser fin area (more frequently under severe operating conditions)	●	●	
❑ Inspect condition of fins (straighten as required)	●	●	
4. Receiver Drier (Filter)			
❑ Note: Replace annually or any time refrigerant system is opened			●
❑ Check moisture indicator, either remote mounted or built into the drier (blue is OK while pink or white indicates moisture presence and replacement required)	●	●	
❑ Check temperature of drier canister while running (warm to touch)	●	●	
5. Expansion Valve			
❑ Check inlet (liquid) line from drier (warm to touch)	●	●	
❑ Check refrigerant charge head for damage and leakage			●
6. Evaporator			
❑ Clean dirt, bugs and airborne particulate from fin area	●	●	
❑ Clean dirt, bugs and airborne particulate from the drain pan and drain hole	●	●	
❑ Inspect drain pump (if present) and float for obstructions and operation	●	●	
7. Other Components			
❑ **Thermostat:** Check for proper operation			●
❑ **Filters:** Inspect and clean or replace as needed (dirty filters can cause airflow restriction and premature blower failure)	●	●	
❑ **Pressure Switches:** With manifold gauges installed, check refrigerant pressure switches for proper operation			●
❑ **Water Valve :** Check water valve for proper operation (with control panel temp setting in full cold position, valve should be closed)			●

TYPICAL PLUMBING SCHEMATIC



Air conditioner components are connected together to illustrate system operation. The components shown are not to scale. The refrigerant and refrigerant oil are clear in color and not visible in this drawing; however, we've attempted to suggest temperature variants through the use of values of gray in the pipeline. The small arrows inside the components and connecting hoses show the direction of refrigerant flow (refrigerant circuit).

MEASUREMENT	METRIC EQUIVALENT	FORMULA OR COMMENTS
1" (inch)	2.54 cm (centimeters)	
1 cu in (cubic inch)	16.387 cm^3	
1 ft (foot)	30.48 cm	1 ft = 12 inches
1 fl. oz. (fluid ounce)	29.5735 cm^3	
1 BTU (British Thermal Unit)	0.25199576 kcal (kilocalorie) (Energy or heat exchange)	for power (Energy/Time), use formula: 1 BTU/hour = 0.000293 kW (kilo Watt)
32° F (Fahrenheit	0° C (Celsius)	
102° F	40° C	[(<X°F> - 32) / 9] x 5 = Y°C
1 CFM (cubic foot/minute)	1.699 m^3/h (cubic meter/hour)	
1# (lb or pound)	0.45359 kg (kilogram)	
1 PSI (pound per square inch)	6.895 kPa (kilo Pascal)	also = 0.07 kg/cm^2

HOSE SIZES

A/C hose size is determined by the inside diameter of the hose. Hose sizes are also known by the "6, 8, 10, and 12" number designations. The chart below shows hose inside diameters (I.D.) and their corresponding size numbers:

HOSE SIZE	HOSE I.D. (in.)	HOSE I.D. (mm)
#6	5⁄16" (0.312)	8
#8	13⁄32" (0.406)	10
#10	½" (0.500)	13
#12	5⁄8" (0.625)	16

FITTING SIZES

Fitting sizes are identified generally as "6, 8, 10, and 12". These numbers come from 6/16 of an inch, 8/16", 10/16" and 12/16", which generally identify the tube diameter at the point that it passes through the attached threaded nut.

NOTE: Metric threaded connections are not included in this sizing method.

Convert Other Part Numbers to Red Dot Aftermarket Numbers

ACT	
2160074	71R8301
400-009	75R8712Q
400-013	75R86202Q
400-016	75R8672Q
400-045	75R86142Q
BSM302042	RD5103460P

AIRSOURCE	
0008	70R5057
0012	75R5525
0016	70R5051
0017	70R5052
0108	70R5046
0113	70R5042
0121	75R5525
0126	70R5022
0127	70R5024
0128	70R5026
0130	70R5022
0131	70R5032
0136	75R5530
0137	75R5535
0138	75R5580
0139	75R5585
0141	70R5033
0142	70R5034
0199	70R5020
1021	71R0050
1025	71R0150
1026	71R0300
1028	71R0400
1030	71R0100
1038	71R0475
1040	71R0260
1042	71R0487
1045	71R0250
1050	71R0450
1055	71R0460
1056	71R0453
1058	71R0485
1060	71R0200
1070	71R0470
1082	71R0480
1102	71R0700
1104	71R0500
1105	71R0550
1106	71R0600
1107	71R0650
1109	71R0852
1110	71R0854
1111	71R0872

AIR SOURCE	
1150	71R1150
1151	71R1160
1155	71R1210
1160	71R1200
1174	RD-5-10194-0P
1179	71R0884
1180	RD-6-4661-1P
1181	71R1510
1183	71R3502
1185	RD-3-3725-0P
1186	71R1520
1187	71R0040
1200	71R1457
1211	71R1310
1214	71R1300
1216	71R1315
1217	71R1320
1218	71R1325
1219	71R1330
1220	71R1450
1224	71R1467
1228	71R1457
1229	71R1455
1233	71R1457
1235	71R0030
1239	71R0030
1240	71R1610
1241	71R1620
1243	71R1470
1245	71R1652
1246	71R1802
1250	71R1702
1251	71R1704
1252	71R1722
1260	71R1910
1261	71R1902
1262	71R1904
1263	71R1912
1264	71R1914
1270	71R4030
1271	71R4040
1272	71R4050
1275	71R4060
1283	71R4010
1289	71R4060
1315	71R3150
1318	71R2100
1324	71R6155
1326	71R2600
1327	71R2700
1328	71R2800

AIR SOURCE	
1331	71R3100
1332	71R3200
1333	71R3300
1335	71R2310
1336	71R2250
1337	71R2305
1340	71R3220
1342	71R3160
1348	71R2300
1349	71R3155
1350	71R3300
1362	71R1485
1363	71R1480
1364	71R1401
1374	71R6270
1380	71R6444
1384	71R6410
1386	71R6426
1388	71R6445
1399	71R6045
1400	71R6265
1411	71R6095
1412	71R6093
1415	71R6300
1418	71R6255
1420	71R6257
1426	71R6040
1430	71R6050
1437	71R6160
1438	71R6170
1439	71R6180
1447	71R6130
1448	71R6140
1450	71R6030
1452	71R6080
1454	71R6220
1461	71R6185
1464	RD-5-9267-0P
1468	71R6110
1473	71R6260
1474	71R6230
1476	71R6020
1481	71R6100
1482	71R6090
1487	71R6120
1488	71R6070
1489	71R6235
1490	71R6220
1491	71R6100
1492	71R6183
1493	71R6181

Convert Other Part Numbers to Red Dot Aftermarket Numbers

AIR SOURCE	
1495	71R6120
1496	71R6210
1497	71R6230
1498	71R6210
1499	71R6210
1500	71R7000
1510	71R7050
1511	71R6125
1512	71R7075
1513	71R7077
1514	71R6125
1515	71R7073
1519	71R6175
1521	71R1475
1524	71R4511
1525	71R4501
1545	75R89327
1550	71R7500
1555	71R7600
1560	71R7550
1565	71R7650
1600	71R8301
1602	71R8321
1603	71R8385
1604	71R8400
1606	71R8370
1607	71R8301
1608	71R8461
1609	71R8405
1610	71R8050
1611	71R8430
1612	71R8415
1613	71R8350
1614	71R8440
1615	71R8425
1618	71R8453
1619	71R8455
1620	71R8080
1621	71R8457
1622	71R8467
1625	71R8100
1627	71R8450
1632	71R8477
1633	71R8485
1634	RD-5-15073-0P
1635	71R8210
1639	71R8090
1640	71R8220
1642	71R8475
1644	71R8460
1644	71R8479

AIR SOURCE	
1645	71R8350
1648	71R8420
1650	71R8500
1651	71R8503
1652	71R8504
1653	71R8501
1654	71R8505
1655	RD-3-4056-0P
1656	71R8506
1662	71R8507
1667	71R8420
1668	71R8430
1672	71R8465
1675	71R8510
1705	72R3110
1709	72R2130
1710	72R2140
1711	72R2150
1712	72R2200
1713	72R2250
1714	72R2300
1718	72R2600
1719	72R3110
1720	72R3100
1721	RD-5-5676-0P
1722	72R3510
1723	72R3530
1724	72R3550
1730	72R3200
1734	72R3120
1735	72R2110
1738	72R3111
1739	72R2351
1802	71R4035
2002	72R1502
2004	72R0070
2005	72R0050
2010	72R0210
2012	72R1210
2013	72R1100
2014	72R1200
2015	72R1300
2016	72R1310
2020	72R0220
2021	72R0500
2024	72R0190
2025	72R0600
2026	72R0260
2027	72R0200
2040	72R0240
2051	RD-5-6052-0P

AIR SOURCE	
2104	72R5040
2105	72R5050
2106	72R5060
2107	72R5070
2210	72R5210
2211	72R5200
2247	72R5080
2248	72R6530
2249	72R6520
2260	72R6515
2270	72R5270
2271	72R5260
2280	72R5220
2281	72R5230
2282	72R5240
2283	72R5250
2284	72R5280
2305	72R6400
2306	72R6401
2310	72R6420
2315	72R6410
2345	72R6562
2346	72R6554
2347	72R6547
2348	72R6535
2349	72R6525
2350	72R5360
2351	72R5203
2352	72R6540
2374	RD-3-8711-0P
2380	71R3575
2383	71R3582
2385	71R3580
2386	71R3585
2392	71R3571
2393	71R3573
2394	71R3576
2395	71R3578
2410	72R7105
2455	72R5500
2456	72R5600
2529	72R9000
2530	72R7700
2531	72R8315
2533	72R8200
2534	72R7600
2535	72R8400
2536	72R8250
2538	72R8410
2539	72R8300
2540	72R8270

AIR SOURCE	
2541	72R8280
2600	70R7310
2650	70R7100
2651	70R7200
2652	70R7170
2653	70R7500
2655	70R7110
2656	70R7270
2657	70R7550
2658	70R7750
2659	70R7600
2660	70R7150
2661	70R7250
2662	70R7650
2844	RD-2-2922-0P
3012	73R0104
3022	73R0352
3034	73R0422
3044	73R3142
3045	73R0604
3056	73R0404
3057	73R0152
3062	73R0062
3072	73R0102
3102	73R2102
3109	73R2102
3150	73R0364
3182	73R4182
3183	73R4322
3204	73R2202
3205	73R2152
3206	73R2242
3215	73R2112
3224	73R4204
3231	73R4532
3232	73R4202
3234	73R4254
3240	73R4504
3248	73R5562
3251	75R5652
3260	73R2132
3267	73R2142
3283	73R4602
3308	73R0982
3322	73R4322
3342	73R0702
3351	73R0152
3354	73R0092
3368	73R0522
3372	73R0702
3373	73R0404

AIR SOURCE	
3385	73R4062
3389	73R4162
3393	73R4102
3402	73R0402
3454	73R0454
3458	73R0652
3459	73R0012
3470	73R0642
3471	73R0142
3472	73R4424
3502	73R4312
3512	73R0512
3514	73R0514
3542	73R0542
3552	73R0552
3554	73R0554
3560	RD-5-8705-0P
3561	RD-5-8705-1P
3565	73R8584
3602	73R0602
3603	RD-3-9067-0P
3641	73R6051
3650	73R6230
3655	73R6251
3675	73R6381
3691	73R6253
3738	73R7130
3739	73R7215
3741	73R6253
3744	73R7120
3750	73R7151
3761	73R2262
3762	73R3102
3764	73R7200
3765	73R7210
3769	73R1052
3772	73R7130
3775	73R6383
3782	73R3102
3810	73R8100
3814	73R8320
3854	73R9054
3855	73R9062
3862	73R9052
3909	RD-5-3860-4P
3910	RD-3-3425-0P
3911	RD-2-1206-3P
3912	73R0912
3914	73R1002
3922	73R0922
3924	73R3002

AIR SOURCE	
3925	73R2102
3926	73R0422
3927	73R0532
3928	RD-5-4387-0P
3932	73R0432
3933	73R0322
3934	73R0202
3936	73R3032
3938	73R0442
3941	73R3112
3944	73R3062
3945	73R0612
3949	73R4262
3950	73R4242
3952	73R4252
3962	73R0962
3964	73R3022
3965	73R0572
3967	73R3122
3968	73R3132
3971	73R4274
3972	73R3142
3973	73R3152
3977	73R4122
3979	73R5522
3981	73R5572
3982	RD-3-14448-0P
3983	73R0622
3986	73R5574
3994	73R5512
3995	73R5514
3996	73R5532
3997	73R5534
3998	73R5552
3999	73R5554
4101	70R5706
4102	70R5708
4103	70R5701
4104	70R5770
4106	70R5550
4140	70R3256
4141	70R7050
4142	70R3206
4143	70R3208
4144	70R3256
4150	70R3500
4151	70R3550
4152	70R3590
4157	70R3530
4218	70R2306
4219	70R2301

AIR SOURCE	
4220	70R2206
4221	70R2201
4281	70R1308
4282	70R1301
4288	70R1406
4289	70R1408
4290	70R1401
4292	70R1496
4294	70R1491
4326	70R4416S
4329	70R4996
4331	70R4991
4338	70R4106
4339	70R4108
4347	70R4198
4348	70R4191
4349	70R4192
4356	75R90152
4384	75R89152A
4388	70R4006
4390	70R4308
4392	70R4302S
4395	70R4341
4396	70R4342
4400	70R4391
4405	70R4402
4406	70R4446
4407	70R4448
4409	70R4442
4428	70R4606
4429	70R4608
4435	70R4696
4436	70R4698
4444	70R6096
4447	70R6006
4474	70R4596
4475	70R4598
4476	70R4591
4479	70R2018
4483	70R2038
4484	70R2031
4485	70R2406
4489	70R2402
4495	70R2068
4496	70R2061
4508	70R6441
4510	70R6496
4524	75R5768
4525	75R5761
4578	70R2076
4580	70R2071

AIR SOURCE	
4710	75R90102
4808	70R5057
4811	70R5056
4817	70R5052
4834	79R1503
4835	77R1504
4845	79R1520
4846	79R1525
4860	79R1502
4861	79R1505
4872	79R1504
4913	70R3006
4914	70R3008
4916	70R6506
4917	70R6508
4918	70R6501
4919	70R3001
4921	70R3008
4944	79R1560
4966	70R3906
4970	70R3901
4988	79R1681
4989	79R1682
4992	79R9681
4993	79R9682
5029	75R0662
5030	75R0612
5031	75R0302
5032	75R1342
5033	75R2402
5036	75R1652
5041	75R4502
5042	75R4534
5044	75R0452
5045	75R4734
5050	75R0262
5051	75R0082
5053	75R0092
5054	75R1412
5056	75R0182
5057	75R0202
5058	75R0204
5060	75R0042
5064	75R0194
5066	75R0192
5067	75R0052
5068	75R1862
5072	75R4702
5075	75R4732
5076	75R0252
5077	75R0274

Convert Other Part Numbers to Red Dot Aftermarket Numbers

AIR SOURCE	
5078	75R4782
5079	75R4792
5080	75R4742
5104	75R4822
5105	75R4844
5106	75R4832
5107	75R4862
5116	75R1832
5121	75R1512
5122	75R1432
5123	75R1522
5125	75R1512
5126	75R0502
5127	75R0512
5128	75R0682
5129	75R0522
5130	75R0452
5131	75R0402
5137	75R1842
5138	75R1532
5139	75R1542
5144	75R1202
5145	75R1302
5150	75R8102
5152	75R8184
5163	75R1532
5167	75R1852
5177	75R4802
5179	75R8252
5213	75R7285A
5213	75R7285A
5216	75R7295A
5236	75R7280
5236	75R7285A
5247	75R7295
5250	75R8102
5252	75R8184
5256	75R7290
5256	75R7295A
5258	75R7300
5262	75R7312
5264	75R7362
5266	75R7322
5269	75R7332
5271	RD-5-14051-0P
5282	75R89352
5283	75R89354
5284	75R89342
5285	75R89302
5286	75R89312
5287	75R89334

AIR SOURCE	
5288	75R89462
5289	75R89392
5290	75R89422
5291	75R89424
5293	75R89474
5294	75R89484
5295	75R89372
5296	75R89374
5298	75R90032
5300	75R84112
5302	75R84114
5303	75R81412
5304	75R81104
5305	75R84592
5306	75R89922
5307	75R90042
5308	75R90232
5309	75R90124
5312	75R81274
5313	75R84594
5314	75R81492
5316	75R81114
5317	75R81402
5318	75R81134
5320	75R84132
5321	75R90522
5322	75R81152
5323	75R81172
5323	75R81392
5325	75R84152
5326	75R81262
5327	75R84172
5328	75R84182
5329	75R84192
5330	75R84212
5331	75R84232
5333	75R81302
5334	75R81232
5335	75R81612
5336	75R81212
5339	75R81622
5340	75R90082
5341	75R90092
5345	75R81352
5347	75R84302Q
5347	75R84302A
5347	75R84302
5348	75R91142
5349	75R84622
5355	75R90542
5356	75R90152

AIR SOURCE	
5361	75R90532
5362	75R84292
5363	75R84312
5365	75R81662
5366	75R81632
5366	75R81632Q
5367	75R81562
5370	75R84352
5370	75R81162
5371	75R90582
5373	75R8772
5373	75R89552
5380	75R84362
5381	75R81682
5382	75R84382
5383	75R81762
5384	75R81652
5385	75R81362
5386	75R81532
5387	75R81372
5390	75R84452
5391	75R81184
5392	75R90144
5393	75R89752
5394	75R84632
5395	75R89852
5395	75R89852Q
5400	RD-5-15526-0P
5402	75R89532
5403	75R91172
5404	75R9612
5405	75R9082D
5406	75R89652
5409	75R89972
5410	75R90602
5412	75R81552
5413	75R90102
5418	75R5658
5430	75R5728
5431	75R5721
5432	75R5678
5433	75R5671
5434	75R5672
5437	75R8920
5449	75R5668
5450	75R5661
5451	75R5718
5452	75R5711
5470	75R8917
5479	75R9052
5487	75R6545

AIR SOURCE	
5491	75R6510
5492	75R6500
5495	75R6530
5498	75R6550
5509	75R6030
5512	75R5681
5513	75R5648
5514	75R5641
5515	75R5698
5516	75R5691
5517	75R5738
5518	75R5731
5527	75R5806
5528	75R5808
5529	75R5801
5531	75R5540
5533	75R5560
5534	75R5570
5537	75R5201
5538	75R5200
5540	75R5700
5541	75R5700
5552	75R5834
5553	75R5833
5555	75R5824
5556	75R5815
5558	75R5820
5559	75R5819
5560	75R5829
5563	75R5834
5564	75R5814
5565	75R5814
5574	75R5565
5575	75R5575
5576	75R5520
5579	75R5565
5580	75R5556
5591	75R8505
5592	75R8515
5593	75R8520
5594	75R8510
5596	75R8507
5610	75R5102
5611	75R5104
5616	75R5124
5623	75R6010
5633	75R6000
5640	75R6040
5702	75R8442
5703	75R8312
5704	75R83112

AIR SOURCE	
5705	75R90252
5705	75R83132
5706	75R81482
5707	75R84472
5708	75R84482
5709	75R84492
5710	75R89982
5711	75R8612A
5712	75R83152
5714	75R90182
5715	75R8372
5716	75R90242
5716	75R84512
5717	75R84532
5719	75R8252
5722	75R90742A
5725	75R84552
5726	75R8432
5727	75R8422
5730	75R90192
5730	75R8332
5731	75R8354
5732	75R90962A
5735	75R8454
5740	75R84522
5741	75R84562
5743	75R90134
5745	75R84572
5745	75R81452
5746	75R81462
5748	75R81512
5749	75R84654
5752	75R8424
5756	75R8614A
5760	75R8542Q
5760	75R8542A
5762	75R84662
5763	75R8532A
5764	75R8382
5764	75R84492
5770	75R81252
5771	75R81192
5772	75R81202
5774	75R8384
5775	75R8374
5779	75R90732A
5783	75R86132A
5784	75R90722A
5785	75R8382
5786	75R82102
5789	75R85032A

AIR SOURCE	
5790	75R86202A
5791	75R8712A
5792	75R85632
5794	75R90894A
5796	75R90914A
5798	75R90822A
5800	75R90842A
5802	75R90974A
5805	75R89782A
5807	75R91112A
5808	75R90872A
5831	75R9014
5832	75R9052D
5877	75R861522Q
5877	75R861522A
5879	75R86324A
5880	75R86142A
5881	75R86144A
5896	75R8672Q
5896	75R8672A
5897	75R90944A
5898	75R8782A
5899	75R8682A
5900	75R8784A
5901	75R8684A
5927	75R91032A
6015	77R0250
6020	77R0650
6022	77R7702
6034	77R1100
6036	77R0950
6041	77R0800
6044	77R0660
6049	77R5250
6050	77R0350
6055	77R7708
6061	77R0500
6063	77R0620
6066	77R8455
6068	77R6800
6069	77R6900
6078	77R6925
6079	77R7900
6081	77R8100
6082	77R8200
6085	77R8465
6086	77R8470
6089	77R0900
6090	77R6930
6093	77R7706
6105	77R5910

AIR SOURCE	
6106	77R0700
6109	77R8470
6127	77R8415
6128	77R7000
6129	77R0570
6132	77R7712
6145	77R6935
6145	77R6940
6150	76R6140
6171	77R6965
6175	77R1405
6192	77R0570
6192	77R0570
6195	77R8460
6200	77R8405
6201	77R6945
6202	77R6957
6203	77R8485
6205	77R0720
6211	77R7710
6212	77R1105
6215	77R7704
6217	77R0590
6218	77R0665
6220	77R0580
6222	77R8480
6224	77R6807
6227	77R0715
6228	77R8410
6230	73R6230
6241	77R6950
6245	77R0585
6250	77R8450
6251	77R8335
6253	77R0090
6271	77R0110
6273	77R6950
6275	77R0705
6282	RD-4-6898-0P
6283	77R8309
6284	77R6985
6286	77R6955
6288	77R0355
6289	77R7714
6290	77R6995
6291	77R8320
6292	77R1335
6294	77R8400
6295	77R6807
6297	77R6978
6299	77R0635

AIR SOURCE	
6300	77R0095
6302	77R1320
6306	77R1280
6308	77R1290
6310	77R1300
6312	77R1310
6316	77R8420
6317	77R8420
6319	77R1277
6320	77R8395
6321	77R6817
6323	77R8365
6324	77R1275
6325	77R1285
6326	77R1330
6327	77R8345
6331	77R7715
6342	77R8425
6344	77R8390
6345	77R1277
6349	77R8385
6350	77R8350
6350	77R7705
6352	77R1335
6358	77R8325
6359	77R8305
6360	77R8310
6361	77R6982
6362	77R8490
6365	77R8455
6368	77R0115
6370	77R8330
6372	77R7705
6375	77R1277
6377	77R0675
6378	77R0675
6379	77R1277
6380	77R1279
6381	77R8395
6393	77R8435
6410	77R1612
6421	77R1604
6425	77R1502
6426	77R1504
6503	76R5000
6505	76R6960
6507	76R6350
6514	76R7505
6519	76R6120
6524	76R7070
6537	76R7520

Convert Other Part Numbers to Red Dot Aftermarket Numbers

AIR SOURCE	
6539	76R5500
6540	76R6015
6545	79R4655
6556	76R6700
6567	76R6310
6580	76R6180
6581	76R6150
6586	76R6850
6592	76R7100
6595	76R7010
6596	76R7510
6598	76R6950
6609	76R7712
6632	76R6040
6653	76R7530
6654	76R6130
6656	76R7760
6667	76R7745
6670	76R7750
6674	76R6070
6675	76R4920
6676	76R4900
6677	76R5300
6678	76R7535
6679	76R7730
6683	76R7765
6801	76R3450
6802	76R2350
6803	76R4000
6806	76R2600
6807	76R2210
6808	76R2340
6809	76R3250
6810	76R3460
6811	76R3400
6813	76R2400
6814	76R3300
6817	76R2320
6820	76R3900
6821	76R3930
6840	76R3475
6904	76R2155
6931	76R2010
6933	76R2420
6934	76R2450
6944	76R3910
6948	76R6020
6953	76R1000
6954	76R0500
6955	76R1510
6956	76R4023

AIR SOURCE	
6960	76R3495
7123	74R2447
7127	74R2586
7128	74R2596
7130	74R3450
7132	74R2306
7133	74R2608
7134	74R2106
7135	74R2668
7138	74R3066
7140	74R0450
7141	74R2706
7143	74R2687
7143	74R3137
7145	74R0470
7154	74R2106
7155	74R1866
7156	74R1756
7157	74R1956
7159	74R3107
7160	74R3331
7161	74R2616
7164	74R3347
7165	74R3322
7166	74R3077
7168	74R3323
7169	74R3327
7169	74R3328
7174	74R1436
7185	74R1407
7193	74R3376
7193	74R3377
7197	74R3126
7198	74R3129
7199	74R3317
7211	74R4016
7228	74R4016
7233	74R4116
7385	74R5093
7386	74R3318
7387	74R3357
7388	74R1706
7389	74R1826
7390	74R1906
7393	74R2002
7400	74R0475
7401	74R5600
7406	74R5050
7408	74R5060
7409	74R5061
7411	74R4232

AIR SOURCE	
7414	74R4230
7415	74R5097
7416	74R5401
7417	74R5405
7421	74R5088
7422	74R5090
7471	74R7220
7473	74R7210
7480	74R1106
7489	74R5081
7502	74R0460
7541	74R0480
7555	74R2590
7560	74R0455
7585	74R4028
7955	78R5440
7960	78R5241
7973	78R5235
7975	78R5430
7979	78R5242
7981	78R5239
7983	78R5450
7984	78R5430
7986	78R5305M
7987	78R5308
7989	78R5302
7990	78R5306M
7997	78R5435
7998	78R5425
7998	78R5237M
7999	78R5246
8100	79R4600
8101	79R4605
8202	79R4561
8203	79R4562
8204	79R4563
8207	79R4587
8240	79R4550
8248	79R4580
8506	78R0456
8508	78R0458
8510	78R0451
8512	78R0452
8520	78R0200
8521	78R0250
8522	78R0300
8523	78R0350
8528	78R0070
8532	72R9020
8533	72R9010
8540	70R5200

AIR SOURCE	
8550	72R4500
8551	72R4510
8555	72R4400
8570	78R8451
8572	78R8452
8576	78R8456
8578	78R8458
8606	78R0456SP
8608	78R0458SP
8610	78R0451SP
8612	78R0452SP
8618	78R9461
8670	78R8451SP
8672	78R8452SP
8676	78R8456SP
8712	79R4040
8730	79R8930
8734	79R1255
8740	79R1710
8764	79R3125
8765	79R3127
8790	79R3173
8791	79R3171
8792	79R3175
8793	79R3163
8794	79R3161
8795	79R3165
8800	78R0100
8811	79R4650
8830	79R6060
8904	79R0109
8915	70R5110
8919	79R1650
8925	70R5120
8926	70R5125
8930	79R1660
8988	70R5000
8990	79R4400
8995	79R8950
9010	77R9010
9115	75R9530
9117	75R9980
9118	75R9540
9120	75R9500
9122	75R9515
9132	75R9670
9712	R-7830-0P
9724	R-7830-0-24P
9725	R-8820-2P
9726	R-8820-1P
9729	R-8235-0P

AIR SOURCE	
9733	R-9755-0P
9734	R-9755-0-24P
9739	R-8500-0P
9742	R-8500-1-24P
9800	R-254-0P
9801	R-254-0-24P
9850	78R1025
9916	78R5320
9917	78R5350
9925	78R5000
9926	78R5100
9927	78R5110
9928	78R5200
9929	78R5210
9930	78R5300M
9932	73R9202
9933	73R9204
9937	78R5240
9938	RD-2-1017-0P
9941	78R5375
9942	78R5318
9943	78R5315
9944	78R5250
9948	78R5301
9949	78R5243
9950	78R5304
9951	78R5370
50204	75R4854
51416	75R9092D
51428	75R9112D
51428	75R9112D
51601	75R90952A
51612	75R91024A
51615	75R91052A
54018	75R90262
54019	75R89792
54020	75R89882
54021	75R89892
54023	75R90272
54024	75R90284
54025	75R90292
54027	75R89902
54028	75R89912
54033	75R90302
54052	RD-5-15385-0P
54066	75R89934
54071	75R89612
54083	75R89942
54086	75R90312
54087	75R90322
54095	75R90344

AIR SOURCE	
54096	75R90352
54149	75R90384
54149	75R90694
54250	75R90394
54261	75R89962
54277	75R90402
54280	75R90412
54290	75R90422
54325	75R90434
54327	75R89304
54355	75R90444
54382	75R90452
54404	75R90012
54405	75R90022
54407	75R90472
54408	75R90332
54409	75R84684
54440	75R89832
54455	75R90662
54456	75R90672
54510	75R8382
54538	75R90372
54544	75R91142
54546	75R84302
54577	75R89842
54581	75R90362
54584	75R90492
54651	75R90514
54654	75R90052
54667	75R81502
54672	75R81512
54673	75R90062
54706	75R90072
54720	75R89762
54737	75R90502
54738	75R90112
54762	75R8464
54775	75R90552
54785	75R90562
54803	75R90572
54848	75R90592
54897	RD-5-14692-0P
55077	75R81242
56035	75R90644
56321	75R90652
57170	75R90202
57176	75R90212
58045	75R89774
58112	75R90684
58144	75R89744
58244	75R90702

AIR SOURCE	
109870	R-3500-1P
10-9153	R-10044-3P
10-9234	R-10235-4P
10-9275	R-8235-0P
10-9375	R-9730-0P
10-9376	R-9730-0-24P
10-9385	R-6160-0P
10-9386	R-6160-0-24P
10-9395	R-6260-1P
10-9396	R-6260-1-24P
10-9398	R-4500-8P
10-9399	R-4500-8-24P
10-9400	R-2300-0P
10-9423	R-5045-3-24P
10-9431	R-5040-2P
10-9432	R-5040-4P
10-9433	R-5040-6P
10-9450	R-5075-0P
10-9451	R-5075-0-24P
10-9476	R-9520-0P
10-9477	R-9520-0-24P
10-9480	RD-4122-9P
10-9481	R-4122-0-24P
10-9610	R-9757-0P
10-9611	R-9757-0-24P
10-9620	R-9800-0P
10-9621	R-9800-0-24P
10-9719	R-6100-0-24P
10-9724	R-7830-0-24P
10-9725	R-8820-2P
10-9726	R-8820-1P
10-9733	R-9755-0P
10-9734	R-9755-0-24P
10-9735	R-9750-9P
10-9736	R-9750-9-24P
10-9737	R-9750-10P
10-9738	R-9750-10-24P
10-9739	R-8500-0P
10-9740	R-8500-2-24P
10-9742	R-8500-1-24P
10-9777	R-9777-0P
10-9778	R-9777-0-24P
10-9779	R-9777-1P
10-9780	R-9777-1-24P
10-9800	R-254-0P
10-9801	R-254-0-24P
10-9802	R-254-1P
10-9803	R-254-4P
10-9808	R-255-4P
10-9830	R-290-0P
10-9831	R-290-0-24P

AIR SOURCE	
10-9833	R-290-1-24P
10-9834	R-290-4P
10-9835	R-290-4-24P
10-9840	R-295-0P
10-9841	R-295-0-24P
10-9842	R-295-4P
10-9860	R-6130-1P
10-9861	R-6130-0P
10-9865	R-4013HP
10-9868	R-2020-0P
10-9869	R-2020-0-24P
10-9870	R-3500-1P
10-9872	R-3540-2P
10-9890	R-270-0P
10-9891	R-270-0-24P
10-9912	78R5360M
10-9914	78R5330M
10-9917	78R5350
10-9918	78R5150
10-9925	78R5000
10-9928	78R5200
10-9929	78R5210
10-9935	78R5340
10-9936	78R5110
0042EZ	70R8838
0134B	RD-5-7188-0-35M
10-0001	RD-2-1398-0P
10-0002	78R5390
10-0005	72R4534
10-0006	72R4535
10-0007	RD-2-3693-0P
10-0010	RD-3-4784-0P
10-0011	RD-3-10112-0P
10-0012	RD-3-10111-0P
10-0013	RD-3-10597-0P
10-0017	72R4538
10-0026	78R5100
10-0032	73R9202
10-0033	73R9204
10-0036	RD-5-5982-1P
10-0037	RD-3-7646-0P
10-0041	RD-4-4529-1P
10-0042	RD-5-4718-0P
10-0043	RD-2-1302-0P
10-0045	RD-3-6767-1P
10-0050	RD-3-5790-0P
10-0055	RD-5-4031-0P
10-0060	RD-5-6423-0P
10-0062	RD-3-4812-0P
10-0065	RD-4-3669-0P
10-0066	77R9020

Convert Other Part Numbers to Red Dot Aftermarket Numbers

AIR SOURCE	
10-0068	RD-4-4548-1P
10-0072	RD-5-4743-0P
10-0073	RD-5-4722-1P
10-0082	78R5500
10-0086	78R5006
10-0090	RD-2-3673-0P
10-0091	RD-2-3515-0P
10-0092	78R5291
10-0099	71R5212
10-0502	72R4533
10-0520	RD-1-1654-0P
10-9718A	R-6101-0P
1291A	71R4020
3568MP	73R8592
3963V	73R8712
4120EZ	70R8826
4121EZ	70R8828
4122EZ	70R8821
4123EZ	70R8822
4124EZ	70R8806
4125EZ	70R8808
4126EZ	70R8801
4127EZ	70R8802
4142A	70R3406
4143A	70R3408
4216S	408628
4217S	408629
4326S	70R4416S
4335S	70R4311S
4380EZ	70R8716
4381EZ	70R8711
4381S	70R4701S
4381SR	70R9701S
4389EZ	70R8306
4389S	70R4306S
4389SR	70R9306S
4390EZ	70R8308
4390S	70R4308S
4390SR	70R9308S
4391EZ	70R8301
4391S	70R4301S
4391SR	70R9301S
4392EZ	70R8302
4392S	70R4302S
4392SR	70R9701S
4393EZ	70R8346
4393S	70R4346S
4394S	70R4348S
4395EZ	70R8341
4395S	70R4341S
4396S	70R4342S

AIR SOURCE	
4398AR	70R9396S
4398EZ	70R8006
4398S	70R4396S
4398SR	70R9396S
4399EZ	70R8008
4399S	70R4398S
4399SR	70R9398S
4400AR	70R9391S
4400EZ	70R8001
4400S	70R4391S
4400SR	70R9391S
4401EZ	70R8781
4401S	70R4791S
4401SR	70R9791S
4402AR	70R9406S
4402EZ	70R8606
4402S	70R4406S
4402SR	70R9406S
4403AR	70R9408S
4403EZ	70R8608
4403S	70R4408S
4403SR	70R9408S
4404AR	70R9401S
4404EZ	70R8601
4404S	70R4401S
4404SR	70R9401S
4405EZ	70R8602
4405S	70R4402S
4405SR	70R9402S
4406EZ	70R8646
4406S	70R4446S
4407S	70R4448S
4408EZ	70R8641
4408S	70R4441S
4409EZ	70R8642
4410AR	70R9496S
4410EZ	70R8696
4410S	70R4496S
4410SR	70R9496S
4411AR	70R9498S
4411EZ	70R8698
4411S	70R4498S
4411SR	70R9496S
4412AR	70R9491S
4412EZ	70R8691
4412S	70R4491S
4412SR	70R9491S
4413EZ	70R8692
4413S	70R4492S
4413SR	70R9492S
4414S	70R4798

AIR SOURCE	
4415EZ	70R8786
4415S	70R4796S
4416EZ	70R8002
4416S	70R4392S
4419EZ	70R82511
4423EZ	70R8788
4428EZ	70R8706
4428S	70R4606S
4429EZ	70R8708
4429S	70R4608S
4430EZ	70R8701
4430S	70R4601S
4435EZ	70R8796
4435S	70R4696S
4436EZ	70R8798
4436S	70R4698S
4437EZ	70R8791
4437S	70R4691S
4443EZ	70R8591
4444EZ	70R8086
4444S	70R6096S
4445EZ	70R8088
4445S	70R6098S
4446EZ	70R8071
4446S	70R6091S
4447EZ	70R8886
4447S	70R6006S
4448EZ	70R8888
4448S	70R6008S
4449EZ	70R8881
4449S	70R6001S
4460S	70R4096S
4462S	70R4091S
4463S	70R4092S
4466EZ	70R8296
4467EZ	70R8298
4468EZ	70R8291
4469EZ	70R8292
4470S	70R4506S
4471S	70R4508S
4472S	70R4501S
4473S	70R4502S
4474S	70R4596S
4475S	70R4598S
4476S	70R4591S
4478AR	70R9012S
4478EZ	70R8216
4478S	70R2016S
4478SR	70R9016S
4479AR	70R9018S
4479EZ	70R8218

AIR SOURCE	
4479S	70R2018S
4479SR	70R9016S
4480AR	70R9011S
4480EZ	70R8211
4480S	70R2011S
4480SR	70R9018S
4481AR	70R9012S
4481EZ	70R8212
4481S	70R2012S
4481SR	70R9011S
4482S	70R2036S
4482SR	70R9012S
4483S	70R2038S
4484S	70R2031S
4485S	70R2406S
4486EZ	70R8288
4486S	70R2408S
4487EZ	70R8281
4489EZ	70R8282
4489S	70R2402S
4490S	70R4006S
4491S	70R4008S
4492S	70R4001S
4493S	70R4002S
4494S	70R2066S
4495EZ	70R8068
4495S	70R2068S
4496EZ	70R8061
4496S	70R2061S
4497EZ	70R8062
4497S	70R2062S
4499S	70R84051S
4502SR	70R9906S
4503EZ	70R8208
4503S	70R7008S
4503SR	70R9908S
4504EZ	70R8201
4504S	70R7001S
4504SR	70R9901S
4505EZ	70R8621
4505S	70R7002S
4505SR	70R9001S
4506S	70R6446S
4510EZ	70R8096
4510S	70R6496S
4510SR	70R9996S
4511EZ	70R8098
4511S	70R6598S
4511SR	70R9998S
4512EZ	70R8091
4512S	70R6491S

AIR SOURCE	
4512SR	70R9991S
4513EZ	70R8761
4513S	70R5091S
4513SR	70R9091S
4534EZ	70R8688
4537EZ	70R8681
4539EZ	70R8398
4541S	70R42390S
4541S	70R42390S
4542EZ	70R8598
4543EZ	70R8092
4545S	70R6492S
4550EZ	70R8198
4578EZ	70R8276
4578S	70R2076S
4578SR	70R9076S
4579EZ	70R8278
4579S	70R2078S
4579SR	70R9078S
4580EZ	70R8271
4580S	70R2071S
4580SR	70R9071S
4581EZ	70R8272
4581S	70R2072S
4581SR	70R9072S
4582EZ	70R8261
4670EZ	70R8556
4672EZ	70R8558
4674EZ	70R8551
4676EZ	70R8511
4676EZ	70R85312
4828A	79R1546
4829A	79R1541
4840A	79R9518
4840R	79R9516
4841A	79R1538
4842A	79R1531
5106BD	75R4922
5237RS	75R7270A
5252A	75R8184
5262Q	75R84292A
5282E	75R90172
5285E	75R90162
5288E	75R89992
5331G	75R81282A
5333G	75R81302A
5333Q	75R81302A
5333S	75R82312
5333SG	75R82312A
5347G	75R84302A
5347Q	75R84302A

AIR SOURCE	
5347S	75R90482
5348G	75R81292A
5362G	75R84292A
5362S	75R89522A
5362SQ	75R89522A
5363S	75R90462
5365G	75R81662A
5365Q	75R81662A
5365S	75R89502
5366G	75R81632A
5366Q	75R81632A
5366S	75R89492
5366SQ	75R89492A
5373G	75R89552A
5373Q	75R89552A
5385G	75R81362A
5385S	75R89702
5387S	75R89712
5395G	75R89852A
5398Q	75R89622A
5402Q	75R89532A
5404Q	75R9612A
5405A	75R9072D
5405G	75R9082
5437B	75R8921
5705S	75R89662
5749A	75R89962
5752A	75R8384
5752E	75R89954
5764G	R75R89872A
5779D	75R8702A
5781C	75R8544A
5801D	75R90922A
5805C	75R90862A
5806D	75R91104A
5808D	75R90902A
5808D	75R8822A
5877G	75R861522A
5879G	75R86324A
5880B	75R86322A
5880BG	75R86322A
5880G	75R86142A
5881G	75R86144A
5896V	75R8672A
5897V	75R90944A
5898V	78R8782A
5899V	75R8682A
5900V	75R8784A
5901V	75R8684A
5923A	75R90992A
5923A	75R85102Q

AIR SOURCE	
5927G	75R91032A
6245A	77R0585
6265	77R7815
6298A	77R8355
7981G	78R5239
7981G	78R5237M
8040082P	71R6415
8040088P	71R6410
8040135P	71R6400
8040136P	71R6405
8040177P	71R6582
8040178P	71R6584
804239P	71R6426
8420EZ	79R8915
8760EZ	79R8920
8812A	79R4655
8912R	79R3178
8913R	79R3179

ALLIANCE	
22-58414-000	75R81622Q
ABP N83 301791	73R0604
ABP N83 301801	73R0544
ABP N83 301831	RD-5-7607-0P
ABP N83 301861	RD-5-7575-2P
ABP N83 301871	73R0652
ABP N83 301877	73R0652
ABP N83 301881	73R0142
ABP N83 301884	73R0992
ABP N83 301885	73R2162
ABP N83 301886	73R3112
ABP N83 301891	73R3022
ABP N83 301901	73R0082
ABP N83 301907	73R8702
ABP N83 301911	73R0642
ABP N83 301931	73R0092
ABP N83 301937	73R5552
ABP N83 301951	73R0402
ABP N83 301957	73R8592
ABP N83 301961	73R0702
ABP N83 301967	73R8674
ABP N83 301969	73R8664
ABP N83 301971	73R3032
ABP N83 301987	73R3102
ABP N83 301991	73R2152
ABP N83 302004	RD-5-4624-1P
ABP N83 302006	73R7215
ABP N83 302007	73R6253
ABP N83 302111	73R6251
ABP N83 302172	73R7201
ABP N83 302182	73R7202

ALLIANCE	
ABP N83 302190	71R1702
ABP N83 302222	73R7130
ABP N83 302291	73R6253
ABP N83 302321	73R7135
ABP N83 303003	75R0194
ABP N83 303007	75R0612
ABP N83 303010	75R1432
ABP N83 303012	75R4502
ABP N83 303017	75R0662
ABP N83 303020	75R1512
ABP N83 303022	75R0452
ABP N83 303030	75R1522
ABP N83 303037	75R0042
ABP N83 303042	75R4734
ABP N83 303047	75R1432
ABP N83 303051	75R0302
ABP N83 303052	75R0452
ABP N83 303057	75R4792
ABP N83 303071	75R1652
ABP N83 303072	75R0612
ABP N83 303082	75R1202
ABP N83 303087	75R1432
ABP N83 303097	75R0612
ABP N83 303117	75R0662
ABP N83 303122	75R0202
ABP N83 303151	75R2402
ABP N83 303157	75R1432
ABP N83 303167	75R0502
ABP N83 303177	75R0682
ABP N83 303187	75R0522
ABP N83 303202	75R0252
ABP N83 303207	75R0052
ABP N83 303221	75R0402
ABP N83 303232	75R0192
ABP N83 303236	75R0092
ABP N83 303242	75R1542
ABP N83 303252	75R0452
ABP N83 303257	75R0032
ABP N83 303261	75R0182
ABP N83 303267	75R4812
ABP N83 303277	75R0502
ABP N83 303281	75R1342
ABP N83 303282	75R0202
ABP N83 303287	75R0512
ABP N83 303297	75R0522
ABP N83 303302	75R0204
ABP N83 303307	75R0662
ABP N83 303312	75R1512
ABP N83 303317	75R0682
ABP N83 303322	75R0452
ABP N83 303327	75R1432

Convert Other Part Numbers to Red Dot Aftermarket Numbers

ALLIANCE	
ABP N83 303337	75R4702
ABP N83 303341	75R0402
ABP N83 303342	75R4534
ABP N83 303347	75R4792
ABP N83 303351	75R1342
ABP N83 303352	75R1522
ABP N83 303357	75R0062
ABP N83 303362	75R1542
ABP N83 303367	75R0082
ABP N83 303371	75R1412
ABP N83 303372	75R0192
ABP N83 303377	75R0092
ABP N83 303387	75R1842
ABP N83 303397	75R1842
ABP N83 303402	75R0192
ABP N83 303412	75R1522
ABP N83 303417	75R0274
ABP N83 303421	75R1512
ABP N83 303422	75R1532
ABP N83 303427	75R1414
ABP N83 303431	75R1342
ABP N83 303442	75R4782
ABP N83 303452	75R0252
ABP N83 303462	75R0262
ABP N83 303482	75R1832
ABP N83 303492	75R1852
ABP N83 303522	75R0202
ABP N83 303541	75R0202
ABP N83 303551	75R4732
ABP N83 303561	75R0182
ABP N83 303610	75R1862
ABP N83 303707	75R4702
ABP N83 303711	75R4732
ABP N83 303712	75R0172
ABP N83 303717	75R4742
ABP N83 304004	75R89302
ABP N83 304006	75R83112
ABP N83 304008	75R8102
ABP N83 304014	75R89352
ABP N83 304016	75R83132
ABP N83 304017	75R8917
ABP N83 304024	75R89354
ABP N83 304027	75R8906
ABP N83 304031	75R7290
ABP N83 304034	75R89372
ABP N83 304042	75R8442
ABP N83 304043	75R84132
ABP N83 304044	75R89374
ABP N83 304049	75R8442
ABP N83 304051	75R7312
ABP N83 304053	75R84152

ALLIANCE	
ABP N83 304054	75R89392
ABP N83 304055	75R84522
ABP N83 304063	75R84162
ABP N83 304064	75R89422
ABP N83 304067	75R8906
ABP N83 304071	75R7300
ABP N83 304073	75R84172
ABP N83 304074	75R89424
ABP N83 304081	75R7280
ABP N83 304083	75R84182
ABP N83 304093	75R84192
ABP N83 304094	75R89462
ABP N83 304095	75R8432
ABP N83 304101	75R7312
ABP N83 304102	75R8382
ABP N83 304103	75R84212
ABP N83 304104	75R89474
ABP N83 304105	75R8424
ABP N83 304113	75R84232
ABP N83 304114	75R89484
ABP N83 304115	75R8184
ABP N83 304122	75R8384
ABP N83 304123	75R84252
ABP N83 304125	75R8422
ABP N83 304131	75R7290
ABP N83 304132	75R8372
ABP N83 304141	75R7322
ABP N83 304142	75R8374
ABP N83 304158	75R9082
ABP N83 304159	RD-5-9609-7P
ABP N83 304163	75R84292
ABP N83 304171	75R7280
ABP N83 304173	75R84312
ABP N83 304174	75R89384
ABP N83 304183	75R84352
ABP N83 304193	75R84362
ABP N83 304201	75R7332
ABP N83 304213	75R84382
ABP N83 304214	75R89412
ABP N83 304241	75R81622
ABP N83 304241Q	75R81622Q
ABP N83 304244	75R89394
ABP N83 304253	75R84452
ABP N83 304263	75R84472
ABP N83 304273	75R84482
ABP N83 304274	75R81462
ABP N83 304283	75R8422
ABP N83 304293	75R84512
ABP N83 304303	75R84532
ABP N83 304304	75R84662
ABP N83 304313	75R84552

ALLIANCE	
ABP N83 304314Q	75R81292Q
ABP N83 304319Q	75R84302Q
ABP N83 304323	75R84562
ABP N83 304333	75R84572
ABP N83 304334	75R84592
ABP N83 304344	75R81482
ABP N83 304353	75R84594
ABP N83 304362	75R8332
ABP N83 304364	75R81412
ABP N83 304374	75R81104
ABP N83 304382	75R8422
ABP N83 304383	75R81192
ABP N83 304394	75R81562
ABP N83 304403	75R84622
ABP N83 304412	75R8252
ABP N83 304413	75R82142
ABP N83 304419	75R85632
ABP N83 304422	75R8312
ABP N83 304424	75R81352
ABP N83 304429	75R85734
ABP N83 304432	75R81762
ABP N83 304434	75R81152
ABP N83 304435	75R89662
ABP N83 304442	75R8722
ABP N83 304443	75R8354
ABP N83 304444	75R81162
ABP N83 304445	75R89702
ABP N83 304446	75R89712
ABP N83 304451	75R7290
ABP N83 304454	75R81172
ABP N83 304458	75R89652
ABP N83 304461	75R7290
ABP N83 304464	75R81202
ABP N83 304465	75R89744
ABP N83 304471	75R7290
ABP N83 304474	75R81192
ABP N83 304481	75R7280
ABP N83 304482	75R84152
ABP N83 304489	75R86162
ABP N83 304495	75R1842
ABP N83 304502	75R84172
ABP N83 304503	75R84632
ABP N83 304504	75R81114
ABP N83 304512	75R84182
ABP N83 304514	75R81402
ABP N83 304522	75R84192
ABP N83 304523	75R81152
ABP N83 304524	75R81532
ABP N83 304532	75R84212
ABP N83 304534	75R81762
ABP N83 304574Q	75R81652Q

ALLIANCE	
ABP N83 304995	75R90602
ABP N83 306041	77R0710
ABP N83 306042	77R1335
ABP N83 306043	77R6995
ABP N83 310496	70R9996S
ABP N83 310500	70R5091S
ABP N83 310501	70R82071S
ABP N83 310502	70R6492S
ABP N83 310504	70R9706S
ABP N83 310506	70R82076S
ABP N83 310508	70R82078S
ABP N83 310512	70R9011S
ABP N83 310514	70R9708S
ABP N83 310516	70R2066S
ABP N83 310518	70R9796S
ABP N83 310520	70R9791S
ABP N83 310522	70R9072S
ABP N83 310530	70R9001S
ABP N83 310540	70R9091S
ABP N83 310550	70R9018S
ABP N83 310560	70R9301S
ABP N83 310570	70R9391S
ABP N83 310580	70R9401S
ABP N83 310590	70R9491S
ABP N83 310600	70R9901S
ABP N83 310610	70R9991S
ABP N83 310612	70R4316S
ABP N83 310614	70R4311S
ABP N83 310618	70R4310S
ABP N83 310622	70R42396S
ABP N83 310624	70R42390S
ABP N83 310690C	70R82256
ABP N83 310692C	70R82258
ABP N83 310694C	70R82251
ABP N83 310696C	70R82252
ABP N83 310698C	70R82261
ABP N83 310700	70R8091
ABP N83 310700C	70R8091
ABP N83 310701	70R8761
ABP N83 310701C	70R8761
ABP N83 310702	70R8092
ABP N83 310702C	70R8092
ABP N83 310706	70R8216
ABP N83 310706C	70R8216
ABP N83 310708	70R8218
ABP N83 310708C	70R8218
ABP N83 310711	70R8211
ABP N83 310711C	70R8211
ABP N83 310712	70R8212
ABP N83 310712C	70R8212
ABP N83 310716	70R8276

ALLIANCE	
ABP N83 310716C	70R8276
ABP N83 310718	70R8278
ABP N83 310718C	70R8278
ABP N83 310721	70R8271
ABP N83 310721C	70R8271
ABP N83 310722	70R8272
ABP N83 310722C	70R8272
ABP N83 310726	70R8306
ABP N83 310726C	70R8306
ABP N83 310728	70R8308
ABP N83 310728C	70R8308
ABP N83 310731	70R8261
ABP N83 310731C	70R8261
ABP N83 310732	70R8302
ABP N83 310732C	70R8302
ABP N83 310736	70R8716
ABP N83 310736C	70R8716
ABP N83 310738	70R8198
ABP N83 310738C	70R8198
ABP N83 310741	70R8301
ABP N83 310741C	70R8301
ABP N83 310746	70R8096
ABP N83 310746C	70R8096
ABP N83 310748	70R8098
ABP N83 310748C	70R8098
ABP N83 310751	70R8711
ABP N83 310751C	70R8711
ABP N83 310752	70R8292
ABP N83 310752C	70R8292
ABP N83 310758C	70R8248
ABP N83 310762	70R8602
ABP N83 310762C	70R8602
ABP N83 310766	70R8606
ABP N83 310766C	70R8606
ABP N83 310768	70R8608
ABP N83 310768C	70R8608
ABP N83 310771	70R8601
ABP N83 310771C	70R8601
ABP N83 310772	70R8642
ABP N83 310772C	70R8642
ABP N83 310776	70R8706
ABP N83 310776C	70R8706
ABP N83 310778	70R8708
ABP N83 310778C	70R8708
ABP N83 310781	70R8701
ABP N83 310781C	70R8701
ABP N83 310782	70R8692
ABP N83 310782C	70R8692
ABP N83 310786	70R8646
ABP N83 310786C	70R8646
ABP N83 310788C	70R8648

ALLIANCE	
ABP N83 310791	70R8641
ABP N83 310791C	70R8641
ABP N83 310792	70R8002
ABP N83 310792C	70R8002
ABP N83 310796	70R8696
ABP N83 310796C	70R8696
ABP N83 310798	70R8698
ABP N83 310798C	70R8698
ABP N83 310801	70R8691
ABP N83 310801C	70R8691
ABP N83 310806	70R8796
ABP N83 310806C	70R8796
ABP N83 310808	70R8798
ABP N83 310808C	70R8798
ABP N83 310811	70R8791
ABP N83 310811C	70R8791
ABP N83 310816	70R8786
ABP N83 310816C	70R8786
ABP N83 310818	70R8008
ABP N83 310818C	70R8008
ABP N83 310821	70R8781
ABP N83 310821C	70R8781
ABP N83 310826	70R8006
ABP N83 310826C	70R8006
ABP N83 310828	70R8788
ABP N83 310828C	70R8788
ABP N83 310831	70R8001
ABP N83 310831C	70R8001
ABP N83 310961	70R8801
ABP N83 310962	70R8802
ABP N83 310966	70R8806
ABP N83 310968	70R8808
ABP N83 310971	70R8821
ABP N83 310972	70R8822
ABP N83 310976	70R8826
ABP N83 310978	70R8828
ABP N83 310979	75R5555
ABP N83 310980	75R5556
ABP N83 311010	70R4341
ABP N83 311012	70R4342
ABP N83 311021	70R5550
ABP N83 311022	70R4442
ABP N83 311031	70R5600
ABP N83 311036	70R4996
ABP N83 311040	70R4391
ABP N83 311041	70R5650
ABP N83 311042	70R4402
ABP N83 311048	70R4198
ABP N83 311050	70R4191
ABP N83 311060	70R4991
ABP N83 311061	70R5706

ALLIANCE	
ABP N83 311062	70R4092S
ABP N83 311066	70R4106
ABP N83 311071	70R5708
ABP N83 311076	70R2406
ABP N83 311078	70R4308
ABP N83 311081	70R5770
ABP N83 311088	70R4108
ABP N83 311091	70R5701
ABP N83 311092	70R4192
ABP N83 311096	70R97006S
ABP N83 311110	70R4701
ABP N83 311112	75R5672
ABP N83 311118	70R94498S
ABP N83 311122	70R4002S
ABP N83 311136	70R2086
ABP N83 311139	70R3258
ABP N83 311148	70R97008S
ABP N83 311156	70R6096
ABP N83 311158	70R4598
ABP N83 311166	70R4096S
ABP N83 311176	70R6496
ABP N83 311178	70R4548
ABP N83 311180	70R2081
ABP N83 311181	70R5200
ABP N83 311191	70R5210
ABP N83 311194	70R6098S
ABP N83 311196	70R4596
ABP N83 311200	70R4091S
ABP N83 311204	70R4502S
ABP N83 311208	70R4698
ABP N83 311214	70R6091S
ABP N83 311220	70R8061
ABP N83 311220C	70R8061
ABP N83 311231	70R3590
ABP N83 311232	75R75832S
ABP N83 311241	70R3530
ABP N83 311242	75R75678S
ABP N83 311244	70R6096S
ABP N83 311246	70R4396S
ABP N83 311250	70R4491S
ABP N83 311252	75R75858S
ABP N83 311260	75R5681
ABP N83 311261	70R3550
ABP N83 311262	75R75672S
ABP N83 311266	70R6006
ABP N83 311271	70R3500
ABP N83 311274	70R6001S
ABP N83 311276	70R4006S
ABP N83 311278	70R4008S
ABP N83 311280	70R4001S
ABP N83 311282	75R75838S

ALLIANCE	
ABP N83 311291	RD-1-0661-9P
ABP N83 311296	70R4606
ABP N83 311298	70R4608
ABP N83 311302	70R84551S
ABP N83 311311	RD-1-0661-7P
ABP N83 311312	70R95091S
ABP N83 311321	70R7050
ABP N83 311322	70R84402S
ABP N83 311326	70R4798
ABP N83 311342	70R84242S
ABP N83 311348	70R2018
ABP N83 311350	70R2031
ABP N83 311358	70R2038
ABP N83 311361	RD-1-0661-2P
ABP N83 311362	70R84002S
ABP N83 311366	70R94406S
ABP N83 311376	70R96496S
ABP N83 311378	70R84408S
ABP N83 311380	70R94601S
ABP N83 311386	70R4696
ABP N83 311396	70R3906
ABP N83 311400	70R94691S
ABP N83 311401	78R5500
ABP N83 311404	70R6446S
ABP N83 311406	70R84406S
ABP N83 311408	70R96448S
ABP N83 311410	70R96741S
ABP N83 311416	70R84306S
ABP N83 311418	70R96598S
ABP N83 311420	70R94341S
ABP N83 311424	70R4005S
ABP N83 311426	70R94306S
ABP N83 311428	70R84308S
ABP N83 311430	70R94591S
ABP N83 311434	70R4006
ABP N83 311440	70R94791S
ABP N83 311446	70R94696S
ABP N83 311448	70R84398S
ABP N83 311456	70R84296S
ABP N83 311458	70R94398S
ABP N83 311460	70R3901
ABP N83 311461	70R8420
ABP N83 311466	70R9076S
ABP N83 311468	70R84448S
ABP N83 311470	75R5671
ABP N83 311472	75R75852S
ABP N83 311476	70R84446S
ABP N83 311478	70R84498S
ABP N83 311488	70R94998S
ABP N83 311490	70R84501S
ABP N83 311500	70R84601S

Convert Other Part Numbers to Red Dot Aftermarket Numbers

ALLIANCE	
ABP N83 311508	70R84248S
ABP N83 311510	70R97701S
ABP N83 311511	RD-5-3876-0P
ABP N83 311512	70R2402
ABP N83 311516	70R84206S
ABP N83 311518	70R84298S
ABP N83 311522	70R2072S
ABP N83 311526	70R84246S
ABP N83 311528	70R84008S
ABP N83 311530	70R84301S
ABP N83 311532	70R2062S
ABP N83 311536	70R2076S
ABP N83 311540	70R84541S
ABP N83 311542	70R4302S
ABP N83 311550	70R84741S
ABP N83 311551	70R2071S
ABP N83 311552	70R4342S
ABP N83 311560	70R94391S
ABP N83 311561	70R2061S
ABP N83 311562	70R4392S
ABP N83 311570	70R84401S
ABP N83 311572	70R4402S
ABP N83 311582	70R4492S
ABP N83 311584	70R2006S
ABP N83 311590	70R84641S
ABP N83 311591	70R4501S
ABP N83 311592	70R7002S
ABP N83 311600	70R84491S
ABP N83 311601	70R4401S
ABP N83 311604	70R2002S
ABP N83 311610	70R84691S
ABP N83 311630	70R84321S
ABP N83 311650	70R84692S
ABP N83 311660	70R94991S
ABP N83 311670	70R94692S
ABP N83 311681	70R4591S
ABP N83 311686	70R84506S
ABP N83 311696	70R4706S
ABP N83 311698	70R9078S
ABP N83 311702	70R2406S
ABP N83 311704	70R2408S
ABP N83 311706	70R2016S
ABP N83 311708	70R94408S
ABP N83 311710	70R84241S
ABP N83 311716	70R4506S
ABP N83 311718	70R2078S
ABP N83 311722	70R2402S
ABP N83 311728	70R6498S
ABP N83 311730	70R84291S
ABP N83 311738	70R6598S

ALLIANCE	
ABP N83 311740	70R84891S
ABP N83 311748	70R4798
ABP N83 311750	70R84001S
ABP N83 311752	70R4798S
ABP N83 311758	70R2018S
ABP N83 311760	70R84051S
ABP N83 311762	70R2012S
ABP N83 311766	70R2406
ABP N83 311786	70R2036S
ABP N83 311794	70R2038S
ABP N83 311796	70R4306S
ABP N83 311806	70R4406S
ABP N83 311808	70R2068S
ABP N83 311818	70R4508S
ABP N83 311826	70R6006S
ABP N83 311828	70R4598S
ABP N83 311838	70R4308S
ABP N83 311846	70R4796S
ABP N83 311848	70R4348S
ABP N83 311856	70R4606S
ABP N83 311858	70R4398S
ABP N83 311888	70R7008S
ABP N83 311898	70R6008S
ABP N83 311907C	70R8558
ABP N83 311908	70R4608S
ABP N83 311918	70R5718
ABP N83 311926C	70R8556
ABP N83 311931C	70R8551
ABP N83 311932	70R8062
ABP N83 311932C	70R8062
ABP N83 311936C	70R8066
ABP N83 311938	70R8061
ABP N83 311938C	70R8068
ABP N83 311941	70R8071
ABP N83 311941C	70R8071
ABP N83 311946	70R8086
ABP N83 311946C	70R8086
ABP N83 311948	70R8088
ABP N83 311948C	70R8088
ABP N83 311950	70R7001S
ABP N83 311951C	70R8201
ABP N83 311952C	70R8511
ABP N83 311958C	70R8208
ABP N83 311960	70R9071S
ABP N83 311961	70R8291
ABP N83 311961C	70R8291
ABP N83 311966	70R8296
ABP N83 311966C	70R8296
ABP N83 311968	70R8298
ABP N83 311968C	70R8298

ALLIANCE	
ABP N83 311970	70R2031S
ABP N83 311971C	70R8341
ABP N83 311976C	70R8346
ABP N83 311978C	70R8688
ABP N83 311980	70R2011S
ABP N83 311988C	70R8348
ABP N83 311998	70R8398
ABP N83 311998C	70R8398
ABP N83 312010	70R5051
ABP N83 312018	70R5058
ABP N83 312032	70R5052
ABP N83 312036	70R5056
ABP N83 312060	70R5024
ABP N83 312076	70R5022
ABP N83 312092	70R5026
ABP N83 312125	70R5020
ABP N83 312326	70R5046
ABP N83 312332	70R5042
ABP N83 312361	70R5033
ABP N83 312366	70R5031
ABP N83 312368	70R5032
ABP N83 312372	70R5034
ABP N83 313100	78R0451
ABP N83 313102	78R0452
ABP N83 313103	78R0451SP
ABP N83 313104	78R0452SP
ABP N83 313106	78R0456
ABP N83 313107	78R0458SP
ABP N83 313108	78R0458
ABP N83 313118	78R0458
ABP N83 313120	78R8806
ABP N83 313125	78R8808
ABP N83 313126	78R0456
ABP N83 313130	78R8810
ABP N83 313135	78R8812
ABP N83 313300	78R0100
ABP N83 313304	78R0110
ABP N83 313305	70R7310
ABP N83 313401	78R8451
ABP N83 313402	78R8452
ABP N83 313406	78R8456
ABP N83 313408	78R8458
ABP N83 313441	78R8451SP
ABP N83 313442	78R8452SP
ABP N83 313446	78R8456SP
ABP N83 313517	RD-5-5450-0P
ABP N83 313558	78R0200
ABP N83 313559	78R0250
ABP N83 313560	78R0350
ABP N83 313700	78R0040

ALLIANCE	
ABP N83 313701	78R0030
ABP N83 313703	78R0050
ABP N83 313704	78R0060
ABP N83 313705	78R0063
ABP N83 313706	78R0065
ABP N83 313900	72R4400
ABP N83 313901	78R0070
ABP N83 313902	72R4510
ABP N83 313903	78R0400
ABP N83 313905	78R0300
ABP N83 313918	72R9020
ABP N83 313930	72R9010
ABP N83 314004	70R5120
ABP N83 314010	70R2076
ABP N83 314020	70R7008S
ABP N83 314040	70R2071
ABP N83 314048	75R5820
ABP N83 314055	75R5819
ABP N83 314090	75R5560
ABP N83 314091	75R5560
ABP N83 314100	75R5570
ABP N83 314115	70R7750
ABP N83 314120	75R5556
ABP N83 314125	70R3006
ABP N83 314146	70R5125
ABP N83 314155	70R3001
ABP N83 314165	70R3008
ABP N83 314175	RD-5-4487-0P
ABP N83 314181	75R5801
ABP N83 314182	75R5806
ABP N83 314195	RD-5-4265-0P
ABP N83 314201	75R5570
ABP N83 314202	75R5560
ABP N83 314215	75R5560
ABP N83 314220	75R5570
ABP N83 314235	75R5852
ABP N83 314240	75R5832
ABP N83 314260	75R5842
ABP N83 314275	75R5858
ABP N83 314285	75R5678
ABP N83 314300	75R5808
ABP N83 314400	75R5540
ABP N83 314410	75R5540
ABP N83 314470	75R5819
ABP N83 314475	75R5820
ABP N83 314485	75R5824
ABP N83 314495	75R5824
ABP N83 314505	75R5829
ABP N83 315025	76R2155
ABP N83 315055	76R2450

ALLIANCE	
ABP N83 315075	76R3500
ABP N83 315085	76R1450
ABP N83 315095	76R3400
ABP N83 315100	76R2600
ABP N83 315105	76R2300
ABP N83 315110	76R3000
ABP N83 315115	76R1100
ABP N83 315120	76R1110
ABP N83 315125	76R1400
ABP N83 315130	76R1410
ABP N83 315135	76R1120
ABP N83 315140	76R2210
ABP N83 315160	76R2400
ABP N83 315170	76R3250
ABP N83 315175	76R2330
ABP N83 315180	76R2320
ABP N83 315185	76R2340
ABP N83 315195	76R0500
ABP N83 315205	76R3450
ABP N83 315210	76R3300
ABP N83 315220	76R1900
ABP N83 315225	76R3900
ABP N83 315230	76R3930
ABP N83 315240	76R3910
ABP N83 315245	76R3460
ABP N83 315250	76R1000
ABP N83 315255	76R3930
ABP N83 315260	76R2730
ABP N83 315265	76R1510
ABP N83 315270	76R2350
ABP N83 315275	76R4000
ABP N83 315295	76R1600
ABP N83 315355	76R3930
ABP N83 315395	76R7510
ABP N83 315415	76R2010
ABP N83 315465	RD-1-1545-1P
ABP N83 315470	RD-1-1570-0P
ABP N83 315480	76R2420
ABP N83 315520	76R2600
ABP N83 315532	76R3925
ABP N83 315535	76R3905
ABP N83 315560	76R3940
ABP N83 315570	76R3943
ABP N83 315575	76R3950
ABP N83 315605	76R4023
ABP N83 315615	76R2155
ABP N83 315640	76R4100
ABP N83 316005	72R2250
ABP N83 316010	72R2250
ABP N83 316016	71R4050
ABP N83 316035	71R4050

ALLIANCE	
ABP N83 316040	71R4035
ABP N83 316050	71R4040
ABP N83 316055	71R4030
ABP N83 316075	RD-4170-0P
ABP N83 316115	71R4105
ABP N83 316120	71R4010
ABP N83 316125	71R4011
ABP N83 316130	71R4020
ABP N83 316140	71R4060
ABP N83 316175	71R4063
ABP N83 317000	72R1210
ABP N83 317005	72R3100
ABP N83 317011	72R2000
ABP N83 317012	72R2130
ABP N83 317013	72R3200
ABP N83 317014	72R2110
ABP N83 317016	72R3000
ABP N83 317017	72R3050
ABP N83 317018	72R3530
ABP N83 317019	72R3550
ABP N83 317020	72R2300
ABP N83 317021	72R3100
ABP N83 317022	72R3110
ABP N83 317024	72R2140
ABP N83 317026	72R2100
ABP N83 317027	72R2150
ABP N83 317028	72R2200
ABP N83 317036	72R3510
ABP N83 317040	72R2600
ABP N83 317046	72R3111
ABP N83 317054	72R3149
ABP N83 317056	72R3601
ABP N83 317057	72R3603
ABP N83 317061	72R4400
ABP N83 317062	72R4500
ABP N83 317063	72R4510
ABP N83 317070	RD-5-6781-0P
ABP N83 317080	72R2351
ABP N83 317100	72R4532
ABP N83 317105	72R3157
ABP N83 317120	72R2140
ABP N83 317500	70R3001
ABP N83 317550	72R2120
ABP N83 317570	72R2605
ABP N83 317580	72R3135
ABP N83 318000	71R6183
ABP N83 318001	71R6235
ABP N83 318004	71R6181
ABP N83 318009	71R7500
ABP N83 318010	71R6070
ABP N83 318013	72R0070

ALLIANCE	
ABP N83 318014	71R6050
ABP N83 318015	RD-5-9254-0P
ABP N83 318017	71R8505
ABP N83 318019	71R7650
ABP N83 318021	71R6145
ABP N83 318022	71R6210
ABP N83 318023	71R6095
ABP N83 318024	71R6040
ABP N83 318027	71R7073
ABP N83 318029	71R7550
ABP N83 318030	71R6070
ABP N83 318035	71R6155
ABP N83 318037	71R6582
ABP N83 318039	71R7500
ABP N83 318040	71R6080
ABP N83 318041	71R6584
ABP N83 318042	71R6410
ABP N83 318048	71R6445
ABP N83 318049	71R7000
ABP N83 318050	71R6090
ABP N83 318053	71R6120
ABP N83 318059	71R7050
ABP N83 318060	71R6110
ABP N83 318064	71R6080
ABP N83 318070	71R6100
ABP N83 318074	71R6040
ABP N83 318079	71R7000
ABP N83 318080	71R6070
ABP N83 318083	72R1210
ABP N83 318084	71R6040
ABP N83 318085	71R6267
ABP N83 318088	71R6045
ABP N83 318089	71R7050
ABP N83 318090	71R6100
ABP N83 318094	71R6020
ABP N83 318098	71R6430
ABP N83 318099	71R7077
ABP N83 318104	71R6060
ABP N83 318108	71R6181
ABP N83 318109	71R7075
ABP N83 318113	72R1200
ABP N83 318118	71R6183
ABP N83 318123	72R1300
ABP N83 318133	72R1310
ABP N83 318138	71R6420
ABP N83 318149	71R7550
ABP N83 318153	RD-5-6028-3P
ABP N83 318158	71R6055
ABP N83 318160	71R6160
ABP N83 318170	71R6180
ABP N83 318174	71R6095

ALLIANCE	
ABP N83 318178	71R6150
ABP N83 318179	71R7077
ABP N83 318180	71R6210
ABP N83 318182	75R5806
ABP N83 318183	72R1100
ABP N83 318184	71R6170
ABP N83 318188	71R6463
ABP N83 318189	71R4511
ABP N83 318190	71R6220
ABP N83 318200	71R6230
ABP N83 318209	71R6125
ABP N83 318214	71R6093
ABP N83 318224	71R6257
ABP N83 318228	71R6475
ABP N83 318229	71R7075
ABP N83 318234	71R6255
ABP N83 318238	71R6480
ABP N83 318240	71R6185
ABP N83 318243	RD-5-6205-0P
ABP N83 318250	71R6245
ABP N83 318259	71R4511
ABP N83 318278	71R6600
ABP N83 318602	71R6571
ABP N83 318606	71R6576
ABP N83 318610	71R6578
ABP N83 318612	71R6500
ABP N83 318618	71R6561
ABP N83 318628	71R6563
ABP N83 318638	71R6565
ABP N83 318648	71R6566
ABP N83 318668	71R6571
ABP N83 318678	71R6573
ABP N83 318688	71R6576
ABP N83 318708	71R6580
ABP N83 318728	71R6444
ABP N83 318748	71R6405
ABP N83 318768	71R6408
ABP N83 318778	71R6410
ABP N83 318798	71R6426
ABP N83 318808	71R6415
ABP N83 318818	71R6416
ABP N83 318828	71R6418
ABP N83 318838	71R6420
ABP N83 318858	71R6424
ABP N83 318868	71R6426
ABP N83 318878	71R6408
ABP N83 318888	71R6434
ABP N83 318898	71R6450
ABP N83 318907	71R6442
ABP N83 318908	71R6438
ABP N83 318918	71R6442

Convert Other Part Numbers to Red Dot Aftermarket Numbers

ALLIANCE	
ABP N83 318927	71R6448
ABP N83 318928	71R6444
ABP N83 318937	71R6430
ABP N83 318938	71R6445
ABP N83 318947	71R6450
ABP N83 318948	71R6451
ABP N83 318957	71R6452
ABP N83 318967	71R6454
ABP N83 318977	71R6456
ABP N83 318987	71R6458
ABP N83 318997	71R6460
ABP N83 319000	74R2106
ABP N83 319004	74R1856
ABP N83 319008	74R7220
ABP N83 319009	74R5600
ABP N83 319010	74R1706
ABP N83 319014	74R2106
ABP N83 319015	74R4028
ABP N83 319027	74R3357
ABP N83 319029	74R5050
ABP N83 319044	74R2586
ABP N83 319047	74R3137
ABP N83 319054	74R2106
ABP N83 319064	74R2596
ABP N83 319068	74R7210
ABP N83 319069	74R5060
ABP N83 319074	74R1906
ABP N83 319098	74R0907
ABP N83 319100	74R0450
ABP N83 319108	74R0470
ABP N83 319110	74R2706
ABP N83 319114	74R4116
ABP N83 319119	74R5093
ABP N83 319120	74R3066
ABP N83 319124	74R4016
ABP N83 319130	74R3466
ABP N83 319134	74R0460
ABP N83 319144	74R1806
ABP N83 319147	74R5076
ABP N83 319148	RD-5-4722-1P
ABP N83 319154	74R2306
ABP N83 319155	74R0455
ABP N83 319156	74R2006
ABP N83 319157	74R2016
ABP N83 319159	74R5097
ABP N83 319161	74R2026
ABP N83 319162	74R3325
ABP N83 319168	74R8006
ABP N83 319190	74R2306
ABP N83 319199	74R5081
ABP N83 319208	74R2706

ALLIANCE	
ABP N83 319218	74R2687
ABP N83 319220	74R1866
ABP N83 319224	74R1756
ABP N83 319228	74R2668
ABP N83 319230	74R2447
ABP N83 319234	74R1956
ABP N83 319248	74R1846
ABP N83 319264	74R2616
ABP N83 319269	74R5061
ABP N83 319274	74R3077
ABP N83 319300	74R4207
ABP N83 319309	74R5095
ABP N83 319310	74R1756
ABP N83 319314	74R3376
ABP N83 319315	74R3377
ABP N83 319330	74R1826
ABP N83 319344	74R3337
ABP N83 319360	74R3357
ABP N83 319374	74R2306
ABP N83 319390	74R3148
ABP N83 319395	74R3107
ABP N83 319424	74R3357
ABP N83 319434	74R3331
ABP N83 319440	RD-5-6132-0P
ABP N83 319470	74R3107
ABP N83 319494	RD-5-9872-0P
ABP N83 319505	74R3077
ABP N83 319510	74R3327
ABP N83 319514	74R1756
ABP N83 319530	74R5093
ABP N83 319555	74R3324
ABP N83 319560	74R1407
ABP N83 319568	74R2681
ABP N83 319574	74R2002
ABP N83 319584	74R3129
ABP N83 319614	74R3327
ABP N83 319615	74R3328
ABP N83 319620	74R2106
ABP N83 319625	74R3323
ABP N83 319634	74R2590
ABP N83 319640	74R3450
ABP N83 319654	74R3313
ABP N83 319661	74R1407
ABP N83 319665	74R3317
ABP N83 319671	74R1427
ABP N83 319680	74R1436
ABP N83 319681	74R1437
ABP N83 319685	74R2608
ABP N83 319690	74R2616
ABP N83 319695	74R2668
ABP N83 319714	74R3148

ALLIANCE	
ABP N83 319715	74R3148
ABP N83 319724	74R3309
ABP N83 319725	74R3309
ABP N83 319735	74R3331
ABP N83 319740	74R2716
ABP N83 319744	74R3126
ABP N83 319745	74R3126
ABP N83 319755	74R4215
ABP N83 319910	74R3450
ABP N83 319920	74R3107
ABP N83 319949	74R5401
ABP N83 320020	71R1702
ABP N83 320050	71R1310
ABP N83 320052	71R1315
ABP N83 320055	71R1320
ABP N83 320060	71R1300
ABP N83 320062	71R1325
ABP N83 320065	71R1330
ABP N83 320080	RD-3-4351-0P
ABP N83 320090	71R1900
ABP N83 320110	70R5110
ABP N83 320120	71R1652
ABP N83 320140	71R1702
ABP N83 320150	71R1902
ABP N83 320155	71R1904
ABP N83 320160	71R1904
ABP N83 320170	71R1802
ABP N83 320180	71R1704
ABP N83 320190	71R1702
ABP N83 320220	71R1610
ABP N83 320230	71R1702
ABP N83 320280	71R1704
ABP N83 320290	71R1722
ABP N83 320320	71R1914
ABP N83 321000	71R1457
ABP N83 321060	71R1450
ABP N83 321080	71R1520
ABP N83 321090	RD-6-4661-1P
ABP N83 321100	71R1510
ABP N83 321110	71R1455
ABP N83 321170	71R1455
ABP N83 321220	71R1402
ABP N83 321230	RD-6-4662-0P
ABP N83 321300	71R1457
ABP N83 321320	71R4025
ABP N83 321350	71R1455
ABP N83 321370	71R1480
ABP N83 321380	71R1485
ABP N83 322000	71R0460
ABP N83 322003	71R0460
ABP N83 322005	71R0450

ALLIANCE	
ABP N83 322010	71R1610
ABP N83 322013	RD-5-10187-0P
ABP N83 322023	71R0485
ABP N83 322025	71R0550
ABP N83 322028	71R6100
ABP N83 322032	71R6249
ABP N83 322035	71R0400
ABP N83 322040	71R0200
ABP N83 322042	71R6251
ABP N83 322045	71R6300
ABP N83 322050	71R0050
ABP N83 322055	71R0200
ABP N83 322060	71R0470
ABP N83 322063	71R0475
ABP N83 322067	71R0480
ABP N83 322070	72R0200
ABP N83 322073	72R0210
ABP N83 322077	72R0220
ABP N83 322090	72R0190
ABP N83 322095	72R0190
ABP N83 322100	72R0500
ABP N83 322105	71R1200
ABP N83 322113	71R0487
ABP N83 322125	72R0100
ABP N83 322150	71R1160
ABP N83 322165	71R0650
ABP N83 322175	71R7600
ABP N83 322180	71R0650
ABP N83 322185	71R0100
ABP N83 322190	71R1150
ABP N83 322195	72R0260
ABP N83 322200	71R7650
ABP N83 322205	71R0600
ABP N83 322215	71R0700
ABP N83 322222	71R0862
ABP N83 322223	71R0852
ABP N83 322224	71R0854
ABP N83 322225	71R0040
ABP N83 322226	71R0512
ABP N83 322227	71R0522
ABP N83 322228	71R0532
ABP N83 322232	71R0854
ABP N83 322234	71R0884
ABP N83 322235	71R1654
ABP N83 322240	71R0200
ABP N83 322245	72R0200
ABP N83 322250	71R6130
ABP N83 322255	71R6140
ABP N83 322260	71R6120
ABP N83 322270	71R6300
ABP N83 322275	71R0050

ALLIANCE	
ABP N83 322290	71R1160
ABP N83 322315	71R6220
ABP N83 322320	71R0500
ABP N83 322325	71R0550
ABP N83 322340	71R0400
ABP N83 322345	71R0100
ABP N83 322350	71R0150
ABP N83 322355	71R0300
ABP N83 322375	71R0250
ABP N83 322385	72R1504
ABP N83 322390	72R1502
ABP N83 322395	72R0050
ABP N83 322425	71R1175
ABP N83 322430	71R0470
ABP N83 322435	71R1620
ABP N83 322510	71R1620
ABP N83 322550	71R0050
ABP N83 322580	71R0030
ABP N83 322680	71R1150
ABP N83 322817	RD-5-5078-0M
ABP N83 322821	RD-5-6317-0M
ABP N83 322826	RD-5-5988-0M
ABP N83 322830	RD-5-5073-0M
ABP N83 322831	RD-5-5076-0M
ABP N83 322836	RD-5-6318-0M
ABP N83 322860	79R8950
ABP N83 322925	71R3502
ABP N83 322926	RD-6-4797-1P
ABP N83 322927	RD-6-4676-0P
ABP N83 322957	RD-3-9493-2P
ABP N83 322960	RD-3-6550-0P
ABP N83 322970	71R5212
ABP N83 322975	RD-3-3812-2P
ABP N83 323000	71R3150
ABP N83 323003	71R2800
ABP N83 323008	71R0450
ABP N83 323010	71R3200
ABP N83 323014	71R2700
ABP N83 323018	71R1210
ABP N83 323020	71R3300
ABP N83 323024	71R2800
ABP N83 323030	71R3160
ABP N83 323033	RD-3-3725-0P
ABP N83 323034	71R2600
ABP N83 323040	71R3100
ABP N83 323048	71R2250
ABP N83 323050	71R3160
ABP N83 323053	71R3150
ABP N83 323058	71R2250
ABP N83 323060	71R3100
ABP N83 323063	71R1165

ALLIANCE	
ABP N83 323064	71R2700
ABP N83 323065	71R3300
ABP N83 323068	71R2305
ABP N83 323088	71R2100
ABP N83 323093	71R2700
ABP N83 323098	71R2400
ABP N83 323108	71R2300
ABP N83 323110	71R3100
ABP N83 323118	71R2250
ABP N83 323120	71R3155
ABP N83 323138	71R2310
ABP N83 323140	71R3100
ABP N83 323148	71R1210
ABP N83 323150	71R3125
ABP N83 323178	71R1160
ABP N83 323188	71R2250
ABP N83 323228	71R2200
ABP N83 323238	71R2305
ABP N83 323313	RD-5-8131-0P
ABP N83 324003	72R5220
ABP N83 324005	72R5260
ABP N83 324010	72R5060
ABP N83 324013	72R5230
ABP N83 324015	72R6420
ABP N83 324020	72R5500
ABP N83 324023	72R5240
ABP N83 324025	72R5600
ABP N83 324030	72R5270
ABP N83 324033	72R5250
ABP N83 324043	72R5270
ABP N83 324050	72R5050
ABP N83 324060	72R6420
ABP N83 324065	72R5070
ABP N83 324070	72R5210
ABP N83 324075	RD-5-5495-0P
ABP N83 324080	72R5200
ABP N83 324085	72R2130
ABP N83 324105	72R6400
ABP N83 324110	72R6410
ABP N83 324120	72R5080
ABP N83 324145	72R6530
ABP N83 324150	72R6520
ABP N83 324160	78R5246
ABP N83 324170	72R6400
ABP N83 324180	72R6420
ABP N83 324185	72R5260
ABP N83 324215	72R5040
ABP N83 324280	72R6515
ABP N83 324400	72R6400
ABP N83 324405	RD-5-8804-2P
ABP N83 324410	72R6410

ALLIANCE	
ABP N83 324420	RD-5-8804-1P
ABP N83 324425	72R6515
ABP N83 324445	72R5110
ABP N83 324450	72R5360
ABP N83 324452	72R5360
ABP N83 324460	75R5698
ABP N83 324465	75R5691
ABP N83 324470	RD-5-8829-0P
ABP N83 324475	RD-5-8885-0M
ABP N83 324520	72R6540
ABP N83 324535	RD-3-9664-0P
ABP N83 324540	RD-3-8638-0P
ABP N83 324545	72R7100
ABP N83 324550	72R6520
ABP N83 324555	72R6530
ABP N83 324560	72R6425
ABP N83 324565	72R6410
ABP N83 324570	72R6520
ABP N83 324575	72R7105
ABP N83 324580	72R6530
ABP N83 324600	72R6535
ABP N83 324620	72R6547
ABP N83 325021	79R4400
ABP N83 325022	75R5815
ABP N83 325023	RD-2-1398-0P
ABP N83 325034	78R5000
ABP N83 325035	78R5100
ABP N83 325036	78R5110
ABP N83 325041	78R1605
ABP N83 325047	75R6040
ABP N83 325049	78R1470
ABP N83 325050	70R5110
ABP N83 325051	78R1505
ABP N83 325056	78R1705
ABP N83 325068	RD-5-4825-11P
ABP N83 325069	RD-5-4825-15P
ABP N83 325073	75R9060
ABP N83 325077	75R9795
ABP N83 325079	75R9715
ABP N83 325087	75R9540
ABP N83 325092	75R9515
ABP N83 325093	75R9535
ABP N83 325095	75R9585
ABP N83 325096	75R9595
ABP N83 325098	75R9615
ABP N83 325099	75R9635
ABP N83 325100	75R9645
ABP N83 325103	75R9920
ABP N83 325105	75R9670
ABP N83 325114	75R9890
ABP N83 325118	75R9980

ALLIANCE	
ABP N83 325120	75R6020
ABP N83 325121	75R6030
ABP N83 325122	75R9545
ABP N83 325123	75R9625
ABP N83 325124	75R6015
ABP N83 325126	75R9970
ABP N83 325127	75R9785
ABP N83 325128	77R9000
ABP N83 325141	78R2100
ABP N83 325142	77R7702
ABP N83 325143	77R9010
ABP N83 325159	79R1650
ABP N83 325160	78R1025
ABP N83 325190	RD-5-6052-0P
ABP N83 325192	78R1070
ABP N83 325195	70R5005
ABP N83 325196	70R5010
ABP N83 325197	79R8940
ABP N83 325198	RD-2-3673-0P
ABP N83 325220	70R9903
ABP N83 325510	79R4600
ABP N83 325513	79R4605
ABP N83 325900	RD-5-8641-0P
ABP N83 325901	RD-5-8641-1P
ABP N83 325902	RD-5-8705-0P
ABP N83 325920	71R8902
ABP N83 325950	75R9530
ABP N83 325954	75R9550
ABP N83 325955	75R9985
ABP N83 325960	RD-1-1654-0P
ABP N83 326008	79R4595
ABP N83 326009	79R4595
ABP N83 326013	79R4580
ABP N83 326016	70R2301
ABP N83 326023	79R4587
ABP N83 326024	79R4710
ABP N83 326025	79R4650
ABP N83 326045	79R4655
ABP N83 326050	79R4561
ABP N83 326051	79R4563
ABP N83 326052	79R4562
ABP N83 326053	79R4595
ABP N83 326055	79R4580
ABP N83 326056	79R4585
ABP N83 326057	79R4550
ABP N83 326060	79R5035
ABP N83 327005	79R1525
ABP N83 327015	79R1520
ABP N83 327050	RD-4-4529-1P
ABP N83 327070	79R1255
ABP N83 327107	79R1153

Convert Other Part Numbers to Red Dot Aftermarket Numbers

ALLIANCE	
ABP N83 327112	79R4597
ABP N83 327157	79R1560
ABP N83 327170	71R1252
ABP N83 327177	79R1565
ABP N83 327195	RD-5-4066-0P
ABP N83 327280	79R5901
ABP N83 327302	71R8455
ABP N83 327305	79R4040
ABP N83 327306	79R4020
ABP N83 327308	79R4040
ABP N83 327310	70R5000
ABP N83 327315	79R0020
ABP N83 327346	72R7600
ABP N83 327347	72R7700
ABP N83 327348	72R8200
ABP N83 327349	RD-5-5505-62.50P
ABP N83 327350	72R8250
ABP N83 327354	72R8250
ABP N83 327355	72R8270
ABP N83 327361	72R8250
ABP N83 327362	72R8315
ABP N83 327363	72R8360
ABP N83 327364	72R8400
ABP N83 327366	72R8410
ABP N83 327367	72R8280
ABP N83 327369	RD-4124-25P
ABP N83 327372	72R8255
ABP N83 327379	72R9005
ABP N83 327405	79R0120
ABP N83 327415	79R0140
ABP N83 327421	79R0160
ABP N83 327425	79R1730
ABP N83 327430	79R0103
ABP N83 327435	79R0101
ABP N83 327440	79R0170
ABP N83 327450	79R0180
ABP N83 327461	79R0109
ABP N83 327465	79R1660
ABP N83 327480	79R3162
ABP N83 327481	79R3164
ABP N83 327482	79R3166
ABP N83 327483	79R3165
ABP N83 327484	79R3161
ABP N83 327485	79R3163
ABP N83 327486	79R3175
ABP N83 327487	79R3173
ABP N83 327488	79R3171
ABP N83 327489	79R3176
ABP N83 327490	79R3174
ABP N83 327491	79R3172
ABP N83 327495	79R0190

ALLIANCE	
ABP N83 327496	79R0195
ABP N83 327497	79R2925
ABP N83 327520	79R3178
ABP N83 327525	79R3179
ABP N83 327530	79R0100
ABP N83 327535	79R0102
ABP N83 327541	79R0138
ABP N83 327542	79R0150
ABP N83 327543	79R0225
ABP N83 327546	79R0258
ABP N83 327552	79R3129
ABP N83 327555	79R3120
ABP N83 327573	79R3576
ABP N83 327580	79R3178
ABP N83 327585	79R3179
ABP N83 327586	79R3178
ABP N83 327587	79R3179
ABP N83 327605	79R3125
ABP N83 327615	79R3127
ABP N83 327616	79R9516
ABP N83 327621	79R1541
ABP N83 327632	79R1532
ABP N83 327640	79R1911
ABP N83 327655	79R1800
ABP N83 327660	79R1710
ABP N83 327731	79R9521
ABP N83 327736	79R9516
ABP N83 327738	79R9518
ABP N83 327750	79R1810
ABP N83 327755	79R1815
ABP N83 327760	79R1820
ABP N83 327765	79R1825
ABP N83 327830	72R9000
ABP N83 327835	RD-5-7999-1P
ABP N83 327850	RD-5-8310-32P
ABP N83 327860	RD-5-8043-15.50P
ABP N83 327870	RD-5-8310-40P
ABP N83 327880	RD-6-5120-0P
ABP N83 327881	RD-6-5120-1P
ABP N83 327890	RD-5-6410-72P
ABP N83 327905	79R1520
ABP N83 327910	79R1720
ABP N83 327915	79R1525
ABP N83 327950	79R5032
ABP N83 327960	79R5033
ABP N83 327975	79R3590
ABP N83 327980	79R8915
ABP N83 327981	79R8920
ABP N83 327982	79R8930
ABP N83 327983	79R8930
ABP N83 327988	79R3597

ALLIANCE	
ABP N83 327990	79R8916
ABP N83 328008	RD-1-0352-0P
ABP N83 328009	RD-1-0793-4P
ABP N83 328053	RD-2-1240-0P
ABP N83 328061	78R5305M
ABP N83 328063	RD-2-1297-0P
ABP N83 328077	RD-2-1290-0P
ABP N83 328095	78R5300
ABP N83 328137	RD-2-1302-0P
ABP N83 328142	RD-1-1651-0P
ABP N83 328143	RD-2-3279-0P
ABP N83 328145	RD-3-10112-0P
ABP N83 328146	RD-1-0639-0P
ABP N83 328151	RD-3-6060-0P
ABP N83 328156	RD-3-5310-1P
ABP N83 328166	RD-2-1189-0P
ABP N83 328209	RD-3-5177-0P
ABP N83 328212	78R5241
ABP N83 328218	78R5250
ABP N83 328219	RD-3-5178-0P
ABP N83 328221	78R5251
ABP N83 328222	78R5315
ABP N83 328227	78R5318
ABP N83 328229	RD-3-5964-0P
ABP N83 328233	78R5291
ABP N83 328235	78R5240
ABP N83 328238	78R5351
ABP N83 328240	78R5320
ABP N83 328244	78R5350
ABP N83 328245	78R5340
ABP N83 328247	78R5309
ABP N83 328251	78R5200
ABP N83 328252	78R5210
ABP N83 328254	78R5375
ABP N83 328255	78R5390
ABP N83 328257	78R5301
ABP N83 328258	78R5370
ABP N83 328265	78R5302
ABP N83 328275	78R5304
ABP N83 328285	78R5306M
ABP N83 328295	78R5308
ABP N83 328355	71R3570
ABP N83 328360	RD-5-3855-1P
ABP N83 328365	78R5243
ABP N83 328370	RD-5-4636-0P
ABP N83 328375	78R5430
ABP N83 328396	RD-4-3882-0P
ABP N83 328466	RD-5-4031-0P
ABP N83 328486	RD-5-4718-0P
ABP N83 328496	RD-5-4743-0P
ABP N83 328506	RD-3169-5P

ALLIANCE	
ABP N83 328606	79R4008
ABP N83 328610	79R0105
ABP N83 328719	78R5005
ABP N83 328720	78R5004
ABP N83 328721	RD-5-5150-0P
ABP N83 328722	RD-5-6423-0P
ABP N83 328736	RD-2-3515-0P
ABP N83 328862	78R5008
ABP N83 901931	73R0092
SKI 4893	75R81652Q

ALLIS CHALMERS	
024 21590	75R1202
0257334-3	71R6300
0257336-8	73R4162
0268464-5	74R4116
0272229-9	71R2300
0586082-0	71R1210
1162474-9	71R2250
1183560	73R0442
2084050-0	75R4502
2085169	75R0202
275130	73R0442
275152	73R4182
31134-300	71R8050
475262-3	71R1210
70264650	71R6050
70577454	71R1210
71195109	71R1160
71504287-5	71R8100
72161644-9	71R6070
72161835-3	74R2106
72162165-4	71R6050
72162178-7	75R0202
72215919-1	75R0202

AMERICAN LA FRANCE	
18-36232-020	RD-1-1647-1P
18-36233-010	RD-1-1648-1P
18-36233-020	RD-1-1650-1P
18-37270-010	RD-1-1719-1P
18-40530-010	RD-1-1940-1P
18-42436-000	RD-1-2095-1P
18-42436-001	RD-1-2096-1P
18-42437-000	RD-1-2097-1P
18-42437-001	RD-1-2098-1P
18-58413-000	RD-3-5180-0P
22-45701-000	RD-5-8766-2P
22-45701-001	RD-5-8767-2P
22-47387-000	RD-2-3263-32P
22-47388-000	RD-2-3262-51.50P

AMERICAN LA FRANCE	
22-47441-000	RD-5-8809-0P
22-47469-000	RD-2-3145-0P
22-47486-000	RD-2-3272-0P
22-47519-000	RD-2-3039-1P
22-47520-000	RD-2-3045-2P
2247641-000	RD-2-3282-0P
22-47641-000	RD-2-3282-0P
22-47806-000	RD-3-8363-1P
22-48050-000	RD-2-3676-0P
22-49764-000	RD-2-3516-1P
22-51012-000	RD-4-5487-0P
22-52759-000	RD-2-3624-0P
22-54594-000	RD-3-9818-0P
22-54637-000	R-9715-6P
2500-000014-0000	RD-3-13630-0P
2500-000015-0000	RD-3-13569-0P
2500-000095-0000	RD-3-14650-0P
2500-000125-0000	R-2540-0P
A18-40530-000	RD-1-1940-1P
A18-47428-000	RD-1-2377-0P
A18-47429-000	RD-1-2378-0P
A18-57548-000	RD-3-12440-0P
A22-61722-000	R-4500-15P
ABP N83 301177	RD-5-8759-0P
ABP N83 307990	RD-2-3203-0P

BERGSTROM	
108296	76R2600
108298	76R3250
108302	76R2300
108303	76R2350
108304	76R3400
108305	76R3460
108307	76R2400
108309	76R2210
108312	76R3300
108313	76R4000
108315	76R3930
108316	76R2320
108317	76R2340
108321	76R1900
108367	76R2155
151280	76R6960
151328	76R6960
151356	76R6150
151361	76R6310
151364	76R5000
151365	76R6700
151366	76R6950
151367	76R6180
151372	76R6350

BERGSTROM	
151374	76R6850
151378	76R7510
151379	76R6140
151382	76R7070
151383	76R7010
160004	77R0900
160005	77R7708
160006	77R7900
160007	77R0650
160011	77R0950
160012	77R1100
160041	77R0720
160092	77R0560
160092	77R7702
160111	77R6930
160117	77R6940
160122	77R6955
160125	77R6925
160126	77R6965
160128	77R6985
160137	77R8485
160149	77R7710
160151	77R7704
160154	77R1105
160155	77R7706
160156	77R7712
160174	77R8460
160189	77R8200
160198	77R0355
201520	73R0552
202020	73R0602
203020	73R0552
203046	73R2102
203046	73R2102
203061	73R4182
203067	73R0642
203070	73R4182
203075	73R0912
203080	73R4182
203088	73R0142
203097	73R4162
203115	73R2222
203126	73R0612
203132	73R0532
203133	73R0402
203134	73R4322
203154	73R4424
203156	73R2102
203169	73R0202
203172	73R4252
203173	73R0702

BERGSTROM	
203174	73R0532
203176	73R2152
203177	73R0462
203178	73R0422
203181	73R2202
203183	73R0652
203183	73R0652
203184	73R4162
203187	73R4602
203193	73R0102
203198	73R4182
203209	73R0432
203211	73R0322
203212	73R4252
203213	73R0962
203221	73R0062
203224	73R0912
203225	73R0702
203268	73R5562
203350	73R0364
203357	73R9062
203389	73R0612
205780	73R4182
206085	73R4322
220635	71R1150
223144	71R1455
223151	71R6210
223153	71R1150
274281	73R5562
280446	76R2400
301137	73R3062
301252	73R4322
301527	73R3022
302011	73R6253
313010	71R2200
313010	71R3200
323030	71R3200
323030	71R2200
324145	72R6530
510027	73R6253
510037	73R7130
511575	75R0182
511587	75R1412
525047	71R4010
525335	71R2200
525543	78R5308
525614	72R8250
525615	72R8280
525648	79R4595
525674	70R5020
525677	79R4561

BERGSTROM	
525678	79R4561
525683	79R4580
525691	75R8382
525692	75R8382
525693	75R84492
525694	75R8382
525696	75R90182
525698	75R8442
525712	71R8500
525722	75R8432
525723	75R8422
525724	75R84482
525741	75R7280
525742	75R7290
525743	75R7312
525751	75R84492
525761	74R5050
525784	78R5235
525997	75R81502
525997	75R84472
526047	75R8384
526333	74R5097
526357	75R81192
526374	75R89352
526383	75R89392
526388	75R89474
526452	75R90542
526459	75R90042
526511	75R90552
530755	75R8520
530756	75R8515
540018	71R8505
540021	71R8321
540022	71R8080
540027	71R8080
540031	71R8461
540044	71R8405
540057	71R8430
540058	71R8100
540060	74R1756
540062	74R1826
540062	74R1806
540065	71R6050
540071	74R2608
540072	74R3327
540072	74R3328
540076	74R3309
540077	74R3331
540078	74R2306
540082	72R1200
540088	74R2668

Convert Other Part Numbers to Red Dot Aftermarket Numbers

BERGSTROM	
540091	74R2668
540092	74R3331
540096	74R3357
540102	74R3324
540103	74R3077
540107	74R3450
540111	74R2706
540115	74R1756
540116	74R3107
540121	74R2687
540121	74R3137
540122	74R3107
540126	74R2687
540126	74R3137
540128	71R8321
540131	71R8210
540132	71R8090
540133	71R8210
540152	74R2616
540172	71R8080
540174	71R8321
540175	71R8050
540193	75R5718
540194	75R5711
540197	75R5658
540204	75R5728
540205	75R5721
540206	75R5698
540207	75R5691
540208	75R5688
540209	75R5681
540213	75R5570
540214	75R5648
540215	75R5641
540217	75R5731
540227	75R5808
540228	75R5801
540229	75R5700
540231	75R5705
540233	74R1826
540234	74R1866
540235	74R1956
540238	74R3318
540239	74R1866
540252	74R3377
540254	71R8415
540255	71R8405
540259	75R5668
540260	75R5661
540264	71R8090
540265	71R8503

BERGSTROM	
540266	71R8504
540267	71R8506
540268	71R8501
540274	71R8440
540275	71R8321
540293	71R8350
540299	74R1407
540322	74R3126
540426	74R2687
541177	74R3331
550252	75R5560
550269	70R4402
550271	70R7008S
550276	70R6496S
550279	70R2076
550281	70R2071
550285	75R5815
550294	70R4341
550295	70R4342
550298	70R4391
550301	70R4448
550303	70R4442
550306	78R0456
550307	78R0458
550308	78R0451
550312	70R4106
550313	70R4108
550321	70R4198
550322	70R4191
550323	70R4192
550324	70R4996
550331	70R4991
550337	70R2086
550339	70R2081
550342	79R1525
550343	79R1520
550345	70R4701
550347	70R2406
550350	70R6006
550353	70R6096
550367	70R5005
550387	75R5820
550388	75R5819
550392	75R5570
550393	75R5560
550394	75R5824
550397	70R5120
550398	70R5125
550399	75R5560
550402	79R1650
550415	70R2018

BERGSTROM	
550432	79R4600
550434	79R4605
550503	75R5819
550523	70R2076
550600	70R4608
551023	70R6446S
551060	70R4798
551268	70R8281
558403	70R5110
560145	78R8456
564700	70R5058
570120	70R5056
570141	79R4400
570420	74R2106
572770	70R5051
576270	71R8100
580087	70R5057
580088	70R5046
580094	75R5520
580123	70R5056
580124	70R5058
580210	70R5052
585520	72R2350
589500	71R8400
589880	72R8270
591510	72R0070
627001	79R4561
627002	79R4562
627003	79R4563
627006	79R4580
650100	71R1610
650149	71R2800
650163	71R3160
650172	71R1457
650179	71R1457
650195	71R3300
650203	71R6020
650204	71R6183
650417	71R3300
650418	71R6405
650419	71R6400
650438	71R0450
650439	71R0470
650441	71R1450
650448	71R7050
650449	71R7500
650451	75R0612
650453	71R7650
650476	71R3100
650481	75R4502
650483	75R0452

BERGSTROM	
650487	75R0302
650488	75R1652
650495	75R2402
650496	75R4502
650502	75R1412
650504	75R0252
650505	75R0182
650507	75R0252
650511	71R3150
650513	75R4534
650514	75R4734
650515	75R0452
650516	75R4742
650517	75R4782
650525	75R0202
650543	75R0302
650545	75R0612
650546	75R0662
650547	75R1342
650564	71R2600
650591	71R6095
650594	71R6090
650596	71R6230
650597	71R6090
650598	71R6120
650602	71R6257
650607	71R0480
650609	71R1150
650627	71R7650
650629	71R6040
650631	71R6070
650632	71R6030
650633	71R7550
650634	71R7500
650635	71R7000
650636	71R7050
650639	71R1210
650641	71R1210
650642	71R0550
650643	71R0100
650644	71R0400
650645	71R0200
650646	71R6300
650647	71R0050
650648	71R2250
650649	71R2300
650653	71R2305
650654	71R2250
650655	71R0400
650687	71R1702
650690	71R1704

BERGSTROM	
650719	71R6060
650719	71R6020
650731	71R1722
650761	71R6422
650763	71R6430
650764	71R6452
650790	71R1450
650800	71R6470
650802	71R6426
650805	71R6450
650808	71R6418
650819	71R6475
650823	71R1455
650854	71R2700
650867	75R0502
650868	75R1302
650869	71R7075
650870	71R7077
650871	71R0480
650878	71R3100
650890	71R9002
650892	75R0202
650912	71R6571
650923	75R0662
650954	72R0210
651020	71R6210
651150	71R1702
651154	72R0210
651273	71R3575
651323	71R6180
651324	71R6170
651332	71R6210
651390	71R2250
652090	71R0460
652100	71R1610
652420	71R1702
670731	71R1722
695014	72R1210
701064	73R1082
756726	73R9052
756727	73R9082
756728	73R9082
756737	73R9062
789880	72R8270
867559	71R6070
867855	72R6520
868013	73R3032
868541	73R4532
868652	72R6525
868820	72R6400
868822	72R6420

BERGSTROM	
868823	72R5260
869121	75R6510
869445	73R3102
869617	72R5040
869621	72R5050
869637	72R5070
869855	72R6515
890063	73R2102
890066	71R8510
890067	73R3062
1000004842	75R84302
1000004871	75R91142
1000028187	75R90032
1000036148	77R8420
1000036207	77R8345
1000036504	77R8320
1000036526	77R6995
1000036679	77R1335
1000039641	78R5242
1000039661	77R6978
1000139472	75R84292A
1000139484	75R81632A
1000139538	75R81302A
1000139559	75R81362A
1000139603	75R89872A
1000139617	75R89552A
1000139661	75R81662A
1000139664	75R81282A
1000139678	75R84302A
1000141219	75R89902
1000141227	75R89912
1000141384	75R90322
1000141413	75R90462
1000141434	75R89942
1000142451	73R3142
1000165177	75R81292A
1000198469	71R6175
1000220149	78R5450
1000226915	74R5088
1000255724	73R1082
1000279367	77R8340
1000305585	77R8305
1000305593	77R8325
1000305603	77R8330
1000305619	77R8350
1000477668	77R8450
1000617152	77R8405
1000617180	77R8309
1000617199	77R8485
1000617204	77R0115
1000624015	77R6982

BERGSTROM	
1000624303	77R6985
1000624329	77R6950
1000624368	77R7706
1000624642	77R0585
1000625091	77R6957
1000625142	77R0715
1000625337	77R0095
1000625364	77R7714
1000626370	77R8320
1000626391	77R8335
1000626828	77R8425
1000626834	77R1277
1000699298	77R7715
1000699304	77R8415
1000699306	77R8410
1000699308	77R6817
1000699309	77R7000
1000699313	77R8460
1000699314	77R8490
1000699316	77R8455
1000699318	77R8480
1000699320	77R0705
1000711999	75R90292
1000712791	75R90332
1000885781	77R0635
1001202138	75R90012
1001202145	75R90022
1001202157	75R90162
1001202158	75R90172
1001247898	75R90192
1001249362	75R90252
1001249397	75R89934
1001250650	75R89972
1001250666	75R89992
1001256924	75R90082
1001256934	75R90092
1001257187	75R90652
1001259636	75R90102
1001259657	75R90644
1001259664	75R90402
1001259821	75R90662
1000305690	77R8310
1001320795	75R89982
1001321603	75R90262
1001321633	75R89882
1001321743	75R90582
1001321790	75R89954
1001321953	75R89962
1001321969	75R90434
1001322606	75R90684
1001322633	75R90352

ALLIANCE	
1001323189	75R90522
1001323211	75R90592
1001323229	75R90202
1001345260	77R1279
1001345326	77R8390
1001345354	77R8395
1001345359	77R1279
1001345364	77R8305
1001345379	77R8375
1001345408	77R0675
10000362714	77R8355
1000141262	75R89922
1001441991	77R1277
20152P	73R0552
20202P	73R0602
520533A	75R1652
525674-SF	70R5020
549707BSM	71R8420
5638P	71R8100
57042P	74R1756
65089P	71R9002
651690S	71R1150
B402840	75R90242

BLUEBIRD	
0015318	71R8301
00033722	73R7130
00035861	73R4312
00035868	71R1457
0057157	73R0142
00063509	71R8380
00063511	71R3160
00084864	74R1756
0086033	73R5502
00090180	72R3135
00090190	71R3220
00090192	71R1702
00090197	71R9002
00104121	73R0142
0105366	73R5552
00114540	73R0652
203066	73R1092
203088	73R0142
0228072	73R0652
701064	73R1112
00935494	73R1222
1438480	73R0082
01476183	73R1232
01494897	71R4105
1601681	71R1457
02103414	73R1152

Convert Other Part Numbers to Red Dot Aftermarket Numbers

BLUEBIRD	
04300026	71R1702
04316246	73R0642
4316295	71R1463
04320925	71R1160
08303141	71R1150
08304610	73R4162
08314320	73R9102
10023137	73R9112
10029227	73R9122
10043582	73R1082
10043583	73R1122
10043584	73R1102
10043585	73R1142
10043587	73R1172
10043588	73R1192
10043589	73R1212
013240124	70R7100
020140100	72R5500
100004418	73R1132
1000146165	73R5732
11-00059	RD-5-8705-0P

CARRIER/MCC	
101-101	71R8050
101-143	73R4102
101-302	74R2106
111-051	73R2300
113-006	71R1150
14-00203-00	74R0480
14-00288-00	74R0480
14-00301-03	71R8301
14-00326-05	74R0500
14-01063-05	74R0485
17-31244-00	75R8672Q
17-31252-00	75R0082
17-31253-00	75R4782
17-31262-00	75R4792
17-31311-00	75R86142Q
18-00074-36	75R85632
18-00093-00	75R8422
18-00093-02	75R81482
18-00093-13	75R85102Q
18-00093-14	75R89462
18-10123-00	75R86142Q
18-10123-04	75R86142Q
18-60012-12	75R8672Q
201-300	71R1160
201-305	71R1165
201-407	71R6070
201-804	71R1704
20-210019	71R8321

CARRIER/MCC	
221-568	71R1702
221-711	71R1704
301-101	78R0458
301-102	78R0451
301-103	78R0452
301-409	70R2402
301-410	70R2038
301-412	70R2018
301-419	70R4698
301-433	70R4696
301-436	70R6098S
301-444	70R2406
301-447	70R4608
301-464	70R4606
301-486	70R6091S
302-436P	70R2072S
302-437P	70R2071S
311-007	78R0458
311-008	78R0451
311-009	78R0452
313-177	70R4698
313-179	70R4608
313-189	70R4701S
313-195	70R2072S
313-197	70R2071S
313-212	70R4696
313-224	70R2402
313-231	70R4606
313-252	70R2018
38-00564-50	73R7220
401-100	73R8712
501-218	75R8520
501-266	75R85632
501-266A	75R85632
501-289A	75R81512
501-289B	75R81512
501-291	75R0082
501-292	75R0262
501-293	75R0252
501-294	75R0274
501-298	75R81502
502-212	75R1432
502-214A	75R81252
518-002	70R5056
518-003	70R5058
54-00653-00	73R2192
54-00653-01	73R2172
54-00653-02	73R2182
54-50098-00Z	RD-5-8705-0P
65-00193-00	74R0475
76-62003-00	75R8672Q

CARRIER/MCC	
76-62043-04	75R86212Q
76-62043-99	75R85032Q
76-62154-04	75R86142Q
76-62154-05	75R86142Q
76-62164-05	75R86142Q
801-201	70R5056
801-202	70R5058
801-203	70R5051
801-217	70R5052
AC101-100	71R8301
AC101-102	71R8100
AC101-107	71R8301
AC201-305	71R1165
AC201-402	71R6050
AC501-266	75R85032Q
AC501-266A	75R85032Q
AC501-268	75R86172Q
AC501-275A	75R8614Q
AC502-220	75R8712Q
AC512-043	75R85032Q
AC512-044	75R85032Q
AC512-054	75R86172Q
AC512-055	75R86172Q
AC512-056	75R86172Q
AC512-075	75R85032Q
AC512-076	75R85032Q
AC512-082	75R86172Q
AC512-087	75R86172Q
AC512-107	75R86172Q
AC512-125	75R85032Q
AC512-130	75R8632Q
AC801-203	70R5051
BLW-200-41	73R5772
DRI-104	74R0475
MTR-105P	73R8722
MTR-140V	73R8712

CASE	
162008	75R4502
1-3759	75R0202
1065122	75R81274
1149484	75R81492
1149487	75R81492
1419676	75R84594
1630872	75R81114
1789570	75R81402
1835106	75R81134
2180234	75R84594
09801449	70R5051
09824775	75R84522
09843212	72R3601

CASE	
80417384	73R0532
80430411	73R4322
86013101	72R5230
86014820	RD-5-8188-1P
86026350	73R5502
86983968	75R81104
86992688	75R81412
86993462	75R84112
86993463	75R81412
700713317	75R84112
01-784010	71R2300
088214-00, 088214-03	74R3107
109268C2	71R2300
111218-C1	74R4017
117783-C1	73R0532
118321C1	71R8301
1280333C2	71R8100
134552C1	74R2106
143405C91	75R4502
143464-C2	74R4027
155491C91	71R6300
168822C1-C2	71R1163
168822C2	71R1165
168902C1	71R2250
168903C91	71R8210
175575C1	71R2250
1924004C1	75R7280
1974779C1	73R4252
1990755C3	75R84112
1990756C1	71R8321
1990756C2	71R8321
1990758-C2	74R4027
1990758-C2	74R4027
1999755C2	75R84112
1999755C3	75R84112
1999760C2	75R84114
20179C1	71R8210
2807-508-043	73R0092
301395C91	71R2300
317008A3	75R81412
352524A2	75R81104
417888C92	75R7280
509170-C91	75R8102
539047-R2	73R0532
539049R1	74R4016
647669C1	71R8050
65338C91	75R1202
66390-C1	73R0532
66398C1	71R8050
8P9982	73R0364
98370C3	71R8321

CASE	
A42625	71R8080
A47717	71R6050
A63866	71R1210
A64956	75R4502
F43646	71R2250
F63726	71R8050
L108189	71R2300
L73617	71R1160
R52618	71R2305
RD-5-9513-0	71R8380

CATERPILLAR	
0539296	73R0032
1707272	78R5243
1785545	75R9044
2457779	75R9044
2597243	75R9044
088193-03	74R2677
088273-00	74R1106
088411-01	74R0462
088423-00	74R2537
101-1759	75R81184
101-1795	75R81184
101-8789	74R5061
106-5122	75R81274
106-5532	74R3527
106-5534	74R3517
107-6070	71R0884
114-5333	71R6157
114-9484	75R81492
114-9676	75R84594
114-9887	75R81492
134-3997	75R81184
141-9676	75R84594
146-6371	72R3135
163-0872	75R81114
168903C1	71R8210
170-0235	74R5101
170-7272	78R5243
174-1494	73R4274
175-7162	74R0470
178-5545	75R9044
178-9570	75R81402
183-5106	75R81134
186-6189	74R2716
206-7398	71R4020
216-0804	77R8385
216-0805	77R8385
218-0234	75R84594
218-0324	75R84594
231-8126	72R5203

CATERPILLAR	
231-8132	78R5367
231-8138	71R4020
232-7939	70R2011S
232-7941	70R2012S
232-7943	70R2016S
232-7945	70R2018S
232-7983	70R2402
232-7984	70R2406
232-8007	70R4006
232-8032	70R4302S
232-8040	70R4342S
232-8044	70R4348S
232-8048	70R4392S
232-8061	70R4416S
232-8082	70R4508S
232-8087	70R4591S
232-8091	70R4598S
232-8096	70R4606S
232-8098	70R4608S
232-8101	70R4646S
232-8106	70R4696S
232-8108	70R4698S
232-8112	70R4706S
232-8114	70R4791S
232-8116	70R4796S
232-8127	70R5052
232-8169	70R7002S
232-8188	70R8001
232-8189	70R8002
232-8190	70R8006
232-8191	70R8008
232-8192	70R8091
232-8193	70R8092
232-8194	70R8096
232-8195	70R8098
232-8197	70R8198
232-8198	70R8211
232-8199	70R8212
232-8200	70R8216
232-8201	70R8218
232-8205	70R8248
232-8206	70R8261
232-8207	70R8271
232-8208	70R8272
232-8209	70R8276
232-8210	70R8278
232-8211	70R8292
232-8212	70R8301
232-8213	70R8302
232-8214	70R8306
232-8215	70R8308

CATERPILLAR	
232-8219	70R8601
232-8220	70R8602
232-8221	70R8606
232-8222	70R8608
232-8223	70R8641
232-8224	70R8642
232-8225	70R8646
232-8226	70R8648
232-8227	70R8691
232-8228	70R8692
232-8229	70R8696
232-8230	70R8698
232-8231	70R8701
232-8232	70R8706
232-8233	70R8708
232-8234	70R8711
232-8235	70R8716
232-8236	70R8761
232-8237	70R8781
232-8238	70R8786
232-8239	70R8788
232-8240	70R8791
232-8241	70R8796
232-8242	70R8798
232-8243	70R8801
232-8244	70R8802
232-8245	70R8806
232-8246	70R8808
232-8247	70R8821
232-8248	70R8822
232-8249	70R8826
232-8250	70R8828
232-8345	71R0030
232-8357	71R0453
232-8360	71R0480
232-8361	71R0500
232-8389	71R1401
232-8390	71R1402
232-8391	71R1403
232-8392	71R1404
232-8393	71R1405
232-8396	71R1457
232-8399	71R1463
232-8403	71R1610
232-8417	71R2250
232-8432	71R3300
232-8439	71R4025
232-8443	71R4050
232-8445	71R4105
232-8461	71R6050
232-8477	71R6180

CATERPILLAR	
232-8480	71R6210
232-8482	71R6230
232-8501	71R6415
232-8503	71R6418
232-8505	71R6422
232-8506	71R6424
232-8510	71R6430
232-8515	71R6442
232-8517	71R6445
232-8519	71R6448
232-8521	71R6451
232-8522	71R6452
232-8523	71R6454
232-8525	71R6456
232-8526	71R6458
232-8527	71R6460
232-8531	71R6565
232-8532	71R6566
232-8536	71R6573
232-8537	71R6576
232-8539	71R6580
232-8550	71R8050
232-8552	71R8090
232-8562	71R8380
232-8564	71R8405
232-8566	71R8415
232-8568	71R8430
232-8570	71R8440
232-8571	71R8450
232-8573	71R8501
232-8574	71R8503
232-8575	71R8504
232-8578	71R8507
232-8580	71R9002
232-8581	71R9004
232-8643	72R3156
232-8682	72R6520
232-8711	72R9040
232-8729	73R0012
232-8732	73R0034
232-8733	73R0042
232-8738	73R0082
232-8739	73R0092
232-8742	73R0142
232-8743	73R0152
232-8746	73R0212
232-8758	73R0432
232-8773	73R0612
232-8776	73R0642
232-8782	73R0982
232-8786	73R0912

Convert Other Part Numbers to Red Dot Aftermarket Numbers

CATERPILLAR	
232-8789	73R2112
232-8791	73R2132
232-8792	73R2142
232-8793	73R2152
232-8794	73R2202
232-8796	73R2222
232-8798	73R2242
232-8799	73R2262
232-8802	73R3002
232-8803	73R3022
232-8804	73R3032
232-8813	73R4122
232-8822	73R4312
232-8823	73R4322
232-8828	73R4532
232-8830	73R5502
232-8831	73R5504
232-8832	73R5512
232-8833	73R5514
232-8834	73R5522
232-8835	73R5524
232-8836	73R5532
232-8837	73R5534
232-8839	73R5552
232-8840	73R5554
232-8841	73R5562
232-8846	73R6051
232-8852	73R6270
232-8863	73R7130
232-8874	73R8562
232-8875	73R8564
232-8876	73R8582
232-8877	73R8584
232-8879	73R8594
232-8889	73R9082
232-8910	74R1436
232-8923	74R2002
232-8933	74R2590
232-8936	74R2616
232-8981	74R5060
232-8991	74R5081
232-9017	75R0032
232-9020	75R0062
232-9021	75R0072
232-9022	75R0082
232-9023	75R0092
232-9034	75R0252
232-9035	75R0262
232-9039	75R0402
232-9040	75R0422
232-9042	75R0502

CATERPILLAR	
232-9043	75R0512
232-9044	75R0522
232-9047	75R0662
232-9048	75R0682
232-9051	75R1212
232-9053	75R1302
232-9058	75R1412
232-9059	75R1414
232-9061	75R1432
232-9063	75R1512
232-9064	75R1522
232-9065	75R1532
232-9066	75R1542
232-9069	75R1832
232-9070	75R1842
232-9071	75R1852
232-9072	75R1862
232-9090	75R4534
232-9092	75R4702
232-9095	75R4732
232-9096	75R4734
232-9097	75R4742
232-9101	75R4782
232-9102	75R4792
232-9121	75R5565
232-9123	75R5575
232-9141	75R5691
232-9142	75R5698
232-9144	75R5705
232-9148	75R5722
232-9149	75R5728
232-9151	75R5738
232-9159	75R5819
232-9197	75R7280
232-9198	75R7290
232-9199	75R7300
232-9202	75R82102
232-9206	75R82132
232-9208	75R82142
232-9216	75R8252
232-9222	75R83112
232-9224	75R83132
232-9225	75R83152
232-9229	75R8332
232-9232	75R8354
232-9239	75R84112
232-9241	75R84132
232-9242	75R84152
232-9243	75R84162
232-9244	75R84172
232-9245	75R84182

CATERPILLAR	
232-9246	75R84192
232-9247	75R84212
232-9249	75R84232
232-9251	75R84252
232-9255	75R84292
232-9256	75R84312
232-9258	75R84352
232-9259	75R84362
232-9261	75R84382
232-9266	75R84452
232-9267	75R84472
232-9268	75R84482
232-9269	75R84492
232-9270	75R84512
232-9271	75R8454
232-9272	75R84532
232-9273	75R84552
232-9274	75R84562
232-9275	75R84572
232-9279	75R8462
232-9280	75R84622
232-9282	75R8464
232-9321	75R8722
232-9420	75R0274
232-9682	77R6935
232-9683	77R6940
232-9690	77R7000
232-9693	77R7702
232-9694	77R7704
232-9695	77R7706
232-9697	77R7710
232-9699	77R7714
232-9717	75R89392
232-9926	78R5302
232-9927	78R5304
232-9928	78R5306M
232-9929	78R5308
232-9937	78R5380
232-9961	78R5240
233-0018	79R4561
233-0030	79R4655
233-0042	79R8920
233-0043	79R8930
233-0044	79R8931
236-5072	73R5642
236-5081	78R5250
240-9698	75R89305
240-9699	75R89310
240-9700	75R89315
240-9701	75R89320
240-9702	75R89325

CATERPILLAR	
240-9704	75R89302
240-9705	75R89312
240-9707	75R89334
240-9709	75R89352
240-9711	75R89354
240-9712	75R89372
240-9714	75R89374
240-9715	75R89384
240-9719	75R89422
240-9720	75R89424
243-5753	70R6501
245-7779	75R9044
247-3501	78R5235
247-3511	75R89484
247-3512	75R89474
247-3514	75R89412
247-3543	74R5093
247-3547	74R3327
247-3551	74R3328
247-3553	74R3126
247-3563	72R2120
247-3564	71R8425
247-3565	71R8385
247-3567	71R6600
247-3571	71R6480
247-3572	71R6475
247-3574	71R6463
247-3595	71R1620
247-3628	70R8998
247-3629	70R8996
247-3632	71R6150
247-3635	70R8681
247-3637	70R8591
247-3638	70R8558
247-3639	70R8556
247-3640	70R8551
247-3642	70R8511
247-3708	70R8398
247-3709	70R8348
247-3710	70R8346
247-3711	70R8341
247-3714	70R8296
247-3715	70R8291
247-3716	70R8208
247-3720	70R8201
247-3722	72R2350
247-3724	70R8068
247-3725	70R8066
247-3726	70R8062
247-3727	70R8061
247-3734	70R5046

CATERPILLAR	
247-3738	75R84662
248-8218	73R0442
248-8219	73R4242
248-8221	73R5622
248-8222	73R5624
248-8223	73R5632
248-8224	73R5634
248-8225	73R5642
248-8287	78R5315
248-8288	78R5318
248-8291	78R5375
252-2348	78R8452
252-2349	78R8456
252-2350	78R8458
257-3227	74R0455
258-4272	71R1163
258-4295	RD-5-4089-0M
259-7243	75R9044
264-4492	74R2687
264-5092	70R8886
264-5119	70R8888
265-7357	75R81172
266-9675	73R0462
271-8763	72R9020
274-5909	74R5100
292-1043	71R0475
292-1047	71R0485
292-1062	71R0487
292-2679	70R8086
292-2680	70R8088
292-2681	70R8688
292-2698	70R8598
292-2699	70R8621
292-2703	70R8881
292-3088	70R8071
295-5440	RD-5-12195-0P
2G-0398	71R2300
2G-0401	71R8100
2G0409	73R0364
2G396	71R2700
2G398	71R2300
2G401	71R8100
2P4338	71R2250
303-6658	RD-5-12372-0P
305-0324	75R9044
305-0325	75R9044
308-2583	74R5102
317-0006	78R9600
317-0025	RD-5-10962-0M
320-0562	74R0495
320-0563	74R0495

CATERPILLAR	
320-0564	74R5103
320-1291	75R90344
351-6171	RD-5-6912-0M
353-8584	77R8440
372-9295	75R85654
379-2419	76R7450
379-2421	76R4100
379-2422	73R5624
379-2423	71R3150
379-2425	72R5060
379-2469	71R8504
3853558F92	77R8445
3E1906	75R81184
3E-1906	75R81184
3E1909	75R81274
3E3535	74R0470
3E-3595	74R0470
3E3658	75R84592
3E-5464	71R3220
3P7994	72R5050
4KK01962	75R84592
501-1179	75R81134
5P-3929	70R3901
5P-3948	70R3906
6K9774	71R6300
712-225	74R1856
7G8699	72R5050
7X2049	71R8505
7X2149	71R8505
8C4120	78R5318
8P5142	78R5320
8P5346	71R2250
8P5349	71R2250
8P9982	73R0364
8T8816	75R81274
9G0393	73R0364
9G0397	73R0364
9G8693	73R0364
9G8697	73R0364
9P-3498	71R2250
9X3439	77R8385
MA 6	75R0452
OR6756	75R8184
RD 5 4640 0	71R7050
RD-3-8783-0P	RD-3-8783-0P
RD-4172-0	71R2310
RD-4-3683-2	77R7900
RD-4-4069-0	77R0110
RD-4-4069-1	77R0110
RD-4427-24	71R3100
RD-4-4738-0	77R0620

CATERPILLAR	
RD-4-4968-0	77R7100
RD-4-5378-0	77R1290
RD-5-0071-0	71R0400
RD-5-10013-0	71R8506
RD-5-10028-0	RD-5-10028-0P
RD-5-10055-0	72R6547
RD-5-10239-0	71R3540
RD-5-10635-0P	72R5204
RD-5-3647-0	71R1450
RD-5-3748-0	71R0010
RD-5-3780-0	73R4102
RD-5-3843-0	74R2447
RD-5-4531-24	71R3200
RD-5-4531-24P	71R3200
RD-5-7015-0	71R8321
RD-5-7565-0	74R3537
RD-5-8377-0	71R3125
RD-5-8390-0	72R6525
RD-5-8433-0	71R7075
RD-5-8665-0	71R1485
RD-5-8894-0	72R6535

CLIMATECH	
18-03544	76R6120
18-03903	77R0665
75R5829	75R5824
AA10200	78R0456
AA10400	78R0458
AA10450	78R0456
AA10550	78R0451
AA10600	78R0452
AA10850	78R0458
AA10900	78R0451SP
AA11050	78R0070
AA11100	72R9020
AA11200	78R0400
AA11400	78R0200
AA11450	78R0250
AA11500	78R0350
AA11600	79R3173
AA11650	79R3171
AA11700	79R3175
AA11750	78R0030
AA11800	78R0040
AA11850	78R0050
AA11900	78R0060
AA40650	78R0456
AB10250	70R1301
AB10300	70R1406
AB10450	70R1496
AB10650	70R2068

CLIMATECH	
AB10700	70R1408
AB10850	70R1491
AB11850	70R7550
AB12100	75R5718
AB12200	75R5711
AB12350	70R1308
AB12500	70R2018
AB12900	RD-5-5383-0P
AB13400	70R4391
AB13900	70R4308
AB16800	75R5721
AB17500	75R5728
AB18850	70R1496
AB20750	70R1401
AB20900	75R5700
AB20950	70R7100
AB21000	79R3178
AB21050	79R3179
AB21450	70R3001
AB21800	70R2061
AB21850	70R2076
AB21950	70R2071
AB22000	70R4006S
AB22050	70R4008S
AB22100	70R4001S
AB22150	70R4002S
AB22200	70R4106
AB22250	70R4108
AB22500	70R4198
AB22550	70R4191
AB22600	70R4192
AB22700	70R2081
AB22800	70R4096S
AB22900	70R4091S
AB22950	70R4092S
AB23450	70R4402
AB23500	70R4442
AB23600	70R2038
AB23650	70R4698
AB23700	70R2031
AB23800	70R4701
AB23950	70R4798
AB24250	70R4548
AB24350	70R4596
AB24400	70R4598
AB24450	70R4591
AB24500	70R4996
AB24600	70R4991
AB24650	70R6006
AB24800	70R6096
AB24950	70R4606

Convert Other Part Numbers to Red Dot Aftermarket Numbers

CLIMATECH	
AB25000	70R4608
AB25100	70R4696
AB25150	75R5678
AB25250	75R5858
AB25350	75R5671
AB25400	75R5672
AB25450	75R5842
AB25500	75R5852
AB25550	75R5832
AB26000	75R5825
AB26350	70R2086
AB27200	70R4342
AB27450	70R3906
AB27500	70R3901
AB27550	70R7500
AB27600	70R7250
AB29450	70R3206
AB29500	70R3208
AB31250	75R5718
AB31300	75R5711
AB31450	75R5658
AB31750	75R5728
AB31800	75R5721
AB31850	75R5698
AB31900	75R5691
AB32000	75R5681
AB32050	75R5678
AB32100	75R5671
AB32150	75R5672
AB32200	75R5648
AB32250	75R5641
AB32350	75R5731
AB33200	75R5808
AB33250	75R5801
AB33300	75R5705
AB33850	70R2406
AB34100	70R7008S
AC10000	70R5056
AC10050	70R5051
AC10100	70R5058
AC10200	70R5056
AC10350	70R5058
AC10500	70R5057
AC10600	70R5051
AC10650	70R5056
AC10700	70R5058
AC10850	70R5046
AC10900	70R5058
AC11050	70R5051
AC11100	70R5051
AC11150	70R5052

CLIMATECH	
AC11700	70R5057
AC11800	70R5056
AC11900	70R5058
AC11950	70R5051
AC12000	70R5052
AC12050	70R5046
AC12300	75R5525
AC12350	75R5525
AC12400	75R5525
AC12850	75R5520
AE10000	70R5100
AE10250	70R2301
AE10300	70R2306
AE10400	70R3008
AE10450	70R3006
AE10700	RD-1-0639-0P
AE10750	70R7750
AE10850	70R7110
AE11050	75R5824
BA10000	71R0460
BA10050	71R0453
BA10150	71R1620
BA10200	71R1160
BA10300	71R0250
BA10350	71R0040
BA10400	71R0600
BA10450	71R1620
BA10600	71R0852
BA10650	71R1150
BA10800	71R1620
BA11350	71R0487
BA11400	71R6300
BA11450	71R1210
BA11550	71R0650
BA11850	71R0050
BA11900	71R1160
BA12050	71R0450
BA12100	72R0600
BA12150	72R0210
BA12200	72R0200
BA12250	72R0050
BA12300	RD-5-5497-1P
BA12350	72R0240
BA12400	71R7650
BA12450	72R1502
BA12500	71R6080
BA12550	72R0500
BA12600	71R0550
BA12650	71R7600
BA12700	RD-5-4285-0P
BA12750	72R0200

CLIMATECH	
BA12850	RD-5-4704-1P
BA12900	71R6140
BA12950	71R0500
BA13050	71R0050
BA13200	71R0350
BA13300	72R1504
BA13350	71R0700
BA13450	71R2250
BA13550	72R0260
BA13900	71R1160
BA14350	71R0500
BA14500	72R0600
BA14550	71R0480
BA14750	71R6418
BA14950	71R6220
BA15200	71R6210
BA16300	72R0190
BA32300	71R6175
BB10000	71R6050
BB10050	71R6040
BB10100	72R0070
BB10250	71R6070
BB10500	71R6110
BB10750	71R6070
BB10800	71R6120
BB10850	71R6130
BB11050	71R6030
BB11100	71R6070
BB11200	71R6060
BB11250	71R6090
BB11500	71R6020
BB11750	RD-3-4084-1P
BB11800	71R6020
BB13850	71R6181
BB13900	71R6183
BB13950	71R6095
BB14000	71R6095
BB14200	71R6230
BB14250	71R6090
BB14300	71R6120
BB14400	71R1150
BB14550	71R7075
BB14600	71R7077
BC10000	71R7550
BC10050	71R7500
BC10100	71R7000
BC10150	71R7050
BC10200	71R7050
BD10150	71R2250
BD10250	71R2300
BD10350	71R2400

CLIMATECH	
BD10550	71R3300
BD10650	71R3100
BD10700	71R3100
BD10750	71R3100
BD10800	71R3150
BD10950	71R3200
BD11050	71R3200
BD13000	71R2700
BD13300	71R2250
BD13400	71R3100
BD13550	71R3160
BD13650	RD-5-5534-0P
BD14050	71R2100
BD14200	71R2700
BD14250	71R2600
BD14300	71R3220
BD14350	71R2305
BD14600	71R2250
BD14700	71R2600
BD15300	71R3300
BD15450	71R3220
BE10000	71R0400
BE10050	71R0300
BE10100	71R0260
BE10150	71R2250
BE10200	71R0400
BE10250	71R0150
BE10300	71R0250
BE10350	71R0200
BE10600	71R0100
BE10700	RD-5-4693-0P
BE13050	71R0050
CA10000	71R1450
CA10050	71R1450
CA10200	71R1455
CA10250	RD-6-4661-1P
CA10350	71R1457
CA10450	71R1510
CA10600	71R1520
CA10700	71R1457
CA11750	71R1457
CA11850	71R1455
CB10000	71R1702
CB10050	71R1702
CB10100	71R1802
CB10150	71R1652
CB10250	71R1652
CB10650	71R1654
CB10700	71R1902
CB10750	71R1704
CB10800	71R1702

CLIMATECH	
CB11100	71R1702
CB11150	71R1702
CC10150	71R1310
CC10200	71R1300
CD10000	71R9002
CD10050	RD-6-4676-0P
DA10000	72R1310
DA10050	72R1210
DA10100	72R1200
DA10150	72R1100
DA10300	RD-3-2788-2P
DA10350	72R1300
DA10400	71R3575
DB10200	RD-3-2788-6P
EA10050	71R8050
EA10150	71R8080
EA10200	71R8100
EA10550	71R8210
EA10600	71R8301
EA10650	71R8301
EA10660	71R8461
EA10750	71R8321
EA10900	71R8400
EA10950	71R8301
EA12100	71R8301
EA12300	71R8100
EA12550	71R8301
EA12600	71R8370
EA13000	71R8080
EA13050	71R8310
EA13100	71R8430
EA13200	71R8461
EA13650	71R8370
EA13900	71R8210
EA14000	RD-5-14085-0P
EA14100	71R8080
EA14400	71R8350
EA14500	71R8090
EA15000	71R8450
EC10050	71R8500
EC10100	71R8500
EC10150	71R8505
EC10250	71R8504
F37-6002	74R2026
F37-6003	74R2016
F37-6008	74R2016
F37-6009	74R2006
F37-6013	74R2026
F69-1013	75R89842
FA10000	72R8250
FA10050	72R8270

CLIMATECH	
FA10100	72R8280
FA10350	RD-5-7683-97P
FA10450	RD-5-4776-1P
FA10650	72R8200
FA10700	RD-5-6410-72P
FA10950	72R8400
FA11200	72R8300
FA11700	72R7700
FA11850	RD-4180-69P
FA12050	72R7600
FA12400	72R8360
FA12450	72R8410
FA13700	71R4501
FB10600	RD-3-6130-0P
FB11200	71R5212
FD10050	71R4030
FD10100	71R4035
FD10350	71R4050
FD10500	RD-4170-0P
FD10750	71R4040
FD19950	71R4030
FG10050	71R1150
GA11150	70R7150
GA11300	RD-5-5548-0P
GA11700	72R3550
GA11900	78R0300
GA12000	72R3510
GA12050	72R2110
GA12100	72R3530
GB10000	72R2140
GB10050	72R2250
GB10100	72R2550
GB10150	72R3050
GB10300	RD-5-6581-0P
GB10400	72R2300
GB10450	72R3200
GB10500	72R3110
GB11650	72R3110
GB11850	72R3100
GB11900	72R2200
GB11950	72R2000
GB12100	72R2130
GB12150	72R2150
GB12200	72R2100
GB12250	72R2600
GB12300	72R3000
GB12500	72R2350
GD10100	78R5300
GD10150	RD-5-5352-0P
GD10200	78R5306M
GD11300	78R5000

CLIMATECH	
GD11450	78R5239
GD11500	78R5235
GD11600	78R5308
GD11700	78R5435
GD11900	78R5242
HA09830	73R3142
HA09830	73R1002
HA10000	73R0552
HA10100	73R0522
HA10300	73R0152
HA10350	73R0402
HA10400	73R0402
HA10500	73R0322
HA10550	73R0352
HA10600	73R0402
HA10700	73R0422
HA10750	73R0432
HA10800	73R0454
HA10900	73R0512
HA11000	73R0552
HA11050	73R0552
HA11100	73R0554
HA11200	73R0602
HA11250	73R0652
HA11350	73R0652
HA11400	73R0322
HA11500	73R0702
HA11550	73R0702
HA11650	73R0912
HA11750	73R0922
HA11950	73R0962
HA12100	73R1052
HA12450	73R2102
HA12500	73R2152
HA12600	RD-5-14087-0P
HA13050	73R2202
HA13150	73R0404
HA13250	73R2152
HA14200	73R0652
HA15200	73R0522
HA15250	73R2162
HA15850	73R2102
HA15950	73R0552
HA16450	73R0152
HA16700	73R0364
HA16950	73R0462
HA17000	73R0532
HA17100	73R4062
HA17200	73R0102
HA17300	73R0152
HA17350	73R0522

CLIMATECH	
HA17400	73R2262
HA17500	73R4532
HA17600	73R0604
HA17650	73R0204
HA17700	73R0104
HA17900	73R0542
HA17950	73R0544
HA18000	RD-5-4387-0P
HA18200	73R0442
HA18300	73R3032
HA18350	73R3082
HA18450	73R4102
HA18800	73R0652
HA19000	73R0652
HA19250	73R2102
HA19350	73R0612
HA19600	73R0012
HA19650	73R0642
HA19700	73R0142
HA19750	73R0522
HA20000	73R2102
HA20050	73R0652
HA21200	73R2132
HA21550	73R3062
HA21600	73R5562
HA21700	73R3022
HA22050	73R0652
HA23600	73R3002
HA23700	73R0462
HB10160	73R4182
HB10300	73R4162
HB10350	73R4182
HB10400	73R4182
HB10450	73R4252
HB10500	73R4182
HB10550	73R4202
HB10600	73R4204
HB10700	73R4252
HB10750	73R4254
HB10850	73R4322
HB10950	73R4312
HB11000	73R4312
HB11050	73R4504
HB11100	73R2262
HB11150	73R2262
HB11200	73R4602
HB11550	73R4102
HB15300	73R4602
HB15700	73R4322
HB16100	73R4182
HB16250	73R4532

Convert Other Part Numbers to Red Dot Aftermarket Numbers

CLIMATECH	
HB16400	73R3002
HB16600	73R4532
HB16650	73R4532
HB16700	73R4182
HB16750	73R4532
HB16800	73R4322
HB18800	73R3002
HC10000	73R7130
HC10100	RD-5-7663-0P
HC10250	73R6151
HC10500	73R7130
HC10550	73R6381
HC10750	73R7101
HC12800	73R6251
HC12900	73R7000
HC13000	73R7151
HC13050	73R8110
HC13100	73R8100
HC13250	73R6370
HC13500	73R7000
HC14000	73R6051
HC14000	73R6051
HC14050	73R6253
HC16250	73R6383
HD10150	73R9052
HD10200	73R9062
HE10250	RD-5-5434-0P
HE11100	74R7220
HE11150	RD-5-6048-0P
HE11200	75R6000
HE11500	77R9005
HE11850	75R6010
HE12150	75R9545
HE12200	77R9010
HF10050	RD-3-2547-0P
HF10100	RD-3-2547-1P
HF10200	RD-3-4058-0P
HF10300	RD-5-4387-0P
HF10600	73R6251
HF10750	RD-3-3922-2P
HF10850	RD-2-1206-0P
HF15450	73R4424
HG1000	73R9202
HG10050	73R9062
HG10100	RD-4101-6P
HG10300	71R0470
HG10550	RD-4101-4P
HG10600	71R1200
HG10750	RD-4101-8P
HG11150	RD-5-3894-1P
HG11200	72R0100

CLIMATECH	
JA10250	74R0450
JA10300	74R0450
JA10700	74R1706
JA10750	74R1706
JA10850	74R1756
JA10900	74R1806
JA10950	74R1856
JA11000	74R1906
JA11050	74R1906
JA11100	74R1956
JA11200	74R2106
JA11250	74R2106
JA11300	74R1706
JA11350	74R2306
JA11400	74R2306
JA11750	74R2586
JA11800	74R2596
JA12050	74R2668
JA12100	74R2668
JA12250	74R2668
JA12350	74R2706
JA12400	74R2706
JA12700	74R3066
JA12750	74R3107
JA12800	74R1427
JA13250	74R3450
JA17400	74R2668
JA17550	74R2608
JA17600	74R2106
JA17750	74R1756
JA17900	74R2608
JA17950	74R3309
JA18150	71R2800
JA18400	74R7210
JA18450	74R1826
JA18700	74R3137
JA18750	74R2447
JA18800	74R2447
JA18850	74R3331
JA18900	74R3137
JA18950	74R1866
JA19000	74R2577
JA19050	74R3466
JA19100	74R2106
JA19350	74R4116
JA19400	74R4016
JA19750	74R3324
JA19800	74R3077
JA19950	74R3309
JA20000	74R2106
JA20150	74R5093

CLIMATECH	
JA20200	74R3323
JA20350	74R3318
JA20500	74R3107
JA20550	74R3137
JA20800	74R1407
JA21400	74R2616
JA21550	74R4016
JA22100	74R3317
JA22150	74R3126
JA22250	74R2002
JA22400	74R3126
JC10050	74R5050
JC10700	74R5600
JC10800	74R5061
JC12000	74R5062
JC21450	74R5093
JD10050	74R8006
KA10000	75R1202
KA10050	75R0302
KA10200	75R2402
KA10250	75R0252
KA10400	75R1202
KA10550	75R0182
KA10700	75R0082
KA10750	75R0202
KA10800	75R1412
KA10850	75R1652
KA10900	75R4502
KA10950	75R0302
KA11350	75R0452
KA11550	75R0042
KA11600	75R0252
KA13450	75R0202
KA13500	75R0202
KA13600	75R0452
KA13700	75R0204
KA13900	75R0612
KA13950	75R0452
KA14000	75R0522
KA14050	75R0682
KA14100	75R0512
KA14200	75R4782
KA14600	75R0302
KA14800	75R0612
KA14850	75R0662
KA14900	75R1342
KA15150	75R0042
KA15250	75R1302
KA15320	75R0522
KA15350	75R0522
KA16400	75R4732

CLIMATECH	
KA16500	75R4702
KA16550	75R4742
KA16800	75R4702
KA16950	75R4734
KB10150	75R6040
KC10100	75R0522
KC10250	71R1900
L110950	75R5540
LA10300	70R3550
LA10400	75R5661
LA10450	75R5668
LA10700	75R5520
LA12250	71R9002
LA12350	75R5658
LA12550	75R5608
LC10000	75R7280
LC10050	75R7280
LC10100	75R7290
LC10150	75R7290
LC10200	75R7290
LC10800	75R7280
LC11000	75R7280
LC11050	75R7280
LC11100	75R7280
LC11300	75R7290
LC11400	75R7290
LC20000	75R7280
LC21000	75R7290
LC21200	75R7322
LC21250	75R7332
LC21400	75R7300
LE01110	75R81662
LE01220	75R89582Q
LE10350	75R8382
LE10850	75R81502
LE11150	75R8382
LE11300	75R8252
LE11400	75R8432
LE11450	75R8422
LE12100	75R8372
LE12650	75R8384
LE12700	75R8374
LE12750	75R83132
LE12900	75R8442
LE13050	75R84172
LE14500	75R8917
LE16200	75R8382
LE16400	75R81472Q
LE16750	75R81502
LE16950	75R81232
LF01210	75R81632

CLIMATECH	
LF01220	75R89582Q
LF02310	75R8772
LJ10050	75R8184
LJ10100	75R5102
LJ10350	75R8102
LJ10500	75R5104
LM10050	79R4595
LM10150	79R4550
LM10200	79R4580
LM10300	79R4710
LM10350	79R4580
LM10600	79R4595
LM10700	79R4585
LM11350	79R4580
LM11400	79R4580
LM11450	75R4585
LM11500	79R4561
MA10200	72R6400
MA10450	72R5210
MA10500	72R6410
MA10600	72R5060
MA10650	72R5050
MA10850	72R6420
MA11000	72R5200
MA11100	72R6530
MA11400	72R5600
MA12050	72R5260
MA12200	72R5070
MA12600	72R1502
MA12650	72R0260
MA12700	72R5270
MA12750	72R5040
MA12800	72R5500
MA12850	72R5260
MA13400	72R5080
MA14300	71R3571
MA15950	72R5050
MA16150	72R6515
MA16400	71R3582
MA17050	71R3582
MA17100	71R3585
MA17150	71R3580
MC10150	76R2600
MC10250	76R3250
MC10500	76R2300
MC10600	76R2350
MC10650	76R3450
MC10950	76R3400
MC11000	76R3460
MC11000	76R3460
MC11450	76R1100

CLIMATECH	
MC11500	76R2400
MC11600	76R3900
MC11750	76R2450
MC11800	76R3910
MC11850	76R2410
MC11900	76R3500
MC11950	76R1400
MC12000	76R1410
MC12050	76R2210
MC12150	76R2500
MC12200	76R3300
MC12250	76R4000
MC12350	76R1900
MC12400	76R3930
MC12450	76R2730
MC12500	76R2330
MC12550	76R2320
MC12600	76R1110
MC12650	76R1450
MC12700	76R0500
MC12850	76R2340
MC12900	76R1120
MC12950	76R3000
MC13150	76R1600
MC15800	76R2155
MC16800	76R6020
MD10050	RD-4197-0P
MD10800	70R5650
MD10850	78R0100
MD11050	78R0110
ME10000	75R5540
ME10050	75R5560
ME10100	75R5560
ME10150	75R5570
ME10300	75R5570
ME10750	70R5600
ME10850	70R5550
ME10900	70R5708
ME10950	70R5706
ME11000	70R5701
ME11050	70R5770
ME41040	70R5770
NA10050	76R6960
NA10250	76R7100
NA10400	76R6150
NA10900	76R6960
NA10950	76R6310
NA11100	76R5500
NA11450	76R5000
NA11700	76R6700
NA11750	76R7070

CLIMATECH	
NA11800	76R6950
NA11900	76R6180
NA11950	76R6500
NA12000	76R4900
NA12150	76R7520
NA12300	76R6350
NA12450	76R7100
NA12950	76R6040
NA14650	76R7505
NB10050	76R7010
NB10150	76R6130
NB10350	76R5520
NB10450	76R7510
NB10500	76R6120
NB10650	76R5200
NB10750	76R6160
NB10800	76R7550
NC10000	76R6850
PA01250	77R6957
PA10050	77R1100
PA11450	77R0090
PA11500	77R8100
PA11600	77R7702
PA11700	77R6900
PA11850	77R0670
PA11900	77R0900
PA11950	77R0700
PA12000	77R7900
PA12050	77R0620
PA12250	77R0250
PA12450	77R0350
PA12500	77R0800
PA12600	77R7900
PA12750	77R7708
PA13700	77R1100
PA14450	77R1100
PA14500	77R0950
PA15700	77R8415
PA37001	77R8310
PB10050	77R9010
PB10250	77R0650
PB10300	77R0950
PB10350	77R0665
PB10450	77R0500
PB10500	77R6800
PB10550	77R1100
PB10700	77R0250
PB10750	77R0530
PB10850	77R7900
PB10900	77R5910
PB10950	77R8200

CLIMATECH	
PB11000	77R5550
PB11050	77R5250
PB11100	77R1290
PB11200	77R6900
PB12400	77R0570
PB12600	77R1300
PB13750	77R1280
PB13800	77R1295
PB13900	77R1290
PB13950	77R1310
PB13950	77R0500
PB15700	77R8320
PB40150	77R6951
PD10050	77R9010
QB12650	75R5005
RA10000	73R0552
RA10150	RD-3-3950-1P
RA10250	R-290-0P
RA10300	R-254-1P
RA10650	R-254-0P
RA10850	R-4013HP
RA10900	R-295-4P
RB10250	75R5200
TB10000	70R3256
TB10250	75R5200
UB10100	RD-3-3949-0P
UB13300	RD-5-4253-0P
UC10050	70R3590
UC10100	70R3550
UC10150	70R3590
UC10250	70R3500
UC10650	70R2201
UC11150	79R1255
UC11300	79R4040
UC11700	70R2206
UC13350	79R3125
UC13400	79R3127
UC13450	79R1800
UC13900	79R1255
UD10100	RD-2-1607-0P
UD10650	RD-5-3876-0P
UD10700	70R7200
UD11200	70R7270
UE10000	71R9002
UE11000	79R4400
UG11500	79R3173
UG11550	79R3171
UG11600	79R3175
VA10700	79R4650
VA11050	79R4655
VA11650	79R4655

Convert Other Part Numbers to Red Dot Aftermarket Numbers

CLIMATECH	
VB10000	75R9670
VC10400	RD-5-6052-0P
VC10900	71R8510
VC20000	79R4600
VC20100	79R4605
VD10100	75R9970
VD10150	75R9890
VD10350	75R6015
VD10550	75R9980
VF10100	RD-2-1398-0P
VF10300	78R1025
VF10350	78R1505
VG10000	75R5520
VH10050	70R5000
VH10200	70R5005
VH10550	75R5829
VH10600	75R5820
VH10650	75R5819
VH10800	75R5575
VH10850	75R5565
VH10950	75R5824
VH11000	75R5825
VH11150	70R5120
VH11200	70R5120
VH11400	79R1650
VH11450	70R5110
VH11500	75R5560
VH11550	75R5570
VH11600	70R5020
VH11700	70R5110
VH11750	70R5110
VH11800	75R5834
VH11850	75R5540
VH12400	75R5824
VH12500	75R5825
VH12550	75R5819
VH12600	75R5829
VH12650	75R5834
VH12700	75R6510
VH12750	75R5575
VH12800	75R5565
VK10050	75R6041
VK10500	75R9060
VK10700	70R5010

COOLSTAR	
100-1002	73R0042
100-1004	73R0082
100-1020	73R0062
100-5002	73R0092
102-1016	73R0142
102-1032	73R0512
102-1040	73R0542
102-1044	73R0522
102-1060	73R0652
102-1068	73R0552
102-1072	73R0922
102-1080	73R0652
102-1092	73R1002
102-1104	73R0422
102-1112	73R0642
102-1120	73R0442
102-1132	73R0622
102-3002	73R0352
102-3008	73R0602
102-3016	73R0322
102-3020	73R0912
102-3028	73R0702
102-3036	73R0402
102-3044	73R0962
102-3048	73R0432
102-5002	73R0012
102-5020	73R0202
102-5028	73R0532
103-1004	73R0534
103-1008	73R0514
103-1012	73R0104
103-3002	73R0364
103-3004	73R0604
103-3012	73R0404
103-3016	73R0454
104-1002	73R1052
110-1004	73R4202
110-1008	73R4262
110-1012	73R4322
110-1028	73R4532
110-1032	73R4102
110-1036	73R4182
110-1040	73R4422
110-1048	73R4242
110-1056	73R4162
110-1064	73R4062
110-1068	73R4122
110-1072	73R4252
111-1002	73R4204
111-1012	73R4504
111-1016	73R4424

COOLSTAR	
111-1036	73R4254
111-1040	73R4274
112-1002	73R4602
115-2200	73R2222
115-2201	73R2242
115-2202	73R2112
115-2203	73R2202
115-2204	73R2132
115-2207	73R2142
115-3203	73R3062
115-3204	73R3022
115-3206	73R3122
115-3207	73R3152
115-4201	73R2102
115-4203	73R0572
115-4206	73R3132
115-4208	73R3112
115-5200	73R0612
115-7200	73R3142
115-8200	73R3032
115-8201	73R5652
118-1015	73R5522
118-1025	73R5572
118-1040	73R5532
118-1065	73R5552
118-1070	73R5622
118-1090	73R5512
119-1025	73R5574
119-1040	73R5534
119-1065	73R5554
119-1090	73R5514
124-1002	73R9062
124-1004	73R9082
125-1002	73R9054
130-1008	73R6350
130-1024	73R6101
130-1028	73R6251
130-1032	73R6230
130-1040	73R6381
130-1052	73R6270
131-1012	73R6300
131-1032	73R6051
131-1036	73R6151
131-1044	73R6370
131-1054	73R6253
133-1020	73R7071
133-1024	73R7101
133-1028	73R7110
133-1032	73R7120
133-1039	73R7130
133-1040	73R7200

COOLSTAR	
133-1052	73R7151
140-1020	73R8562
140-1030	73R8612
140-1040	73R8582
140-1071	73R8592
141-1020	73R8614
141-1040	73R8554
143-1082	73R8654
150-1010	73R8050
151-1060	73R8100
200-1010	75R0302
200-1020	75R0402
200-1025	75R1342
200-1035	75R2402
200-1050	75R1652
200-1100	75R0452
200-1105	75R0422
200-1110	75R1302
200-1150	75R4734
200-1205	75R4502
200-1300	75R0612
200-1305	75R0522
200-1310	75R0512
200-1315	75R0502
200-1400	75R0662
200-1405	75R0682
210-1455	75R5102
210-5072	75R4702
210-5075	75R4732
210-5180	75R4742
230-1034	75R0202
230-1044	75R1522
230-1108	75R1512
230-1208	75R1532
230-1213	75R1832
230-1218	75R1542
230-1804	75R0032
230-1810	75R1862
230-1818	75R1432
230-1822	75R4802
240-1002	75R0182
240-1004	75R1412
240-1102	75R0262
240-1111	75R0252
240-1115	75R0274
240-1202	75R0092
240-1304	75R0082
240-2004	75R4782
240-2020	75R4792
250-1000	75R6040
300-1000	75R7295

COOLSTAR	
300-1001	75R7295
300-1100	75R7312
300-1104	75R7322
300-1220	75R7332
300-1400	75R7300
300-1700	75R7285
300-4261	75R89792
300-4265	75R81632Q
300-4303	75R89532
300-4382	75R81352
300-4383	75R81462
300-4416	75R84312
300-4497	75R84472
310-1308	75R8922
310-5002	75R8906
310-5108	75R8917
320-1108	75R8102
320-1405	75R8184
330-1212	75R81732
330-1310	75R82102
330-1405	75R8354
330-1408	75R8312
330-1422	75R83152
330-1424	75R8382
330-1430	75R8252
330-1444	75R8372
330-1445	75R8374
330-1504	75R89462
330-1512	75R84632
330-1516	75R84382
330-1530	75R84192
330-1532	75R81532
330-1604	75R8442
330-1608	75R84532
330-1612	75R84172
330-1616	75R81462
330-1624	75R84112
330-1625	75R84114
330-1634	75R81552
330-1662	75R83112
330-1663	75R84132
330-1670	75R81652
330-1704	75R89312
330-1705	75R89334
330-1710	75R89422
330-1715	75R89424
330-1725	75R89484
330-1808	75R84552
330-1824	75R81692
330-1828	75R84312
330-1835	75R8424

COOLSTAR	
330-1838	75R84362
330-1844	75R84492
330-1845	75R8384
330-1848	75R84182
330-1900	75R8772
330-1950	75R81192
330-2004	75R84562
330-2008	75R81352
330-2012	75R84232
330-2024	75R81412
330-2025	75R81104
330-2112	75R84472
330-2124	75R84452
330-2132	75R81402
330-2208	75R81232
330-2210	75R84252
330-2338	75R89302
330-2355	75R81114
330-2365	75R81134
330-2380	75R84302Q
330-2402	75R81372
330-2410	75R81362
330-2414	75R9612
330-2453	75R89492
330-2456	75R81662
330-2504	75R84152
330-2508	75R84212
330-2536	75R84512
330-2544	75R84622
330-2608	75R84292
330-2884	75R81252
330-2888	75R81152
330-2904	75R84352
330-3008	75R84162
330-3024	75R81562
330-3028	75R84662
330-3040	75R84482
330-3060	75R81612
330-3062	75R83132
330-3065	75R84594
330-3074	75R89352
330-3075	75R89354
330-3090	75R89432
330-3094	75R89392
330-3120	75R81762
330-3160	75R84572
330-3164	75R81482
330-3180	75R81172
330-3210	75R81202
330-3214	75R84592
330-3215	75R81184

COOLSTAR	
330-3225	75R81274
330-3235	75R89474
330-3244	75R89372
330-3245	75R89374
330-3250	75R81492
330-3285	75R8454
340-1410	75R85102Q
340-1844	75R85632
340-3005	75R85734
340-4000	75R8672Q
380-1001	75R6510
380-1101	75R6500
380-1202	75R6550
380-1500	75R6530
385-5509	75R6030
385-5523	75R6010
385-5533	75R6000
400-1811	77R1100
400-1815	77R8415
400-1817	77R8405
400-1820	77R8410
400-1822	77R8400
400-1823	77R6978
400-1830	77R8395
400-2025	77R8465
400-2030	77R8470
400-2046	77R7705
400-2212	77R6965
400-2217	77R6935
400-2218	77R6945
400-2219	77R6957
400-2223	77R6955
400-2224	77R6985
400-2413	77R0560
400-2414	77R7712
400-2415	77R7708
400-2417	77R7706
400-2418	77R7710
400-2419	77R1105
400-2422	77R7704
400-2424	77R7714
400-2428	77R7715
400-2621	77R0665
400-2625	77R6950
400-2811	77R0950
400-2819	77R8460
400-2820	77R8485
400-2821	77R8480
400-2823	77R8450
400-2826	77R0585
400-3050	77R8420

COOLSTAR	
400-3670	77R6807
400-3688	77R8390
400-3694	77R8455
400-3819	77R6900
400-3839	77R8200
400-3842	77R7900
400-3843	77R5910
400-3845	77R8100
400-3846	77R0650
400-3849	77R0800
400-3854	77R0350
400-3864	77R6925
400-3870	77R0500
400-3872	77R5250
400-3878	77R0250
400-3879	77R6930
400-3881	77R0900
400-3882	77R0620
400-3883	77R0660
400-3885	77R0090
400-3887	77R0110
400-3888	77R6800
400-3889	77R0570
400-4617	77R1275
400-4618	77R1285
400-4621	77R1280
400-4627	77R1295
400-4628	77R1290
400-4629	77R1300
400-4630	77R1310
400-4631	77R1330
400-4632	77R1502
400-4634	77R1504
400-4635	77R1604
400-9010	77R9010
450-6509	71R8350
450-6555	71R8477
450-6558	71R8467
500-2820	76R7535
500-3616	76R7505
500-3811	76R7100
500-3813	76R5500
500-3826	76R6700
500-3827	76R6950
500-3828	76R7700
500-3829	76R6310
500-3830	76R6350
500-3831	76R6850
500-3832	76R6180
500-3833	76R6500
500-3836	76R6120

Convert Other Part Numbers to Red Dot Aftermarket Numbers

COOLSTAR	
500-3837	76R6150
500-3840	76R7520
500-3843	76R7510
500-3845	76R7010
500-3847	76R6015
500-3848	76R6140
500-3850	76R6650
500-3852	76R7030
500-3853	76R5030
500-3860	76R6960
500-3864	76R7560
500-3865	76R7550
500-3869	76R6130
500-3870	76R7530
500-3871	76R6070
500-3872	76R4920
500-3873	76R4900
500-3874	76R5300
520-1005	71R8301
520-1015	71R8400
520-1030	71R8321
520-1035	71R8385
520-1040	71R8370
520-1055	71R8450
520-1215	71R8405
520-1220	71R8420
520-1225	71R8430
520-1230	71R8415
520-1235	71R8440
520-1405	71R8425
520-1410	71R8451
520-1415	71R8457
520-1420	71R8455
520-1430	71R8485
525-1604	71R8050
525-1704	71R8080
525-1752	71R8100
525-1804	71R8210
525-1908	71R8090
530-1000	71R8500
530-1004	71R8501
530-1020	71R8503
530-1022	71R8505
530-1024	71R8504
530-1026	71R8506
530-1055	71R8507
530-1070	71R8510
531-1081	71R8991
550-1831	78R5239
550-1836	78R5430
550-2021	78R5306M

COOLSTAR	
550-2022	78R5302
550-2024	78R5308
550-2430	78R5235
550-2814	78R5246
550-2815	78R5241
550-4618	78R5350
550-4620	78R5150
550-4621	78R5340
550-4622	78R5110
550-4630	78R5000
550-4635	78R5200
550-4640	78R5210
600-2001	70R2018
600-2005	70R2038
600-2006	70R2031
600-2017	70R2406
600-2020	70R2402
600-2022	70R2068
600-2023	70R2061
600-2421	70R2076
600-2423	70R2071
600-2476	75R5728
600-2477	75R5721
600-2478	75R5678
600-2479	75R5671
600-2480	75R5672
600-2497	75R5722
600-4021	70R4006
600-4062	70R4308
600-4463	70R4341
600-4464	70R4342
600-4951	70R4596
600-4952	70R4598
600-4953	70R4591
600-4963	70R4391
600-5034	70R7002S
600-5064	70R4402
600-5071	70R4606
600-5072	70R4608
600-5085	70R4416S
600-5433	70R6441
600-5461	70R4446
600-5462	70R4448
600-5464	70R4442
600-5931	70R6496
600-5973	70R4698
600-5975	70R4696
600-5985	70R4996
600-5987	70R4991
600-7000	70R3006
600-7001	70R3008

COOLSTAR	
600-7002	70R3001
600-7050	70R3906
600-7051	70R3901
600-7066	70R6506
600-7068	70R6508
600-7070	70R6501
600-7076	70R6006
600-7976	70R6096
602-7118	70R3256
602-7130	70R2306
602-7131	70R2301
602-7132	70R2206
602-7133	70R2201
605-2000	70R2016S
605-2001	70R2018S
605-2002	70R2011S
605-2003	70R2012S
605-2004	70R2036S
605-2005	70R2038S
605-2006	70R2031S
605-2010	70R4006S
605-2011	70R4008S
605-2012	70R4001S
605-2013	70R4002S
605-2015	70R84051S
605-2017	70R2406S
605-2018	70R2408S
605-2020	70R2402S
605-2021	70R2066S
605-2022	70R2068S
605-2023	70R2061S
605-2024	70R2062S
605-2421	70R2076S
605-2422	70R2078S
605-2423	70R2071S
605-2424	70R2072S
605-2492	75R5768
605-2910	70R4096S
605-2912	70R4091S
605-2913	70R4092S
605-4031	70R4316S
605-4033	70R4311S
605-4035	70R4310S
605-4051	70R4506S
605-4052	70R4508S
605-4053	70R4501S
605-4054	70R4502S
605-4061	70R4306S
605-4062	70R4308S
605-4063	70R4301S
605-4064	70R4302S

COOLSTAR	
605-4071	70R4798
605-4074	70R4701
605-4461	70R4346S
605-4463	70R4341S
605-4931	70R42396S
605-4933	70R42390S
605-4951	70R4596S
605-4952	70R4598S
605-4953	70R4591S
605-4961	70R4396S
605-4962	70R4398S
605-4963	70R4391S
605-4964	70R4392S
605-5032	70R7008S
605-5033	70R7001S
605-5061	70R4406S
605-5062	70R4408S
605-5063	70R4401S
605-5064	70R4402S
605-5071	70R4606S
605-5074	70R4601S
605-5431	70R6446S
605-5461	70R4446S
605-5462	70R4448S
605-5463	70R4441S
605-5464	70R4442S
605-5931	70R6496S
605-5932	70R6598S
605-5933	70R6491S
605-5937	70R5091S
605-5961	70R4496S
605-5962	70R4498S
605-5963	70R4491S
605-5964	70R4492S
605-5973	70R4698S
605-5974	70R4691S
605-5975	70R4696S
605-7076	70R6006S
605-7078	70R6008S
605-7080	70R6001S
605-7976	70R6096S
605-7978	70R6098S
605-7980	70R6091S
610-2001	70R9016S
610-2002	70R9018S
610-2003	70R9011S
610-2004	70R9012S
610-2421	70R9076S
610-2422	70R9078S
610-2423	70R9071S
610-2424	70R9072S

COOLSTAR	
610-4061	70R9306S
610-4062	70R9308S
610-4063	70R9301S
610-4074	70R9701S
610-4961	70R9396S
610-4962	70R9398S
610-4963	70R9391S
610-4974	70R9791S
610-5031	70R9906S
610-5032	70R9908S
610-5033	70R9901S
610-5034	70R9902S
610-5061	70R9406S
610-5062	70R9408S
610-5063	70R9401S
610-5064	70R9402S
610-5072	70R4608S
610-5931	70R9996S
610-5932	70R9998S
610-5933	70R9991S
610-5937	70R9091S
610-5961	70R9496S
610-5962	70R9498S
610-5963	70R9491S
610-5964	70R9492S
615-2000	70R8216
615-2001	70R8218
615-2002	70R8211
615-2003	70R8212
615-2018	70R8288
615-2019	70R8281
615-2020	70R8282
615-2022	70R8068
615-2023	70R8061
615-2024	70R8062
615-2025	70R8296
615-2026	70R8298
615-2027	70R8291
615-2028	70R8292
615-2421	70R8276
615-2422	70R8278
615-2423	70R8271
615-2424	70R8272
615-2429	70R8261
615-4032	70R8688
615-4035	70R8681
615-4061	70R8306
615-4062	70R8308
615-4063	70R8301
615-4064	70R8302
615-4074	70R8711

COOLSTAR	
615-4075	70R8716
615-4461	70R8346
615-4463	70R8341
615-4932	70R8398
615-4935	70R8598
615-4961	70R8006
615-4962	70R8008
615-4963	70R8001
615-4964	70R8002
615-4965	70R8788
615-4974	70R8781
615-4975	70R8786
615-5032	70R8208
615-5033	70R8201
615-5037	70R8621
615-5061	70R8606
615-5062	70R8608
615-5063	70R8601
615-5064	70R8602
615-5071	70R8706
615-5072	70R8708
615-5074	70R8701
615-5461	70R8646
615-5462	70R8648
615-5463	70R8641
615-5464	70R8642
615-5474	70R82511
615-5931	70R8096
615-5932	70R8098
615-5933	70R8091
615-5934	70R8092
615-5935	70R8198
615-5937	70R8761
615-5961	70R8696
615-5962	70R8698
615-5963	70R8691
615-5964	70R8692
615-5973	70R8798
615-5974	70R8791
615-5975	70R8796
615-5989	70R8891
615-7076	70R8886
615-7078	70R8888
615-7080	70R8881
615-7100	70R8556
615-7101	70R8558
615-7102	70R8551
615-7103	70R8511
615-7976	70R8086
615-7978	70R8088
615-7980	70R8071

COOLSTAR	
615-7983	70R8591
615-9006	70R8806
615-9008	70R8808
615-9010	70R8801
615-9012	70R8802
615-9106	70R8826
615-9108	70R8828
615-9110	70R8821
615-9112	70R8822
630-1301	79R1546
630-1302	79R1536
630-1303	79R1538
630-1304	79R1541
630-1305	79R1531
630-1401	79R9516
634-7106	70R3406
634-7108	70R3408
635-7057	70R5100
635-7106	70R3206
635-7108	70R3208
635-7401	75R5815
635-7402	75R5824
635-7412	75R5834
635-7435	75R5814
635-7436	75R5813
635-7437	75R5833
635-7490	75R5829
635-7491	75R5819
635-7492	75R5820
649-2070	75R5700
649-2071	75R5705
650-1001	75R5718
650-1002	75R5711
650-1011	75R5658
650-1031	75R5648
650-1032	75R5641
650-1051	75R5738
650-1052	75R5731
651-1022	75R5681
651-1041	75R5698
651-1042	75R5691
652-1202	75R5808
652-1203	75R5801
662-1000	75R8920
720-1811	76R2155
720-2822	76R4023
720-3860	76R2600
720-3866	76R3900
720-3867	76R1900
720-3869	76R3250
720-3870	76R2320

COOLSTAR	
720-3871	76R2400
720-3872	76R2350
720-3876	76R3930
720-3878	76R3300
720-3879	76R3460
720-3884	76R2010
720-3888	76R3910
720-3894	76R2450
720-3895	76R2420
720-3896	76R1000
720-3897	76R0500
720-3898	76R1510
722-1102	70R7600
722-1106	70R7650
722-1130	70R7500
722-1132	70R7550
722-1140	70R7110
722-1152	70R7750
722-1192	70R7150
722-1312	70R7250
722-1534	70R7100
722-1572	70R7200
722-2104	72R4510
722-2108	72R4500
722-2116	72R4400
723-1026	72R8315
723-7038	72R8400
723-7102	72R7600
723-7106	72R7700
723-7204	72R8200
723-7208	72R8250
723-7401	72R9000
725-1005	72R6400
725-1010	72R6420
725-1015	72R6410
725-1104	72R5250
725-1108	72R5220
725-1152	72R5240
725-1154	72R5230
725-1156	72R5280
725-1218	72R5080
725-1224	72R6540
725-1310	72R6515
725-1345	72R6525
725-1370	72R6520
725-1372	72R6547
725-1374	72R6535
725-1500	72R5260
725-1506	72R5210
725-1512	72R5360
725-1928	72R6530

Convert Other Part Numbers to Red Dot Aftermarket Numbers

COOLSTAR	
725-2003	72R5200
725-2006	72R5270
725-2009	72R5203
725-2304	72R5040
725-2305	72R5050
725-2307	72R5070
725-2316	72R5060
725-2517	71R3575
725-2574	71R3571
725-2578	71R3576
725-2582	71R3578
725-2586	71R3573
725-2701	72R5500
725-2704	72R5600
725-2828	72R6562
725-2836	72R6554
748-1101	70R5706
748-1102	70R5708
748-1103	70R5701
748-1104	70R5770
750-1006	78R0456
750-1008	78R0458
750-1010	78R0451
750-1012	78R0452
750-3006	78R0456SP
750-3008	78R0458SP
750-3010	78R0451SP
750-3012	78R0452SP
752-1008	78R0458
755-1006	78R8456
755-1008	78R8458
755-1010	78R8451
755-2006	78R8456SP
755-2008	78R8458SP
755-2012	78R8452SP
756-1000	78R1025
757-1010	78R0070
758-1020	78R0200
758-1025	78R0250
758-1030	78R0300
758-1035	78R0350
759-1005	78R0100
760-1009	72R3100
760-1010	72R3110
760-1012	78R8452
760-1018	72R3200
760-1020	72R3050
760-1022	72R3111
760-1024	72R3120
760-1030	72R2500
760-1032	72R2550

COOLSTAR	
760-1036	72R3530
761-1050	72R2300
761-1051	72R2140
761-1052	72R2130
761-1053	72R2150
761-1054	72R2200
761-1055	72R2250
761-1057	72R2110
761-1058	72R2000
761-1059	72R2351
765-1012	71R4025
765-1048	71R4050
765-1050	71R4040
765-1052	71R4060
765-1104	71R4030
765-1105	71R4035
765-1119	71R4010
765-1121	71R4020
790-1008	70R5057
790-1069	70R5506
790-1099	70R5020
790-1208	70R5046
790-1213	70R5042
790-1221	75R5525
790-1504	70R5580
790-1800	75R5520
800-1105	74R2002
800-1205	74R3126
800-1208	74R3126
800-1504	74R1106
800-1804	74R2106
800-1805	74R1856
800-1812	74R1756
800-1813	74R1956
800-1816	74R1706
800-1820	74R1806
800-1824	74R1906
800-2022	74R2447
800-2034	74R2586
800-2040	74R2596
800-2046	74R2590
800-2054	74R2616
800-2066	74R2706
800-2072	74R2687
800-2095	74R3107
800-2122	74R3377
800-2128	74R2306
800-2140	74R3324
800-2145	74R3077
800-2216	74R3147
800-2225	74R3327

COOLSTAR	
800-2325	74R3357
800-2608	74R3313
800-2704	74R0450
800-2716	74R0460
800-5404	74R4116
800-5705	74R0470
800-5708	74R4016
810-1116	74R5093
810-1142	74R5081
810-1205	74R5097
810-1215	74R5401
810-1302	74R5061
810-1305	74R5060
825-1003	74R7210
825-4751	74R4217
830-3150	70R3500
830-3152	70R3590
830-3156	70R3550
850-7610	71R3585
850-7904	71R1467
850-8003	71R6030
850-8129	71R6230
850-8410	71R6210
850-8905	71R6125
850-8907	71R3582
850-8911	71R7073
850-8956	71R6155
900-1022	71R0475
900-1034	71R0487
900-1046	71R0450
900-1050	71R0460
900-1054	71R0453
900-1058	71R0485
900-1074	71R0470
900-1078	71R0480
901-1102	71R0010
901-1106	71R0050
901-1110	71R0150
901-1114	71R0100
901-1118	71R0400
901-1122	71R0260
901-1130	71R0300
901-1134	71R0250
901-1138	71R0200
902-1206	71R0700
902-1210	71R0500
902-1214	71R0852
902-1218	71R0854
902-1222	71R0872
902-1226	71R0884
902-1238	71R0550

COOLSTAR	
902-1242	71R0650
902-1246	71R0600
903-1310	71R1210
903-1334	71R1150
903-1338	71R1165
903-1362	71R1200
910-1016	71R6030
910-1024	71R6040
910-1028	71R6045
910-1034	71R6130
910-1038	71R6050
910-1204	71R6170
912-1004	71R6080
912-1008	71R6220
912-1011	71R6140
912-1012	71R6100
912-1024	71R6110
912-1040	71R6230
912-1106	71R6185
912-1108	71R6160
912-1110	71R6183
915-1008	71R6060
915-1102	71R6181
917-1016	71R6070
917-1028	71R6120
917-1122	71R6210
918-1005	71R6445
918-1010	71R6444
918-1015	71R6415
918-1110	71R6410
918-1115	71R6426
920-1002	71R6095
920-1316	71R6093
920-1338	71R6255
921-1006	71R6300
922-1010	71R7050
922-1020	71R7075
922-1112	71R7000
922-1211	71R6125
922-1221	71R6180
922-1226	71R7077
923-1008	71R7550
923-1012	71R7650
923-1106	71R7500
923-1110	71R7600
926-1004	71R6265
928-1004	72R0070
928-1105	72R0050
930-1003	71R9002
930-1104	72R1502
932-1012	71R2700

COOLSTAR	
932-1020	71R2800
932-1104	71R3160
932-1116	71R3150
932-1128	71R3100
932-1132	71R2200
932-1136	71R3300
932-1140	71R3155
932-1206	71R2100
932-1210	71R2310
932-1216	71R2250
932-1220	71R2300
932-1224	71R2400
934-1105	71R1320
934-1115	71R1310
934-1120	71R1315
934-1125	71R1325
934-1135	71R1330
935-1030	71R1620
935-1040	71R1610
936-1025	71R0030
938-1120	71R1520
938-1208	71R6561
938-1402	71R1510
938-1405	71R0040
940-1216	71R1722
940-1220	71R1702
940-1221	71R1704
940-1305	71R1912
940-1310	71R1914
940-1315	71R1902
940-1320	71R1904
940-1550	71R1652
940-1555	71R1802
942-1020	71R1455
942-1056	71R1457
942-1068	71R1450
942-1400	71R1485
942-1405	71R1480
942-1425	71R1401
944-2021	72R0500
944-2024	72R0190
944-2025	72R0600
944-2026	72R0260
944-2027	72R0200
944-2040	72R0240
944-3801	72R1100
944-3807	72R1200
944-3810	72R1210
944-3819	72R1310
944-3826	72R1300
944-4010	72R0210

COOLSTAR	
944-4020	72R0220
946-1000	71R4511
946-1026	75R89327
962-3550	79R4400
962-4210	RD-5-7523-0M
962-4211	RD-5-7524-0M
962-4220	RD-5-8293-0M
962-4221	RD-5-8292-0M

DCM MOTOR	
D001-018	73R0652
D001-031	RD-2-0781-7P
D001-428	73R0652
D001-428G	73R0652
D001-429	73R0602
D001-432	73R4102
D001-483A	73R0042
D001-589	73R0142
D001-665	73R0092
D001-739	73R0152
D001-740	73R0522
TA11A2003	RD-5-9018-0P

DENSO	
447180-5480	75R9014
471-0442	75R9062D
471-0446	75R9024D
471-0450	75R9014D
471-0455	75R9052D
471-3432	75R9072D
471-3442	75R9082D
471-3452	75R9092D

DEUTZ-ALLIS	
205840	73R4322
4322165	71R8301
70268464	74R0401
70272229	71R2250
003-3938	75R0452
003-4221	71R2250
003-4530	75R4502
003-4532	75R7280
003-4579	73R4162
003-4586	71R8100
003-4607	73R0522
003-4619	71R2250
118-3560	73R0092
119-2657	73R0092
431-7577	73R4102
431-7737	73R0422
433-9305	73R4102

DEUTZ-ALLIS	
70257681-0	73R0532
RD-5-7061-2	74R2527

DTAC	
01-05510	75R8382
01-05511	75R8252
01-05513	75R8312
01-05515	75R8372
01-05516	75R5575
01-05627	75R8422
01-05652	75R8424
02-16004	73R8050
02-16013	73R6251
02-16048	73R7151
02-17004	73R0552
02-17005	73R5562
02-17017	73R0422
02-17028	73R1052
02-17032	73R2102
02-17040	73R4182
02-18002	73R0522
03-14005	71R2700
03-14006	71R3100
03-14012	71R2800
03-14013	71R3200
04-15001	71R8210
04-15002	71R8050
04-15003	71R8100
04-15009	71R8400
04-15014	71R8500
04-15015	71R8503
06-12015	74R2106
06-12020	74R1756
06-12062	74R0460
07-37004	77R0350
07-37005	77R0500
07-37011	77R0800
07-37031	77R6900
07-37044	77R0250
07-37045	77R0900
07-38006	77R0950
07-38012	77R0560

EATON	
540053	71R8415
540056	71R8420
329-054	71R8321
329-403	71R8321
329-413	71R8321
329-447	71R8400
329-470	71R8400

EATON	
329-474	71R8350
644016-01	71R8425
644017-01	71R8425
712-045	74R2706
712-088	74R1706
712-579	74R1756
826-003	71R8080
826-004	71R8090
826-012	71R8210
826-062	71R8100
929-435	71R8440
929-436	71R8405
929-439	71R8405
929-462	71R8430
929-466	71R8415
929-493B	71R8440
929-498	71R8420
929-503	71R8415
929-505A	71R8430
929-506	71R8405
929-506A	71R8405
9533N178	71R2250
9533N357	71R3200
9533N376	71R2200
9533N395	71R2100
9533N397	71R2250
9533N399	71R2300
9533N405	71R2800
9533N407	71R3100
9533N415	71R2100
9533N416	71R2100
9533N419	71R2250
9533N420	71R2250
9533N422	71R2250
9533N424	71R2305
9533N425	71R2300
9533N473	71R3150
9533N478	71R3220
9533N522	71R3220
9533N538	71R3100
9533N553	71R3155
9537N301	71R2800
FJ3045-1616S	RD-5-14614-1P
FJ3162-1016S	RD-5-15575-1P
FJ3162-1212S	RD-5-15576-1P
FJ3171-1616	RD-5-15729-1P
FJ3416-01-1010S	RD-5-15577-1P
FJ3416-02-0808S	RD-5-15578-1P
FJ3461-02-1012S	RD-5-15560-1P
FJ3461-03-1212S	RD-5-15561-1P

Convert Other Part Numbers to Red Dot Aftermarket Numbers

FASCO	
2807-406-011	73R0092
2807-410-001	73R0092
2807-508-043	73R0092
2807-510-009	73R0652
2807-510-076	73R4102
2807-510-105	RD-5-12742-24P
2807-510-143	73R4102
2807-510-155	RD-5-12742-24P
2807-512-001	73R0602
2807-513-015	73R0552
2807-513-056	73R0552
2807-513-080	73R0552
2807-513-083	73R0552
2807-513-100	73R0602
2807-513-101	73R0652
2807-513-106	73R0552
2807-513-117	73R0142
2807-513-133	RD-5-12742-24P
2807-513-152	73R0142
2807-513-163	73R0652
2807-513-170	73R0142
2807-513-175	73R0602
2807-516-013	73R0552
2807-516-039	73R0552
2807-516-056	73R1052
2807-516-067	73R0552
2807-517-005	73R0652
2807-517-007	73R0652
2807-517-012	73R0702
2807-517-018	73R0604
2807-517-019	73R0602
2807-517-041	73R0552
2807-517-043	73R0552
2807-530-001	73R0602
2807-530-002	73R0552
2807-541-010	73R0652
2807-541-167	73R4252
2808-541-008	73R0512
2809-515-007	RD-5-4387-0P
2809-515-019	73R0532
2809-540-002	RD-5-4387-0P
2809-540-003	73R0532
2809-540-056	73R0322
2809-540-065	73R0642
2809-540-080	73R0522
2809-540-081	73R0532
2809-541-001	73R4322
2809-541-003	73R0404
2809-541-005	73R0532
2809-541-008	73R0512
2809-541-009	73R4182

FASCO	
2809-541-021	73R0962
2809-541-024	73R0422
2809-541-025	73R0432
2809-541-040	73R0542
2809-541-047	73R3002
2809-541-065	73R0642
2809-541-098	73R3082
2809-541-113	73R0402
2809-541-117	73R0422
2809-541-139	73R0962
2809-541-163	73R4182
2809-541-164	73R0422
2809-541-165	73R0512
2809-541-167	73R4252
2809-541-175	73R0912
2809-541-176	73R0922
2809-541-177	RD-5-4387-0P
2809-541-216	73R3082
2809-541-223	73R0542
2809-541-224	73R0432
2809-541-225	73R0962
2809-550-008	73R0652
2809-550-009	73R0702
2809-550-077	73R0442
2809-550-099	73R3032
2809-551-007	73R4322
2809-551-008	73R4532
2809-551-020	73R4532
2809-551-021	73R4182
2809-551-051	73R4532
2809-560-034	73R4274
2809-820-015	73R5562
2809-841-007	73R4254
2809-841-028	73R3002
2809-841-029	73R3002
2809-841-035	73R3002
2809-841-036	73R3022
2809-850-053	73R3062
2809-850-062	73R3062
2819-422-001	73R0092
2819-530-002	73R4062
2819-530-008	73R4182
2819-530-016	73R4062
2819-530-024	73R4182
2819-530-027	73R4162
2819-530-044	73R4102
2819-540-022	73R0322
2819-540-038	73R0702
2819-540-425	73R0532
2819-541-009	73R0702
2819-541-010	73R0652

FASCO	
2819-550-010	73R2262
2819-550-014	73R0522
2819-550-015	73R4162
2819-550-018	73R0522
2819-550-029	73R4162
2819-550-034	73R2262
2829-550-009	73R0612
2890-551-001	73R4322
2898-091-012	73R3032
2908-551-050	73R4322

FIAT-ALLIS	
256818	74R1756
268464	74R4116
268476	71R2250
268708	71R6300
577454	71R1210
586082	71R1210
1162472	71R2300
1162474	71R2250
1175327	73R0092
1183560	73R0522
1192657	73R0092
1195109	71R1165
71188287	73R0522
71336550	75R7280
04363723-0	75R7280
1162408-7	73R4162
1162968-0	71R6300
1175262-3	71R1210
1182664-1	75R4502
1188287-5	73R0522
70257336-1	73R4162
71182664-4	75R4502
71195109-5	71R1160

FLEETRITE	
FLT4392QS	75R84182
FLT4417Q	75R81302Q
FLT4417QS	75R82312Q
FLT4425Q	75R81632Q
FLT4426Q	75R8772Q
FLT4428Q	75R84632
FLT4430Q	75R81232Q
FLT4431Q	75R81262
FLT4475Q	75R84212
FLT4644Q	75R8382Q
FLT4645Q	75R81452
FLT4695Q	75R8432
FLT4713Q	75R8472Q
FLT4716Q	75R81762

FLEETRITE	
FLT4735Q	75R84172
FLT4761Q	75R81352Q
FLT4815Q	75R84302Q
FLT4816Q	75R81292Q
FLT4883Q	75R81622Q
FLT4890Q	75R84382Q
FLT4891Q	75R81372Q
FLT4892Q	75R81362Q
FLT4893Q	75R81652Q
FLT4896Q	75R81692
FLTBM1669786	73R2102
FLTBM1699291	73R3082
FLTBM1699947	73R6253
FLTBM1699949	73R0572
FLTBM3542611	73R3132
FLTBM3674285	73R3112
FLTEV2501794	71R8415
FLTEV2613243	71R8465
FLTEV3857948	71R8481
FLTEVACK	71R8405
FLTEVPM	71R8430
ZGG11019	71R1160
ZGG11032	73R0602
ZGG11048	71R2250
ZGG11069	71R7050
ZGG11074	71R6300
ZGG11092	74R2668
ZGG11134	70R5110
ZGG11207	75R0202
ZGG11246	71R8503
ZGG11256	73R4062
ZGG11403	75R5200
ZGG11436	77R1100
ZGG11444	73R4062
ZGG11513	75R5540
ZGG11549	75R1652
ZGG11561	75R2402
ZGG11566	75R1202
ZGG11590	71R1210
ZGG11592	71R0100
ZGG11599	71R1210
ZGG11601	71R0050
ZGG11604	71R0600
ZGG11635	73R0552
ZGG11642	73R0522
ZGG11643	73R0652
ZGG11645Q	73R4182
ZGG11680	79R4400
ZGG11753	70R2076
ZGG11753S	70R2076S
ZGG11837	71R2800

FLEETRITE	
ZGG11838	71R8050
ZGG11844	71R2250
ZGG11845	71R8100
ZGG11929	71R2700
ZGG12028	71R2800
ZGG12029	71R8080
ZGG12032X	74R3450
ZGG12050S	70R2078S
ZGG12108	75R5700
ZGG12135	75R0452
ZGG12141	75R0302
ZGG12213	75R7280
ZGG122151	77R0950
ZGG12249	71R6050
ZGG12320	74R1956
ZGG12465	75R5718
ZGG12466	75R5711
ZGG12569	73R4062
ZGG12603	73R2102
ZGG12607	73R0552
ZGG12631	71R2100
ZGG12712	77R1100
ZGG12886	73R4062
ZGG13304	75R4734
ZGG13403	74R2668
ZGG13423	74R2106
ZGG13437	74R2106
ZGG13468	70R7200
ZGG13469	70R7100
ZGG13472	70R7310
ZGG13474	72R5600
ZGG13477	70R7310
ZGG13486	71R0400
ZGG13490	71R0550
ZGG13503	75R8382
ZGG13582	73R0652
ZGG13615	71R8321
ZGG13628	73R0702
ZGG13634	73R2262
ZGG13729	73R2152
ZGG13867	71R8500
ZGG14191	75R0402
ZGG14469	71R0480
ZGG14525	72R5500
ZGG14700	71R8400
ZGG14811	73R4102
ZGG14832	71R8090
ZGG14855	71R6070
ZGG14870	71R7075
ZGG14891	75R7290
ZGG15011	71R0500

FLEETRITE	
ZGG15024	71R6220
ZGG15371	74R0450
ZGG15388	73R2202
ZGG15390	73R2112
ZGG15645	71R6095
ZGG15701	75R7280
ZGG16001	71R3200
ZGG16002	71R3100
ZGG16004	71R3155
ZGG16008	71R2800
ZGG16010	71R3200
ZGG16242	71R8504
ZGG16244	71R8505
ZGG16249	73R2102
ZGG16289	71R8370
ZGG16298	73R0522
ZGG16311	74R3107
ZGG16317	73R4182
ZGG16336	71R1620
ZGG16450	74R1806
ZGG16465	77R0900
ZGG16466	77R6900
ZGG16475	77R0500
ZGG16519	71R0487
ZGG16520	71R1702
ZGG16523	71R0450
ZGG16529	71R6095
ZGG16588	71R0300
ZGG16596	71R0400
ZGG16601	71R1450
ZGG16643	72R0220
ZGG16655	71R0550
ZGG16663	71R0250
ZGG16664	71R0100
ZGG16665	71R1463
ZGG16684	72R0200
ZGG16824	75R5705
ZGG16884	78R0200
ZGG16886	78R0250
ZGG16888	78R0300
ZGG16964	71R8500
ZGG16971	78R0456
ZGG16972	78R0458
ZGG16973	78R0451
ZGG16974	78R0452
ZGG17003	71R9002
ZGG17007	72R6530
ZGG17008	72R6520
ZGG17013	72R6420
ZGG17014	72R5260
ZGG17030	72R6515

FLEETRITE	
ZGG17031	72R5040
ZGG17033	72R5040
ZGG17034	72R5050
ZGG18003	75R5814
ZGG18011	75R5829
ZGG18012	75R5819
ZGG18013	75R5824
ZGG18015	75R5825
ZGG18016	75R5820
ZGG18414	75R0612
ZGG18416	75R5698
ZGG18417	75R5691
ZGG18425	75R5731
ZGG18470	75R5819
ZGG18471	75R5820
ZGG1850	71R6050
ZGG19000	71R8510
ZGG19005	79R1650
ZGG19036	70R5056
ZGG19038	70R5058
ZGG19042	75R8442
ZGG19057	71R8080
ZGG19058	71R8380
ZGG19064	70R5110
ZGG19065	75R5560
ZGG19066	75R5570
ZGG19129	70R5020
ZGG19134	74R3148
ZGG19135	74R3331
ZGG19136	74R3309
ZGG19137	74R3309
ZGG19138	74R3328
ZGG19139	74R3323
ZGG19141	74R3357
ZGG19142	74R2608
ZGG19144	74R3324
ZGG19145	74R3077
ZGG19147	74R2616
ZGG19148	74R2668
ZGG19150	74R1427
ZGG19158	79R1525
ZGG19219	76R2400
ZGG19225	71R1455
ZGG19226	71R8370
ZGG19227	71R7075
ZGG19228	76R2155
ZGG19230	73R3002
ZGG19232	77R8415
ZGG19234	71R1455
ZGG19243	71R6220
ZGG19245	73R0432

FLEETRITE	
ZGG19246	76R6150
ZGG19251	72R6400
ZGG19254	75R7290
ZGG19263	73R6381
ZGG19269	73R0552
ZGG19276	71R8405
ZGG19278	75R83152
ZGG19280	71R7550
ZGG19281	72R5200
ZGG19296	75R8422
ZGG19297	75R81452
ZGG19298	71R6110
ZGG19299	71R6070
ZGG19310	75R1202
ZGG19311	75R0302
ZGG19315	71R8503
ZGG19316	75R8432
ZGG19318	71R8503
ZGG19319	75R8252
ZGG19320	75R0512
ZGG19323	75R0522
ZGG19341	73R0652
ZGG19343	73R0652
ZGG19344	73R0552
ZGG19348	73R4182
ZGG19350	73R0322
ZGG19356	79R4561
ZGG19357	74R3137
ZGG19370	75R84362
ZGG19409	71R8500
ZGG19413	71R8501
ZGG19425	74R0450
ZGG19453	74R5095
ZGG19472	75R5540
ZGG19499	75R5520
ZGG19502	70R5056
ZGG19506	70R5058
ZGG19510	70R5051
ZGG19514	70R5052
ZGG19518	75R5525
ZGG19529	70R5042
ZGG19533	75R5525
ZGG19540	70R5120
ZGG19541	70R5125
ZGG19730	75R8382
ZGG19776	75R1302
ZGG19786	74R5061
ZGG19837	71R8405
ZGG19841	75R0682
ZGG19844	74R3450
ZGG701004	73R4182

Convert Other Part Numbers to Red Dot Aftermarket Numbers

FLEETRITE	
ZGG701005	73R0442
ZGG701009	73R0532
ZGG701013	73R0962
ZGG701016	73R3032
ZGG701022	73R0402
ZGG701024	73R3062
ZGG701043	73R2142
ZGG701052	73R2132
ZGG701057	73R4602
ZGG701059	73R4162
ZGG701060	73R0642
ZGG701064	73R0652
ZGG701071	73R4322
ZGG701082	73R3002
ZGG701085	73R3102
ZGG701089	73R0642
ZGG702005	73R6383
ZGG703007	73R9082
ZGG704000	75R0502
ZGG704001	75R1512
ZGG704007	75R1412
ZGG704025	75R4732
ZGG704027	75R4702
ZGG704028	75R4742
ZGG705001	75R84492
ZGG705006	75R81482
ZGG705007	75R84492
ZGG705008	75R81462
ZGG705009	75R81512
ZGG705010	75R84152
ZGG705011	75R84182
ZGG705012	75R84172
ZGG705013	75R81262
ZGG705014	75R84212
ZGG705015	75R84192
ZGG705016	75R84472
ZGG705017	75R81352
ZGG705020	75R83112
ZGG705022	75R84232
ZGG705026	75R7312
ZGG705028	75R7322
ZGG705058	75R7300
ZGG705061	75R8382
ZGG705094	75R8917
ZGG705128	75R8722
ZGG705133	75R81192
ZGG705138	75R89462
ZGG705139	75R89302
ZGG705140	75R89312
ZGG705142	75R89334
ZGG705144	75R89352

FLEETRITE	
ZGG705146	75R89354
ZGG705148	75R89372
ZGG705150	75R89374
ZGG705152	75R89392
ZGG705157	75R89474
ZGG705161	75R89484
ZGG705175	75R8384
ZGG705177	75R8424
ZGG705178	75R84492
ZGG705180	75R89424
ZGG705181	75R89422
ZGG705232	75R81302
ZGG706009	75R5658
ZGG706015	75R5728
ZGG706016	75R5721
ZGG706017	75R5678
ZGG706018	75R5671
ZGG706019	75R5672
ZGG706026	75R5808
ZGG706027	75R5801
ZGG706039	75R5201
ZGG707000	77R7708
ZGG707001	77R7900
ZGG707002	77R0650
ZGG708015	76R6150
ZGG708018	76R6310
ZGG708021	76R6700
ZGG708022	76R6950
ZGG708023	76R6180
ZGG708027	76R6350
ZGG708029	76R6850
ZGG708033	76R7510
ZGG708034	76R6140
ZGG708035	76R7010
ZGG708060	76R7505
ZGG709002	71R8440
ZGG709004	71R8100
ZGG709005	71R8210
ZGG709006	71R8504
ZGG709007	71R8370
ZGG709010	71R8350
ZGG709020	71R8430
ZGG709021	71R8420
ZGG709023	71R8370
ZGG710010	76R2600
ZGG710012	76R3250
ZGG710016	76R2350
ZGG710018	76R3460
ZGG710020	76R2400
ZGG710024	76R3300
ZGG710026	76R1900

FLEETRITE	
ZGG710033	76R2500
ZGG710035	76R3930
ZGG711003	71R6040
ZGG711004	71R7000
ZGG711008	71R7075
ZGG711009	71R7077
ZGG711013	71R6210
ZGG711021	71R6255
ZGG711022	71R6093
ZGG711043	75R5200
ZGG712002	74R5060
ZGG712004	74R1407
ZGG712005	74R3107
ZGG712006	74R3377
ZGG712009	74R3317
ZGG712010	74R3126
ZGG712037	74R5093
ZGG712049	74R2706
ZGG712051	74R2002
ZGG713002	71R1704
ZGG714010	71R1455
ZGG715004	71R0200
ZGG715005	71R1210
ZGG715006	71R0460
ZGG715007	71R0460
ZGG715009	71R0260
ZGG71600	71R3220
ZGG716012	71R3220
ZGG720001	78R5239
ZGG720008	78R5435
ZGG720011	78R5235
ZGG722040S	70R4446S
ZGG722041	70R4996
ZGG722043	70R4991
ZGG722044	70R4416S
ZGG722051S	70R2071S
ZGG722052S	70R2072S
ZGG722053S	70R2406S
ZGG722054S	70R2408S
ZGG722056S	70R2402S
ZGG722070	70R3590
ZGG726001	71R4030
ZGG726005	71R4010
ZGG728014	79R3127
ZGG728020	79R3125
ZGG728029	79R1800
ZGG728053	79R4020
ZGG728054	79R4040
ZGG730001	71R9002
ZGG730002	71R9002
ZGG731000	72R8250

FLEETRITE	
ZGGR6912	79R4550
ZGGR725009	79R4563
ZGGR725013	79R4595
ZGGR725028	79R4580
ZGH51199	75R6000
ZGH51200	75R6010
ZGHS12731	79R3178
ZGHS12732	79R3179

FORD - NEW HOLLAND (FNH)	
6629	75R84572
6631	75R81462
130185	73R4102
130223	75R4502
271474	71R2250
274571	71R8050
284745	71R6300
433177	75R1202
620205	71R7500
636214	70R3006
696524	74R3537
763787	74R2537
8699342	75R84112
9704118	75R84532
9705764	75R84532
9705770	74R3157
9822598	75R84492
9824775	75R84522
9827053	74R2306
9843208	70R7650
9843214	73R0102
9849085	75R81192
72239750	75R84492
80449624	71R8100
82008688	75R81482
82011594	75R8382
84018077	75R8332
85660657	71R4010
86001191	75R84532
86002083	75R5570
86002084	70R5110
86505791	71R1450
86505792	71R3200
86505793	71R1702
86505798	72R5200
86508360	73R5502
86508366	72R9020
86508368	71R7050
86508375	78R0070
86508521	75R84492
86993462	75R84112

FORD - NEW HOLLAND (FNH)	
86993463	75R81412
89832539	74R3537
97005763	71R8301
024-25078	75R0452
088423-00	74R2537
143469-C2	74R4027
3901517M1	71R8321
6514-6210	71R8321
6574-6210	75R0202
D3AH-18949AA	71R8050
D5NN19D649A	75R0452
D6AH-19849AA	71R8100
D6NN-19D629A	75R84492
D8NN-19849A	71R8210
E1NN-19849A	71R8301
PH 088193-00	74R2608

FREIGHTLINER	
207068	71R6050
520556	75R0502
644016.02	71R8425
1-6664	71R0100
7-9102	77R8435
00C18414	75R0612
00C332639	75R0452
02-7010151	71R8050
051 43304AA	71R8477
06-35209-000	71R6155
085108-00	71R6050
22-0417	71R0100
22-34675	74R2668
22-36474	71R7075
22-37199-000	74R2668
22-41170-000	75R7290
22-41179-000	75R84492
22-41180-000	75R81672
22-43249-000	71R7077
22-43374-000	75R81512
22-44082-000	75R1202
22-44462-000	75R84152
22-44638-000	71R6418
22-44665-000	78R5239
22-45432-001	71R8370
22-46102-000	75R7290
22-46585-000	75R8432
22-46891-000	78R5430
22-47510-000	75R7290
22-47558-000	75R7332
22-47690-000	75R84182
22-47691-000	75R84172
22-47692-000	75R81262

FREIGHTLINER	
22-47693-000	75R84212
22-47694-000	75R84192
22-48437-000	75R81352
22-52177-331	78R3001
22-52178-000	78R3000
22-57504-002	78R3004
22-59342-000	75R81382
22-59343-000	75R81552
22-59792-004	78R3006
22-60725-000	78R5251
22-62271-000	77R1277
22-62339-000	77R8395
22-64097-000	75R861522Q
22-65663-000	77R1277
22-65770-000	75R9072
22-65770-000	75R9072D
22-65770-001	75R9072D
22-65771-000	75R9082D
22-65771-000	75R9082
22-65771-001	75R9082
22-65771-001	75R9082D
22-65772-000	75R9092
22-65772-000	75R9092D
22-65772-001	75R9092D
22-65917-000	75R89622Q
22-68425-000	70R5032
22-68427-000	70R5034
22-72460-000	77R1279
2809-820-016	73R5562
31.019.11TC	77R6978
488-21001	75R7290
488-21562	75R7280
488-25073C	75R7312
5104114AA	77R8400
525507BSM	78R5420M
680-830-03-70	77R8415
681-153-12-14	71R7600
901-500-05-54	77R8400
A01-22964-000	75R1202
A06-11454-001	71R0100
A06-14889-001	71R1150
A22-011101-022	71R1702
A22-10582	75R1652
A22-14366-000	73R7101
A22-1442-001	71R8210
A22-14420-1	71R8210
A22-14423-0	71R8050
A22-14425-03	74R2106
A22-14434-1	77R1100
A22-14434-9	77R1100
A22-15817A-001	71R2250

FREIGHTLINER	
A22-17483-0	77R1100
A22-18014	73R0602
A22-21403-001	73R0402
A22-21403-4E	73R0652
A22-22499	75R1652
A22-23640-000	71R3200
A22-24885-000	77R8455
A22-25255-0	77R1100
A22-28796-000	74R2608
A22-30930-0	71R6110
A22-30930-000	71R6220
A22-32466-001	77R8405
A22-36474	71R7075
A22-37199-000	74R2668
A22-37199-001	74R2668
A22-43249-000	71R7077
A22-43374-00	75R81512
A22-43941-000	77R8410
A22-44463-001	72R6515
A22-44638-000	71R6418
A22-45194-001	71R6210
A22-45432-000	71R8370
A22-45432-001	71R8370
A22-51296-000	71R6267
A22-52177-331	78R3001
A22-52178-300	78R3000
A22-60646-000	71R6262
A22-62272-000	77R1279
A22-62372-000	77R8390
A22-62390-000	77R8395
A22-63993-000	74R4216
A22-63994-001	74R4217
A22-65665-000	77R8390
A22-66600-000	74R4218
A22-66700-000	74R4028
A22-66824-000	77R1277
A22-66826-000	77R8390
A22-66827-000	77R8395
A22-66839-000	77R1277
A22-66840-000	77R1279
A22-66841-000	77R8390
A22-66842-000	77R8395
A22-67125-000	77R1277
A22-67126-000	77R1279
A22-67126-001	77R8490
A22-67127-000	77R8390
A22-69799-000	74R4218
A22-69800-000	74R4028
A22-72250-000	77R1279
A22-72250-001	77R8490
A22-72251-000	77R8390

FREIGHTLINER	
A22-72391-000	74R4216
A22-72392-000	74R4215
A22-72460-000	77R1279
A23-48218	75R7332
A4965	71R8455
A630-008-00	71R3150
A630-014-00	71R3150
ABP N83 301054	73R0572
ABP N83 306280	77R8415
ABP N83 308012	71R8461
ABP N83 313808	78R9468
ABP N83 325906	70R5506
ABP N83 328225	78R5420M
ABP N83 328345	78R5239
ABP N83 328507	78R5455
ABP N83 328508	78R5460
AO6-11454-001	71R0010
ARSACH34P1	71R1620
BHT E2108	77R8355
BHT E9328	77R8455
BHT P5631001	77R8355
BHT79465	77R6978
BHT92716	77R6978
BHT97210	77R6978
BOA 19836S	77R8415
BOA632-001-00	71R1455
BOA632-003-00	71R1455
BOA74-0002-001	76R2155
BOA-80-319-00-189	78R5435
BOA80-321-00-049	71R8090
BOA80-321-00-229	71R8350
BOA80-321-00-259	71R8425
BOA80-373-00-109	76R2155
BOA80-414-00-149	73R5562
BOA80-414-00-179	73R5562
BOA80-415-00-429	73R3002
BOA80-415-00-789	73R3062
BOA80-926-00-059	71R1150
BOA80-926-00-091	71R6110
BOA80-941-00-063	71R6080
BOA80-946-00-079	71R3150
BOA80-946-00-109	71R3150
BOA80-946-109	71R3150
BOA85-031-50-009	73R3002
BOA85-031-52-009	73R3002
BOA85-430-99-109	72R6515
BOA85-440-50-009	73R3002
BOA85-440-50-509	73R3002
BOA85-440-51-009	73R3002
BOA85-462-50-009	73R3022
BOA85-945-000-579	74R2668

Convert Other Part Numbers to Red Dot Aftermarket Numbers

FREIGHTLINER	
BOA93246	76R7745
BOA93674	71R8457
BOAA4965	71R8455
BOAI3674	71R8457
BOAN8119001	71R8485
BOAN9383001	76R7750
BOAN9535001	71R8477
BSM 306280	77R8415
BSM301017	73R3002
BSM301137	73R3062
BSM303063	75R1302
BSM303123	75R0682
BSM303127	75R0522
BSM308061	71R8370
BSM315025	76R2155
BSM318179	71R7077
BSM319250	74R2668
BSM319510	74R3328
BSM321070	71R1455
BSM322035	71R1702
BSM322510	71R1620
BSM323053	71R3150
BSM324280	72R6515
CFC ER210L-25149S	75R7280
CFC024-21590	75R1202
CFC688-21946C	75R7312
CFCER210L-21562	75R7280
CFCET210L-25150S	75R7290
D2AZ-19834-A	73R7000
D5AZ 19986 A	71R0487
ERDH RD5 9204 1	73R5624
F4HZ 19C836 A	74R5093
F6HZ-19N619BA	78R5385
III8037030	71R6456
III8040135	71R6400
III8040136	71R6405
INM2G754A	71R1210
MOD 1S12193	77R6817
N10G-36000006	78R5430
N31-1355-000	71R3150
PH085167-18	70R3590
PH088281-00	74R3331
PH088292-00	74R3309
PH088293-00	74R3309
PH088335-00	74R3328
PH088336-00	74R3323
PH088446-00	74R3126
PH088470-01	74R3317
PH088518-00	74R3126
PH368108	70R5125
PH63856	70R5120

FREIGHTLINER	
POTVF4-15F11	71R1702
RD-2-2922-0P	RD-2-2922-0P
RD5-8835-0	73R5522
RDH RD5 10341 0	71R1457
RDH R2020 0	R-2020-0P
RDH R2020 0 24	R-2020-0-24P
RDH R2300 0	R-2300-0P
RDH R254 0	R-254-0P
RDH R254 0 24	R-254-0-24P
RDH R254 1	R-254-1P
RDH R254 4	R-254-4P
RDH R255 4	R-255-4P
RDH R2550 0	R-2550-0P
RDH R270 0	R-270-0P
RDH R270 0 24	R-270-0-24P
RDH R290 0	R-290-0P
RDH R290 0 24	R-290-0-24P
RDH R290 1 24	R-290-1-24P
RDH R290 4	R-290-4P
RDH R290 4 24	R-290-4-24P
RDH R295 0	R-295-0P
RDH R295 0 24	R-295-0-24P
RDH R295 4	R-295-4P
RDH R3500 1	R-3500-1P
RDH R3540 2	R-3540-2P
RDH R4013H	R-4013HP
RDH R4122 9	R-4122-9P
RDH R4500 8	R-4500-8P
RDH R4500 8 24	R-4500-8-24P
RDH R5040 2	R-5040-2P
RDH R5040 4	R-5040-4P
RDH R5040 6	R-5040-6P
RDH R6100 0 24	R-6100-0-24P
RDH R6160 0	R-6160-0P
RDH R6160 0 24	R-6160-0-24P
RDH R6260 1	R-6260-1P
RDH R6260 1 24	R-6260-1-24P
RDH R6840 0	R-6840-0P
RDH R7830 0 24	R-7830-0-24P
RDH R8235 0	R-8235-0P
RDH R8820 1	R-8820-1P
RDH R8820 2	R-8820-2P
RDH R9520 0	R-9520-0P
RDH R9715 11	R-9715-11P
RDH R9750 9	R-9750-9P
RDH R9750 9 24	R-9750-9-24P
RDH R9777 0	R-9777-0P
RDH R9777 0 24	R-9777-0-24P
RDH R9777 1	R-9777-1P
RDH R9777 1 24	R-9777-1-24P
RDH R9976 1	R-9976-1P

FREIGHTLINER	
RDH RD 1 2380 0	RD-1-2380-0P
RDH RD 4 5135 0	RD-4-5135-0P
RDH RD 4180 64	RD-4180-64P
RDH RD 5 9537 0	RD-5-9537-0M
RDH RD1 0411 0	RD-1-0411-0P
RDH RD1 0419 0	RD-1-0419-0P
RDH RD1 0422 0	72R3601
RDH RD1 0423 0	72R3603
RDH RD1 0496 1	RD-1-0496-1P
RDH RD1 0552 0	RD-1-0552-0P
RDH RD1 0662 2	70R7175
RDH RD1 0771 1	76R1510
RDH RD1 0822 0	76R2410
RDH RD1 0837 0	RD-1-0837-0P
RDH RD1 0861 0	RD-1-0861-0P
RDH RD1 0958 0	76R2010
RDH RD1 0959 0	RD-1-0959-0P
RDH RD1 1141 0	RD-1-1141-0P
RDH RD1 1281 0	76R3920
RDH RD1 1651 0	RD-1-1651-0P
RDH RD1 2255 0	RD-1-2255-0P
RDH RD1 2379 0	76R3943
RDH RD11 0054 0	77R9020
RDH RD11 0076 0	RD-11-0076-0P
RDH RD2 0781 6	RD-2-0781-6P
RDH RD2 0781 7	RD-2-0781-7P
RDH RD2 0921 1	RD-2-0921-1P
RDH RD2 1017 0	RD-2-1017-0P
RDH RD2 1184 0	RD-2-1184-0P
RDH RD2 1201 0	RD-2-1201-0P
RDH RD2 1206 0	RD-2-1206-0P
RDH RD2 1206 2	RD-2-1206-2P
RDH RD2 1206 3	RD-2-1206-3P
RDH RD2 1207 0	RD-2-1207-0P
RDH RD2 1207 1	RD-2-1207-1P
RDH RD2 1207 2	RD-2-1207-2P
RDH RD2 1245 0	RD-2-1245-0P
RDH RD2 1250 0	RD-2-1250-0P
RDH RD2 1284 0	RD-2-1284-0P
RDH RD2 1296 0	RD-2-1296-0P
RDH RD2 1315 0	RD-2-1315-0P
RDH RD2 1378 0	RD-2-1378-0P
RDH RD2 1499 1	RD-2-1499-1P
RDH RD2 1607 0	RD-2-1607-0P
RDH RD2 1659 26	RD-2-1659-26P
RDH RD2 1727 26.50	RD-2-1727-26.50P
RDH RD2 1735 0	RD-2-1735-0P
RDH RD2 1758 0	RD-2-1758-0P
RDH RD2 1862 0	76R6160
RDH RD2 2047 0	76R4920
RDH RD2 2701 0	RD-2-2701-0P

FREIGHTLINER	
RDH RD2 2816 63	RD-2-2816-63P
RDH RD2 2915 103	RD-2-2922-0P
RDH RD2 3006 0	RD-2-3006-0P
RDH RD2 3008 0	76R7030
RDH RD2 3070 0	76R6650
RDH RD2 3150 0	RD-2-3150-0P
RDH RD2 3279 0	RD-2-3279-0P
RDH RD2 3693 0	RD-2-3693-0P
RDH RD3 10538 0	73R4532
RDH RD3 14448 0	RD-3-14448-0P
RDH RD3 1566 2	72R4530
RDH RD3 2415 2	RD-3-2415-2P
RDH RD3 2547 0	RD-3-2547-0P
RDH RD3 2547 1	RD-3-2547-1P
RDH RD3 2592 0	RD-3-2592-0P
RDH RD3 2788 2	RD-3-2788-2P
RDH RD3 2788 4	RD-3-2788-4P
RDH RD3 2788 6	RD-3-2788-6P
RDH RD3 3031 0	RD-3-3031-0P
RDH RD3 3121 1	RD-3-3121-1P
RDH RD3 3133 1	RD-3-3133-1P
RDH RD3 3174 0	RD-3-3174-0P
RDH RD3 3425 0	RD-3-3425-0P
RDH RD3 3430 0	RD-3-3430-0P
RDH RD3 3590 0	RD-3-3590-0P
RDH RD3 3805 2	RD-3-3805-2P
RDH RD3 3813 0	RD-3-3813-0P
RDH RD3 3847 0	RD-3-3847-0P
RDH RD3 3901 1	RD-3-3901-1P
RDH RD3 3955 0	RD-3-3955-0P
RDH RD3 4417 0	RD-3-4417-0P
RDH RD3 4784 0	RD-3-4784-0P
RDH RD3 4812 2	72R4531
RDH RD3 5051 0	RD-3-5051-0P
RDH RD3 5065 0	78R5150
RDH RD3 5072 0	RD-3-5072-0P
RDH RD3 5277 0	RD-3-5277-0P
RDH RD3 5277 1	RD-3-5277-1P
RDH RD3 5367 0	RD-3-5367-0P
RDH RD3 5390 0	RD-3-5390-0P
RDH RD3 5448 0	RD-3-5448-0P
RDH RD3 5914 0	RD-3-5914-0P
RDH RD3 6023 1	RD-3-6023-1P
RDH RD3 6060 0	RD-3-6060-0P
RDH RD3 6401 0	RD-3-6401-0P
RDH RD3 6407 0	78R5251
RDH RD3 6408 0	78R5370
RDH RD3 6767 1	RD-3-6767-1P
RDH RD3 6770 0	73R5502
RDH RD3 6770 24	73R5504
RDH RD3 7376 0	RD-3-7376-0P

FREIGHTLINER	
RDH RD3 7382 0	RD-3-7382-0P
RDH RD3 7646 0	RD-3-7646-0P
RDH RD3 7822 0	71R8310
RDH RD3 7838 1	RD-3-7838-1P
RDH RD3 8226 0	RD-3-8226-0P
RDH RD3 8711 0	RD-3-8711-0P
RDH RD3 8989 0	72R2120
RDH RD3 8999 0	RD-3-8999-0P
RDH RD3 9805 0	78R5243
RDH RD3106 13	73R0602
RDH RD3106 13 24	73R0604
RDH RD3106 18 24	73R0204
RDH RD3106 38	73R6101
RDH RD3205 29	RD-3205-29P
RDH RD4 3364 0	70R3406
RDH RD4 3365 0	70R3408
RDH RD4 3595 4	77R8200
RDH RD4 3669 0	RD-4-3669-0P
RDH RD4 3683 3	RD-4-3683-3P
RDH RD4 3804 0	RD-4-3804-0P
RDH RD4 3882 3	RD-4-3882-3P
RDH RD4 3883 1	RD-4-3883-1P
RDH RD4 4266 0	RD-4-4266-0P
RDH RD4 4313 1	RD-4-4313-1P
RDH RD4 4529 1	RD-4-4529-1P
RDH RD4 4713 0	77R7000
RDH RD4 5041 0	RD-4-5041-0P
RDH RD4 5121 0	RD-4-5121-0P
RDH RD4 5370 0	RD-4-5370-0P
RDH RD4 5370 1	RD-4-5370-1P
RDH RD4124 18	72R7280
RDH RD4124 20	72R7290
RDH RD4180 24	72R8190
RDH RD4180 43	72R8300
RDH RD4180 46	72R8300
RDH RD4180 69	RD-4180-69P
RDH RD4188 24	71R9004
RDH RD4197 0	RD-4197-0P
RDH RD4221 0	RD-4221-0M
RDH RD4222 0	RD-4222-0M
RDH RD4296 0	70R3256
RDH RD5 10207 0	79R4655
RDH RD5 10333 0	71R8440
RDH RD5 10335 0	71R3220
RDH RD5 10336 0	73R0042
RDH RD5 10344 0	72R6520
RDH RD5 10346 0	73R7130
RDH RD5 10379 0	73R0012
RDH RD5 10380 0	73R2202
RDH RD5 10381 0	73R2222
RDH RD5 10382 0	73R2242

FREIGHTLINER	
RDH RD5 10383 0	73R2112
RDH RD5 10387 0	73R2142
RDH RD5 10388 0	73R2152
RDH RD5 10391 0	73R0092
RDH RD5 10393 0	73R3022
RDH RD5 10395 0	73R3032
RDH RD5 10397 0	75R1342
RDH RD5 10434 0	74R2002
RDH RD5 10441 0	71R1463
RDH RD5 10447 0	71R8405
RDH RD5 10462 0	74R5081
RDH RD5 10478 0	72R2350
RDH RD5 10490 0	73R9082
RDH RD5 10491 0	73R0032
RDH RD5 10544 0	75R0082
RDH RD5 10545 0	75R0092
RDH RD5 10546 0	71R8385
RDH RD5 10548 0	70R8558
RDH RD5 10554 0	70R8348
RDH RD5 10555 0	70R8346
RDH RD5 10556 0	70R8341
RDH RD5 10558 0	70R8888
RDH RD5 10559 0	70R8881
RDH RD5 10560 0	70R8086
RDH RD5 10563 0	70R8591
RDH RD5 10564 0	70R8201
RDH RD5 10565 0	70R8621
RDH RD5 10566 0	70R8208
RDH RD5 10567 0	70R8996
RDH RD5 10568 0	70R8998
RDH RD5 10569 0	70R8891
RDH RD5 10570 0	70R8066
RDH RD5 10571 0	70R8068
RDH RD5 10572 0	70R8061
RDH RD5 10573 0	70R8062
RDH RD5 10574 0	70R8681
RDH RD5 10575 0	70R8688
RDH RD5 10576 0	70R8398
RDH RD5 10577 0	70R8598
RDH RD5 10578 0	70R8296
RDH RD5 10579 0	70R8298
RDH RD5 10580 0	70R8291
RDH RD5 10592 0	71R6480
RDH RD5 10593 0	78R5235
RDH RD5 10723 0	75R0262
RDH RD5 10724 0	75R1212
RDH RD5 10725 0	75R8454
RDH RD5 10727 0	75R0062
RDH RD5 10734 0	71R8090
RDH RD5 10738 0	75R84622
RDH RD5 10744 0	74R1436

FREIGHTLINER	
RDH RD5 10759 0	75R1832
RDH RD5 10760 0	75R1842
RDH RD5 10761 0	75R1852
RDH RD5 10762 0	75R1862
RDH RD5 10774 0	78R5302
RDH RD5 10775 0	78R5308
RDH RD5 10777 0	74R2616
RDH RD5 10867 0	73R0332
RDH RD5 10905 0	73R0442
RDH RD5 11000 0	71R6600
RDH RD5 11001 0	71R6463
RDH RD5 11002 0	75R84662
RDH RD5 11190 0	74R3317
RDH RD5 11595 0	RD-5-11595-0P
RDH RD5 11864 1	78R1027
RDH RD5 3653 0	72R9040
RDH RD5 3746 1	70R7500
RDH RD5 3781 1	RD-5-3781-1P
RDH RD5 3789 9	78R1805
RDH RD5 3827 8	RD-5-3827-8P
RDH RD5 3849 0	RD-5-3849-0P
RDH RD5 3860 4	RD-5-3860-4P
RDH RD5 3860 5	RD-5-3860-5P
RDH RD5 3928 2	RD-5-3928-2P
RDH RD5 4089 0	RD-5-4089-0M
RDH RD5 4097 0	RD-5-4097-0P
RDH RD5 4195 0	RD-5-4195-0P
RDH RD5 4233 24	73R4504
RDH RD5 4253 0	RD-5-4253-0P
RDH RD5 4285 0	RD-5-4285-0P
RDH RD5 4288 0	78R5003
RDH RD5 4296 1	73R9204
RDH RD5 4476 12	70R5565
RDH RD5 4611 0	RD-5-4611-0P
RDH RD5 4626 1	RD-5-4626-1P
RDH RD5 4680 0 GRN	RD-5-4680-0-GRNP
RDH RD5 4680 0 RED	RD-5-4680-0-REDP
RDH RD5 4693 0	RD-5-4693-0P
RDH RD5 4756 0	72R9030
RDH RD5 4776 1	RD-5-4776-1P
RDH RD5 4825 19	RD-5-4825-19P
RDH RD5 4825 23	RD-5-4825-23P
RDH RD5 5072 2	RD-5-5072-2P
RDH RD5 5222 0	72R3111
RDH RD5 5223 2	RD-5-5223-2P
RDH RD5 5234 0	RD-5-5234-0M
RDH RD5 5352 0	RD-5-5352-0P
RDH RD5 5374 0	RD-5-5374-0P
RDH RD5 5381 0	RD-5-5383-0P
RDH RD5 5403 2	77R9005
RDH RD5 5403 3	77R9015

FREIGHTLINER	
RDH RD5 5423 0	RD-5-5423-0P
RDH RD5 5424 0	RD-5-5424-0P
RDH RD5 5431 0	78R5200
RDH RD5 5432 0	78R5210
RDH RD5 5434 0	RD-5-5434-0P
RDH RD5 5452 0	RD-5-5452-0P
RDH RD5 5502 0	RD-5-5502-0M
RDH RD5 5505 33	RD-5-5505-33P
RDH RD5 5510 0	RD-5-5510-0P
RDH RD5 5534 0	RD-5-5534-0P
RDH RD5 5676 0	RD-5-5676-0P
RDH RD5 5796 24	73R9064
RDH RD5 5938 0	78R0090
RDH RD5 5965 0	RD-5-5965-0P
RDH RD5 5973 0	RD-5-5973-0P
RDH RD5 6028 4	RD-5-6028-4P
RDH RD5 6118 0	RD-5-6118-0P
RDH RD5 6124 0	78R5320
RDH RD5 6131 0	RD-5-6131-0P
RDH RD5 6220 0	72R2105
RDH RD5 6239 0	RD-5-6239-0P
RDH RD5 6395 1	71R6045
RDH RD5 6415 0	75R6041
RDH RD5 6423 0	RD-5-6423-0P
RDH RD5 6425 0	RD-5-6425-0P
RDH RD5 6493 0	70R4641
RDH RD5 6532 120	78R0075
RDH RD5 6532 360	RD-5-6532-360P
RDH RD5 6694 0	RD-5-6694-0P
RDH RD5 6767 0	RD-5-6767-0P
RDH RD5 6799 0	RD-5-6799-0P
RDH RD5 6867 0	78R5350
RDH RD5 6868 0	71R8301
RDH RD5 6874 0	RD-5-6874-0P
RDH RD5 6917 2	72R9005
RDH RD5 6946 0	70R4308S
RDH RD5 6949 0	70R4398S
RDH RD5 6969 0	73R4064
RDH RD5 7015 0	71R8321
RDH RD5 7024 0	RD-5-7024-0P
RDH RD5 7058 0	70R2071S
RDH RD5 7074 0	70R2076S
RDH RD5 7075 0	70R2072S
RDH RD5 7178 0	RD-5-7178-0P
RDH RD5 7183 0	71R0854
RDH RD5 7233 0	71R1914
RDH RD5 7262 0	78R5290
RDH RD5 7277 0	75R5813
RDH RD5 7278 0	75R5814
RDH RD5 7364 0	71R3250
RDH RD5 7495 0	70R4601S

Convert Other Part Numbers to Red Dot Aftermarket Numbers

FREIGHTLINER	
RDH RD5 7543 0	70R4641S
RDH RD5 7568 1	74R2687
RDH RD5 7575 3	RD-5-7575-3P
RDH RD5 7576 0	RD-5-7576-0P
RDH RD5 7579 0	RD-5-7579-0P
RDH RD5 7581 1	RD-5-7581-1P
RDH RD5 7629 0	70R4506S
RDH RD5 7641 0	70R5091S
RDH RD5 7731 0	79R1520
RDH RD5 7732 0	79R1525
RDH RD5 7733 0	70R4492S
RDH RD5 7740 0	70R4402S
RDH RD5 7786 0	79R1504
RDH RD5 7787 0	79R1503
RDH RD5 7788 0	79R1502
RDH RD5 7805 0	70R4306S
RDH RD5 8002 0	RD-5-8002-0M
RDH RD5 8043 11 25	RD-5-8043-11.25P
RDH RD5 8079 0	78R5380
RDH RD5 8188 1	RD-5-8188-1P
RDH RD5 8193 2	72R5350
RDH RD5 8195 0	70R4791S
RDH RD5 8255 0	73R0982
RDH RD5 8261 0	70R4302S
RDH RD5 8262 0	70R4348S
RDH RD5 8264 0	70R4342S
RDH RD5 8266 0	70R2012S
RDH RD5 8269 0	70R2061S
RDH RD5 8270 0	70R2062S
RDH RD5 8271 0	70R2066S
RDH RD5 8272 0	70R2068S
RDH RD5 8274 0	70R2036S
RDH RD5 8276 0	70R4796S
RDH RD5 8278 0	70R4591S
RDH RD5 8279 0	70R4596S
RDH RD5 8281 0	70R7002S
RDH RD5 8282 0	70R6492S
RDH RD5 8283 0	70R4606S
RDH RD5 8285 0	70R4646S
RDH RD5 8286 0	70R4696S
RDH RD5 8287 0	71R6210
RDH RD5 8289 0	71R6230
RDH RD5 8393 0	70R3510S
RDH RD5 8405 0	70R4006
RDH RD5 8412 0	RD-5-8412-0P
RDH RD5 8424 0	RD-5-8424-0P
RDH RD5 8436 0	72R3120
RDH RD5 8463 0	70R4698S
RDH RD5 8481 0	79R1505
RDH RD5 8490 0	71R1610
RDH RD5 8526 0	73R5512

FREIGHTLINER	
RDH RD5 8526 1	73R5514
RDH RD5 8535 0	71R1262
RDH RD5 8537 0	70R6006S
RDH RD5 8538 0	70R6008S
RDH RD5 8539 0	70R4416S
RDH RD5 8572 0	RD-5-8572-0P
RDH RD5 8582 0	78R5240
RDH RD5 8605 0	74R0470
RDH RD5 8627 6	73R8614
RDH RD5 8631 2	73R8582
RDH RD5 8680 0	75R8354
RDH RD5 8703 2	73R8562
RDH RD5 8705 1	RD-5-8705-1P
RDH RD5 8747 1	RD-5-8747-1P
RDH RD5 8747 4	73R8652
RDH RD5 8762 0	RD-5-8762-0P
RDH RD5 8772 0	70R6506
RDH RD5 8773 0	70R6508
RDH RD5 8774 0	70R6501
RDH RD5 8785 3	73R8594
RDH RD5 8785 4	RD-5-8785-4P
RDH RD5 8830 0	71R0522
RDH RD5 8831 0	71R0532
RDH RD5 8835 0	73R5522
RDH RD5 8836 0	73R5524
RDH RD5 8837 0	73R5532
RDH RD5 8838 0	73R5534
RDH RD5 8898 0	70R9406S
RDH RD5 8899 0	70R9408S
RDH RD5 8900 0	70R9401S
RDH RD5 8901 0	70R9906S
RDH RD5 8902 0	70R9908S
RDH RD5 8903 0	70R9901S
RDH RD5 8905 0	70R9498S
RDH RD5 8906 0	70R9491S
RDH RD5 8907 0	70R9996S
RDH RD5 8910 0	70R9306S
RDH RD5 8911 0	70R9308S
RDH RD5 8913 0	70R9396S
RDH RD5 8914 0	70R9398S
RDH RD5 8915 0	70R9391S
RDH RD5 8916 0	70R9016S
RDH RD5 8917 0	70R9018S
RDH RD5 8918 0	70R9011S
RDH RD5 8936 0	71R8430
RDH RD5 8939 0	70R9402S
RDH RD5 8940 0	70R9492S
RDH RD5 8943 0	72R6515
RDH RD5 8945 0	75R8252
RDH RD5 8947 0	73R6270
RDH RD5 8951 0	70R9791S

FREIGHTLINER	
RDH RD5 8952 0	70R9072S
RDH RD5 8955 0	70R9001S
RDH RD5 8956 0	70R9091S
RDH RD5 8957 0	70R9701S
RDH RD5 8995 0	71R0884
RDH RD5 9000 0	RD-5-9000-0P
RDH RD5 9001 2	RD-5-9001-2P
RDH RD5 9003 1	RD-5-9003-1P
RDH RD5 9003 2	RD-5-9003-2P
RDH RD5 9003 3	RD-5-9003-3P
RDH RD5 9013 0	RD-5-9013-0P
RDH RD5 9037 0	71R0512
RDH RD5 9053 0	72R3140
RDH RD5 9088 0	75R8332
RDH RD5 9133 0	71R4065
RDH RD5 9152 0	72R4010
RDH RD5 9157 0	72R4400
RDH RD5 9158 0	72R4500
RDH RD5 9159 0	72R4510
RDH RD5 9204 0	73R5622
RDH RD5 9249 0	75R1412
RDH RD5 9267 0	RD-5-9267-0P
RDH RD5 9415 0	72R6540
RDH RD5 9437 0	71R1402
RDH RD5 9448 0	71R1404
RDH RD5 9449 0	71R1405
RDH RD5 9513 0	71R8380
RDH RD5 9556 0	74R5060
RDH RD5 9577 0	71R6150
RDH RD5 9633 0	79R4561
RDH RD5 9812 0	75R5705
RDH RD5 9813 0	75R5698
RDH RD5 9814 0	75R5691
RDH RD5 9907 0	RD-5-9907-0M
RDH RD5 9935 0	71R8450
RDH RD5 9952 0	75R5728
RDH RD5 9987 0	70R5020
RDH RD5 9988 0	70R5010
RDH RD5 9989 0	70R5005
RDH RD6 4698 0	RD-6-4698-0P
RDH RD6 4726 0	RD-6-4726-0P
RDH RD9 9457 0	75R6016
RDH RDG 7035 0	77R5550
RNCA10-6581-00	71R2250
RTC02683	72R5070
SKI4314S	75R89852Q
SKI4431	75R81262
SKI4626	75R8432
SKI4776	75R84232
SKI4818	75R81302
SKI4819	75R81232

FREIGHTLINER	
SKI4820	75R81612
SKI4821	75R81212
TBB 85660487	RD-3-7383-0P
TBB 85660680	76R1550
VAB1210416	77R8435
VCC32000022	71R3589
VCC35000003	73R3152
VCC36000006	78R5430
VCC50000031	76R7735
VCC88000030	71R8451
VCCT1000044L	RD-5-15073-0P
VCCT1000898P	RD-5-15073-0P
VCCT1000921S	78R5425
VCCT1001428N	71R8475
VCCT1001838L	71R8475
WWS RD-1-0822-1	RD-1-0822-1P
WWS RD-1-1965-0	RD-1-1965-0P
WWS RD-2-1898-1	RD-2-1898-1P
WWS RD-3-7385-0	RD-3-7385-0P
WWS RD-3-8417-0	RD-3-8417-0P
WWS RD-3-8777-0	78R5241
WWS RD-3-9157-0	RD-3-9157-0P
WWS RD-5-9216-1	RD-5-9216-1P
WWS RD-5-9219-0	75R5834
WWS RD-5-9253-0	RD-5-9253-0P
WWS RD-5-9535-0	RD-5-9535-0P
WWS RD-6-4797-2	71R3504
X4CH-19D629AA	75R81172

ICE	
2521157	406631
2521161	75R8354
2521164	75R85734
2521167	75R8632Q
2521171	75R8702Q
2521185	75R90822A
2521192	75R8634Q
2521194	75R8664Q
2521198	75R85632
2521206	75R8562Q
2521209	75R8672Q
2521344	75R85632
2521346	75R85632
2521350	75R86212Q
2521387	75R85632
2521475	75R8722
2521564	75R861522A
2521641	75R85102Q
2521677	75R85112Q
2521687	75R8572Q
2521687	75R90992A

ICE	
2560108	75R8515
2570132	75R4782
2570136	75R4792
2570148	75R1412
2570150	75R0274
2570152	75R0252
2570155	75R0082
2570158	75R1212
2570159	75R0262
2570161	75R0092
2570165	75R4782
2570168	75R4792

IHC - NAVISTAR	
873878	78R5315
2570144	75R0062
2570149	75R1414
2570151	75R0172
1-9254	75R7290
426826001	72R3050
433093001	73R9062
0680952R93	73R0602
1076362R91	73R0552
1140568C91	75R4534
117283C91	73R0422
117841C91	75R7280
124552C1	74R2106
1280331C1	71R8301
1280333-C1	71R8100
13541643C1	75R84302Q
143469C2	74R4027
1514307C1	71R6110
1514330C2	71R7075
1616787C1	71R6183
1622648C91	71R6470
1647566C91	75R1202
165129C91	75R1202
1651984C1	71R6120
1651985C1	71R6090
165338C91	75R0452
1653480C91	75R0402
1653480C92	75R0402
1655566C1	73R4162
1661270C92	71R1702
1661420C1	71R1165
1661420C91	71R1150
1661427C92	71R0030
1664248C1	71R3300
1667340C4	77R8465
1667340C5	77R8465
1669329C1	71R9002

IHC - NAVISTAR	
1669332C1	71R1450
1669342C1	RD-5-4387-0P
1669348C1	71R0400
1669786C1	73R2102
1669955C1	71R8415
1674253C2	77R0570
1675462C1	77R8470
1675462C2	77R8470
1676647C1	75R0452
1676647C91	75R0422
1676648C1	RD-5-4387-0P
1676651C1	74R1706
1676652C1	74R1906
1676653C1	74R1756
1676657C1	73R2152
1676658C1	71R7550
1676663C1	74R2706
1676664C1	74R1956
1676665C1	71R8321
1676665C91	71R8400
1676786C1	71R6181
1676786C2	71R6181
1676787C1	71R6183
1676793C91	70R5550
1676794C1	70R2076S
1676795C1	70R4396S
1676796C1	70R4306S
1676797C1	70R4406S
1676799C1	70R4496S
1676804C1	70R4408S
1676807C1	70R4448S
1676808C1	70R4301S
1676809C1	70R4491S
1676822C91	71R8500
1676831C91	75R7280
1676832C91	75R7295
167813C1	75R0612
1681116C92	77R9010
1687780C91	75R0612
1687780C92	75R0612
1687819C1	75R0612
168903C1	71R8210
1691469C1	71R8080
1691469C2	71R8080
1691601C91	74R1866
1691604C1	74R2577
1691699C91	71R7500
1691700C1	73R6051
1691701C1	73R6230
1691704C91	73R4182
1691705C91	73R4322

IHC - NAVISTAR	
1691706C1	71R8220
1691708C91	73R0322
1691711C1	71R8050
1691714C91	77R1100
1691715C1	71R1210
1691717C91	73R0602
1691719C91	73R0552
1691720C1	73R2262
1691721C91	RD-5-4387-0P
1691726C91	71R3100
1691727C1	73R7130
1691728C1	73R7130
1691729C91	71R3150
1691730C91	71R1702
1691732C1	71R1455
1691733C91	73R4182
1691734C91	73R4602
1691736C1	75R0182
1691738C91	74R2306
1691739C91	71R3100
1691745C91	75R8422
1691746C91	75R8432
1693117C1	74R3456
1693199C1	73R7215
16938361C1	71R1457
1693942C1	70R5058
1693968C1	70R5056
1693970C1	70R5051
1696663C1	74R2706
1696831C1	71R3573
1696834C1	78R5305
1696836C1	71R1457
1696846C3	71R8404
1696859C1	71R8991
1697119C1	71R6120
1699291C1	73R3082
1699309C1	71R6400
1699310C1	71R6405
1699947C1	73R6253
1699949C1	73R0572
1699950C1	76R7712
1699953C1	71R3300
1699955C1	71R8415
1699955C2	71R8415
1699956C1	78R5308
175575C1	71R2250
1818128C1	75R0662
1818128C2	75R0662
1990756-C1	71R8321
1990756-C2	71R8321
1E0064050000	77R7705

IHC - NAVISTAR	
2000655C2	77R0715
2000820C91	75R7290
2000821C2	74R3456
2003413C91	75R81452
2004801C1	77R7000
2004801C3	77R7000
2004801C4	77R7000
2006413C91	75R81452
2009378C1	77R0720
2009378C2	77R0720
2012557C1	71R1722
2016366C93	75R1302
2016403C1	75R1342
2016403C2	75R1342
2016410C93	75R0502
2032287C91	75R8382
2035274C1	71R6210
2040708C91	75R8382
2062736C91	75R81622Q
2153533C1	71R8507
2167510C91	75R0422
2210999C1	73R9062
2217916C1	72R2140
2500485C1	73R2102
2500918C1	71R1457
2501256C1	71R6582
2501257C1	71R6426
2501794C91	71R8415
2501794C92	71R8415
2501794C93	71R8415
2502459C91	75R7295A
2502460C91	75R7280
2503207C1	71R3582
2503271C1	73R7130
2503277C1	73R0012
2503278C1	73R0642
2503279C1	73R0142
2503727C1	71R1467
2503783C91	71R8405
2505650C92	77R0355
2505912C91	75R1862
2506656C1	78R5435
2506656C2	78R5435
2507219C1	71R4065
2507482C91	77R0095
2507482C92	77R0095
2507482C94	77R0095
2507540C1	75R5565
2508698C91	77R0635
2508698C92	77R0635
2508698C94	77R0635

Convert Other Part Numbers to Red Dot Aftermarket Numbers

IHC - NAVISTAR	
2509051C1	71R1702
2509449C91	75R7312
2509450C91	75R7322
2509451C91	75R7362
2509452C91	75R7290
2509453C91	75R7290
2509454C91	75R7312
2509456C91	75R7290
2509458C91	75R7332
2510671C1	71R1477
2512331C1	71R8467
25191836C92	77R7705
2585373C2	77R0115
2586812C91	77R0355
2586812C93	77R0355
2589204C91	77R8350
2589563C1	73R0142
2591621C91	77R8350
2591836C91	77R8350
2592000C91	75R1302
2592001C91	75R1302
2592004C91	75R0612
2592004C92	75R0612
2592005C1	75R0662
2592005C91	75R0662
2592006C1	75R1342
2592667C1	75R4802
2593329C91	77R0675
2595006-C1	75R1342
2597637C91	75R0612
2597639C91	75R0402
2597641C91	75R1342
2597643C91	75R0662
2598648C1	73R0142
2601444C91	77R7705
2601445C91	77R7705
2601796C91	77R8380
2602121C91	75R84302Q
2602122C91	RD-5-12568-0P
2602123C91	75R81372
2602733C91	75R81232
2602736C91	75R81622
2602740C91	75R84382
2602742C91	75R81692
2602743C91	75R81362
2602744C91	75R81302
2602745C91	75R8382
2602815C91	75R82312Q
2604851C92	77R8375
2606192C91	75R81652
2606229C92	71R6266

IHC - NAVISTAR	
2610412C1	70R5504
2610413C1	70R5503
2610414C1	70R5500
2610415C1	70R5502
2610417C1	70R5501
2611208C91	71R6181
2611234C1	71R3580
2613243C91	71R8465
2614861C91	70R5506
2684680C91	71R8370
2684701C1	71R8050
2684711C91	71R8505
301305C91	71R2250
301395C91	71R2300
3504377C1	77R8309
3516273C91	71R6565
3521729C1	71R6235
3524465C1	71R8489
3535042C1	75R0032
3541235C91	75R81352
3542575C1	71R3585
3542575C2	71R3585
3542576C2	76R7760
3542577C2	74R5097
3542578C2	71R9300
3542604C2	76R6020
3542604C3	76R6020
3542606C1	71R3580
3542611C2	73R3132
3543727C1	75R5530
3543728C1	75R5535
3543881C1	75R5580
3543882C1	75R5585
3546241C1	71R6260
3547916C1	75R84302Q
3547916C1	75R84302A
3547916C1	75R84302
3547917C1	75R81292A
3548043C1	71R6265
3548044C1	71R8507
3548907F93	77R0355
3551405C1	75R84622
3562102C1	71R1470
3565464C91	78R3007
3565481C91	78R3003
3579878C1	75R84472
3582435C1	75R89752
3582435C1	75R89752Q
3582435C4	75R89752
3582987C92	78R3008
3582989C91	78R3005

IHC - NAVISTAR	
3592145C92	78R3002
3599581C2	73R3162
3599589C1	71R8465
3599602C1	71R3581
3600338C1	71R6259
3600339C1	71R6261
3600647C91	78R3009
3600647C92	78R3009
3607384C1	71R1722
3611894C91	75R9622
3611894C92	75R9622
3611894C94	75R9622
3612293C93	78R3010
3612296C92	78R3010
3612298C92	78R3011
3622764C1	71R6265
3622764C3	71R6265
3626414C1	71R1475
3628699C1	75R84302Q
3628699C1	75R84302A
3628699C2	75R84302Q
3628700C1	75R81292A
3660853C2	71R8467
3660862C1	70R5504
3660864C1	70R5503
3660865C1	70R5500
3661318C1	70R5502
3666273C1	74R5401
3670125C91	76R7765
3670134C1	74R5405
3674285C1	73R3112
3685800C1	71R3591
3688242C2	71R8420
3808548C1	75R89762
3808548C4	75R89762
3824716C1	70R5501
3839141C1	78R5440
3839315C1	71R6270
3839360C92	74R5088
3843558C92	74R5090
3857948C3	71R8481
393349C1	73R0092
393350C1	71R2700
393352C1	71R8210
393681C91	75R4732
417888C91	75R7280
417888C92	75R7280
418677C1	71R2700
419992C91	73R0552
419993C91	73R0602
4205450C92	75R0302

IHC - NAVISTAR	
422984C1	73R0552
426124C1	71R2700
426147C1	71R8050
426164C1	71R2700
436998C91	71R2700
442182C1	71R6230
442183C1	71R6060
442183C2	71R6060
442987C1	73R0092
445444C1	71R2700
446987C1	72R2140
4507329R1	73R9064
454347C1	71R2800
454613C1	74R3450
454614C1	74R3450
465502C1	73R7215
467007C1	71R2700
468323C91	75R7290
468323C92	75R7290
469475C1	71R8080
474086C1	73R2102
480836C1	78R5304
480869C1	71R6070
481800C91	75R0302
4818100C91	75R0402
481813C1	78R5302
488831C1	73R0702
488832C1	73R0652
488842C91	73R0652
488843C91	73R0702
492413C91	75R7280
498144C1	78R5306M
498554C92	73R0702
501087C1	71R0480
501087C3	71R0480
501099C91	76R3475
501118C3	77R8475
509170C91	75R8102
539047-R2	73R0532
539049C-1	74R4017
539049R-1	74R4017
539049R91	74R4016
544975C1	71R6070
544983C1	74R2706
544983R91	74R2706
554712C91	75R7290
576622C1	75R5525
576625C91	75R0202
581686C1	71R6090
581687C1	71R2800
581691C1	71R2800

IHC - NAVISTAR	
586908C92	77R8475
5879771C1	71R6020
592231C1	71R2800
597639C91	75R0402
6102498C92	74R5088
6102500C92	74R5090
6102500C93	74R5090
683596C91	75R7280
71504287-5	71R8100
783966C93	73R9082
8040117P	71R6582
899996R91	72R5050
938513C1	72R7600
967109R91	73R0552
A42623	71R2100
RDH75R81362A	75R81362A
RDH75R89552A	75R89552A
RDT70R2002S	70R2002S
RDT70R2006S	70R2006S
RDT70R2011S	70R2011S
RDT70R2012S	70R2012S
RDT70R2016S	70R2016S
RDT70R2018S	70R2018S
RDT70R2031S	70R2031S
RDT70R2036S	70R2036S
RDT70R2038S	70R2038S
RDT70R2061S	70R2061S
RDT70R2062S	70R2062S
RDT70R2066S	70R2066S
RDT70R2068S	70R2068S
RDT70R2071S	70R2071S
RDT70R2072S	70R2072S
RDT70R2076S	70R2076S
RDT70R2078S	70R2078S
RDT70R2111S	70R2111S
RDT70R2201	70R2201
RDT70R2206	70R2206
RDT70R2301	70R2301
RDT70R2306	70R2306
RDT70R2402S	70R2402S
RDT70R2406S	70R2406S
RDT70R2408S	70R2408S
RDT70R3001	70R3001
RDT70R3006	70R3006
RDT70R3008	70R3008
RDT70R3201	70R3201
RDT70R3206	70R3206
RDT70R3208	70R3208
RDT70R3256	70R3256
RDT70R3258	70R3258
RDT70R3406	70R3406

IHC - NAVISTAR	
RDT70R3408	70R3408
RDT70R3500	70R3500
RDT70R3510S	70R3510S
RDT70R3530	70R3530
RDT70R3550	70R3550
RDT70R3590	70R3590
RDT70R3901	70R3901
RDT70R3906	70R3906
RDT70R3908	70R3908
RDT70R3912	70R3912
RDT70R4001S	70R4001S
RDT70R4002S	70R4002S
RDT70R4005S	70R4005S
RDT70R4006S	70R4006S
RDT70R4008S	70R4008S
RDT70R4091S	70R4091S
RDT70R4092S	70R4092S
RDT70R4096S	70R4096S
RDT70R42390S	70R42390S
RDT70R42396S	70R42396S
RDT70R4301S	70R4301S
RDT70R4302S	70R4302S
RDT70R4306S	70R4306S
RDT70R4308S	70R4308S
RDT70R4310S	70R4310S
RDT70R4311S	70R4311S
RDT70R4312S	70R4312S
RDT70R4316S	70R4316S
RDT70R4341S	70R4341S
RDT70R4342S	70R4342S
RDT70R4346S	70R4346S
RDT70R4348S	70R4348S
RDT70R4391	70R4391
RDT70R4391S	70R4391S
RDT70R4392S	70R4392S
RDT70R4396S	70R4396S
RDT70R4398S	70R4398S
RDT70R4401S	70R4401S
RDT70R4402S	70R4402S
RDT70R4406S	70R4406S
RDT70R4408S	70R4408S
RDT70R4416S	70R4416S
RDT70R4441S	70R4441S
RDT70R4442S	70R4442S
RDT70R4446S	70R4446S
RDT70R4448S	70R4448S
RDT70R4491S	70R4491S
RDT70R4492S	70R4492S
RDT70R4496S	70R4496S
RDT70R4498S	70R4498S
RDT70R4501S	70R4501S

IHC - NAVISTAR	
RDT70R4502S	70R4502S
RDT70R4506S	70R4506S
RDT70R4508S	70R4508S
RDT70R4541S	70R4541S
RDT70R4591S	70R4591S
RDT70R4596S	70R4596S
RDT70R4598S	70R4598S
RDT70R4601S	70R4601S
RDT70R4606S	70R4606S
RDT70R4608S	70R4608S
RDT70R4641S	70R4641S
RDT70R4646S	70R4646S
RDT70R4691S	70R4691S
RDT70R4696S	70R4696S
RDT70R4698S	70R4698S
RDT70R4701S	70R4701S
RDT70R4706S	70R4706S
RDT70R4791S	70R4791S
RDT70R4796S	70R4796S
RDT70R4798S	70R4798S
RDT70R4996	70R4996
RDT70R5000	70R5000
RDT70R5005	70R5005
RDT70R5010	70R5010
RDT70R5020	70R5020
RDT70R5022	70R5022
RDT70R5024	70R5024
RDT70R5026	70R5026
RDT70R5031	70R5031
RDT70R5032	70R5032
RDT70R5033	70R5033
RDT70R5034	70R5034
RDT70R5035	70R5035
RDT70R5042	70R5042
RDT70R5046	70R5046
RDT70R5051	70R5051
RDT70R5052	70R5052
RDT70R5056	70R5056
RDT70R5057	70R5057
RDT70R5058	70R5058
RDT70R5091S	70R5091S
RDT70R5100	70R5100
RDT70R5103	70R5103
RDT70R5105	70R5105
RDT70R5110	70R5110
RDT70R5115	70R5115
RDT70R5120	70R5120
RDT70R5125	70R5125
RDT70R5200	70R5200
RDT70R5210	70R5210
RDT70R5501	70R5501

IHC - NAVISTAR	
RDT70R5502	70R5502
RDT70R5504	70R5504
RDT70R5506	70R5506
RDT70R5550	70R5550
RDT70R5565	70R5565
RDT70R5600	70R5600
RDT70R5650	70R5650
RDT70R5701	70R5701
RDT70R5702	70R5702
RDT70R5706	70R5706
RDT70R5708	70R5708
RDT70R5718	70R5718
RDT70R5770	70R5770
RDT70R6001S	70R6001S
RDT70R6006S	70R6006S
RDT70R6008S	70R6008S
RDT70R6091S	70R6091S
RDT70R6096S	70R6096S
RDT70R6098S	70R6098S
RDT70R6446S	70R6446S
RDT70R6491S	70R6491S
RDT70R6492S	70R6492S
RDT70R6496S	70R6496S
RDT70R6498S	70R6498S
RDT70R6501	70R6501
RDT70R6506	70R6506
RDT70R6508	70R6508
RDT70R6598S	70R6598S
RDT70R7001S	70R7001S
RDT70R7002S	70R7002S
RDT70R7006S	70R7006S
RDT70R7008S	70R7008S
RDT70R7050	70R7050
RDT70R7100	70R7100
RDT70R7110	70R7110
RDT70R7115	70R7115
RDT70R7150	70R7150
RDT70R7170	70R7170
RDT70R7175	70R7175
RDT70R7200	70R7200
RDT70R7250	70R7250
RDT70R7270	70R7270
RDT70R7310	70R7310
RDT70R7500	70R7500
RDT70R7550	70R7550
RDT70R7600	70R7600
RDT70R7650	70R7650
RDT70R7750	70R7750
RDT70R8001	70R8001
RDT70R8002	70R8002
RDT70R8006	70R8006

Convert Other Part Numbers to Red Dot Aftermarket Numbers

IHC - NAVISTAR	
RDT70R8008	70R8008
RDT70R8061	70R8061
RDT70R8062	70R8062
RDT70R8066	70R8066
RDT70R8068	70R8068
RDT70R8071	70R8071
RDT70R8086	70R8086
RDT70R8088	70R8088
RDT70R8091	70R8091
RDT70R8092	70R8092
RDT70R8096	70R8096
RDT70R8098	70R8098
RDT70R8198	70R8198
RDT70R8201	70R8201
RDT70R82071S	70R82071S
RDT70R82076S	70R82076S
RDT70R82078S	70R82078S
RDT70R8208	70R8208
RDT70R8211	70R8211
RDT70R8212	70R8212
RDT70R8216	70R8216
RDT70R8218	70R8218
RDT70R8221	70R8221
RDT70R82251	70R82251
RDT70R82252	70R82252
RDT70R82256	70R82256
RDT70R82258	70R82258
RDT70R8226	70R8226
RDT70R82261	70R82261
RDT70R82511	70R82511
RDT70R8261	70R8261
RDT70R8271	70R8271
RDT70R8272	70R8272
RDT70R8276	70R8276
RDT70R8278	70R8278
RDT70R8281	70R8281
RDT70R8282	70R8282
RDT70R8288	70R8288
RDT70R8291	70R8291
RDT70R8292	70R8292
RDT70R8296	70R8296
RDT70R8298	70R8298
RDT70R8301	70R8301
RDT70R8302	70R8302
RDT70R8306	70R8306
RDT70R8308	70R8308
RDT70R8341	70R8341
RDT70R8346	70R8346
RDT70R8348	70R8348
RDT70R8398	70R8398
RDT70R8420	70R8420

IHC - NAVISTAR	
RDT70R84206S	70R84206S
RDT70R84241S	70R84241S
RDT70R84242S	70R84242S
RDT70R84246S	70R84246S
RDT70R84248S	70R84248S
RDT70R84291S	70R84291S
RDT70R84296S	70R84296S
RDT70R84298S	70R84298S
RDT70R84301S	70R84301S
RDT70R84306S	70R84306S
RDT70R84308S	70R84308S
RDT70R84321S	70R84321S
RDT70R84398S	70R84398S
RDT70R84401S	70R84401S
RDT70R84402S	70R84402S
RDT70R84406S	70R84406S
RDT70R84408S	70R84408S
RDT70R84446S	70R84446S
RDT70R84448S	70R84448S
RDT70R84491S	70R84491S
RDT70R84498S	70R84498S
RDT70R84501S	70R84501S
RDT70R84506S	70R84506S
RDT70R84541S	70R84541S
RDT70R84551S	70R84551S
RDT70R84601S	70R84601S
RDT70R84641S	70R84641S
RDT70R84691S	70R84691S
RDT70R84692S	70R84692S
RDT70R84701S	70R84701S
RDT70R84741S	70R84741S
RDT70R84791S	70R84791S
RDT70R84891S	70R84891S
RDT70R8511	70R8511
RDT70R85201	70R85201
RDT70R85202	70R85202
RDT70R85206	70R85206
RDT70R85212	70R85212
RDT70R85222	70R85222
RDT70R85301	70R85301
RDT70R85311	70R85311
RDT70R85312	70R85312
RDT70R85321	70R85321
RDT70R85326	70R85326
RDT70R85336	70R85336
RDT70R8551	70R8551
RDT70R8556	70R8556
RDT70R8558	70R8558
RDT70R8591	70R8591
RDT70R8598	70R8598
RDT70R8601	70R8601

IHC - NAVISTAR	
RDT70R8602	70R8602
RDT70R8606	70R8606
RDT70R8608	70R8608
RDT70R8621	70R8621
RDT70R8641	70R8641
RDT70R8642	70R8642
RDT70R8646	70R8646
RDT70R8648	70R8648
RDT70R8681	70R8681
RDT70R8688	70R8688
RDT70R8691	70R8691
RDT70R8692	70R8692
RDT70R8696	70R8696
RDT70R8698	70R8698
RDT70R8701	70R8701
RDT70R8706	70R8706
RDT70R8708	70R8708
RDT70R8711	70R8711
RDT70R8716	70R8716
RDT70R8761	70R8761
RDT70R8781	70R8781
RDT70R8786	70R8786
RDT70R8788	70R8788
RDT70R8791	70R8791
RDT70R8796	70R8796
RDT70R8798	70R8798
RDT70R8801	70R8801
RDT70R8802	70R8802
RDT70R8806	70R8806
RDT70R8808	70R8808
RDT70R8821	70R8821
RDT70R8822	70R8822
RDT70R8826	70R8826
RDT70R8828	70R8828
RDT70R8831	70R8831
RDT70R8832	70R8832
RDT70R8836	70R8836
RDT70R8838	70R8838
RDT70R8840	70R8840
RDT70R8881	70R8881
RDT70R8886	70R8886
RDT70R8888	70R8888
RDT70R8891	70R8891
RDT70R8996	70R8996
RDT70R8998	70R8998
RDT70R9001S	70R9001S
RDT70R9011S	70R9011S
RDT70R9012S	70R9012S
RDT70R9016S	70R9016S
RDT70R9018S	70R9018S
RDT70R9071S	70R9071S

IHC - NAVISTAR	
RDT70R9072S	70R9072S
RDT70R9076S	70R9076S
RDT70R9078S	70R9078S
RDT70R9091S	70R9091S
RDT70R9301S	70R9301S
RDT70R9306S	70R9306S
RDT70R9308S	70R9308S
RDT70R9312S	70R9312S
RDT70R9391S	70R9391S
RDT70R9392S	70R9392S
RDT70R9396S	70R9396S
RDT70R9398S	70R9398S
RDT70R9401S	70R9401S
RDT70R9402S	70R9402S
RDT70R9408S	70R9408S
RDT70R94306S	70R94306S
RDT70R94341S	70R94341S
RDT70R94391S	70R94391S
RDT70R94396S	70R94396S
RDT70R94398S	70R94398S
RDT70R94406S	70R94406S
RDT70R94498S	70R94498S
RDT70R94601S	70R94601S
RDT70R94691S	70R94691S
RDT70R94692S	70R94692S
RDT70R94696S	70R94696S
RDT70R94791S	70R94791S
RDT70R9491S	70R9491S
RDT70R9492S	70R9492S
RDT70R9496S	70R9496S
RDT70R9498S	70R9498S
RDT70R94991S	70R94991S
RDT70R94998S	70R94998S
RDT70R95091S	70R95091S
RDT70R96448S	70R96448S
RDT70R96496S	70R96496S
RDT70R96598S	70R96598S
RDT70R96741S	70R96741S
RDT70R97006S	70R97006S
RDT70R9701S	70R9701S
RDT70R9706S	70R9706S
RDT70R9708S	70R9708S
RDT70R97701S	70R97701S
RDT70R9791S	70R9791S
RDT70R9796S	70R9796S
RDT70R9901S	70R9901S
RDT70R9902S	70R9902S
RDT70R9903	70R9903
RDT70R9904	70R9904
RDT70R9906S	70R9906S
RDT70R9908S	70R9908S

IHC - NAVISTAR	
RDT70R9991S	70R9991S
RDT70R9996S	70R9996S
RDT70R9998S	70R9998S
RDT71R0010	71R0010
RDT71R0030	71R0030
RDT71R0040	71R0040
RDT71R0050	71R0050
RDT71R0100	71R0100
RDT71R0150	71R0150
RDT71R0200	71R0200
RDT71R0250	71R0250
RDT71R0260	71R0260
RDT71R0300	71R0300
RDT71R0350	71R0350
RDT71R0400	71R0400
RDT71R0450	71R0450
RDT71R0453	71R0453
RDT71R0460	71R0460
RDT71R0470	71R0470
RDT71R0475	71R0475
RDT71R0480	71R0480
RDT71R0485	71R0485
RDT71R0487	71R0487
RDT71R0500	71R0500
RDT71R0512	71R0512
RDT71R0522	71R0522
RDT71R0532	71R0532
RDT71R0550	71R0550
RDT71R0600	71R0600
RDT71R0650	71R0650
RDT71R0700	71R0700
RDT71R0840	71R0840
RDT71R0852	71R0852
RDT71R0854	71R0854
RDT71R0862	71R0862
RDT71R0872	71R0872
RDT71R0884	71R0884
RDT71R0892	71R0892
RDT71R1150	71R1150
RDT71R1160	71R1160
RDT71R1163	71R1163
RDT71R1165	71R1165
RDT71R1167	71R1167
RDT71R1175	71R1175
RDT71R1200	71R1200
RDT71R1210	71R1210
RDT71R1252	71R1252
RDT71R1262	71R1262
RDT71R1300	71R1300
RDT71R1310	71R1310
RDT71R1315	71R1315

IHC - NAVISTAR	
RDT71R1320	71R1320
RDT71R1325	71R1325
RDT71R1330	71R1330
RDT71R1401	71R1401
RDT71R1402	71R1402
RDT71R1403	71R1403
RDT71R1404	71R1404
RDT71R1405	71R1405
RDT71R1450	71R1450
RDT71R1455	71R1455
RDT71R1457	71R1457
RDT71R1462	71R1462
RDT71R1463	71R1463
RDT71R1465	71R1465
RDT71R1467	71R1467
RDT71R1470	71R1470
RDT71R1472	71R1472
RDT71R1475	71R1475
RDT71R1477	71R1477
RDT71R1480	71R1480
RDT71R1485	71R1485
RDT71R1510	71R1510
RDT71R1520	71R1520
RDT71R1530	71R1530
RDT71R1610	71R1610
RDT71R1620	71R1620
RDT71R1652	71R1652
RDT71R1654	71R1654
RDT71R1702	71R1702
RDT71R1704	71R1704
RDT71R1722	71R1722
RDT71R1802	71R1802
RDT71R1900	71R1900
RDT71R1902	71R1902
RDT71R1904	71R1904
RDT71R1910	71R1910
RDT71R1912	71R1912
RDT71R1914	71R1914
RDT71R2100	71R2100
RDT71R2200	71R2200
RDT71R2250	71R2250
RDT71R2300	71R2300
RDT71R2305	71R2305
RDT71R2310	71R2310
RDT71R2400	71R2400
RDT71R2600	71R2600
RDT71R2700	71R2700
RDT71R2800	71R2800
RDT71R3100	71R3100
RDT71R3125	71R3125
RDT71R3150	71R3150

IHC - NAVISTAR	
RDT71R3155	71R3155
RDT71R3160	71R3160
RDT71R3200	71R3200
RDT71R3220	71R3220
RDT71R3300	71R3300
RDT71R3350	71R3350
RDT71R3502	71R3502
RDT71R3504	71R3504
RDT71R3540	71R3540
RDT71R3570	71R3570
RDT71R3571	71R3571
RDT71R3572	71R3572
RDT71R3573	71R3573
RDT71R3574	71R3574
RDT71R3575	71R3575
RDT71R3576	71R3576
RDT71R3577	71R3577
RDT71R3578	71R3578
RDT71R3579	71R3579
RDT71R3580	71R3580
RDT71R3581	71R3581
RDT71R3582	71R3582
RDT71R3583	71R3583
RDT71R3585	71R3585
RDT71R3591	71R3591
RDT71R4010	71R4010
RDT71R4011	71R4011
RDT71R4015	71R4015
RDT71R4020	71R4020
RDT71R4025	71R4025
RDT71R4030	71R4030
RDT71R4035	71R4035
RDT71R4040	71R4040
RDT71R4050	71R4050
RDT71R4060	71R4060
RDT71R4063	71R4063
RDT71R4065	71R4065
RDT71R4105	71R4105
RDT71R4501	71R4501
RDT71R4511	71R4511
RDT71R5122	71R5122
RDT71R5212	71R5212
RDT71R5600	71R5600
RDT71R5605	71R5605
RDT71R5812	71R5812
RDT71R5814	71R5814
RDT71R5815	71R5815
RDT71R5817	71R5817
RDT71R5819	71R5819
RDT71R5821	71R5821
RDT71R5823	71R5823

IHC - NAVISTAR	
RDT71R6020	71R6020
RDT71R6030	71R6030
RDT71R6040	71R6040
RDT71R6045	71R6045
RDT71R6050	71R6050
RDT71R6055	71R6055
RDT71R6060	71R6060
RDT71R6070	71R6070
RDT71R6080	71R6080
RDT71R6090	71R6090
RDT71R6093	71R6093
RDT71R6095	71R6095
RDT71R6100	71R6100
RDT71R6110	71R6110
RDT71R6115	71R6115
RDT71R6120	71R6120
RDT71R6125	71R6125
RDT71R6130	71R6130
RDT71R6135	71R6135
RDT71R6140	71R6140
RDT71R6145	71R6145
RDT71R6150	71R6150
RDT71R6155	71R6155
RDT71R6160	71R6160
RDT71R6170	71R6170
RDT71R6180	71R6180
RDT71R6181	71R6181
RDT71R6183	71R6183
RDT71R6185	71R6185
RDT71R6210	71R6210
RDT71R6220	71R6220
RDT71R6230	71R6230
RDT71R6235	71R6235
RDT71R6245	71R6245
RDT71R6249	71R6249
RDT71R6251	71R6251
RDT71R6255	71R6255
RDT71R6257	71R6257
RDT71R6260	71R6260
RDT71R6262	71R6262
RDT71R6265	71R6265
RDT71R6266	71R6266
RDT71R6267	71R6267
RDT71R6270	71R6270
RDT71R6280	71R6280
RDT71R6300	71R6300
RDT71R6400	71R6400
RDT71R6402	71R6402
RDT71R6405	71R6405
RDT71R6408	71R6408
RDT71R6410	71R6410

Convert Other Part Numbers to Red Dot Aftermarket Numbers

IHC - NAVISTAR	
RDT71R6414	71R6414
RDT71R6415	71R6415
RDT71R6416	71R6416
RDT71R6418	71R6418
RDT71R6420	71R6420
RDT71R6422	71R6422
RDT71R6424	71R6424
RDT71R6426	71R6426
RDT71R6430	71R6430
RDT71R6434	71R6434
RDT71R6438	71R6438
RDT71R6442	71R6442
RDT71R6444	71R6444
RDT71R6445	71R6445
RDT71R6448	71R6448
RDT71R6450	71R6450
RDT71R6451	71R6451
RDT71R6452	71R6452
RDT71R6453	71R6453
RDT71R6454	71R6454
RDT71R6456	71R6456
RDT71R6458	71R6458
RDT71R6460	71R6460
RDT71R6463	71R6463
RDT71R6470	71R6470
RDT71R6475	71R6475
RDT71R6480	71R6480
RDT71R6500	71R6500
RDT71R6561	71R6561
RDT71R6563	71R6563
RDT71R6565	71R6565
RDT71R6566	71R6566
RDT71R6571	71R6571
RDT71R6573	71R6573
RDT71R6576	71R6576
RDT71R6578	71R6578
RDT71R6580	71R6580
RDT71R6582	71R6582
RDT71R6584	71R6584
RDT71R6600	71R6600
RDT71R7000	71R7000
RDT71R7050	71R7050
RDT71R7073	71R7073
RDT71R7075	71R7075
RDT71R7076	71R7076
RDT71R7077	71R7077
RDT71R7500	71R7500
RDT71R7550	71R7550
RDT71R7600	71R7600
RDT71R7650	71R7650
RDT71R7660	71R7660

IHC - NAVISTAR	
RDT71R8050	71R8050
RDT71R8060	71R8060
RDT71R8080	71R8080
RDT71R8090	71R8090
RDT71R8100	71R8100
RDT71R8210	71R8210
RDT71R8220	71R8220
RDT71R8301	71R8301
RDT71R8301M	71R8301M
RDT71R8310	71R8310
RDT71R8321	71R8321
RDT71R8321M	71R8321M
RDT71R8350	71R8350
RDT71R8370	71R8370
RDT71R8380	71R8380
RDT71R8385	71R8385
RDT71R8400	71R8400
RDT71R8405	71R8405
RDT71R8415	71R8415
RDT71R8420	71R8420
RDT71R8423	71R8423
RDT71R8425	71R8425
RDT71R8430	71R8430
RDT71R8440	71R8440
RDT71R8450	71R8450
RDT71R8451	71R8451
RDT71R8453	71R8453
RDT71R8455	71R8455
RDT71R8457	71R8457
RDT71R8460	71R8460
RDT71R8465	71R8465
RDT71R8467	71R8467
RDT71R8469	71R8469
RDT71R8475	71R8475
RDT71R8477	71R8477
RDT71R8480	71R8480
RDT71R8481	71R8481
RDT71R8483	71R8483
RDT71R8485	71R8485
RDT71R8489	71R8489
RDT71R8491	71R8491
RDT71R8493	71R8493
RDT71R8497	71R8497
RDT71R8499	71R8499
RDT71R8501	71R8501
RDT71R8503	71R8503
RDT71R8504	71R8504
RDT71R8505	71R8505
RDT71R8506	71R8506
RDT71R8507	71R8507
RDT71R8510	71R8510

IHC - NAVISTAR	
RDT71R8902	71R8902
RDT71R8945	71R8945
RDT71R8991	71R8991
RDT71R9002	71R9002
RDT71R9004	71R9004
RDT71R9300	71R9300
RDT72R0050	72R0050
RDT72R0070	72R0070
RDT72R0100	72R0100
RDT72R0190	72R0190
RDT72R0200	72R0200
RDT72R0210	72R0210
RDT72R0220	72R0220
RDT72R0240	72R0240
RDT72R0260	72R0260
RDT72R0500	72R0500
RDT72R0600	72R0600
RDT72R1100	72R1100
RDT72R1200	72R1200
RDT72R1300	72R1300
RDT72R1310	72R1310
RDT72R1502	72R1502
RDT72R1504	72R1504
RDT72R2000	72R2000
RDT72R2100	72R2100
RDT72R2105	72R2105
RDT72R2110	72R2110
RDT72R2120	72R2120
RDT72R2130	72R2130
RDT72R2140	72R2140
RDT72R2150	72R2150
RDT72R2160	72R2160
RDT72R2200	72R2200
RDT72R2250	72R2250
RDT72R2255	72R2255
RDT72R2300	72R2300
RDT72R2350	72R2350
RDT72R2351	72R2351
RDT72R2500	72R2500
RDT72R2550	72R2550
RDT72R2600	72R2600
RDT72R2605	72R2605
RDT72R3000	72R3000
RDT72R3010	72R3010
RDT72R3020	72R3020
RDT72R3050	72R3050
RDT72R3100	72R3100
RDT72R3110	72R3110
RDT72R3111	72R3111
RDT72R3120	72R3120
RDT72R3130	72R3130

IHC - NAVISTAR	
RDT72R3135	72R3135
RDT72R3140	72R3140
RDT72R3149	72R3149
RDT72R3150	72R3150
RDT72R3151	72R3151
RDT72R3155	72R3155
RDT72R3156	72R3156
RDT72R3157	72R3157
RDT72R3200	72R3200
RDT72R3510	72R3510
RDT72R3530	72R3530
RDT72R3550	72R3550
RDT72R3600	72R3600
RDT72R3601	72R3601
RDT72R3603	72R3603
RDT72R4010	72R4010
RDT72R4400	72R4400
RDT72R4500	72R4500
RDT72R4510	72R4510
RDT72R4530	72R4530
RDT72R4531	72R4531
RDT72R4532	72R4532
RDT72R4533	72R4533
RDT72R5050	72R5050
RDT72R5055	72R5055
RDT72R5060	72R5060
RDT72R5070	72R5070
RDT72R5080	72R5080
RDT72R5110	72R5110
RDT72R5200	72R5200
RDT72R5203	72R5203
RDT72R5204	72R5204
RDT72R5210	72R5210
RDT72R5220	72R5220
RDT72R5230	72R5230
RDT72R5240	72R5240
RDT72R5250	72R5250
RDT72R5260	72R5260
RDT72R5270	72R5270
RDT72R5280	72R5280
RDT72R5285	72R5285
RDT72R5350	72R5350
RDT72R5355	72R5355
RDT72R5360	72R5360
RDT72R5500	72R5500
RDT72R5600	72R5600
RDT72R6400	72R6400
RDT72R6410	72R6410
RDT72R6420	72R6420
RDT72R6421	72R6421
RDT72R6423	72R6423

IHC - NAVISTAR	
RDT72R6425	72R6425
RDT72R6515	72R6515
RDT72R6520	72R6520
RDT72R6525	72R6525
RDT72R6530	72R6530
RDT72R6533	72R6533
RDT72R6535	72R6535
RDT72R6540	72R6540
RDT72R6547	72R6547
RDT72R6554	72R6554
RDT72R6562	72R6562
RDT72R7100	72R7100
RDT72R7105	72R7105
RDT72R7110	72R7110
RDT72R7115	72R7115
RDT72R7125	72R7125
RDT72R7280	72R7280
RDT72R7290	72R7290
RDT72R7600	72R7600
RDT72R7700	72R7700
RDT72R8190	72R8190
RDT72R8200	72R8200
RDT72R8250	72R8250
RDT72R8255	72R8255
RDT72R8260	72R8260
RDT72R8265	72R8265
RDT72R8270	72R8270
RDT72R8275	72R8275
RDT72R8280	72R8280
RDT72R8300	72R8300
RDT72R8315	72R8315
RDT72R8360	72R8360
RDT72R8400	72R8400
RDT72R8410	72R8410
RDT72R9000	72R9000
RDT72R9005	72R9005
RDT72R9010	72R9010
RDT72R9020	72R9020
RDT72R9030	72R9030
RDT72R9040	72R9040
RDT72R9904	72R9904
RDT72R9912	72R9912
RDT73R0012	73R0012
RDT73R0032	73R0032
RDT73R0034	73R0034
RDT73R0042	73R0042
RDT73R0062	73R0062
RDT73R0082	73R0082
RDT73R0092	73R0092
RDT73R0102	73R0102
RDT73R0104	73R0104

IHC - NAVISTAR	
RDT73R0142	73R0142
RDT73R0152	73R0152
RDT73R0202	73R0202
RDT73R0204	73R0204
RDT73R0212	73R0212
RDT73R0322	73R0322
RDT73R0332	73R0332
RDT73R0352	73R0352
RDT73R0364	73R0364
RDT73R0402	73R0402
RDT73R0404	73R0404
RDT73R0414	73R0414
RDT73R0422	73R0422
RDT73R0432	73R0432
RDT73R0442	73R0442
RDT73R0454	73R0454
RDT73R0462	73R0462
RDT73R0512	73R0512
RDT73R0514	73R0514
RDT73R0522	73R0522
RDT73R0532	73R0532
RDT73R0534	73R0534
RDT73R0542	73R0542
RDT73R0544	73R0544
RDT73R0552	73R0552
RDT73R0554	73R0554
RDT73R0572	73R0572
RDT73R0602	73R0602
RDT73R0604	73R0604
RDT73R0612	73R0612
RDT73R0622	73R0622
RDT73R0642	73R0642
RDT73R0652	73R0652
RDT73R0654	73R0654
RDT73R0702	73R0702
RDT73R0912	73R0912
RDT73R0922	73R0922
RDT73R0962	73R0962
RDT73R0982	73R0982
RDT73R0984	73R0984
RDT73R1002	73R1002
RDT73R1064	73R1064
RDT73R2102	73R2102
RDT73R2112	73R2112
RDT73R2132	73R2132
RDT73R2142	73R2142
RDT73R2152	73R2152
RDT73R2202	73R2202
RDT73R2222	73R2222
RDT73R2242	73R2242
RDT73R2262	73R2262

IHC - NAVISTAR	
RDT73R3002	73R3002
RDT73R3022	73R3022
RDT73R3032	73R3032
RDT73R3052	73R3052
RDT73R3062	73R3062
RDT73R3072	73R3072
RDT73R3082	73R3082
RDT73R3092	73R3092
RDT73R3102	73R3102
RDT73R3112	73R3112
RDT73R3122	73R3122
RDT73R3132	73R3132
RDT73R3142	73R3142
RDT73R3152	73R3152
RDT73R3162	73R3162
RDT73R4062	73R4062
RDT73R4064	73R4064
RDT73R4102	73R4102
RDT73R4122	73R4122
RDT73R4162	73R4162
RDT73R4182	73R4182
RDT73R4202	73R4202
RDT73R4204	73R4204
RDT73R4242	73R4242
RDT73R4252	73R4252
RDT73R4254	73R4254
RDT73R4262	73R4262
RDT73R4264	73R4264
RDT73R4274	73R4274
RDT73R4312	73R4312
RDT73R4322	73R4322
RDT73R4422	73R4422
RDT73R4424	73R4424
RDT73R4504	73R4504
RDT73R4532	73R4532
RDT73R4602	73R4602
RDT73R5502	73R5502
RDT73R5504	73R5504
RDT73R5512	73R5512
RDT73R5514	73R5514
RDT73R5522	73R5522
RDT73R5524	73R5524
RDT73R5532	73R5532
RDT73R5534	73R5534
RDT73R5552	73R5552
RDT73R5554	73R5554
RDT73R5572	73R5572
RDT73R5574	73R5574
RDT73R5584	73R5584
RDT73R5622	73R5622
RDT73R5624	73R5624

IHC - NAVISTAR	
RDT73R5632	73R5632
RDT73R5634	73R5634
RDT73R5642	73R5642
RDT73R5652	73R5652
RDT73R6051	73R6051
RDT73R6101	73R6101
RDT73R6151	73R6151
RDT73R6230	73R6230
RDT73R6251	73R6251
RDT73R6253	73R6253
RDT73R6270	73R6270
RDT73R6300	73R6300
RDT73R6350	73R6350
RDT73R6370	73R6370
RDT73R6381	73R6381
RDT73R6383	73R6383
RDT73R7071	73R7071
RDT73R7101	73R7101
RDT73R7110	73R7110
RDT73R7120	73R7120
RDT73R7130	73R7130
RDT73R7135	73R7135
RDT73R7151	73R7151
RDT73R7200	73R7200
RDT73R7201	73R7201
RDT73R7202	73R7202
RDT73R7210	73R7210
RDT73R7215	73R7215
RDT73R7220	73R7220
RDT73R8050	73R8050
RDT73R8081	73R8081
RDT73R8100	73R8100
RDT73R8110	73R8110
RDT73R8320	73R8320
RDT73R8554	73R8554
RDT73R8562	73R8562
RDT73R8564	73R8564
RDT73R8582	73R8582
RDT73R8584	73R8584
RDT73R8592	73R8592
RDT73R8612	73R8612
RDT73R8614	73R8614
RDT73R8642	73R8642
RDT73R8644	73R8644
RDT73R8652	73R8652
RDT73R8654	73R8654
RDT73R8664	73R8664
RDT73R8674	73R8674
RDT73R8702	73R8702
RDT73R8712	73R8712
RDT73R8722	73R8722

Convert Other Part Numbers to Red Dot Aftermarket Numbers

IHC - NAVISTAR	
RDT73R9052	73R9052
RDT73R9054	73R9054
RDT73R9062	73R9062
RDT73R9064	73R9064
RDT73R9072	73R9072
RDT73R9082	73R9082
RDT73R9202	73R9202
RDT73R9204	73R9204
RDT74R0401	74R0401
RDT74R0450	74R0450
RDT74R0460	74R0460
RDT74R0462	74R0462
RDT74R0470	74R0470
RDT74R0475	74R0475
RDT74R0480	74R0480
RDT74R0485	74R0485
RDT74R1106	74R1106
RDT74R1427	74R1427
RDT74R1436	74R1436
RDT74R1706	74R1706
RDT74R1756	74R1756
RDT74R1806	74R1806
RDT74R1826	74R1826
RDT74R1836	74R1836
RDT74R1846	74R1846
RDT74R1856	74R1856
RDT74R1866	74R1866
RDT74R1906	74R1906
RDT74R1956	74R1956
RDT74R2001	74R2001
RDT74R2002	74R2002
RDT74R2006	74R2006
RDT74R2016	74R2016
RDT74R2026	74R2026
RDT74R2106	74R2106
RDT74R2306	74R2306
RDT74R2447	74R2447
RDT74R2527	74R2527
RDT74R2537	74R2537
RDT74R2577	74R2577
RDT74R2586	74R2586
RDT74R2590	74R2590
RDT74R2596	74R2596
RDT74R2616	74R2616
RDT74R2677	74R2677
RDT74R2681	74R2681
RDT74R2687	74R2687
RDT74R2706	74R2706
RDT74R2716	74R2716
RDT74R3066	74R3066
RDT74R3077	74R3077

IHC - NAVISTAR	
RDT74R3107	74R3107
RDT74R3126	74R3126
RDT74R3129	74R3129
RDT74R3147	74R3147
RDT74R3309	74R3309
RDT74R3313	74R3313
RDT74R3317	74R3317
RDT74R3323	74R3323
RDT74R3324	74R3324
RDT74R3327	74R3327
RDT74R3328	74R3328
RDT74R3331	74R3331
RDT74R3337	74R3337
RDT74R3347	74R3347
RDT74R3357	74R3357
RDT74R3376	74R3376
RDT74R3377	74R3377
RDT74R3450	74R3450
RDT74R3456	74R3456
RDT74R3466	74R3466
RDT74R3477	74R3477
RDT74R4016	74R4016
RDT74R4028	74R4028
RDT74R4116	74R4116
RDT74R4207	74R4207
RDT74R4215	74R4215
RDT74R4218	74R4218
RDT74R4219	74R4219
RDT74R4220	74R4220
RDT74R5061	74R5061
RDT74R5062	74R5062
RDT74R5081	74R5081
RDT74R5088	74R5088
RDT74R5090	74R5090
RDT74R5093	74R5093
RDT74R5095	74R5095
RDT74R5097	74R5097
RDT74R5100	74R5100
RDT74R5101	74R5101
RDT74R5102	74R5102
RDT74R5103	74R5103
RDT74R5401	74R5401
RDT74R5405	74R5405
RDT74R5600	74R5600
RDT74R7210	74R7210
RDT74R7220	74R7220
RDT74R8006	74R8006
RDT75R0032	75R0032
RDT75R0052	75R0052
RDT75R0062	75R0062
RDT75R0072	75R0072

IHC - NAVISTAR	
RDT75R0082	75R0082
RDT75R0092	75R0092
RDT75R0172	75R0172
RDT75R0182	75R0182
RDT75R0192	75R0192
RDT75R0194	75R0194
RDT75R0202	75R0202
RDT75R0204	75R0204
RDT75R0252	75R0252
RDT75R0262	75R0262
RDT75R0274	75R0274
RDT75R0302	75R0302
RDT75R0402	75R0402
RDT75R0422	75R0422
RDT75R0452	75R0452
RDT75R0502	75R0502
RDT75R0512	75R0512
RDT75R0522	75R0522
RDT75R0612	75R0612
RDT75R0662	75R0662
RDT75R0682	75R0682
RDT75R1202	75R1202
RDT75R1212	75R1212
RDT75R1302	75R1302
RDT75R1342	75R1342
RDT75R1412	75R1412
RDT75R1414	75R1414
RDT75R1432	75R1432
RDT75R1512	75R1512
RDT75R1522	75R1522
RDT75R1532	75R1532
RDT75R1542	75R1542
RDT75R1652	75R1652
RDT75R1832	75R1832
RDT75R1842	75R1842
RDT75R1852	75R1852
RDT75R1862	75R1862
RDT75R2402	75R2402
RDT75R4502	75R4502
RDT75R4534	75R4534
RDT75R4702	75R4702
RDT75R4732	75R4732
RDT75R4734	75R4734
RDT75R4742	75R4742
RDT75R4792	75R4792
RDT75R4802	75R4802
RDT75R4812	75R4812
RDT75R4822	75R4822
RDT75R4832	75R4832
RDT75R4844	75R4844
RDT75R4854	75R4854

IHC - NAVISTAR	
RDT75R4862	75R4862
RDT75R4872	75R1872
RDT75R4884	75R4884
RDT75R4922	75R4922
RDT75R5007	75R5007
RDT75R5124	75R5124
RDT75R5132	75R5132
RDT75R5134	75R5134
RDT75R5200	75R5200
RDT75R5201	75R5201
RDT75R5520	75R5520
RDT75R5525	75R5525
RDT75R5530	75R5530
RDT75R5535	75R5535
RDT75R5540	75R5540
RDT75R5555	75R5555
RDT75R5556	75R5556
RDT75R5560	75R5560
RDT75R5565	75R5565
RDT75R5570	75R5570
RDT75R5575	75R5575
RDT75R5580	75R5580
RDT75R5585	75R5585
RDT75R5585M	75R5585M
RDT75R5641	75R5641
RDT75R5648	75R5648
RDT75R5661	75R5661
RDT75R5668	75R5668
RDT75R5671	75R5671
RDT75R5672	75R5672
RDT75R5678	75R5678
RDT75R5681	75R5681
RDT75R5691	75R5691
RDT75R5698	75R5698
RDT75R5700	75R5700
RDT75R5705	75R5705
RDT75R5721	75R5721
RDT75R5722	75R5722
RDT75R5728	75R5728
RDT75R5731	75R5731
RDT75R5738	75R5738
RDT75R5761	75R5761
RDT75R5768	75R5768
RDT75R5801	75R5801
RDT75R5806	75R5806
RDT75R5808	75R5808
RDT75R5813	75R5813
RDT75R5814	75R5814
RDT75R5815	75R5815
RDT75R5819	75R5819
RDT75R5820	75R5820

IHC - NAVISTAR	
RDT75R5824	75R5824
RDT75R5825	75R5825
RDT75R5833	75R5833
RDT75R5834	75R5834
RDT75R5878S	75R5878S
RDT75R6000	75R6000
RDT75R6010	75R6010
RDT75R6015	75R6015
RDT75R6016	75R6016
RDT75R6017	75R6017
RDT75R6018	75R6018
RDT75R6020	75R6020
RDT75R6030	75R6030
RDT75R6040	75R6040
RDT75R6041	75R6041
RDT75R6500	75R6500
RDT75R6510	75R6510
RDT75R6530	75R6530
RDT75R6545	75R6545
RDT75R7280	75R7280
RDT75R7285	75R7285
RDT75R7290	75R7290
RDT75R7295	75R7295
RDT75R7300	75R7300
RDT75R7312	75R7312
RDT75R7322	75R7322
RDT75R7332	75R7332
RDT75R7362	75R7362
RDT75R75182	75R75182
RDT75R75192	75R75192
RDT75R75201	75R75201
RDT75R75202	75R75202
RDT75R75208	75R75208
RDT75R75212	75R75212
RDT75R75218	75R75218
RDT75R75222	75R75222
RDT75R75228	75R75228
RDT75R75672S	75R75672S
RDT75R75678S	75R75678S
RDT75R75832S	75R75832S
RDT75R75838S	75R75838S
RDT75R75852S	75R75852S
RDT75R75858S	75R75858S
RDT75R8102	75R8102
RDT75R81104	75R81104
RDT75R81114	75R81114
RDT75R81134	75R81134
RDT75R81152	75R81152
RDT75R81162	75R81162
RDT75R81172	75R81172
RDT75R81184	75R81184

IHC - NAVISTAR	
RDT75R81184Q	75R81184Q
RDT75R81192	75R81192
RDT75R81202	75R81202
RDT75R81212	75R81212
RDT75R81232	75R81232
RDT75R81252	75R81252
RDT75R81262	75R81262
RDT75R81274	75R81274
RDT75R81282A	75R81282A
RDT75R81292A	75R81292A
RDT75R81292Q	75R81292Q
RDT75R81302	75R81302
RDT75R81302Q	75R81302Q
RDT75R81352	75R81352
RDT75R81362	75R81362
RDT75R81362Q	75R81362Q
RDT75R81372	75R81372
RDT75R81372Q	75R81372Q
RDT75R81382	75R81382
RDT75R81392	75R81392
RDT75R81402	75R81402
RDT75R81412	75R81412
RDT75R81452	75R81452
RDT75R81462	75R81462
RDT75R81472Q	75R81472Q
RDT75R81482	75R81482
RDT75R81492	75R81492
RDT75R81502	75R81502
RDT75R81512	75R81512
RDT75R81532	75R81532
RDT75R81552	75R81552
RDT75R81562	75R81562
RDT75R81572	75R81572
RDT75R81612	75R81612
RDT75R81622	75R81622
RDT75R81622Q	75R81622Q
RDT75R81632	75R81632
RDT75R81632A	75R81632A
RDT75R81632Q	75R81632Q
RDT75R81642Q	75R81642Q
RDT75R81652	75R81652
RDT75R81652Q	75R81652Q
RDT75R81662	75R81662
RDT75R81662A	75R81662A
RDT75R81672	75R81672
RDT75R81682	75R81682
RDT75R81692	75R81692
RDT75R81732	75R81732
RDT75R81762	75R81762
RDT75R8184	75R8184
RDT75R82102	75R82102

IHC - NAVISTAR	
RDT75R82132	75R82132
RDT75R82142	75R82142
RDT75R82312	75R82312
RDT75R82312A	75R82312A
RDT75R82312Q	75R82312Q
RDT75R83112	75R83112
RDT75R83132	75R83132
RDT75R83152	75R83152
RDT75R8332	75R8332
RDT75R8354	75R8354
RDT75R8372	75R8372
RDT75R8374	75R8374
RDT75R8374Q	75R8374Q
RDT75R8382	75R8382
RDT75R8382Q	75R8382Q
RDT75R8384	75R8384
RDT75R84112	75R84112
RDT75R84114	75R84114
RDT75R84132	75R84132
RDT75R84152	75R84152
RDT75R84162	75R84162
RDT75R84172	75R84172
RDT75R84182	75R84182
RDT75R84192	75R84192
RDT75R84212	75R84212
RDT75R8422	75R8422
RDT75R84232	75R84232
RDT75R8424	75R8424
RDT75R84292	75R84292
RDT75R84292A	75R84292A
RDT75R84302	75R84302
RDT75R84302A	75R84302A
RDT75R84302Q	75R84302Q
RDT75R84312	75R84312
RDT75R8432	75R8432
RDT75R84352	75R84352
RDT75R84362	75R84362
RDT75R84382	75R84382
RDT75R84382Q	75R84382Q
RDT75R8442	75R8442
RDT75R84452	75R84452
RDT75R84472	75R84472
RDT75R84482	75R84482
RDT75R84492	75R84492
RDT75R84512	75R84512
RDT75R84522	75R84522
RDT75R84532	75R84532
RDT75R8454	75R8454
RDT75R84552	75R84552
RDT75R84562	75R84562
RDT75R84572	75R84572

IHC - NAVISTAR	
RDT75R84592	75R84592
RDT75R84594	75R84594
RDT75R84612Q	75R84612Q
RDT75R8462	75R8462
RDT75R84622	75R84622
RDT75R84632	75R84632
RDT75R8464	75R8464
RDT75R84654	75R84654
RDT75R84662	75R84662
RDT75R84672	75R84672
RDT75R84684	75R84684
RDT75R84694	75R84694
RDT75R8502Q	75R8502Q
RDT75R85032A	75R85032A
RDT75R85032Q	75R85032Q
RDT75R8505	75R8505
RDT75R8507	75R8507
RDT75R8510	75R8510
RDT75R85102Q	75R85102Q
RDT75R85112Q	75R85112Q
RDT75R8512Q	75R8512Q
RDT75R85132Q	75R85132Q
RDT75R8515	75R8515
RDT75R8520	75R8520
RDT75R8522Q	75R8522Q
RDT75R8532A	75R8532A
RDT75R8532Q	75R8532Q
RDT75R8533	75R8533
RDT75R85332Q	75R85332Q
RDT75R8535	75R8535
RDT75R8542A	75R8542A
RDT75R8542Q	75R8542Q
RDT75R8544A	75R8544A
RDT75R8544Q	75R8544Q
RDT75R8552Q	75R8552Q
RDT75R85632Q	75R85632Q
RDT75R85642Q	75R85642Q
RDT75R85714Q	75R85714Q
RDT75R85732Q	75R85732Q
RDT75R85734Q	75R85734Q
RDT75R85832Q	75R85832Q
RDT75R85932Q	75R85932Q
RDT75R86092Q	75R86092Q
RDT75R8612A	75R8612A
RDT75R8612Q	75R8612Q
RDT75R86132A	75R86132A
RDT75R86132Q	75R86132Q
RDT75R86134Q	75R86134Q
RDT75R86142A	75R86142A
RDT75R86142Q	75R86142Q
RDT75R86144A	75R86144A

Convert Other Part Numbers to Red Dot Aftermarket Numbers

IHC - NAVISTAR	
RDT75R86144Q	75R86144Q
RDT75R8614A	75R8614A
RDT75R8614Q	75R8614Q
RDT75R861522A	75R861522A
RDT75R861522Q	75R861522Q
RDT75R86152Q	75R86152Q
RDT75R86162Q	75R86162Q
RDT75R86172Q	75R86172Q
RDT75R86182Q	75R86182Q
RDT75R86194	75R86194
RDT75R86194Q	75R86194Q
RDT75R86202A	75R86202A
RDT75R86202Q	75R86202Q
RDT75R86212Q	75R86212Q
RDT75R86222Q	75R86222Q
RDT75R86232Q	75R86232Q
RDT75R86322A	75R86322A
RDT75R86322Q	75R86322Q
RDT75R86324A	75R86324A
RDT75R86324Q	75R86324Q
RDT75R8632Q	75R8632Q
RDT75R86332Q	75R86332Q
RDT75R8634Q	75R8634Q
RDT75R8644Q	75R8644Q
RDT75R8672Q	75R8672Q
RDT75R8674Q	75R8674Q
RDT75R8682A	75R8682A
RDT75R8682Q	75R8682Q
RDT75R8684A	75R8684A
RDT75R8702A	75R8702A
RDT75R8702Q	75R8702Q
RDT75R8704Q	75R8704Q
RDT75R8712A	75R8712A
RDT75R8712Q	75R8712Q
RDT75R8772	75R8772
RDT75R8782A	75R8782A
RDT75R8782Q	75R8782Q
RDT75R8784A	75R8784A
RDT75R8784Q	75R8784Q
RDT75R8802Q	75R8802Q
RDT75R8812Q	75R8812Q
RDT75R8814Q	75R8814Q
RDT75R8822A	75R8822A
RDT75R8822Q	75R8822Q
RDT75R89102A	75R89102A
RDT75R89112A	75R89112A
RDT75R89122A	75R89122A
RDT75R89132A	75R89132A
RDT75R89152A	75R89152A
RDT75R89162A	75R89162A
RDT75R89172A	75R89172A

IHC - NAVISTAR	
RDT75R89182A	75R89182A
RDT75R89192A	75R89192A
RDT75R89204A	75R89204A
RDT75R89212A	75R89212A
RDT75R89222A	75R89222A
RDT75R89302	75R89302
RDT75R89304	75R89304
RDT75R89305	75R89305
RDT75R89310	75R89310
RDT75R89312	75R89312
RDT75R89315	75R89315
RDT75R89320	75R89320
RDT75R89325	75R89325
RDT75R89327	75R89327
RDT75R89334	75R89334
RDT75R89352	75R89352
RDT75R89354	75R89354
RDT75R89372	75R89372
RDT75R89374	75R89374
RDT75R89384	75R89384
RDT75R89392	75R89392
RDT75R89394	75R89394
RDT75R89412	75R89412
RDT75R89422	75R89422
RDT75R89424	75R89424
RDT75R89432	75R89432
RDT75R89462	75R89462
RDT75R89474	75R89474
RDT75R89484	75R89484
RDT75R89492	75R89492
RDT75R89492A	75R89492A
RDT75R89502	75R89502
RDT75R89522	75R89522
RDT75R89522A	75R89522A
RDT75R89522Q	75R89522Q
RDT75R89532	75R89532
RDT75R89532A	75R89532A
RDT75R89542	75R89542
RDT75R89552Q	75R89552Q
RDT75R89562Q	75R89562Q
RDT75R89582Q	75R89582Q
RDT75R89592A	75R89592A
RDT75R89602	75R89602
RDT75R89622A	75R89622A
RDT75R89622Q	75R89622Q
RDT75R89652	75R89652
RDT75R89662	75R89662
RDT75R89752	75R89752
RDT75R89752Q	75R89752Q
RDT75R89762	75R89762
RDT75R89782A	75R89782A

IHC - NAVISTAR	
RDT75R89812A	75R89812A
RDT75R89822A	75R89822A
RDT75R8982A	75R8982A
RDT75R89834Q	75R89834Q
RDT75R89840Q	75R89840Q
RDT75R89842	75R89842
RDT75R89842	75R89842
RDT75R89852A	75R89852A
RDT75R89862	75R89862
RDT75R89872A	75R89872A
RDT75R89882	75R89882
RDT75R89892	75R89892
RDT75R89902	75R89902
RDT75R89912	75R89912
RDT75R89922	75R89922
RDT75R89934	75R89934
RDT75R89942	75R89942
RDT75R89954	75R89954
RDT75R89962	75R89962
RDT75R89972	75R89972
RDT75R89982	75R89982
RDT75R89992	75R89992
RDT75R90001	75R90001
RDT75R90002	75R90002
RDT75R90012	75R90012
RDT75R90022	75R90022
RDT75R90032	75R90032
RDT75R90042	75R90042
RDT75R90052	75R90052
RDT75R90062	75R90062
RDT75R90072	75R90072
RDT75R90082	75R90082
RDT75R90092	75R90092
RDT75R90102	75R90102
RDT75R90112	75R90112
RDT75R90124	75R90124
RDT75R90134	75R90134
RDT75R90144	75R90144
RDT75R9014D	75R9014D
RDT75R90152	75R90152
RDT75R90162	75R90162
RDT75R90172	75R90172
RDT75R90182	75R90182
RDT75R90192	75R90192
RDT75R90202	75R90202
RDT75R90212	75R90212
RDT75R90222	75R90222
RDT75R90232	75R90232
RDT75R90242	75R90242
RDT75R9024D	75R9024D
RDT75R90322A	75R90322A

IHC - NAVISTAR	
RDT75R9052D	75R9052D
RDT75R9060	75R9060
RDT75R9062D	75R9062D
RDT75R9072	75R9072
RDT75R90722A	75R90722A
RDT75R9072D	75R9072D
RDT75R90732A	75R90732A
RDT75R90742A	75R90742A
RDT75R90752A	75R90752A
RDT75R90764A	75R90764A
RDT75R90774A	75R90774A
RDT75R90784A	75R90784A
RDT75R90792A	75R90792A
RDT75R90802A	75R90802A
RDT75R90814A	75R90814A
RDT75R9082	75R9082
RDT75R90822A	75R90822A
RDT75R9082D	75R9082D
RDT75R90834A	75R90834A
RDT75R90842A	75R90842A
RDT75R90854A	75R90854A
RDT75R90862A	75R90862A
RDT75R90872A	75R90872A
RDT75R90882A	75R90882A
RDT75R90894A	75R90894A
RDT75R90902A	75R90902A
RDT75R90914A	75R90914A
RDT75R9092	75R9092
RDT75R90922A	75R90922A
RDT75R9092D	75R9092D
RDT75R90934A	75R90934A
RDT75R90944A	75R90944A
RDT75R90952A	75R90952A
RDT75R90962A	75R90962A
RDT75R90974A	75R90974A
RDT75R90992A	75R90992A
RDT75R91002A	75R91002A
RDT75R91012A	75R91012A
RDT75R91024A	75R91024A
RDT75R91032A	75R91032A
RDT75R9104	75R9104
RDT75R91044A	75R91044A
RDT75R9104D	75R9104D
RDT75R91052A	75R91052A
RDT75R91072A	75R91072A
RDT75R91084A	75R91084A
RDT75R91092A	75R91092A
RDT75R91104A	75R91104A
RDT75R91112A	75R91112A
RDT75R9112	75R9112
RDT75R9112D	75R9112D

IHC - NAVISTAR	
RDT75R91172	75R91172
RDT75R9122	75R9122
RDT75R9122D	75R9122D
RDT75R9132	75R9132
RDT75R9400	75R9400
RDT75R9500	75R9500
RDT75R9535	75R9535
RDT75R9550	75R9550
RDT75R9565	75R9565
RDT75R9595	75R9595
RDT75R9612	75R9612
RDT75R9612A	75R9612A
RDT75R9615	75R9615
RDT75R9622	75R9622
RDT75R9625	75R9625
RDT75R9635	75R9635
RDT75R9645	75R9645
RDT75R9670	75R9670
RDT75R9710	75R9710
RDT75R9785	75R9785
RDT75R9795	75R9795
RDT75R9810	75R9810
RDT75R9815	75R9815
RDT75R9820	75R9820
RDT75R9835	75R9835
RDT75R9840	75R9840
RDT75R9845	75R9845
RDT75R9870	75R9870
RDT75R9875	75R9875
RDT75R9880	75R9880
RDT75R9885	75R9885
RDT75R9890	75R9890
RDT75R9892	75R9892
RDT75R9895	75R9895
RDT75R9920	75R9920
RDT75R9970	75R9970
RDT75R9973	75R9973
RDT75R9980	75R9980
RDT75R9985	75R9985
RDT76R0500	76R0500
RDT76R1000	76R1000
RDT76R1030	76R1030
RDT76R1100	76R1100
RDT76R1110	76R1110
RDT76R1120	76R1120
RDT76R1400	76R1400
RDT76R1410	76R1410
RDT76R1450	76R1450
RDT76R1510	76R1510
RDT76R1550	76R1550
RDT76R1560	76R1560

IHC - NAVISTAR	
RDT76R1600	76R1600
RDT76R1860	76R1860
RDT76R1870	76R1870
RDT76R1900	76R1900
RDT76R2010	76R2010
RDT76R2155	76R2155
RDT76R2210	76R2210
RDT76R2300	76R2300
RDT76R2320	76R2320
RDT76R2330	76R2330
RDT76R2340	76R2340
RDT76R2350	76R2350
RDT76R2400	76R2400
RDT76R2410	76R2410
RDT76R2420	76R2420
RDT76R2450	76R2450
RDT76R2500	76R2500
RDT76R2550	76R2550
RDT76R2600	76R2600
RDT76R2730	76R2730
RDT76R2740	76R2740
RDT76R3000	76R3000
RDT76R3250	76R3250
RDT76R3300	76R3300
RDT76R3400	76R3400
RDT76R3420	76R3420
RDT76R3450	76R3450
RDT76R3455	76R3455
RDT76R3460	76R3460
RDT76R3465	76R3465
RDT76R3470	76R3470
RDT76R3495	76R3495
RDT76R3500	76R3500
RDT76R3900	76R3900
RDT76R3905	76R3905
RDT76R3910	76R3910
RDT76R3920	76R3920
RDT76R3925	76R3925
RDT76R3930	76R3930
RDT76R3940	76R3940
RDT76R3943	76R3943
RDT76R3945	76R3945
RDT76R3950	76R3950
RDT76R4020	76R4020
RDT76R4023	76R4023
RDT76R4100	76R4100
RDT76R4200	76R4200
RDT76R4300	76R4300
RDT76R4305	76R4305
RDT76R4900	76R4900
RDT76R4920	76R4920

IHC - NAVISTAR	
RDT76R5000	76R5000
RDT76R5030	76R5030
RDT76R5200	76R5200
RDT76R5300	76R5300
RDT76R5320	76R5320
RDT76R5323	76R5323
RDT76R5500	76R5500
RDT76R5700	76R5700
RDT76R5820	76R5820
RDT76R6015	76R6015
RDT76R6020	76R6020
RDT76R6040	76R6040
RDT76R6070	76R6070
RDT76R6120	76R6120
RDT76R6130	76R6130
RDT76R6150	76R6150
RDT76R6160	76R6160
RDT76R6180	76R6180
RDT76R6310	76R6310
RDT76R6325	76R6325
RDT76R6350	76R6350
RDT76R6440	76R6440
RDT76R6550	76R6550
RDT76R6650	76R6650
RDT76R6655	76R6655
RDT76R6668	76R6668
RDT76R6700	76R6700
RDT76R6850	76R6850
RDT76R6950	76R6950
RDT76R6960	76R6960
RDT76R7010	76R7010
RDT76R7020	76R7020
RDT76R7030	76R7030
RDT76R7060	76R7060
RDT76R7070	76R7070
RDT76R7100	76R7100
RDT76R7450	76R7450
RDT76R7505	76R7505
RDT76R7510	76R7510
RDT76R7520	76R7520
RDT76R7530	76R7530
RDT76R7535	76R7535
RDT76R7550	76R7550
RDT76R7555	76R7555
RDT76R7560	76R7560
RDT76R7570	76R7570
RDT76R7580	76R7580
RDT76R7710	76R7710
RDT76R7712	76R7712
RDT76R7715	76R7715
RDT76R7720	76R7720

IHC - NAVISTAR	
RDT76R7725	76R7725
RDT76R7730	76R7730
RDT77R0090	77R0090
RDT77R0095	77R0095
RDT77R0105	77R0105
RDT77R0110	77R0110
RDT77R0115	77R0115
RDT77R0250	77R0250
RDT77R0260	77R0260
RDT77R0350	77R0350
RDT77R0355	77R0355
RDT77R0500	77R0500
RDT77R0530	77R0530
RDT77R0560	77R0560
RDT77R0570	77R0570
RDT77R0580	77R0580
RDT77R0585	77R0585
RDT77R0620	77R0620
RDT77R0630	77R0630
RDT77R0635	77R0635
RDT77R0650	77R0650
RDT77R0660	77R0660
RDT77R0665	77R0665
RDT77R0670	77R0670
RDT77R0675	77R0675
RDT77R0700	77R0700
RDT77R0705	77R0705
RDT77R0710	77R0710
RDT77R0715	77R0715
RDT77R0720	77R0720
RDT77R0800	77R0800
RDT77R0900	77R0900
RDT77R0950	77R0950
RDT77R0990	77R0990
RDT77R1100	77R1100
RDT77R1105	77R1105
RDT77R1275	77R1275
RDT77R1277	77R1277
RDT77R1279	77R1279
RDT77R1280	77R1280
RDT77R1285	77R1285
RDT77R1290	77R1290
RDT77R1295	77R1295
RDT77R1300	77R1300
RDT77R1305	77R1305
RDT77R1310	77R1310
RDT77R1320	77R1320
RDT77R1325	77R1325
RDT77R1330	77R1330
RDT77R1335	77R1335
RDT77R1405	77R1405

Convert Other Part Numbers to Red Dot Aftermarket Numbers

IHC - NAVISTAR	
RDT77R1502	77R1502
RDT77R1504	77R1504
RDT77R1512	77R1512
RDT77R1524	77R1524
RDT77R1602	77R1602
RDT77R1604	77R1604
RDT77R1612	77R1612
RDT77R1622	77R1622
RDT77R1624	77R1624
RDT77R1632	77R1632
RDT77R1634	77R1634
RDT77R5250	77R5250
RDT77R5260	77R5260
RDT77R5263	77R5263
RDT77R5550	77R5550
RDT77R5910	77R5910
RDT77R6800	77R6800
RDT77R6807	77R6807
RDT77R6817	77R6817
RDT77R6900	77R6900
RDT77R6920	77R6920
RDT77R6925	77R6925
RDT77R6930	77R6930
RDT77R6935	77R6935
RDT77R6940	77R6940
RDT77R6947	77R6947
RDT77R6950	77R6950
RDT77R6951	77R6951
RDT77R6955	77R6955
RDT77R6957	77R6957
RDT77R6960	77R6960
RDT77R6965	77R6965
RDT77R6970	77R6970
RDT77R6975	77R6975
RDT77R6978	77R6978
RDT77R6980	77R6980
RDT77R6985	77R6985
RDT77R6990	77R6990
RDT77R6995	77R6995
RDT77R7000	77R7000
RDT77R7010	77R7010
RDT77R7020	77R7020
RDT77R7050	77R7050
RDT77R7100	77R7100
RDT77R7702	77R7702
RDT77R7704	77R7704
RDT77R7705	77R7705
RDT77R7706	77R7706
RDT77R7708	77R7708
RDT77R7710	77R7710
RDT77R7712	77R7712

IHC - NAVISTAR	
RDT77R7714	77R7714
RDT77R7715	77R7715
RDT77R7720	77R7720
RDT77R7800	77R7800
RDT77R7900	77R7900
RDT77R8100	77R8100
RDT77R8200	77R8200
RDT77R8301	77R8301
RDT77R8305	77R8305
RDT77R8309	77R8309
RDT77R8325	77R8325
RDT77R8330	77R8330
RDT77R8350	77R8350
RDT77R8355	77R8355
RDT77R8375	77R8375
RDT77R8380	77R8380
RDT77R8385	77R8385
RDT77R8400	77R8400
RDT77R8405	77R8405
RDT77R8410	77R8410
RDT77R8415	77R8415
RDT77R8420	77R8420
RDT77R8425	77R8425
RDT77R8435	77R8435
RDT77R8440	77R8440
RDT77R8445	77R8445
RDT77R8450	77R8450
RDT77R8455	77R8455
RDT77R8457	77R8457
RDT77R8460	77R8460
RDT77R8465	77R8465
RDT77R8470	77R8470
RDT77R8475	77R8475
RDT77R8480	77R8480
RDT77R8485	77R8485
RDT77R8490	77R8490
RDT77R8495	77R8495
RDT77R8497	77R8497
RDT77R8799	77R8799
RDT77R8800	77R8800
RDT77R9000	77R9000
RDT77R9005	77R9005
RDT77R9010	77R9010
RDT77R9015	77R9015
RDT77R9020	77R9020
RDT77R9395	77R9395
RDT78R0030	78R0030
RDT78R0040	78R0040
RDT78R0050	78R0050
RDT78R0070	78R0070
RDT78R0075	78R0075

IHC - NAVISTAR	
RDT78R0090	78R0090
RDT78R0100	78R0100
RDT78R0101	78R0101
RDT78R0110	78R0110
RDT78R0200	78R0200
RDT78R0250	78R0250
RDT78R0300	78R0300
RDT78R0350	78R0350
RDT78R0400	78R0400
RDT78R0451	78R0451
RDT78R0451SP	78R0451SP
RDT78R0452	78R0452
RDT78R0452SP	78R0452SP
RDT78R0456	78R0456
RDT78R0456SP	78R0456SP
RDT78R0458	78R0458
RDT78R0458SP	78R0458SP
RDT78R1025	78R1025
RDT78R1027	78R1027
RDT78R1070	78R1070
RDT78R1077	78R1077
RDT78R1470	78R1470
RDT78R1505	78R1505
RDT78R1605	78R1605
RDT78R1705	78R1705
RDT78R1805	78R1805
RDT78R2100	78R2100
RDT78R3002	78R3002
RDT78R3003	78R3003
RDT78R3005	78R3005
RDT78R3007	78R3007
RDT78R3008	78R3008
RDT78R3009	78R3009
RDT78R3010	78R3010
RDT78R3011	78R3011
RDT78R5000	78R5000
RDT78R5003	78R5003
RDT78R5004	78R5004
RDT78R5005	78R5005
RDT78R5006	78R5006
RDT78R5007	78R5007
RDT78R5008	78R5008
RDT78R5100	78R5100
RDT78R5110	78R5110
RDT78R5150	78R5150
RDT78R5200	78R5200
RDT78R5210	78R5210
RDT78R5235	78R5235
RDT78R5236M	78R5236M
RDT78R5237M	78R5237M
RDT78R5239	78R5239

IHC - NAVISTAR	
RDT78R5240	78R5240
RDT78R5241	78R5241
RDT78R5243	78R5243
RDT78R5244M	78R5244M
RDT78R5245M	78R5245M
RDT78R5246	78R5246
RDT78R5247M	78R5247M
RDT78R5249M	78R5249M
RDT78R5250	78R5250
RDT78R5251	78R5251
RDT78R5252M	78R5252M
RDT78R5253M	78R5253M
RDT78R5254M	78R5254M
RDT78R5255M	78R5255M
RDT78R5256M	78R5256M
RDT78R5257M	78R5257M
RDT78R5258M	78R5258M
RDT78R5290	78R5290
RDT78R5291	78R5291
RDT78R5291M	78R5291M
RDT78R5300	78R5300
RDT78R5300M	78R5300M
RDT78R5301	78R5301
RDT78R5302	78R5302
RDT78R5304	78R5304
RDT78R5306M	78R5306M
RDT78R5308	78R5308
RDT78R5309	78R5309
RDT78R5310M	78R5310M
RDT78R5315	78R5315
RDT78R5318	78R5318
RDT78R5320	78R5320
RDT78R5330M	78R5330M
RDT78R5340	78R5340
RDT78R5351M	78R5351M
RDT78R5353M	78R5353M
RDT78R5355	78R5355
RDT78R5360M	78R5360M
RDT78R5361M	78R5361M
RDT78R5363M	78R5363M
RDT78R5370	78R5370
RDT78R5375	78R5375
RDT78R5380	78R5380
RDT78R5390	78R5390
RDT78R5400M	78R5400M
RDT78R5410M	78R5410M
RDT78R5420M	78R5420M
RDT78R5435	78R5435
RDT78R5440	78R5440
RDT78R5500	78R5500
RDT78R8451	78R8451

IHC - NAVISTAR	
RDT78R8451SP	78R8451SP
RDT78R8452	78R8452
RDT78R8452SP	78R8452SP
RDT78R8456	78R8456
RDT78R8456SP	78R8456SP
RDT78R8458	78R8458
RDT78R8458SP	78R8458SP
RDT78R8806	78R8806
RDT78R8808	78R8808
RDT78R8810	78R8810
RDT78R8812	78R8812
RDT78R9456	78R9456
RDT78R9461	78R9461
RDT78R9462	78R9462
RDT78R9466SP	78R9466SP
RDT78R9468	78R9468
RDT78R9600	78R9600
RDT78R9766	78R9766
RDT79R0020	79R0020
RDT79R0030	79R0030
RDT79R0100	79R0100
RDT79R0102	79R0102
RDT79R0105	79R0105
RDT79R0138	79R0138
RDT79R0150	79R0150
RDT79R0195	79R0195
RDT79R0225	79R0225
RDT79R0258	79R0258
RDT79R1150	79R1150
RDT79R1255	79R1255
RDT79R1502	79R1502
RDT79R1503	79R1503
RDT79R1504	79R1504
RDT79R1505	79R1505
RDT79R1520	79R1520
RDT79R1525	79R1525
RDT79R1531	79R1531
RDT79R1532	79R1532
RDT79R1536	79R1536
RDT79R1538	79R1538
RDT79R1541	79R1541
RDT79R1546	79R1546
RDT79R1560	79R1560
RDT79R1565	79R1565
RDT79R1650	79R1650
RDT79R1660	79R1660
RDT79R1681	79R1681
RDT79R1682	79R1682
RDT79R1710	79R1710
RDT79R1720	79R1720
RDT79R3161	79R3161

IHC - NAVISTAR	
RDT79R3163	79R3163
RDT79R3165	79R3165
RDT79R3171	79R3171
RDT79R3173	79R3173
RDT79R3180	79R3180
RDT79R3182	79R3182
RDT79R3532	79R3532
RDT79R4060	79R4060
RDT79R4400	79R4400
RDT79R4550	79R4550
RDT79R4561	79R4561
RDT79R4562	79R4562
RDT79R4563	79R4563
RDT79R4580	79R4580
RDT79R4585	79R4585
RDT79R4587	79R4587
RDT79R4595	79R4595
RDT79R4597	79R4597
RDT79R4600	79R4600
RDT79R4605	79R4605
RDT79R4650	79R4650
RDT79R4655	79R4655
RDT79R4710	79R4710
RDT79R5033	79R5033
RDT79R5035	79R5035
RDT79R5901	79R5901
RDT79R6700	79R6700
RDT79R8915	79R8915
RDT79R8916	79R8916
RDT79R8920	79R8920
RDT79R8926	79R8926
RDT79R8930	79R8930
RDT79R8931	79R8931
RDT79R8940	79R8940
RDT79R8945	79R8945
RDT79R8950	79R8950
RDT79R9516	79R9516
RDT79R9518	79R9518
RDT79R9521	79R9521
RDT79R9681	79R9681
RDT79R9682	79R9682
RDTR20200P	R20200P
RDTR2540P	R2540P
RDTR2544P	R2544P
RDTR25510P	R25510P
RDTR25512P	R25512P
RDTR2900P	R2900P
RDTR2950P	R2950P
RDTR41229P	R41229P
RDTR50455P	R50455P
RDTR61004P	R61004P

IHC - NAVISTAR	
RDTR61010P	R61010P
RDTR61600P	R61600P
RDTR68400P	R68400P
RDTR78300P	R78300P
RDTR82301P	R82301P
RDTR82350P	R82350P
RDTR854516P	R854516P
RDTR972012P	R972012P
RDTR9727224P	R9727224P
RDTR97272P	R97272P
RDTR9757024	R9757024
RDTR97570P	R97570P
RDTR97771P	R97771P
RDTRD123580	RD123580
RDTRD209610P	RD209610P
RDTRD212062P	RD212062P
RDTRD212071P	RD212071P
RDTRD212072P	RD212072P
RDTRD212900P	RD212900P
RDTRD212961P	RD212961P
RDTRD212970P	RD212970P
RDTRD213020P	RD213020P
RDTRD213980P	RD213980P
RDTRD235150P	RD235150P
RDTRD236730P	RD236730P
RDTRD31695P	RD31695P
RDTRD5141920P	RD5141920P
RDTRD5146510P	RD5146510P
RDTRD587030P	RD587030P
RDTRD587050P	RD587050P
RDTRD587854P	RD587854P
ZGG11370	70R7110
ZGG11845	71R8100
ZGG12034	70R5020
ZGG12237	70R3006
ZGG14263	78R5306M
ZGG14513	75R84192
ZGG14606	73R7215
ZGG15704	79R4650
ZGG16061	79R4655
ZGG16217	71R6120
ZGG16218	71R6090
ZGG18422	75R5648
ZGG18423	75R5641
ZGG18424	75R5698
ZGG18425	75R5691
ZGG19039	70R5052
ZGG19045	70R5005
ZGG19075	79R1560
ZGG19085S	70R4396S
ZGG19086S	70R4398S

IHC - NAVISTAR	
ZGG19088S	70R4392S
ZGG19089S	70R4406S
ZGG19092S	70R4402S
ZGG19097S	70R4496S
ZGG19098S	70R4498S
ZGG19099S	70R4491S
ZGG19100S	70R4492S
ZGG19125S	70R6598S
ZGG19253	71R1610
ZGG19265	77R0560
ZGG19272	71R8060
ZGG19347	73R4422
ZGG19355	75R5556
ZGG19465	75R5834
ZGG19524	70R5046
ZGG19734	75R8384
ZGG701018	73R3142
ZGG702010	73R7215
ZGG703003	73R8320
ZGG704006	75R0042
ZGG704033	75R4702
ZGG705063	75R84552
ZGG705130	75R81452
ZGG705165	75R8354
ZGG705257	75R81372
ZGG707079	77R6955
ZGG707082	77R6965
ZGG707085	77R7704
ZGG707089	77R7706
ZGG707106	77R0500
ZGG707121	77R8345
ZGG707133	77R8320
ZGG707168	77R8310
ZGG709001	71R8090
ZGG709010	71R8350
ZGG709036	71R8485
ZGG709037	71R8080
ZGG716001	71R3220
ZGG718001	75R5565
ZGG718002	75R5575
ZGG718011	75R5829
ZGG718012	75R5819
ZGG718015	75R5825
ZGG718016	75R5820
ZGG719000	71R8510
ZGG720002	78R5236M
ZGG720006	78R5256M
ZGG720021	78R5242
ZGG720041	78R5450
ZGG725011	79R4650
ZGGH550432	79R4600

Convert Other Part Numbers to Red Dot Aftermarket Numbers

IHC - NAVISTAR	
ZGGH550433	79R4605
ZGGR6812	79R4587
ZGGR6822	79R4585
ZGGR725028	79R4580

JBAR	
1784	77R9030
1812	RD-5-14175-0P
63087	75R9535
63089	63089
63259	63259
63294	63294
63337	63337
63366	RD-9-7112-0P
63385	63385
63405	63405
63415	63415
63420	63420
63431	63431
63458	63458
63487	75R9970
63524	63524
63529	63529
63542	63542
63549	63549
63552	63552
63576	63576
63578	63578
63607	63607
63623	63623
63624	63624
63639	63639
63652	63652
63673	63673
63683	63683
090016	78R0100
090077	78R0250
090124	78R0400
090227	78R0200
090232	78R0300
110520	110520
301136	301136
400535	71R2300
401894	71R8100
402284	402284
402806	75R5718
402807	75R5711
403350	71R8210
403430	72R9020
403930	70R5115
403953	73R4102

JBAR	
404130	70R3008
404379	404379
404593	75R5668
404594	75R5661
404708	404708
404819	70R3006
404893	71R8080
404968	404968
404986	74R1806
404990	70R4446
404991	70R4448
405000	70R6496
405035	70R6006
405038	70R6096
405045	70R4308
405049	70R4341
405052	70R4391
405098	71R2250
405100	75R5648
405101	75R5641
405110	71R6070
405111	71R7075
405143	70R4996
405145	70R4991
405157	70R4442
405228	75R8382
405229	75R8384
405251	75R5688
405252	75R5681
405379	70R4496S
405380	70R4402S
405381	70R4498S
405382	70R4408S
405383	70R6498S
405384	70R7008S
405385	70R4492S
405386	70R4402
405387	70R6491S
405390	75R5570
405435	70R7001S
405456	70R4391S
405488	71R1702
405489	71R1704
405493	70R4446S
405494	70R4346S
405495	70R4341S
405496	70R2076S
405504	70R7002S
405505	70R4448S
405506	70R4441S
405516	70R5091S

JBAR	
405517	70R4306S
405518	70R4308S
405519	70R4301S
405521	70R4396S
405528	70R4508S
405529	70R4501S
405535	75R5842
405551	70R2078S
405552	70R2071S
405553	70R2072S
405625	405625
405816	405816
405831	73R8564
405844	73R5552
405862	70R5056
405864	70R5051
405865	70R5052
405875	71R1150
405881	75R7290
405882	75R7280
405902	75R8372
405905	75R8432
405908	75R8374
405909	75R8252
405912	75R5808
405913	75R5801
405937	70R4348S
405940	70R4398S
405941	70R4392S
405957	75R5678
405958	75R5671
405959	75R5672
405962	70R4001S
405963	70R4002S
405964	70R4096S
405966	70R4091S
406013	406013
406042	75R8424
406050	75R8442
406068	70R4342S
406069	70R4302S
406081	75R5700
406093	74R5050
406134	75R0402
406135	75R0302
406136	75R0202
406138	73R0152
406140	73R0552
406142	73R0702
406143	73R0602
406144	73R4162

JBAR	
406145	73R4182
406152	74R1706
406153	74R1856
406154	74R1906
406157	74R1956
406160	74R2706
406161	74R1756
406165	74R2306
406167	74R3466
406171	74R3450
406173	73R4322
406334	406334
406401	406401
406402	406402
406433	406433
406434	406434
406631	406631
407310	407310
407368	407368
407620	RD-5-15339-0P
407800	407800
407801	407801
407813	407813
407853	407853
407955	407955
407995	407995
408019	408019
408273	408273
408304	RD-5-15722-0P
408357	75R89744
408550	408550
450598	75R8332
450599	75R8312
450675	71R6120
450748	450748
450761	450761
450762	450762
450809	450809
450810	450810
450813	450813
450828	450828
450829	450829
504019	504019
405513R	405513R
405526R	405526R
405937B	405937B
406566A	406566A
407501R	407501R
407674B	407674B
408264B	408264B
408378R	408378R

JBAR	
408551R	408551R
EE110-0-12R	R-9759-0P
EE110-0-24R	R-9759-0-24P
EE110-1-12R	R-9759-1P
EE110-1-24	R-9759-1-24P
EE110-1-24R	R-9759-1-24P
EE120-0-12R	R-9753-0P
EE120-0-24R	R-9753-0-24P
EE120-1-12R	R-9753-1P
EE120-1-24R	R-9753-1-24P
EE221-0-12R	R-7833-0P
EE221-0-24R	R-7833-0-24P
EE230-0-12R	R-9530-0P
EE230-0-24R	R-9530-0-24P
EE230-10-12	EE230-10-12
EE230-1-12R	R-9530-1P
EE230-1-24R	R-9530-1-24P
EE230-4-12	EE230-4-12
EE420-5-12R	EE420-5-12R
EE420-5-24R	EE420-5-24R
EE605-1-12R	R-9723-0P
EE605-1-24R	R-9723-0-24P
EE621-0-12R	77R1512
EE621-0-24R	77R1514
EE621-4-12	EE621-4-12
EE640-0-24R	77R1524
EE651-0-12R	77R1702
EE702-2-12R	R-297-0P
EE702-2-24R	R-297-0-24P

JOHN DEERE	
31211	71R8440
2521168	75R8552Q
20604004	71R1402
97026234	78R5360M
700351200	77R5260
700600200	77R5910
0721392315	74R2566
811989600	73R9064
842581800	75R4734
842599200	73R4204
842599300	71R0350
842599800	73R6101
842600200	74R1706
842600300	72R3100
842600500	73R6151
842741500	75R5658
842828000	74R7210
842829000	78R0070
842829400	71R1902
842830000	71R8301

JOHN DEERE	
842831100	71R1150
842831600	78R5350
842832600	79R4400
842833100	72R5200
842833700	77R0090
842930200	73R4102
842948700	71R0400
842948800	71R0010
842948900	71R2250
842956500	73R8110
842976800	71R7000
842976900	70R5056
842977700	70R5058
842978500	70R5051
842979300	75R8382
843010100	77R0110
843010700	74R0450
843026000	71R8300
843109100	75R5648
843109200	75R5641
843111700	75R5718
843111800	75R5711
088411-01	74R0462
221RD32	74R2447
329-403	71R8321
329-413	71R8321
3501-79511	71R8440
488-45075	75R85032Q
6574-6210	75R0202
676429-03	70R4348S
70500C2	71R2310
AH112704	72R5050
AH122867	71R8321
AH122867	71R8321
AH137702	71R8321
AH140818	71R8100
AH169875	75R9052
AH17726	75R7280
AH203871	71R8321
AH79301	75R0452
AH80191	71R8050
AH80197	71R2300
AH85846	75R1202
AH85847	75R4502
AL153705	74R0401
AL28688	71R8100
AR145866	71R6300
AR45868	71R6300
AR49960	71R2250
AR49961	71R8210
AR49962	73R0442

JOHN DEERE	
AR53155	71R1160
AR53324	71R2305
AR58482	71R8080
AR59779	71R2250
AR59780	74R4116
AR59964	71R1165
AR62497	73R4162
AR74486	74R4116
AR82005	73R0532
AR82014	71R1165
AT141209	78R5315
AT163728	75R9024
AT168543	75R9014
AT173906	73R4242
AT175768	72R9010
AT197503	71R3200
AT197504	71R8380
AT197508	71R6150
AT197510	74R2590
AT211182	73R5532
AT220817	71R4020
AT221261	73R5632
AT221282	RD-5-8705-0P
AT221322	73R5634
AT223984	72R3110
AT226273	75R9014
AT253697	77R0650
AT262533	73R7200
AT262535	73R7210
AT262536	73R4424
AT262537	RD-3-3174-0P
AT262539	71R1450
AT262545	72R9020
AT262561	74R3466
AT262562	71R7050
AT262563	71R0854
AT306881	74R3327
AT367640	75R9104D
CB11454708	RD-5-3860-4P
CB11454715	RD-2-0921-1P
CB11454717	RD-2-1290-0P
CB11454718	73R8100
CB11454720	RD-2-1297-0P
CB11454721	77R0350
CB11454722	76R7100
CB11454723	RD-2-1072-0P
CB11454724	RD-2-1071-0P
CB11454725	RD-2-3150-0P
CB11454726	RD-2-1184-0P
CB11454727	RD-5-3894-1P
CB11454735	72R3200

JOHN DEERE	
CB11454737	RD-2-1377-0P
CB11454738	RD-2-0961-0P
CB11454739	RD-2-1378-0P
CB11454741	73R6101
CB11454742	73R6151
CB11454745	73R4202
CB11454746	RD-5-4195-0P
CB11454747	73R6100
CB11454748	RD-2-0919-0P
CB11454749	R-9727-2P
CB11454750	RD-2-1380-0P
CB11454751	78R5300
D2AZ-19834-A	73R7000
F123828	71R7075
F124088	74R5061
F433289	74R0460
F436065	RD-5-10962-0M
F436068	76R7450
F436069	76R4100
F436072	RD-5-9561-0P
F436073	73R5624
F436076	RD-3-11138-0P
F436078	72R5060
F436088	78R5301
F436215	71R8504
F436217	RD-5-6912-0M
FFSB107501	70R6501
KV16757	73R5552
R117721	RD-5-10962-0M
RD-1-1370-0	76R3455
RD-1-1478-0	76R4200
RD-1-1746-0	72R6562
RD-2-2495-0	76R6550
RD-2-2780-0	76R6655
RD-2-2897-0	76R7715
RD-2-3008-0	76R7030
RD-2-3395-0	76R7580
RD-2-3413-0	76R5820
RD3133-9	73R8050
RD-4-4968-0	77R7100
RD-4-5146-1	77R0570
RD-5-10544-0	75R0082
RD-5-4665-0M	70R5706
RD-5-7061-1	74R2537
RD-5-7123-0	73R8081
RD-5-8100-0P	71R8423
RD-5-8105-0P	78R5315
RD-5-8193-2	72R5350
RD-5-8280-0P	70R4598S
RD-5-8641-0	RD-5-8641-0P
RD-5-8665-0	71R1485

Convert Other Part Numbers to Red Dot Aftermarket Numbers

JOHN DEERE	
RD-5-8703-2	73R8562
RD-5-8838-0P	73R5534
RD-5-8923-0P	71R1465
RD-5-8982-0	71R6055
RD-5-9062-0	71R1480
RD-5-9076-2	73R8642
RD-5-9224-1	72R5285
RE24620	74R5050
RE24620	74R5050
RE24958	71R8506
RE284680	75R9112D
RE326205	75R9112D
RE46657	75R9062
RE51969	71R8506
RE57575	71R8301
T158848	78R5375
T160275	RD-5-4089-0M
T177224	72R9040
T213998	70R7170
TCU18879	71R1450
TCU18884	73R5642
TCU18887	71R1702
TCU18896	72R3135
TCU18899	74R2687
TCU18901	79R0020
TCU18904	75R82102
TY24304	75R9052
TY6764	75R9052
TY6783	75R9027

KENWORTH - SEE PACCAR

KYSOR	
260820	73R7215
1010002	73R3002
1010008	73R2202
1011003	73R2142
1011010	73R0092
1011011	73R0152
1011013	73R2112
1011015	73R4322
1011016	73R2152
1012003	73R0062
1012004	73R0402
1012006	73R3062
1012008	73R0432
1012009	73R0322
1012010	73R5562
1012012	73R3002
1013003	73R2102
1013004	73R2132

KYSOR	
1013005	73R3082
1014003	73R0912
1015001	73R3072
1015002	73R0912
1015005	73R0462
1015007	73R3102
1015007	73R3102
1017002	73R4602
1017003	73R4322
1017005	73R3142
1018001	73R1052
1018002	73R3032
1018003	73R0442
1018008	73R3032
1072720	77R8470
1075010	73R0212
1075011	73R4504
1075012	73R0514
1075013	73R0454
1075017	73R0104
1075035	73R0642
1099002	73R4182
1099003	73R2102
1099004	73R4162
1099005	73R0602
1099006	73R0552
1099007	73R0422
1099009	73R0922
1099010	73R0152
1099010	73R0152
1099011	73R0702
1099014	73R2102
1099015	73R4062
1099016	73R0422
1099018	73R4312
1099020	73R4182
1099020	73R4182
1099021	73R4252
1099022	73R0402
1099023	73R0962
1099024	73R0652
1099025	73R4322
1099026	73R4532
1099027	73R0702
1099029	73R0142
1099033	73R0652
1099034	73R0012
1099043	73R0542
1099047	73R4182
1099049	73R4062
1099050	73R0642

KYSOR	
1099051	73R0142
1099063	73R3002
1099064	73R3022
1099065	73R4322
1099070	73R0612
1113003	73R6370
1118001	73R7215
1199007	73R7130
1199020	73R6251
1199033	73R7110
1199034	73R7120
1199035	73R7130
1299002	73R9062
1299007	73R9064
1310012	75R2402
1312002	75R0512
1312003	75R0522
1313001	75R0612
1313002	75R1342
1313005	75R0452
1313007	75R0612
1313008	75R0302
1399001	75R0252
1399002	75R0182
1399003	75R0452
1399004	75R4502
1399005	75R0302
1399006	75R0662
1399007	75R1302
1399008	75R0502
1399009	75R0682
1399011	75R4742
1399013	75R0402
1399015	75R0182
1399017	75R1652
1399018	75R2402
1399038	75R1414
1399042	75R0202
1399043	75R0204
1399045	75R4734
1399046	75R4502
1399048	75R4734
1399049	75R4534
1399051	75R4742
1399056	75R4702
1399059	75R0042
1399068	75R1532
1401007	75R89320
1401100	75R8384
1401101	75R83152
1401102	75R8382

KYSOR	
1401102	75R8382
1401103	75R8382
1401104	75R8252
1401106	75R81192
1401107	75R8432
1401108	75R8422
1401110	75R81452
1401111	75R81462
1401112	75R84492
1401113	75R8424
1401114	75R81482
1401116	75R84572
1401117	75R81502
1401118	75R81512
1401118	75R81512
1401119	75R84152
1401120	75R81262
1401120	75R81262
1401121	75R84172
1401122	75R84182
1401123	75R8454
1401125	75R84192
1401126	75R84212
1401127	75R81352
1401128	75R8464
1401130	75R84232
1401131	75R84492
1401135	75R8442
1401136	75R8354
1401139	75R81184
1401200	75R89462
1401201	75R89302
1401202	75R89312
1401204	75R89334
1401206	75R89352
1401208	75R89354
1401210	75R89372
1401212	75R89374
1401213	75R89384
1401214	75R89392
1401218	75R89412
1401219	75R89474
1401223	75R89484
1401225	75R89422
1401226	75R89424
1401228	75R89394
1401325	75R89305
1401326	75R89310
1401327	75R89315
1401329	75R89325
1401330	75R84552

KYSOR	
1401332	75R90182
1401333	75R90192
1401333	75R8332
1401334	75R84482
1401335	75R90242
1401335	75R84512
1401336	75R8384
1401338	75R81302
1401339	75R81232
1401340	75R81612
1401341	75R81212
1401343	75R84362
1401345	75R81532
1401346	75R81302
1401351	75R90542
1401362	75R81362
1401363	75R81372
1401374	75R81562
1401378	75R84452
1401379	75R84382
1401380	75R81652
1401381	75R8432
1401386	75R90552
1401387	75R84492
1401400	75R81762
1401402	75R90032
1401407	75R91142
1401408	75R89912
1401409	75R89922
1401411	75R89902
1401418	75R89942
1401423	75R90462
1401424	75R90322
1401426	75R84302
1401433	75R90042
1401442	75R90292
1401444	75R89812Q
1401447	75R90332
1401450	75R90252
1401452	75R89934
1401461	75R89972
1401462	75R89992
1401464	75R90012
1401465	75R90022
1401475	75R90082
1401476	75R90092
1401477	75R90102
1401481	75R90162
1401482	75R90172
1401483	75R90622
1401493	75R90644

KYSOR	
1401494	75R90402
1401495	75R90662
1401497	75R90262
1401498	75R89882
1401499	75R89954
1401500	75R90352
1401502	75R89962
1401504	75R90434
1401512	75R90522
1401513	75R90582
1401516	75R90202
1401518	75R90684
1401519	75R89982
1401521	75R90592
1402001	75R7280
1402002	75R7290
1402004	75R7312
1402006	75R7322
1402007	75R7332
1402010	75R7300
1402013	75R7290
1402125	75R8712Q
1403100	75R8612Q
1403101	75R8614Q
1403102	75R8544Q
1403103	75R85932Q
1403111	75R85734
1403112	75R8532Q
1403114	75R85032Q
1403115	75R8552Q
1403117	75R86172Q
1403119	75R8702Q
1403125	75R8712Q
1403135	75R86212Q
1403143	75R8672Q
1403145	75R86142Q
1403164	75R8634Q
1404022	75R8102
1406001	75R8722
1406002	75R81762
1406102	75R86194Q
1407008	75R6000
1407009	75R6010
1407010	75R6510
1408003	75R5608
1408013	75R5718
1408014	75R5711
1408022	75R5698
1408023	75R5691
1408024	75R5688
1408025	75R5681

KYSOR	
1408026	75R5728
1408027	75R5721
1408030	75R5738
1408031	75R5731
1408034	75R5648
1408035	75R5641
1408036	75R5678
1408037	75R5560
1408038	75R5570
1408049	75R5808
1408050	75R5801
1408053	75R5658
1409004	75R5560
1409005	75R5570
1409006	75R5560
1409007	75R5575
1409008	75R5700
1409009	75R5540
1409010	75R5705
1409014	75R5540
1409016	75R5570
1410002	75R84292A
1410002	75R84292
1410003	75R81632A
1410007	75R84252
1410007	75R81302A
1410007	75R81302
1410010	75R81362A
1410016	75R89872A
1410019	75R89552A
1410022	75R81662A
1410022	75R81662
1410023	75R81282A
1410024	75R84382
1410024	75R84382
1410025	75R84302A
1410046	75R81292A
1411002	75R7290
1411005	75R8672Q
1511007	77R6807
1512002	77R8405
1512009	77R6978
1512015	77R6978
1512028	77R8390
1512029	77R8395
1514005	77R6930
1514011	77R6940
1514012	77R6940
1514013	77R6945
1514015	77R8425
1514016	77R6955

KYSOR	
1514017	77R6957
1514019	77R6925
1514020	77R6985
1515002	77R7708
1515003	77R7710
1515006	77R7714
1515007	77R1105
1515008	77R7706
1515009	77R7712
1515011	77R8200
1515012	77R0560
1515015	77R8320
1515018	77R7715
1517001	77R7900
1517011	77R6950
1517021	77R8310
1518001	77R1100
1518012	77R8490
1519001	77R8460
1599002	77R1100
1599003	77R0900
1599005	77R0950
1599013	77R6900
1615001	76R6700
1615003	76R6180
1615006	76R6950
1615008	76R7510
1615009	76R6140
1617003	76R6850
1617008	76R7010
1618001	76R6350
1619001	76R6310
1699002	76R6150
1699003	76R5000
1712002	76R2155
1712005	76R2340
1712006	76R2320
1712008	70R7310
1712009	76R1600
1712011	76R2410
1712016	76R2420
1714001	76R3400
1714003	76R2600
1715006	76R3300
1715007	76R3930
1717007	76R3460
1717008	76R3250
1717009	76R2350
1799001	76R2400
1799006	76R2210
1810002	71R8501

Convert Other Part Numbers to Red Dot Aftermarket Numbers

KYSOR	
1810003	71R8500
1811001	71R8503
1811002	71R8501
1812002	71R8370
1812003	71R8350
1812004	71R9002
1812004	71R9002
1812006	71R8455
1812007	71R8457
1812010	74R3126
1812010	74R3129
1812016	71R8425
1813002	71R8210
1813003	71R8080
1813004	71R8405
1813005	71R8405
1813007	71R8415
1813008	71R8507
1813009	71R8080
1814001	71R8100
1818001	71R8090
1818002	71R8440
1818005	71R8321
1875003	71R8100
1899002	71R8504
1899003	71R8505
1899005	71R8321
1899006	71R8370
1899008	71R8050
1899009	71R8100
1899010	71R8400
1899011	72R1502
1899017	71R9004
1899019	71R9002
1899020	71R9002
1899025	71R8080
1899028	71R8380
1899031	71R8420
1899035	71R8301
1910016	74R0450
1910018	74R5600
1910022	74R0450
1911005	74R0460
1911006	74R0460
1911013	74R5095
1912001	74R2668
1912002	74R2608
1912004	74R3309
1912005	74R3331
1912007	74R3323
1912008	74R3328

KYSOR	
1912009	74R3317
1912010	74R3126
1912011	74R3126
1912012	74R3126
1912013	74R4215
1912014	74R3331
1912015	74R4028
1913001	74R3450
1913005	74R3323
1913006	74R4016
1913007	74R5097
1914002	74R2306
1914004	74R3318
1915001	74R3077
1915002	74R3324
1915003	74R3066
1915005	74R1856
1917001	74R2616
1917003	74R5061
1917004	74R5060
1918001	74R2608
1918002	74R3107
1918003	74R1427
1918004	74R1407
1918005	74R3107
1919002	74R3377
1999004	74R5093
1999007	74R2106
1999009	74R1756
1999010	74R1706
1999011	74R1826
1999017	74R3331
1999019	74R2668
1999021	74R3137
1999022	74R1956
1999032	74R2586
1999034	74R1756
1999040	74R1106
1999046	74R2002
1999203	74R2706
2012006	71R1455
2012010	71R1455
2013004	71R1457
2018004	71R1457
2099001	71R1902
2099002	71R1722
2099003	71R1702
2099004	71R1457
2099004	71R1457
2099005	71R1450
2099013	71R1702

KYSOR	
2111001	71R0487
2112005	71R1620
2113003	71R0480
2113004	71R0030
2114001	71R0460
2114002	71R0460
2114003	71R1620
2117001	71R0600
2118003	71R1160
2175002	71R1210
2175003	71R1200
2199002	71R1210
2199003	71R1610
2199005	71R1165
2199006	71R0200
2199007	71R0400
2199008	71R0450
2199009	71R0100
2199011	71R3573
2199013	71R0470
2199014	71R0250
2199019	72R0210
2199022	71R0500
2199023	71R0550
2199024	71R1163
2199027	71R1160
2199060	71R6150
2212001	71R7075
2212002	71R7077
2212003	71R6220
2212005	71R6210
2212008	71R6400
2213001	71R6020
2213001	71R6020
2213005	71R6120
2213007	71R6183
2213008	71R6181
2213009	71R6405
2213010	71R6070
2213011	71R6090
2213012	71R3300
2213013	71R3300
2214003	71R6175
2215003	71R6257
2215004	71R7000
2217001	71R6180
2217002	71R6170
2218008	71R6580
2218015	71R6576
2218016	71R6600
2218017	71R6442

KYSOR	
2218018	71R6445
2218019	71R6470
2218023	71R6475
2218025	71R6571
2218029	71R6578
2218031	71R6426
2218032	71R6418
2275002	71R6030
2275005	71R6100
2299003	71R7550
2299004	71R7500
2299005	71R6050
2299006	71R6300
2299007	71R6070
2299008	71R7650
2299010	71R6040
2299031	71R6405
2299033	71R7050
2311001	71R2305
2312001	71R3150
2313001	71R2700
2313002	71R3300
2314001	71R3100
2375001	71R2100
2399001	71R3200
2399002	71R2300
2399003	71R3200
2399003	71R2200
2399004	71R2250
2399005	71R3100
2399006	71R33220
2399009	71R3160
2399010	71R2700
2399011	71R2600
2399012	71R2700
2399018	71R2300
2399019	71R2300
2411003	72R5500
2411005	72R5040
2412001	72R5070
2412007	72R6515
2412013	72R6410
2417001	72R5260
2417001	72R5260
2475001	72R5050
2499002	72R6400
2499004	72R6530
2499005	72R6420
2499025	72R5200
2499029	72R6520
2499031	72R5060

KYSOR	
2499038	72R6410
2499045	72R5600
2499050	70R7100
2499051	70R7150
2499052	70R7200
2499056	70R7310
2499059	70R7250
2499060	70R7500
2575003	71R4060
2575006	71R4050
2575008	71R4040
2599013	72R8315
2599015	72R8280
2599020	72R8250
2599021	72R8270
2599031	71R4105
2599037	71R4035
2599041	71R4010
2599044	71R4020
2599051	71R4065
2610001	78R0456
2610002	78R0458
2610003	78R0451
2610004	78R0452
2610006	79R1525
2610007	79R1520
2610771	70R2406S
2610772	70R2408S
2610774	70R2402S
2610777	70R2016S
2610778	70R2018S
2610779	70R2011S
2610780	70R2012S
2610901	70R2076S
2610902	70R2078S
2610903	70R2071S
2610904	70R2072S
2611151	70R4346S
2611152	70R4348S
2611153	70R4341S
2611154	70R4342S
2611191	70R4396S
2611192	70R4341S
2611193	70R4391S
2611194	70R4392S
2611196	70R4796S
2611198	70R4791S
2611198	70R4791S
2611201	70R4306S
2611202	70R4308S
2611203	70R4301S

KYSOR	
2611204	70R4302S
2611205	70R4006
2611206	70R4798
2611208	70R4701S
2611301	70R4506S
2611302	70R4508S
2611303	70R4501S
2611351	70R4506S
2611352	70R4508S
2611353	70R4501S
2611391	70R4596S
2611392	70R4598S
2611393	70R4591S
2612201	70R4406S
2612202	70R4408S
2612203	70R4401S
2612204	70R4402S
2612207	70R4606
2612208	70R4608S
2612209	70R4601S
2612251	70R4446S
2612252	70R4448S
2612253	70R4441S
2612254	70R4442
2612256	70R4646S
2612257	70R4641S
2612291	70R4496S
2612292	70R4498S
2612293	70R4491S
2612294	70R5091S
2612296	70R4696S
2612297	70R4698S
2612298	70R4691S
2612502	70R7008S
2612503	70R7001S
2612504	70R7002S
2612519	70R5091S
2612553	70R6441
2612591	70R6496S
2612593	70R6491S
2621101	70R4106
2621102	70R4108
2621192	70R4198
2621193	70R4191
2622401	70R4416S
2622491	70R4996
2622493	70R4991
2630001	78R8456
2630002	78R8458
2630003	78R8451
2630004	78R8452

KYSOR	
2630005	70R8806
2630006	70R8808
2630007	70R8801
2630008	70R8802
2630009	70R8826
2630010	70R8828
2630011	70R8821
2630012	70R8822
2630013	79R8920
2630014	79R8930
2630015	79R8931
2630017	70R8556
2630019	70R8558
2630020	70R8551
2630021	70R8511
2630701	70R8216
2630702	70R8218
2630703	70R8211
2630707	70R8281
2630721	70R8288
2630722	70R8282
2630791	70R8296
2630792	70R8298
2630793	70R8291
2630901	70R8276
2630902	70R8278
2630903	70R8261
2630908	70R8068
2630909	70R8061
2630910	70R8062
2630911	70R8066
2631201	70R8306
2631202	70R8308
2631203	70R8301
2631204	70R8302
2631206	70R8716
2631207	70R8711
2631251	70R8346
2631252	70R8348
2631256	70R8341
2631291	70R8006
2631292	70R8008
2631293	70R8001
2631294	70R8002
2631296	70R8786
2631297	70R8788
2631298	70R8781
2631502	70R8688
2631592	70R8398
2631597	70R8598
2632102	70R8248

KYSOR	
2632201	70R8606
2632202	70R8608
2632203	70R8601
2632204	70R8602
2632206	70R8706
2632207	70R8708
2632208	70R8701
2632251	70R8646
2632252	70R8648
2632253	70R8641
2632254	70R8642
2632258	70R82511
2632291	70R8696
2632292	70R8698
2632293	70R8691
2632294	70R8692
2632296	70R8796
2632297	70R8798
2632298	70R8791
2632502	70R8208
2632503	70R8201
2632506	70R8621
2632559	70R8996
2632560	70R8998
2632566	70R8891
2632592	70R8098
2632593	70R8091
2632594	70R8761
2632596	70R8198
2632597	70R8761
2633801	70R8886
2633802	70R8888
2633803	70R8881
2633891	70R8086
2633892	70R8088
2633893	70R8071
2633898	70R8591
2799005	70R3530
2799010	70R3500
2799012	70R3590
2799013	70R5057
2799015	70R5056
2799016	70R5058
2799017	70R5051
2799018	70R5052
2799037	72R9020
2799040	72R9040
2799046	70R6506
2799048	70R6508
2799050	70R6501
2799066	70R5706

Convert Other Part Numbers to Red Dot Aftermarket Numbers

KYSOR	
2799067	70R5718
2799076	70R5550
2799077	70R5600
2799084	78R0200
2799085	78R0250
2799086	78R0300
2799087	78R0350
2799095	75R5200
2799097	75R5201
2799116	70R5058
2799117	70R5051
2799200	70R5010
2799201	70R4416S
2799202	70R5020
2899001	75R5829
2899002	75R5820
2899004	75R5824
2899005	75R5819
2899006	75R5825
2899026	75R5834
2899028	70R5110
2899029	70R5115
2899031	79R1650
2899032	70R5120
2899033	70R5125
2899035	79R0020
2899100	79R4600
2999015	79R4400
2999059	79R4020
2999060	79R4040
3099003	79R4563
3099005	79R4580
3099008	79R4595
3112012	78R5430
3113001	78R5302
3113003	78R5306M
3113005	78R5304
3117001	78R5450
3118003	78R5242
3199021	78R5308
3199030	78R5235
3199033	78R5350
3199035	74R2687
3199037	78R5375
3199038	78R5301
3199042	78R5318
3199052	78R5243
3212009	72R3156
3213001	72R2140
3275002	72R3110
3275008	72R2550

KYSOR	
3275009	72R2105
3299002	72R3050
3299004	72R3110
3299009	72R2130
3299018	72R2140
3299020	72R3100
3299021	72R2350
3299023	72R3135
3299043	72R2120
1002-04880-29	71R6480
1002-04880-33	71R6448
1002-04880-36	71R6460
1002-05511-35	71R6463
1002-05554-32	71R6456
1002-05554-33	71R6500

MACK	
21349570	75R89702
25172536	77R6995
25192657	77R8340
25498661	77R7714
82781580	74R3324
85119605	75R81622Q
85119605	75R81622Q
206RD413M	75R8382
206RD51M	75R81622
210RD422	77R8315
210RD424	77R8320
210RD427	77R8345
210RD512M	77R8320
210RD517M	77R8340
210RD59M	77R8335
221RD335	74R3077
4379-R6101024P	R-6101-0-24P
4379-R61010P	R-6101-0P
4379-RD211950P	76R5500
4379-RD212010P	RD-2-1201-0P
4379-RD212060P	RD-2-1206-0P
4379-RD212062P	RD-2-1206-2P
4379-RD212070P	RD-2-1207-0P
4379-RD212071P	RD-2-1207-1P
4379-RD212072P	RD-2-1207-2P
4379-RD212400P	RD-2-1240-0P
4379-RD212450P	RD-2-1245-0P
4379-RD212500P	RD-2-1250-0P
4379-RD212720P	76R6310
4379-RD212840P	RD-2-1284-0P
4379-RD212880P	RD-2-1288-0P
4379-RD212900P	RD-2-1290-0P
4379-RD212960P	RD-2-1296-0P
4379-RD212970P	RD-2-1297-0P

MACK	
4379-RD213020P	RD-2-1302-0P
4379-RD213150P	RD-2-1315-0P
4379-RD213160P	76R6350
4379-RD213540P	RD-2-1354-0P
4379-RD213700P	76R7070
4379-RD213780P	RD-2-1378-0P
4379-RD213810P	76R6950
4379-RD213890P	RD-2-1389-0P
4379-RD213980P	RD-2-1398-0P
4379-RD214020P	76R6150
4379-RD214700P	76R7700
4379-RD214801P	76R6180
4379-RD214850P	76R6850
4379-RD214950M	70R3001
4379-RD214991P	RD-2-1499-1P
4379-RD215011P	RD-2-1501-1P
4379-RD215020P	RD-2-1502-0P
4379-RD215100P	76R5000
4379-RD215880P	76R7510
4379-RD215900P	76R6140
4379-RD216070P	RD-2-1607-0P
4379-RD216100P	76R7010
4379-RD216160P	76R7520
4379-RD216330P	76R4900
4379-RD216500P	76R6440
4379-RD216550P	76R7510
4379-RD2165926P	RD-2-1659-26P
4379-RD216600P	76R6120
4379-RD216640P	76R5300
4379-RD217272650P	RD-2-1727-26.50P
4379-RD217350P	RD-2-1735-0P
4379-RD217550P	76R5520
4379-RD217580P	RD-2-1758-0P
4379-RD217660P	76R7550
4379-RD2178412P	RD-2-1784-12P
4379-RD218620P	76R6160
4379-RD218980P	76R6130
4379-RD218981P	RD-2-1898-1P
4379-RD219090P	76R5030
4379-RD220470P	76R4920
4379-RD221560P	RD-2-2156-0P
4379-RD223300P	RD-2-2330-0P
4379-RD224230P	76R7530
4379-RD224400P	76R7560
4379-RD224950P	76R6550
4379-RD225020P	76R6960
4379-RD226931P	RD-2-2693-1P
4379-RD227010P	RD-2-2701-0P
4379-RD227910P	76R6015
4379-RD2281663P	RD-2-2816-63P
4379-RD228850P	76R5700

MACK	
4379-RD228900P	RD-2-2890-0P
4379-RD229220P	RD-2-2922-0P
4379-RD229280P	76R6040
4379-RD230060P	RD-2-3006-0P
4379-RD230080P	76R7030
4379-RD230700P	76R6650
4379-RD231500P	RD-2-3150-0P
4379-RD232510P	76R5320
4379-RD232790P	RD-2-3279-0P
4379-RD233210P	76R7570
4379-RD233950P	76R7580
4379-RD233980P	76R7710
4379-RD234130P	76R5820
4379-RD234250P	RD-2-3425-0P
4379-RD235150P	RD-2-3515-0P
4379-RD236730P	RD-2-3673-0P
4379-RD236830P	78R5291
4379-RD236930P	RD-2-3693-0P
4379-RD237730P	76R6070
4379-RD248441P	70R3908
4379-RD248451P	70R3912
4379-RD2700P	R-270-0P
4379-RD3101110P	RD-3-10111-0P
4379-RD3101940P	76R3905
4379-RD3105380P	73R4532
4379-RD31061224P	73R0554
4379-RD310612P	73R0552
4379-RD31061324P	73R0604
4379-RD310613P	73R0602
4379-RD310613P	73R0602
4379-RD31061824P	73R0204
4379-RD310618P	73R0202
4379-RD310638P	73R6101
4379-RD310639P	73R6151
4379-RD3108470PP	78R5367
4379-RD31339P	73R8050
4379-RD3144481P	RD-3-14448-1P
4379-RD315662P	72R4530
4379-RD31695P	RD-3169-5P
4379-RD3186330P	RD-3-18633-0P
4379-RD31961P	72R3510
4379-RD31963P	72R3530
4379-RD31965P	72R3550
4379-RD320529P	RD-3205-29P
4379-RD324152P	RD-3-2415-2P
4379-RD325470P	RD-3-2547-0P
4379-RD325471P	RD-3-2547-1P
4379-RD325572P	73R7151
4379-RD325920P	RD-3-2592-0P
4379-RD32671P	72R1100
4379-RD3267-1P	72R1100

MACK	
4379-RD327884P	RD-3-2788-4P
4379-RD327886P	RD-3-2788-6P
4379-RD330310P	RD-3-3031-0P
4379-RD331211P	RD-3-3121-1P
4379-RD331740P	RD-3-3174-0P
4379-RD332551P	RD-3-3255-1P
4379-RD334250P	RD-3-3425-0P
4379-RD334300P	RD-3-3430-0P
4379-RD334540P	74R7210
4379-RD335900P	RD-3-3590-0P
4379-RD337250P	RD-3-3725-0P
4379-RD337511P	71R5212
4379-RD337940P	RD-3-3794-0P
4379-RD338052P	RD-3-3805-2P
4379-RD338053P	RD-3-3805-3P
4379-RD338122P	RD-3-3812-2P
4379-RD338130P	RD-3-3813-0P
4379-RD338470P	RD-3-3847-0P
4379-RD339011P	RD-3-3901-1P
4379-RD339490P	RD-3-3949-0P
4379-RD339550P	RD-3-3955-0P
4379-RD340560P	RD-3-4056-0P
4379-RD340580P	RD-3-4058-0P
4379-RD340660P	RD-3-4066-0P
4379-RD340960P	RD-3-4096-0P
4379-RD341432P	RD-3-4143-2P
4379-RD342400P	RD-3-4240-0P
4379-RD344170P	RD-3-4417-0P
4379-RD347840P	RD-3-4784-0P
4379-RD348271P	RD-3-4827-1P
4379-RD348291P	73R7071
4379-RD349000P	71R1252
4379-RD350510P	RD-3-5051-0P
4379-RD350650P	78R5150
4379-RD350720P	RD-3-5072-0P
4379-RD351770P	RD-3-5177-0P
4379-RD351780P	RD-3-5178-0P
4379-RD352770P	RD-3-5277-0P
4379-RD352771P	RD-3-5277-1P
4379-RD353101P	RD-3-5310-1P
4379-RD353670P	RD-3-5367-0P
4379-RD353900P	RD-3-5390-0P
4379-RD354480P	RD-3-5448-0P
4379-RD359140P	RD-3-5914-0P
4379-RD359285P	RD-3-5928-5P
4379-RD359640P	RD-3-5964-0P
4379-RD360231P	RD-3-6023-1P
4379-RD360380M	71R3570
4379-RD360600P	RD-3-6060-0P
4379-RD364010P	RD-3-6401-0P
4379-RD364070P	78R5251

MACK	
4379-RD364080P	78R5370
4379-RD365500P	RD-3-6550-0P
4379-RD367200P	RD-3-6720-0P
4379-RD367700P	73R5502
4379-RD3677024P	73R5504
4379-RD370990P	78R5390
4379-RD373820P	RD-3-7382-0P
4379-RD373821P	RD-3-7382-1P
4379-RD373830P	RD-3-7383-0P
4379-RD373850P	RD-3-7385-0P
4379-RD376460P	RD-3-7646-0P
4379-RD378220P	71R8310
4379-RD378381P	RD-3-7838-1P
4379-RD378382P	72R3010
4379-RD378383P	72R3020
4379-RD382260P	RD-3-8226-0P
4379-RD384170P	RD-3-8417-0P
4379-RD386570P	73R1002
4379-RD387110P	RD-3-8711-0P
4379-RD387770P	78R5241
4379-RD389890P	72R2120
4379-RD389990P	RD-3-8999-0P
4379-RD390961P	RD-3-9096-1P
4379-RD390970P	RD-3-9097-0P
4379-RD390990P	RD-3-9099-0P
4379-RD391011P	RD-3-9101-1P
4379-RD391420P	RD-3-9142-0P
4379-RD391570P	RD-3-9157-0P
4379-RD391582P	78R5470M
4379-RD393790P	71R5600
4379-RD393791P	71R5605
4379-RD394932P	RD-3-9493-2P
4379-RD396640P	RD-3-9664-0P
4379-RD397060P	RD-3-9706-0P
4379-RD41014P	RD-4101-4P
4379-RD41018P	RD-4101-8P
4379-RD41231P	71R0100
4379-RD41232P	71R0200
4379-RD412418P	72R7280
4379-RD412420P	72R7290
4379-RD412425P	RD-4124-25P
4379-RD412438P	72R7600
4379-RD412476P	72R7700
4379-RD412536P	71R2250
4379-RD412548P	71R2300
4379-RD412566P	71R2400
4379-RD41261P	71R8050
4379-RD41301P	70R7100
4379-RD41511P	71R0500
4379-RD41512P	71R0550
4379-RD41512P	71R0550

MACK	
4379-RD41514P	71R0600
4379-RD41516P	71R0650
4379-RD41517P	71R0700
4379-RD4156108P	78R0350
4379-RD41601P	74R2106
4379-RD41700P	RD-4170-0P
4379-RD41720P	71R2310
4379-RD41762P	RD-4176-2P
4379-RD41770P	70R3206
4379-RD41790P	70R3208
4379-RD418024P	72R8190
4379-RD418029P	72R8200
4379-RD418036P	72R8250
4379-RD418046P	72R8300
4379-RD418057P	72R8360
4379-RD418069P	RD-4180-69P
4379-RD418076P	72R8400
4379-RD418079P	72R8410
4379-RD41810P	71R4050
4379-RD41830P	73R0152
4379-RD41860P	70R2301
4379-RD41870P	70R2306
4379-RD41880P	71R9002
4379-RD418824P	71R9004
4379-RD41910P	71R6050
4379-RD4191P	71R6050
4379-RD41970P	RD-4197-0P
4379-RD41990P	RD-4199-0P
4379-RD42200P	74R7220
4379-RD42210M	RD-4221-0M
4379-RD42220P	RD-4222-0M
4379-RD42251P	71R0150
4379-RD42252P	71R0300
4379-RD42260P	71R2700
4379-RD422643P	71R2800
4379-RD42570P	72R5050
4379-RD42960M	70R3256
4379-RD43176M	70R7050
4379-RD43221P	70R3258
4379-RD433640P	70R3406
4379-RD433650P	70R3408
4379-RD433723P	77R6800
4379-RD43400P	72R2300
4379-RD435080P	73R8110
4379-RD435860P	77R0350
4379-RD435954P	77R8200
4379-RD436460P	77R0800
4379-RD43660P	70R7150
4379-RD436690P	RD-4-3669-0P
4379-RD436820P	77R5250
4379-RD436832P	77R7900

MACK	
4379-RD436833P	RD-4-3683-3P
4379-RD43700P	71R1652
4379-RD437140P	77R5910
4379-RD437220P	77R7800
4379-RD437230P	77R8100
4379-RD437240P	77R0650
4379-RD437272P	77R6920
4379-RD437451P	77R6925
4379-RD438040P	RD-4-3804-0P
4379-RD438740P	77R0500
4379-RD438741P	77R0500
4379-RD438820P	RD-4-3882-0P
4379-RD438823P	RD-4-3882-3P
4379-RD438831P	RD-4-3883-1P
4379-RD439160P	77R0950
4379-RD439170P	77R1100
4379-RD439450P	77R0700
4379-RD439900P	77R6930
4379-RD440691P	77R0110
4379-RD441300P	77R0260
4379-RD441442P	77R0250
4379-RD441610P	77R0900
4379-RD442190P	77R6990
4379-RD442320P	77R0560
4379-RD442717P	71R3100
4379-RD442724P	71R3100
4379-RD442760P	77R6965
4379-RD443131P	RD-4-4313-1P
4379-RD443600P	77R6947
4379-RD443770P	77R5260
4379-RD444000P	77R0530
4379-RD444031P	77R6960
4379-RD444140P	77R0670
4379-RD444400P	77R0090
4379-RD445291P	RD-4-4529-1P
4379-RD445500P	77R6935
4379-RD445501P	77R6940
4379-RD447130P	77R7000
4379-RD447240P	77R0660
4379-RD447380P	77R0620
4379-RD447470P	RD-4-4747-0P
4379-RD449310P	77R0665
4379-RD449680P	77R7100
4379-RD450410P	RD-4-5041-0P
4379-RD450450P	77R0990
4379-RD451160P	77R7020
4379-RD451220P	77R0630
4379-RD451461P	77R0570
4379-RD452264P	77R8301
4379-RD45270P	71R6300
4379-RD452840P	RD-4-5284-0P

Convert Other Part Numbers to Red Dot Aftermarket Numbers

MACK	
4379-RD453110	77R1622
4379-RD453110P	77R1622
4379-RD453120	77R1624
4379-RD453120P	77R1624
4379-RD453550P	RD-4-5355-0P
4379-RD453700P	RD-4-5370-0P
4379-RD453701P	RD-4-5370-1P
4379-RD453770P	77R1280
4379-RD453780P	77R1290
4379-RD453790P	77R1310
4379-RD454180P	77R1300
4379-RD454620P	77R0580
4379-RD454980P	77R1604
4379-RD455030P	77R1295
4379-RD456580P	77R6950
4379-RD456860P	77R1405
4379-RD456960P	77R6807
4379-RD457001P	77R1632
4379-RD457090P	77R1330
4379-RD457630P	77R7706
4379-RD457640P	77R7708
4379-RD457650P	77R7710
4379-RD457660P	77R7712
4379-RD457670P	77R7714
4379-RD457690P	77R7704
4379-RD457700P	77R7702
4379-RD473610P	77R8350
4379-RD500600P	72R1502
4379-RD5006024P	72R1504
4379-RD500710P	71R0400
4379-RD5100090P	71R6415
4379-RD5100110P	71R8504
4379-RD5100120P	71R8501
4379-RD5100130P	71R8506
4379-RD5100140P	71R8510
4379-RD5100160P	79R1681
4379-RD5100170P	79R9681
4379-RD5100180P	79R1682
4379-RD5100190P	79R9682
4379-RD5100290P	75R7300
4379-RD5100300P	72R3151
4379-RD5100310P	72R3156
4379-RD5100530P	73R2262
4379-RD5100560P	71R0453
4379-RD5100670P	RD-5-10067-0P
4379-RD5100680P	73R4322
4379-RD5100700P	73R0142
4379-RD5100710P	73R0082
4379-RD5100720P	73R0642
4379-RD5100730P	73R4312
4379-RD5100830P	73R8320

MACK	
4379-RD5100850M	70R5057
4379-RD5100960P	71R6185
4379-RD5100970P	71R6245
4379-RD5101790P	RD-5-10179-0P
4379-RD5101980M	70R5026
4379-RD5101990M	70R5024
4379-RD5102000M	70R5022
4379-RD5102060P	79R4650
4379-RD5102070P	79R4655
4379-RD5102090P	79R1150
4379-RD5102320P	75R0274
4379-RD5102360P	72R3135
4379-RD5102580P	72R7100
4379-RD5102590P	75R84112
4379-RD5102600P	75R84594
4379-RD5102610P	75R84132
4379-RD5102620P	75R84162
4379-RD5102630P	75R84172
4379-RD5102640P	75R84182
4379-RD5102650P	75R84192
4379-RD5102660P	75R84212
4379-RD5102670P	75R84232
4379-RD5102680P	75R84252
4379-RD5102730P	75R84292
4379-RD5102740P	75R84312
4379-RD5102750P	75R84352
4379-RD5102760P	75R84362
4379-RD5102780P	75R84382
4379-RD5102820P	75R84452
4379-RD5102830P	75R83112
4379-RD5102840P	75R83132
4379-RD5102850P	75R84472
4379-RD5102860P	75R84482
4379-RD5102870P	75R84492
4379-RD5102880P	75R83152
4379-RD5102900P	75R84512
4379-RD5102910P	75R84532
4379-RD5102920P	75R84552
4379-RD5102940P	75R84562
4379-RD5102950P	75R84572
4379-RD5103010P	75R4782
4379-RD5103020P	75R4792
4379-RD5103030P	75R84152
4379-RD5103060P	71R8415
4379-RD5103070P	75R82102
4379-RD5103100P	75R82132
4379-RD5103160P	75R8917
4379-RD5103210P	75R85632
4379-RD5103220P	75R85734
4379-RD5103280P	75R86162
4379-RD5103330P	71R8440

MACK	
4379-RD5103340P	71R8350
4379-RD5103350P	71R3220
4379-RD5103360P	73R0042
4379-RD5103410P	71R1457
4379-RD5103420P	71R4025
4379-RD5103440P	72R6520
4379-RD5103450P	72R6530
4379-RD5103460P	73R7130
4379-RD5103520P	71R6565
4379-RD5103570P	75R4742
4379-RD5103600P	75R1512
4379-RD5103610P	75R1432
4379-RD5103620P	75R1522
4379-RD5103630P	75R0502
4379-RD5103640P	75R0512
4379-RD5103650P	75R0682
4379-RD5103660P	75R0522
4379-RD5103670P	75R0422
4379-RD5103680P	75R1532
4379-RD5103690P	75R1542
4379-RD5103710P	75R8906
4379-RD5103770P	79R0330
4379-RD5103790P	73R0012
4379-RD5103800P	73R2202
4379-RD5103810P	73R2222
4379-RD5103820P	73R2242
4379-RD5103830P	73R2112
4379-RD5103860P	73R2132
4379-RD5103870P	73R2142
4379-RD5103880P	73R2152
4379-RD5103900P	73R0212
4379-RD5103910P	73R0092
4379-RD5103930P	73R3022
4379-RD5103950P	73R3032
4379-RD5103970P	75R1342
4379-RD5103980P	75R0032
4379-RD5103990P	75R0052
4379-RD5104010P	75R4702
4379-RD5104180P	72R2255
4379-RD5104270P	75R86194
4379-RD5104340P	74R2002
4379-RD5104350P	73R6383
4379-RD5104380P	71R6249
4379-RD5104390P	71R6251
4379-RD5104410P	71R1463
4379-RD5104420P	71R6093
4379-RD5104430P	71R6255
4379-RD5104440P	71R6257
4379-RD5104450P	71R8220
4379-RD5104470P	71R8405
4379-RD5104620P	74R5081

MACK	
4379-RD5104700P	71R6420
4379-RD5104710P	71R6430
4379-RD5104780P	72R2350
4379-RD5104790P	79R1720
4379-RD5104860P	79R5032
4379-RD5104870P	79R5033
4379-RD5104900P	73R9082
4379-RD5104910P	73R0032
4379-RD51049124P	73R0034
4379-RD5104920P	75R8722
4379-RD5104930P	75R82142
4379-RD5105010P	73R3062
4379-RD5105040P	78R8456SP
4379-RD510504600P	78R8458
4379-RD5105050P	78R8458SP
4379-RD510505600P	78R8458
4379-RD5105060P	78R8451SP
4379-RD510506600P	78R8451
4379-RD510507600P	78R8452
4379-RD5105081P	70R8606
4379-RD5105091P	70R8706
4379-RD5105101P	70R8608
4379-RD5105111P	70R8708
4379-RD5105121P	70R8601
4379-RD5105131P	70R8701
4379-RD5105151P	70R8602
4379-RD5105161P	70R8646
4379-RD5105171P	70R8648
4379-RD5105181P	70R8641
4379-RD5105191P	70R8642
4379-RD5105201P	70R8696
4379-RD5105211P	70R8796
4379-RD5105221P	70R8698
4379-RD5105231P	70R8798
4379-RD5105241P	70R8691
4379-RD5105251P	70R8791
4379-RD5105260P	75R0072
4379-RD5105271P	70R8692
4379-RD5105281P	70R8091
4379-RD5105291P	70R8761
4379-RD5105301P	70R8092
4379-RD5105311P	70R8306
4379-RD5105371P	70R8006
4379-RD5105381P	70R8786
4379-RD5105391P	70R8008
4379-RD5105401P	70R8788
4379-RD5105411P	70R8781
4379-RD5105421P	70R8002
4379-RD5105431P	70R8001
4379-RD5105440P	75R0082
4379-RD5105450P	75R0092

MACK	
4379-RD5105460P	71R8385
4379-RD5105471P	70R8556
4379-RD5105481P	70R8558
4379-RD5105491P	70R8551
4379-RD5105501P	70R8511
4379-RD5105541P	70R8348
4379-RD5105551P	70R8346
4379-RD5105561P	70R8341
4379-RD5105581P	70R8888
4379-RD5105590P	70R8881
4379-RD5105601P	70R8086
4379-RD5105611P	70R8088
4379-RD5105621P	70R8071
4379-RD5105631P	70R8591
4379-RD5105641P	70R8201
4379-RD5105651P	70R8621
4379-RD5105661P	70R8208
4379-RD5105671P	70R8996
4379-RD5105681P	70R8998
4379-RD5105691P	70R8891
4379-RD5105701P	70R8066
4379-RD5105711P	70R8068
4379-RD5105721P	70R8061
4379-RD5105731P	70R8062
4379-RD5105741P	70R8681
4379-RD5105751P	70R8688
4379-RD5105761P	70R8398
4379-RD5105771P	70R8598
4379-RD5105781P	70R8296
4379-RD5105791P	70R8298
4379-RD5105801P	70R8291
4379-RD5105840P	74R3147
4379-RD5105890P	74R3126
4379-RD5105891P	74R3126
4379-RD5105920P	71R6480
4379-RD5106911P	70R8248
4379-RD5106991P	70R8216
4379-RD5107001P	70R8218
4379-RD5107011P	70R8211
4379-RD5107021P	70R8212
4379-RD5107030P	RD-5-10703-0P
4379-RD5107031P	70R8292
4379-RD5107041P	70R8271
4379-RD5107051P	70R8272
4379-RD5107061P	70R8276
4379-RD5107071P	70R8278
4379-RD5107081P	70R8261
4379-RD5107090M	70R8806
4379-RD5107100M	70R8808
4379-RD5107110M	70R8801
4379-RD5107120M	70R8802

MACK	
4379-RD5107130M	70R8826
4379-RD5107140M	70R8828
4379-RD5107150M	70R8821
4379-RD5107160M	70R8822
4379-RD5107170P	79R8920
4379-RD5107180P	79R8915
4379-RD5107191P	70R8096
4379-RD5107201P	70R8098
4379-RD5107211P	70R8198
4379-RD5107220P	75R0252
4379-RD5107230P	75R0262
4379-RD5107240P	75R1212
4379-RD5107250P	75R8454
4379-RD5107270P	75R0062
4379-RD5107290P	74R3313
4379-RD5107340P	71R8090
4379-RD5107360P	71R3155
4379-RD5107370P	75R84632
4379-RD5107380P	75R84622
4379-RD5107390P	79R8930
4379-RD5107400P	79R8931
4379-RD5107440P	74R1436
4379-RD5107451P	78R5420M
4379-RD5107530P	73R6253
4379-RD5107570P	71R8507
4379-RD5107590P	75R1832
4379-RD5107600P	75R1842
4379-RD5107610P	75R1852
4379-RD5107620P	75R1862
4379-RD5107630P	71R6402
4379-RD5107660P	71R6408
4379-RD5107680P	71R6414
4379-RD5107690P	71R6416
4379-RD5107710P	71R6561
4379-RD5107720P	71R6563
4379-RD5107730P	78R5306M
4379-RD5107740P	78R5302
4379-RD5107750P	78R5308
4379-RD5107760P	78R5304
4379-RD5107770P	74R2616
4379-RD5107780P	71R6418
4379-RD5107790P	71R6422
4379-RD5107800P	71R6448
4379-RD5107810P	71R6451
4379-RD5107820P	71R6452
4379-RD5107830P	71R6424
4379-RD5107840P	71R6426
4379-RD5107870P	71R6434
4379-RD5107880P	71R6454
4379-RD5107900P	71R6456
4379-RD5108500P	71R6458

MACK	
4379-RD5108510P	71R6460
4379-RD5108520P	71R6438
4379-RD5108540P	71R6444
4379-RD5108550P	71R6566
4379-RD5108580P	71R6580
4379-RD5108590P	71R6573
4379-RD5108600P	71R6576
4379-RD5108610P	71R6578
4379-RD5108800P	75R89305
4379-RD5108810P	75R89310
4379-RD5108820P	75R89315
4379-RD5108840P	75R89325
4379-RD5108850P	75R89302
4379-RD5108860P	75R89312
4379-RD5108880P	75R89334
4379-RD5108900P	75R89352
4379-RD5108920P	75R89354
4379-RD5108930P	75R89372
4379-RD5108950P	75R89374
4379-RD5108960P	75R89384
4379-RD5108970P	75R89392
4379-RD5108990P	75R89422
4379-RD5109000P	75R89424
4379-RD5109030P	71R8451
4379-RD5109050P	73R0442
4379-RD5109270P	74R5061
4379-RD5109340P	71R1163
4379-RD5109440P	74R3327
4379-RD5110020P	75R84662
4379-RD5110050P	75R89432
4379-RD5110060P	75R89462
4379-RD5110070P	75R89327
4379-RD5110080P	75R89412
4379-RD5110090P	75R89474
4379-RD5110100P	75R89484
4379-RD5110130P	75R89394
4379-RD5110260P	71R6470
4379-RD5110430P	79R5901
4379-RD5110470	RD-5-11047-0P
4379-RD5110820P	79R0103
4379-RD5110870P	79R0120
4379-RD5110940P	79R3175
4379-RD5110950P	79R3173
4379-RD5110960P	79R3171
4379-RD5110970P	79R3176
4379-RD5110980P	79R3174
4379-RD5110990P	79R3172
4379-RD5111020P	79R3178
4379-RD5111030P	79R3179
4379-RD5111040P	79R3120
4379-RD5111130P	79R1255

MACK	
4379-RD5111170P	79R1730
4379-RD5111180P	79R4040
4379-RD5111230P	79R4007
4379-RD5111380P	79R4008
4379-RD5111390P	79R4020
4379-RD5111400P	79R4030
4379-RD5111480P	79R4006
4379-RD5111530P	79R0180
4379-RD5111600P	75R84462
4379-RD5111610P	75R84114
4379-RD5111690P	71R7077
4379-RD5112170P	75R7312
4379-RD5112180P	75R7322
4379-RD5112200P	75R84592
4379-RD5112230M	75R5556
4379-RD5112240P	78R5239
4379-RD5112250P	79R1560
4379-RD5112270P	79R1536
4379-RD5112340P	75R81104
4379-RD5112350P	75R81114
4379-RD5112360P	75R81134
4379-RD5112370P	75R81152
4379-RD5112380P	75R81162
4379-RD5112390P	75R81172
4379-RD5112400P	75R81184
4379-RD5112410P	75R81192
4379-RD5112420P	75R81202
4379-RD5112430P	75R81212
4379-RD5112440P	75R81232
4379-RD5112450P	75R81252
4379-RD5112470P	75R81262
4379-RD5112480P	75R81274
4379-RD5112510P	75R81302
4379-RD5112540P	75R81352
4379-RD5112560P	75R81362
4379-RD5112570P	75R81372
4379-RD5112580P	75R81382
4379-RD5112590P	75R81392
4379-RD5112600P	75R81402
4379-RD5113100P	75R81412
4379-RD5113130P	75R81452
4379-RD5113150P	75R81462
4379-RD5113220P	75R81482
4379-RD5113240P	75R81492
4379-RD5113250M	75R5555
4379-RD5113260P	75R81502
4379-RD5113270P	79R4710
4379-RD5113280P	75R81512
4379-RD5113300P	75R81532
4379-RD5113310P	75R81552
4379-RD5113340P	75R81562

Convert Other Part Numbers to Red Dot Aftermarket Numbers

MACK	
4379-RD5113360P	75R81572
4379-RD5113400P	75R81612
4379-RD5113430P	75R81652
4379-RD5113450P	75R81672
4379-RD5113460P	75R81682
4379-RD5113470P	75R81692
4379-RD5113500P	75R81732
4379-RD5113560P	75R81762
4379-RD5113720P	79R8916
4379-RD5113731P	75R8462Q
4379-RD5113810P	71R6571
4379-RD5114660P	73R3002
4379-RD5115270M	70R5031
4379-RD5115280M	70R5032
4379-RD5115290M	70R5033
4379-RD5115300M	70R5034
4379-RD5115310P	74R1427
4379-RD5115330P	74R3107
4379-RD5115340P	74R3077
4379-RD5115350P	74R3324
4379-RD5115361P	70R85206
4379-RD5115371P	70R85201
4379-RD5115381P	70R85202
4379-RD5115391P	70R85212
4379-RD5115401P	70R85222
4379-RD5115411P	70R85301
4379-RD5115421P	70R85311
4379-RD5115431P	70R85326
4379-RD5115441P	70R85321
4379-RD5115451P	70R85336
4379-RD5115600P	72R3149
4379-RD5115680P	79R4597
4379-RD5115790P	73R3072
4379-RD5118291P	75R75218
4379-RD5118301P	75R75212
4379-RD5118311P	75R75228
4379-RD5118321P	75R75222
4379-RD5118331P	75R75208
4379-RD5118341P	75R75202
4379-RD5118360P	78R5430
4379-RD5118381P	70R8288
4379-RD5118391P	70R8281
4379-RD5118401P	70R8282
4379-RD5118620P	71R3577
4379-RD5118641P	78R1027
4379-RD5121500P	71R4501
4379-RD5121512P	71R4511
4379-RD5123080P	70R4005S
4379-RD5123300P	75R81622
4379-RD5123320P	75R81632
4379-RD5124880P	77R6957

MACK	
4379-RD5125200P	71R8453
4379-RD5125210P	71R8455
4379-RD5125220P	71R8457
4379-RD5125680P	75R8772Q
4379-RD5126230P	74R5097
4379-RD5127420P	RD-5-12742-0P
4379-RD51274224P	RD-5-12742-24P
4379-RD5132151P	75R89582Q
4379-RD5132261P	75R89602Q
4379-RD513810P	76R6950
4379-RD533021P	71R0470
4379-RD53550120P	78R0070
4379-RD535691P	74R1906
4379-RD535930P	74R1756
4379-RD535931P	74R1706
4379-RD535931P	74R1706
4379-RD535950P	71R7500
4379-RD535960P	72R3050
4379-RD535970P	72R2250
4379-RD535990P	71R0250
4379-RD536460P	71R1150
4379-RD536460P	71R1150
4379-RD536470P	71R1450
4379-RD536530P	72R9040
4379-RD536570P	78R0050
4379-RD536860P	70R7550
4379-RD536861P	70R7750
4379-RD536930P	75R5608
4379-RD536980M	75R5520
4379-RD537010P	72R2500
4379-RD537020P	72R2600
4379-RD537090P	72R2100
4379-RD537160P	70R1496
4379-RD537180P	70R1491
4379-RD537200P	70R1308
4379-RD537210P	70R1301
4379-RD537220P	70R1406
4379-RD537230P	70R1408
4379-RD537240P	70R1401
4379-RD537280M	70R5056
4379-RD537290M	70R5058
4379-RD537300M	70R5051
4379-RD537461P	70R7500
4379-RD537480P	71R0010
4379-RD5375124P	73R0454
4379-RD53753-0P	RD-5-4387-0P
4379-RD5375712P	73R4202
4379-RD5375724P	73R4204
4379-RD537580P	72R2550
4379-RD537640M	RD-5-3764-0M
4379-RD537723P	RD-5-3772-3P

MACK	
4379-RD537790P	71R1165
4379-RD537800P	73R4102
4379-RD537811P	RD-5-3781-1P
4379-RD537898P	78R1605
4379-RD537899P	78R1805
4379-RD537910P	70R5701
4379-RD538001P	73R6251
4379-RD538222P	RD-5-3822-2P
4379-RD538241P	71R8100
4379-RD538270P	72R0200
4379-RD538271P	72R0210
4379-RD538272P	72R0220
4379-RD538274P	72R0240
4379-RD538274P	72R0240
4379-RD538276P	72R0260
4379-RD538277P	RD-5-3827-7P
4379-RD538278P	RD-5-3827-8P
4379-RD538460P	72R3200
4379-RD538490P	RD-5-3849-0P
4379-RD538551P	RD-5-3855-1P
4379-RD538604P	RD-5-3860-4P
4379-RD538605P	RD-5-3860-5P
4379-RD538610P	70R5200
4379-RD538760P	RD-5-3876-0P
4379-RD538761P	70R7200
4379-RD538942P	RD-5-3894-2P
4379-RD539050P	78R5000
4379-RD539230P	71R0050
4379-RD53927108P	78R0400
4379-RD539282P	RD-5-3928-2P
4379-RD53930108P	78R0300
4379-RD539331P	73R7101
4379-RD539880P	71R0350
4379-RD540310P	RD-5-4031-0P
4379-RD5403510M	70R5550
4379-RD5403516M	70R5600
4379-RD5403552P	70R5650
4379-RD54058360P	79R4400
4379-RD540621500M	RD-5-4062-1-.500M
4379-RD540660P	RD-5-4066-0P
4379-RD540890M	RD-5-4089-0M
4379-RD540890M	RD-5-4089-0M
4379-RD540970P	RD-5-4097-0P
4379-RD541870P	78R0100
4379-RD541950P	RD-5-4195-0P
4379-RD542160P	71R1900
4379-RD5423324P	73R4504
4379-RD542530P	RD-5-4253-0P
4379-RD542830P	71R0040
4379-RD542850P	RD-5-4285-0P

MACK	
4379-RD542870P	71R1654
4379-RD542880P	78R5003
4379-RD542960P	73R9202
4379-RD543020M	71R4030
4379-RD543870P	RD-5-4387-0P
4379-RD544000P	70R5770
4379-RD544080P	71R1702
4379-RD544170P	71R1704
4379-RD544500P	71R4035
4379-RD544510P	72R2200
4379-RD544520P	72R2150
4379-RD544710P	70R7250
4379-RD544750P	72R0050
4379-RD5447612M	70R5565
4379-RD544780P	72R6420
4379-RD544870P	RD-5-4487-0P
4379-RD544970P	70R8420
4379-RD545270P	70R2201
4379-RD545280P	70R2206
4379-RD5453124P	71R3200
4379-RD545500P	73R0102
4379-RD5455024P	73R0104
4379-RD545750P	73R9052
4379-RD5457524P	73R9054
4379-RD545830P	71R7550
4379-RD545850P	71R7500
4379-RD546110P	RD-5-4611-0P
4379-RD546200P	71R7600
4379-RD546241P	RD-5-4624-1P
4379-RD546250P	71R7650
4379-RD546261P	RD-5-4626-1P
4379-RD546320P	74R1956
4379-RD546321P	74R1906
4379-RD546360P	RD-5-4636-0P
4379-RD546400P	71R7050
4379-RD546460P	71R7000
4379-RD546590P	72R9010
4379-RD546650M	70R5706
4379-RD546660M	70R5708
4379-RD546800BLKP	78R0040
4379-RD546800GRNP	RD-5-4680-0-GRNP
4379-RD546800REDP	RD-5-4680-0-REDP
4379-RD546800WHTP	78R0030
4379-RD546930P	RD-5-4693-0P
4379-RD546940P	71R0450
4379-RD546941P	71R0450
4379-RD547180P	RD-5-4718-0P
4379-RD547221P	RD-5-4722-1P
4379-RD547222P	RD-5-4722-2P
4379-RD547270P	74R2586

MACK	
4379-RD547271P	74R2596
4379-RD547400P	72R0100
4379-RD547430P	RD-5-4743-0P
4379-RD547470P	72R0500
4379-RD547560P	72R9030
4379-RD547761P	RD-5-4776-1P
4379-RD548000P	72R6400
4379-RD548002P	RD-5-8804-1P
4379-RD548130P	70R3590
4379-RD5482511P	RD-5-4825-11P
4379-RD5482515P	RD-5-4825-15P
4379-RD5482519P	RD-5-4825-19P
4379-RD5482523P	RD-5-4825-23P
4379-RD5482724P	73R0404
4379-RD548330P	71R6030
4379-RD549030P	70R3500
4379-RD549040P	70R3550
4379-RD549050P	70R5000
4379-RD549080P	71R1200
4379-RD549090P	71R2100
4379-RD549110P	71R2600
4379-RD549120P	71R6100
4379-RD549170P	71R2800
4379-RD549190P	71R8500
4379-RD549230P	72R5040
4379-RD549270P	73R0702
4379-RD549320P	73R1052
4379-RD549370P	73R2102
4379-RD549470P	74R0450
4379-RD549550P	74R2706
4379-RD549590P	74R3450
4379-RD549610P	74R5050
4379-RD549620P	74R5600
4379-RD549660P	75R0302
4379-RD549670P	75R0452
4379-RD549721P	75R1202
4379-RD549750P	75R1652
4379-RD549800P	75R2402
4379-RD549940P	75R4502
4379-RD549970M	75R5700
4379-RD550000P	75R8102
4379-RD550060P	78R0456SP
4379-RD55006600P	78R0456
4379-RD550080P	78R0458SP
4379-RD55008600P	78R0458
4379-RD550100P	78R0451SP
4379-RD55010600P	78R0451
4379-RD550120P	78R0452SP
4379-RD55012600P	78R0452
4379-RD550141P	78R1505
4379-RD550154P	78R1025

MACK	
4379-RD550271P	71R1802
4379-RD550310P	75R6000
4379-RD550320P	75R6010
4379-RD550491P	73R4422
4379-RD550492P	73R4424
4379-RD550722P	RD-5-5072-2P
4379-RD551190P	72R5060
4379-RD551200P	73R0512
4379-RD5512024P	73R0514
4379-RD551210P	73R4252
4379-RD551211P	73R4262
4379-RD5512124P	73R4254
4379-RD551212P	73R4264
4379-RD55122108P	78R0200
4379-RD55123108P	78R0250
4379-RD551260P	75R9500
4379-RD551380P	72R6420
4379-RD551470P	78R5100
4379-RD551471P	78R5110
4379-RD551650P	75R9060
4379-RD551830P	75R9530
4379-RD551840P	75R9540
4379-RD551900P	73R4162
4379-RD551910P	72R5070
4379-RD551920P	72R5500
4379-RD551930P	72R5600
4379-RD551940P	71R1210
4379-RD551970P	75R5658
4379-RD552150P	72R5080
4379-RD552220P	72R3111
4379-RD552230P	72R3110
4379-RD552231P	72R3100
4379-RD552232P	RD-5-5223-2P
4379-RD552300P	73R0522
4379-RD552340M	RD-5-5234-0M
4379-RD552560M	70R5718
4379-RD552630P	73R6230
4379-RD552692P	73R0622
4379-RD553000P	72R5200
4379-RD553001P	72R5210
4379-RD553021P	71R0470
4379-RD553080P	71R1620
4379-RD553520P	RD-5-5352-0P
4379-RD553740P	RD-5-5374-0P
4379-RD553810M	RD-5-5381-0M
4379-RD553820P	71R3100
4379-RD553830P	RD-5-5383-0P
4379-RD553960P	75R5718
4379-RD553970P	75R5711
4379-RD554000P	71R0260
4379-RD554010M	75R5540

MACK	
4379-RD554030P	77R9000
4379-RD554031P	77R9010
4379-RD554032P	77R9005
4379-RD554033P	77R9015
4379-RD554062P	78R1070
4379-RD554144P	72R1200
4379-RD554230P	RD-5-5423-0P
4379-RD554240P	RD-5-5424-0P
4379-RD554241P	72R1300
4379-RD554310P	78R5200
4379-RD554320P	78R5210
4379-RD554340P	RD-5-5434-0P
4379-RD55435-0P	73R0532
4379-RD5543524P	RD-5-5435-24P
4379-RD554500P	RD-5-5450-0P
4379-RD554520P	RD-5-5452-0P
4379-RD554760P	72R2000
4379-RD554860P	75R0202
4379-RD554870P	75R0204
4379-RD554950P	RD-5-5495-0P
4379-RD554951P	72R5260
4379-RD554952P	72R5270
4379-RD555020M	RD-5-5502-0M
4379-RD5550533P	RD-5-5505-33P
4379-RD555056250P	RD-5-5505-62.50P
4379-RD555100P	RD-5-5510-0P
4379-RD555120P	73R0912
4379-RD555200P	72R2130
4379-RD555250P	70R7110
4379-RD555340P	RD-5-5534-0P
4379-RD555380P	72R0070
4379-RD555520P	72R2140
4379-RD555660P	75R9670
4379-RD555710P	74R1806
4379-RD555720P	74R1856
4379-RD555740P	75R0042
4379-RD555890P	74R3066
4379-RD556010P	73R6370
4379-RD556140P	73R4062
4379-RD556340P	73R0922
4379-RD556560P	73R7000
4379-RD556760P	RD-5-5676-0P
4379-RD557210P	72R0600
4379-RD557211P	72R0190
4379-RD557510P	75R5005
4379-RD557520P	75R5102
4379-RD557540P	75R5104
4379-RD557845P	72R1210
4379-RD55791600GRNP	78R0063
4379-RD55791600REDP	78R0065
4379-RD55791600WHTP	78R0060

MACK	
4379-RD557960P	73R9062
4379-RD5579624P	73R9064
4379-RD558370P	73R4602
4379-RD558620P	71R8080
4379-RD558730P	71R6070
4379-RD558740P	71R1300
4379-RD558770P	71R6060
4379-RD558870P	73R9072
4379-RD559010P	72R9020
4379-RD559270M	RD-5-5927-0M
4379-RD559280P	71R4040
4379-RD559370P	78R5300
4379-RD559380M	78R0090
4379-RD559650P	RD-5-5965-0P
4379-RD559730P	RD-5-5973-0P
4379-RD559760P	71R7050
4379-RD559761P	71R7050
4379-RD559770P	71R7550
4379-RD560170P	72R3000
4379-RD560281P	72R1310
4379-RD560283P	RD-5-6028-3P
4379-RD560284P	RD-5-6028-4P
4379-RD560520P	RD-5-6052-0P
4379-RD560710P	73R0364
4379-RD560760P	74R4116
4379-RD560770P	74R4016
4379-RD560980M	70R5100
4379-RD560990P	71R8210
4379-RD561180P	RD-5-6118-0P
4379-RD561240P	78R5320
4379-RD561310P	RD-5-6131-0P
4379-RD561320P	RD-5-6132-0P
4379-RD562050P	RD-5-6205-0P
4379-RD562200P	72R2105
4379-RD562320P	75R9890
4379-RD562390P	RD-5-6239-0P
4379-RD562400P	78R5340
4379-RD563150P	73R0962
4379-RD563200P	71R3575
4379-RD563940P	71R6080
4379-RD563950P	71R6040
4379-RD563951P	71R6045
4379-RD563960P	71R6090
4379-RD563970P	71R6020
4379-RD5641072P	RD-5-6410-72P
4379-RD564150P	75R6041
4379-RD564230P	RD-5-6423-0P
4379-RD564250P	RD-5-6425-0P
4379-RD564271P	78R5500
4379-RD564290P	71R3150
4379-RD564300P	71R6110

Convert Other Part Numbers to Red Dot Aftermarket Numbers

MACK	
4379-RD564400P	73R0062
4379-RD564500P	71R1455
4379-RD564780P	70R4308
4379-RD564840P	70R4391
4379-RD564870P	70R4591
4379-RD564880P	70R4598
4379-RD564930P	70R4641
4379-RD565040P	74R2306
4379-RD565050P	70R4701
4379-RD565110P	70R4446
4379-RD565200P	70R4696
4379-RD565240P	70R4991
4379-RD565252P	73R0352
4379-RD565260P	73R0422
4379-RD565261P	73R0402
4379-RD565290P	RD-5-6529-0P
4379-RD565310P	73R0322
4379-RD56532120P	78R0075
4379-RD56532360P	RD-5-6532-360P
4379-RD565470P	75R6040
4379-RD565550P	72R2110
4379-RD565672P	74R3466
4379-RD565750P	74R1846
4379-RD566000P	70R5210
4379-RD566020P	71R1310
4379-RD566390P	71R6115
4379-RD566460P	75R0182
4379-RD566511P	73R6381
4379-RD5666746P	72R8315
4379-RD5666746P	72R8315
4379-RD566830P	78R2100
4379-RD566900P	71R1902
4379-RD566910M	70R5110
4379-RD566930P	71R1904
4379-RD566940P	RD-5-6694-0P
4379-RD567140P	71R1315
4379-RD567190P	70R4448
4379-RD567280P	RD-5-6728-0P
4379-RD567670P	RD-5-6767-0P
4379-RD567810P	RD-5-6781-0P
4379-RD5678524P	73R0984
4379-RD567990P	RD-5-6799-0P
4379-RD568010P	73R4182
4379-RD568020P	72R8270
4379-RD568030P	72R8280
4379-RD568040P	71R0460
4379-RD568330P	71R6120
4379-RD568340P	71R6130
4379-RD568350P	71R6140
4379-RD568380P	70R4406S
4379-RD568400P	70R4498S

MACK	
4379-RD568410P	70R4401S
4379-RD568670P	78R5350
4379-RD568680P	71R8301
4379-RD568681P	71R8301
4379-RD568740P	RD-5-6874-0P
4379-RD569172P	72R9005
4379-RD569190P	75R84522
4379-RD569202P	RD-5-6920-2P
4379-RD569420P	70R4346S
4379-RD569430P	70R4446S
4379-RD569440P	70R4396S
4379-RD569450P	70R4496S
4379-RD569460P	70R4308S
4379-RD569470P	70R4408S
4379-RD569480P	70R4448S
4379-RD569490P	70R4398S
4379-RD569510P	70R4301S
4379-RD569530P	70R4341S
4379-RD569540P	70R4441S
4379-RD569550P	70R4391S
4379-RD569560P	70R4491S
4379-RD569690P	73R4064
4379-RD569700P	73R7110
4379-RD569701P	73R7120
4379-RD569780P	70R4691S
4379-RD569790P	70R4701S
4379-RD569870P	72R2351
4379-RD570150P	71R3100
4379-RD570151P	71R8321
4379-RD570240P	RD-5-7024-0P
4379-RD570570P	70R2078S
4379-RD570580P	70R2071S
4379-RD570630P	74R1866
4379-RD570640P	74R0460
4379-RD570690P	70R2071
4379-RD570710P	70R3530
4379-RD570720P	70R2076
4379-RD570740P	70R2076S
4379-RD570750P	70R2072S
4379-RD570880P	75R8382
4379-RD570890P	75R8384
4379-RD570900P	75R8372
4379-RD570910P	75R8374
4379-RD571030P	79R4580
4379-RD571060M	79R0020
4379-RD571190P	70R6498S
4379-RD571200P	75R8422
4379-RD571240P	75R8424
4379-RD571290P	73R0542
4379-RD5712924P	73R0544
4379-RD571550P	71R8400

MACK	
4379-RD571660P	79R4585
4379-RD571780P	RD-5-7178-0P
4379-RD571790P	71R8420
4379-RD571810P	71R0872
4379-RD571830P	71R0854
4379-RD571860P	71R8499
4379-RD57188035M	71R8991
4379-RD571920P	71R1330
4379-RD572150P	71R0852
4379-RD572250P	70R6598S
4379-RD572310P	70R6491S
4379-RD572320P	71R1912
4379-RD572330P	71R1914
4379-RD572620P	78R5290
4379-RD572720P	74R2447
4379-RD572770M	75R5813
4379-RD572780M	75R5814
4379-RD572830P	70R6496
4379-RD572970P	73R8100
4379-RD573060P	75R5806
4379-RD573100P	75R5801
4379-RD573110P	73R6350
4379-RD573120P	73R6300
4379-RD573180P	75R5668
4379-RD573200P	75R5661
4379-RD573640P	71R3250
4379-RD573730P	75R8442
4379-RD573940P	70R4106
4379-RD573960P	70R6006
4379-RD573970P	70R6096
4379-RD574010P	70R4596
4379-RD574050P	70R4006S
4379-RD574060P	70R4096S
4379-RD574110P	70R2086
4379-RD574190P	70R4108
4379-RD574200P	70R4198
4379-RD574210P	70R4608
4379-RD574240P	70R4798
4379-RD574280P	70R4548
4379-RD574300P	75R5678
4379-RD574310P	70R4008S
4379-RD574380P	75R5858
4379-RD574400P	70R2018
4379-RD574450P	70R4698
4379-RD574500P	70R4191
4379-RD574510P	70R4341
4379-RD574560P	75R5671
4379-RD574570P	70R4001S
4379-RD574580P	70R4091S
4379-RD574620P	70R2081
4379-RD574700P	70R4192

MACK	
4379-RD574710P	70R4402
4379-RD574730P	70R4442
4379-RD574760P	70R4342
4379-RD574800P	75R5672
4379-RD574810P	70R4002S
4379-RD574820P	70R4092S
4379-RD574870P	75R5842
4379-RD574880P	75R5852
4379-RD574890P	75R5832
4379-RD574950P	70R4601S
4379-RD575171P	74R3376
4379-RD575220P	75R8432
4379-RD575230M	75R5560
4379-RD575240M	75R5570
4379-RD575310P	70R2038
4379-RD575320P	70R2031
4379-RD575340P	70R4606
4379-RD575390P	75R5808
4379-RD575430P	70R4641S
4379-RD575460P	70R6496S
4379-RD575480P	75R8312
4379-RD575590P	74R1106
4379-RD575660P	75R8184
4379-RD575670P	71R8370
4379-RD575700M	74R8006
4379-RD575752P	RD-5-7575-2P
4379-RD575753P	RD-5-7575-3P
4379-RD575760P	RD-5-7576-0P
4379-RD575790P	RD-5-7579-0P
4379-RD575811P	RD-5-7581-1P
4379-RD57582600P	78R0110
4379-RD576040P	70R2068
4379-RD576050P	70R2061
4379-RD576070P	RD-5-7607-0P
4379-RD576120P	70R4996
4379-RD576130P	75R5648
4379-RD576140P	75R5641
4379-RD576290P	70R4506S
4379-RD576320P	70R7008S
4379-RD576370P	70R6441
4379-RD576410P	70R5091S
4379-RD576610P	70R4501S
4379-RD576880P	75R5768
4379-RD576900P	75R5761
4379-RD577040P	75R6545
4379-RD577310P	79R1520
4379-RD577320P	79R1525
4379-RD577330P	70R4492S
4379-RD577400P	70R4402S
4379-RD577600P	72R5250
4379-RD577601P	72R5220

MACK	
4379-RD577602P	72R5230
4379-RD577603P	72R5240
4379-RD577860P	79R1504
4379-RD577870P	79R1503
4379-RD577880P	79R1502
4379-RD578050P	70R4306S
4379-RD578070P	71R1320
4379-RD578090P	71R1325
4379-RD578300P	75R5124
4379-RD578310P	75R0192
4379-RD578320P	75R0194
4379-RD578470P	76R7505
4379-RD579640P	75R5815
4379-RD579660P	75R5688
4379-RD579670P	75R5681
4379-RD579820P	75R5007
4379-RD579990P	72R9000
4379-RD579991P	RD-5-7999-1P
4379-RD580020M	RD-5-8002-0M
4379-RD580090P	75R0612
4379-RD580100P	75R8505
4379-RD580120P	78R1470
4379-RD580170P	70R7001S
4379-RD580260P	71R6095
4379-RD580320P	73R4122
4379-RD580340P	72R5110
4379-RD580431550P	RD-5-8043-15.50P
4379-RD580611P	75R7295
4379-RD580620P	79R4595
4379-RD580750P	71R4060
4379-RD580790P	78R5380
4379-RD580830P	72R5280
4379-RD580920P	73R7200
4379-RD580921P	73R7210
4379-RD581260P	73R4242
4379-RD581310P	RD-5-8131-0P
4379-RD581340P	71R4063
4379-RD581350P	72R7105
4379-RD581881P	RD-5-8188-1P
4379-RD581932P	72R5350
4379-RD581950P	70R4791S
4379-RD582030P	73R0962
4379-RD582040P	73R0432
4379-RD582100P	71R1910
4379-RD582180P	71R6160
4379-RD582190P	71R6170
4379-RD582200P	71R6180
4379-RD582340P	70R2406
4379-RD582370P	70R2402
4379-RD582550P	73R0982
4379-RD582560P	71R0480

MACK	
4379-RD582570P	71R3300
4379-RD582610P	70R4302S
4379-RD582620P	70R4348S
4379-RD582630P	70R4392S
4379-RD582640P	70R4342S
4379-RD582650P	70R2011S
4379-RD582660P	70R2012S
4379-RD582670P	70R2016S
4379-RD582680P	70R2018S
4379-RD582690P	70R2061S
4379-RD582700P	70R2062S
4379-RD582710P	70R2066S
4379-RD582720P	70R2068S
4379-RD582730P	70R2031S
4379-RD582740P	70R2036S
4379-RD582750P	70R4706S
4379-RD582760P	70R4796S
4379-RD582770P	70R4508S
4379-RD582780P	70R4591S
4379-RD582790P	70R4596S
4379-RD582800P	70R4598S
4379-RD582810P	70R7002S
4379-RD582820P	70R6492S
4379-RD582830P	70R4606S
4379-RD582840P	70R4608S
4379-RD582850P	70R4646S
4379-RD582860P	70R4696S
4379-RD582870P	71R6210
4379-RD582880P	71R6220
4379-RD582890P	71R6230
4379-RD582910P	79R1710
4379-RD582920M	75R5575
4379-RD582930M	75R5565
4379-RD5831032P	RD-5-8310-32P
4379-RD5831040P	RD-5-8310-40P
4379-RD583150P	71R0862
4379-RD583340M	75R5200
4379-RD583360P	75R6550
4379-RD583380P	75R6510
4379-RD583390P	75R6500
4379-RD583400P	75R6530
4379-RD583820P	75R4534
4379-RD583930P	70R3510S
4379-RD583940P	RD-5-8394-0P
4379-RD584020P	75R5878S
4379-RD584050P	70R4006
4379-RD584120P	RD-5-8412-0P
4379-RD584211P	RD-5-8421-1P
4379-RD584240P	RD-5-8424-0P
4379-RD584330P	71R7075
4379-RD584360P	72R3120

MACK	
4379-RD584590P	71R0030
4379-RD584620P	70R4442S
4379-RD584630P	70R4698S
4379-RD584810P	79R1505
4379-RD584871P	RD-5-8487-1P
4379-RD584900P	71R1610
4379-RD585260P	73R5512
4379-RD585261P	73R5514
4379-RD585350PP	71R1262
4379-RD585370P	70R6006S
4379-RD585380P	70R6008S
4379-RD585390P	70R4416S
4379-RD585590P	73R8554
4379-RD585720P	RD-5-8572-0P
4379-RD585820P	78R5240
4379-RD585830P	73R5552
4379-RD585831P	73R5554
4379-RD586050P	74R0470
4379-RD586180P	73R6051
4379-RD586220P	RD-5-8622-0P
4379-RD586275P	73R8612
4379-RD586276P	73R8614
4379-RD586312P	73R8582
4379-RD586313P	73R8584
4379-RD586360M	RD-5-8636-0M
4379-RD586370P	75R7280
4379-RD586380P	75R7290
4379-RD586410P	RD-5-8641-0P
4379-RD586411P	RD-5-8641-1P
4379-RD586540P	71R4020
4379-RD586541P	71R4010
4379-RD586730P	71R4105
4379-RD586800P	75R8354
4379-RD587032P	73R8562
4379-RD587033P	73R8564
4379-RD587050P	RD-5-8705-0P
4379-RD587051	RD-5-8705-1P
4379-RD587471P	RD-5-8747-1P
4379-RD587474P	73R8652
4379-RD587590P	RD-5-8759-0P
4379-RD587620P	RD-5-8762-0P
4379-RD587660P	75R8672Q
4379-RD587710P	71R1175
4379-RD587720P	70R6506
4379-RD587730P	70R6508
4379-RD587740P	70R6501
4379-RD587852P	73R8592
4379-RD587853P	73R8594
4379-RD587854P	RD-5-8785-4P
4379-RD587910P	71R3573
4379-RD588040P	72R6400

MACK	
4379-RD588041P	RD-5-8804-1P
4379-RD588042P	RD-5-8804-2P
4379-RD588290P	RD-5-8829-0P
4379-RD588300P	71R0522
4379-RD588310P	71R0532
4379-RD588350P	73R5522
4379-RD588360P	73R5524
4379-RD588370P	73R5532
4379-RD588371P	73R5642
4379-RD588380P	73R5534
4379-RD588500P	75R5819
4379-RD588510P	75R5820
4379-RD588570P	72R6420
4379-RD588573P	72R6425
4379-RD588590P	72R6410
4379-RD588850M	RD-5-8885-0M
4379-RD588950P	79R9516
4379-RD588960P	79R9518
4379-RD588970P	79R9521
4379-RD588980P	70R9406S
4379-RD588990P	70R9408S
4379-RD589000P	70R9401S
4379-RD589010P	70R9906S
4379-RD589020P	70R9908S
4379-RD589030P	70R9901S
4379-RD589040P	70R9496S
4379-RD589050P	70R9498S
4379-RD589060P	70R9491S
4379-RD589070P	70R9996S
4379-RD589080P	70R9998S
4379-RD589090P	70R9991S
4379-RD589100P	70R9306S
4379-RD589110P	70R9308S
4379-RD589120P	70R9301S
4379-RD589130P	70R9396S
4379-RD589140P	70R9398S
4379-RD589150P	70R9391S
4379-RD589160P	70R9016S
4379-RD589170P	70R9018S
4379-RD589180P	70R9011S
4379-RD589190P	70R9076S
4379-RD589200P	70R9078S
4379-RD589210P	70R9071S
4379-RD589220P	73R0612
4379-RD589230P	71R1465
4379-RD589260P	72R4532
4379-RD589280P	72R3157
4379-RD589360P	71R8430
4379-RD589380P	71R3160
4379-RD589390P	70R9402S
4379-RD589400P	70R9492S

Convert Other Part Numbers to Red Dot Aftermarket Numbers

MACK	
4379-RD589410P	70R9012S
4379-RD589430P	72R6515
4379-RD589450P	75R8252
4379-RD589460P	71R6125
4379-RD589470P	73R6270
4379-RD589480P	73R5562
4379-RD589510P	70R9791S
4379-RD589520P	70R9072S
4379-RD589550P	70R9001S
4379-RD589560P	70R9091S
4379-RD589570P	70R9701S
4379-RD589580P	79R4600
4379-RD589600P	79R4605
4379-RD589670P	71R0840
4379-RD589950P	71R0884
4379-RD590012P	RD-5-9001-2P
4379-RD590030P	RD-5-9003-0P
4379-RD590031P	RD-5-9003-1P
4379-RD590032P	RD-5-9003-2P
4379-RD590033P	RD-5-9003-3P
4379-RD590130P	RD-5-9013-0P
4379-RD590181P	RD-5-9018-1P
4379-RD590210P	71R3578
4379-RD590240P	72R3130
4379-RD590370P	71R0512
4379-RD590530P	72R3140
4379-RD590610M	70R5052
4379-RD590762P	73R8642
4379-RD590763P	73R8644
4379-RD590820P	71R8505
4379-RD590840M	70R5115
4379-RD590880P	75R8332
4379-RD590900P	RD-5-9090-0P
4379-RD591000P	73R0462
4379-RD591330M	71R4065
4379-RD591520P	72R4010
4379-RD591540P	75R8510
4379-RD591550P	75R8515
4379-RD591560P	75R8520
4379-RD591570P	72R4400
4379-RD591580P	72R4500
4379-RD591590P	72R4510
4379-RD591940P	73R5572
4379-RD5919424P	73R5574
4379-RD592040P	73R5622
4379-RD592041P	73R5624
4379-RD592161P	RD-5-9216-1P
4379-RD592180M	75R5833
4379-RD592190M	75R5834
4379-RD592240P	72R5360
4379-RD5922536P	72R8255

MACK	
4379-RD592490P	75R1412
4379-RD592500P	75R1414
4379-RD592510P	75R8462
4379-RD592530P	RD-5-9253-0P
4379-RD592540	RD-5-9254-0P
4379-RD594190P	74R2590
4379-RD594250P	72R3150
4379-RD594260P	72R3155
4379-RD594370P	71R1402
4379-RD594432P	72R8260
4379-RD594433P	72R8265
4379-RD594434P	72R8275
4379-RD594450P	71R1401
4379-RD594470P	71R1403
4379-RD594480P	71R1404
4379-RD594490P	71R1405
4379-RD594550P	74R1836
4379-RD594560P	75R1302
4379-RD594580P	75R8464
4379-RD595130P	71R8380
4379-RD595350P	RD-5-9535-0P
4379-RD595560P	74R5060
4379-RD5960911P	75R8712Q
4379-RD596097P	RD-5-9609-7P
4379-RD596110P	75R8507
4379-RD596160P	77R1602
4379-RD596170P	77R1612
4379-RD596330P	79R4561
4379-RD596340P	79R4562
4379-RD596350P	79R4563
4379-RD596570P	75R4732
4379-RD596590P	75R4734
4379-RD596650P	75R0402
4379-RD596840P	70R84206S
4379-RD596870P	70R94306S
4379-RD596900P	70R94601S
4379-RD596910P	70R97701S
4379-RD596920P	70R94406S
4379-RD596930P	70R97006S
4379-RD596940P	70R94408S
4379-RD596950P	70R97008S
4379-RD596960P	70R84501S
4379-RD596970P	70R84551S
4379-RD596990P	70R84506S
4379-RD597010P	70R84641S
4379-RD597020P	70R84446S
4379-RD597030P	70R84448S
4379-RD597050P	70R84791S
4379-RD597060P	70R84692S
4379-RD597080P	70R84398S
4379-RD597090P	70R94991S

MACK	
4379-RD597110P	70R94691S
4379-RD597120P	70R94692S
4379-RD597130P	70R95091S
4379-RD597140P	70R94696S
4379-RD597150P	70R96496S
4379-RD597160P	70R94498S
4379-RD597170P	70R94998S
4379-RD597180P	70R96598S
4379-RD597190P	70R94391S
4379-RD597200P	70R94591S
4379-RD597210P	70R94791S
4379-RD597220P	70R94396S
4379-RD597240P	70R94398S
4379-RD597260P	70R96741S
4379-RD597270P	70R96448S
4379-RD597280P	70R94341S
4379-RD597290P	70R84541S
4379-RD597300P	70R84741S
4379-RD597330P	70R84401S
4379-RD597340P	70R84601S
4379-RD597350P	70R84402S
4379-RD597360P	70R84406S
4379-RD597370P	70R84408S
4379-RD597380P	70R84491S
4379-RD597390P	70R84691S
4379-RD597420P	70R84498S
4379-RD597430P	70R84241S
4379-RD597450P	70R84242S
4379-RD597460P	70R84246S
4379-RD597470P	70R84248S
4379-RD597480P	70R84291S
4379-RD597490P	70R84891S
4379-RD597510P	70R84296S
4379-RD597520P	70R84298S
4379-RD597530P	70R84301S
4379-RD597540P	70R84701S
4379-RD597550P	70R84321S
4379-RD597560P	70R84306S
4379-RD597570P	70R84308S
4379-RD597580P	70R84001S
4379-RD597590P	70R84051S
4379-RD597600P	70R84002S
4379-RD597620P	70R84008S
4379-RD597630P	75R75678S
4379-RD597640P	75R75858S
4379-RD597650P	75R75838S
4379-RD597690P	75R75672S
4379-RD597700P	75R75832S
4379-RD597710P	75R75852S
4379-RD598020P	75R0662
4379-RD598060M	75R5525

MACK	
4379-RD598070P	71R8503
4379-RD598080P	79R1650
4379-RD598090M	70R5120
4379-RD598100M	70R5125
4379-RD598120P	75R5705
4379-RD598130P	75R5698
4379-RD598140P	75R5691
4379-RD598150P	75R5824
4379-RD598160P	75R5825
4379-RD598180P	75R5829
4379-RD598200P	78R8806
4379-RD598210P	78R8808
4379-RD598220P	78R8810
4379-RD598230P	78R8812
4379-RD598330P	71R1160
4379-RD598720P	RD-5-9872-0P
4379-RD599070M	RD-5-9907-0M
4379-RD599100P	75R5738
4379-RD599150P	71R1722
4379-RD599350P	71R8450
4379-RD599520P	75R5728
4379-RD599530P	75R5721
4379-RD599550P	75R5722
4379-RD599560P	75R5731
4379-RD599790M	75R5201
4379-RD599860P	79R8940
4379-RD599870P	70R5020
4379-RD599880P	70R5010
4379-RD599890P	70R5005
4379-RD599900P	71R6405
4379-RD599910P	71R6405
4379-RD646610P	71R1510
4379-RD646611P	RD-6-4661-1P
4379-RD646620P	RD-6-4662-0P
4379-RD646760P	RD-6-4676-0P
4379-RD646910P	71R1520
4379-RD646980P	RD-6-4698-0P
4379-RD647260P	RD-6-4726-0P
4379-RD647970P	71R3502
4379-RD647971P	RD-6-4797-1P
4379-RD647972P	71R3504
4379-RD651200P	RD-6-5120-0P
4379-RD651201P	RD-6-5120-1P
4379-RD651250P	71R8902
4379-RD910000P	75R9970
4379-RD910030P	75R9980
4379-RD910480P	75R6020
4379-RD910490P	75R6030
4379-RD910580P	75R9515
4379-RD910680P	75R6017
4379-RD910760P	75R9535

MACK	
4379-RD910990P	75R9545
4379-RD911050P	75R9985
4379-RD911470P	75R9615
4379-RD911490P	75R9625
4379-RD911500P	75R6015
4379-RD911660P	75R9635
4379-RD912730P	75R9715
4379-RD913180P	75R9550
4379-RD971120P	75R9785
4379-RD971130P	75R9795
4379-RD973390P	75R9960
4379-RD973870P	75R9565
4379-RD974000P	75R9870
4379-RD99350PP	71R8450
4379-RD994323P	75R9920
4379-RD994570P	75R6016
4379-RD999100P	75R6018
4379-RDG70350P	77R5550
4428-2T754A	71R1160
4428-2T801A	71R1210
524-19724	75R0252
60RD354	RD-3-3425-0P
6152DA1725	71R7500
6152DA1725	71R7500
7787-525784	78R5235
7787-540021	71R8321
7787-650163	71R3100
7787-650694	71R3582
7787-869445	73R3102
793-21001	75R7280
793-21045	75R7280
793-25150	75R7290
7979-220300	71R1210
7979-220417	71R0100
7979-220635	71R1160
7979-221189	71R0200
7979-221568	71R1702
7979-221655	71R1702
7979-274070	73R0552
7979-275102	73R4062
7979-275130	73R0522
7979-402424	75R1202
7979-402529	74R1756
7979-404008	71R6300
7979-404021	71R8050
7979-404028	71R2250
7979-404073	71R8100
7979-404075	71R2100
7979-404082	71R2300
7979-404084	71R9002
7979-404141	71R6070

MACK	
7979-404157	71R3200
IMAX3292	75R0522
IMAX3294	75R0682
IMX240	75R0452
IMX242	75R0452
IMX246	75R4502
IMXA1280	75R1202
IMXA242	75R1202
IMXA243	75R2402
IMXA3217	75R1652
IMXA3291	75R1302
MA0201P	78R5235
RD39325M	75R8102

MASSEY FERGUSON	
1131243	75R8102
1018462M91	74R0907
1018462M91	74R0907
1032477M91	75R2402
1069215M91	75R0202
1070592M91	75R4502
107195M91	73R4322
237411M91	74R2527
274939M1	73R0602
284208M92	74R3537
284238M1	71R8301
3038920M91	71R8210
3039149M91	74R1106
3347710W1	74R1906
3380223M1	71R8080
3478520M91	71R8220
3712495M1	74R2527
3712495M1	74R3107
3712495M1	74R3107
376335M1	74R2527
3901517M1	71R8321
3902334M91	71R8321
70257336-1	73R4322
D45054900	75R0452
PH 088193-00	74R2608
RD-5-6526-0	73R0422

MODINE	
1E3828	77R8460
1E3829	77R8450
1E5001	77R0095
1E5114	77R0635
1E5610	77R1335
1E5611	77R1335
1E5633	77R0355
1E5864	77R6978

MODINE	
1E5864	77R6978
1E5956	77R0675
1E6068	77R6978

OGURA	
332334	75R4502
332639	75R0452
501075	75R4534
501076	75R4734
501215	75R1202
501939	75R1202
502409	75R0302
502731	75R1652
502740	75R2402
503879	75R1342
508888	75R0402
509285	75R0202
511051	75R0252
511868	75R0252
511869	75R0182
511870	75R1412
513352	75R0612
513822	75R4742
515376	75R0662
515528	75R1342
518482	75R4702
518484	75R4732
520226	75R0612
520453	75R0682
520566	75R1302
520636	75R0522
522582	75R1302
522583	75R0522
522584	75R0682
525205	75R0502

OMEGA	
19-00335	71R1165
20-04019	75R89792
20-04020	75R89882
20-04021	75R89892
20-04023	75R90272
20-04025	75R90292
20-04027	75R89902
20-04028	75R89912
20-04033	75R90302
20-04034	75R89922
20-04039	75R84292
20-04039-AM	75R84292A
20-04040	75R81632
20-04040-AM	75R81632A

OMEGA	
20-04041	75R8772
20-04041-AM	75R89552A
20-04042	75R81662
20-04042-AM	75R81662A
20-04075-AM	75R82312A
20-04078-AM	75R89532A
20-04079-AM	75R89522A
20-04080-AM	75R89492A
20-04083	75R89942
20-04086	75R90312
20-04087	75R90322
20-04091	75R90332
20-04095	75R90344
20-04096	75R90352
20-04110	75R90362
20-04113	75R90372
20-04117	75R89702
20-04119	75R89612
20-04120	75R89712
20-04149	75R90384
20-04250	75R90394
20-04280	75R90412
20-04290	75R90422
20-04307	75R91172
20-04314	75R89852
20-04314-AM	75R89852A
20-04325	75R90434
20-04326	75R9612
20-04326-AM	75R9612A
20-04342	75R90602
20-04382	75R90452
20-04384-AM	75R89152A
20-04392	75R90462
20-04405	75R90022
20-04465	75R89972
20-04467	75R90032
20-04485	75R81302
20-04485-AM	75R81302A
20-04485-S	75R81302A
20-04489	75R84114
20-04493	75R81362
20-04493-AM	75R81362A
20-04577	75R89842
20-04584	75R90492
20-04602	75R81202
20-04608	75R84592
20-04618	75R83132
20-04618	75R90252
20-04651	75R90514
20-04653	75R90042
20-04699	75R81532

Convert Other Part Numbers to Red Dot Aftermarket Numbers

OMEGA	
20-04700	75R81682
20-04705	75R90532
20-04737	75R90502
20-04738	75R90112
20-04739	75R81562
20-04753	75R90542
20-04766	75R90152
20-04775	75R90552
20-04776	75R84232
20-04776-AM	75R81282A
20-04785	75R90562
20-04796	75R89982
20-04800	75R90162
20-04802-AM	75R89622A
20-04803	75R90572
20-04810	75R84352
20-04815	75R84302
20-04815-AM	75R84302A
20-04815-AM	75R84302Q
20-04816	75R91142
20-04816-AM	75R81292A
20-04816-AM	75R81292Q
20-04848	75R90592
20-04883	75R81622
20-04885	75R90582
20-04897	RD-5-14692-0P
20-05077	75R81242
20-07304	75R90662
20-07952	75R90232
20-08044	75R90684
20-08045	75R89774
20-08144	75R89744
20-08244	75R90702
20-09962	75R90062
20-09964	75R90052
20-09970	75R8464
20-09973	75R8454
20-09974	75R90144
20-09975	75R90134
20-09976	75R84654
20-09977	75R90124
20-09978	75R8382
20-09978-AM	75R89872A
20-09980	75R90082
20-09993	75R90092
20-09998	75R90644
20-10017	75R8462
20-10018	75R90192
20-10045	75R90072
20-10053	75R90102
20-10061	75R90212

OMEGA	
20-10068	75R84492
20-10071	75R8422
20-10072	75R90202
20-10085	75R90182
20-10151	75R8442
20-10152	75R81512
20-10186	75R8382
20-10186	75R8382
20-10186-AM	75R8382Q
20-10186-C	75R8382Q
20-10189	75R90672
20-10191	75R90222
20-10192	75R90242
20-10192	75R84512
20-10235	75R8614Q
20-10235	75R8614A
20-10235-HP	75R8614A
20-10236	75R8542Q
20-10236	75R8542A
20-10236-HP	75R8542A
20-10236-HP	75R8542Q
20-10246	75R8612Q
20-10246	75R8612A
20-10246-HP	75R8612A
20-10258	75R90722A
20-10258-HP	75R90722A
20-10260	75R86132Q
20-10260	75R86132A
20-10260-HP	75R86132A
20-10261	75R86092Q
20-10264	75R90732A
20-10264-HP	75R90732A
20-10266	75R90842A
20-10266-HP	75R90842A
20-10268-HP	75R90862A
20-10279	75R8672Q
20-10279-HP	75R8672A
20-10280-HP	75R90944A
20-10281-HP	75R8782A
20-10282-HP	75R8784A
20-10283-HP	75R8682A
20-10284-HP	75R8684A
20-10286	75R85832Q
20-10294	75R8702Q
20-10294-HP	75R8702A
20-10295-HP	75R8532A
20-10330	75R7290
20-10330-AM	75R7295A
20-10331-AM	75R7285A
20-10334-AM	75R7270A
20-10334-AM	75R7275A

OMEGA	
20-10694-S	75R89962
20-14066	75R89934
20-14093	75R89954
20-14401	75R89992
20-14404	75R90012
20-14805	75R90172
20-14874	75R89342
20-16321	75R90652
20-18086	75R90522
20-18112	75R90684
20-20715	75R9052D
20-21715-AM	75R9052
20-22496	75R9082D
20-22496-AM	75R9082
20-22529	75R9092D
20-22530	75R9072D
20-45017	75R8544Q
20-45017-HP	75R8544A
20-45019	75R85932Q
20-45021-HP	75R90742A
20-45023	75R85632Q
20-45036-HP	75R90752A
20-45043-HP	75R90962A
20-45056-HP	75R90764A
20-45061	75R85734Q
20-45065	75R8632Q
20-45069	75R85732Q
20-45073	75R85714Q
20-45075	75R85032Q
20-45075-HP	75R85032A
20-45077	75R8552Q
20-45081	75R86134Q
20-45082	75R86152Q
20-45084	75R86162Q
20-45088	75R86172Q
20-45090	75R86194Q
20-45092	75R86182Q
20-45094	75R85332Q
20-45123-HP	75R90774A
20-45125-HP	75R90784A
20-45141-HP	75R90792A
20-45311-HP	75R90802A
20-45315-HP	75R90814A
20-45320-HP	75R91072A
20-46011	75R8712Q
20-46011-HP	75R8712A
20-46015-HP	75R90914A
20-46017-HP	75R90854A
20-46018-HP	75R90902A
20-46019-HP	75R90922A
20-46021-AM	75R90822A

OMEGA	
20-46030	75R86202Q
20-46030-HP	75R86202A
20-46056-HP	75R90834A
20-46061	75R8634Q
20-46073	75R8664Q
20-46075	75R86212Q
20-46082-HP	75R91002A
20-46123-HP	75R91084A
20-46125-HP	75R91104A
20-46210-HP	75R90882A
20-46212-HP	75R90894A
20-46220-HP	75R90974A
20-46222-HP	75R90872A
20-46230-HP	75R91112A
20-46234-HP	75R89782A
20-46282-HP	75R90992A
20-46356-HP	75R91092A
20-46405-HP	75R91092A
20-46560-HP	75R90952A
20-47241	75R861522A
20-47242-HP	75R86324A
20-47244	75R86142Q
20-47244-HP	75R86142Q
20-47244-HP	75R86142A
20-47245-HP	75R86322A
20-47246	75R86144Q
20-47246-HP	75R86144A
20-47248-HP	75R91024A
20-47249-HP	75R91044A
20-47250-HP	75R91012A
20-47251-HP	75R90934A
20-67256-HP	75R91052A
20-67269-HP	75R91032A
20-67270-HP	75R89592A
21-10133-AM	75R8515
21-10134-AM	75R8510
21-10135-AM	75R8505
21-50050	75R8535
21-50051	75R8533
22-10223-AM	75R4822
22-10224-AM	75R4832
22-10225-AM	75R4844
22-10226-AM	75R4854
22-10231-AM	75R4862
22-10233	75R4872
22-10242	75R4884
22-10243-AM	75R4892
22-10244-AM	75R4904
22-10245-AM	75R4912
22-64192-AM	75R4922
23-20221-HP	75R5132

OMEGA	
23-20222-HP	75R5134
24-14678	77R0705
24-14679	77R1335
24-30204	77R8485
24-30292	77R8470
24-30293	77R7000
24-30295	77R8415
24-30296	77R8455
24-30474	77R8309
24-30505	77R7708
24-30506	77R0590
24-30525	77R8410
24-30528	77R7714
24-30532	77R6807
24-30535	77R6978
24-30536	77R0355
24-31207	77R0635
24-31247	77R8400
24-33137	77R8420
24-33137	77R8420
24-33646	77R7704
24-33647	77R0720
24-33648	77R8355
24-33648	77R8355
24-33650	77R1279
24-33651	77R1277
24-33652	77R7706
24-33654	77R8330
24-33655	77R8325
24-33656	77R8310
24-33657	77R8305
24-33658	77R8390
24-33659	77R8395
24-33682	77R6817
24-33683	77R8425
24-33686	77R8345
24-33687	77R1279
24-33688	77R6955
24-33696	77R8305
24-33699	77R8375
24-33703	77R8435
24-33705	77R8445
24-33707	77R8385
24-50008	77R1300
24-50037	77R0500
24-50044	77R1290
24-50097	77R8465
24-50098	77R8490
24-50279	77R6985
24-50286	77R6950
24-50287	77R8365

OMEGA	
24-50288	77R8480
24-50318	77R6978
24-50473	77R8405
24-50496	77R8320
24-50521	77R7705
24-50525	77R1277
24-50526	77R8340
24-50527	77R0095
24-50529	77R7715
24-50531	77R8335
24-50532	77R0715
24-51200	77R0585
24-51206	77R6995
24-51207	77R0675
24-51209	77R0580
24-51210	77R6982
24-51211	77R0115
24-51212	77R0635
24-54028	77R6957
25-14863-T	RD-5-8705-0P
26-13118	73R4162
26-13475	73R3142
26-19904-24-AM	73R5554
26-19904-AM	73R5552
27-19516	76R7730
27-30531	76R7760
27-33359	76R6668
27-33853	76R7745
27-33871-AM	76R7765
27-33889	76R7750
27-33929	76R7712
29-04018	75R90262
29-04355	75R90444
29-21901	71R1150
31-10924-AM	71R8210
31-10931	71R8100
31-13995	74R2002
31-30901	71R8301
31-30901-AM	71R8301
31-30918	71R8440
31-30927	71R8321
31-31010	71R8415
31-31021	71R8457
31-31026	71R8430
31-31047	71R8455
31-31214	71R8460
31-31234	71R8467
31-31260	71R8485
31-31391	71R8483
31-50001	71R8500
31-50002	71R8503

OMEGA	
31-50003	71R8505
31-50005	71R8504
31-50006	71R8501
31-60007	72R5040
34-13400	78R0456SP
34-13401	78R0458SP
34-13402	78R0451SP
34-13403	78R0452SP
34-70009	78R8458SP
34-70010	78R8451SP
34-70011	78R8452SP
35-EZ1306	70R8708
35-EZ1307	70R8701
35-EZ1322	70R8698
35-EZ1323	70R8691
35-EZ1324	70R8692
35-EZ1326	70R8798
35-EZ1326 3	70R8198
35-EZ1327	70R8791
35-EZ1425	70R8786
35-EZ1427	70R8781
35-EZ6103 3	70R8271
35-EZ6104 3	70R8272
35-S1302	70R4408S
35-S1302 3	70R7008S
35-S1303	70R4401S
35-S1304	70R4402S
35-S1313	70R4441S
35-S1314	70R4442S
35-S1322	70R4498S
35-S1322 3	70R6598S
35-S1323	70R4491S
35-S1324	70R4492S
35-S1401	70R4306S
35-S1402	70R4308S
35-S1403	70R4301S
35-S1404	70R4302S
35-S1412	70R4348S
35-S1413	70R4341S
35-S1414	70R4342S
35-S1422	70R4398S
35-S1423	70R4391S
35-S1424	70R4392S
35-S1702	70R6008S
35-S1703	70R6001S
35-S1722	70R6098S
35-S1723	70R6091S
35-S1802	70R4508S
35-S1803	70R4501S
35-S1804	70R4502S
35-S1813	70R4541S

OMEGA	
35-S1822	70R4598S
35-S1823	70R4591S
35-S6102	70R2011S
35-S6102-3	70R2078S
35-S6103	70R2011S
35-S6103 1	70R2061S
35-S6103 3	70R2071S
35-S6104	70R2012S
35-S6104 3	70R2072S
35-S6105	70R2036S
35-S6106	70R2038S
35-S6107	70R2031S
37-00193	74R0475
37-10871	74R0480
37-13539	74R1806
37-13559	74R3107
37-13572	74R3077
37-13575	74R3331
37-13576	74R3328
37-13595	74R2706
37-13597	74R3318
37-13720	74R4215
37-13933	74R3450
37-13954	74R3456
37-13991	74R3126
37-13994	74R3126
37-14012	74R5405
37-14014-AM	74R0495
37-19797	74R5097
37-19900	74R4232
37-19901	74R4216
37-19903	74R3328
37-19904	74R4230
38-32218	75R6041
98-01107	78R5242
98-01109	78R5450

Convert Other Part Numbers to Red Dot Aftermarket Numbers

PACCAR	
5638	71R8100
70650	71R9002
85180	71R9002
203076	73R4422
205840	73R4422
221568	71R1702
274271	73R4312
404073	71R8100
404082	71R2400
404145	71R3200
404146	71R8400
8037030	71R6456
8037034	71R6500
8040082	75R89474
8040105	71R6565
8040135	71R6400
8040136	71R6405
8042105	71R6565
1000881780	74R4220
.9R/D5-7575-3P	RD-5-7575-3P
040138-133	71R8321
05-18917-205	71R6500
08-02445	72R0600
088133-01	74R2306
1000534258BSM	71R8483
15-03554	77R0590
18-03093	77R0590
18-04015	77R6950
18-04081	75R8462
1CC4696	75R8772
1E4582	77R0705
1E5079	77R0705
1E5523	77R6950
1E6043	77R1335
201520BSM	73R0552
20152P1	73R0552
201930BSM	73R0454
2030-12	73R0552
203020BSM	73R0552
20302P	73R0552
203030BSM	73R0454
203085BSM	73R4322
203139BSM	73R0612
203320BSM	73R0604
203330BSM	73R0522
205620BSM	73R0522
205630BSM	73R4182
205780BSM	73R4182
20578P	73R4182
220990KB	71R0460
221503KB	71R1620

PACCAR	
22150KB	71R1610
243051KB	73R4062
2898-091-010	RD-5-4387-0P
301011BSM	73R0514
301071BSM	RD-5-4387-0P
307300BSM	71R8505
315315BSM	71R6050
318014BSM	74R5061
319164BSM	74R3357
319360BSM	71R1450
321060BSM	71R1450
321110BSM	71R0460
322000BSM	71R0450
322005BSM	71R3200
3S010633	77R8365
3X010018	76R7730
3X010633	77R1335
3X010633	77R8365
404117KB	71R6300
4417-9931	75R1842
4426-9931	75R0194
4433SAN	75R84312
4485SAN	75R81302
4510SAN	75R8382
4510SAN	75R8382
4511SAN	75R8252
4516SAN	75R8374
4626SAN	75R8432
4731-6000	75R84292
4740SAN	75R84312
486684-0008	77R6985
488-20300	75R7280
488-21097	75R7290
488-21569	75R7280
488-21909	75R7290
4893SAN	75R81652Q
524-19718	75R0182
524-19719	75R1412
525838BSM	78R5308
540056BSM	71R8420
540057BSM	71R8430
540446BSM	71R8460
5577-22	73R4162
560890BSM	71R9002
563800BSM	71R8100
576270BSM	71R8100
582940BSM	71R8461
585900BSM	71R8400
589490BSM	71R3200
58949P	71R3200
58949P	71R3200

PACCAR	
589500BSM	71R8400
58950P	71R8400
5X000180	78R5450
5X000190	78R5450
5X010007	78R5460
5X010061	71R8504
5X013817	78R5455
622100BSM	71R1620
640059BSM	71R3585
650163BSM	71R3160
650179BSM	71R1457
650341BSM	71R3571
650417BSM	71R3300
650442BSM	71R6175
650446BSM	71R6275
650625BSM	71R8489
650690BSM	71R1704
650890BSM	71R9002
6512-6210	75R0052
651690BSM	71R1150
6519-6010	75R0202
652090BSM	71R0460
652100BSM	71R1620
652420BSM	71R1702
652578BSM	71R6175
652578BSM	71R6175
6560-6010	75R0192
7042-1	71R2700
865700BSM	71R7550
867405BSM	72R6530
867559BSM	71R6070
871218BSM	73R0612
93CAAB2500-01S	71R8505
93CAB2500-01S	71R8505
A45-1054	71R3100
AM80845	71R0150
AM81019	71R3200
AM86559	73R2262
AM86610	73R4602
BSM203132	73R0422
BSM203133	73R0402
BSM203139	73R0612
BSM203178	73R0532
BSM203389	73R0612
BSM302001	73R7215
BSM302081	73R6251
BSM602005	73R7000
BSM650163	71R3100
D1037-3020	78R0456
D1037-3023	78R0456
D1037-3026	78R0456

PACCAR	
D1037-3037	78R0458
D1037-3040	78R0458
D1037-3058	78R0451
D1037-3060	78R0451
D1037-3062	78R0451
D1037-3063	78R0451
D1037-3064	78R0452
D1037-3070	78R0452
D1037-3074	78R0452
D2054-2512	70R4306S
D2054-2538	70R4396S
D2054-2551	70R4406S
D2054-2577	70R4496S
D2054-2603	70R4408S
D2054-2616	70R4448S
D2054-2629	70R9496S
D2054-2681	70R9391S
D2054-2798	70R4701S
D2054-2824	70R4791S
D2054-2863	70R4691S
D2054-3090	70R4498S
D2054-3163	70R9991S
D2054-3201	70R9906S
D2054-3249	70R9401S
D2054-3273	70R9491S
D2054-4003	75R5806
D2054-4007	75R5808
D2054-4011	75R5801
D2054-4055	75R5808
D2054-4074	70R4392S
D2054-4204	75R5801
D2054-4282	75R5648
D2054-4295	75R5641
D2054-4321	70R9908S
D2054-4334	70R9901S
D2054-4399	70R9996S
D2054-4412	70R9991S
D2054-4620	70R9076S
D2054-4633	70R2018S
D2054-4646	70R9078S
D2054-4659	70R9018S
D2054-4672	70R9071S
D2054-4685	70R9011S
D2074-1243	70R5110
D2074-1282	70R5115
D2653-5399	71R9002
D2953-5300	71R8100
D2953-5363	71R8400
EA3900-02S	71R8090
EC2500-01S	71R8505
ESTER25065	79R4595

PACCAR	
F31-6042	77R1335
F31-6043	77R1335
F37-1017-100	74R4219
F37-1017-200	74R4220
F37-6000	74R2002
F37-6012	74R2002
F69-1000	75R8772
F69-6001-111	75R89562Q
F69-6001-121	75R89572Q
F69-6001-122	75R84292
F69-6001-231	75R89552Q
F69-6001-253	75R84492
F69-6002-111	75R81662
F69-6002-231	75R89552
F69-6003-111	75R89502Q
F69-6003-111	75R89502
F69-6003-112	75R89652
F69-6003-121	75R81632
F69-6003-122	75R89522A
F69-6003-141	75R89152A
F69-6003-151	75R89532
F90-6001	71R8430
FJK SP4071	71R7075
HV32668	71R8050
HV33061	71R3200
K092-310-1	RD-3-5097-0P
K092-310-1	RD-3-5097-0P
K1110-0548-20	71R1315
K1110-0552-30	71R1300
K122-102	77R6945
K122-118	77R6947
K122-119	77R6935
K122-123	77R6935
K122-124	77R6935
K122-124-2	77R6940
K122-125	77R6957
K122-128	77R6955
K122-143	77R8425
K122-159	RD-4-5456-0P
K122-62	77R6925
K122-64	77R6920
K122-81	77R6930
K122-98	77R6965
K129-159	70R2201
K137-230	77R6990
K137-299-1	77R6970
K137-299-2	77R6975
K152-351	70R3590
K251-263	74R1706
K251-306	74R2106
K251-363	74R1906

PACCAR	
K251-486	74R1906
K251-521	74R2306
K251-563	74R2306
K251-591	74R3357
K251-593-1	74R3318
K295-193	72R6400
K295-229	72R0190
K301-162	71R1702
K301-19	71R0600
K301-239	71R7550
K301-313-1	71R7550
K301-365-200	71R6456
K301-365-205	71R6500
K301-370-1	71R7073
K301-390-1	71R6160
K301-69	71R6300
K301-89	71R0150
K318-103	75R84472
K318-119	75R7290
K318-119-2	75R7312
K318-119-3	75R7290
K318-137-2	75R7290
K318-137-3	75R7290
K318-137-5	75R7332
K318-137-6	75R7322
K318-149-2	75R7290
K318-20-1	73R4182
K332-14	75R1202
K332-19	75R1202
K332-22	75R2402
K332-24	75R1202
K332-27	75R1202
K332-28	75R2402
K332-37	75R1202
K332-40	75R1652
K332-44	75R1202
K332-48	75R1652
K332-53	75R0302
K332-59-3	75R0512
K332-59-4	75R0682
K332-59-5	75R1302
K332-59-6	75R0402
K332-59-7	75R0522
K332-62-1	75R1202
K332-62-2	75R0302
K332-B19	75R0452
K332-B25	75R0194
K332-C27	75R1202
K355-369-1	75R7322
M3609001	77R8305
M3611002	77R8305

PACCAR	
M3611003	77R8305
M3611004	77R8305
M3655001	77R8330
MA0200-01S	71R3575
N4778001	77R8305
N4783001	77R8330
NA1501-01S	76R6668
P93CAA0101-01	74R5061
P93CAA0200-01S	71R3575
P93CAA0301-01S	73R3142
P93CAA3604-01	71R6170
P93CAA3605-01	71R6180
P93CAA3606-01	71R6160
P93CAA4230-02S	71R3200
P93CAB0200-01S	71R3593
P93CAB0201-01S	71R3595
P93CAB0400-01S	73R6383
P93CAB2500-01S	71R8505
PV28111Q	73R4602
R0337001	77R8310
R0440001	77R8325
R-2020-0-24P	R-2020-0-24P
R2020-0P	R-2020-0P
R2550-0P	R-2550-0P
R290-4-24P	R-290-4-24P
R4122-9P	R-4122-9P
R4500-8P	R-4500-8P
R5040-2P	R-5040-2P
R5040-6P	R-5040-6P
R9777-0-24P	R-9777-0-24P
R9777-0P	R-9777-0P
RD1-0147-1P	76R2600
RD1-0352-0P	RD-1-0352-0P
RD1-0388-0P	76R3400
RD1-0411-0P	RD-1-0411-0P
RD1-0419-0P	RD-1-0419-0P
RD1-0496-1P	RD-1-0496-1P
RD1-0552-0P	RD-1-0552-0P
RD1-0574-0P	76R2350
RD1-0650-0P	76R3250
RD1-0661-2P	RD-1-0661-2P
RD1-0661-7P	RD-1-0661-7P
RD1-0715-0P	76R3460
RD1-0793-2P	RD-1-0793-2P
RD1-0793-4P	RD-1-0793-4P
RD1-0837-0P	RD-1-0837-0P
RD1-0959-0P	RD-1-0959-0P
RD1-1654-0P	RD-1-1654-0P
RD2-0781-6P	RD-2-0781-6P
RD2-0921-1P	RD-2-0921-1P
RD2-1017-0P	RD-2-1017-0P

PACCAR	
RD2-1184-0P	RD-2-1184-0P
RD2-1189-0P	RD-2-1189-0P
RD2-1201-0P	RD-2-1201-0P
RD2-1206-2P	RD-2-1206-2P
RD2-1207-0P	RD-2-1207-0P
RD2-1207-1P	RD-2-1207-1P
RD2-1207-2P	RD-2-1207-2P
RD2-1240-0P	RD-2-1240-0P
RD2-1245-0P	RD-2-1245-0P
RD2-1250-0P	RD-2-1250-0P
RD2-1284-0P	RD-2-1284-0P
RD2-1290-0P	RD-2-1290-0P
RD2-1296-0P	RD-2-1296-0P
RD2-1297-0P	RD-2-1297-0P
RD2-1315-0P	RD-2-1315-0P
RD2-1378-0P	RD-2-1378-0P
RD2-1402-0P	76R6150
RD2-1485-0P	76R6850
RD2-1499-1P	RD-2-1499-1P
RD2-1510-0P	76R5000
RD2-1610-0P	76R7010
RD2-1659-26P	RD-2-1659-26P
RD2-1727-26.50P	RD-2-1727-26.50P
RD2-1735-0P	RD-2-1735-0P
RD2-1758-0P	RD-2-1758-0P
RD2-2330-0P	RD-2-2890-0P
RD2-2693-1P	RD-2-2693-1P
RD2-2816-63P	RD-2-2816-63P
RD2-3006-0P	RD-2-3006-0P
RD2-3150-0P	RD-2-3150-0P
RD3106-12P	73R0552
RD3169-5P	RD-3169-5P
RD3205-29P	RD-3205-29P
RD3-2415-2P	RD-3-2415-2P
RD3-2592-0P	RD-3-2592-0P
RD3-2788-4P	RD-3-2788-4P
RD3-3031-0P	RD-3-3031-0P
RD3-3121-1P	RD-3-3121-1P
RD3-3174-0P	RD-3-3174-0P
RD3-3395-7P	RD-3-3395-7P
RD3-3395-8P	RD-3-3395-8P
RD3-3430-0P	RD-3-3430-0P
RD3-3590-0P	RD-3-3590-0P
RD3-3805-2P	RD-3-3805-2P
RD3-3812-2P	RD-3-3812-2P
RD3-3813-0P	RD-3-3813-0P
RD3-3847-0P	RD-3-3847-0P
RD3-3901-1P	RD-3-3901-1P
RD3-3955-0P	RD-3-3955-0P
RD3-4056-0P	RD-3-4056-0P
RD3-4066-0P	RD-3-4066-0P

Convert Other Part Numbers to Red Dot Aftermarket Numbers

PACCAR	
RD3-4417-0P	RD-3-4417-0P
RD3-5072-0P	RD-3-5072-0P
RD3-5177-0P	RD-3-5177-0P
RD3-5178-0P	RD-3-5178-0P
RD3-5277-0P	RD-3-5277-0P
RD3-5277-1P	RD-3-5277-1P
RD3-5310-1P	RD-3-5310-1P
RD3-5367-0P	RD-3-5367-0P
RD3-5390-0P	RD-3-5390-0P
RD3-5964-0P	RD-3-5964-0P
RD3-6023-1P	RD-3-6023-1P
RD3-6060-0P	RD-3-6060-0P
RD3-6401-0P	RD-3-6401-0P
RD3-6550-0P	RD-3-6550-0P
RD3-7822-0P	71R8310
RD3-7838-1P	RD-3-7838-1P
RD3-8226-0P	RD-3-8226-0P
RD3-8999-0P	RD-3-8999-0P
RD3-9157-0P	RD-3-9157-0P
RD4199-0P	RD-4199-0P
RD4221-0M	RD-4221-0M
RD4222-0M	RD-4222-0M
RD4257-0P	72R5050
RD4-3804-0P	RD-4-3804-0P
RD4-3882-0P	RD-4-3882-0P
RD4-3882-3P	RD-4-3882-3P
RD4-3883-1P	RD-4-3883-1P
RD4-4161-0P	77R0900
RD4427-17P	71R3200
RD4427-24P	71R3100
RD4-4313-1P	RD-4-4313-1P
RD4-4747-0P	RD-4-4747-0P
RD4-5041-0P	RD-4-5041-0P
RD4-5135-0P	RD-4-5135-0P
RD4-5341-0P	RD-4-5341-0P
RD4-5370-0P	RD-4-5370-0P
RD4-5370-1P	RD-4-5370-1P
RD500600	72R1502
RD5-10070-0P	73R0142
RD5-10777-0P	74R2616
RD5-11113-0P	79R1255
RD5-11595-0P	RD-5-11595-0P
RD5-12742-0P	RD-5-12742-0P
RD5-12742-24P	RD-5-12742-24P
RD5-3646-0P	71R1150
RD5-3647-0P	71R1450
RD5-3764-0M	RD-5-3764-0M
RD5-3781-1P	RD-5-3781-1P
RD-53827-0P	72R0220
RD5-3827-4P	72R0240
RD5-3827-6P	72R0260

PACCAR	
RD5-3827-8P	RD-5-3827-8P
RD5-3849-0P	RD-5-3849-0P
RD5-3855-1P	RD-5-3855-1P
RD5-3860-5P	RD-5-3860-5P
RD5-3894-2P	RD-5-3894-2P
RD5-3928-2P	RD-5-3928-2P
RD5-3933-0P	73R7101
RD5-4089-0M	RD-5-4089-0M
RD5-4097-0P	RD-5-4097-0P
RD5-4195-0P	RD-5-4195-0P
RD5-4265-0P	RD-5-4265-0P
RD5-4453-0P	RD-5-4453-0P
RD5-4475-0P	72R0050
RD5-4487-0P	RD-5-4487-0P
RD5-4527-0P	70R2201
RD5-4531-24P	71R3200
RD5-4611-0P	RD-5-4611-0P
RD5-4624-1P	RD-5-4624-1P
RD5-4636-0P	RD-5-4636-0P
RD5-4680-0-GRNP	RD-5-4680-0-GRNP
RD5-4680-0-REDP	RD-5-4680-0-REDP
RD5-4694-0P	71R0450
RD5-4800-0P	72R6400
RD5-4825-11P	RD-5-4825-11P
RD5-4825-15P	RD-5-4825-15P
RD5-4825-23P	RD-5-4825-23P
RD5-4923-0P	72R5040
RD5-5119-0P	72R5060
RD5-5138-0P	72R6420
RD5-5223-2P	RD-5-5223-2P
RD5-5233-0P	RD-5-5233-0P
RD5-5233-1P	RD-5-5233-1P
RD5-5234-0M	RD-5-5234-0M
RD5-5374-0P	RD-5-5374-0P
RD5-5381-0M	RD-5-5381-0M
RD5-5402-0P	RD-5-5402-0P
RD5-5423-0P	RD-5-5423-0P
RD5-5450-0P	RD-5-5450-0P
RD5-5452-0P	RD-5-5452-0P
RD5-5495-0P	72R5260
RD5-5502-0M	RD-5-5502-0M
RD5-5505-33P	RD-5-5505-33P
RD5-5505-62.50P	RD-5-5505-62.50P
RD5-5510-0P	RD-5-5510-0P
RD5-5538-0P	72R0070
RD5-5571-0P	74R1806
RD5-5721-0P	72R0600
RD5-5721-1P	72R0190
RD5-5965-0P	RD-5-5965-0P
RD5-5973-0P	RD-5-5973-0P
RD5-6028-1P	72R1310

PACCAR	
RD5-6028-3P	RD-5-6028-3P
RD5-6028-4P	RD-5-6028-4P
RD5-6118-0P	RD-5-6118-0P
RD5-6131-0P	RD-5-6131-0P
RD5-6132-0P	RD-5-6132-0P
RD5-6205-0P	RD-5-6205-0P
RD5-6239-0P	RD-5-6239-0P
RD5-6425-0P	RD-5-6425-0P
RD5-6532-360P	RD-5-6532-360P
RD5-6694-0P	RD-5-6694-0P
RD5-6767-0P	RD-5-6767-0P
RD5-6799-0P	RD-5-6799-0P
RD5-6874-0P	RD-5-6874-0P
RD5-7024-0P	RD-5-7024-0P
RD5-7064-0P	74R0460
RD5-7178-0P	RD-5-7178-0P
RD5-8002-0	RD-5-8002-0M
RD5-8220-0	71R6180
RD5-8310-32	RD-5-8310-32P
RD5-8412-0	RD-5-8412-0P
RD5-8424-0	RD-5-8424-0P
RD5-8436-0	72R3120
RD5-8509-0	71R0892
RD5-8526-0	73R5512
RD5-8572-0	RD-5-8572-0P
RD5-8622-0	RD-5-8622-0P
RD5-8631-3	73R8584
RD5-8747-1	RD-5-8747-1P
RD5-8762-0	RD-5-8762-0P
RD5-8772-0	70R6506
RD5-8774-0	70R6501
RD5-8785-2	73R8592
RD5-8804-2	RD-5-8804-2P
RD5-9001-2	RD-5-9001-2P
RD5-9003-0	RD-5-9003-0P
RD5-9003-1	RD-5-9003-1P
RD5-9003-3	RD-5-9003-3P
RD5-9013-0	RD-5-9013-0P
RD5-9513-0	71R8380
RD5-9556-0	74R5060
RD5-9900-96P	79R0100
RD6-4662-0P	RD-6-4662-0P
RD6-4698-0P	RD-6-4698-0P
RD6-4726-0P	RD-6-4726-0P
RD6-4797-1P	RD-6-4797-1P
RD6-4830-0P	RD-6-4830-0P
SR2000019	76R2500
SR2000049	78R5420M
SR2000057	78R5308
SR2000060	76R3250
V3695D01	77R8330

PACCAR	
W2073001	71R8455
Z9206001	77R8495

PETERBILT	
38011268	77R0710
18-04454	77R0710
F31-6097	77R0710

QUE	
QP15-1152	75R8612A
QP15-1153	75R8614A
QP15-1154	75R8544A
QP15-1157	75R90742A
QP15-1160	75R90752A
QP15-1163	75R90764A
QP15-1166	75R8532A
QP15-1168	75R85032A
QP15-1171	75R8702A
QP15-1172	75R90722A
QP15-1178	75R90732A
QP15-1266	75R86132A
QP15-1333	75R90784A
QP15-1335	75R90792A
QP15-1455	75R90802A
QP15-1479	75R8542A
QP15-1510	75R90814A
QP15-1526	75R90774A
QP16-1180	75R8712A
QP16-1181	75R90914A
QP16-1182	75R90854A
QP16-1183	75R90902A
QP16-1184	75R90922A
QP16-1185	75R90822A
QP16-1186	75R86202A
QP16-1189	75R90834A
QP16-1195	75R8822A
QP16-1196	75R90842A
QP16-1197	75R90862A
QP16-1198	75R90882A
QP16-1199	75R90894A
QP16-1201	75R90872A
QP16-1204	75R91112A
QP16-1206	75R89782A
QP16-1641	75R91002A
QP16-1687	75R90992A
QP21-1562	75R86142A
QP21-1563	75R86144A
QP21-1564	75R861522A
QP21-1565	75R86324A
QP21-1657	75R86322A
QP21-1700	75R89592A

QUE	
QP21-1713	75R90934A
QP25-2230	75R91192Q
QP25-2667	75R91184Q
QP25-2668	75R91194Q
QP25-2691	75R91182Q
QP31-1161	75R90962A
QP31-1209	75R8672A
QP31-1210	75R90944A
QP31-1213	75R8682A
QP31-1214	75R8684A
QP31-1358	75R90974A
QP31-1702	75R90952A
QP7H15-4546	75R84302Q
QP7H15-4735	RD-5-15514-0P
QP7H15-4815	75R84302Q

REDMOND	
PE2020Q	73R0552
PE2075Q	RD-5-4387-0P
PE2425Q	73R0652
PE2480Q	73R0552
PE2525Q	73R0652
PF23058Q	73R4062
PF24171Q	73R0012
PF2425Q	73R0652
PF2480Q	73R0552
PF2608Q	73R0602
PF2610Q	73R4162
PF26122Q	73R4182
PF26126Q	73R4162
PF26137Q	73R0442
PF2615Q	73R4182
PF2624Q	RD-5-4387-0P
PF2625Q	73R0092
PF2628Q	73R0652
PF2638Q	73R4182
PF2644Q	73R0402
PF2645Q	73R0402
PF2646Q	73R4182
PF27001Q	73R4532
PF27069Q	73R0612
PF2716Q	73R0522
PF2770Q	73R4182
PF2809Q	73R4254
PF28111Q	73R4602
PF28153Q	73R4532
PF28157Q	73R0092
PF2847Q	73R0532
PF2865R	73R4504
PH24022Q	73R0512
PH24027Q	73R0432

REDMOND	
PH24029Q	73R0962
PH24034Q	73R1002
PH24044Q	73R4204
PH26014Q	73R0532
PH28005R	73R4424
PJ2410Q	73R0622
PV23113Q	73R4182
PV24103Q	73R0332
PV24171Q	73R0012
PV2421Q	73R0522
PV2445Q	73R0404
PV2456Q	73R4202
PV2475Q	73R0332
PV26122Q	73R4182
PV2644Q	73R0402
PV28105R	73R4274
PV28109Q	73R4602
PV28110Q	73R4602
PV2811Q	73R4602
PV2870Q	73R4602

SANDEN	
491	75R81372
4010	75R83132
4010	75R90252
4018	75R90262
4019	75R89792
4023	75R89122A
4024	75R90284
4039	75R84292
4040	75R81632
4047	75R89132A
4075	75R82312
4076	75R89222A
4077	75R89502
4078	75R89532
4080	75R89492
4081	75R89652
4082	75R89212A
4083	75R89942
4086	75R90312
4087	75R90322A
4087	75R90322
4090	75R89662
4091	75R90332
4096	75R90352
4099	75R89102A
4103	75R90362
4119	75R89612
4120	75R89822A
4120	75R89712

SANDEN	
4142	75R90372
4148	75R91202
4149	75R90384
4261	75R89962
4270	RD-5-16208-0P
4271	75R8384
4280	75R90412
4285	75R89822A
4286	75R89812Q
4295	RD-5-14668-0P
4300	75R81104
4301	75R81114
4302	75R81134
4303	75R81152
4304	75R81162
4305	75R81172
4306	75R84632
4307	75R91172
4314	75R89852
4321	75R84622
4326	75R9612
4327	75R89304
4334	75R89972
4342	75R90602
4347	75R9622
4355	75R90444
4362	75R89982
4370	75R89532
4378	75R89192A
4379	75R90322A
4382	75R90452
4386	75R90462
4386	75R90462
4391	75R89662
4398	75R89652
4405	RD-5-15732-0P
4407	75R90472
4408	407995
4409	75R84684
4417	75R81302
4418	75R89752
4419	75R89462
4420	75R89302
4421	75R84232
4422	75R81152
4429	75R81212
4430	75R81232
4431	75R81262
4434	75R89422
4435	75R89424
4440	75R89832

SANDEN	
4464	75R8382
4467	75R84472
4468	75R81184
4469	75R81192
4470	75R81202
4471	75R84172
4472	75R81212
4473	75R81232
4474	75R81252
4475	75R84212
4476	75R81262
4477	75R81262
4478	75R84112
4479	75R81274
4480	75R81492
4482	75R84232
4484	75R84312
4485	75R81302
4487	75R84594
4488	75R84182
4489	75R84114
4490	75R81762
4491	75R84192
4492	75R81352
4493	75R81362
4494	75R81372
4497	75R84132
4498	75R81402
4499	75R81412
4506	75R8384
4507	75R8384
4508	75R83152
4509	75R8382
4510	75R8382
4511	75R8252
4513	75R8312
4515	75R8372
4516	75R8374
4536	75R8332
4537	75R8354
4543	75R89212A
4544	75R91142
4546	75R84302
4549	75R89222A
4570	75R90482
4577	75R89842
4590	RD-5-13409-0P
4595	75R90502
4596	75R84592
4602	75R81202
4603	75R81192

Convert Other Part Numbers to Red Dot Aftermarket Numbers

SANDEN	
4604	75R81184
4608	75R84592
4609	75R84112
4617	75R84532
4618	75R83132
4626	75R8432
4627	75R8422
4628	75R84512
4639	75R84492
4640	75R81274
4641	75R84562
4643	75R84552
4644	75R8382
4645	75R81452
4646	75R81462
4647	75R89872
4652	75R8424
4653	75R90042
4659	75R84482
4660	75R81482
4661	75R81492
4663	75R81692
4664	75R8382
4665	75R84572
4666	75R84472
4667	75R81502
4672	75R81512
4673	75R90062
4687	75R84152
4694	75R84362
4696	75R8772
4698	75R90522
4699	75R81532
4700	75R81682
4704	75R84132
4705	75R90532
4706	75R90072
4707	75R90082
4708	75R90092
4709	75R81552
4711	75R8462
4712	75R84662
4715	75R84382
4716	75R81762
4717	75R81652
4718	75R81172
4718	75R81392
4720	75R89762
4726	75R84594
4731	75R84292
4733	75R81362

SANDEN	
4734	75R81262
4735	75R84172
4736	75R84182
4738	75R90112
4739	75R81562
4740	75R84312
4741	75R90124
4743	75R90134
4744	75R90144
4745	75R8454
4752	75R84192
4756	75R84212
4757	75R81372
4761	75R89632Q
4762	75R8464
4766	75R90152
4767	75R81152
4768	75R81412
4769	75R81114
4776	75R84232
4777	75R81652
4778	75R84382
4779	75R81692
4780	75R81672
4795	75R81104
4800	75R90162
4803	75R90572
4805	75R90172
4806	75R81402
4810	75R84352
4813	75R81402
4815	75R84302
4816	75R91142
4818	75R84252
4820	75R81612
4822	75R84622
4823	75R84452
4840	75R81134
4860	75R89312
4862	75R89334
4864	75R89352
4866	75R89354
4867	75R89354
4868	75R89372
4870	75R89374
4871	75R89384
4872	75R89392
4876	75R89412
4877	75R89474
4881	75R89484
4883	75R81622

SANDEN	
4890	75R84382
4891	75R81372
4893	75R81652
4894	75R81672
4895	75R81682
4896	75R81692
4897	RD-5-14692-0P
4919	75R81372
4945	75R89842
5072	75R82102
6034	75R90684
6035	75R90644
6321	75R90652
6451	75R85654
6626	75R8382
6627	75R8384
6631	75R8312
6634	75R8354
6656	75R83152
6661	75R8384
6664	75R8382
6665	75R8384
6671	75R8252
6672	75R8374
6673	75R8372
6674	75R90182
6676	75R8332
7170	75R90202
7176	75R90212
7304	75R90662
7312	75R90672
7731	75R81252
7739	75R81202
7803	75R83112
7804	75R81252
7819	75R8442
7860	75R8384
7866	75R8384
7867	75R8382
7888	75R8384
8017	75R8384
8018	75R8382
8023	75R8332
8024	75R8382
8030	75R8332
8031	75R8382
8042	75R8384
8045	RD-5-13208-0P
8077	75R8384
8088	75R90232
8104	75R84492

SANDEN	
8105	75R84512
8107	75R81184
8108	75R84592
8109	75R81274
8112	75R90684
8126	75R8384
8144	75R89744
8163	75R8384
8233	75R90694
8239	75R8384
8242	75R90684
8244	75R90702
9515	75R81692
4019U1	75R89792
4020U1	75R89882
4023U1	75R90272
4025U1	75R90292
4033U1	75R90302
4095U1	75R90344
4117U	75R89702
4250U1	75R90394
4277U1	75R90402
4285U1	75R89712
4286U1	75R89702
4290U1	75R90422
4314U1	75R89852
4325U1	75R90434
4417-9931	75R1842
4419-9931	75R1532
4424-9931	75R1532
4426-9931	75R1532
4427-9931	75R1432
4506-9920	75R5104
4584U1	75R90492
4601-9931	75R1542
4611-9931	75R0194
4645-9931	75R0052
4651U1	75R90514
4660-9931	75R1862
4667-9931	75R1842
4695-9931	75R1532
4700-9931	75R4802
4704-9930	75R1542
4705-9931	75R1842
4734-6010	75R1432
4734-6880	75R1842
4734-9931	75R1842
4753-AFT	75R90542
4775-AFT	75R90552
4785-AFT	75R90562
4810U1	75R84352

SANDEN	
4814U1	75R90032
4814U1	75R90582
4848U1	75R90592
4848U1	75R90582
4850U1	75R90602
5350VT	75R90612
6504-6010	75R1542
6505-6010	75R1512
6506-6010	75R1512
6511-6010	75R0192
6514-6210	75R0202
6519-3210	75R0204
6519-6210	75R0204
6519-6310	75R0202
6519-6410	75R1522
6520-6010	75R0042
6522-6010	75R1862
6524-6010	75R0032
6565-6210	75R1862
6593-6010	75R1532
7731-9930	75R1432
7731-9931	75R1432
7739-9931	75R1512
7739-9935	75R1512
8515-6410	75R0202
8515-6411	75R0202
8517-6010	75R0202
8517-6014	75R0202
9033-9900	75R5005
SD5S09-5075	75R90622
SD5S09-5085	75R90632

SELTEC	
103-56282	75R90992A
435-55011	75R8612Q
435-55015	75R8614Q
435-55017	75R8544Q
435-55019	75R85932Q
435-55023	75R85632Q
435-55030	75R8542Q
435-55061	75R85734Q
435-55063	75R8532Q
435-55065	75R8632Q
435-55068	75R85832Q
435-55069	75R85732Q
435-55075	75R85032Q
435-55077	75R8552Q
435-55081	75R86134Q
435-55082	75R86152Q
435-55084	75R86162Q
435-55088	75R86172Q

SELTEC	
435-55090	75R86194Q
435-55092	75R86182Q
435-55094	75R85332Q
435-55097	75R86092Q
435-55120	75R8702Q
435-55122	75R86132Q
435-56011	75R8712Q
435-56030	75R86202Q
435-56059	75R86222Q
435-56061	75R8634Q
435-56073	75R8664Q
435-56075	75R86212Q
488-45011	75R8612Q
488-45015	75R8614Q
488-45016	75R8614Q
488-45017	75R8544Q
488-45018	75R8612Q
488-45019	75R85932Q
488-45021	406631
488-45023	75R85632Q
488-45030	75R8542Q
488-45061	75R85734Q
488-45063	75R8532Q
488-45065	75R8632Q
488-45068	75R85832Q
488-45069	75R85732Q
488-45073	75R85714Q
488-45075	75R85032Q
488-45077	75R8552Q
488-45081	75R86134Q
488-45082	75R86152Q
488-45084	75R86162Q
488-45088	75R86172Q
488-45090	75R86194Q
488-45092	75R86182Q
488-45094	75R85332Q
488-45097	75R86092Q
488-45120	75R8702Q
488-45122	75R86132Q
488-46011	75R8712Q
488-46021	75R90822A
488-46030	75R86202Q
488-46059	75R86222Q
488-46061	75R8634Q
488-46073	75R8664Q
488-46075	75R86212Q
488-46234	75R89782Q
488-46500	75R8672Q
488-47240	75R861522Q
488-47240	75R861522A
488-47244	75R86142Q

SELTEC	
488-47246	75R86144Q
524-19718	75R0182
524-19721	75R1412
624-19709	75R0072
624-19718	75R0182
624-19719	75R1412
624-19720	75R1414
624-19723	75R0274
624-19724	75R0172
624-19725	75R0252
624-19732	75R0082
624-19740	75R1212
624-19749	75R0262
624-19751	75R0092

SIEMENS	
PM125	73R2102
PM205	73R2152
PM206	73R2242
PM215	73R2112
PM224	73R2202
PM240	73R2202
PM260	73R2132
PM321	73R0552
PM322	73R0602
PM3300	RD-5-4387-0P
PM3306	73R0962
PM3311	73R0322
PM3312	73R0012
PM3318	73R0542
PM3341LL	73R3002
PM3345LL	73R3062
PM341	73R0652
PM342	73R0702
PM3450	73R0402
PM351	73R0212
PM3510	73R4182
PM3515	73R4602
PM3516	73R4202
PM3518	73R4322
PM354	73R0092
PM357	RD-5-4387-0P
PM3604	73R0532
PM3606	73R2262
PM3617	73R0522
PM3625	73R0092
PM3634	73R0402
PM3650	73R0522
PM3651	73R0522
PM367	73R0104
PM368	73R0522

SIEMENS	
PM3692	73R0422
PM3694	73R0432
PM370	73R0652
PM372	73R0702
PM373	73R0404
PM385	73R4062
PM389	73R4162
PM393	73R4102
PM769	73R1052

SPAL	
17100137	RD-5-12721-0P
20601001	RD-5-13373-0P
20601006	RD-5-11202-0P
20602000	RD-5-12636-0P
20602009	71R1405
20604003	71R1404
20604004	71R1402
20604005	71R1403
20604006	71R1401
20604010	RD-5-13236-0P
20609005	RD-5-10641-0P
20609009	RD-5-12337-0P
20900002	72R3135
20900003	RD-5-12009-0P
20900018	72R3130
20900019	72R3140
30000065	73R5624
30000075	73R5554
30000076	RD-5-9204-3P
30000125	RD-5-9204-2P
30000126	73R5622
30000185	RD-5-14943-0P
30000452	73R5642
30000454	RD-5-8838-1P
30000455	73R5754
30000463	73R5532
30000464	73R5534
30000525	RD-5-11019-0P
30000555	RD-5-11949-0P
30000556	RD-5-13372-0P
30000559	RD-5-12801-0P
30000560	RD-5-11977-0P
30000575	RD-5-13085-0P
30000576	RD-5-13607-0P
30001004	RD-5-14889-0P
30002100	RD-5-12673-0P
30002106	RD-5-10642-1P
30002163	RD-5-10642-0P
30002164	RD-5-11893-0P
30002170	RD-5-10918-1P

Convert Other Part Numbers to Red Dot Aftermarket Numbers

SPAL	
30002227	RD-5-13611-0P
30003100	RD-5-8837-2P
30003115	73R5524
30003143	RD-5-12014-0P
30003150	RD-5-12195-0P
30003150	RD-5-12195-0P
30003151	RD-5-12195-1P
30003152	RD-5-12358-0P
30003153	RD-5-12014-1P
30003156	RD-5-12458-0P
30003161	73R5522
30003167	73R5524
30003177	RD-5-14171-0P
30003524	RD-5-11954-0P
30003528	73R5744
30005001	RD-5-11706-0P
30005002	RD-5-13387-0P
30005005	RD-5-13624-0P
30005007	RD-5-13095-0P
30006704	73R5622
30006706	73R5554
30007017	RD-5-14115-0P
30100167	RD-5-8816-24P
30100320	RD-5-10010-0P
30100336	RD-5-14281-0P
30100344	RD-5-9001-1P
30100350	RD-5-8631-1P
30100358	RD-5-9321-1P
30100364	RD-5-8627-0P
30100375	RD-5-8631-0P
30100392	RD-5-9001-0P
30100393	RD-5-8759-0P
30100435	RD-5-8703-1P
30100455	RD-5-8703-1P
30100456	RD-5-11597-0P
30100465	RD-5-8627-1P
30100520	RD-5-9018-0P
30100526	RD-5-9018-1P
30100588	RD-5-10815-0P
30100608	RD-5-10930-0P
30100633	RD-5-11790-0P
30100644	RD-5-13511-0P
30100646	RD-5-12218-0P
30100657	RD-5-12404-0P
30100658	RD-5-12404-1P
30101509	RD-5-12063-0P
30101516	RD-5-8785-0P
30101539	RD-5-12063-1P
30101823	RD-5-8785-1P
30101837	RD-5-12683-0P
30101838	RD-5-12790-0P

SPAL	
30102025	RD-5-9076-0P
30102038	RD-5-8747-0P
30102048	RD-5-13593-0P
30102049	RD-5-11897-0P
30102051	RD-5-13259-0P
30102081	RD-5-14425-0P
30102540	RD-5-13739-0P
30102544	RD-5-11931-0P
30102545	RD-5-8747-3P
30102546	RD-5-9076-1P
30102554	73R8624
30102557	RD-5-12174-1P
30102571	RD-5-12599-0P
30102638	RD-5-13425-0P
30102673	RD-5-14365-0P
30102679	RD-5-14364-0P
30102680	RD-5-14297-0P
30102681	RD-5-13891-0P
30104044	RD-5-12428-0P
30107005	RD-5-13595-0P
30107049	RD-5-14038-0P
30130014	RD-5-10026-0P
30130017	RD-5-8636-0P
006-A39-22	73R5622
006-A40-22	73R5552
006-A54-22	RD-5-10642-1P
006-A54-22RA	RD-5-10642-0P
006-B39-22	73R5624
006-B40-22	73R5554
007-B56-32D	RD-5-12694-0P
008-A37/C-42D	73R5522
008-A45-02	73R5642
008-A54/VLL-02RP	RD-5-12458-0P
008-A54-02RA	RD-5-12014-0P
008-B45-02	73R5534
009-A22-26D	RD-5-11019-0P
009-A70-74D	RD-5-12801-0P
010-A70-74D	RD-5-11954-0P
011-B54-22	RD-5-12693-0P
014-BP76/LL-22	RD-5-11706-0P
20900018R	72R3130
20900019R	72R3140
VA01-AP70/LL-36S	RD-5-9076-0P
VA01-BP70/LL-36S	RD-5-9076-1P
VA02-AP70-40A	RD-5-12566-0P
VA03-BP50	RD-5-12790-0P
VA07-AP12/C-31A	RD-5-9001-0P
VA07-BP7/C-31A	RD-5-9001-1P
VA08-AP51/C-23	RD-5-12063-0P
VA09-AP12/C/I-2	RD-5-12404-0P
VA09-AP12/C-54A	RD-5-9018-0P

SPAL	
VA09-AP8/C-27A	RD-5-8627-0P
VA09-BP12/C/I-2	RD-5-12404-1P
VA09-BP12/C-54A	RD-5-9018-1P
VA10-AP9/C-25A	RD-5-8631-0P
VA10-APG/61A	RD-5-9056-0P
VA10-BP9/C-25A	73R8584
VA10-BPI-61A	RD-5-9057-0P
VA11-AP7/C-57A	RD-5-8703-0P
VA11-AP7/C-57S	RD-5-10815-0P
VA11-BP12/C-52A	RD-5-8703-1P
VA11-BP12/C-59	RD-5-11597-0P
VA14-AP7/C-34A	RD-5-9321-0P
VA14-AP7/C-34S	RD-5-8759-0P
VA15-BP70/LL	RD-5-11931-0P
VA15-BP70/LL-39	RD-5-12174-1P
VA18-AP51/C-41A	RD-5-8785-0P
VA18-AP71/LL-59A	RD-5-11897-1P
VA18-BP51/C-4	RD-5-8783-3P
VA18-BP71/VLL/M/I	RD-5-12428-0P

TCCI	
14192	75R0422
14304	75R0512
332334	75R4502
024-21590	75R0422
024-25244	75R0502
024-25410	75R0612
2035274C1	75R1342
23100S	75R0512
4424-9931	75R4812
ER209L-25195	75R7280
ER210L-20300	75R7280
ER210L-21001	75R7280
ER210L-21237	RD-5-8060-3P
ER210L-21549	75R7280
ER210L-21562	75R7280
ER210L-21569	75R7280
ER210L-21570	75R7280
ER210L-21573C	75R7280
ER210L-21907	75R7280
ER210L-25062	75R7280
ER210L-25149	75R7280
ER210L-25197	75R7280
ER210L-25427	75R7295
ES210L-25334	75R7300
ES210L-25334C	75R7300
ES210L-25338C	RD-5-14051-0P
ET209L-25184	75R7290
ET210L-21097	75R7290
ET210L-21160	75R7290
ET210L-21887C	75R7312

TCCI	
ET210L-21909	75R7290
ET210L-25007C	75R7312
ET210L-25053	75R7312
ET210L-25053C	75R7312
ET210L-25061	75R7290
ET210L-25063	75R7290
ET210L-25073C	75R7312
ET210L-25150	RD-5-8638-0P
ET210L-25182C	75R7362
ET210L-25186	75R7290
ET210L-25219C	75R7322
ET210L-25236C	75R7322
ET210L-25237C	75R7322
ET210L-25240C	75R7372
ET210L-25245C	75R7332
ET210L-25246C	75R7332
ET210L-25248C	75R7312
ET210L-25404C	75R7362
ET210L-25405C	75R7342
ET210L-25406C	75R7352
ET210L-25407C	75R7312
ET210L-25428	75R7295
ET210L-25428C	75R7295
L50-2409	75R0302
L50-2731	75R1652
MA N03	75R0612
MA N05	75R0662
MA-6A	75R4734
MA-6A-24	75R4734
MA-6AR	75R1202
MA-6AX	75R1202
MA75CCI	75R0682
MA-75CCI	75R0682
MA-7A	75R4502
MA-7A-24	75R4534
MA-84CCI	75R0502
MA84CCI208	75R0502
MAE-06A	75R1302
MAE-06A210	75R1302
MAE-6AR	75R1202
MAE-MG01	75R0682
MAE-MG07	75R0522
MAM-13	75R0402
MAM-13402	75R0402
MAN-03	75R0612
MAN-030S	75R0522
MAN-03D	75R0612
MA-N03D	75R0612
MAN-05	75R0662
MA-N05	75R0662
MAN-06	75R1342

TCCI	
MA-N06D	75R1342
MS-6A	75R0452
MS-6A2	75R4734
T210L-21160	75R7295A

THOMAS BUILT	
6600509	73R0142
85660643	78R5251
85660681	73R0032
2606-2365	73R0552
2606-5366	73R0142
5200-3268	73R9062
6500-0439	73R0652
8566-0007	73R4182
8566-0009	73R4312
8566-0050	73R7130
8566-0102	73R4182
8566-0125	71R1457
8566-0226	73R0012
8566-0227	73R0642
8566-0297	73R4422
8566-0378	73R0142
8566-0447	73R4322
ABP N83 301051	73R0552
ABP N83 301222	73R4312
BSM301252	73R4182

TRANS/AIR	
101300	73R0142
101312	74R4225
111051	71R2250
112019	71R1704
113006	71R1165
210019	71R8321
210035	71R8400
212006	74R4227
212010	74R0485
212015	74R4227
212021	74R0480
216074	71R8487
311006	78R0456SP
311007	78R0458SP
311008	78R0451SP
311009	78R0452SP
311020	78R8458SP
311021	78R8451SP
311022	78R8452SP
313042	70R4698
313349	70R8798
313353	70R8271
313354	70R8272

TRANS/AIR	
313356	70R8698
313358	70R8791
313392	70R8786
313393	70R8781
412032	73R5692
412050	73R5702
512008	75R8122
512041	75R8102
512047	75R8122
512059	75R81512
512068	75R8442
512073	75R8112
512074	75R8442
512078	75R8442
512080	75R8382
512083	75R86172Q
512085	75R81512
512087	75R86172Q
512088	75R86172Q
512089	75R84512
512093	75R8142
512095	75R8142
512097	75R84512
512108	75R81462
512126	75R8112
512145	75R8152
512149	75R8672Q
512208	75R86142Q
512219	75R86144Q
512226	75R89302
512242	75R89592Q
512265	75R86142Q
2112010	74R0485
2160080	RD-5-8705-0P
2160083	73R8752
2160088	73R8762
2160089	73R8752
BLW-200-41	73R5772

TRIPAC	
616630	74R4208
20150112	74R4208
102-580	75R86132Q
41-6844	71R3160
41-6845	71R4511
41-7020	71R7050
41-7509	71R6280
61-3316	74R2586
61-3413	71R8301
61-3552	74R4208
61-6630	74R4208

TRIPAC	
67-2145	77R8370
67-2363	77R8370
67-2494	77R8370
78-1537	73R5532
78-1560	73R8582
925-028	74R7210

TRUCK AIR	
01-2000	73R4162
01-2002	73R0404
01-2004	73R0102
01-2005	73R0104
12-2011	71R8500
01-2012	73R4062
01-2014	73R4182
01-2015	73R0922
11-2015	71R6300
01-2016	73R2202
11-2016	71R6230
11-2018	71R6020
01-2020	73R4312
01-2021	73R0522
11-2023	71R6140
11-2027	71R6070
11-2028	71R6030
11-2033	71R1610
02-2034	75R0182
11-2039	71R0460
120416	71R8504
04-2478	77R8390
09-2512	78R0070
11-2600	71R0050
01-2601	73R0604
05-2601	76R7100
11-2601	71R0100
01-2602	73R0454
04-2602	77R6800
10-2602	72R6400
11-2602	71R0500
05-2603	76R5500
07-2603	74R2106
07-2604	74R1756
11-2604	71R0600
11-2605	71R0250
11-2606	71R0650
01-2607	73R4504
11-2607	71R0700
01-2608	73R4322
11-2608	71R0150
01-2609	73R0322
04-2609	77R6900

TRUCK AIR	
11-2609	71R0300
01-2610	73R0422
07-2610	74R1956
11-2610	71R0400
01-2611	73R0432
07-2611	74R1906
11-2611	71R1150
01-2612	73R0462
07-2613	74R2586
11-2613	71R1450
01-2614	73R4252
02-2614	76R5000
05-2614	76R5000
07-2614	74R2596
01-2615	73R0962
01-2616	73R0542
05-2616	76R6700
07-2616	74R1806
01-2617	73R0512
05-2617	76R6950
05-2618	76R7700
07-2618	74R1856
10-2618	72R6420
05-2619	76R6310
10-2619	72R5200
05-2620	76R6350
10-2620	72R5210
05-2621	76R6850
05-2622	76R6180
10-2622	72R5270
05-2623	76R6500
10-2623	72R5260
10-2624	72R5270
11-2624	71R7550
11-2625	71R7500
05-2626	76R6120
10-2626	72R5220
05-2627	76R6150
10-2627	72R5230
11-2627	71R7650
10-2628	72R5240
11-2628	71R7600
04-2629	77R8200
10-2629	72R5250
05-2630	76R7520
10-2630	72R5280
11-2630	71R7050
11-2631	71R7000
04-2632	77R7900
04-2633	77R5910
05-2633	76R7510

Convert Other Part Numbers to Red Dot Aftermarket Numbers

TRUCK AIR	
04-2634	77R7800
04-2635	77R8100
05-2635	76R7010
04-2636	77R0650
11-2637	71R1510
11-2638	71R1510
04-2639	77R0800
11-2641	71R1900
11-2642	71R6080
04-2644	77R0350
11-2644	71R0470
11-2645	71R1310
11-2648	71R1654
10-2650	76R2600
10-2651	76R3400
10-2652	76R3450
11-2652	71R6120
11-2653	71R6130
11-2654	71R6140
10-2655	76R2300
11-2655	71R6170
10-2656	76R3900
11-2656	71R6180
11-2657	71R6160
10-2658	76R2210
10-2659	76R3250
04-2660	77R0500
10-2660	76R2320
11-2660	71R1802
10-2661	76R2400
04-2662	77R5250
10-2662	76R2350
10-2664	76R2340
04-2665	77R0700
10-2665	76R2300
10-2666	76R3930
10-2667	76R4000
04-2668	77R0250
10-2668	76R3300
10-2669	76R3460
04-2671	77R0900
04-2672	77R0620
04-2673	77R0660
11-2682	71R0040
11-2685	71R1520
10-3000	72R5040
01-3001	73R4102
02-3001	75R0452
10-3001	72R5050
02-3002	75R1202
10-3002	72R5070

TRUCK AIR	
11-3002	71R1722
02-3004	75R2402
11-3004	71R1704
01-3005	73R0202
11-3005	71R1902
10-3006	72R5060
11-3006	71R1904
02-3007	75R1652
01-3008	73R0552
01-3009	73R0602
08-3009	70R3006
11-3010	71R6050
01-3011	73R0402
04-3011	77R9010
11-3012	71R6100
11-3013	71R6300
12-3013	71R8050
01-3014	73R9052
12-3016	71R9002
01-3017	73R9052
12-3017	71R8100
01-3019	73R0352
12-3020	71R8210
01-3023	73R0352
12-3023	71R8400
10-3025	70R7310
12-3025	71R8080
02-3026	75R0302
01-3032	73R4252
01-3033	73R4254
01-3034	73R4202
02-3034	75R0172
12-3034	71R8210
01-3035	73R4204
02-3039	75R0182
02-3047	75R0274
01-3050	73R9062
02-3050	75R4534
10-3050	72R5500
11-3050	71R1150
01-3051	73R9054
03-3051	75R6000
01-3052	73R9052
11-3052	71R1200
08-3053	75R5718
11-3053	71R1210
08-3054	75R5711
10-3055	72R5600
11-3055	71R0550
11-3056	71R0200
02-3058	75R0082

TRUCK AIR	
02-3063	75R0192
02-3064	75R0202
02-3065	75R0202
02-3067	75R0204
08-3069	70R3008
08-3070	75R5700
11-3075	71R2300
08-3076	75R5700
11-3076	71R2250
02-3078	75R0042
11-3078	71R2310
02-3079	75R0042
11-3079	71R2600
02-3080	75R5005
08-3084	75R5575
11-3084	71R3100
11-3085	71R2100
11-3086	71R2400
11-3091	71R2700
11-3093	71R2800
11-3094	71R3200
07-3095	70R3500
11-3095	71R2600
02-3097	75R5102
07-3097	70R3550
08-3097	70R3550
02-3098	75R5104
07-3098	70R3590
07-3099	70R3530
08-3099	70R3001
02-3101	75R5200
06-3111	73R4424
08-3139	75R5668
08-3140	75R5661
08-3151	75R5658
09-3302	70R5708
09-3303	70R5701
09-3304	70R5770
09-3312	74R7220
02-3402	75R1202
03-3402	75R7290
03-3405	75R8382
03-3409	75R8384
03-3410	75R8252
02-3412	75R1302
03-3415	75R8312
02-3416	75R0522
03-3416	75R8432
02-3418	75R0682
02-3419	75R0512
02-3426	75R0302

TRUCK AIR	
02-3438	75R4792
02-3440	75R0262
02-3473	75R0204
02-3475	75R0042
03-3480	75R8442
08-3481	75R5688
08-3482	75R5681
08-3483	75R5698
08-3484	75R5691
03-3485	75R8372
03-3486	75R8374
08-3487	75R5648
03-3489	75R8424
03-3490	75R8422
08-3491	75R5648
08-3492	75R5641
08-3494	75R5731
03-3646	75R8542Q
03-3784	75R8462
03-4000	75R6000
03-4001	75R6010
09-4200	78R0200
09-4250	78R0250
09-4300	78R0300
09-4350	78R0350
07-5002	74R4116
09-5012	78R0452
03-5016	75R6510
08-5057	70R5100
09-5062	78R0100
09-5066	78R0456
09-5068	78R0458
09-5070	78R0451
09-5072	78R0452
03-6536	75R8515
03-6537	75R8505
03-6538	75R8520
03-6539	75R8510
03-6547	75R8507
08-6976	70R4696
08-7002	70R1308
08-7003	70R1301
08-7011	70R1406
08-7012	70R1408
08-7013	70R1401
08-7911	70R1496
08-7913	70R1491
08-8010	70R3008
08-8036	75R5806
08-8038	75R5808
08-8040	75R5801

TRUCK AIR	
08-8057	70R5100
08-8106	70R3206
08-8108	70R3208
08-8118	70R3256
08-8130	70R2306
08-8131	70R2301
08-8132	70R2206
08-8133	70R2201
08-8401	75R5825
08-8402	75R5815
08-8412	75R5814
08-8490	75R5829
08-8491	75R5819
08-8492	75R5820
01-0200	73R2102
01-0205	73R2102
01-0401	73R2152
01-0602	73R0402
01-0608	73R5562
01-0802	73R0352
01-0810	73R2102
01-0811	73R4252
01-0812	73R0702
01-0814 / 01-0815	73R2102
01-1000	73R4182
01-1001	73R4182
01-1203	73R0912
01-1400	73R4602
01-1600	73R1052
01-1603	73R3032
02-0200	75R0202
02-0404	75R4732
02-0416	75R4702
02-0420	75R4742
02-0602	75R1532
02-0802	75R0402
02-0804	75R0612
02-0805	75R0662
02-0806	75R1342
02-1602	75R1832
03-0421	75R81252
03-0609	75R81302
03-0801	75R81192
03-0803	75R84622
03-1813	75R8184
03-1820	75R8102
03-1821	75R8102
03-3033E	75R7312
03-3333E	75R7322
03-3334E	75R7332
03-5016A	75R6510

TRUCK AIR	
03-5036A	75R6500
04-0601	77R1100
04-0605	77R8415
04-0607	77R8405
04-0610	77R8410
04-0612	77R8400
04-0620	77R8395
04-0626	77R1279
04-0815	77R8465
04-0820	77R8470
04-0822	77R7000
04-0836	77R8350
04-0842	77R8435
04-1010	77R8425
04-1203	77R0560
04-1207	77R7706
04-1209	77R1105
04-1214	77R7714
04-1411	77R0665
04-1412	76R6120
04-1415	77R6950
04-1416	77R0705
04-1417	77R1335
04-1601	77R0950
04-1603	77R8460
04-1610	77R8485
04-1611	77R8480
04-1613	77R8450
04-1839	77R8420
07-0203	74R5050
07-0206	74R5050
07-0206A	74R5050
07-0207	74R5600
07-0600	74R2706
07-0600A	74R2706
07-0601	74R1706
07-0607A	74R3331
07-0801	74R3450
07-0801A	74R3450
07-0810A	74R4016
07-0813	74R4016
07-1002	74R2706
07-1002A	74R2306
07-1003	74R2306
07-1003A	74R2306
07-1006A	74R3318
07-1202	74R1856
07-1204	74R3466
07-1401A	74R2616
07-1405A	74R5050
07-1602	74R3066

TRUCK AIR	
07-1804	74R0450
07-2603A	74R2106
07-2604A	74R1756
07-2610A	74R1956
07-2611A	74R1906
07-2613A	74R2586
07-2614A	74R2596
07-2616A	74R1806
07-3054A	74R0460
07-5002A	74R4116
07-5019A	74R1106
07-5029A	74R4116
07-5038A	74R4116
07-5040A	74R4116
07-5041A	74R0470
07-5048A	74R4116
08-3000BS	70R2016S
08-3001BS	70R2018S
08-3002BS	70R2011S
08-3003BS	70R2012S
08-3004BS	70R2036S
08-3005B	70R2038
08-3006B	70R2031
08-3010B	70R4006
08-3010BS	70R4006S
08-3011BS	70R4008S
08-3012BS	70R4001S
08-3013BS	70R4002S
08-3017B	70R2406
08-3021BS	70R2066S
08-3022B	70R2068
08-3022BS	70R2068S
08-3023B	70R2061
08-3024BS	70R2062S
08-3061B	70R4106
08-3062B	70R4108
08-3421B	70R2076
08-3421BR	70R9076S
08-3421BS	70R2076S
08-3422BR	70R9078S
08-3422BS	70R2078S
08-3423B	70R2071
08-3423BR	70R9071S
08-3423BS	70R2071S
08-3424BS	70R2072S
08-3477B	75R5721
08-3478B	75R5678
08-3479B	75R5671
08-3480B	75R5672
08-3481H	75R5688
08-3482H	75R5681

TRUCK AIR	
08-3483H	75R5698
08-3484H	75R5691
08-3491H	75R5648
08-3910BS	70R4096S
08-3912BS	70R4091S
08-3913BS	70R4092S
08-3962B	70R4198
08-3963B	70R4191
08-4071B	70R4606
08-4073B	70R4608
08-4971B	70R4696
08-5021B	70R4006
08-5051BS	70R4506S
08-5052BS	70R4508S
08-5053BS	70R4501S
08-5061BS	70R4306S
08-5062B	70R4308
08-5062BS	70R4308S
08-5063BS	70R4301S
08-5064B	70R4302S
08-5064BS	70R4302S
08-5461BS	70R4346S
08-5462BS	70R4348S
08-5463B	70R4341
08-5463BS	70R4341S
08-5464B	70R4342
08-5464BS	70R4342S
08-5951B	70R4596
08-5951BS	70R4596S
08-5952B	70R4598
08-5952BS	70R4598S
08-5953B	70R4591
08-5953BS	70R4591S
08-5961BS	70R4396S
08-5962BS	70R4398S
08-5963B	70R4391
08-5963BS	70R4391S
08-5974BS	70R4392S
08-6031BR	70R9906S
08-6032BR	70R9908S
08-6032BS	70R7008S
08-6033BR	70R9901S
08-6033BS	70R7001S
08-6034BS	70R7002S
08-6061BS	70R4406S
08-6062BS	70R4408S
08-6063BS	70R4401S
08-6064B	70R4402
08-6064BS	70R4402S
08-6071B	70R4606
08-6071BS	70R4606S

Convert Other Part Numbers to Red Dot Aftermarket Numbers

TRUCK AIR	
08-6072B	70R4608
08-6072BS	70R4608S
08-6074BS	70R4601S
08-6461B	70R4446
08-6461BS	70R4446S
08-6462B	70R4448
08-6462BS	70R4448S
08-6463BS	70R4441S
08-6464B	70R4442
08-6931B	70R6496
08-6931BR	70R9996S
08-6931BS	70R6496S
08-6932BR	70R9998S
08-6932BS	70R6598S
08-6933BR	70R9991S
08-6933BS	70R6491S
08-6937BS	70R9091S
08-6961BS	70R4496S
08-6962BS	70R4498S
08-6963BS	70R4491S
08-6964B	70R4492S
08-6973B	70R4698
08-6974BS	70R4691S
08-6975B	70R4696
08-6975BS	70R4696S
08-6985B	70R4996
08-6987B	70R4991
09-5066SP	78R0456SP
09-5068SP	78R0458SP
09-5070SP	78R0451SP
09-5072SP	78R0452SP
10-0210	72R5070
10-0820	72R5080
11-0200	71R6150
11-0226	71R1450
11-0410	71R6095
11-0611	71R6110
11-0613	71R1455
11-0615	71R6110
11-0616	71R7075
11-0617	71R6210
11-0619	71R6210
11-0620	71R3150
11-0801	71R6090
11-0812	71R6070
11-0813	71R6070
11-0814	71R0480
11-0816	71R1620
11-0817	71R6090
11-0860	71R3300
11-0861	71R3300

TRUCK AIR	
11-1050	71R3160
11-1404	71R1652
11-1405	71R6040
11-1608	71R1457
12-0211	71R8500
12-0220	71R8501
12-0410	71R8503
12-0411	71R8350
12-0412A	71R8210
12-0415	71R8505
12-0620A	71R8455
12-0626A	71R8485
12-0800A	71R8050
12-0801	71R8100
12-0801A	71R8100
12-0804	71R8420
12-1600A	71R8210
12-1601	71R8210
12-2012A	71R8301
12-3013A	71R8050
12-3016A	71R9002
12-3017A	71R8100
12-3020A	71R8210
12-3023A	71R8400
12-3024A	71R8310
12-3025A	71R8080
12-3028A	71R8430
15-3201	79R1505
15-3205	79R1502
15-3216	79R1503
15-3231	79R1525
15-3237	79R1520
15-3246	79R9516
15-3248	79R9518
16-3007	79R4400
16-3042	75R5834
16-3145	75R5560
16-3146	75R5570
16-3147	70R5125
16-3400	79R0330
16-3443	75R5565
16-4006	70R5056
16-4008	70R5058
16-4010	70R5051
16-4018	75R5520
16-4104	70R5057
16-4106	70R5056
16-4108	70R5058
16-4110	70R5051
16-4112	70R5052
16-4140	70R5000

TRUCK AIR	
16-6011	79R4600
16-6013	79R4605
17-3000	79R4550
17-3416	79R4580
17-3422	79R4580
17-4001	79R4655
18-1423	78R5450
18-1613	78R5242
18-2010	73R8110
18-2600	73R6051
18-2602	73R6151
18-2606	73R8050
18-2608	73R6251
18-2611	73R6300
18-2612	73R6350
18-2613	73R7151
18-2614	73R7101
18-2615	73R7000
18-2616	73R6230
18-2617	73R6370
18-2619	73R7071
18-2622	73R7200
18-2640	72R3110
18-2641	72R3100
18-2642	72R3200
18-2643	72R3050
18-2644	72R2500
18-2645	72R2300
18-2647	72R2140
18-2649	72R2130
18-2660	71R4050
18-2662	71R4040
18-2663	71R4030
18-2690	78R5200
18-2691	78R5210
18-2692	78R5300
18-2694	78R5320
18-3000	73R7130
18-3029	72R8200
18-3036	72R8250
18-3038	72R7600
18-3067	72R8315
18-3075	72R8400
18-3076	72R7700
18-5001	75R6040
19-2600	72R0200
19-2601	72R1100
19-2603	72R1502
19-2604	72R1504
19-2605	72R0050
19-2606	72R0240

TRUCK AIR	
19-2607	72R1200
19-2608	72R0070
19-2609	72R0500
19-2610	72R1210
19-2618	72R0190
19-2619	72R1310
19-2620	72R0260
19-2621	72R0600
19-2626	72R1300
30-1809	75R8102
30-1810	75R8102
30-1813	75R8184
30-3004	75R7280
30-3418	75R84472
57-3492	75R84492

VALEO	
10357240	75R861522Q
103-46500	75R8672Q
103-47240	75R861522A
103-55011	75R8612Q
103-55011	75R8612A
103-55015	75R8614Q
103-55015	75R8614A
103-55017	75R8544Q
103-55017	75R8544A
103-55019	75R85932Q
103-55023	75R85632Q
103-55030	75R8542Q
103-55030	75R8542A
103-55036	75R90752A
103-55043	75R90962A
103-55056	75R90764A
103-55061	75R85734Q
103-55063	75R8532Q
103-55063	75R8532A
103-55065	75R8632Q
103-55068	75R85832Q
103-55069	75R85732Q
103-55073	75R85714Q
103-55075	75R85032Q
103-55075	75R85032A
103-55077	75R8552Q
103-55081	75R86134Q
103-55082	75R86152Q
103-55084	75R86162Q
103-55088	75R86172Q
103-55090	75R86194Q
103-55092	75R86182Q
103-55094	75R85332Q
103-55097	75R86092Q

VALEO	
103-55120	75R8702Q
103-55120	75R8702A
103-55121	75R90722A
103-55122	75R86132Q
103-55122	75R86132A
103-55123	75R90774A
103-55125	75R90784A
103-55234	75R90732A
103-55311	75R90802A
103-55315	75R90814A
103-55320	75R91072A
103-56011	75R8712Q
103-56011	75R8712A
103-56015	75R90914A
103-56017	75R90854A
103-56018	75R90902A
103-56019	75R90922A
103-56021	75R90822A
103-56030	75R86202Q
103-56030	75R86202A
103-56056	75R90834A
103-56059	75R86222Q
103-56061	75R8634Q
103-56073	75R8664Q
103-56075	75R86212Q
103-56082	75R91002A
103-56120	75R8822A
103-56121	75R90842A
103-56122	75R90862A
103-56123	75R91084A
103-56125	75R91104A
103-56210	75R90882A
103-56212	75R90894A
103-56220	75R90974A
103-56222	75R90872A
103-56230	75R91112A
103-56234	75R89782A
103-56282	75R90992A
103-56356	75R91092A
103-57242	75R86324A
103-57244	75R86142Q
103-57244	75R86142A
103-57246	75R86144Q
103-57246	75R86144A
103-57251	75R90934A
103-57394	75R91024A
103-67220	75R91012A
103-67256	75R91052A
103-67260	75R86322Q
103-67260	75R86322A
103-67269	75R91032A

VALEO	
103-67299	75R89592A
103-68500	75R8672Q
103-68500	75R8672A
103-68510	75R90944A
103-68520	75R8982A
103-68530	75R8784A
103-68540	75R8682A
103-68550	75R8684A
134-530027Y	75R5134
134-530717Y	75R5132
212-05420Y	75R8515
212-05430Y	75R8505
212-05450Y	75R8510
333-64174	75R4822
333-64176	75R4832
333-64178	75R4844
333-64179	75R4872
333-64182	75R4854
333-64236	75R4862
333-64574	75R4884

VOLVO	
103133	73R0402
176100	73R0552
176101	73R4182
176102	73R4322
176110	73R2102
176115	73R2152
176117	73R0422
176118	73R4062
176124	73R4602
176127	73R0202
176129	73R0432
176130	73R0322
176131	73R4252
176132	73R0962
176135	73R0062
176136	73R0522
176139	73R4322
176140	73R3002
176141	73R4182
176153	77R0900
176154	77R7900
176158	77R7708
176167	76R6150
176169	76R6310
176171	76R5000
176172	76R6700
176173	76R6950
176174	76R6180
176175	76R6180

VOLVO	
176179	76R6850
176180	76R7510
176181	76R6140
176183	76R7070
176184	76R7010
176185	71R8080
176186	71R8321
176188	71R8080
176190	71R8050
176197	76R2600
176199	76R3250
176202	76R2350
176203	76R3400
176204	76R3460
176207	76R2210
176209	76R3300
176213	76R1900
176216	71R6095
176220	71R6230
176222	71R6120
176223	71R6257
176225	71R7650
176226	71R6040
176227	71R6030
176228	71R6300
176229	71R6020
176230	71R6070
176232	74R2106
176233	74R2608
176234	74R3323
176235	74R3309
176236	74R3331
176238	74R3066
176240	74R3324
176243	74R3137
176245	74R2616
176246	74R1956
176247	74R3318
176248	74R3137
176252	71R1702
176257	71R0480
176262	71R0450
176265	71R0550
176266	71R0100
176267	71R0050
176269	71R8090
176272	71R2250
176273	71R3100
176274	71R2305
176275	71R2250
176276	71R2250

VOLVO	
176281	72R5260
176282	71R8321
176283	71R8100
176285	71R9002
176286	71R9002
176287	71R1702
176290	71R1704
176292	71R0500
176298	71R1620
176305	72R0070
176307	71R2700
176313	75R0202
176314	75R0202
176327	75R0662
176329	75R2402
176330	75R4502
176349	76R3930
176353	75R8442
176362	72R6520
176378	75R5698
176381	75R5681
176382	75R5560
176383	75R5570
176384	75R5641
176386	75R5688
176387	75R5648
176389	75R5808
176390	75R5801
176392	75R5738
176394	75R5608
176398	75R5658
176432	73R4162
176455	75R4502
176463	75R0182
176464	75R1412
176466	75R0182
176467	75R1412
176468	75R4534
176469	75R4734
176470	75R0452
176491	73R8320
176517	75R5728
176526	75R5718
176527	75R5711
176533	72R8270
176534	72R8250
176535	72R8280
176536	75R5705
176537	75R5834
176552	75R5540
176565	74R5050

Convert Other Part Numbers to Red Dot Aftermarket Numbers

VOLVO	
176566	70R5020
176567	73R0032
176568	71R8100
176569	71R1702
176570	74R3450
176571	73R1052
176572	73R0912
176573	71R1210
176575	74R1826
176576	79R0020
176577	71R9002
176791	72R6410
203038	73R3032
203090	73R4532
203095	73R0442
203136	73R1052
203179	73R4062
559371	77R0950
701024	73R0552
815035	75R8424
817790	75R8382
867405	72R6530
868079	71R1457
888384	73R0602
892106	73R0522
892110	71R1150
1090171	71R1455
1091070	71R1455
1091071	71R1455
1092319	73R3032
1093286	73R3032
1110156	71R0200
1110162	71R3100
1110785	71R2300
1115395	73R3032
1117232	71R2700
1117961	70R5056
1117962	70R5058
1117963	70R5051
1117964	72R5070
1118116	75R1202
1118390	73R4532
1118408	71R3100
1118413	72R6530
1118414	72R6520
1118425	71R1610
1210340	77R0585
1676901	73R0602
1696480	71R4050
1697519	76R6350
1697520	71R1450

VOLVO	
1697521	71R0200
1697525	71R2250
1707646	73R0552
3086000	77R1100
3093016	71R1610
3093404	73R2222
3093407	71R8505
3093409	70R4608
3093411	71R0400
3093417	75R0502
3093418	75R1302
3093419	71R7075
3093421	71R7077
3093422	71R3100
3093425	73R2102
3093431	71R3155
3093562	71R8090
3093574	71R8503
3093575	71R8510
3093576	71R8501
3093577	71R8506
3093578	71R8504
3094341	71R3155
3095728	73R6101
3095830	75R7312
3096305	75R7322
3099154	71R4030
3099389	75R1842
3099497	71R6576
3099727	73R9062
3099731	73R9052
3099733	73R9082
3102744	71R1150
3105089	73R0702
3130684	71R1457
3130714	74R3137
3131105	72R6530
3134059	71R6460
3134241	71R1457
3441124	74R1756
3915392	70R2301
3916189	77R7702
3916191	71R0450
3916660	72R6400
3916661	71R3100
3917742	79R4580
3917896	79R0020
3918038	71R6500
3918100	71R8370
3918107	70R1491
3918113	70R2201

VOLVO	
3918114	70R2206
3918115	70R3590
3918135	70R3500
3918137	70R5000
3918138	75R5711
3918142	70R5100
3918203	75R5700
3918205	75R5718
3918210	70R2071
3918211	71R8100
3918212	71R1702
3918213	71R7600
3918214	71R7000
3918217	71R0470
3918219	71R8080
3918220	71R6070
3918221	72R0200
3918222	72R5210
3918225	72R7700
3918227	72R5050
3918228	72R0500
3918231	72R5050
3918233	72R3110
3918234	72R1200
3918237	72R2140
3918239	73R0512
3918241	73R0912
3918242	73R0532
3918244	73R9052
3918258	74R2706
3918259	74R3450
3918260	74R1826
3918261	74R1866
3918263	74R1866
3918268	75R1202
3918282	75R8372
3918290	77R6800
3918295	77R0650
3918296	77R0950
3918297	77R1100
3918302	77R0530
3918308	78R0458SP
3918323	79R4585
3918587	79R4400
3919112	RD-5-5352-0P
3919193	71R6580
3919194	71R6600
3934718	74R1436
3934725	71R6426
3939313	71R6573
3939314	71R6578

VOLVO	
3939315	71R6566
3940177	71R6451
3942759	71R6430
3942809	71R6452
3942917	71R6454
3945232	75R0192
3945237	73R4532
3945302	75R8382
3945484	75R0302
3946616	75R8422
3946673	71R8440
3946682	71R1722
3946686	73R5652
3946910	71R6480
3946911	71R6458
3946912	RD-5-11158-0P
3946914	71R6448
3946918	71R6576
3947401	72R6520
3947416	73R0442
3947421	73R6253
3947428	70R5058
3947429	70R5056
3947430	70R5051
3947555	73R0402
3948110	71R3502
3948111	73R0352
3948124	75R1832
3948130	73R0422
3948140	75R1842
3948457	72R5500
3948460	72R5600
3948704	75R8252
3948741	71R6438
3948742	71R6442
3948743	71R6445
3948744	71R6426
3948745	71R6470
3948747	71R6426
3948749	71R6434
3949102	73R3052
3949112	71R1457
3949128	74R2668
3949129	74R3323
3949130	74R2306
3949131	74R3077
3949132	74R2706
3949134	71R3150
3949135	71R3300
3949142	75R8382
3949144	79R4595

VOLVO	
3949145	79R4561
3949146	79R4561
3949147	79R4561
3949148	79R4563
3949252	76R2400
3949253	76R2340
3949261	73R2102
3949262	73R0422
3949263	RD-5-4387-0P
3949266	73R4182
3949269	74R0450
3949271	71R8500
3949274	73R6251
3949276	71R8080
3949277	71R8405
3949281	71R8370
3949282	71R2800
3949284	71R3100
3949285	71R6183
3949286	71R6181
3949287	71R6405
3949289	71R0450
3949290	71R1450
3949291	71R3200
3949292	75R0452
3949293	75R0402
3949295	75R0612
3949296	75R1342
3949297	71R1722
3949301	71R1150
3949302	75R83112
3949303	75R83132
3949305	76R2320
3949307	76R6960
3949309	71R6050
3949310	74R3357
3949311	71R3160
3949312	75R1202
3949313	75R0302
3949315	71R0453
3949320	75R5565
3949322	78R0456
3949323	78R0458
3949324	78R0451
3949325	78R0452
3949331	70R4402
3949332	70R7008S
3949333	70R7001S
3949337	70R6496S
3949338	70R7008S
3949339	70R6491S

VOLVO	
3949340	70R2076
3949341	70R2068
3949342	70R2061
3949345	70R4308
3949349	70R4341
3949350	70R4342
3949353	70R4391
3949355	70R4446
3949356	70R4448
3949358	70R4442
3949362	70R4416S
3949368	70R4996
3949370	70R4991
3949382	79R1525
3949383	79R1520
3949386	73R0652
3949387	73R4322
3949393	76R6960
3949396	71R8400
3949397	71R8321
3949398	71R8415
3949451	79R4580
3949456	79R4600
3949457	79R4605
3949458	79R4605
3949461	70R5020
3949462	70R5005
3949466	70R4701
3949469	70R4198
3949471	70R2406
3949472	70R4191
3949473	70R4106
3949475	70R4108
3949477	70R5057
3949479	75R7312
3949480	70R5056
3949483	70R5058
3949485	70R5051
3949486	70R5052
3949487	70R5052
3949488	70R5046
3949495	70R5042
3949499	75R5520
3949500	71R6450
3949501	71R6444
3949557	75R5200
3949558	75R5201
3949562	75R5540
3949563	75R5540
3949570	75R5829
3949571	75R5820

VOLVO	
3949572	75R5819
3949575	75R5824
3949576	75R5825
3949577	75R5560
3949578	75R5556
3949579	79R1650
3949580	75R5565
3949581	75R5575
3949582	70R5120
3949583	70R5125
3949589	70R5110
3949682	71R1702
3949850	75R7290
3949851	75R7280
3949881	71R8321
3949886	73R3022
3966805	71R6418
3994881	71R8370
4939295	75R0612
7077922	74R2106
8020113	75R5678
8020114	75R5671
8020115	75R5672
8022507	75R8432
8022509	77R8480
8025531	74R3107
8025550	71R6426
8025564	71R6434
8025565	71R6408
8040088	71R6410
8040202	71R6420
8040225	71R6445
8057396	R-7830-0P
8078261	74R1407
8080059	75R81532
8080060	75R84362
8080569	75R81362
8082201	75R84382
8082268	75R81762
8082269	75R84382
8082270	75R81652Q
8084348	77R0585
8084398	77R0585
8088112	75R81372
8113628	75R90684
8157100	77R8490
8164786	77R8485
8164872	75R8422
8167882	71R6456
8168292	71R6475
8177089	75R81482

VOLVO	
8191892	75R90684
11104251	75R90684
11164457	74R3325
11412631	75R90684
14505511	75R90684
14659238	75R90684
15082727	75R90684
20357157	75R81362
20357741	71R6571
20370289	75R81652
20370290	75R89702
20370291	75R81692
20370292	75R8432
20388777	75R81362
20388778	75R81362
20395054	75R84452
20407203	74R1436
20407205	74R1407
20435801	78R5242
20437760	71R6424
20443846	76R7745
20447319	74R1427
20461065	77R0585
20501067	75R81362
20501069	75R81372
20514024	75R81622Q
20538307	75R90684
20579810	71R6571
20956587	77R0585
21095290	77R0585
21184142	75R90684
21349570	75R89812Q
21349573	75R81372
21814382	77R0585
21814392	77R0585
22314813	77R0585
25164012	77R8320
39493392	73R7151
82430083	RD-5-6532-72P
82430085	RD-5-3550-7.50P
82733985	74R1427
82781559	74R1427
83948743	71R6444
85000315	75R90684
85100129	75R8252
85100141	74R4016
85100142	71R0487
85100146	79R4550
85100150	70R7200
85100164	73R2102
85100184	79R4550

Convert Other Part Numbers to Red Dot Aftermarket Numbers

VOLVO	
85100242	79R3127
85100244	79R3125
85100261	79R8915
85100262	70R8806
85100263	70R8808
85100264	70R8801
85100265	70R8802
85100272	70R8828
85100274	70R8822
85100275	79R8920
85100276	79R8930
85100277	79R8931
85100278	78R8456
85100279	78R8458
85100280	78R8451
85100281	78R8452
85100282	70R8606
85100283	70R8706
85100285	70R8708
85100287	70R8701
85100288	70R8602
85100290	70R8208
85100291	70R8201
85100292	70R8621
85100294	70R8646
85100298	70R8641
85100299	70R82511
85100300	70R8642
85100301	70R8696
85100302	70R8796
85100303	70R8698
85100304	70R8798
85100305	70R8691
85100306	70R8791
85100307	70R8692
85100308	70R8096
85100309	70R8098
85100310	70R8198
85100311	70R8091
85100312	70R8761
85100333	70R8276
85100334	70R8278
85100335	70R8261
85100336	70R8271
85100337	70R8272
85100338	70R8068
85100339	70R8061
85100340	70R8062
85100341	70R8216
85100343	70R8211
85100430	70R8212

VOLVO	
85100431	70R8296
85100432	70R8298
85100433	70R8291
85100434	70R8292
85100436	70R8598
85100437	70R8288
85100465	70R8306
85100466	70R8716
85100467	70R8308
85100480	70R8301
85100481	70R8711
85100482	70R8302
85100483	70R8006
85100484	70R8786
85100485	70R8008
85100486	70R8788
85100488	70R8002
85100489	70R8346
85100490	70R8341
85100492	70R8688
85100498	70R8398
85100865	75R81462
85100867	75R81512
85100868	75R84152
85100870	75R81262
85100871	75R84172
85100872	75R84182
85100873	75R84192
85100874	75R84212
85100875	75R81352
85100876	75R84232
85100879	75R0192
85100888	75R8382
85100995	71R8405
85100996	75R0682
85100998	71R0460
85101000	74R5060
85102561	72R6420
85102564	72R6420
85102943	70R2306
85103394	73R3062
85103395	73R3052
85103438	71R6210
85104207	73R3122
85104467	75R81672
85104468	75R84312
85104592	75R81652Q
85104593	75R84382
85105407	73R3032
85106633	70R3006
85106841	74R3327

VOLVO	
85107848	74R3107
85108215	73R0462
85108291	73R3002
85108572	71R6452
85108573	71R6430
85110643	70R8606
85110644	70R8706
85110645	70R8608
85110646	70R8708
85110647	70R8601
85110648	70R8701
85110649	70R8602
85110650	70R8646
85110651	70R8648
85110652	70R8641
85110653	70R8642
85110654	70R8696
85110655	70R8796
85110656	70R8698
85110657	70R8798
85110658	70R8691
85110659	70R8791
85110660	70R8692
85110661	70R8091
85110662	70R8761
85110663	70R8092
85110665	70R8306
85110666	70R8716
85110667	70R8308
85110668	70R8301
85110669	70R8711
85110670	70R8302
85110671	70R8006
85110672	70R8786
85110673	70R8008
85110674	70R8788
85110675	70R8781
85110676	70R8002
85110677	70R8216
85110678	70R8218
85110679	70R8211
85110680	70R8212
85110681	70R8271
85110682	70R8272
85110683	70R8276
85110684	70R8278
85110685	70R8261
85110686	70R8096
85110687	70R8098
85110688	70R8198
85119564	75R84382

VOLVO	
85123215	RD-5-11257-2P
85126010	RD-5-11256-2P
203757157	75R81362
02-7010496	75R1652
05-8025550	71R6426
05-8025564	71R6434
05-8025565	71R6408
088348-01	74R1436
088366-01	74R1407
20826-0003	72R1502
20826-1301	72R0220
20826-1379	72R0070
20826-1383	72R0050
31160-7760	75R4502
4379-RD5115310P	74R1427
4RD376M	RD-5-6532-72P
4RD377M	RD-5-3550-7.50P
60001-0060	73R0332
60001-5004	R-254-1P
60003-5009	76R3000
60004-5005	76R6500
60004-5007	77R0950
60009-0002	73R1052
60009-0004	73R1052
60009-0005	73R1052
60009-3201	73R1052
60009-5002	73R1052
60009-5003	RD-5-4387-0P
60009-5005	73R0602
60009-5009	73R0422
60009-5015	RD-4101-6P
60009-5018	73R1052
60009-5020	73R0554
60009-5021	73R4102
60009-5022	73R0332
60009-5023	73R4162
60009-5025	73R3032
60009-5041	73R0092
60009-5044	73R0092
60012-0011	71R8050
60012-5002	71R8100
60018-5002	72R6410
60018-5003	71R0600
60018-5007	71R1200
60042-3201	72R6420
60056-3801	72R2300
60058-3201	71R8090
60058-5002	71R8090
61018-5002	71R3100
61103-0017	75R1202
61103-0020	75R1202

VOLVO	
61103-0024	73R9062
61103-0033	75R1302
61103-0055	75R0522
61103-3606	75R4502
61103-5002	75R1202
61104-3202	75R8422
61203-0003	77R7900
61203-3001	77R0950
61203-3002	77R0950
61203-3003	77R7900
61502-0047	70R2306
61502-0048	70R2301
61510-0001	74R2106
61510-0003	74R1756
61510-0006	74R3137
61510-0007	71R7550
61510-0008	74R3107
61510-001	74R1756
61510-006	74R3107
61510-5004	74R1906
61510-5005	74R1706
61510-5006	74R1756
61510-5007	74R1906
61522-0006	71R7050
61522-0007	71R7550
61522-0022	71R7650
61522-3801	71R7500
61522-5004	71R1150
688-21946	75R7290
72403-0008	72R0100
72404-0020	72R0210
72404-0200	72R0210
80-136-00-039	72R5050
8040242P	71R6450
891422B	75R2402
BOA80-136-00-039	72R5050
BOA80-321-00-169	71R8370
BOA80-321-00-209	71R8440
BOAD0673	73R3032
BSM301101	73R0442
BSM319000	74R2106
BSM321000	71R1457
BSM324145	72R6530
BSM611015	77R0950
G2025806	71R1652
G2028503	71R0100
G2028504	71R0400
G2028506	71R1652
RD1-3912-0P	76R3925
RD262980P	76R1880
RD265130P	76R7060

VOLVO	
RD412536	71R2250
RD41880	71R9002
RD454620P	77R0580
RD468120P	77R1335
RD470170P	77R6982
RD470180P	77R1414
RD470400P	77R6995
RD5102060P	79R4650
RD5102870P	75R84492
RD5115260P	73R3082
RD5115790P	73R3072
RD5126230P	74R5097
RD5129750P	78R5008
RD5130680P	73R3132
RD5132060P	74R5401
RD5132210P	79R4587
RD5132250P	79R5035
RD5132260P	75R89602
RD5132270P	71R6145
RD5132280P	79R3129
RD5132300P	73R7135
RD5132330P	71R7073
RD5132340P	71R6155
RD5132350P	75R84302Q
RD5135400P	71R3579
RD5136040P	71R3584
RD5136050P	71R3572
RD5137840P	75R4812
RD5375724P	73R4204
RD545830	71R7550
RD545850	71R7500
RD546200	71R7600
RD546250	71R7650
RD546400	71R7050
RD546460	71R7000
RD549370P	73R2102
RD-5-6868-0P	71R8301
RD578470P	76R7525
RD582570P	71R3300
RDHR254024P	R-254-0-24P
RDHR2540P	R-254-0P
RDHR2541P	R-254-1P
RDHR2544P	R-254-4P
RDHR25500P	R-2550-0P
RDHR2554P	R-255-4P
RDHR2700	R-270-0P
RDHR270024P	R-270-0-24P
RDHR270024P	R-270-0-24P
RDHR2700P	R-270-0P
RDHR295024P	R-295-0-24P
RDHR2950P	R-295-0P

VOLVO	
RDHR3144480P	RD-3-14448-0P
RDHR35001P	R-3500-1P
RDHR35402P	R-3540-2P
RDHR35402P	R-3540-2P
RDHR41229P	R-4122-9P
RDHR50404P	R-5040-4P
RDHR61600P	R-6160-0P
RDHR62601P	R-6260-1P
RDHR68400P	R-6840-0P
RDHR78300P	R-7830-0P
RDHR88202P	R-8820-2P
RDHR95200P	R-9520-0P
RDHR9730024P	R-9730-0-24P
RDHR97300P	R-9730-0P
RDHR97550P	R-9755-0P
RDHR9757024	R-9757-0-24P
RDHR9757024P	R-9757-0-24P
RDHR97770P	R-9777-0P
RDHR97771P	R-9777-1P
RDHRD101471P	76R2600
RDHRD102661P	76R3000
RDHRD103250P	76R3500
RDHRD103330P	76R2300
RDHRD103520P	RD-1-0352-0P
RDHRD103550P	76R1100
RDHRD103551P	76R1110
RDHRD103552P	76R1400
RDHRD103553P	76R1410
RDHRD103554P	76R1120
RDHRD103555P	76R1450
RDHRD103580P	RD-1-0358-0P
RDHRD103631P	RD-1-0363-1P
RDHRD103650P	RD-1-0365-0P
RDHRD103711P	76R2210
RDHRD103880P	76R3400
RDHRD104110P	RD-1-0411-0P
RDHRD104190P	RD-1-0419-0P
RDHRD104220P	72R3601
RDHRD104230P	72R3603
RDHRD104250P	70R7600
RDHRD104260P	70R7650
RDHRD104270P	76R0500
RDHRD104400P	RD-1-0440-0P
RDHRD104550P	RD-1-0455-0P
RDHRD104601P	76R2500
RDHRD104950P	RD-1-0495-0P
RDHRD104951P	RD-1-0495-1P
RDHRD104961P	RD-1-0496-1P
RDHRD105200P	76R3450
RDHRD105500P	76R3300
RDHRD105520P	RD-1-0552-0P

VOLVO	
RDHRD105630P	76R2400
RDHRD105740P	76R2350
RDHRD106000P	76R4000
RDHRD106151P	76R1900
RDHRD106390P	RD-1-0639-0P
RDHRD106500P	76R3250
RDHRD106610P	70R7270
RDHRD106612P	RD-1-0661-2P
RDHRD106617P	RD-1-0661-7P
RDHRD106619P	RD-1-0661-9P
RDHRD106620P	70R7170
RDHRD106622P	70R7175
RDHRD106650P	76R2450
RDHRD106800P	76R3900
RDHRD107000P	76R3910
RDHRD107150P	76R3460
RDHRD107260P	76R1000
RDHRD107440P	76R3930
RDHRD107460P	76R2730
RDHRD107520P	76R2330
RDHRD107521P	76R2340
RDHRD107550P	76R2320
RDHRD107711P	76R1510
RDHRD107932P	RD-1-0793-2P
RDHRD107934P	RD-1-0793-4P
RDHRD107950P	70R7310
RDHRD107990P	76R1600
RDHRD108220P	76R2410
RDHRD108221P	RD-1-0822-1P
RDHRD108300P	76R1030
RDHRD108370P	RD-1-0837-0P
RDHRD108601P	78R5253
RDHRD108610P	RD-1-0861-0P
RDHRD109580P	76R2010
RDHRD109590P	RD-1-0959-0P
RDHRD1100480P	RD-11-0048-0P
RDHRD1100540P	77R9020
RDHRD1100551P	RD-11-0055-1P
RDHRD1100640P	RD-11-0064-0P
RDHRD1100760P	RD-11-0076-0P
RDHRD1100922P	78R1705
RDHRD1101071P	RD-11-0107-1P
RDHRD1101090P	RD-11-0109-0P
RDHRD1101240P	RD-11-0124-0P
RDHRD1101260P	RD-11-0126-0P
RDHRD1101280P	RD-11-0128-0P
RDHRD1101380P	RD-11-0138-0P
RDHRD1101450P	RD-11-0145-0P
RDHRD1101700P	RD-11-0170-0P
RDHRD110830P	RD-1-1083-0P
RDHRD110850P	RD-1-1085-0P

Convert Other Part Numbers to Red Dot Aftermarket Numbers

VOLVO	
RDHRD110951P	RD-1-1095-1P
RDHRD111410P	RD-1-1141-0P
RDHRD112010P	76R2420
RDHRD112810P	76R3920
RDHRD113260P	76R2550
RDHRD113640P	76R3470
RDHRD113700P	76R3455
RDHRD113790P	76R1860
RDHRD114010P	76R1550
RDHRD114020P	RD-1-1402-0P
RDHRD114192P	72R6554
RDHRD114780P	76R4200
RDHRD114800P	76R1870
RDHRD114850P	76R1710
RDHRD114960P	RD-1-1496-0P
RDHRD115450P	RD-1-1545-0P
RDHRD115451P	RD-1-1545-1P
RDHRD115700P	RD-1-1570-0P
RDHRD115910P	RD-1-1591-0P
RDHRD116030P	76R3420
RDHRD116140P	76R4300
RDHRD116510P	RD-1-1651-0P
RDHRD116540P	RD-1-1654-0P
RDHRD116561P	RD-1-1656-1P
RDHRD116700P	RD-1-1670-0P
RDHRD117461P	RD-1-1746-1P
RDHRD117480P	76R4020
RDHRD117550P	76R1560
RDHRD118960P	RD-1-1896-0P
RDHRD119190P	76R3950
RDHRD119650P	RD-1-1965-0P
RDHRD119750P	76R4305
RDHRD119800P	RD-1-1980-0P
RDHRD120060P	76R3465
RDHRD120230P	RD-1-2023-0P
RDHRD122460P	72R5355
RDHRD122550P	RD-1-2255-0P
RDHRD123330P	76R4100
RDHRD207500M	70R3006
RDHRD207816P	RD-2-0781-6P
RDHRD207817P	RD-2-0781-7P
RDHRD208511P	RD-2-0851-1P
RDHRD208610M	70R3008
RDHRD208712P	70R3906
RDHRD208722P	70R3901
RDHRD209190P	RD-2-0919-0P
RDHRD209211P	RD-2-0921-1P
RDHRD209610P	RD-2-0961-0P
RDHRD209931P	76R5200
RDHRD210170P	RD-2-1017-0P
RDHRD210510P	76R6500

VOLVO	
RDHRD210600P	RD-2-1060-0P
RDHRD210710P	RD-2-1071-0P
RDHRD210720P	RD-2-1072-0P
RDHRD211212P	76R7100
RDHRD211560P	76R6700
RDHRD211840P	RD-2-1184-0P
RDHRD211890P	RD-2-1189-0P
RDHRD211950P	76R5500
RDHRD212010P	RD-2-1201-0P
RDHRD212060P	RD-2-1206-0P
RDHRD212061P	RD-2-1206-1P
RDHRD212062P	RD-2-1206-2P
RDHRD212063P	RD-2-1206-3P
RDHRD212070P	RD-2-1207-0P
RDHRD212071P	RD-2-1207-1P
RDHRD212072P	RD-2-1207-2P
RDHRD212350P	RD-2-1235-0P
RDHRD212400P	RD-2-1240-0P
RDHRD212450P	RD-2-1245-0P
RDHRD212500P	RD-2-1250-0P
RDHRD212720P	76R6310
RDHRD212840P	RD-2-1284-0P
RDHRD212880P	RD-2-1288-0P
RDHRD212900P	RD-2-1290-0P
RDHRD212930P	RD-2-1293-0P
RDHRD212960P	RD-2-1296-0P
RDHRD212970P	RD-2-1297-0P
RDHRD213020P	RD-2-1302-0P
RDHRD213150P	RD-2-1315-0P
RDHRD213160P	76R6350
RDHRD213540P	RD-2-1354-0P
RDHRD213700P	76R7070
RDHRD213770P	RD-2-1377-0P
RDHRD213780P	RD-2-1378-0P
RDHRD213810P	76R6950
RDHRD213890P	RD-2-1389-0P
RDHRD213930P	RD-2-1393-0P
RDHRD213980P	RD-2-1398-0P
RDHRD214020P	76R6150
RDHRD214700P	76R7700
RDHRD214801P	76R6180
RDHRD214850P	76R6850
RDHRD214870P	RD-2-1487-0P
RDHRD214940M	RD-2-1494-0M
RDHRD214950M	70R3001
RDHRD214991P	RD-2-1499-1P
RDHRD215011P	RD-2-1501-1P
RDHRD215020P	RD-2-1502-0P
RDHRD215100P	76R5000
RDHRD215900P	76R6140
RDHRD216070P	RD-2-1607-0P

VOLVO	
RDHRD216100P	76R7010
RDHRD216160P	76R7520
RDHRD216330P	76R4900
RDHRD2164724P	RD-2-1647-24P
RDHRD2164929P	RD-2-1649-29P
RDHRD216550P	76R7510
RDHRD2165926P	RD-2-1659-26P
RDHRD216600P	76R6120
RDHRD216640P	76R5300
RDHRD217350P	RD-2-1735-0P
RDHRD217550P	76R5520
RDHRD217580P	RD-2-1758-0P
RDHRD217660P	76R7550
RDHRD2178412P	RD-2-1784-12P
RDHRD218620P	76R6160
RDHRD218980P	76R6130
RDHRD218981P	RD-2-1898-1P
RDHRD219090P	76R5030
RDHRD220180P	RD-2-2018-0P
RDHRD220310P	RD-2-2031-0P
RDHRD220410P	RD-2-2041-0P
RDHRD220470P	76R4920
RDHRD221560P	RD-2-2156-0P
RDHRD223300P	RD-2-2330-0P
RDHRD224230P	76R7530
RDHRD224400P	76R7560
RDHRD224480P	RD-2-2448-0P
RDHRD224950P	76R6550
RDHRD225020P	76R6960
RDHRD2259528P	RD-2-2595-28P
RDHRD226420P	RD-2-2642-0P
RDHRD2265511P	RD-2-2655-11P
RDHRD2265513P	RD-2-2655-13P
RDHRD226931P	RD-2-2693-1P
RDHRD227010P	RD-2-2701-0P
RDHRD227201P	RD-2-2720-1P
RDHRD227751P	76R7020
RDHRD227800P	76R6655
RDHRD227910P	76R6015
RDHRD22813120P	RD-2-2813-120P
RDHRD2281576P	RD-2-2815-76P
RDHRD2281663P	RD-2-2816-63P
RDHRD2282536P	RD-2-2825-36P
RDHRD228850P	76R5700
RDHRD228900P	RD-2-2890-0P
RDHRD228970P	76R7715
RDHRD228980P	RD-2-2898-0P
RDHRD229050P	RD-2-2905-0P
RDHRD229220P	RD-2-2922-0P
RDHRD229280P	76R6040
RDHRD230060P	RD-2-3006-0P

VOLVO	
RDHRD230080P	76R7030
RDHRD230700P	76R6650
RDHRD231500P	RD-2-3150-0P
RDHRD231650P	RD-2-3165-0P
RDHRD231651P	RD-2-3165-1P
RDHRD232510P	76R5320
RDHRD232790P	RD-2-3279-0P
RDHRD233210P	76R7570
RDHRD233950P	76R7580
RDHRD233980P	76R7710
RDHRD234100P	76R7720
RDHRD234130P	76R5820
RDHRD234160P	RD-2-3416-0P
RDHRD234180P	RD-2-3418-0P
RDHRD234190P	RD-2-3419-0P
RDHRD234250P	RD-2-3425-0P
RDHRD235150P	RD-2-3515-0P
RDHRD235241P	RD-2-3524-1P
RDHRD236290P	76R7725
RDHRD236730P	RD-2-3673-0P
RDHRD236740P	RD-2-3674-0P
RDHRD236830P	78R5291
RDHRD236930P	RD-2-3693-0P
RDHRD237730P	76R6070
RDHRD239230P	76R7450
RDHRD248441P	70R3908
RDHRD248451P	70R3912
RDHRD3101110P	RD-3-10111-0P
RDHRD3101120P	RD-3-10112-0P
RDHRD3101680P	RD-3-10168-0P
RDHRD3101940P	76R3905
RDHRD3102100P	RD-3-10210-0P
RDHRD3102140P	RD-3-10214-0P
RDHRD3103310P	78R5301
RDHRD3103390P	RD-3-10339-0P
RDHRD3104780P	RD-3-10478-0P
RDHRD3105380P	73R4532
RDHRD3105970P	RD-3-10597-0P
RDHRD31061224P	73R0554
RDHRD310612P	73R0552
RDHRD31061324P	73R0604
RDHRD310613P	73R0602
RDHRD31061824P	73R0204
RDHRD310618P	73R0202
RDHRD310638P	73R6101
RDHRD310639P	73R6151
RDHRD31334P	73R0032
RDHRD31339P	73R8050
RDHRD3144480P	RD-3-14448-0P
RDHRD315662P	72R4530
RDHRD31695P	RD-3169-5P

VOLVO	
RDHRD31961P	72R3510
RDHRD31963P	72R3530
RDHRD31965P	72R3550
RDHRD322200P	RD-3-2220-0P
RDHRD324152P	RD-3-2415-2P
RDHRD325470P	RD-3-2547-0P
RDHRD325471P	RD-3-2547-1P
RDHRD325572P	73R7151
RDHRD325920P	RD-3-2592-0P
RDHRD326521P	RD-3-2652-1P
RDHRD32671P	72R1100
RDHRD327882P	RD-3-2788-2P
RDHRD327884P	RD-3-2788-4P
RDHRD327886P	RD-3-2788-6P
RDHRD330310P	RD-3-3031-0P
RDHRD331211P	RD-3-3121-1P
RDHRD331222P	RD-3-3122-2P
RDHRD331280P	RD-3-3128-0P
RDHRD331314P	RD-3-3131-4P
RDHRD331331P	RD-3-3133-1P
RDHRD331740P	RD-3-3174-0P
RDHRD331840P	RD-3-3184-0P
RDHRD332551P	RD-3-3255-1P
RDHRD333150P	RD-3-3315-0P
RDHRD334250P	RD-3-3425-0P
RDHRD334300P	RD-3-3430-0P
RDHRD334540P	74R7210
RDHRD335900P	RD-3-3590-0P
RDHRD337250P	RD-3-3725-0P
RDHRD337511P	71R5212
RDHRD337530P	RD-3-3753-0P
RDHRD337940P	RD-3-3794-0P
RDHRD338052P	RD-3-3805-2P
RDHRD338053P	RD-3-3805-3P
RDHRD338122P	RD-3-3812-2P
RDHRD338130P	RD-3-3813-0P
RDHRD338470P	RD-3-3847-0P
RDHRD339011P	RD-3-3901-1P
RDHRD339222P	RD-3-3922-2P
RDHRD339490P	RD-3-3949-0P
RDHRD339550P	RD-3-3955-0P
RDHRD340560P	RD-3-4056-0P
RDHRD340580P	RD-3-4058-0P
RDHRD340660P	RD-3-4066-0P
RDHRD340960P	RD-3-4096-0P
RDHRD341432P	RD-3-4143-2P
RDHRD343510P	RD-3-4351-0P
RDHRD344160P	RD-3-4416-0P
RDHRD344170P	RD-3-4417-0P
RDHRD347840P	RD-3-4784-0P
RDHRD348120P	RD-3-4812-0P

VOLVO	
RDHRD348122P	72R4531
RDHRD348143P	RD-3-4814-3P
RDHRD348270P	RD-3-4827-0P
RDHRD348271P	RD-3-4827-1P
RDHRD348291P	73R7071
RDHRD348310P	RD-3-4831-0P
RDHRD348850P	RD-3-4885-0P
RDHRD349000P	71R1252
RDHRD350510P	RD-3-5051-0P
RDHRD350650P	78R5150
RDHRD350720P	RD-3-5072-0P
RDHRD351770P	RD-3-5177-0P
RDHRD351780P	RD-3-5178-0P
RDHRD352500P	RD-3-5250-0P
RDHRD352640P	RD-3-5264-0P
RDHRD352730P	RD-3-5273-0P
RDHRD352770P	RD-3-5277-0P
RDHRD352771P	RD-3-5277-1P
RDHRD352773P	RD-3-5277-3P
RDHRD352900P	RD-3-5290-0P
RDHRD353101P	RD-3-5310-1P
RDHRD353670P	RD-3-5367-0P
RDHRD353900P	RD-3-5390-0P
RDHRD354480P	RD-3-5448-0P
RDHRD357900P	RD-3-5790-0P
RDHRD359140P	RD-3-5914-0P
RDHRD359285P	RD-3-5928-5P
RDHRD359640P	RD-3-5964-0P
RDHRD360231P	RD-3-6023-1P
RDHRD360380M	71R3570
RDHRD360600P	RD-3-6060-0P
RDHRD360780P	RD-3-6078-0P
RDHRD360781P	RD-3-6078-1P
RDHRD360820P	RD-3-6082-0P
RDHRD361000P	RD-3-6100-0P
RDHRD364010P	RD-3-6401-0P
RDHRD364011P	RD-3-6401-1P
RDHRD364070P	78R5251
RDHRD364080P	78R5370
RDHRD365500P	RD-3-6550-0P
RDHRD366152P	RD-3-6615-2P
RDHRD366240P	RD-3-6624-0P
RDHRD366492P	RD-3-6649-2P
RDHRD367200P	RD-3-6720-0P
RDHRD367671P	RD-3-6767-1P
RDHRD367700P	73R5502
RDHRD3677024P	73R5504
RDHRD368382P	RD-3-6838-2P
RDHRD369600P	RD-3-6960-0P
RDHRD370160P	RD-3-7016-0P
RDHRD370990P	78R5390

VOLVO	
RDHRD372541P	RD-3-7254-1P
RDHRD373760P	RD-3-7376-0P
RDHRD373820P	RD-3-7382-0P
RDHRD373821P	RD-3-7382-1P
RDHRD373830P	RD-3-7383-0P
RDHRD373831P	RD-3-7383-1P
RDHRD373850P	RD-3-7385-0P
RDHRD376460P	RD-3-7646-0P
RDHRD376900P	RD-3-7690-0P
RDHRD377670P	RD-3-7767-0P
RDHRD377990P	RD-3-7799-0P
RDHRD378220P	71R8310
RDHRD378320P	RD-3-7832-0P
RDHRD378330P	RD-3-7833-0P
RDHRD378381P	RD-3-7838-1P
RDHRD378382P	72R3010
RDHRD378383P	72R3020
RDHRD382260P	RD-3-8226-0P
RDHRD383500P	RD-3-8350-0P
RDHRD384170P	RD-3-8417-0P
RDHRD386380P	RD-3-8638-0P
RDHRD386570P	73R1002
RDHRD387050P	RD-3-8705-0P
RDHRD387090P	RD-3-8709-0P
RDHRD387110P	RD-3-8711-0P
RDHRD389890P	72R2120
RDHRD389990P	RD-3-8999-0P
RDHRD390010P	RD-3-9001-0P
RDHRD390670P	RD-3-9067-0P
RDHRD390951P	RD-3-9095-1P
RDHRD390961P	RD-3-9096-1P
RDHRD390970P	RD-3-9097-0P
RDHRD390990P	RD-3-9099-0P
RDHRD391011P	RD-3-9101-1P
RDHRD391350P	RD-3-9135-0P
RDHRD391360P	RD-3-9136-0P
RDHRD391370P	RD-3-9137-0P
RDHRD391420P	RD-3-9142-0P
RDHRD391520P	RD-3-9152-0P
RDHRD391570P	RD-3-9157-0P
RDHRD391880P	RD-3-9188-0P
RDHRD392100P	RD-3-9210-0P
RDHRD392120P	RD-3-9212-0P
RDHRD392900P	73R5632
RDHRD3929024P	73R5634
RDHRD393790P	71R5600
RDHRD393791P	71R5605
RDHRD393880P	RD-3-9388-0P
RDHRD393881P	RD-3-9388-1P
RDHRD393890P	RD-3-9389-0P
RDHRD393901P	RD-3-9390-1P

VOLVO	
RDHRD394050P	RD-3-9405-0P
RDHRD394060M	RD-3-9406-0M
RDHRD394932P	RD-3-9493-2P
RDHRD396080P	RD-3-9608-0P
RDHRD396640P	RD-3-9664-0P
RDHRD397060P	RD-3-9706-0P
RDHRD398050P	78R5243
RDHRD398551P	RD-3-9855-1P
RDHRD4058360P	79R4400
RDHRD41014P	RD-4101-4P
RDHRD41016P	RD-4101-6P
RDHRD41018P	RD-4101-8P
RDHRD41231P	71R0100
RDHRD412418P	72R7280
RDHRD412420P	72R7290
RDHRD412438P	72R7600
RDHRD412476P	72R7700
RDHRD412536P	71R2250
RDHRD412566P	71R2400
RDHRD41261P	71R8050
RDHRD41301P	70R7100
RDHRD41511P	71R0500
RDHRD41512P	71R0550
RDHRD41514P	71R0600
RDHRD41516P	71R0650
RDHRD41517P	71R0700
RDHRD4156108P	78R0350
RDHRD41601P	74R2106
RDHRD41700P	RD-4170-0P
RDHRD41720P	71R2310
RDHRD41762P	RD-4176-2P
RDHRD41770P	70R3206
RDHRD41790P	70R3208
RDHRD418024P	72R8190
RDHRD418029P	72R8200
RDHRD418036P	72R8250
RDHRD418046P	72R8300
RDHRD418057P	72R8360
RDHRD418076P	72R8400
RDHRD418079P	72R8410
RDHRD41810P	71R4050
RDHRD41830P	73R0152
RDHRD41860P	70R2301
RDHRD41870P	70R2306
RDHRD41880P	71R9002
RDHRD418824P	71R9004
RDHRD41910P	71R6050
RDHRD41970P	RD-4197-0P
RDHRD41990P	RD-4199-0P
RDHRD42200P	74R7220
RDHRD42210M	RD-4221-0M

Convert Other Part Numbers to Red Dot Aftermarket Numbers

VOLVO	
RDHRD42220M	RD-4222-0M
RDHRD42251P	71R0150
RDHRD42252P	71R0300
RDHRD42260P	71R2700
RDHRD42570P	72R5050
RDHRD42960M	70R3256
RDHRD43176M	70R7050
RDHRD43221P	70R3258
RDHRD433640P	70R3406
RDHRD433650P	70R3408
RDHRD433723P	77R6800
RDHRD43400P	72R2300
RDHRD434341P	77R6900
RDHRD435080P	73R8110
RDHRD435860P	77R0350
RDHRD435954P	77R8200
RDHRD435955P	RD-4-3595-5P
RDHRD436460P	77R0800
RDHRD436520P	RD-4-3652-0P
RDHRD43660P	70R7150
RDHRD436660P	RD-4-3666-0P
RDHRD436690P	RD-4-3669-0P
RDHRD436820P	77R5250
RDHRD436832P	77R7900
RDHRD436833P	RD-4-3683-3P
RDHRD43700P	71R1652
RDHRD437140P	77R5910
RDHRD437220P	77R7800
RDHRD437230P	77R8100
RDHRD437240P	77R0650
RDHRD437272P	77R6920
RDHRD437451P	77R6925
RDHRD438040P	RD-4-3804-0P
RDHRD438741P	77R0500
RDHRD438820P	RD-4-3882-0P
RDHRD438823P	RD-4-3882-3P
RDHRD438831P	RD-4-3883-1P
RDHRD439160P	77R0950
RDHRD439170P	77R1100
RDHRD439450P	77R0700
RDHRD439900P	77R6930
RDHRD440580P	RD-4-4058-0P
RDHRD440691P	77R0110
RDHRD440730P	RD-4-4073-0P
RDHRD440731P	RD-4-4073-1P
RDHRD441300P	77R0260
RDHRD441442P	77R0250
RDHRD441500P	RD-4-4150-0P
RDHRD441610P	77R0900
RDHRD442190P	77R6990
RDHRD442320P	77R0560

VOLVO	
RDHRD442530P	RD-4-4253-0P
RDHRD442531P	RD-4-4253-1P
RDHRD442550P	RD-4-4255-0P
RDHRD442552P	RD-4-4255-2P
RDHRD442660P	RD-4-4266-0P
RDHRD442724P	71R3100
RDHRD442760P	77R6965
RDHRD443000P	77R6945
RDHRD443120P	RD-4-4312-0P
RDHRD443121P	RD-4-4312-1P
RDHRD443131P	RD-4-4313-1P
RDHRD443600P	77R6947
RDHRD443770P	77R5260
RDHRD444000P	77R0530
RDHRD444031P	77R6960
RDHRD444050P	RD-4-4405-0P
RDHRD444140P	77R0670
RDHRD444352P	RD-4-4435-2P
RDHRD444361P	RD-4-4436-1P
RDHRD444400P	77R0090
RDHRD444500P	RD-4-4450-0P
RDHRD444650P	RD-4-4465-0P
RDHRD444700P	RD-4-4470-0P
RDHRD444710P	RD-4-4471-0P
RDHRD444802P	RD-4-4480-2P
RDHRD445010P	RD-4-4501-0P
RDHRD445020P	RD-4-4502-0P
RDHRD445021P	RD-4-4502-1P
RDHRD445204P	RD-4-4520-4P
RDHRD445205P	RD-4-4520-5P
RDHRD445291P	RD-4-4529-1P
RDHRD445481P	RD-4-4548-1P
RDHRD445500P	77R6935
RDHRD445501P	77R6940
RDHRD446940P	RD-4-4694-0P
RDHRD447130P	77R7000
RDHRD447240P	77R0660
RDHRD447380P	77R0620
RDHRD447470P	RD-4-4747-0P
RDHRD449310P	77R0665
RDHRD449520P	RD-4-4952-0P
RDHRD449680P	77R7100
RDHRD449720P	77R5263
RDHRD450410P	RD-4-5041-0P
RDHRD450450P	77R0990
RDHRD450500P	RD-4-5050-0P
RDHRD450520P	RD-4-5052-0P
RDHRD451160P	77R7020
RDHRD451210P	RD-4-5121-0P
RDHRD451220P	77R0630
RDHRD451350P	RD-4-5135-0P

VOLVO	
RDHRD451461P	77R0570
RDHRD451540P	77R7010
RDHRD452264P	77R8301
RDHRD45270P	71R6300
RDHRD452840P	RD-4-5284-0P
RDHRD453110P	77R1622
RDHRD453120P	77R1624
RDHRD453250P	RD-4-5325-0P
RDHRD453410P	RD-4-5341-0P
RDHRD453550P	RD-4-5355-0P
RDHRD453640P	RD-4-5364-0P
RDHRD453700P	RD-4-5370-0P
RDHRD453701P	RD-4-5370-1P
RDHRD453770P	77R1280
RDHRD453780P	77R1290
RDHRD453790P	77R1310
RDHRD453791P	RD-4-5379-1P
RDHRD453801P	RD-4-5380-1P
RDHRD454180P	77R1300
RDHRD454302P	RD-4-5430-2P
RDHRD454412P	RD-4-5441-2P
RDHRD454452P	RD-4-5445-2P
RDHRD454520P	RD-4-5452-0P
RDHRD454530P	RD-4-5453-0P
RDHRD454620P	77R0580
RDHRD454980P	77R1604
RDHRD455030P	77R1295
RDHRD456580P	77R6950
RDHRD456860P	77R1405
RDHRD456960P	77R6807
RDHRD457000P	RD-4-5700-0P
RDHRD457630P	77R7706
RDHRD457640P	77R7708
RDHRD457650P	77R7710
RDHRD457660P	77R7712
RDHRD457670P	77R7714
RDHRD457690P	77R7704
RDHRD457700P	77R7702
RDHRD500600P	72R1502
RDHRD5006024P	72R1504
RDHRD500710P	71R0400
RDHRD5100080P	71R6410
RDHRD5100090P	71R6415
RDHRD5100101P	RD-5-10010-1P
RDHRD5100110P	71R8504
RDHRD5100120P	71R8501
RDHRD5100130P	71R8506
RDHRD5100140P	71R8510
RDHRD5100160P	79R1681
RDHRD5100170P	79R9681
RDHRD5100180P	79R1682

VOLVO	
RDHRD5100190P	79R9682
RDHRD5100290P	75R7300
RDHRD5100300P	72R3151
RDHRD5100310P	72R3156
RDHRD5100410P	78R5351
RDHRD5100530P	73R2262
RDHRD5100550P	72R6547
RDHRD5100560P	71R0453
RDHRD5100670P	RD-5-10067-0P
RDHRD5100680P	73R4322
RDHRD5100700P	73R0142
RDHRD5100710P	73R0082
RDHRD5100720P	73R0642
RDHRD5100730P	73R4312
RDHRD5100830P	73R8320
RDHRD5100850M	70R5057
RDHRD5100960P	71R6185
RDHRD5100970P	71R6245
RDHRD5101290P	RD-5-10129-0P
RDHRD5101790P	RD-5-10179-0P
RDHRD5101880P	71R0485
RDHRD5101980M	70R5026
RDHRD5101990M	70R5024
RDHRD5102000M	70R5022
RDHRD5102060P	79R4650
RDHRD5102070P	79R4655
RDHRD5102090P	79R1150
RDHRD5102230P	72R5055
RDHRD5102330M	RD-5-10233-0M
RDHRD5102490P	78R5309
RDHRD5102580P	72R7100
RDHRD5102590P	75R84112
RDHRD5102600P	75R84594
RDHRD5102610	75R84132
RDHRD5102620P	75R84162
RDHRD5102630P	75R84172
RDHRD5102640P	75R84182
RDHRD5102650P	75R84192
RDHRD5102660P	75R84212
RDHRD5102670P	75R84232
RDHRD5102680P	75R84252
RDHRD5102730P	75R84292
RDHRD5102740P	75R84312
RDHRD5102750P	75R84352
RDHRD5102760P	75R84362
RDHRD5102780P	75R84382
RDHRD5102820P	75R84452
RDHRD5102830P	75R83112
RDHRD5102840P	75R83132
RDHRD5102850P	75R84472
RDHRD5102860P	75R84482

VOLVO	
RDHRD5102880P	75R83152
RDHRD5102900P	75R84512
RDHRD5102910P	75R84532
RDHRD5102920P	75R84552
RDHRD5102940P	75R84562
RDHRD5102950P	75R84572
RDHRD5103010P	75R4782
RDHRD5103020P	75R4792
RDHRD5103030P	75R84152
RDHRD5103060P	71R8415
RDHRD5103070P	75R82102
RDHRD5103100P	75R82132
RDHRD5103160P	75R8917
RDHRD5103210P	75R85632
RDHRD5103220P	75R85734
RDHRD5103280P	75R86162
RDHRD5103330P	71R8440
RDHRD5103340P	71R8350
RDHRD5103350P	71R3220
RDHRD5103360P	73R0042
RDHRD5103410P	71R1457
RDHRD5103420P	71R4025
RDHRD5103440P	72R6520
RDHRD5103450P	72R6530
RDHRD5103460P	73R7130
RDHRD5103510P	71R6445
RDHRD5103520P	71R6565
RDHRD5103570P	75R4742
RDHRD5103600P	75R1512
RDHRD5103610P	75R1432
RDHRD5103620P	75R1522
RDHRD5103630P	75R0502
RDHRD5103640P	75R0512
RDHRD5103650P	75R0682
RDHRD5103660P	75R0522
RDHRD5103670P	75R0422
RDHRD5103680P	75R1532
RDHRD5103690P	75R1542
RDHRD5103710P	75R8906
RDHRD5103770P	79R0330
RDHRD5103790P	73R0012
RDHRD5103800P	73R2202
RDHRD5103810P	73R2222
RDHRD5103820P	73R2242
RDHRD5103830P	73R2112
RDHRD5103860P	73R2132
RDHRD5103870P	73R2142
RDHRD5103880P	73R2152
RDHRD5103900P	73R0212
RDHRD5103910P	73R0092
RDHRD5103930P	73R3022

VOLVO	
RDHRD5103950P	73R3032
RDHRD5103970P	75R1342
RDHRD5103980P	75R0032
RDHRD5103990P	75R0052
RDHRD5104010P	75R4702
RDHRD5104180P	72R2255
RDHRD5104270P	75R86194
RDHRD5104340P	74R2002
RDHRD5104350P	73R6383
RDHRD5104380P	71R6249
RDHRD5104390P	71R6251
RDHRD5104410P	71R1463
RDHRD5104420P	71R6093
RDHRD5104430P	71R6255
RDHRD5104440P	71R6257
RDHRD5104450P	71R8220
RDHRD5104470P	71R8405
RDHRD5104620P	74R5081
RDHRD5104700P	71R6420
RDHRD5104710P	71R6430
RDHRD5104780P	72R2350
RDHRD5104790P	79R1720
RDHRD5104860P	79R5032
RDHRD5104870P	79R5033
RDHRD5104900P	73R9082
RDHRD5104910P	73R0032
RDHRD5104920P	75R8722
RDHRD5104930P	75R82142
RDHRD5105010P	73R3062
RDHRD5105020P	73R3052
RDHRD510504600P	78R8456
RDHRD510505600P	78R8458
RDHRD510506600P	78R8451
RDHRD510507600P	78R8452
RDHRD5105081P	70R8606
RDHRD5105091P	70R8706
RDHRD5105101P	70R8608
RDHRD5105111P	70R8708
RDHRD5105121P	70R8601
RDHRD5105131P	70R8701
RDHRD5105151P	70R8602
RDHRD5105161P	70R8646
RDHRD5105171P	70R8648
RDHRD5105181P	70R8641
RDHRD5105191P	70R8642
RDHRD5105201P	70R8696
RDHRD5105211P	70R8796
RDHRD5105221P	70R8698
RDHRD5105231P	70R8798
RDHRD5105241P	70R8691
RDHRD5105251P	70R8791

VOLVO	
RDHRD5105260P	75R0072
RDHRD5105271P	70R8692
RDHRD5105281P	70R8091
RDHRD5105291P	70R8761
RDHRD5105301P	70R8092
RDHRD5105311P	70R8306
RDHRD5105341P	70R8301
RDHRD5105351P	70R8711
RDHRD5105371P	70R8006
RDHRD5105381P	70R8786
RDHRD5105411P	70R8781
RDHRD5105431P	70R8001
RDHRD5105440P	75R0082
RDHRD5105450P	75R0092
RDHRD5105471P	70R8556
RDHRD5105481P	70R8558
RDHRD5105491P	70R8551
RDHRD5105501P	70R8511
RDHRD5105501P	70R8511
RDHRD5105541P	70R8348
RDHRD5105551P	70R8346
RDHRD5105561P	70R8341
RDHRD5105581P	70R8888
RDHRD5105601P	70R8086
RDHRD5105611P	70R8088
RDHRD5105621P	70R8071
RDHRD5105631P	70R8591
RDHRD5105641P	70R8201
RDHRD5105641P	70R8201
RDHRD5105651P	70R8621
RDHRD5105651P	70R8621
RDHRD5105661P	70R8208
RDHRD5105671P	70R8996
RDHRD5105671P	70R8996
RDHRD5105681P	70R8998
RDHRD5105681P	70R8998
RDHRD5105691P	70R8891
RDHRD5105701P	70R8066
RDHRD5105711P	70R8068
RDHRD5105721P	70R8061
RDHRD5105731P	70R8062
RDHRD5105741P	70R8681
RDHRD5105751P	70R8688
RDHRD5105761P	70R8398
RDHRD5105771P	70R8598
RDHRD5105781P	70R8296
RDHRD5105791P	70R8298
RDHRD5105801P	70R8291
RDHRD5105840P	74R3147
RDHRD5105890P	74R3126
RDHRD5106911P	70R8248

VOLVO	
RDHRD5106911P	70R8248
RDHRD5106991P	70R8216
RDHRD5107001P	70R8218
RDHRD5107011P	70R8211
RDHRD5107021P	70R8212
RDHRD5107030P	RD-5-10703-0P
RDHRD5107031P	70R8292
RDHRD5107041P	70R8271
RDHRD5107051P	70R8272
RDHRD5107061P	70R8276
RDHRD5107071P	70R8278
RDHRD5107081P	70R8261
RDHRD5107090M	70R8806
RDHRD5107100M	70R8808
RDHRD5107110M	70R8801
RDHRD5107120M	70R8802
RDHRD5107130M	70R8826
RDHRD5107140M	70R8828
RDHRD5107150M	70R8821
RDHRD5107160M	70R8822
RDHRD5107170P	79R8920
RDHRD5107180P	79R8915
RDHRD5107191P	70R8096
RDHRD5107201P	70R8098
RDHRD5107220P	75R0252
RDHRD5107230P	75R0262
RDHRD5107240P	75R1212
RDHRD5107250P	75R8454
RDHRD5107270P	75R0062
RDHRD5107290P	74R3313
RDHRD5107340P	71R8090
RDHRD5107360P	71R3155
RDHRD5107370P	75R84632
RDHRD5107380P	75R84622
RDHRD5107390P	79R8930
RDHRD5107400P	79R8931
RDHRD5107440P	74R1436
RDHRD5107530P	73R6253
RDHRD5107570P	71R8507
RDHRD5107590P	75R1832
RDHRD5107600P	75R1842
RDHRD5107610P	75R1852
RDHRD5107620P	75R1862
RDHRD5107630P	71R6402
RDHRD5107660P	71R6408
RDHRD5107680P	71R6414
RDHRD5107690P	71R6416
RDHRD5107710P	71R6561
RDHRD5107720P	71R6563
RDHRD5107730P	78R5306M
RDHRD5107740P	78R5302

Convert Other Part Numbers to Red Dot Aftermarket Numbers

VOLVO	
RDHRD5107750P	78R5308
RDHRD5107760P	78R5304
RDHRD5107770P	74R2616
RDHRD5107780P	71R6418
RDHRD5107790P	71R6422
RDHRD5107800P	71R6448
RDHRD5107810P	71R6451
RDHRD5107820P	71R6452
RDHRD5107830P	71R6424
RDHRD5107840P	71R6426
RDHRD5107870P	71R6434
RDHRD5107880P	71R6454
RDHRD5107890P	71R6450
RDHRD5107900P	71R6456
RDHRD5108500P	71R6458
RDHRD5108510P	71R6460
RDHRD5108520P	71R6438
RDHRD5108530P	71R6442
RDHRD5108540P	71R6444
RDHRD5108550P	71R6566
RDHRD5108590P	71R6573
RDHRD5108600P	71R6576
RDHRD5108610P	71R6578
RDHRD5108800P	75R89305
RDHRD5108810P	75R89310
RDHRD5108840P	75R89325
RDHRD5108850P	75R89302
RDHRD5108860P	75R89312
RDHRD5108880P	75R89334
RDHRD5108900P	75R89352
RDHRD5108920P	75R89354
RDHRD5108930P	75R89372
RDHRD5108950P	75R89374
RDHRD5108960P	75R89384
RDHRD5108970P	75R89392
RDHRD5108990P	75R89422
RDHRD5109000P	75R89424
RDHRD5109030P	71R8451
RDHRD5109050P	73R0442
RDHRD5109270P	74R5061
RDHRD5109340P	71R1163
RDHRD5109440P	74R3327
RDHRD5110000P	71R6463
RDHRD5110020P	75R84662
RDHRD5110050P	75R89432
RDHRD5110060P	75R89462
RDHRD5110080P	75R89412
RDHRD5110090P	75R89474
RDHRD5110100P	75R89484
RDHRD5110130P	75R89394
RDHRD5110480P	75R8922

VOLVO	
RDHRD5110910P	79R3165
RDHRD5110920P	79R3163
RDHRD5110930P	79R3161
RDHRD5110940P	79R3175
RDHRD5110950P	79R3173
RDHRD5110960P	79R3171
RDHRD5110980P	79R3174
RDHRD5110990P	79R3172
RDHRD5111020P	79R3178
RDHRD5111030P	79R3179
RDHRD5111350P	79R1660
RDHRD5111380P	79R4008
RDHRD5111430P	79R0105
RDHRD5111530P	79R0180
RDHRD5111600P	75R84462
RDHRD5111610P	75R84114
RDHRD5111620P	79R6060
RDHRD5111690P	71R7077
RDHRD5111860P	74R3377
RDHRD5111880P	74R3328
RDHRD5111890P	74R3323
RDHRD5112190P	75R7332
RDHRD5112200P	75R84592
RDHRD5112340P	75R81104
RDHRD5112350P	75R81114
RDHRD5112360P	75R81134
RDHRD5112370P	75R81152
RDHRD5112380P	75R81162
RDHRD5112390P	75R81172
RDHRD5112400P	75R81184
RDHRD5112410P	75R81192
RDHRD5112420P	75R81202
RDHRD5112430P	75R81212
RDHRD5112440P	75R81232
RDHRD5112450P	75R81252
RDHRD5112470P	75R81262
RDHRD5112480P	75R81274
RDHRD5112510P	75R81302
RDHRD5112540P	75R81352
RDHRD5112560P	75R81362
RDHRD5112570P	75R81372
RDHRD5112580P	75R81382
RDHRD5112590P	75R81392
RDHRD5112600P	75R81402
RDHRD5113100P	75R81412
RDHRD5113130P	75R81452
RDHRD5113150P	75R81462
RDHRD5113220P	75R81482
RDHRD5113240P	75R81492
RDHRD5113260P	75R81502
RDHRD5113270P	79R4710

VOLVO	
RDHRD5113280P	75R81512
RDHRD5113300P	75R81532
RDHRD5113310P	75R81552
RDHRD5113340P	75R81562
RDHRD5113360P	75R81572
RDHRD5113400P	75R81612
RDHRD5113430P	75R81652
RDHRD5113450P	75R81672
RDHRD5113460P	75R81682
RDHRD5113470P	75R81692
RDHRD5113500P	75R81732
RDHRD5113560P	75R81762
RDHRD5113720P	79R8916
RDHRD5113810P	71R6571
RDHRD5115270M	70R5031
RDHRD5115280M	70R5032
RDHRD5115290M	70R5033
RDHRD5115300M	70R5034
RDHRD5115361P	70R85206
RDHRD5115371P	70R85201
RDHRD5115381P	70R85202
RDHRD5115391P	70R85212
RDHRD5115401P	70R85222
RDHRD5115411P	70R85301
RDHRD5115421P	70R85311
RDHRD5115431P	70R85326
RDHRD5115441P	70R85321
RDHRD5115451P	70R85336
RDHRD5115680P	79R4597
RDHRD5115790P	73R3072
RDHRD5118291P	75R75218
RDHRD5118301P	75R75212
RDHRD5118311P	75R75228
RDHRD5118321P	75R75222
RDHRD5118331P	75R75208
RDHRD5118341P	75R75202
RDHRD5118360P	78R5430
RDHRD5118381P	70R8288
RDHRD5118391P	70R8281
RDHRD5118401P	70R8282
RDHRD5118620P	71R3577
RDHRD5118970P	RD-5-11897-0P
RDHRD5123080P	70R4005S
RDHRD5123300P	75R81622
RDHRD5123320P	75R81632
RDHRD5124880P	77R6957
RDHRD5125200P	71R8453
RDHRD5125210P	71R8455
RDHRD5125220P	71R8457
RDHRD5126230P	74R5097
RDHRD5127420P	RD-5-12742-0P

VOLVO	
RDHRD53550120P	78R0070
RDHRD535930P	74R1756
RDHRD535931P	74R1706
RDHRD535960P	72R3050
RDHRD535970P	72R2250
RDHRD535990P	71R0250
RDHRD536470P	71R1450
RDHRD536530P	72R9040
RDHRD536570P	78R0050
RDHRD536860P	70R7550
RDHRD536861P	70R7750
RDHRD536930P	75R5608
RDHRD536980M	75R5520
RDHRD537010P	72R2500
RDHRD537020P	72R2600
RDHRD537090P	72R2100
RDHRD537160P	70R1496
RDHRD537180P	70R1491
RDHRD537200P	70R1308
RDHRD537210P	70R1301
RDHRD537220P	70R1406
RDHRD537230P	70R1408
RDHRD537240P	70R1401
RDHRD537280M	70R5056
RDHRD537290M	70R5058
RDHRD537300M	70R5051
RDHRD537461P	70R7500
RDHRD5375124P	73R0454
RDHRD5375712P	73R4202
RDHRD5375724P	73R4204
RDHRD537580P	72R2550
RDHRD537640M	RD-5-3764-0M
RDHRD537723P	RD-5-3772-3P
RDHRD537790P	71R1165
RDHRD537800P	73R4102
RDHRD537811P	RD-5-3781-1P
RDHRD537898P	78R1605
RDHRD537899P	78R1805
RDHRD537910P	70R5701
RDHRD538001P	73R6251
RDHRD538222P	RD-5-3822-2P
RDHRD538241P	71R8100
RDHRD538270P	72R0200
RDHRD538271P	72R0210
RDHRD538272P	72R0220
RDHRD538274P	72R0240
RDHRD538276P	72R0260
RDHRD538277P	RD-5-3827-7P
RDHRD538278P	RD-5-3827-8P
RDHRD538460P	72R3200
RDHRD538490P	RD-5-3849-0P

VOLVO	
RDHRD538551P	RD-5-3855-1P
RDHRD538604P	RD-5-3860-4P
RDHRD538605P	RD-5-3860-5P
RDHRD538610P	70R5200
RDHRD538760P	RD-5-3876-0P
RDHRD538761P	70R7200
RDHRD538941P	RD-5-3894-1P
RDHRD538942P	RD-5-3894-2P
RDHRD539050P	78R5000
RDHRD539230P	71R0050
RDHRD539270P	RD-5-3927-0P
RDHRD53927108P	78R0400
RDHRD539282P	RD-5-3928-2P
RDHRD53930108P	78R0300
RDHRD53930216P	RD-5-3930-216P
RDHRD539331P	73R7101
RDHRD539470P	RD-5-3947-0P
RDHRD539880P	71R0350
RDHRD540310P	RD-5-4031-0P
RDHRD5403510M	70R5550
RDHRD5403516M	70R5600
RDHRD5403552P	70R5650
RDHRD54058360P	79R4400
RDHRD540621500M	RD-5-4062-1-.500M
RDHRD540660P	RD-5-4066-0P
RDHRD540890M	RD-5-4089-0M
RDHRD540970P	RD-5-4097-0P
RDHRD541870P	78R0100
RDHRD541950P	RD-5-4195-0P
RDHRD542160P	71R1900
RDHRD5423324P	73R4504
RDHRD542530P	RD-5-4253-0P
RDHRD542650P	RD-5-4265-0P
RDHRD542830P	71R0040
RDHRD542850P	RD-5-4285-0P
RDHRD542870P	71R1654
RDHRD542880P	78R5003
RDHRD542890P	78R5007
RDHRD542960P	73R9202
RDHRD542961P	73R9204
RDHRD543020M	71R4030
RDHRD543870P	RD-5-4387-0P
RDHRD544000P	70R5770
RDHRD544080P	71R1702
RDHRD544170P	71R1704
RDHRD544500P	71R4035
RDHRD544510P	72R2200
RDHRD544520P	72R2150
RDHRD544530P	RD-5-4453-0P
RDHRD544710P	70R7250
RDHRD544750P	72R0050

VOLVO	
RDHRD5447612M	70R5565
RDHRD544870P	RD-5-4487-0P
RDHRD544970P	70R8420
RDHRD545030P	RD-5-4503-0P
RDHRD545040P	RD-5-4504-0P
RDHRD545090P	RD-5-4509-0P
RDHRD545270P	70R2201
RDHRD545280P	70R2206
RDHRD5453124P	71R3200
RDHRD545500P	73R0102
RDHRD5455024P	73R0104
RDHRD545750P	73R9052
RDHRD5457524P	73R9054
RDHRD545830P	71R7550
RDHRD545850P	71R7500
RDHRD546110P	RD-5-4611-0P
RDHRD546200P	71R7600
RDHRD546241P	RD-5-4624-1P
RDHRD546250P	71R7650
RDHRD546261P	RD-5-4626-1P
RDHRD546320P	74R1956
RDHRD546321P	74R1906
RDHRD546360P	RD-5-4636-0P
RDHRD546400P	71R7050
RDHRD546410M	RD-5-4641-0M
RDHRD546460P	71R7000
RDHRD546590P	72R9010
RDHRD546650M	70R5706
RDHRD546660M	70R5708
RDHRD546800WHTP	78R0030
RDHRD546930P	RD-5-4693-0P
RDHRD546941P	71R0450
RDHRD547180P	RD-5-4718-0P
RDHRD547221P	RD-5-4722-1P
RDHRD547222P	RD-5-4722-2P
RDHRD547270P	74R2586
RDHRD547271P	74R2596
RDHRD547300P	RD-5-4730-0P
RDHRD547400P	72R0100
RDHRD547430P	RD-5-4743-0P
RDHRD547470P	72R0500
RDHRD547560P	72R9030
RDHRD547761P	RD-5-4776-1P
RDHRD548130P	70R3590
RDHRD5482511P	RD-5-4825-11P
RDHRD5482515P	RD-5-4825-15P
RDHRD5482519P	RD-5-4825-19P
RDHRD5482523P	RD-5-4825-23P
RDHRD5482724P	73R0404
RDHRD549040P	70R3550
RDHRD549050P	70R5000

VOLVO	
RDHRD549080P	71R1200
RDHRD549090P	71R2100
RDHRD549110P	71R2600
RDHRD549120P	71R6100
RDHRD549170P	71R2800
RDHRD549190P	71R8500
RDHRD549230P	72R5040
RDHRD549270P	73R0702
RDHRD549320P	73R1052
RDHRD549370P	73R2102
RDHRD549470P	74R0450
RDHRD549550P	74R2706
RDHRD549590P	74R3450
RDHRD549610P	74R5050
RDHRD549620P	74R5600
RDHRD549660P	75R0302
RDHRD549670P	75R0452
RDHRD549750P	75R1652
RDHRD549800P	75R2402
RDHRD549940P	75R4502
RDHRD549970M	75R5700
RDHRD550000P	75R8102
RDHRD550060P	78R0456SP
RDHRD55006600P	78R0456
RDHRD550080P	78R0458SP
RDHRD55008600P	78R0458
RDHRD550100P	78R0451SP
RDHRD55010600P	78R0451
RDHRD550120P	78R0452SP
RDHRD55012600P	78R0452
RDHRD550141P	78R1505
RDHRD550154P	78R1025
RDHRD550271P	71R1802
RDHRD550310P	75R6000
RDHRD550320P	75R6010
RDHRD550491P	73R4422
RDHRD550492P	73R4424
RDHRD550722P	RD-5-5072-2P
RDHRD550723P	RD-5-5072-3P
RDHRD550730M	RD-5-5073-0M
RDHRD550780M	RD-5-5078-0M
RDHRD551190P	72R5060
RDHRD551200P	73R0512
RDHRD5512024P	73R0514
RDHRD551210P	73R4252
RDHRD551211P	73R4262
RDHRD5512124P	73R4254
RDHRD551212P	73R4264
RDHRD55122108P	78R0200
RDHRD55123108P	78R0250
RDHRD55123600P	RD-5-5123-600P

VOLVO	
RDHRD551260P	75R9500
RDHRD551470P	78R5100
RDHRD551471P	78R5110
RDHRD551500P	RD-5-5150-0P
RDHRD551510P	78R5005
RDHRD551520P	78R5004
RDHRD551650P	75R9060
RDHRD551830P	75R9530
RDHRD551840P	75R9540
RDHRD551900P	73R4162
RDHRD551910P	72R5070
RDHRD551920P	72R5500
RDHRD551930P	72R5600
RDHRD551940P	71R1210
RDHRD551970P	75R5658
RDHRD552150P	72R5080
RDHRD552220P	72R3111
RDHRD552230P	72R3110
RDHRD552231P	72R3100
RDHRD552232P	RD-5-5223-2P
RDHRD552300P	73R0522
RDHRD552340M	RD-5-5234-0M
RDHRD552560M	70R5718
RDHRD552630P	73R6230
RDHRD552692P	73R0622
RDHRD553000P	72R5200
RDHRD553021P	71R0470
RDHRD553350M	RD-5-5335-0M
RDHRD553360M	RD-5-5336-0M
RDHRD553420M	RD-5-5342-0M
RDHRD553520P	RD-5-5352-0P
RDHRD553550M	RD-5-5355-0M
RDHRD553740P	RD-5-5374-0P
RDHRD553810M	RD-5-5381-0M
RDHRD553830P	RD-5-5383-0P
RDHRD553960P	75R5718
RDHRD553970P	75R5711
RDHRD554000P	71R0260
RDHRD554010M	75R5540
RDHRD554020P	RD-5-5402-0P
RDHRD554030P	77R9000
RDHRD554031P	77R9010
RDHRD554032P	77R9005
RDHRD554033P	77R9015
RDHRD554062P	78R1070
RDHRD554144P	72R1200
RDHRD554230P	RD-5-5423-0P
RDHRD554240P	RD-5-5424-0P
RDHRD554241P	72R1300
RDHRD554310P	78R5200
RDHRD554320P	78R5210

Convert Other Part Numbers to Red Dot Aftermarket Numbers

VOLVO	
RDHRD554340P	RD-5-5434-0P
RDHRD5543524P	RD-5-5435-24P
RDHRD554520P	RD-5-5452-0P
RDHRD554760P	72R2000
RDHRD554860P	75R0202
RDHRD554870P	75R0204
RDHRD554950P	RD-5-5495-0P
RDHRD554951P	72R5260
RDHRD554952P	72R5270
RDHRD555020M	RD-5-5502-0M
RDHRD5550533P	RD-5-5505-33P
RDHRD555056250P	RD-5-5505-62.50P
RDHRD555100P	RD-5-5510-0P
RDHRD555120P	73R0912
RDHRD555200P	72R2130
RDHRD555250P	70R7110
RDHRD555340P	RD-5-5534-0P
RDHRD555380P	72R0070
RDHRD555480P	RD-5-5548-0P
RDHRD555520P	72R2140
RDHRD555660P	75R9670
RDHRD555710P	74R1806
RDHRD555720P	74R1856
RDHRD555730M	RD-5-5573-0M
RDHRD555740P	75R0042
RDHRD555890P	74R3066
RDHRD556010P	73R6370
RDHRD556140P	73R4062
RDHRD556340P	73R0922
RDHRD556560P	73R7000
RDHRD556760P	RD-5-5676-0P
RDHRD557210P	72R0600
RDHRD557211P	72R0190
RDHRD557510P	75R5005
RDHRD557520P	75R5102
RDHRD557540P	75R5104
RDHRD557845P	72R1210
RDHRD55791600GRNP	78R0063
RDHRD55791600REDP	78R0065
RDHRD55791600WHTP	78R0060
RDHRD557960P	73R9062
RDHRD5579624P	73R9064
RDHRD558370P	73R4602
RDHRD558620P	71R8080
RDHRD558730P	71R6070
RDHRD558740P	71R1300
RDHRD558770P	71R6060
RDHRD558870P	73R9072
RDHRD559010P	72R9020
RDHRD559160P	79R4550
RDHRD559270M	RD-5-5927-0M

VOLVO	
RDHRD559280P	71R4040
RDHRD559380M	78R0090
RDHRD559650P	RD-5-5965-0P
RDHRD559730P	RD-5-5973-0P
RDHRD559821P	RD-5-5982-1P
RDHRD559880M	RD-5-5988-0M
RDHRD560170P	72R3000
RDHRD560230P	RD-5-6023-0P
RDHRD560281P	72R1310
RDHRD560283P	RD-5-6028-3P
RDHRD560284P	RD-5-6028-4P
RDHRD560520P	RD-5-6052-0P
RDHRD560710P	73R0364
RDHRD560760P	74R4116
RDHRD560770P	74R4016
RDHRD560980M	70R5100
RDHRD560990P	71R8210
RDHRD561180P	RD-5-6118-0P
RDHRD561240P	78R5320
RDHRD561310P	RD-5-6131-0P
RDHRD561320P	RD-5-6132-0P
RDHRD562050P	RD-5-6205-0P
RDHRD562200P	72R2105
RDHRD562320P	75R9890
RDHRD562390P	RD-5-6239-0P
RDHRD562400P	78R5340
RDHRD563170M	RD-5-6317-0M
RDHRD563180M	RD-5-6318-0M
RDHRD563200P	71R3575
RDHRD563940P	71R6080
RDHRD563950P	71R6040
RDHRD563951P	71R6045
RDHRD563960P	71R6090
RDHRD563970P	71R6020
RDHRD5641072P	RD-5-6410-72P
RDHRD564150P	75R6041
RDHRD564230P	RD-5-6423-0P
RDHRD564250P	RD-5-6425-0P
RDHRD564271P	78R5500
RDHRD564290P	71R3150
RDHRD564300P	71R6110
RDHRD564400P	73R0062
RDHRD564500P	71R1455
RDHRD564590P	RD-5-6459-0P
RDHRD564780P	70R4308
RDHRD564870P	70R4591
RDHRD564880P	70R4598
RDHRD564930P	70R4641
RDHRD565040P	74R2306
RDHRD565050P	70R4701
RDHRD565110P	70R4446

VOLVO	
RDHRD565200P	70R4696
RDHRD565240P	70R4991
RDHRD565260P	73R0422
RDHRD565261P	73R0402
RDHRD565262P	73R0352
RDHRD565290P	RD-5-6529-0P
RDHRD565310P	73R0322
RDHRD56532120P	78R0075
RDHRD56532360P	RD-5-6532-360P
RDHRD565470P	75R6040
RDHRD565550P	72R2110
RDHRD565672P	74R3466
RDHRD565750P	74R1846
RDHRD566000P	70R5210
RDHRD566020P	71R1310
RDHRD566221M	RD-5-6622-1M
RDHRD566390P	71R6115
RDHRD566460P	75R0182
RDHRD566511P	73R6381
RDHRD5666746P	72R8315
RDHRD566830P	78R2100
RDHRD566900P	71R1902
RDHRD566910M	70R5110
RDHRD566930P	71R1904
RDHRD566940P	RD-5-6694-0P
RDHRD567140P	71R1315
RDHRD567190P	70R4448
RDHRD567280P	RD-5-6728-0P
RDHRD567670P	RD-5-6767-0P
RDHRD567810P	RD-5-6781-0P
RDHRD5678524P	73R0984
RDHRD567990P	RD-5-6799-0P
RDHRD568010P	73R4182
RDHRD568020P	72R8270
RDHRD568030P	72R8280
RDHRD568040P	71R0460
RDHRD568330P	71R6120
RDHRD568340P	71R6130
RDHRD568350P	71R6140
RDHRD568380P	70R4406S
RDHRD568400P	70R4498S
RDHRD568410P	70R4401S
RDHRD568670P	78R5350
RDHRD568680P	71R8301
RDHRD568681P	71R8301
RDHRD568740P	RD-5-6874-0P
RDHRD569120M	RD-5-6912-0M
RDHRD569170P	RD-5-6917-0P
RDHRD569172P	72R9005
RDHRD569190P	75R84522
RDHRD569202P	RD-5-6920-2P

VOLVO	
RDHRD569420P	70R4346S
RDHRD569430P	70R4446S
RDHRD569440P	70R4396S
RDHRD569450M	RD-5-6945-0M
RDHRD569450P	70R4496S
RDHRD569460P	70R4308S
RDHRD569470P	70R4408S
RDHRD569480P	70R4448S
RDHRD569490P	70R4398S
RDHRD569510P	70R4301S
RDHRD569530P	70R4341S
RDHRD569540P	70R4441S
RDHRD569550P	70R4391S
RDHRD569560P	70R4491S
RDHRD569690P	73R4064
RDHRD569700P	73R7110
RDHRD569701P	73R7120
RDHRD569780P	70R4691S
RDHRD569790P	70R4701S
RDHRD569870P	72R2351
RDHRD570150P	71R8321
RDHRD570240P	RD-5-7024-0P
RDHRD5703172P	RD-5-7031-72P
RDHRD570380P	71R6135
RDHRD570570P	70R2078S
RDHRD570580P	70R2071S
RDHRD570621P	74R1826
RDHRD570630P	74R1866
RDHRD570640P	74R0460
RDHRD570690P	70R2071
RDHRD570710P	70R3530
RDHRD570720P	70R2076
RDHRD570740P	70R2076S
RDHRD570750P	70R2072S
RDHRD570880P	75R8382
RDHRD570890P	75R8384
RDHRD570900P	75R8372
RDHRD570910P	75R8374
RDHRD571030P	79R4580
RDHRD571060M	79R0020
RDHRD571190P	70R6498S
RDHRD571200P	75R8422
RDHRD571240P	75R8424
RDHRD571290P	73R0542
RDHRD5712924P	73R0544
RDHRD571550P	71R8400
RDHRD571660P	79R4585
RDHRD571780P	RD-5-7178-0P
RDHRD571810P	71R0872
RDHRD571830P	71R0854
RDHRD571860P	71R8499

VOLVO	
RDHRD57188035M	71R8991
RDHRD571920P	71R1330
RDHRD571960M	RD-5-7196-0M
RDHRD572150P	71R0852
RDHRD572250P	70R6598S
RDHRD572310P	70R6491S
RDHRD572320P	71R1912
RDHRD572330P	71R1914
RDHRD572420P	79R6700
RDHRD572620P	78R5290
RDHRD572720P	74R2447
RDHRD572770M	75R5813
RDHRD572780M	75R5814
RDHRD572830P	70R6496
RDHRD572970P	73R8100
RDHRD573060P	75R5806
RDHRD573100P	75R5801
RDHRD573110P	73R6350
RDHRD573120P	73R6300
RDHRD573180P	75R5668
RDHRD573200P	75R5661
RDHRD573640P	71R3250
RDHRD573730P	75R8442
RDHRD573940P	70R4106
RDHRD573960P	70R6006
RDHRD573970P	70R6096
RDHRD574010P	70R4596
RDHRD574050P	70R4006S
RDHRD574060P	70R4096S
RDHRD574110P	70R2086
RDHRD574190P	70R4108
RDHRD574200P	70R4198
RDHRD574240P	70R4798
RDHRD574280P	70R4548
RDHRD574300P	75R5678
RDHRD574310P	70R4008S
RDHRD574380P	75R5858
RDHRD574400P	70R2018
RDHRD574450P	70R4698
RDHRD574500P	70R4191
RDHRD574510P	70R4341
RDHRD574560P	75R5671
RDHRD574570P	70R4001S
RDHRD574580P	70R4091S
RDHRD574620P	70R2081
RDHRD574700P	70R4192
RDHRD574710P	70R4402
RDHRD574730P	70R4442
RDHRD574760P	70R4342
RDHRD574800P	75R5672
RDHRD574810P	70R4002S

VOLVO	
RDHRD574820P	70R4092S
RDHRD574870P	75R5842
RDHRD574880P	75R5852
RDHRD574890P	75R5832
RDHRD574950P	70R4601S
RDHRD575171P	74R3376
RDHRD575220P	75R8432
RDHRD575230M	75R5560
RDHRD575240M	75R5570
RDHRD575310P	70R2038
RDHRD575320P	70R2031
RDHRD575340P	70R4606
RDHRD575390P	75R5808
RDHRD575430P	70R4641S
RDHRD575460P	70R6496S
RDHRD575480P	75R8312
RDHRD575590P	74R1106
RDHRD575660P	75R8184
RDHRD575670P	71R8370
RDHRD575700M	74R8006
RDHRD575752P	RD-5-7575-2P
RDHRD575753P	RD-5-7575-3P
RDHRD575760P	RD-5-7576-0P
RDHRD575790P	RD-5-7579-0P
RDHRD575811P	RD-5-7581-1P
RDHRD57582600P	78R0110
RDHRD576040P	70R2068
RDHRD576050P	70R2061
RDHRD576070P	RD-5-7607-0P
RDHRD576120P	70R4996
RDHRD576130P	75R5648
RDHRD576140P	75R5641
RDHRD576290P	70R4506S
RDHRD576320P	70R7008S
RDHRD576350M	RD-5-7635-0M
RDHRD576370P	70R6441
RDHRD576410P	70R5091S
RDHRD576610P	70R4501S
RDHRD576880P	75R5768
RDHRD576900P	75R5761
RDHRD577000P	RD-5-7700-0P
RDHRD577040P	75R6545
RDHRD577310P	79R1520
RDHRD577320P	79R1525
RDHRD577330P	70R4492S
RDHRD577400P	70R4402S
RDHRD577600P	72R5250
RDHRD577601P	72R5220
RDHRD577602P	72R5230
RDHRD577603P	72R5240
RDHRD577860P	79R1504

VOLVO	
RDHRD577870P	79R1503
RDHRD577880P	79R1502
RDHRD578050P	70R4306S
RDHRD578070P	71R1320
RDHRD578090P	71R1325
RDHRD578300P	75R5124
RDHRD578310P	75R0192
RDHRD578320P	75R0194
RDHRD578350P	RD-5-7835-0P
RDHRD578470P	76R7505
RDHRD579640P	75R5815
RDHRD579660P	75R5688
RDHRD579670P	75R5681
RDHRD579820P	75R5007
RDHRD579930P	RD-5-7993-0P
RDHRD579990P	72R9000
RDHRD579991P	RD-5-7999-1P
RDHRD580020M	RD-5-8002-0M
RDHRD580090P	75R0612
RDHRD580100P	75R8505
RDHRD580120P	78R1470
RDHRD580170P	70R7001S
RDHRD580260P	71R6095
RDHRD580320P	73R4122
RDHRD580340P	72R5110
RDHRD580431125P	RD-5-8043-11.25P
RDHRD580510P	RD-5-8051-0P
RDHRD580601P	75R7285
RDHRD580611P	75R7295
RDHRD580620P	79R4595
RDHRD580750P	71R4060
RDHRD580790P	78R5380
RDHRD580830P	72R5280
RDHRD580920P	73R7200
RDHRD580921P	73R7210
RDHRD581000P	71R8423
RDHRD581050P	78R5315
RDHRD581060P	78R5375
RDHRD581260P	73R4242
RDHRD581310P	RD-5-8131-0P
RDHRD581340P	71R4063
RDHRD581350P	72R7105
RDHRD581881P	RD-5-8188-1P
RDHRD581932P	72R5350
RDHRD581950P	70R4791S
RDHRD582030P	73R0962
RDHRD582040P	73R0432
RDHRD582100P	71R1910
RDHRD582180P	71R6160
RDHRD582190P	71R6170
RDHRD582200P	71R6180

VOLVO	
RDHRD582320P	RD-5-8232-0P
RDHRD582340P	70R2406
RDHRD582370P	70R2402
RDHRD582550P	73R0982
RDHRD582560P	71R0480
RDHRD582570P	71R3300
RDHRD582610P	70R4302S
RDHRD582620P	70R4348S
RDHRD582630P	70R4392S
RDHRD582640P	70R4342S
RDHRD582650P	70R2011S
RDHRD582660P	70R2012S
RDHRD582670P	70R2016S
RDHRD582680P	70R2018S
RDHRD582690P	70R2061S
RDHRD582700P	70R2062S
RDHRD582710P	70R2066S
RDHRD582720P	70R2068S
RDHRD582730P	70R2031S
RDHRD582740P	70R2036S
RDHRD582750P	70R4706S
RDHRD582760P	70R4796S
RDHRD582770P	70R4508S
RDHRD582780P	70R4591S
RDHRD582790P	70R4596S
RDHRD582800P	70R4598S
RDHRD582810P	70R7002S
RDHRD582820P	70R6492S
RDHRD582830P	70R4606S
RDHRD582840P	70R4608S
RDHRD582850P	70R4646S
RDHRD582860P	70R4696S
RDHRD582870P	71R6210
RDHRD582880P	71R6220
RDHRD582910P	79R1710
RDHRD582920M	75R5575
RDHRD5831032P	RD-5-8310-32P
RDHRD5831040P	RD-5-8310-40P
RDHRD583150P	71R0862
RDHRD583340M	75R5200
RDHRD583360P	75R6550
RDHRD583380P	75R6510
RDHRD583390P	75R6500
RDHRD583400P	75R6530
RDHRD583770P	71R3125
RDHRD583820P	75R4534
RDHRD583930P	70R3510S
RDHRD583940P	RD-5-8394-0P
RDHRD583970P	RD-5-8397-0P
RDHRD584020P	75R5878S
RDHRD584050P	70R4006

Convert Other Part Numbers to Red Dot Aftermarket Numbers

VOLVO	
RDHRD584120P	RD-5-8412-0P
RDHRD584211P	RD-5-8421-1P
RDHRD584240P	RD-5-8424-0P
RDHRD584330P	71R7075
RDHRD584360P	72R3120
RDHRD584540P	RD-5-8454-0P
RDHRD584590P	71R0030
RDHRD584620P	70R4442S
RDHRD584630P	70R4698S
RDHRD584810P	79R1505
RDHRD584871P	RD-5-8487-1P
RDHRD584900P	71R1610
RDHRD585260P	73R5512
RDHRD585261P	73R5514
RDHRD585350P	71R1262
RDHRD585370P	70R6006S
RDHRD585380P	70R6008S
RDHRD585390P	70R4416S
RDHRD585590P	73R8554
RDHRD585720P	RD-5-8572-0P
RDHRD585820P	78R5240
RDHRD585830P	73R5552
RDHRD585831P	73R5554
RDHRD585850P	RD-5-8585-0P
RDHRD586050P	74R0470
RDHRD586130P	RD-5-8613-0P
RDHRD586140P	RD-5-8614-0P
RDHRD586180P	73R6051
RDHRD586220P	RD-5-8622-0P
RDHRD586275P	73R8612
RDHRD586276P	73R8614
RDHRD586312P	73R8582
RDHRD586313P	73R8584
RDHRD586360M	RD-5-8636-0M
RDHRD586370P	75R7280
RDHRD586380P	75R7290
RDHRD586381P	75R7295
RDHRD586410P	RD-5-8641-0P
RDHRD586411P	RD-5-8641-1P
RDHRD586504P	RD-5-8650-4P
RDHRD586505P	RD-5-8650-5P
RDHRD586540P	71R4020
RDHRD586541P	71R4010
RDHRD586542P	71R4011
RDHRD586650P	71R1485
RDHRD586730P	71R4105
RDHRD586800P	75R8354
RDHRD587032P	73R8562
RDHRD587033P	73R8564
RDHRD587050P	RD-5-8705-0P
RDHRD587051P	RD-5-8705-1P

VOLVO	
RDHRD587471P	RD-5-8747-1P
RDHRD587474P	73R8652
RDHRD587475P	73R8654
RDHRD587590P	RD-5-8759-0P
RDHRD587591P	73R8702
RDHRD587620P	RD-5-8762-0P
RDHRD587710P	71R1175
RDHRD587720P	70R6506
RDHRD587730P	70R6508
RDHRD587740P	70R6501
RDHRD587852P	73R8592
RDHRD587853P	73R8594
RDHRD587854P	RD-5-8785-4P
RDHRD587901P	RD-5-8790-1P
RDHRD587910P	71R3573
RDHRD588040P	72R6400
RDHRD588041P	RD-5-8804-1P
RDHRD588042P	RD-5-8804-2P
RDHRD588290P	RD-5-8829-0P
RDHRD588300P	71R0522
RDHRD588310P	71R0532
RDHRD588350P	73R5522
RDHRD588360P	73R5524
RDHRD588370P	73R5532
RDHRD588371P	73R5642
RDHRD588380P	73R5534
RDHRD588500P	75R5819
RDHRD588510P	75R5820
RDHRD588570P	72R6420
RDHRD588573P	72R6425
RDHRD588590P	72R6410
RDHRD588850M	RD-5-8885-0M
RDHRD588860M	RD-5-8886-0M
RDHRD588950P	79R9516
RDHRD588960P	79R9518
RDHRD588970P	79R9521
RDHRD588980P	70R9406S
RDHRD588990P	70R9408S
RDHRD589000P	70R9401S
RDHRD589010P	70R9906S
RDHRD589020P	70R9908S
RDHRD589030P	70R9901S
RDHRD589040P	70R9496S
RDHRD589050P	70R9498S
RDHRD589060P	70R9491S
RDHRD589070P	70R9996S
RDHRD589080P	70R9998S
RDHRD589090P	70R9991S
RDHRD589100P	70R9306S
RDHRD589110P	70R9308S
RDHRD589120P	70R9301S

VOLVO	
RDHRD589130P	70R9396S
RDHRD589140P	70R9398S
RDHRD589150P	70R9391S
RDHRD589160P	70R9016S
RDHRD589170P	70R9018S
RDHRD589180P	70R9011S
RDHRD589190P	70R9076S
RDHRD589200P	70R9078S
RDHRD589210P	70R9071S
RDHRD589220P	73R0612
RDHRD589230P	71R1465
RDHRD589260P	72R4532
RDHRD589280P	72R3157
RDHRD589360P	71R8430
RDHRD589380P	71R3160
RDHRD589390P	70R9402S
RDHRD589400P	70R9492S
RDHRD589410P	70R9012S
RDHRD589430P	72R6515
RDHRD589450P	75R8252
RDHRD589460P	71R6125
RDHRD589470P	73R6270
RDHRD589480P	73R5562
RDHRD589510P	70R9791S
RDHRD589520P	70R9072S
RDHRD589550P	70R9001S
RDHRD589560P	70R9091S
RDHRD589570P	70R9701S
RDHRD589580P	79R4600
RDHRD589670P	71R0840
RDHRD589880P	71R3571
RDHRD589950P	71R0884
RDHRD590000P	RD-5-9000-0P
RDHRD590012P	RD-5-9001-2P
RDHRD590030P	RD-5-9003-0P
RDHRD590031P	RD-5-9003-1P
RDHRD590032P	RD-5-9003-2P
RDHRD590033P	RD-5-9003-3P
RDHRD590130P	RD-5-9013-0P
RDHRD590180P	RD-5-9018-0P
RDHRD590181P	RD-5-9018-1P
RDHRD590210P	71R3578
RDHRD5902232P	RD-5-9022-32P
RDHRD590226P	RD-5-9022-6P
RDHRD590240P	72R3130
RDHRD590370P	71R0512
RDHRD590530P	72R3140
RDHRD590610M	70R5052
RDHRD590620P	71R1480
RDHRD590762P	73R8642
RDHRD590763P	73R8644

VOLVO	
RDHRD590820P	71R8505
RDHRD590840M	70R5115
RDHRD590880P	75R8332
RDHRD590900P	RD-5-9090-0P
RDHRD591000P	73R0462
RDHRD591330M	71R4065
RDHRD591520P	72R4010
RDHRD591540P	75R8510
RDHRD591550P	75R8515
RDHRD591560P	75R8520
RDHRD591570P	72R4400
RDHRD591580P	72R4500
RDHRD591590P	72R4510
RDHRD591940P	73R5572
RDHRD5919424P	73R5574
RDHRD592040P	73R5622
RDHRD592041P	73R5624
RDHRD592161P	RD-5-9216-1P
RDHRD592180M	75R5833
RDHRD592190M	75R5834
RDHRD592240P	72R5360
RDHRD592241P	72R5285
RDHRD5922536P	72R8255
RDHRD592490P	75R1412
RDHRD592500P	75R1414
RDHRD592510P	75R8462
RDHRD592530P	RD-5-9253-0P
RDHRD592540P	RD-5-9254-0P
RDHRD592670P	RD-5-9267-0P
RDHRD593211P	RD-5-9321-1P
RDHRD594150P	72R6540
RDHRD594190P	74R2590
RDHRD594250P	72R3150
RDHRD594260P	72R3155
RDHRD594370P	71R1402
RDHRD594432P	72R8260
RDHRD594434P	72R8275
RDHRD594450P	71R1401
RDHRD594470P	71R1403
RDHRD594480P	71R1404
RDHRD594490P	71R1405
RDHRD594550P	74R1836
RDHRD594560P	75R1302
RDHRD594580P	75R8464
RDHRD595130P	71R8380
RDHRD595350P	RD-5-9535-0P
RDHRD595370M	RD-5-9537-0M
RDHRD595560P	74R5060
RDHRD595600P	77R1320
RDHRD595770P	71R6150
RDHRD596097P	RD-5-9609-7P

VOLVO	
RDHRD596110P	75R8507
RDHRD596160P	77R1602
RDHRD596170P	77R1612
RDHRD596330P	79R4561
RDHRD596340P	79R4562
RDHRD596350P	79R4563
RDHRD596570P	75R4732
RDHRD596590P	75R4734
RDHRD596870P	70R94306S
RDHRD596900P	70R94601S
RDHRD596910P	70R97701S
RDHRD596920P	70R94406S
RDHRD596930P	70R97006S
RDHRD596940P	70R94408S
RDHRD596950P	70R97008S
RDHRD597010P	70R84641S
RDHRD597020P	70R84446S
RDHRD597030P	70R84448S
RDHRD597050P	70R84791S
RDHRD597080P	70R84398S
RDHRD597090P	70R94991S
RDHRD597110P	70R94691S
RDHRD597130P	70R95091S
RDHRD597140P	70R94696S
RDHRD597150P	70R96496S
RDHRD597160P	70R94498S
RDHRD597180P	70R96598S
RDHRD597190P	70R94391S
RDHRD597200P	70R94591S
RDHRD597220P	70R94396S
RDHRD597260P	70R96741S
RDHRD597270P	70R96448S
RDHRD597290P	70R84541S
RDHRD597300P	70R84741S
RDHRD597330P	70R84401S
RDHRD597340P	70R84601S
RDHRD597350P	70R84402S
RDHRD597360P	70R84406S
RDHRD597370P	70R84408S
RDHRD597380P	70R84491S
RDHRD597390P	70R84691S
RDHRD597420P	70R84498S
RDHRD597430P	70R84241S
RDHRD597450P	70R84242S
RDHRD597460P	70R84246S
RDHRD597470P	70R84248S
RDHRD597480P	70R84291S
RDHRD597490P	70R84891S
RDHRD597510P	70R84296S
RDHRD597520P	70R84298S
RDHRD597530P	70R84301S

VOLVO	
RDHRD597540P	70R84701S
RDHRD597550P	70R84321S
RDHRD597560P	70R84306S
RDHRD597570P	70R84308S
RDHRD597580P	70R84001S
RDHRD597590P	70R84051S
RDHRD597600P	70R84002S
RDHRD597620P	70R84008S
RDHRD597630P	75R75678S
RDHRD597640P	75R75858S
RDHRD597650P	75R75838S
RDHRD597690P	75R75672S
RDHRD597700P	75R75832S
RDHRD597710P	75R75852S
RDHRD598020P	75R0662
RDHRD598060M	75R5525
RDHRD598070P	71R8503
RDHRD598080P	79R1650
RDHRD598090M	70R5120
RDHRD598100M	70R5125
RDHRD598120P	75R5705
RDHRD598140P	75R5691
RDHRD598150P	75R5824
RDHRD598160P	75R5825
RDHRD598180P	75R5829
RDHRD598330P	71R1160
RDHRD598940P	RD-5-9894-0P
RDHRD599070M	RD-5-9907-0M
RDHRD599100P	75R5738
RDHRD599150P	71R1722
RDHRD599350P	71R8450
RDHRD599520P	75R5728
RDHRD599530P	75R5721
RDHRD599550P	75R5722
RDHRD599560P	75R5731
RDHRD599790M	75R5201
RDHRD599860P	79R8940
RDHRD599870P	70R5020
RDHRD599880P	70R5010
RDHRD599890P	70R5005
RDHRD599900P	71R6400
RDHRD599910P	71R6405
RDHRD646610P	71R1510
RDHRD646611P	RD-6-4661-1P
RDHRD646620P	RD-6-4662-0P
RDHRD646760P	RD-6-4676-0P
RDHRD646910P	71R1520
RDHRD646980P	RD-6-4698-0P
RDHRD647260P	RD-6-4726-0P
RDHRD647970P	71R3502
RDHRD647971P	RD-6-4797-1P

VOLVO	
RDHRD647972P	71R3504
RDHRD648300P	RD-6-4830-0P
RDHRD649520P	RD-6-4952-0P
RDHRD650130P	RD-6-5013-0P
RDHRD650131P	RD-6-5013-1P
RDHRD651200P	RD-6-5120-0P
RDHRD651201P	RD-6-5120-1P
RDHRD651250P	71R8902
RDHRD910000P	75R9970
RDHRD910030P	75R9980
RDHRD910480P	75R6020
RDHRD910490P	75R6030
RDHRD910580P	75R9515
RDHRD910680P	75R6017
RDHRD910760P	75R9535
RDHRD910990P	75R9545
RDHRD911050P	75R9985
RDHRD911140P	75R9585
RDHRD911150P	75R9595
RDHRD911470P	75R9615
RDHRD911490P	75R9625
RDHRD911500P	75R6015
RDHRD911660P	75R9635
RDHRD911890P	75R9645
RDHRD912730P	75R9715
RDHRD913180P	75R9550
RDHRD913300P	75R9895
RDHRD970201P	75R9710
RDHRD971120P	75R9785
RDHRD971130P	75R9795
RDHRD971420P	75R9805
RDHRD971550P	RD-9-7155-0P
RDHRD972980P	75R9410
RDHRD973030P	75R9400
RDHRD973050P	75R9405
RDHRD973060P	RD-9-7306-0P
RDHRD973110P	RD-9-7311-0P
RDHRD973390P	75R9960
RDHRD973860P	75R9973
RDHRD973870P	75R9565
RDHRD973880P	75R9810
RDHRD973890P	75R9815
RDHRD973900P	75R9820
RDHRD973920P	75R9830
RDHRD973930P	75R9835
RDHRD973940P	75R9840
RDHRD973950P	75R9845
RDHRD974000P	75R9870
RDHRD974010P	75R9875
RDHRD994323P	75R9920
RDHRD994570P	75R6016

VOLVO	
RDHRD999100P	75R6018
RDHRDG70350P	77R5550
SIT4626-6000	75R8432
V1091066	72R5040
V1091069	72R5050
V1091071	71R1455
V1092319	73R3032
V1110306	75R0452
V1110785	71R2300
V1112015	73R0522
V1112300	73R0332
V1113751	71R8050
V1117232	71R2700
V1117964	72R5070
V1118390	73R4532
V1118408	71R3100
V1118410	71R1457
V1119217	73R3032
V11493	71R1150
V1162405	72R5050
V1697520	71R1450
V176102	73R4322
V2124241	71R1457
V3131119	71R1457
V3134241	71R1457
V3193403A	71R3578

WESTERNSTAR	
677413	72R5040
849601	73R0092
851402	73R0092
865236	73R0092
1707686	73R0552
3916157	73R9082
3918479	71R6463
3918482	71R6415
3949300	75R1342
9040731	72R1502
9047120	72R2300
9047994	70R2306
9047995	70R2301
30932420	75R1302
02-2750417	71R7500
02-7008314	73R0552
02-7010174	71R2700
02-7010501	71R8050
02-7075298	73R0152
02-7075298	73R0152
02-7075298	73R0202
02-7075298	73R0212
02-7077922	74R2106

Convert Other Part Numbers to Red Dot Aftermarket Numbers

WESTERNSTAR	
02-7077984	74R1906
02-7077988	74R1866
02-7077988	74R1856
02-7086505	71R8100
02-7086612	73R0602
02-7086617	71R8050
02-7135903	75R2402
02-9041020	74R1956
03-1104964	75R0092
03-1104973	75R1202
03-1104978	75R2402
04-9040731	72R1502
04-9041020	74R1956
04-9042888	70R5200
04-9047120	72R2300
04-9047994	70R2306
04-9047995	70R2301
04-9048824	72R6420
13202-0026	71R6460
13202-0026	71R6460
1S12193	77R6817
210L-25073C	75R7312
30-2750267	71R2305
5022-3403	70R4496S
5022-3404	70R4408S
5022-3407	70R4401S
5724-3401	78R0456
5724-3402	78R0458
5724-3403	78R0451
60003-4401	76R2500
60004-3401	76R7530
60004-3402	76R6130
60004-3403	76R2420
60009-3405	73R0962
60010-5014	73R7000
60012-5001	73R6370
60015-3418	78R5241
60018-5004	71R0650
60018-5005	71R0550
60032-5001	71R1450
60054-4401	71R2200
60054-4421	71R3200
60306-5002	71R4050
60501-3403	73R9072
60522-6010	75R1862
61104-3411	75R81692
61104-3420	75R8432
61104-3423	75R81452
61104-3423	75R84572
61104-3426	75R7322
61104-3451	75R7332

WESTERNSTAR	
61203-3404	77R8460
61203-3410	R-6160-0P
61203-3415	R-6160-0-24P
61203-3418	77R6817
61506-3402	74R2687
61506-3402	74R3137
61506-3404	74R3137
61506-3404	74R2687
61506-3406	74R3377
61590-3402	70R5056
61590-3403	70R5058
61590-3404	70R5051
61601-3406	78R0350
61619-3403	72R3550
72403-3402	72R0210
97106-3406	79R0020
RD4427-24	71R3100
T210L-25073C	75R7312
V1110272	75R0202
WWS RD-3-9158-2P	78R5470M
WWS RD-3-9158-2P	78R5470M

Convert Red Dot Factory Numbers to Red Dot Aftermarket Numbers

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
1761	77R9025
1866	77R9027
RD-1-0147-1P	76R2600
RD-1-0266-1P	76R3000
RD-1-0325-0P	76R3500
RD-1-0333-0P	76R2300
RD-1-0355-0P	76R1100
RD-1-0355-1P	76R1110
RD-1-0355-2P	76R1400
RD-1-0355-3P	76R1410
RD-1-0355-4P	76R1120
RD-1-0355-5P	76R1450
RD-1-0371-1P	76R2210
RD-1-0388-0P	76R3400
RD-1-0422-0P	72R3601
RD-1-0423-0P	72R3603
RD-1-0425-0P	70R7600
RD-1-0426-0P	70R7650
RD-1-0427-0P	76R0500
RD-1-0460-1P	76R2500
RD-1-0520-0P	76R3450
RD-1-0550-0P	76R3300
RD-1-0552-0P	76R4310
RD-1-0563-0P	76R2400
RD-1-0574-0P	76R2350
RD-1-0615-1P	76R1900
RD-1-0639-0P	72R4533
RD-1-0650-0P	76R3250
RD-1-0661-0P	70R7270
RD-1-0662-0P	70R7170
RD-1-0662-2P	70R7175
RD-1-0665-0P	76R2450
RD-1-0680-0P	76R3900
RD-1-0700-0P	76R3910
RD-1-0715-0P	76R3460
RD-1-0726-0P	76R1000
RD-1-0744-0P	76R3930
RD-1-0752-0P	76R2330
RD-1-0752-1P	76R2340
RD-1-0755-0P	76R2320
RD-1-0771-1P	76R1510
RD-1-0795-0P	70R7310
RD-1-0799-0P	76R1600
RD-1-0822-0P	76R2410
RD-1-0830-0P	76R1030
RD-1-0860-1P	78R5253M
RD-1-0958-0P	76R2010
RD-11-0054-0P	77R9020
RD-11-0092-2P	78R1705
RD-1-1201-0P	76R2420
RD-1-1281-0P	76R3920
RD-1-1326-0P	76R2550
RD-1-1364-0P	76R3470
RD-1-1370-0P	76R3455
RD-1-1379-0P	76R1860
RD-1-1401-0P	76R1550
RD-1-1419-2P	72R6554
RD-1-1478-0P	76R4200
RD-1-1480-0P	76R1870
RD-1-1603-0P	76R3420
RD-1-1614-0P	76R4300
RD-1-1651-0P	72R4534
RD-1-1746-0P	72R6562
RD-1-1748-0P	76R4020
RD-1-1755-0P	76R1560
RD-1-1919-0P	76R3950
RD-1-1965-0P	76R4023
RD-1-1975-0P	76R4305
RD-1-2006-0P	76R3465
RD-1-2069-0P	76R2740
RD-1-2079-0P	76R3940
RD-1-2246-0P	72R5355
RD-1-2333-0P	76R4100
RD-1-2379-0P	76R3943
RD-1-3242-0P	72R7110
RD-1-3659-0P	71R5817
RD-1-3660-0P	71R5819
RD-1-3661-0P	71R5821
RD-1-3662-0P	71R5823
RD-1-3912-0P	76R3925
RD-1-4603-0P	72R7130
RD-2-0750-0M	70R3006
RD-2-0861-0M	70R3008
RD-2-0871-2P	70R3906
RD-2-0872-2P	70R3901
RD-2-0993-1P	76R5200
RD-2-1051-0P	76R6500
RD-2-1121-2P	76R7100
RD-2-1156-0P	76R6700
RD-2-1195-0P	76R5500
RD-2-1272-0P	76R6310
RD-2-1316-0P	76R6350
RD-2-1370-0P	76R7070
RD-2-1381-0P	76R6950
RD-2-1402-0P	76R6150
RD-2-1480-1P	76R6180
RD-2-1485-0P	76R6850
RD-2-1495-0M	70R3001
RD-2-1510-0P	76R5000
RD-2-1610-0P	76R7010
RD-2-1616-0P	76R7520
RD-2-1633-0P	76R4900
RD-2-1650-0P	76R6440
RD-2-1655-0P	76R7510
RD-2-1660-0P	76R6120
RD-2-1664-0P	76R5300
RD-2-1766-0P	76R7550
RD-2-1862-0P	76R6160
RD-2-1898-0P	76R6130
RD-2-1909-0P	76R5030
RD-2-2047-0P	76R4920
RD-2-2423-0P	76R7530
RD-2-2440-0P	76R7560
RD-2-2495-0P	76R6550
RD-2-2502-0P	76R6960
RD-2-2775-1P	76R7020
RD-2-2780-0P	76R6655
RD-2-2791-0P	76R6015
RD-2-2885-0P	76R5700
RD-2-2897-0P	76R7715
RD-2-2928-0P	76R6040
RD-2-3000-0P	73R5682
RD-2-3008-0P	76R7030
RD-2-3070-0P	76R6650
RD-2-3251-0P	76R5320
RD-2-3279-0P	72R4535
RD-2-3321-0P	76R7570
RD-2-3395-0P	76R7580
RD-2-3398-0P	76R7710
RD-2-3410-0P	76R7720
RD-2-3413-0P	76R5820
RD-2-3629-0P	76R7725
RD-2-3683-0P	78R5291
RD-2-3773-0P	76R6070
RD-2-3832-0P	76R6325
RD-2-3923-0P	76R7450
RD-2-4032-0P	76R7535
RD-2-4844-0P	70R3908
RD-2-4845-0P	70R3912
RD-2-5125-1P	76R7555
RD-2-5661-0P	76R5323
RD-2-6169-0P	71R5815
RD-2-6298-0P	76R6668
RD-2-6299-0P	76R7730
RD-2-6513-0P	76R7060
RD-2-7179-0P	76R6185
RD-2-7284-0P	76R7735
RD-2-7285-0P	76R7740
RD-2-7297-0P	76R7745
RD-2-7298-0P	76R7750
RD-2-7299-0P	78R3002
RD-2-7300-0P	78R3003
RD-2-7301-0P	78R3004
RD-2-7302-0P	78R3005
RD-2-7303-0P	78R3006
RD-2-7304-0P	78R3007

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-2-7322-0P	78R3000
RD-2-7323-0P	78R3001
RD-2-7511-0P	78R3008
RD-2-7597-0P	78R3011
RD-2-7598-0P	78R3009
RD-2-7599-0P	78R3010
RD-3-10111-0P	72R4536
RD-3-10112-0P	72R4537
RD-3-10194-0P	76R3905
RD-3-10331-0P	78R5301
RD-3-10538-0P	73R4532
RD-3-10591-0P	78R5355
RD-3106-12-24P	73R0554
RD-3106-12P	73R0552
RD-3106-13-24P	73R0604
RD-3106-13P	73R0602
RD-3106-18-24P	73R0204
RD-3106-18P	73R0202
RD-3106-38P	73R6101
RD-3106-39P	73R6151
RD-3-10847-0P	78R5367
RD-3-11046-0P	72R5203
RD-3133-9P	73R8050
RD-3-13600-0P	71R5122
RD-3-14448-0P	73R5672
RD-3-14448-1P	73R5674
RD-3-1566-2P	72R4530
RD-3-17795-0P	72R7115
RD-3196-1P	72R3510
RD-3196-3P	72R3530
RD-3196-5P	72R3550
RD-3-2557-2P	73R7151
RD-3267-1P	72R1100
RD-3-3454-0P	74R7210
RD-3-3751-1P	71R5212
RD-3-4804-1P	78R5310M
RD-3-4812-2P	72R4531
RD-3-4829-1P	73R7071
RD-3-4900-0P	71R1252
RD-3-5065-0P	78R5150
RD-3-6038-0M	71R3570
RD-3-6060-0P	72R4538
RD-3-6162-1P	78R5330M
RD-3-6406-1P	78R5259M
RD-3-6407-0P	78R5251
RD-3-6408-0P	78R5370
RD-3-6770-0P	73R5502
RD-3-6770-24P	73R5504
RD-3-7099-0P	78R5390
RD-3-7822-0P	71R8310
RD-3-7838-2P	72R3010
RD-3-7838-3P	72R3020
RD-3-8416-0P	78R5246
RD-3-8657-0P	73R1002
RD-3-8777-0P	78R5241
RD-3-8821-0P	78R5465
RD-3-8989-0P	72R2120
RD-3-9158-2P	78R5470M
RD-3-9290-0P	73R5632
RD-3-9290-24P	73R5634
RD-3-9379-0P	71R5600
RD-3-9379-1P	71R5605
RD-3-9805-0P	78R5243
RD-4123-1P	71R0100
RD-4123-2P	71R0200
RD-4124-18P	72R7280
RD-4124-20P	72R7290
RD-4124-38P	72R7600
RD-4124-76P	72R7700
RD-4125-36P	71R2250
RD-4125-48P	71R2300
RD-4125-66P	71R2400
RD-4126-1P	71R8050
RD-4130-1P	70R7100
RD-4151-1P	71R0500
RD-4151-2P	71R0550
RD-4151-4P	71R0600
RD-4151-6P	71R0650
RD-4151-7P	71R0700
RD-4156-108P	78R0350
RD-4160-1P	74R2106
RD-4172-0P	71R2310
RD-4177-0P	70R3206
RD-4179-0P	70R3208
RD-4180-24P	72R8190
RD-4180-29P	72R8200
RD-4180-36P	72R8250
RD-4180-46P	72R8300
RD-4180-57P	72R8360
RD-4180-76P	72R8400
RD-4180-79P	72R8410
RD-4181-0P	71R4050
RD-4183-0P	73R0152
RD-4186-0P	70R2301
RD-4187-0P	70R2306
RD-4188-0P	71R9002
RD-4188-24P	71R9004
RD-4191-0P	71R6050
RD-4220-0P	74R7220
RD-4225-1P	71R0150
RD-4225-2P	71R0300
RD-4226-0P	71R2700
RD-4257-0P	72R5050
RD-4296-0M	70R3256
RD-4317-6M	70R7050
RD-4322-1P	70R3258
RD-4-3364-0P	70R3406
RD-4-3365-0P	70R3408
RD-4-3372-3P	77R6800
RD-4340-0P	72R2300
RD-4-3434-1P	77R6900
RD-4-3508-0P	73R8110
RD-4-3586-0P	77R0350
RD-4-3595-4P	77R8200
RD-4-3646-0P	77R0800
RD-4366-0P	70R7150
RD-4-3682-0P	77R5250
RD-4-3683-2P	77R7900
RD-4370-0P	71R1652
RD-4-3714-0P	77R5910
RD-4-3722-0P	77R7800
RD-4-3723-0P	77R8100
RD-4-3724-0P	77R0650
RD-4-3727-2P	77R6920
RD-4-3745-1P	77R6925
RD-4-3874-1P	77R0500
RD-4-3916-0P	77R0950
RD-4-3917-0P	77R1100
RD-4-3945-0P	77R0700
RD-4-3990-0P	77R6930
RD-4-4069-1P	77R0110
RD-4-4130-0P	77R0260
RD-4-4144-2P	77R0250
RD-4-4161-0P	77R0900
RD-4-4219-0P	77R6990
RD-4-4232-0P	77R0560
RD-4427-24P	71R3100
RD-4-4276-0P	77R6965
RD-4-4300-0P	77R6945
RD-4-4360-0P	77R6947
RD-4-4377-0P	77R5260
RD-4-4400-0P	77R0530
RD-4-4400-1P	77R0534
RD-4-4403-1P	77R6960
RD-4-4414-0P	77R0670
RD-4-4440-0P	77R0090
RD-4-4550-0P	77R6935
RD-4-4550-1P	77R6940
RD-4-4613-1P	77R6955
RD-4-4713-0P	77R7000
RD-4-4724-0P	77R0660
RD-4-4738-0P	77R0620
RD-4-4931-0P	77R0665
RD-4-4968-0P	77R7100
RD-4-4972-0P	77R5263
RD-4-5045-0P	77R0990
RD-4-5116-0P	77R7020
RD-4-5122-0P	77R0630
RD-4-5146-1P	77R0570
RD-4-5154-0P	77R7010
RD-4-5190-4P	77R6970
RD-4-5226-4P	77R8301
RD-4-5273-0P	77R6817
RD-4-5287-0P	77R7815
RD-4-5361-0P	77R1285
RD-4-5377-0P	77R1280
RD-4-5378-0P	77R1290
RD-4-5379-0P	77R1310
RD-4-5418-0P	77R1300
RD-4-5462-0P	77R0580
RD-4-5503-0P	77R1295
RD-4-5658-0P	77R6950
RD-4-5696-0P	77R6807
RD-4-5700-1-24P	77R1634
RD-4-5700-1P	77R1632
RD-4-5709-0P	77R1330
RD-4-5722-0P	77R1275
RD-4-5760-0P	77R7050
RD-4-5762-0P	77R1105
RD-4-5763-0P	77R7706
RD-4-5764-0P	77R7708
RD-4-5765-0P	77R7710
RD-4-5766-0P	77R7712
RD-4-5767-0P	77R7714
RD-4-5769-0P	77R7704
RD-4-5770-0P	77R7702
RD-4-5990-0P	77R1502
RD-4-5990-1P	77R1504
RD-4-6091-0P	77R1325
RD-4-6343-0P	77R0585
RD-4-6414-0P	77R7715
RD-4-6527-0P	77R6978
RD-4-6560-0P	77R6985
RD-4-6811-0P	77R6951
RD-4-6812-0P	77R1335
RD-4-7017-0P	77R6982
RD-4-7018-0P	77R0710
RD-4-7020-0P	77R0705
RD-4-7040-0P	77R6995
RD-4-7081-0P	77R8305
RD-4-7083-0-24P	77R1514
RD-4-7083-0P	77R1512
RD-4-7131-0P	77R1277
RD-4-7277-0P	77R7705
RD-4-7278-0P	77R0095
RD-4-7279-0P	77R0115
RD-4-7280-0P	77R0355
RD-4-7281-0P	77R0635

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-4-7282-0P	77R0675
RD-4-7283-0P	77R0715
RD-4-7284-0P	77R0720
RD-4-7306-0P	77R1279
RD-4-7337-0P	77R1282
RD-4-7348-0P	77R8345
RD-4-7352-0P	77R8320
RD-4-7353-0P	77R8310
RD-4-7358-0P	77R8335
RD-4-7360-0P	77R8340
RD-4-7361-0P	77R8350
RD-4-7362-0P	77R8330
RD-4-7363-0P	77R8365
RD-4-7365-0P	77R8325
RD-4-7371-0P	77R8309
RD-4-7385-0P	77R0590
RD-4-7386-0P	77R8355
RD-4-7472-0P	77R8380
RD-4-7473-0P	77R8375
RD-4-7474-0P	77R8370
RD-4-7496-0P	77R8465
RD-4-7497-0P	77R8800
RD-4-7498-0P	77R8457
RD-4-7499-0P	77R8497
RD-4-7500-0P	77R8799
RD-4-7501-0P	77R8470
RD-4-7502-0P	77R8475
RD-4-7503-0P	77R8480
RD-4-7504-0P	77R8485
RD-4-7528-0P	77R8390
RD-4-7529-0P	77R8395
RD-4-7531-0P	77R8400
RD-4-7532-0P	77R8405
RD-4-7533-0P	77R8410
RD-4-7534-0P	77R8425
RD-4-7535-0P	77R8415
RD-4-7538-0P	77R8420
RD-4-7541-0P	77R8435
RD-4-7542-0P	77R8445
RD-4-7543-0P	77R8440
RD-4-7544-0P	77R8385
RD-4-7545-0P	77R8450
RD-4-7546-0P	77R8455
RD-4-7547-0P	77R8460
RD-4-7551-0P	77R8495
RD-4-7552-0P	77R8490
RD-4-7591-0P	77R7720
RD-5-0060-0P	72R1502
RD-5-0060-24P	72R1504
RD-5-0071-0P	71R0400
RD-5-10008-0P	71R6410
RD-5-10009-0P	71R6415
RD-5-10011-1P	71R8504
RD-5-10012-0P	71R8501
RD-5-10013-1P	71R8506
RD-5-10014-0P	71R8510
RD-5-10016-0P	79R1681
RD-5-10029-0P	75R7300
RD-5-10030-0P	72R3151
RD-5-10041-0P	78R5351
RD-5-10041-1P	78R5351M
RD-5-10053-0P	73R2262
RD-5-10054-0P	73R4274
RD-5-10055-0P	72R6547
RD-5-10056-0P	71R0453
RD-5-10068-0P	73R4322
RD-5-10069-1P	73R0652
RD-5-10070-1P	73R0142
RD-5-10071-0P	73R0082
RD-5-10072-1P	73R0642
RD-5-10073-0P	73R4312
RD-5-10074-1P	78R5258M
RD-5-10075-1P	78R5256M
RD-5-10076-1P	78R5244M
RD-5-10077-1P	78R5236M
RD-5-10078-1P	78R5252M
RD-5-10079-1P	78R5254M
RD-5-10080-1P	78R5249M
RD-5-10081-1P	78R5257M
RD-5-10082-1P	78R5255M
RD-5-10083-0P	73R8320
RD-5-10085-0M	70R5057
RD-5-10096-0P	71R6185
RD-5-10097-0P	71R6245
RD-5-10166-0P	71R6181
RD-5-10167-0P	71R6183
RD-5-10179-0P	71R8469
RD-5-10188-0P	71R0485
RD-5-10192-0P	71R0475
RD-5-10196-0P	71R0487
RD-5-10198-0M	70R5026
RD-5-10199-0M	70R5024
RD-5-10200-0M	70R5022
RD-5-10201-0P	74R5093
RD-5-10206-0P	79R4650
RD-5-10207-0P	79R4655
RD-5-10209-0P	79R1150
RD-5-10211-0P	72R2605
RD-5-10223-0P	72R5055
RD-5-10232-0P	75R0274
RD-5-10236-0P	72R3135
RD-5-10239-0P	71R3540
RD-5-10249-0P	78R5309
RD-5-10255-2P	73R0654
RD-5-10258-0P	72R7100
RD-5-10259-0P	75R84112
RD-5-10260-0P	75R84594
RD-5-10261-0P	75R84132
RD-5-10263-0P	75R84172
RD-5-10264-0P	75R84182
RD-5-10265-0P	75R84192
RD-5-10266-0P	75R84212
RD-5-10267-0P	75R84232
RD-5-10273-0P	75R84292
RD-5-10273-2P	75R84292A
RD-5-10274-0P	75R84312
RD-5-10275-0P	75R84352
RD-5-10276-0P	75R84362
RD-5-10278-0P	75R84382
RD-5-10278-1P	75R84382Q
RD-5-10282-0P	75R84452
RD-5-10283-0P	75R83112
RD-5-10284-0P	75R83132
RD-5-10285-0P	75R84472
RD-5-10286-0P	75R84482
RD-5-10287-0P	75R84492
RD-5-10288-0P	75R83152
RD-5-10290-0P	75R84512
RD-5-10291-0P	75R84532
RD-5-10292-0P	75R84552
RD-5-10294-0P	75R84562
RD-5-10295-0P	75R84572
RD-5-10301-0P	75R4782
RD-5-10302-0P	75R4792
RD-5-10303-0P	75R84152
RD-5-10306-0P	71R8415
RD-5-10307-0P	75R82102
RD-5-10310-0P	75R82132
RD-5-10319-1P	75R85332Q
RD-5-10321-1P	75R85632Q
RD-5-10322-1P	75R85734Q
RD-5-10323-1P	75R85714Q
RD-5-10324-1P	75R85832Q
RD-5-10325-1P	75R85932Q
RD-5-10326-1P	75R86134Q
RD-5-10327-1P	75R86152Q
RD-5-10328-1P	75R86162Q
RD-5-10329-1P	75R86172Q
RD-5-10333-0P	71R8440
RD-5-10334-0P	71R8350
RD-5-10335-0P	71R3220
RD-5-10336-0P	73R0042
RD-5-10341-0P	71R1457
RD-5-10344-0P	72R6520
RD-5-10345-0P	72R6530
RD-5-10346-0P	73R7130
RD-5-10351-0P	71R6445
RD-5-10352-0P	71R6565
RD-5-10360-0P	75R1512
RD-5-10363-0P	75R0502
RD-5-10364-0P	75R0512
RD-5-10365-0P	75R0682
RD-5-10366-0P	75R0522
RD-5-10367-0P	75R0422
RD-5-10368-0P	75R1532
RD-5-10369-0P	75R1542
RD-5-10379-0P	73R0012
RD-5-10381-0P	73R2222
RD-5-10383-0P	73R2112
RD-5-10387-0P	73R2142
RD-5-10388-0P	73R2152
RD-5-10390-0P	73R0212
RD-5-10391-0P	73R0092
RD-5-10395-0P	73R3032
RD-5-10397-0P	75R1342
RD-5-10398-0P	75R0032
RD-5-10399-0P	75R0052
RD-5-10401-0P	75R4702
RD-5-10415-1P	78R5247M
RD-5-10416-0P	78R5250
RD-5-10418-0P	72R2255
RD-5-10426-1P	75R86182Q
RD-5-10427-0P	75R86194
RD-5-10427-2P	75R86194Q
RD-5-10428-1P	75R85732Q
RD-5-10429-1P	75R86132Q
RD-5-10431-1P	75R86092Q
RD-5-10434-1P	74R2002
RD-5-10435-0P	73R6383
RD-5-10441-0P	71R1463
RD-5-10442-0P	71R6093
RD-5-10443-0P	71R6255
RD-5-10444-0P	71R6257
RD-5-10445-0P	71R8220
RD-5-10447-0P	71R8405
RD-5-10470-0P	71R6420
RD-5-10471-0P	71R6430
RD-5-10478-0P	72R2350
RD-5-10487-0P	79R5033
RD-5-10490-0P	73R9082
RD-5-10490-4P	73R9092
RD-5-10491-0P	73R0032
RD-5-10491-24P	73R0034
RD-5-10493-0P	75R82142
RD-5-10498-0P	70R82076S
RD-5-10499-0P	70R82078S
RD-5-10500-0P	70R82071S
RD-5-10504-0P	78R8456SP

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-10504-600P	78R8456
RD-5-10505-0P	78R8458SP
RD-5-10505-600P	78R8458
RD-5-10506-0P	78R8451SP
RD-5-10506-600P	78R8451
RD-5-10507-0P	78R8452SP
RD-5-10507-600P	78R8452
RD-5-10508-1P	70R8606
RD-5-10509-1P	70R8706
RD-5-10510-1P	70R8608
RD-5-10511-1P	70R8708
RD-5-10512-1P	70R8601
RD-5-10513-1P	70R8701
RD-5-10515-1P	70R8602
RD-5-10516-1P	70R8646
RD-5-10517-1P	70R8648
RD-5-10518-1P	70R8641
RD-5-10519-1P	70R8642
RD-5-10520-1P	70R8696
RD-5-10521-1P	70R8796
RD-5-10522-1P	70R8698
RD-5-10523-1P	70R8798
RD-5-10524-1P	70R8691
RD-5-10525-1P	70R8791
RD-5-10526-0P	75R0072
RD-5-10527-1P	70R8692
RD-5-10528-1P	70R8091
RD-5-10529-1P	70R8761
RD-5-10530-1P	70R8092
RD-5-10531-1P	70R8306
RD-5-10532-1P	70R8716
RD-5-10533-1P	70R8308
RD-5-10534-1P	70R8301
RD-5-10535-1P	70R8711
RD-5-10536-1P	70R8302
RD-5-10537-1P	70R8006
RD-5-10538-1P	70R8786
RD-5-10539-1P	70R8008
RD-5-10540-1P	70R8788
RD-5-10541-1P	70R8781
RD-5-10542-1P	70R8002
RD-5-10543-1P	70R8001
RD-5-10544-0P	75R0082
RD-5-10545-0P	75R0092
RD-5-10546-0P	71R8385
RD-5-10547-1P	70R8556
RD-5-10548-1P	70R8558
RD-5-10549-1P	70R8551
RD-5-10550-1P	70R8511
RD-5-10554-1P	70R8348
RD-5-10555-1P	70R8346
RD-5-10556-1P	70R8341
RD-5-10557-1P	70R8886
RD-5-10558-1P	70R8888
RD-5-10559-1P	70R8881
RD-5-10560-1P	70R8086
RD-5-10561-1P	70R8088
RD-5-10562-1P	70R8071
RD-5-10563-1P	70R8591
RD-5-10564-1P	70R8201
RD-5-10565-1P	70R8621
RD-5-10566-1P	70R8208
RD-5-10567-1P	70R8996
RD-5-10568-1P	70R8998
RD-5-10569-1P	70R8891
RD-5-10570-1P	70R8066
RD-5-10571-1P	70R8068
RD-5-10572-1P	70R8061
RD-5-10573-1P	70R8062
RD-5-10574-1P	70R8681
RD-5-10575-1P	70R8688
RD-5-10576-1P	70R8398
RD-5-10577-1P	70R8598
RD-5-10578-1P	70R8296
RD-5-10579-1P	70R8298
RD-5-10580-1P	70R8291
RD-5-10589-1P	74R3126
RD-5-10590-0P	71R1620
RD-5-10591-1P	74R2688
RD-5-10592-0P	71R6480
RD-5-10593-0P	78R5235
RD-5-10635-0P	72R5204
RD-5-10686-0P	71R0031
RD-5-10694-1P	70R82256
RD-5-10695-1P	70R82258
RD-5-10696-1P	70R82251
RD-5-10697-1P	70R82252
RD-5-10698-1P	70R82261
RD-5-10699-1P	70R8216
RD-5-10700-1P	70R8218
RD-5-10701-1P	70R8211
RD-5-10702-1P	70R8212
RD-5-10703-1P	70R8292
RD-5-10704-1P	70R8271
RD-5-10705-1P	70R8272
RD-5-10706-1P	70R8276
RD-5-10707-1P	70R8278
RD-5-10708-1P	70R8261
RD-5-10709-0M	70R8806
RD-5-10710-0M	70R8808
RD-5-10711-0M	70R8801
RD-5-10712-0M	70R8802
RD-5-10713-0M	70R8826
RD-5-10714-0M	70R8828
RD-5-10715-0M	70R8821
RD-5-10716-0M	70R8822
RD-5-10717-0P	79R8920
RD-5-10718-0P	79R8915
RD-5-10719-1P	70R8096
RD-5-10720-1P	70R8098
RD-5-10721-1P	70R8198
RD-5-10722-0P	75R0252
RD-5-10723-0P	75R0262
RD-5-10724-0P	75R1212
RD-5-10725-0P	75R8454
RD-5-10727-0P	75R0062
RD-5-10728-1P	75R8702Q
RD-5-10728-2P	75R8702A
RD-5-10729-1P	74R3318
RD-5-10734-0P	71R8090
RD-5-10735-1P	74R3157
RD-5-10736-0P	71R3155
RD-5-10737-0P	75R84632
RD-5-10738-0P	75R84622
RD-5-10739-0P	79R8930
RD-5-10740-0P	79R8931
RD-5-10741-1P	74R3320
RD-5-10745-1P	78R5420M
RD-5-10753-0P	73R6253
RD-5-10757-0P	71R8507
RD-5-10759-0P	75R1832
RD-5-10760-0P	75R1842
RD-5-10761-0P	75R1852
RD-5-10762-0P	75R1862
RD-5-10763-0P	71R6402
RD-5-10766-0P	71R6408
RD-5-10768-0P	71R6414
RD-5-10769-0P	71R6416
RD-5-10771-0P	71R6561
RD-5-10772-0P	71R6563
RD-5-10773-1P	78R5306M
RD-5-10774-0P	78R5302
RD-5-10775-0P	78R5308
RD-5-10776-0P	78R5304
RD-5-10777-0P	74R2616
RD-5-10778-0P	71R6418
RD-5-10779-0P	71R6422
RD-5-10780-0P	71R6448
RD-5-10781-0P	71R6451
RD-5-10782-0P	71R6452
RD-5-10783-0P	71R6424
RD-5-10784-0P	71R6426
RD-5-10787-0P	71R6434
RD-5-10788-0P	71R6454
RD-5-10789-0P	71R6450
RD-5-10790-0P	71R6456
RD-5-10795-1P	78R5353M
RD-5-10850-0P	71R6458
RD-5-10851-0P	71R6460
RD-5-10853-0P	71R6442
RD-5-10854-0P	71R6444
RD-5-10855-0P	71R6566
RD-5-10859-0P	71R6573
RD-5-10860-0P	71R6576
RD-5-10861-0P	71R6578
RD-5-10867-0P	73R0332
RD-5-10880-0P	75R89305
RD-5-10881-0P	75R89310
RD-5-10882-0P	75R89315
RD-5-10883-0P	75R89320
RD-5-10884-0P	75R89325
RD-5-10885-0P	75R89302
RD-5-10886-0P	75R89312
RD-5-10888-0P	75R89334
RD-5-10890-0P	75R89352
RD-5-10892-0P	75R89354
RD-5-10893-0P	75R89372
RD-5-10895-0P	75R89374
RD-5-10897-0P	75R89392
RD-5-10899-0P	75R89422
RD-5-10900-0P	75R89424
RD-5-10901-0P	71R6475
RD-5-10903-0P	71R8451
RD-5-10905-0P	73R0442
RD-5-10908-0M	79R0030
RD-5-10927-0P	74R5061
RD-5-10933-1P	73R8674
RD-5-10934-0P	71R1163
RD-5-10935-0P	73R7201
RD-5-10935-2P	73R7202
RD-5-10942-0M	70R5046
RD-5-10943-0M	70R5042
RD-5-11001-0P	71R6463
RD-5-11002-0P	75R84662
RD-5-11005-0P	75R89432
RD-5-11006-0P	75R89462
RD-5-11007-0P	75R89327
RD-5-11008-0P	75R89412
RD-5-11009-0P	75R89474
RD-5-11010-0P	75R89484
RD-5-11021-0P	71R6500
RD-5-11025-0P	75R0172
RD-5-11026-0P	71R6470
RD-5-11028-1P	74R4027
RD-5-11029-0P	71R2305
RD-5-11031-0P	71R2200
RD-5-11033-0P	71R8060
RD-5-11043-0P	79R5901

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-11047-0P	75R8915
RD-5-11081-0P	79R0101
RD-5-11091-0P	79R3165
RD-5-11092-0P	79R3163
RD-5-11093-0P	79R3161
RD-5-11094-0P	79R3175
RD-5-11095-0P	79R3173
RD-5-11096-0P	79R3171
RD-5-11097-0P	79R3176
RD-5-11098-0P	79R3174
RD-5-11099-0P	79R3172
RD-5-11102-0P	79R3178
RD-5-11103-0P	79R3179
RD-5-11104-0P	79R3120
RD-5-11105-0P	79R3125
RD-5-11106-0P	79R3127
RD-5-11113-0P	79R1255
RD-5-11114-0P	79R1800
RD-5-11117-0P	79R1730
RD-5-11118-0P	79R4040
RD-5-11121-0P	79R1815
RD-5-11123-0P	79R4007
RD-5-11125-0P	79R2925
RD-5-11135-0P	79R1660
RD-5-11138-0P	79R4008
RD-5-11143-0P	79R0105
RD-5-11146-0P	79R0109
RD-5-11148-0P	79R4006
RD-5-11151-0P	75R8920
RD-5-11152-0P	75R8921
RD-5-11153-0P	79R0180
RD-5-11154-0P	79R0170
RD-5-11161-0P	75R84114
RD-5-11169-0P	71R7077
RD-5-11184-0P	74R3357
RD-5-11185-0P	74R3137
RD-5-11186-0P	74R3377
RD-5-11188-1P	74R3328
RD-5-11189-0P	74R3323
RD-5-11190-0P	74R3317
RD-5-11192-0P	74R2608
RD-5-11193-0P	74R2668
RD-5-11194-0P	74R3148
RD-5-11195-0P	74R3309
RD-5-11196-0P	74R3331
RD-5-11209-1P	72R9904
RD-5-11210-0P	72R9912
RD-5-11217-0P	75R7312
RD-5-11218-0P	75R7322
RD-5-11219-0P	75R7332
RD-5-11220-0P	75R84592
RD-5-11223-0M	75R5556
RD-5-11224-0P	78R5239
RD-5-11225-0P	79R1560
RD-5-11226-0P	79R1546
RD-5-11227-0P	79R1536
RD-5-11228-0P	79R1538
RD-5-11229-0P	79R1541
RD-5-11230-0P	79R1531
RD-5-11231-0P	79R1532
RD-5-11232-0P	79R1565
RD-5-11234-0P	75R81104
RD-5-11235-0P	75R81114
RD-5-11236-0P	75R81134
RD-5-11237-0P	75R81152
RD-5-11238-0P	75R81162
RD-5-11239-0P	75R81172
RD-5-11240-0P	75R81184
RD-5-11241-0P	75R81192
RD-5-11242-0P	75R81202
RD-5-11243-0P	75R81212
RD-5-11244-0P	75R81232
RD-5-11244-1P	75R81232Q
RD-5-11245-0P	75R81252
RD-5-11247-0P	75R81262
RD-5-11248-0P	75R81274
RD-5-11249-2P	75R81282A
RD-5-11250-1P	75R81292Q
RD-5-11250-2P	75R81292A
RD-5-11251-0P	75R81302
RD-5-11251-1P	75R81302Q
RD-5-11251-3P	75R81302A
RD-5-11254-0P	75R81352
RD-5-11256-0P	75R81362
RD-5-11256-1P	75R81362Q
RD-5-11256-3P	75R81362A
RD-5-11257-0P	75R81372
RD-5-11257-1P	75R81372Q
RD-5-11258-0P	75R81382
RD-5-11260-0P	75R81402
RD-5-11266-0P	74R2787
RD-5-11310-0P	75R81412
RD-5-11313-0P	75R81452
RD-5-11315-0P	75R81462
RD-5-11316-1P	75R81472Q
RD-5-11318-1P	75R8802Q
RD-5-11319-0P	72R6533
RD-5-11322-0P	75R81482
RD-5-11324-0P	75R81492
RD-5-11325-0M	75R5555
RD-5-11326-0P	75R81502
RD-5-11327-0P	79R4710
RD-5-11328-0P	75R81512
RD-5-11330-0P	75R81532
RD-5-11331-0P	75R81552
RD-5-11334-0P	75R81562
RD-5-11336-0P	75R81572
RD-5-11340-0P	75R81612
RD-5-11343-0P	75R81652
RD-5-11343-1P	75R81652Q
RD-5-11345-0P	75R81672
RD-5-11346-0P	75R81682
RD-5-11347-0P	75R81692
RD-5-11350-0P	75R81732
RD-5-11356-0P	75R81762
RD-5-11365-0P	79R3576
RD-5-11372-0P	79R8916
RD-5-11373-1P	75R85642Q
RD-5-11374-0P	75R4802
RD-5-11380-0P	71R6453
RD-5-11381-0P	71R6571
RD-5-11387-1P	70R82511
RD-5-11461-0M	70R8836
RD-5-11462-0M	70R8838
RD-5-11463-0M	70R8831
RD-5-11464-0M	70R8832
RD-5-11466-0P	73R3002
RD-5-11488-0P	73R3052
RD-5-11489-0P	73R3062
RD-5-11520-1P	75R86212Q
RD-5-11521-1P	75R86202Q
RD-5-11521-2P	75R86202A
RD-5-11522-0P	74R3129
RD-5-11523-1P	75R86222Q
RD-5-11526-0P	73R3082
RD-5-11527-0M	70R5031
RD-5-11528-0M	70R5032
RD-5-11529-0M	70R5033
RD-5-11530-0M	70R5034
RD-5-11531-0P	74R1427
RD-5-11532-0P	74R1407
RD-5-11533-0P	74R3107
RD-5-11534-0P	74R3077
RD-5-11535-0P	74R3324
RD-5-11536-1P	70R85206
RD-5-11537-1P	70R85201
RD-5-11538-1P	70R85202
RD-5-11540-1P	70R85222
RD-5-11541-1P	70R85301
RD-5-11542-1P	70R85311
RD-5-11543-1P	70R85326
RD-5-11544-1P	70R85321
RD-5-11545-1P	70R85336
RD-5-11546-0P	74R5095
RD-5-11559-3P	70R9903
RD-5-11560-0P	72R3149
RD-5-11561-0P	79R1914
RD-5-11562-0P	79R1911
RD-5-11568-0P	79R4597
RD-5-11573-1P	70R8221
RD-5-11579-0P	73R3072
RD-5-11580-0P	79R0120
RD-5-11601-0P	70R2002S
RD-5-11829-1P	75R75218
RD-5-11830-1P	75R75212
RD-5-11831-1P	75R75228
RD-5-11832-1P	75R75222
RD-5-11833-1P	75R75208
RD-5-11834-1P	75R75202
RD-5-11838-1P	70R8288
RD-5-11839-1P	70R8281
RD-5-11840-1P	70R8282
RD-5-11841-1P	78R5237M
RD-5-11843-0P	73R3092
RD-5-11864-1P	78R1027
RD-5-11866-2P	75R86144Q
RD-5-11866-3P	75R86144A
RD-5-11886-0P	71R8508
RD-5-11921-0P	71R8479
RD-5-11973-0P	75R75182
RD-5-11974-0P	75R75192
RD-5-11978-1P	75R75201
RD-5-11996-0M	70R88066
RD-5-11997-0M	70R88266
RD-5-12026-0P	70R2038S
RD-5-12028-0P	70R2096S
RD-5-12029-0P	70R2098S
RD-5-12030-0P	70R2091S
RD-5-12031-0P	70R2092S
RD-5-12032-0P	70R2406S
RD-5-12033-0P	70R2408S
RD-5-12035-0P	70R2402S
RD-5-12037-0P	70R2111S
RD-5-12051-0P	77R1305
RD-5-12106-0P	78R9466SP
RD-5-12106-600P	78R9466
RD-5-12108-0P	78R9468SP
RD-5-12108-600P	78R9468
RD-5-12110-0P	78R9461SP
RD-5-12110-600P	78R9461
RD-5-12112-0P	78R9462SP
RD-5-12112-600P	78R9462
RD-5-12114-600P	78R9464
RD-5-12150-0P	71R4501
RD-5-12151-2P	71R4511
RD-5-12179-0P	75R84684
RD-5-12186-1P	74R2777
RD-5-12240-0P	70R9406S

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-12246-0P	70R9498S
RD-5-12286-0P	70R4502S
RD-5-12289-0P	70R4541S
RD-5-12290-0P	70R4316S
RD-5-12291-0P	70R4311S
RD-5-12292-0P	70R4312S
RD-5-12293-0P	70R4310S
RD-5-12294-0P	70R42396S
RD-5-12295-0P	70R42390S
RD-5-12298-0P	70R2006S
RD-5-12302-0P	70R6446S
RD-5-12303-0P	70R7006S
RD-5-12304-0P	70R6001S
RD-5-12305-0P	70R6096S
RD-5-12306-0P	70R6098S
RD-5-12307-0P	70R6091S
RD-5-12308-0P	70R4005S
RD-5-12309-0P	70R4798S
RD-5-12310-0P	70R9312S
RD-5-12311-0P	70R9392S
RD-5-12312-0P	70R9902S
RD-5-12313-0P	70R9706S
RD-5-12314-0P	70R9708S
RD-5-12315-0P	70R9796S
RD-5-12330-0P	75R81622
RD-5-12330-1P	75R81622Q
RD-5-12332-0P	75R81632
RD-5-12332-1P	75R81632Q
RD-5-12332-2P	75R81632A
RD-5-12334-0P	75R81662
RD-5-12334-2P	75R81662A
RD-5-12354-0P	78R5242
RD-5-12450-1P	71R3583
RD-5-12462-0P	74R2716
RD-5-12462-1P	74R2717
RD-5-12485-1P	70R8226
RD-5-12488-0P	77R6957
RD-5-12520-0P	71R8453
RD-5-12521-0P	71R8455
RD-5-12522-0P	71R8457
RD-5-12523-0P	75R8772
RD-5-12525-0P	75R8704Q
RD-5-12528-0P	75R8682Q
RD-5-12528-2P	75R8682A
RD-5-12529-0P	75R8672Q
RD-5-12529-2P	75R8672A
RD-5-12530-1P	75R86142Q
RD-5-12530-2P	75R86142A
RD-5-12535-0P	75R81642Q
RD-5-12550-0P	75R89492
RD-5-12550-1P	75R89492Q
RD-5-12550-2P	75R89492A

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-12551-0P	73R3102
RD-5-12553-2P	75R90914A
RD-5-12564-0P	75R8822Q
RD-5-12564-2P	75R8822A
RD-5-12569-0P	75R81184Q
RD-5-12623-0P	74R5097
RD-5-12630-0P	75R8814Q
RD-5-12647-0P	78R84566SP
RD-5-12674-0P	79R8945
RD-5-12675-0M	70R5035
RD-5-12676-0P	79R8950
RD-5-12742-0P	73R5662
RD-5-12742-24P	73R5664
RD-5-12757-1P	74R3456
RD-5-12783-0P	72R3159
RD-5-12839-1P	70R85312
RD-5-12840-0P	71R7076
RD-5-12899-0P	75R85102Q
RD-5-12900-0P	75R85132Q
RD-5-12901-0P	75R85112Q
RD-5-12902-0P	75R861522Q
RD-5-12902-2P	75R861522A
RD-5-12903-0P	75R86324Q
RD-5-12903-2P	75R86214A
RD-5-12904-0P	75R86322Q
RD-5-12904-2P	75R86322A
RD-5-12905-2P	75R90944A
RD-5-12906-0P	75R8782Q
RD-5-12906-2P	75R8782A
RD-5-12907-0P	75R8784Q
RD-5-12907-2P	75R8784A
RD-5-12908-2P	75R8792A
RD-5-12936-0P	78R5435
RD-5-12975-0P	78R5008
RD-5-13041-0P	75R86232Q
RD-5-13062-0P	75R82312
RD-5-13062-1P	75R82312Q
RD-5-13062-2P	75R82312A
RD-5-13067-0P	73R3122
RD-5-13068-0P	73R3132
RD-5-13069-0P	73R3142
RD-5-13071-0P	75R84672
RD-5-13072-0P	75R84694
RD-5-13153-0P	75R86332Q
RD-5-13183-0P	71R6263
RD-5-13184-0P	71R6264
RD-5-13207-0P	75R89502
RD-5-13207-1P	75R89502Q
RD-5-13208-0P	75R89774
RD-5-13209-0P	75R89522
RD-5-13209-1P	75R89522Q
RD-5-13209-2P	75R89522A

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-13210-0P	75R89532
RD-5-13210-1P	75R89532Q
RD-5-13210-2P	75R89532A
RD-5-13212-1P	75R89552Q
RD-5-13212-2P	75R89552A
RD-5-13213-1P	75R89562Q
RD-5-13215-1P	75R89582Q
RD-5-13216-1P	74R4215
RD-5-13221-0P	79R4587
RD-5-13225-0P	79R5035
RD-5-13226-0P	75R89602
RD-5-13226-1P	75R89602Q
RD-5-13227-0P	71R6145
RD-5-13230-0P	73R7135
RD-5-13233-0P	71R7073
RD-5-13234-0P	71R6155
RD-5-13235-0P	75R84302Q
RD-5-13235-2P	75R84302A
RD-5-13239-0P	71R1467
RD-5-13242-0M	70R8840
RD-5-13248-0P	75R9612
RD-5-13248-1P	75R9612Q
RD-5-13248-2P	75R9612A
RD-5-13259-0P	73R8622
RD-5-13259-1P	73R8624
RD-5-13299-0P	71R1462
RD-5-13533-0P	73R8081
RD-5-13536-0P	70R6002S
RD-5-13540-0P	71R3579
RD-5-13543-0P	79R8926
RD-5-13576-0P	72R7125
RD-5-13604-0P	71R3574
RD-5-13605-0P	71R3572
RD-5-13655-0P	75R8812Q
RD-5-13705-0P	71R7660
RD-5-13784-0P	75R4812
RD-5-13822-0P	70R9904
RD-5-14045-0P	74R5405
RD-5-14046-0P	73R5652
RD-5-14050-0P	75R7362
RD-5-14061-0P	79R4060
RD-5-14063-0P	79R0115
RD-5-14066-0P	75R9004
RD-5-14067-0P	75R9014
RD-5-14067-1P	75R9014D
RD-5-14068-0P	75R9024
RD-5-14069-0P	75R9034
RD-5-14070-0P	75R9044
RD-5-14072-0P	78R1077
RD-5-14073-0P	73R0572
RD-5-14076-0M	75R5530
RD-5-14077-0M	75R5535

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-14078-0P	74R1986
RD-5-14079-0P	75R9052
RD-5-14080-0P	75R9062
RD-5-14081-0P	77R9030
RD-5-14082-0P	79R4660
RD-5-14083-0P	74R5076
RD-5-14084-0P	71R8461
RD-5-14085-0P	71R8463
RD-5-14086-0P	71R8460
RD-5-14087-0P	73R0992
RD-5-14088-0P	73R2162
RD-5-14089-0P	79R6720
RD-5-14090-0P	79R6710
RD-5-14093-0P	75R89612
RD-5-14094-0P	74R0455
RD-5-14095-0P	74R3325
RD-5-14191-0P	73R5512
RD-5-14193-0P	73R0582
RD-5-14281-1P	73R8714
RD-5-14420-0P	71R0902
RD-5-14601-0P	71R1475
RD-5-14603-0P	71R6235
RD-5-14604-0P	71R6260
RD-5-14605-0P	71R6265
RD-5-14607-0P	71R3580
RD-5-14608-0P	71R3581
RD-5-14609-0P	71R3582
RD-5-14610-0P	71R3585
RD-5-14612-0P	73R3112
RD-5-14613-0P	73R7215
RD-5-14615-0P	72R3158
RD-5-14618-0P	71R8465
RD-5-14619-0P	71R8467
RD-5-14620-0P	76R3475
RD-5-14621-0P	76R3495
RD-5-14622-0P	76R6020
RD-5-14624-0P	76R7712
RD-5-14636-0P	71R6582
RD-5-14637-0P	71R6584
RD-5-14638-0P	74R2006
RD-5-14639-0P	74R2016
RD-5-14640-0P	74R2026
RD-5-14641-0P	75R7342
RD-5-14643-0P	75R89624Q
RD-5-14644-0P	75R9072
RD-5-14644-1P	75R9072D
RD-5-14645-0P	75R9082
RD-5-14646-0P	75R9092
RD-5-14646-1P	75R9092D
RD-5-14647-0P	74R0495
RD-5-14648-0P	74R4028
RD-5-14649-0P	71R7078

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-14650-0P	74R5401
RD-5-14651-0P	71R1470
RD-5-14652-1P	75R89622Q
RD-5-14652-2P	75R89622A
RD-5-14655-0P	75R89652
RD-5-14656-0P	75R89662
RD-5-14661-0P	75R89702
RD-5-14662-0P	75R89712
RD-5-14665-0P	75R89744
RD-5-14681-0P	73R8712
RD-5-14682-0P	73R8722
RD-5-14683-0P	73R8732
RD-5-14684-0P	73R5772
RD-5-14685-0P	74R0475
RD-5-14686-0P	74R0480
RD-5-14687-0P	74R0485
RD-5-14688-0P	74R0490
RD-5-14689-0P	75R89752
RD-5-14689-1P	75R89752Q
RD-5-14690-0P	75R89822Q
RD-5-14690-2P	75R89822A
RD-5-14691-0P	75R89812Q
RD-5-14691-2P	75R89812A
RD-5-14693-0P	78R5455
RD-5-14694-0P	78R5460
RD-5-14695-0P	78R5450
RD-5-14696-0P	75R89762
RD-5-14697-0P	70R5505
RD-5-14698-0P	70R5501
RD-5-14699-0P	70R5502
RD-5-15073-0P	71R8476
RD-5-15280-0P	70R5503
RD-5-15281-0P	70R5504
RD-5-15282-0P	78R5440
RD-5-15284-0P	70R5036
RD-5-15285-0P	78R5385
RD-5-15287-0P	74R5088
RD-5-15288-0M	75R5580
RD-5-15289-0M	75R5585
RD-5-15291-0P	71R8480
RD-5-15292-0P	71R8481
RD-5-15293-0P	71R6259
RD-5-15294-0P	71R6261
RD-5-15295-0P	71R8477
RD-5-15296-0P	71R8475
RD-5-15298-0P	73R7220
RD-5-15299-0P	78R5120
RD-5-15300-0P	78R5125
RD-5-15301-0P	78R5130
RD-5-15302-0P	78R5135
RD-5-15303-0P	78R5140
RD-5-15304-0P	78R5145
RD-5-15305-0P	71R6157
RD-5-15309-0P	75R89802Q
RD-5-15310-0P	75R89632Q
RD-5-15312-0P	75R81212Q
RD-5-15313-0P	75R89642Q
RD-5-15314-0P	75R90322Q
RD-5-15316-2P	75R90934A
RD-5-15317-0P	71R6175
RD-5-15318-0P	71R6267
RD-5-15320-0P	75R89792
RD-5-15323-0P	74R4216
RD-5-15324-0P	74R4217
RD-5-15327-0P	78R5170
RD-5-15327-1P	78R5171
RD-5-15327-2P	78R5169
RD-5-15334-0P	78R5180
RD-5-15350-0P	78R5172
RD-5-15350-1P	78R5173
RD-5-15350-2P	78R5174
RD-5-15352-0P	79R3578
RD-5-15353-0P	79R0122
RD-5-15358-0P	70R5506
RD-5-15359-0P	75R89832
RD-5-15500-0P	71R1477
RD-5-15501-0P	71R6270
RD-5-15504-0P	71R6275
RD-5-15505-0P	71R3591
RD-5-15523-0P	75R89782Q
RD-5-15523-2P	75R89782A
RD-5-15531-0P	75R89612Q
RD-5-15533-0P	75R89592Q
RD-5-15533-3P	75R89592A
RD-5-15541-0P	71R8489
RD-5-15542-0P	71R3589
RD-5-15543-0P	71R3593
RD-5-15546-0P	78R5155
RD-5-15547-0P	78R5160
RD-5-15570-0P	78R5165
RD-5-15571-0P	79R4685
RD-5-15572-0P	75R89852
RD-5-15572-1P	75R89852Q
RD-5-15572-2P	75R89852A
RD-5-15574-0P	73R3162
RD-5-15586-1P	70R8566
RD-5-15587-1P	70R8568
RD-5-15588-1P	70R8561
RD-5-15589-1P	70R8562
RD-5-15592-0P	71R5850
RD-5-15593-0P	71R5851
RD-5-15688-0P	71R6266
RD-5-15689-1P	74R4218
RD-5-15697-0P	74R5090
RD-5-15698-0P	74R4208
RD-5-15703-0P	74R4219
RD-5-15710-0P	74R0500
RD-5-15711-1P	71R6280
RD-5-15713-0P	74R0505
RD-5-15717-2P	75R90882A
RD-5-15718-1P	75R90784Q
RD-5-15718-2P	75R90784A
RD-5-15719-0P	75R89304
RD-5-15720-0P	75R89834Q
RD-5-15723-0P	71R9300
RD-5-15724-0P	75R9915
RD-5-15725-0P	75R9880
RD-5-15726-0P	75R9885
RD-5-15727-0P	75R9930
RD-5-15728-0P	75R9925
RD-5-15733-1P	75R91212Q
RD-5-15735-1P	75R9132
RD-5-16200-0P	74R5100
RD-5-16201-0P	74R5101
RD-5-16202-0P	74R5102
RD-5-16203-0P	74R5103
RD-5-16204-0P	74R4220
RD-5-16205-0P	75R9892
RD-5-16206-0P	71R8483
RD-5-16208-0P	75R90714
RD-5-16209-0P	75R91162
RD-5-16211-0P	71R1472
RD-5-16213-0P	71R6187
RD-5-16214-0P	71R8485
RD-5-16215-0P	75R90001
RD-5-16216-0P	75R90002
RD-5-16217-0P	75R89862
RD-5-16218-0P	71R6262
RD-5-16220-0P	75R9112D
RD-5-16220-1P	75R9112
RD-5-16225-2P	75R89102A
RD-5-16226-2P	75R89112A
RD-5-16227-2P	75R89122A
RD-5-16228-2P	75R89132A
RD-5-16229-2P	75R90322A
RD-5-16230-2P	75R89152A
RD-5-16231-2P	75R89162A
RD-5-16232-2P	75R89172A
RD-5-16233-2P	75R89182A
RD-5-16234-2P	75R89192A
RD-5-16235-2P	75R89204A
RD-5-16236-2P	75R89212A
RD-5-16237-2P	75R89222A
RD-5-16238-0P	75R89902
RD-5-16239-0P	75R89912
RD-5-16240-0P	75R89922
RD-5-16241-0P	75R89882
RD-5-16242-0P	75R89892
RD-5-16243-0P	75R89934
RD-5-16244-0P	75R89942
RD-5-16245-0P	75R89954
RD-5-16246-0P	75R89962
RD-5-16247-0P	75R89972
RD-5-16248-0P	75R89982
RD-5-16249-0P	75R89992
RD-5-16250-0P	75R90012
RD-5-16266-0P	75R89872
RD-5-16266-2P	75R89872A
RD-5-16450-0P	75R90022
RD-5-16451-0P	75R90032
RD-5-16452-0P	75R90042
RD-5-16453-0P	75R90052
RD-5-16454-0P	75R90062
RD-5-16455-0P	75R90072
RD-5-16456-0P	75R90082
RD-5-16457-0P	75R90092
RD-5-16458-0P	75R90102
RD-5-16459-0P	75R90112
RD-5-16460-0P	75R90124
RD-5-16461-0P	75R90134
RD-5-16462-0P	75R90144
RD-5-16463-0P	75R90152
RD-5-16464-0P	75R90162
RD-5-16465-0P	75R90172
RD-5-16466-0P	75R90182
RD-5-16467-0P	75R90192
RD-5-16468-0P	75R90202
RD-5-16469-0P	75R90212
RD-5-16470-0P	75R90222
RD-5-16471-0P	75R90232
RD-5-16472-0P	75R90242
RD-5-16476-0P	75R89842
RD-5-16477-0P	75R90252
RD-5-16478-0P	75R90262
RD-5-16479-0P	75R90272
RD-5-16480-0P	75R90284
RD-5-16481-0P	75R90292
RD-5-16482-0P	75R90302
RD-5-16483-0P	75R90312
RD-5-16484-0P	75R90322
RD-5-16485-0P	75R90332
RD-5-16486-0P	75R90344
RD-5-16487-0P	75R90352
RD-5-16488-0P	75R90362
RD-5-16490-0P	75R90372
RD-5-16492-0P	75R90384
RD-5-16493-0P	75R90394
RD-5-16494-0P	75R90402

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-16495-0P	75R90414
RD-5-16496-0P	75R90422
RD-5-16498-0P	75R90434
RD-5-16499-0P	75R90444
RD-5-16501-0P	75R90452
RD-5-16502-0P	75R90462
RD-5-16504-0P	75R90472
RD-5-16506-0P	75R90482
RD-5-16507-0P	75R90492
RD-5-16508-0P	75R90502
RD-5-16509-0P	75R90514
RD-5-16510-0P	75R90522
RD-5-16511-0P	75R90532
RD-5-16512-0P	75R90542
RD-5-16513-0P	75R90552
RD-5-16514-0P	75R90562
RD-5-16515-0P	75R90572
RD-5-16516-0P	75R90582
RD-5-16517-0P	75R90592
RD-5-16518-0P	75R90602
RD-5-16519-0P	75R90612
RD-5-16520-0P	75R90622
RD-5-16521-0P	75R90632
RD-5-16522-0P	75R90644
RD-5-16523-0P	75R90652
RD-5-16524-0P	75R90662
RD-5-16525-0P	75R90672
RD-5-16526-0P	75R90684
RD-5-16527-0P	75R90694
RD-5-16528-0P	75R90702
RD-5-16529-2P	75R90722A
RD-5-16530-2P	75R90732A
RD-5-16531-2P	75R90742A
RD-5-16532-2P	75R90752A
RD-5-16533-2P	75R90764A
RD-5-16534-2P	75R90774A
RD-5-16535-2P	75R90792A
RD-5-16536-2P	75R90802A
RD-5-16537-2P	75R90814A
RD-5-16540-2P	75R90842A
RD-5-16541-2P	75R90854A
RD-5-16542-2P	75R90862A
RD-5-16543-2P	75R90872A
RD-5-16544-2P	75R90894A
RD-5-16545-2P	75R90902A
RD-5-16546-2P	75R90922A
RD-5-16547-2P	75R90952A
RD-5-16548-2P	75R90962A
RD-5-16549-2P	75R90974A
RD-5-16582-2P	75R91112A
RD-5-16594-2P	75R91072A
RD-5-16595-2P	75R91104A
RD-5-16596-2P	75R91092A
RD-5-16597-2P	75R91084A
RD-5-16598-2P	75R91002A
RD-5-16600-2P	75R91032A
RD-5-16601-2P	75R91044A
RD-5-16602-2P	75R91012A
RD-5-16603-2P	75R91024A
RD-5-16604-2P	75R91052A
RD-5-16605-2P	75R90992A
RD-5-16626-0P	73R3172
RD-5-16629-0P	74R4230
RD-5-16630-0P	74R4232
RD-5-3550-120P	78R0070
RD-5-3593-0P	74R1756
RD-5-3593-1P	74R1706
RD-5-3596-0P	72R3050
RD-5-3597-0P	72R2250
RD-5-3599-0P	71R0250
RD-5-3646-0P	71R1150
RD-5-3647-0P	71R1450
RD-5-3653-0P	72R9040
RD-5-3657-0P	78R0050
RD-5-3686-0P	70R7550
RD-5-3686-1P	70R7750
RD-5-3690-1-24P	73R0534
RD-5-3690-1P	73R0532
RD-5-3698-0M	75R5520
RD-5-3701-0P	72R2500
RD-5-3702-0P	72R2600
RD-5-3709-0P	72R2100
RD-5-3728-0M	70R5056
RD-5-3729-0M	70R5058
RD-5-3730-0M	70R5051
RD-5-3746-1P	70R7500
RD-5-3748-0P	71R0010
RD-5-3751-24P	73R0454
RD-5-3757-12P	73R4202
RD-5-3757-24P	73R4204
RD-5-3758-0P	72R2550
RD-5-3758-1P	72R2551
RD-5-3779-0P	71R1165
RD-5-3780-0P	73R4102
RD-5-3789-8P	78R1605
RD-5-3789-9P	78R1805
RD-5-3791-0P	70R5701
RD-5-3800-1P	73R6251
RD-5-3824-1P	71R8100
RD-5-3827-0P	72R0200
RD-5-3827-10P	72R0270
RD-5-3827-1P	72R0210
RD-5-3827-2P	72R0220
RD-5-3827-4P	72R0240
RD-5-3827-6P	72R0260
RD-5-3846-0P	72R3200
RD-5-3849-0P	70R3201
RD-5-3861-0P	70R5200
RD-5-3876-1P	70R7200
RD-5-3905-0P	78R5000
RD-5-3923-0P	71R0050
RD-5-3927-108P	78R0400
RD-5-3930-108P	78R0300
RD-5-3933-1P	73R7101
RD-5-3988-0P	71R0350
RD-5-4021-0M	78R9600
RD-5-4035-10M	70R5550
RD-5-4035-16M	70R5600
RD-5-4035-52P	70R5650
RD-5-4058-360P	79R4400
RD-5-4187-0P	78R0100
RD-5-4216-0P	71R1900
RD-5-4233-24P	73R4504
RD-5-4288-0P	78R5003
RD-5-4289-0P	78R5007
RD-5-4296-0P	73R9202
RD-5-4296-1P	73R9204
RD-5-4302-0M	71R4030
RD-5-4400-0P	70R5770
RD-5-4408-0P	71R1702
RD-5-4417-0P	71R1704
RD-5-4450-0P	71R4035
RD-5-4451-0P	72R2200
RD-5-4452-0P	72R2150
RD-5-4471-0P	70R7250
RD-5-4475-0P	72R0050
RD-5-4476-12M	70R5565
RD-5-4527-0P	70R2201
RD-5-4528-0P	70R2206
RD-5-4531-24P	71R3200
RD-5-4550-0P	73R0102
RD-5-4550-24P	73R0104
RD-5-4575-0P	73R9052
RD-5-4575-24P	73R9054
RD-5-4583-0P	71R7550
RD-5-4585-0P	71R7500
RD-5-4620-0P	71R7600
RD-5-4625-0P	71R7650
RD-5-4632-0P	74R1956
RD-5-4632-1P	74R1906
RD-5-4640-0P	71R7050
RD-5-4646-0P	71R7000
RD-5-4659-0P	72R9010
RD-5-4665-0M	70R5706
RD-5-4666-0M	70R5708
RD-5-4680-0-BLKP	78R0040
RD-5-4694-1P	71R0450
RD-5-4727-0P	74R2586
RD-5-4727-1P	74R2596
RD-5-4740-0P	72R0100
RD-5-4747-0P	72R0500
RD-5-4756-0P	72R9030
RD-5-4813-0P	70R3590
RD-5-4827-24P	73R0404
RD-5-4827-2P	73R0414
RD-5-4833-0P	71R6030
RD-5-4903-0P	70R3500
RD-5-4904-0P	70R3550
RD-5-4905-0P	70R5000
RD-5-4908-0P	71R1200
RD-5-4909-0P	71R2100
RD-5-4911-0P	71R2600
RD-5-4912-0P	71R6100
RD-5-4917-0P	71R2800
RD-5-4919-1P	71R8500
RD-5-4923-0P	72R5040
RD-5-4927-0P	73R0702
RD-5-4932-0P	73R1052
RD-5-4937-0P	73R2102
RD-5-4947-0P	74R0450
RD-5-4950-1P	74R0907
RD-5-4955-0P	74R2706
RD-5-4959-0P	74R3450
RD-5-4962-0P	74R5600
RD-5-4966-0P	75R0302
RD-5-4967-0P	75R0452
RD-5-4972-1P	75R1202
RD-5-4975-0P	75R1652
RD-5-4994-0P	75R4502
RD-5-4997-0M	75R5700
RD-5-5000-0P	75R8102
RD-5-5006-0P	78R0456SP
RD-5-5006-600P	78R0456
RD-5-5008-0P	78R0458SP
RD-5-5008-600P	78R0458
RD-5-5010-0P	78R0451SP
RD-5-5010-600P	78R0451
RD-5-5012-0P	78R0452SP
RD-5-5012-600P	78R0452
RD-5-5014-1P	78R1505
RD-5-5015-4P	78R1025
RD-5-5027-1P	71R1802
RD-5-5031-0P	75R6000
RD-5-5032-0P	75R6010
RD-5-5049-1P	73R4422
RD-5-5049-2P	73R4424
RD-5-5119-0P	72R5060
RD-5-5120-0P	73R0512

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-5120-24P	73R0514
RD-5-5121-0P	73R4252
RD-5-5121-1P	73R4262
RD-5-5121-24P	73R4254
RD-5-5121-2P	73R4264
RD-5-5122-108P	78R0200
RD-5-5123-108P	78R0250
RD-5-5126-0P	75R9500
RD-5-5147-0P	78R5100
RD-5-5147-1P	78R5110
RD-5-5150-0P	78R5006
RD-5-5151-0P	78R5005
RD-5-5152-0P	78R5004
RD-5-5165-0P	75R9060
RD-5-5190-0P	73R4162
RD-5-5191-0P	72R5070
RD-5-5192-0P	72R5500
RD-5-5193-0P	72R5600
RD-5-5194-0P	71R1210
RD-5-5215-0P	72R5080
RD-5-5222-0P	72R3111
RD-5-5223-0P	72R3110
RD-5-5223-1P	72R3100
RD-5-5230-0P	73R0522
RD-5-5256-0M	70R5718
RD-5-5263-0P	73R6230
RD-5-5269-2P	73R0622
RD-5-5300-0P	72R5200
RD-5-5300-1P	72R5210
RD-5-5302-1P	71R0470
RD-5-5305-0P	70R7115
RD-5-5396-0P	75R5718
RD-5-5397-0P	75R5711
RD-5-5400-0P	71R0260
RD-5-5401-0M	75R5540
RD-5-5403-0P	77R9000
RD-5-5403-1P	77R9010
RD-5-5403-2P	77R9005
RD-5-5403-3P	77R9015
RD-5-5406-2P	78R1070
RD-5-5414-4P	72R1200
RD-5-5424-1P	72R1300
RD-5-5428-1P	78R5400M
RD-5-5431-0P	78R5200
RD-5-5432-0P	78R5210
RD-5-5476-0P	72R2000
RD-5-5486-0P	75R0202
RD-5-5487-0P	75R0204
RD-5-5495-1P	72R5260
RD-5-5495-2P	72R5270
RD-5-5512-0P	73R0912
RD-5-5520-0P	72R2130
RD-5-5525-0P	70R7110
RD-5-5538-0P	72R0070
RD-5-5552-0P	72R2140
RD-5-5566-0P	75R9670
RD-5-5571-0P	74R1806
RD-5-5572-0P	74R1856
RD-5-5589-1P	74R3067
RD-5-5601-0P	73R6370
RD-5-5614-0P	73R4062
RD-5-5634-1P	73R0922
RD-5-5656-0P	73R7000
RD-5-5721-0P	72R0600
RD-5-5721-1P	72R0190
RD-5-5751-0P	75R5005
RD-5-5784-5P	72R1210
RD-5-5796-0P	73R9062
RD-5-5796-24P	73R9064
RD-5-5837-0P	73R4602
RD-5-5862-0P	71R8080
RD-5-5873-0P	71R6070
RD-5-5874-0P	71R1300
RD-5-5875-1P	75R8502Q
RD-5-5876-1P	75R8512Q
RD-5-5877-0P	71R6060
RD-5-5887-0P	73R9072
RD-5-5901-0P	72R9020
RD-5-5916-0P	79R4550
RD-5-5928-0P	71R4040
RD-5-5937-0P	78R5300
RD-5-5938-0M	78R0090
RD-5-5955-1P	74R3517
RD-5-6017-0P	72R3000
RD-5-6028-1P	72R1310
RD-5-6071-0P	73R0364
RD-5-6075-1P	74R4007
RD-5-6076-0P	74R4116
RD-5-6077-0P	74R4016
RD-5-6077-1P	74R4017
RD-5-6098-0M	70R5100
RD-5-6099-0P	71R8210
RD-5-6124-0P	78R5320
RD-5-6220-0P	72R2105
RD-5-6232-0P	75R9890
RD-5-6240-0P	78R5340
RD-5-6304-600P	78R0101
RD-5-6320-0P	71R3575
RD-5-6394-0P	71R6080
RD-5-6395-0P	71R6040
RD-5-6395-1P	71R6045
RD-5-6396-0P	71R6090
RD-5-6397-0P	71R6020
RD-5-6410-48P	72R8415
RD-5-6415-0P	75R6041
RD-5-6427-1P	78R5500
RD-5-6429-0P	71R3150
RD-5-6430-0P	71R6110
RD-5-6440-0P	73R0062
RD-5-6450-0P	71R1455
RD-5-6484-0P	70R4391
RD-5-6492-0P	70R4642
RD-5-6504-1P	74R2306
RD-5-6526-0P	73R0422
RD-5-6526-1P	73R0402
RD-5-6526-2P	73R0352
RD-5-6531-0P	73R0322
RD-5-6532-120P	78R0075
RD-5-6547-0P	75R6040
RD-5-6555-0P	72R2110
RD-5-6575-0P	74R1846
RD-5-6600-0P	70R5210
RD-5-6602-0P	71R1310
RD-5-6639-0P	71R6115
RD-5-6646-0P	75R0182
RD-5-6651-1P	73R6381
RD-5-6667-46P	72R8315
RD-5-6683-0P	78R2100
RD-5-6690-0P	71R1902
RD-5-6691-0M	70R5110
RD-5-6693-0P	71R1904
RD-5-6714-0P	71R1315
RD-5-6768-2P	74R2797
RD-5-6785-24P	73R0984
RD-5-6801-0P	73R4182
RD-5-6802-0P	72R8270
RD-5-6803-0P	72R8280
RD-5-6804-0P	71R0460
RD-5-6833-0P	71R6120
RD-5-6834-0P	71R6130
RD-5-6835-0P	71R6140
RD-5-6838-0P	70R4406S
RD-5-6840-0P	70R4498S
RD-5-6841-0P	70R4401S
RD-5-6865-0M	70R5702
RD-5-6867-0P	78R5350
RD-5-6868-1M	71R8301M
RD-5-6868-1P	71R8301
RD-5-6917-2P	72R9005
RD-5-6919-0P	75R84522
RD-5-6942-0P	70R4346S
RD-5-6943-0P	70R4446S
RD-5-6944-0P	70R4396S
RD-5-6945-0P	70R4496S
RD-5-6946-0P	70R4308S
RD-5-6947-0P	70R4408S
RD-5-6948-0P	70R4448S
RD-5-6949-0P	70R4398S
RD-5-6951-0P	70R4301S
RD-5-6953-0P	70R4341S
RD-5-6954-0P	70R4441S
RD-5-6955-0P	70R4391S
RD-5-6956-0P	70R4491S
RD-5-6969-0P	73R4064
RD-5-6970-0P	73R7110
RD-5-6970-1P	73R7120
RD-5-6978-0P	70R4691S
RD-5-6979-0P	70R4701S
RD-5-6987-0P	72R2351
RD-5-7015-1M	71R8321M
RD-5-7015-1P	71R8321
RD-5-7023-1P	75R8522Q
RD-5-7038-0P	71R6135
RD-5-7057-0P	70R2078S
RD-5-7058-0P	70R2071S
RD-5-7061-6P	74R2577
RD-5-7061-7P	74R2537
RD-5-7061-8P	74R2527
RD-5-7062-1P	74R1826
RD-5-7063-0P	74R1866
RD-5-7064-0P	74R0460
RD-5-7064-1P	74R0462
RD-5-7071-0P	70R3530
RD-5-7074-0P	70R2076S
RD-5-7075-0P	70R2072S
RD-5-7088-0P	75R8382
RD-5-7088-1P	75R8382Q
RD-5-7089-0P	75R8384
RD-5-7089-1P	75R8384Q
RD-5-7090-0P	75R8372
RD-5-7091-0P	75R8374
RD-5-7091-1P	75R8374Q
RD-5-7103-0P	79R4580
RD-5-7106-0M	79R0020
RD-5-7119-0P	70R6498S
RD-5-7120-0P	75R8422
RD-5-7124-0P	75R8424
RD-5-7129-0P	73R0542
RD-5-7129-24P	73R0544
RD-5-7145-1P	75R8612Q
RD-5-7145-2P	75R8612A
RD-5-7155-0P	71R8400
RD-5-7163-2P	75R8614Q
RD-5-7163-3P	75R8614A
RD-5-7164-1P	75R8632Q
RD-5-7165-1P	75R8634Q
RD-5-7166-0P	79R4585
RD-5-7179-0P	71R8420

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-7181-0P	71R0872
RD-5-7183-0P	71R0854
RD-5-7186-0P	71R8499
RD-5-7187-0P	71R8491
RD-5-7188-0-35M	71R8991
RD-5-7192-0P	71R1330
RD-5-7215-0P	71R0852
RD-5-7225-0P	70R6598S
RD-5-7231-0P	70R6491S
RD-5-7232-0P	71R1912
RD-5-7233-0P	71R1914
RD-5-7242-0P	79R6700
RD-5-7262-0P	78R5290
RD-5-7267-0P	71R8493
RD-5-7272-1P	74R2447
RD-5-7277-0M	75R5813
RD-5-7278-0M	75R5814
RD-5-7292-1P	74R3337
RD-5-7297-0P	73R8100
RD-5-7306-0P	75R5806
RD-5-7310-0P	75R5801
RD-5-7311-0P	73R6350
RD-5-7312-0P	73R6300
RD-5-7318-0P	75R5668
RD-5-7320-0P	75R5661
RD-5-7373-0P	75R8442
RD-5-7405-0P	70R4006S
RD-5-7406-0P	70R4096S
RD-5-7430-0P	75R5678
RD-5-7431-0P	70R4008S
RD-5-7456-0P	75R5671
RD-5-7457-0P	70R4001S
RD-5-7458-0P	70R4091S
RD-5-7480-0P	75R5672
RD-5-7481-0P	70R4002S
RD-5-7482-0P	70R4092S
RD-5-7495-0P	70R4601S
RD-5-7522-0P	75R8432
RD-5-7523-0M	75R5560
RD-5-7524-0M	75R5570
RD-5-7539-0P	75R5808
RD-5-7543-0P	70R4641S
RD-5-7546-0P	70R6496S
RD-5-7559-0P	74R1106
RD-5-7563-1P	74R3477
RD-5-7564-1P	74R3527
RD-5-7565-1P	74R3537
RD-5-7566-0P	75R8184
RD-5-7567-0P	71R8370
RD-5-7570-0M	74R8006
RD-5-7582-600P	78R0110
RD-5-7612-0P	70R4996
RD-5-7613-0P	75R5648
RD-5-7614-0P	75R5641
RD-5-7629-0P	70R4506S
RD-5-7632-0P	70R7008S
RD-5-7637-0P	70R6441
RD-5-7641-0P	70R5091S
RD-5-7661-0P	70R4501S
RD-5-7688-0P	75R5768
RD-5-7690-0P	75R5761
RD-5-7704-0P	75R6545
RD-5-7731-0P	79R1520
RD-5-7732-0P	79R1525
RD-5-7733-0P	70R4492S
RD-5-7740-0P	70R4402S
RD-5-7747-96P	79R0102
RD-5-7759-0M	70R5103
RD-5-7760-0P	72R5250
RD-5-7760-1P	72R5220
RD-5-7760-2P	72R5230
RD-5-7760-3P	72R5240
RD-5-7786-0P	79R1504
RD-5-7787-0P	79R1503
RD-5-7788-0P	79R1502
RD-5-7805-0P	70R4306S
RD-5-7807-0P	71R1320
RD-5-7809-0P	71R1325
RD-5-7830-0P	75R5124
RD-5-7831-0P	75R0192
RD-5-7832-0P	75R0194
RD-5-7847-0P	76R7505
RD-5-7964-0P	75R5815
RD-5-7966-0P	75R5688
RD-5-7967-0P	75R5681
RD-5-7999-0P	72R9000
RD-5-8009-0P	75R0612
RD-5-8010-0P	75R8505
RD-5-8012-0P	78R1470
RD-5-8017-0P	70R7001S
RD-5-8026-0P	71R6095
RD-5-8032-0P	73R4122
RD-5-8034-0P	72R5110
RD-5-8036-0P	70R22071
RD-5-8061-3P	75R7295A
RD-5-8062-0P	79R4595
RD-5-8075-0P	71R4060
RD-5-8076-1P	78R5360M
RD-5-8079-0P	78R5380
RD-5-8083-0P	72R5280
RD-5-8092-0P	73R7200
RD-5-8092-1P	73R7210
RD-5-8100-0P	71R8423
RD-5-8105-0P	78R5315
RD-5-8106-0P	78R5375
RD-5-8126-0P	73R4242
RD-5-8134-0P	71R4063
RD-5-8135-0P	72R7105
RD-5-8193-2P	72R5350
RD-5-8195-0P	70R4791S
RD-5-8203-0P	73R0962
RD-5-8204-0P	73R0432
RD-5-8210-0P	71R1910
RD-5-8218-0P	71R6160
RD-5-8219-0P	71R6170
RD-5-8220-0P	71R6180
RD-5-8240-1P	74R3347
RD-5-8255-0P	73R0982
RD-5-8256-0P	71R0480
RD-5-8257-0P	71R3300
RD-5-8261-0P	70R4302S
RD-5-8262-0P	70R4348S
RD-5-8263-0P	70R4392S
RD-5-8264-0P	70R4342S
RD-5-8265-0P	70R2011S
RD-5-8266-0P	70R2012S
RD-5-8267-0P	70R2016S
RD-5-8268-0P	70R2018S
RD-5-8269-0P	70R2061S
RD-5-8270-0P	70R2062S
RD-5-8271-0P	70R2066S
RD-5-8272-0P	70R2068S
RD-5-8273-0P	70R2031S
RD-5-8274-0P	70R2036S
RD-5-8275-0P	70R4706S
RD-5-8276-0P	70R4796S
RD-5-8277-0P	70R4508S
RD-5-8278-0P	70R4591S
RD-5-8279-0P	70R4596S
RD-5-8280-0P	70R4598S
RD-5-8282-0P	70R6492S
RD-5-8283-0P	70R4606S
RD-5-8284-0P	70R4608S
RD-5-8285-0P	70R4646S
RD-5-8286-0P	70R4696S
RD-5-8287-0P	71R6210
RD-5-8288-0P	71R6220
RD-5-8289-0P	71R6230
RD-5-8291-0P	79R1710
RD-5-8292-0M	75R5575
RD-5-8293-0M	75R5565
RD-5-8315-0P	71R0862
RD-5-8334-0M	75R5200
RD-5-8338-0P	75R6510
RD-5-8339-0P	75R6500
RD-5-8340-0P	75R6530
RD-5-8377-0P	71R3125
RD-5-8382-0P	75R4534
RD-5-8390-0P	72R6525
RD-5-8393-0P	70R3510S
RD-5-8402-0P	75R5878S
RD-5-8433-0P	71R7075
RD-5-8436-0P	72R3120
RD-5-8459-0P	71R0030
RD-5-8462-0P	70R4442S
RD-5-8463-0P	70R4698S
RD-5-8481-0P	79R1505
RD-5-8487-1P	71R1530
RD-5-8490-0P	71R1610
RD-5-8509-0P	71R0892
RD-5-8526-1P	73R5514
RD-5-8535-0P	71R1262
RD-5-8537-0P	70R6006S
RD-5-8538-0P	70R6008S
RD-5-8539-0P	70R4416S
RD-5-8559-0P	73R8554
RD-5-8582-0P	78R5240
RD-5-8583-0P	73R5552
RD-5-8583-1P	73R5554
RD-5-8605-1P	74R0470
RD-5-8618-0P	73R6051
RD-5-8627-5P	73R8612
RD-5-8627-6P	73R8614
RD-5-8631-2P	73R8582
RD-5-8631-3P	73R8584
RD-5-8637-0P	75R7280
RD-5-8638-0P	75R7290
RD-5-8654-0P	71R4020
RD-5-8654-1P	71R4010
RD-5-8654-2P	71R4011
RD-5-8665-0P	71R1485
RD-5-8668-0P	78R5318
RD-5-8673-0P	71R4105
RD-5-8680-0P	75R8354
RD-5-8703-2P	73R8562
RD-5-8703-3P	73R8564
RD-5-8747-4P	73R8652
RD-5-8747-5P	73R8654
RD-5-8759-1P	73R8702
RD-5-8771-0P	71R1175
RD-5-8772-0P	70R6506
RD-5-8773-0P	70R6508
RD-5-8774-0P	70R6501
RD-5-8785-2P	73R8592
RD-5-8785-5P	73R8594
RD-5-8791-0P	71R3573
RD-5-8804-0P	72R6400
RD-5-8804-1P	72R6401

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-8804-2P	72R6403
RD-5-8812-0P	71R4015
RD-5-8830-0P	71R0522
RD-5-8831-0P	71R0532
RD-5-8835-0P	73R5522
RD-5-8836-0P	73R5524
RD-5-8837-0P	73R5532
RD-5-8837-1P	73R5642
RD-5-8838-0P	73R5534
RD-5-8850-0P	75R5819
RD-5-8851-0P	75R5820
RD-5-8857-0P	72R6420
RD-5-8857-1P	72R6421
RD-5-8857-2P	72R6423
RD-5-8857-3P	72R6425
RD-5-8859-0P	72R6410
RD-5-8862-1P	74R0401
RD-5-8884-1P	75R8644Q
RD-5-8894-0P	72R6535
RD-5-8895-0P	79R9516
RD-5-8897-0P	79R9521
RD-5-8899-0P	70R9408S
RD-5-8900-0P	70R9401S
RD-5-8901-0P	70R9906S
RD-5-8902-0P	70R9908S
RD-5-8903-0P	70R9901S
RD-5-8904-0P	70R9496S
RD-5-8906-0P	70R9491S
RD-5-8907-0P	70R9996S
RD-5-8908-0P	70R9998S
RD-5-8909-0P	70R9991S
RD-5-8910-0P	70R9306S
RD-5-8911-0P	70R9308S
RD-5-8912-0P	70R9301S
RD-5-8913-0P	70R9396S
RD-5-8914-0P	70R9398S
RD-5-8915-0P	70R9391S
RD-5-8916-0P	70R9016S
RD-5-8917-0P	70R9018S
RD-5-8918-0P	70R9011S
RD-5-8919-0P	70R9076S
RD-5-8920-0P	70R9078S
RD-5-8921-0P	70R9071S
RD-5-8922-0P	73R0612
RD-5-8923-0P	71R1465
RD-5-8926-0P	72R4532
RD-5-8928-0P	72R3157
RD-5-8936-0P	71R8430
RD-5-8938-0P	71R3160
RD-5-8939-0P	70R9402S
RD-5-8940-0P	70R9492S
RD-5-8941-0P	70R9012S
RD-5-8943-0P	72R6515
RD-5-8944-1P	75R8532Q
RD-5-8944-2P	75R8532A
RD-5-8945-0P	75R8252
RD-5-8946-0P	71R6125
RD-5-8947-0P	73R6270
RD-5-8951-0P	70R9791S
RD-5-8952-0P	70R9072S
RD-5-8955-0P	70R9001S
RD-5-8956-0P	70R9091S
RD-5-8957-0P	70R9701S
RD-5-8958-0P	79R4600
RD-5-8967-0P	71R0840
RD-5-8982-0P	71R6055
RD-5-8984-0M	70R5105
RD-5-8988-0P	71R3571
RD-5-8993-0P	71R8945
RD-5-8994-0P	71R8497
RD-5-8995-0P	71R0884
RD-5-9013-0P	71R1167
RD-5-9021-0P	71R3578
RD-5-9024-0P	72R3130
RD-5-9028-1P	75R8542Q
RD-5-9028-2P	75R8542A
RD-5-9037-0P	71R0512
RD-5-9053-0P	72R3140
RD-5-9055-1P	74R4207
RD-5-9059-1P	75R8544Q
RD-5-9059-2P	75R8544A
RD-5-9061-0M	70R5052
RD-5-9062-0P	71R1480
RD-5-9063-0P	71R3576
RD-5-9076-2P	73R8642
RD-5-9076-3P	73R8644
RD-5-9077-1P	78R5410M
RD-5-9084-0M	70R5115
RD-5-9088-0P	75R8332
RD-5-9100-0P	73R0462
RD-5-9130-1P	78R5245M
RD-5-9133-0M	71R4065
RD-5-9152-0P	72R4010
RD-5-9154-0P	75R8510
RD-5-9155-0P	75R8515
RD-5-9156-0P	75R8520
RD-5-9157-0P	72R4400
RD-5-9158-0P	72R4500
RD-5-9159-0P	72R4510
RD-5-9194-0P	73R5572
RD-5-9194-1P	73R5584
RD-5-9194-24P	73R5574
RD-5-9204-0P	73R5622
RD-5-9204-1P	73R5624
RD-5-9218-0M	75R5833
RD-5-9219-0M	75R5834
RD-5-9224-0P	72R5360
RD-5-9224-1P	72R5285
RD-5-9225-36P	72R8255
RD-5-9233-1P	78R5363M
RD-5-9234-1P	78R5361M
RD-5-9245-24P	73R1064
RD-5-9249-0P	75R1412
RD-5-9250-0P	75R1414
RD-5-9251-0P	75R8462
RD-5-9313-0P	72R3600
RD-5-9319-0P	75R84654
RD-5-9327-0P	71R8459
RD-5-9389-1P	74R2801
RD-5-9415-0P	72R6540
RD-5-9419-1P	74R2590
RD-5-9425-0P	72R3150
RD-5-9426-0P	72R3155
RD-5-9437-0P	71R1402
RD-5-9440-1P	74R3071
RD-5-9443-2P	72R8260
RD-5-9443-3P	72R8265
RD-5-9443-4P	72R8275
RD-5-9445-0P	71R1401
RD-5-9447-0P	71R1403
RD-5-9448-0P	71R1404
RD-5-9449-0P	71R1405
RD-5-9455-0P	74R1836
RD-5-9456-0P	75R1302
RD-5-9458-0P	75R8464
RD-5-9513-0P	71R8380
RD-5-9515-1P	74R2677
RD-5-9556-1P	74R5062
RD-5-9560-0P	77R1320
RD-5-9564-1P	71R8505
RD-5-9577-0P	71R6150
RD-5-9609-10P	75R8552Q
RD-5-9609-11P	75R8712Q
RD-5-9609-12P	75R8712A
RD-5-9609-9P	75R85032Q
RD-5-9611-0P	75R8507
RD-5-9633-0P	79R4561
RD-5-9634-0P	79R4562
RD-5-9635-0P	79R4563
RD-5-9637-0P	72R2160
RD-5-9659-0P	75R4734
RD-5-9665-0P	75R0402
RD-5-9684-0P	70R84206S
RD-5-9690-0P	70R94601S
RD-5-9691-0P	70R97701S
RD-5-9693-0P	70R97006S
RD-5-9701-0P	70R84641S
RD-5-9705-0P	70R84791S
RD-5-9706-0P	70R84692S
RD-5-9708-0P	70R84398S
RD-5-9709-0P	70R94991S
RD-5-9711-0P	70R94691S
RD-5-9713-0P	70R95091S
RD-5-9714-0P	70R94696S
RD-5-9715-0P	70R96496S
RD-5-9716-0P	70R94498S
RD-5-9717-0P	70R94998S
RD-5-9718-0P	70R96598S
RD-5-9719-0P	70R94391S
RD-5-9721-0P	70R94791S
RD-5-9722-0P	70R94396S
RD-5-9726-0P	70R96741S
RD-5-9727-0P	70R96448S
RD-5-9728-0P	70R94341S
RD-5-9729-0P	70R84541S
RD-5-9733-0P	70R84401S
RD-5-9734-0P	70R84601S
RD-5-9735-0P	70R84402S
RD-5-9737-0P	70R84408S
RD-5-9738-0P	70R84491S
RD-5-9742-0P	70R84498S
RD-5-9745-0P	70R84242S
RD-5-9747-0P	70R84248S
RD-5-9748-0P	70R84291S
RD-5-9752-0P	70R84298S
RD-5-9753-0P	70R84301S
RD-5-9754-0P	70R84701S
RD-5-9756-0P	70R84306S
RD-5-9763-0P	75R75678S
RD-5-9764-0P	75R75858S
RD-5-9765-0P	75R75838S
RD-5-9769-0P	75R75672S
RD-5-9770-0P	75R75832S
RD-5-9771-0P	75R75852S
RD-5-9777-0P	70R3803
RD-5-9787-1P	74R3027
RD-5-9802-0P	75R0662
RD-5-9806-0M	75R5525
RD-5-9807-1P	71R8503
RD-5-9808-0P	79R1650
RD-5-9809-0M	70R5120
RD-5-9810-0M	70R5125
RD-5-9812-0P	75R5705
RD-5-9813-0P	75R5698
RD-5-9814-0P	75R5691
RD-5-9815-0P	75R5824
RD-5-9816-0P	75R5825
RD-5-9820-0P	78R8806

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-5-9821-0P	78R8808
RD-5-9822-0P	78R8810
RD-5-9823-0P	78R8812
RD-5-9833-0P	71R1160
RD-5-9900-96P	79R0100
RD-5-9910-0P	75R5738
RD-5-9915-0P	71R1722
RD-5-9919-24P	73R8664
RD-5-9935-0P	71R8450
RD-5-9952-0P	75R5728
RD-5-9953-0P	75R5721
RD-5-9955-0P	75R5722
RD-5-9956-0P	75R5731
RD-5-9979-0M	75R5201
RD-5-9986-0P	79R8940
RD-5-9987-0P	70R5020
RD-5-9988-0P	70R5010
RD-5-9989-0P	70R5005
RD-5-9990-0P	71R6400
RD-5-9991-0P	71R6405
RD-6-4661-0P	71R1510
RD-6-4691-0P	71R1520
RD-6-4797-0P	71R3502
RD-6-5125-0P	71R8902
RD-6-5452-0P	71R5812
RD-6-5524-0P	71R5814
RD-6-5916-0P	71R3350
RD-9-1000-0P	75R9970
RD-9-1003-0P	75R9980
RD-9-1048-0P	75R6020
RD-9-1049-0P	75R6030
RD-9-1068-0P	75R6017
RD-9-1076-0P	75R9535
RD-9-1105-0P	75R9985
RD-9-1115-0P	75R9595
RD-9-1147-0P	75R9615
RD-9-1149-0P	75R9625
RD-9-1150-0P	75R6015
RD-9-1166-0P	75R9635
RD-9-1189-0P	75R9645
RD-9-1318-0P	75R9550
RD-9-1330-0P	75R9895
RD-9-7020-1P	75R9710
RD-9-7112-0P	75R9785
RD-9-7113-0P	75R9795
RD-9-7303-0P	75R9400
RD-9-7386-0P	75R9973
RD-9-7387-0P	75R9565
RD-9-7388-0P	75R9810
RD-9-7389-0P	75R9815
RD-9-7390-0P	75R9820
RD-9-7393-0P	75R9835

RED DOT FACTORY NUMBER	AFTERMARKET NUMBER
RD-9-7394-0P	75R9840
RD-9-7395-0P	75R9845
RD-9-7400-0P	75R9870
RD-9-7401-0P	75R9875
RD-9-9432-3P	75R9920
RD-9-9457-0P	75R6016
RD-9-9910-0P	75R6018
RDG-7035-0P	77R5550

Convert Red Dot Aftermarket Numbers to Red Dot Factory Numbers

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
70R2002S	RD-5-11601-0P
70R2006S	RD-5-12298-0P
70R2011S	RD-5-8265-0P
70R2012S	RD-5-8266-0P
70R2016S	RD-5-8267-0P
70R2018S	RD-5-8268-0P
70R2031S	RD-5-8273-0P
70R2036S	RD-5-8274-0P
70R2038S	RD-5-12026-0P
70R2061S	RD-5-8269-0P
70R2062S	RD-5-8270-0P
70R2066S	RD-5-8271-0P
70R2068S	RD-5-8272-0P
70R2071S	RD-5-7058-0P
70R2072S	RD-5-7075-0P
70R2076S	RD-5-7074-0P
70R2078S	RD-5-7057-0P
70R2091S	RD-5-12030-0P
70R2092S	RD-5-12031-0P
70R2096S	RD-5-12028-0P
70R2098S	RD-5-12029-0P
70R2111S	RD-5-12037-0P
70R2201	RD-5-4527-0P
70R2206	RD-5-4528-0P
70R22071	RD-5-8036-0P
70R2301	RD-4186-0P
70R2306	RD-4187-0P
70R2402S	RD-5-12035-0P
70R2406S	RD-5-12032-0P
70R2408S	RD-5-12033-0P
70R3001	RD-2-1495-0M
70R3006	RD-2-0750-0M
70R3008	RD-2-0861-0M
70R3201	RD-5-3849-0P
70R3206	RD-4177-0P
70R3208	RD-4179-0P
70R3256	RD-4296-0M
70R3258	RD-4322-1P
70R3406	RD-4-3364-0P
70R3408	RD-4-3365-0P
70R3500	RD-5-4903-0P
70R3510S	RD-5-8393-0P
70R3530	RD-5-7071-0P
70R3550	RD-5-4904-0P
70R3590	RD-5-4813-0P
70R3803	RD-5-9777-0P
70R3901	RD-2-0872-2P
70R3906	RD-2-0871-2P
70R3908	RD-2-4844-0P
70R3912	RD-2-4845-0P
70R4001S	RD-5-7457-0P
70R4002S	RD-5-7481-0P
70R4005S	RD-5-12308-0P
70R4006S	RD-5-7405-0P
70R4008S	RD-5-7431-0P
70R4091S	RD-5-7458-0P
70R4092S	RD-5-7482-0P
70R4096S	RD-5-7406-0P
70R42390S	RD-5-12295-0P
70R42396S	RD-5-12294-0P
70R4301S	RD-5-6951-0P
70R4302S	RD-5-8261-0P
70R4306S	RD-5-7805-0P
70R4308S	RD-5-6946-0P
70R4310S	RD-5-12293-0P
70R4311S	RD-5-12291-0P
70R4312S	RD-5-12292-0P
70R4316S	RD-5-12290-0P
70R4341S	RD-5-6953-0P
70R4342S	RD-5-8264-0P
70R4346S	RD-5-6942-0P
70R4348S	RD-5-8262-0P
70R4391	RD-5-6484-0P
70R4391S	RD-5-6955-0P
70R4392S	RD-5-8263-0P
70R4396S	RD-5-6944-0P
70R4398S	RD-5-6949-0P
70R4401S	RD-5-6841-0P
70R4402S	RD-5-7740-0P
70R4406S	RD-5-6838-0P
70R4408S	RD-5-6947-0P
70R4416S	RD-5-8539-0P
70R4441S	RD-5-6954-0P
70R4442S	RD-5-8462-0P
70R4446S	RD-5-6943-0P
70R4448S	RD-5-6948-0P
70R4491S	RD-5-6956-0P
70R4492S	RD-5-7733-0P
70R4496S	RD-5-6945-0P
70R4498S	RD-5-6840-0P
70R4501S	RD-5-7661-0P
70R4502S	RD-5-12286-0P
70R4506S	RD-5-7629-0P
70R4508S	RD-5-8277-0P
70R4541S	RD-5-12289-0P
70R4591S	RD-5-8278-0P
70R4596S	RD-5-8279-0P
70R4598S	RD-5-8280-0P
70R4601S	RD-5-7495-0P
70R4606S	RD-5-8283-0P
70R4608S	RD-5-8284-0P
70R4641S	RD-5-7543-0P
70R4642	RD-5-6492-0P
70R4646S	RD-5-8285-0P
70R4691S	RD-5-6978-0P
70R4696S	RD-5-8286-0P
70R4698S	RD-5-8463-0P
70R4701S	RD-5-6979-0P
70R4706S	RD-5-8275-0P
70R4791S	RD-5-8195-0P
70R4796S	RD-5-8276-0P
70R4798S	RD-5-12309-0P
70R4996	RD-5-7612-0P
70R5000	RD-5-4905-0P
70R5005	RD-5-9989-0P
70R5010	RD-5-9988-0P
70R5020	RD-5-9987-0P
70R5022	RD-5-10200-0M
70R5024	RD-5-10199-0M
70R5026	RD-5-10198-0M
70R5031	RD-5-11527-0M
70R5032	RD-5-11528-0M
70R5033	RD-5-11529-0M
70R5034	RD-5-11530-0M
70R5035	RD-5-12675-0M
70R5036	RD-5-15284-0P
70R5042	RD-5-10943-0M
70R5046	RD-5-10942-0M
70R5051	RD-5-3730-0M
70R5052	RD-5-9061-0M
70R5056	RD-5-3728-0M
70R5057	RD-5-10085-0M
70R5058	RD-5-3729-0M
70R5091S	RD-5-7641-0P
70R5100	RD-5-6098-0M
70R5103	RD-5-7759-0M
70R5105	RD-5-8984-0M
70R5110	RD-5-6691-0M
70R5115	RD-5-9084-0M
70R5120	RD-5-9809-0M
70R5125	RD-5-9810-0M
70R5200	RD-5-3861-0P
70R5210	RD-5-6600-0P
70R5501	RD-5-14698-0P
70R5502	RD-5-14699-0P
70R5503	RD-5-15280-0P
70R5504	RD-5-15281-0P
70R5505	RD-5-14697-0P
70R5506	RD-5-15358-0P
70R5550	RD-5-4035-10M
70R5565	RD-5-4476-12M
70R5600	RD-5-4035-16M
70R5650	RD-5-4035-52P
70R5701	RD-5-3791-0P
70R5702	RD-5-6865-0M
70R5706	RD-5-4665-0M

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
70R5708	RD-5-4666-0M
70R5718	RD-5-5256-0M
70R5770	RD-5-4400-0P
70R6001S	RD-5-12304-0P
70R6002S	RD-5-13536-0P
70R6006S	RD-5-8537-0P
70R6008S	RD-5-8538-0P
70R6091S	RD-5-12307-0P
70R6096S	RD-5-12305-0P
70R6098S	RD-5-12306-0P
70R6441	RD-5-7637-0P
70R6446S	RD-5-12302-0P
70R6491S	RD-5-7231-0P
70R6492S	RD-5-8282-0P
70R6496S	RD-5-7546-0P
70R6498S	RD-5-7119-0P
70R6501	RD-5-8774-0P
70R6506	RD-5-8772-0P
70R6508	RD-5-8773-0P
70R6598S	RD-5-7225-0P
70R7001S	RD-5-8017-0P
70R7006S	RD-5-12303-0P
70R7008S	RD-5-7632-0P
70R7050	RD-4317-6M
70R7100	RD-4130-1P
70R7110	RD-5-5525-0P
70R7115	RD-5-5305-0P
70R7150	RD-4366-0P
70R7170	RD-1-0662-0P
70R7175	RD-1-0662-2P
70R7200	RD-5-3876-1P
70R7250	RD-5-4471-0P
70R7270	RD-1-0661-0P
70R7310	RD-1-0795-0P
70R7500	RD-5-3746-1P
70R7550	RD-5-3686-0P
70R7600	RD-1-0425-0P
70R7650	RD-1-0426-0P
70R7750	RD-5-3686-1P
70R8001	RD-5-10543-1P
70R8002	RD-5-10542-1P
70R8006	RD-5-10537-1P
70R8008	RD-5-10539-1P
70R8061	RD-5-10572-1P
70R8062	RD-5-10573-1P
70R8066	RD-5-10570-1P
70R8068	RD-5-10571-1P
70R8071	RD-5-10562-1P
70R8086	RD-5-10560-1P
70R8088	RD-5-10561-1P
70R8091	RD-5-10528-1P
70R8092	RD-5-10530-1P
70R8096	RD-5-10719-1P
70R8098	RD-5-10720-1P
70R8198	RD-5-10721-1P
70R8201	RD-5-10564-1P
70R82071S	RD-5-10500-0P
70R82076S	RD-5-10498-0P
70R82078S	RD-5-10499-0P
70R8208	RD-5-10566-1P
70R8211	RD-5-10701-1P
70R8212	RD-5-10702-1P
70R8216	RD-5-10699-1P
70R8218	RD-5-10700-1P
70R8221	RD-5-11573-1P
70R82251	RD-5-10696-1P
70R82252	RD-5-10697-1P
70R82256	RD-5-10694-1P
70R82258	RD-5-10695-1P
70R8226	RD-5-12485-1P
70R82261	RD-5-10698-1P
70R82511	RD-5-11387-1P
70R8261	RD-5-10708-1P
70R8271	RD-5-10704-1P
70R8272	RD-5-10705-1P
70R8276	RD-5-10706-1P
70R8278	RD-5-10707-1P
70R8281	RD-5-11839-1P
70R8282	RD-5-11840-1P
70R8288	RD-5-11838-1P
70R8291	RD-5-10580-1P
70R8292	RD-5-10703-1P
70R8296	RD-5-10578-1P
70R8298	RD-5-10579-1P
70R8301	RD-5-10534-1P
70R8302	RD-5-10536-1P
70R8306	RD-5-10531-1P
70R8308	RD-5-10533-1P
70R8341	RD-5-10556-1P
70R8346	RD-5-10555-1P
70R8348	RD-5-10554-1P
70R8398	RD-5-10576-1P
70R84206S	RD-5-9684-0P
70R84242S	RD-5-9745-0P
70R84248S	RD-5-9747-0P
70R84291S	RD-5-9748-0P
70R84298S	RD-5-9752-0P
70R84301S	RD-5-9753-0P
70R84306S	RD-5-9756-0P
70R84398S	RD-5-9708-0P
70R84401S	RD-5-9733-0P
70R84402S	RD-5-9735-0P
70R84408S	RD-5-9737-0P
70R84491S	RD-5-9738-0P
70R84498S	RD-5-9742-0P
70R84541S	RD-5-9729-0P
70R84601S	RD-5-9734-0P
70R84641S	RD-5-9701-0P
70R84692S	RD-5-9706-0P
70R84701S	RD-5-9754-0P
70R84791S	RD-5-9705-0P
70R8511	RD-5-10550-1P
70R85201	RD-5-11537-1P
70R85202	RD-5-11538-1P
70R85206	RD-5-11536-1P
70R85222	RD-5-11540-1P
70R85301	RD-5-11541-1P
70R85311	RD-5-11542-1P
70R85312	RD-5-12839-1P
70R85321	RD-5-11544-1P
70R85326	RD-5-11543-1P
70R85336	RD-5-11545-1P
70R8551	RD-5-10549-1P
70R8556	RD-5-10547-1P
70R8558	RD-5-10548-1P
70R8561	RD-5-15588-1P
70R8562	RD-5-15589-1P
70R8566	RD-5-15586-1P
70R8568	RD-5-15587-1P
70R8591	RD-5-10563-1P
70R8598	RD-5-10577-1P
70R8601	RD-5-10512-1P
70R8602	RD-5-10515-1P
70R8606	RD-5-10508-1P
70R8608	RD-5-10510-1P
70R8621	RD-5-10565-1P
70R8641	RD-5-10518-1P
70R8642	RD-5-10519-1P
70R8646	RD-5-10516-1P
70R8648	RD-5-10517-1P
70R8681	RD-5-10574-1P
70R8688	RD-5-10575-1P
70R8691	RD-5-10524-1P
70R8692	RD-5-10527-1P
70R8696	RD-5-10520-1P
70R8698	RD-5-10522-1P
70R8701	RD-5-10513-1P
70R8706	RD-5-10509-1P
70R8708	RD-5-10511-1P
70R8711	RD-5-10535-1P
70R8716	RD-5-10532-1P
70R8761	RD-5-10529-1P
70R8781	RD-5-10541-1P
70R8786	RD-5-10538-1P
70R8788	RD-5-10540-1P
70R8791	RD-5-10525-1P
70R8796	RD-5-10521-1P
70R8798	RD-5-10523-1P
70R8801	RD-5-10711-0M
70R8802	RD-5-10712-0M
70R8806	RD-5-10709-0M
70R88066	RD-5-11996-0M
70R8808	RD-5-10710-0M
70R8821	RD-5-10715-0M
70R8822	RD-5-10716-0M
70R8826	RD-5-10713-0M
70R88266	RD-5-11997-0M
70R8828	RD-5-10714-0M
70R8831	RD-5-11463-0M
70R8832	RD-5-11464-0M
70R8836	RD-5-11461-0M
70R8838	RD-5-11462-0M
70R8840	RD-5-13242-0M
70R8881	RD-5-10559-1P
70R8886	RD-5-10557-1P
70R8888	RD-5-10558-1P
70R8891	RD-5-10569-1P
70R8996	RD-5-10567-1P
70R8998	RD-5-10568-1P
70R9001S	RD-5-8955-0P
70R9011S	RD-5-8918-0P
70R9012S	RD-5-8941-0P
70R9016S	RD-5-8916-0P
70R9018S	RD-5-8917-0P
70R9071S	RD-5-8921-0P
70R9072S	RD-5-8952-0P
70R9076S	RD-5-8919-0P
70R9078S	RD-5-8920-0P
70R9091S	RD-5-8956-0P
70R9301S	RD-5-8912-0P
70R9306S	RD-5-8910-0P
70R9308S	RD-5-8911-0P
70R9312S	RD-5-12310-0P
70R9391S	RD-5-8915-0P
70R9392S	RD-5-12311-0P
70R9396S	RD-5-8913-0P
70R9398S	RD-5-8914-0P
70R9401S	RD-5-8900-0P
70R9402S	RD-5-8939-0P
70R9406S	RD-5-12240-0P
70R9408S	RD-5-8899-0P
70R94341S	RD-5-9728-0P
70R94391S	RD-5-9719-0P
70R94396S	RD-5-9722-0P
70R94498S	RD-5-9716-0P
70R94601S	RD-5-9690-0P
70R94691S	RD-5-9711-0P
70R94696S	RD-5-9714-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
70R94791S	RD-5-9721-0P
70R9491S	RD-5-8906-0P
70R9492S	RD-5-8940-0P
70R9496S	RD-5-8904-0P
70R9498S	RD-5-12246-0P
70R94991S	RD-5-9709-0P
70R94998S	RD-5-9717-0P
70R95091S	RD-5-9713-0P
70R96448S	RD-5-9727-0P
70R96496S	RD-5-9715-0P
70R96598S	RD-5-9718-0P
70R96741S	RD-5-9726-0P
70R97006S	RD-5-9693-0P
70R9701S	RD-5-8957-0P
70R9706S	RD-5-12313-0P
70R9708S	RD-5-12314-0P
70R97701S	RD-5-9691-0P
70R9791S	RD-5-8951-0P
70R9796S	RD-5-12315-0P
70R9901S	RD-5-8903-0P
70R9902S	RD-5-12312-0P
70R9903	RD-5-11559-3P
70R9904	RD-5-13822-0P
70R9906S	RD-5-8901-0P
70R9908S	RD-5-8902-0P
70R9991S	RD-5-8909-0P
70R9996S	RD-5-8907-0P
70R9998S	RD-5-8908-0P
71R0010	RD-5-3748-0P
71R0030	RD-5-8459-0P
71R0031	RD-5-10686-0P
71R0050	RD-5-3923-0P
71R0100	RD-4123-1P
71R0150	RD-4225-1P
71R0200	RD-4123-2P
71R0250	RD-5-3599-0P
71R0260	RD-5-5400-0P
71R0300	RD-4225-2P
71R0350	RD-5-3988-0P
71R0400	RD-5-0071-0P
71R0450	RD-5-4694-1P
71R0453	RD-5-10056-0P
71R0460	RD-5-6804-0P
71R0470	RD-5-5302-1P
71R0475	RD-5-10192-0P
71R0480	RD-5-8256-0P
71R0485	RD-5-10188-0P
71R0487	RD-5-10196-0P
71R0500	RD-4151-1P
71R0512	RD-5-9037-0P
71R0522	RD-5-8830-0P
71R0532	RD-5-8831-0P
71R0550	RD-4151-2P
71R0600	RD-4151-4P
71R0650	RD-4151-6P
71R0700	RD-4151-7P
71R0840	RD-5-8967-0P
71R0852	RD-5-7215-0P
71R0854	RD-5-7183-0P
71R0862	RD-5-8315-0P
71R0872	RD-5-7181-0P
71R0884	RD-5-8995-0P
71R0892	RD-5-8509-0P
71R0902	RD-5-14420-0P
71R1150	RD-5-3646-0P
71R1160	RD-5-9833-0P
71R1163	RD-5-10934-0P
71R1165	RD-5-3779-0P
71R1167	RD-5-9013-0P
71R1175	RD-5-8771-0P
71R1200	RD-5-4908-0P
71R1210	RD-5-5194-0P
71R1252	RD-3-4900-0P
71R1262	RD-5-8535-0P
71R1300	RD-5-5874-0P
71R1310	RD-5-6602-0P
71R1315	RD-5-6714-0P
71R1320	RD-5-7807-0P
71R1325	RD-5-7809-0P
71R1330	RD-5-7192-0P
71R1401	RD-5-9445-0P
71R1402	RD-5-9437-0P
71R1403	RD-5-9447-0P
71R1404	RD-5-9448-0P
71R1405	RD-5-9449-0P
71R1450	RD-5-3647-0P
71R1455	RD-5-6450-0P
71R1457	RD-5-10341-0P
71R1462	RD-5-13299-0P
71R1463	RD-5-10441-0P
71R1465	RD-5-8923-0P
71R1467	RD-5-13239-0P
71R1470	RD-5-14651-0P
71R1472	RD-5-16211-0P
71R1475	RD-5-14601-0P
71R1477	RD-5-15500-0P
71R1480	RD-5-9062-0P
71R1485	RD-5-8665-0P
71R1510	RD-6-4661-0P
71R1520	RD-6-4691-0P
71R1530	RD-5-8487-1P
71R1610	RD-5-8490-0P
71R1620	RD-5-10590-0P
71R1652	RD-4370-0P
71R1702	RD-5-4408-0P
71R1704	RD-5-4417-0P
71R1722	RD-5-9915-0P
71R1802	RD-5-5027-1P
71R1900	RD-5-4216-0P
71R1902	RD-5-6690-0P
71R1904	RD-5-6693-0P
71R1910	RD-5-8210-0P
71R1912	RD-5-7232-0P
71R1914	RD-5-7233-0P
71R2100	RD-5-4909-0P
71R2200	RD-5-11031-0P
71R2250	RD-4125-36P
71R2300	RD-4125-48P
71R2305	RD-5-11029-0P
71R2310	RD-4172-0P
71R2400	RD-4125-66P
71R2600	RD-5-4911-0P
71R2700	RD-4226-0P
71R2800	RD-5-4917-0P
71R3100	RD-4427-24P
71R3125	RD-5-8377-0P
71R3150	RD-5-6429-0P
71R3155	RD-5-10736-0P
71R3160	RD-5-8938-0P
71R3200	RD-5-4531-24P
71R3220	RD-5-10335-0P
71R3300	RD-5-8257-0P
71R3350	RD-6-5916-0P
71R3502	RD-6-4797-0P
71R3540	RD-5-10239-0P
71R3570	RD-3-6038-0M
71R3571	RD-5-8988-0P
71R3572	RD-5-13605-0P
71R3573	RD-5-8791-0P
71R3574	RD-5-13604-0P
71R3575	RD-5-6320-0P
71R3576	RD-5-9063-0P
71R3578	RD-5-9021-0P
71R3579	RD-5-13540-0P
71R3580	RD-5-14607-0P
71R3581	RD-5-14608-0P
71R3582	RD-5-14609-0P
71R3583	RD-5-12450-1P
71R3585	RD-5-14610-0P
71R3589	RD-5-15542-0P
71R3591	RD-5-15505-0P
71R3593	RD-5-15543-0P
71R4010	RD-5-8654-1P
71R4011	RD-5-8654-2P
71R4015	RD-5-8812-0P
71R4020	RD-5-8654-0P
71R4030	RD-5-4302-0M
71R4035	RD-5-4450-0P
71R4040	RD-5-5928-0P
71R4050	RD-4181-0P
71R4060	RD-5-8075-0P
71R4063	RD-5-8134-0P
71R4065	RD-5-9133-0M
71R4105	RD-5-8673-0P
71R4501	RD-5-12150-0P
71R4511	RD-5-12151-2P
71R5122	RD-3-13600-0P
71R5212	RD-3-3751-1P
71R5600	RD-3-9379-0P
71R5605	RD-3-9379-1P
71R5812	RD-6-5452-0P
71R5814	RD-6-5524-0P
71R5815	RD-2-6169-0P
71R5817	RD-1-3659-0P
71R5819	RD-1-3660-0P
71R5821	RD-1-3661-0P
71R5823	RD-1-3662-0P
71R5850	RD-5-15592-0P
71R5851	RD-5-15593-0P
71R6020	RD-5-6397-0P
71R6030	RD-5-4833-0P
71R6040	RD-5-6395-0P
71R6045	RD-5-6395-1P
71R6050	RD-4191-0P
71R6055	RD-5-8982-0P
71R6060	RD-5-5877-0P
71R6070	RD-5-5873-0P
71R6080	RD-5-6394-0P
71R6090	RD-5-6396-0P
71R6093	RD-5-10442-0P
71R6095	RD-5-8026-0P
71R6100	RD-5-4912-0P
71R6110	RD-5-6430-0P
71R6115	RD-5-6639-0P
71R6120	RD-5-6833-0P
71R6125	RD-5-8946-0P
71R6130	RD-5-6834-0P
71R6135	RD-5-7038-0P
71R6140	RD-5-6835-0P
71R6145	RD-5-13227-0P
71R6150	RD-5-9577-0P
71R6155	RD-5-13234-0P
71R6157	RD-5-15305-0P
71R6160	RD-5-8218-0P
71R6170	RD-5-8219-0P
71R6175	RD-5-15317-0P
71R6180	RD-5-8220-0P
71R6181	RD-5-10166-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
71R6183	RD-5-10167-0P
71R6185	RD-5-10096-0P
71R6187	RD-5-16213-0P
71R6210	RD-5-8287-0P
71R6220	RD-5-8288-0P
71R6230	RD-5-8289-0P
71R6235	RD-5-14603-0P
71R6245	RD-5-10097-0P
71R6255	RD-5-10443-0P
71R6257	RD-5-10444-0P
71R6259	RD-5-15293-0P
71R6260	RD-5-14604-0P
71R6261	RD-5-15294-0P
71R6262	RD-5-16218-0P
71R6263	RD-5-13183-0P
71R6264	RD-5-13184-0P
71R6265	RD-5-14605-0P
71R6266	RD-5-15688-0P
71R6267	RD-5-15318-0P
71R6270	RD-5-15501-0P
71R6275	RD-5-15504-0P
71R6280	RD-5-15711-1P
71R6400	RD-5-9990-0P
71R6402	RD-5-10763-0P
71R6405	RD-5-9991-0P
71R6408	RD-5-10766-0P
71R6410	RD-5-10008-0P
71R6414	RD-5-10768-0P
71R6415	RD-5-10009-0P
71R6416	RD-5-10769-0P
71R6418	RD-5-10778-0P
71R6420	RD-5-10470-0P
71R6422	RD-5-10779-0P
71R6424	RD-5-10783-0P
71R6426	RD-5-10784-0P
71R6430	RD-5-10471-0P
71R6434	RD-5-10787-0P
71R6442	RD-5-10853-0P
71R6444	RD-5-10854-0P
71R6445	RD-5-10351-0P
71R6448	RD-5-10780-0P
71R6450	RD-5-10789-0P
71R6451	RD-5-10781-0P
71R6452	RD-5-10782-0P
71R6453	RD-5-11380-0P
71R6454	RD-5-10788-0P
71R6456	RD-5-10790-0P
71R6458	RD-5-10850-0P
71R6460	RD-5-10851-0P
71R6463	RD-5-11001-0P
71R6470	RD-5-11026-0P
71R6475	RD-5-10901-0P
71R6480	RD-5-10592-0P
71R6500	RD-5-11021-0P
71R6561	RD-5-10771-0P
71R6563	RD-5-10772-0P
71R6565	RD-5-10352-0P
71R6566	RD-5-10855-0P
71R6571	RD-5-11381-0P
71R6573	RD-5-10859-0P
71R6576	RD-5-10860-0P
71R6578	RD-5-10861-0P
71R6582	RD-5-14636-0P
71R6584	RD-5-14637-0P
71R7000	RD-5-4646-0P
71R7050	RD-5-4640-0P
71R7073	RD-5-13233-0P
71R7075	RD-5-8433-0P
71R7076	RD-5-12840-0P
71R7077	RD-5-11169-0P
71R7078	RD-5-14649-0P
71R7500	RD-5-4585-0P
71R7550	RD-5-4583-0P
71R7600	RD-5-4620-0P
71R7650	RD-5-4625-0P
71R7660	RD-5-13705-0P
71R8050	RD-4126-1P
71R8060	RD-5-11033-0P
71R8080	RD-5-5862-0P
71R8090	RD-5-10734-0P
71R8100	RD-5-3824-1P
71R8210	RD-5-6099-0P
71R8220	RD-5-10445-0P
71R8301	RD-5-6868-1P
71R8301M	RD-5-6868-1M
71R8310	RD-3-7822-0P
71R8321	RD-5-7015-1P
71R8321M	RD-5-7015-1M
71R8350	RD-5-10334-0P
71R8370	RD-5-7567-0P
71R8380	RD-5-9513-0P
71R8385	RD-5-10546-0P
71R8400	RD-5-7155-0P
71R8405	RD-5-10447-0P
71R8415	RD-5-10306-0P
71R8420	RD-5-7179-0P
71R8423	RD-5-8100-0P
71R8430	RD-5-8936-0P
71R8440	RD-5-10333-0P
71R8450	RD-5-9935-0P
71R8451	RD-5-10903-0P
71R8453	RD-5-12520-0P
71R8455	RD-5-12521-0P
71R8457	RD-5-12522-0P
71R8459	RD-5-9327-0P
71R8460	RD-5-14086-0P
71R8461	RD-5-14084-0P
71R8463	RD-5-14085-0P
71R8465	RD-5-14618-0P
71R8467	RD-5-14619-0P
71R8469	RD-5-10179-0P
71R8475	RD-5-15296-0P
71R8476	RD-5-15073-0P
71R8477	RD-5-15295-0P
71R8479	RD-5-11921-0P
71R8480	RD-5-15291-0P
71R8481	RD-5-15292-0P
71R8483	RD-5-16206-0P
71R8485	RD-5-16214-0P
71R8489	RD-5-15541-0P
71R8491	RD-5-7187-0P
71R8493	RD-5-7267-0P
71R8497	RD-5-8994-0P
71R8499	RD-5-7186-0P
71R8500	RD-5-4919-1P
71R8501	RD-5-10012-0P
71R8503	RD-5-9807-1P
71R8504	RD-5-10011-1P
71R8505	RD-5-9564-1P
71R8506	RD-5-10013-1P
71R8507	RD-5-10757-0P
71R8508	RD-5-11886-0P
71R8510	RD-5-10014-0P
71R8902	RD-6-5125-0P
71R8945	RD-5-8993-0P
71R8991	RD-5-7188-0-35M
71R9002	RD-4188-0P
71R9004	RD-4188-24P
71R9300	RD-5-15723-0P
72R0050	RD-5-4475-0P
72R0070	RD-5-5538-0P
72R0100	RD-5-4740-0P
72R0190	RD-5-5721-1P
72R0200	RD-5-3827-0P
72R0210	RD-5-3827-1P
72R0220	RD-5-3827-2P
72R0240	RD-5-3827-4P
72R0260	RD-5-3827-6P
72R0270	RD-5-3827-10P
72R0500	RD-5-4747-0P
72R0600	RD-5-5721-0P
72R1100	RD-3267-1P
72R1200	RD-5-5414-4P
72R1210	RD-5-5784-5P
72R1300	RD-5-5424-1P
72R1310	RD-5-6028-1P
72R1502	RD-5-0060-0P
72R1504	RD-5-0060-24P
72R2000	RD-5-5476-0P
72R2100	RD-5-3709-0P
72R2105	RD-5-6220-0P
72R2110	RD-5-6555-0P
72R2120	RD-3-8989-0P
72R2130	RD-5-5520-0P
72R2140	RD-5-5552-0P
72R2150	RD-5-4452-0P
72R2160	RD-5-9637-0P
72R2200	RD-5-4451-0P
72R2250	RD-5-3597-0P
72R2255	RD-5-10418-0P
72R2300	RD-4340-0P
72R2350	RD-5-10478-0P
72R2351	RD-5-6987-0P
72R2500	RD-5-3701-0P
72R2550	RD-5-3758-0P
72R2551	RD-5-3758-1P
72R2600	RD-5-3702-0P
72R2605	RD-5-10211-0P
72R3000	RD-5-6017-0P
72R3010	RD-3-7838-2P
72R3020	RD-3-7838-3P
72R3050	RD-5-3596-0P
72R3100	RD-5-5223-1P
72R3110	RD-5-5223-0P
72R3111	RD-5-5222-0P
72R3120	RD-5-8436-0P
72R3130	RD-5-9024-0P
72R3135	RD-5-10236-0P
72R3140	RD-5-9053-0P
72R3149	RD-5-11560-0P
72R3150	RD-5-9425-0P
72R3151	RD-5-10030-0P
72R3155	RD-5-9426-0P
72R3157	RD-5-8928-0P
72R3158	RD-5-14615-0P
72R3159	RD-5-12783-0P
72R3200	RD-5-3846-0P
72R3510	RD-3196-1P
72R3530	RD-3196-3P
72R3550	RD-3196-5P
72R3600	RD-5-9313-0P
72R3601	RD-1-0422-0P
72R3603	RD-1-0423-0P
72R4010	RD-5-9152-0P
72R4400	RD-5-9157-0P
72R4500	RD-5-9158-0P
72R4510	RD-5-9159-0P
72R4530	RD-3-1566-2P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
72R4531	RD-3-4812-2P
72R4532	RD-5-8926-0P
72R4533	RD-1-0639-0P
72R4534	RD-1-1651-0P
72R4535	RD-2-3279-0P
72R4536	RD-3-10111-0P
72R4537	RD-3-10112-0P
72R4538	RD-3-6060-0P
72R5040	RD-5-4923-0P
72R5050	RD-4257-0P
72R5055	RD-5-10223-0P
72R5060	RD-5-5119-0P
72R5070	RD-5-5191-0P
72R5080	RD-5-5215-0P
72R5110	RD-5-8034-0P
72R5200	RD-5-5300-0P
72R5203	RD-3-11046-0P
72R5204	RD-5-10635-0P
72R5210	RD-5-5300-1P
72R5220	RD-5-7760-1P
72R5230	RD-5-7760-2P
72R5240	RD-5-7760-3P
72R5250	RD-5-7760-0P
72R5260	RD-5-5495-1P
72R5270	RD-5-5495-2P
72R5280	RD-5-8083-0P
72R5285	RD-5-9224-1P
72R5350	RD-5-8193-2P
72R5355	RD-1-2246-0P
72R5360	RD-5-9224-0P
72R5500	RD-5-5192-0P
72R5600	RD-5-5193-0P
72R6400	RD-5-8804-0P
72R6401	RD-5-8804-1P
72R6403	RD-5-8804-2P
72R6410	RD-5-8859-0P
72R6420	RD-5-8857-0P
72R6421	RD-5-8857-1P
72R6423	RD-5-8857-2P
72R6425	RD-5-8857-3P
72R6515	RD-5-8943-0P
72R6520	RD-5-10344-0P
72R6525	RD-5-8390-0P
72R6530	RD-5-10345-0P
72R6533	RD-5-11319-0P
72R6535	RD-5-8894-0P
72R6540	RD-5-9415-0P
72R6547	RD-5-10055-0P
72R6554	RD-1-1419-2P
72R6562	RD-1-1746-0P
72R7100	RD-5-10258-0P
72R7105	RD-5-8135-0P
72R7110	RD-1-3242-0P
72R7115	RD-3-17795-0P
72R7125	RD-5-13576-0P
72R7130	RD-1-4603-0P
72R7280	RD-4124-18P
72R7290	RD-4124-20P
72R7600	RD-4124-38P
72R7700	RD-4124-76P
72R8190	RD-4180-24P
72R8200	RD-4180-29P
72R8250	RD-4180-36P
72R8255	RD-5-9225-36P
72R8260	RD-5-9443-2P
72R8265	RD-5-9443-3P
72R8270	RD-5-6802-0P
72R8275	RD-5-9443-4P
72R8280	RD-5-6803-0P
72R8300	RD-4180-46P
72R8315	RD-5-6667-46P
72R8360	RD-4180-57P
72R8400	RD-4180-76P
72R8410	RD-4180-79P
72R8415	RD-5-6410-48P
72R9000	RD-5-7999-0P
72R9005	RD-5-6917-2P
72R9010	RD-5-4659-0P
72R9020	RD-5-5901-0P
72R9030	RD-5-4756-0P
72R9040	RD-5-3653-0P
72R9904	RD-5-11209-1P
72R9912	RD-5-11210-0P
73R0012	RD-5-10379-0P
73R0032	RD-5-10491-0P
73R0034	RD-5-10491-24P
73R0042	RD-5-10336-0P
73R0062	RD-5-6440-0P
73R0082	RD-5-10071-0P
73R0092	RD-5-10391-0P
73R0102	RD-5-4550-0P
73R0104	RD-5-4550-24P
73R0142	RD-5-10070-1P
73R0152	RD-4183-0P
73R0202	RD-3106-18P
73R0204	RD-3106-18-24P
73R0212	RD-5-10390-0P
73R0322	RD-5-6531-0P
73R0332	RD-5-10867-0P
73R0352	RD-5-6526-2P
73R0364	RD-5-6071-0P
73R0402	RD-5-6526-1P
73R0404	RD-5-4827-24P
73R0414	RD-5-4827-2P
73R0422	RD-5-6526-0P
73R0432	RD-5-8204-0P
73R0442	RD-5-10905-0P
73R0454	RD-5-3751-24P
73R0462	RD-5-9100-0P
73R0512	RD-5-5120-0P
73R0514	RD-5-5120-24P
73R0522	RD-5-5230-0P
73R0532	RD-5-3690-1P
73R0534	RD-5-3690-1-24P
73R0542	RD-5-7129-0P
73R0544	RD-5-7129-24P
73R0552	RD-3106-12P
73R0554	RD-3106-12-24P
73R0572	RD-5-14073-0P
73R0582	RD-5-14193-0P
73R0602	RD-3106-13P
73R0604	RD-3106-13-24P
73R0612	RD-5-8922-0P
73R0622	RD-5-5269-2P
73R0642	RD-5-10072-1P
73R0652	RD-5-10069-1P
73R0654	RD-5-10255-2P
73R0702	RD-5-4927-0P
73R0912	RD-5-5512-0P
73R0922	RD-5-5634-1P
73R0962	RD-5-8203-0P
73R0982	RD-5-8255-0P
73R0984	RD-5-6785-24P
73R0992	RD-5-14087-0P
73R1002	RD-3-8657-0P
73R1052	RD-5-4932-0P
73R1064	RD-5-9245-24P
73R2102	RD-5-4937-0P
73R2112	RD-5-10383-0P
73R2142	RD-5-10387-0P
73R2152	RD-5-10388-0P
73R2162	RD-5-14088-0P
73R2222	RD-5-10381-0P
73R2262	RD-5-10053-0P
73R3002	RD-5-11466-0P
73R3032	RD-5-10395-0P
73R3052	RD-5-11488-0P
73R3062	RD-5-11489-0P
73R3072	RD-5-11579-0P
73R3082	RD-5-11526-0P
73R3092	RD-5-11843-0P
73R3102	RD-5-12551-0P
73R3112	RD-5-14612-0P
73R3122	RD-5-13067-0P
73R3132	RD-5-13068-0P
73R3142	RD-5-13069-0P
73R3162	RD-5-15574-0P
73R3172	RD-5-16626-0P
73R4062	RD-5-5614-0P
73R4064	RD-5-6969-0P
73R4102	RD-5-3780-0P
73R4122	RD-5-8032-0P
73R4162	RD-5-5190-0P
73R4182	RD-5-6801-0P
73R4202	RD-5-3757-12P
73R4204	RD-5-3757-24P
73R4242	RD-5-8126-0P
73R4252	RD-5-5121-0P
73R4254	RD-5-5121-24P
73R4262	RD-5-5121-1P
73R4264	RD-5-5121-2P
73R4274	RD-5-10054-0P
73R4312	RD-5-10073-0P
73R4322	RD-5-10068-0P
73R4422	RD-5-5049-1P
73R4424	RD-5-5049-2P
73R4504	RD-5-4233-24P
73R4532	RD-3-10538-0P
73R4602	RD-5-5837-0P
73R5502	RD-3-6770-0P
73R5504	RD-3-6770-24P
73R5512	RD-5-14191-0P
73R5514	RD-5-8526-1P
73R5522	RD-5-8835-0P
73R5524	RD-5-8836-0P
73R5532	RD-5-8837-0P
73R5534	RD-5-8838-0P
73R5552	RD-5-8583-0P
73R5554	RD-5-8583-1P
73R5572	RD-5-9194-0P
73R5574	RD-5-9194-24P
73R5584	RD-5-9194-1P
73R5622	RD-5-9204-0P
73R5624	RD-5-9204-1P
73R5632	RD-3-9290-0P
73R5634	RD-3-9290-24P
73R5642	RD-5-8837-1P
73R5652	RD-5-14046-0P
73R5662	RD-5-12742-0P
73R5664	RD-5-12742-24P
73R5672	RD-3-14448-0P
73R5674	RD-3-14448-1P
73R5682	RD-2-3000-0P
73R5772	RD-5-14684-0P
73R6051	RD-5-8618-0P
73R6101	RD-3106-38P
73R6151	RD-3106-39P
73R6230	RD-5-5263-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
73R6251	RD-5-3800-1P
73R6253	RD-5-10753-0P
73R6270	RD-5-8947-0P
73R6300	RD-5-7312-0P
73R6350	RD-5-7311-0P
73R6370	RD-5-5601-0P
73R6381	RD-5-6651-1P
73R6383	RD-5-10435-0P
73R7000	RD-5-5656-0P
73R7071	RD-3-4829-1P
73R7101	RD-5-3933-1P
73R7110	RD-5-6970-0P
73R7120	RD-5-6970-1P
73R7130	RD-5-10346-0P
73R7135	RD-5-13230-0P
73R7151	RD-3-2557-2P
73R7200	RD-5-8092-0P
73R7201	RD-5-10935-0P
73R7202	RD-5-10935-2P
73R7210	RD-5-8092-1P
73R7215	RD-5-14613-0P
73R7220	RD-5-15298-0P
73R8050	RD-3133-9P
73R8081	RD-5-13533-0P
73R8100	RD-5-7297-0P
73R8110	RD-4-3508-0P
73R8320	RD-5-10083-0P
73R8554	RD-5-8559-0P
73R8562	RD-5-8703-2P
73R8564	RD-5-8703-3P
73R8582	RD-5-8631-2P
73R8584	RD-5-8631-3P
73R8592	RD-5-8785-2P
73R8594	RD-5-8785-5P
73R8612	RD-5-8627-5P
73R8614	RD-5-8627-6P
73R8622	RD-5-13259-0P
73R8624	RD-5-13259-1P
73R8642	RD-5-9076-2P
73R8644	RD-5-9076-3P
73R8652	RD-5-8747-4P
73R8654	RD-5-8747-5P
73R8664	RD-5-9919-24P
73R8674	RD-5-10933-1P
73R8702	RD-5-8759-1P
73R8712	RD-5-14681-0P
73R8714	RD-5-14281-1P
73R8722	RD-5-14682-0P
73R8732	RD-5-14683-0P
73R9052	RD-5-4575-0P
73R9054	RD-5-4575-24P
73R9062	RD-5-5796-0P
73R9064	RD-5-5796-24P
73R9072	RD-5-5887-0P
73R9082	RD-5-10490-0P
73R9092	RD-5-10490-4P
73R9202	RD-5-4296-0P
73R9204	RD-5-4296-1P
74R0401	RD-5-8862-1P
74R0450	RD-5-4947-0P
74R0455	RD-5-14094-0P
74R0460	RD-5-7064-0P
74R0462	RD-5-7064-1P
74R0470	RD-5-8605-1P
74R0475	RD-5-14685-0P
74R0480	RD-5-14686-0P
74R0485	RD-5-14687-0P
74R0490	RD-5-14688-0P
74R0495	RD-5-14647-0P
74R0500	RD-5-15710-0P
74R0505	RD-5-15713-0P
74R0907	RD-5-4950-1P
74R1106	RD-5-7559-0P
74R1407	RD-5-11532-0P
74R1427	RD-5-11531-0P
74R1706	RD-5-3593-1P
74R1756	RD-5-3593-0P
74R1806	RD-5-5571-0P
74R1826	RD-5-7062-1P
74R1836	RD-5-9455-0P
74R1846	RD-5-6575-0P
74R1856	RD-5-5572-0P
74R1866	RD-5-7063-0P
74R1906	RD-5-4632-1P
74R1956	RD-5-4632-0P
74R1986	RD-5-14078-0P
74R2002	RD-5-10434-1P
74R2006	RD-5-14638-0P
74R2016	RD-5-14639-0P
74R2026	RD-5-14640-0P
74R2106	RD-4160-1P
74R2306	RD-5-6504-1P
74R2447	RD-5-7272-1P
74R2527	RD-5-7061-8P
74R2537	RD-5-7061-7P
74R2577	RD-5-7061-6P
74R2586	RD-5-4727-0P
74R2590	RD-5-9419-1P
74R2596	RD-5-4727-1P
74R2608	RD-5-11192-0P
74R2616	RD-5-10777-0P
74R2668	RD-5-11193-0P
74R2677	RD-5-9515-1P
74R2688	RD-5-10591-1P
74R2706	RD-5-4955-0P
74R2716	RD-5-12462-0P
74R2717	RD-5-12462-1P
74R2777	RD-5-12186-1P
74R2787	RD-5-11266-0P
74R2797	RD-5-6768-2P
74R2801	RD-5-9389-1P
74R3027	RD-5-9787-1P
74R3067	RD-5-5589-1P
74R3071	RD-5-9440-1P
74R3077	RD-5-11534-0P
74R3107	RD-5-11533-0P
74R3126	RD-5-10589-1P
74R3129	RD-5-11522-0P
74R3137	RD-5-11185-0P
74R3148	RD-5-11194-0P
74R3157	RD-5-10735-1P
74R3309	RD-5-11195-0P
74R3317	RD-5-11190-0P
74R3318	RD-5-10729-1P
74R3320	RD-5-10741-1P
74R3323	RD-5-11189-0P
74R3324	RD-5-11535-0P
74R3325	RD-5-14095-0P
74R3328	RD-5-11188-1P
74R3331	RD-5-11196-0P
74R3337	RD-5-7292-1P
74R3347	RD-5-8240-1P
74R3357	RD-5-11184-0P
74R3377	RD-5-11186-0P
74R3450	RD-5-4959-0P
74R3456	RD-5-12757-1P
74R3477	RD-5-7563-1P
74R3517	RD-5-5955-1P
74R3527	RD-5-7564-1P
74R3537	RD-5-7565-1P
74R4007	RD-5-6075-1P
74R4016	RD-5-6077-0P
74R4017	RD-5-6077-1P
74R4027	RD-5-11028-1P
74R4028	RD-5-14648-0P
74R4116	RD-5-6076-0P
74R4207	RD-5-9055-1P
74R4208	RD-5-15698-0P
74R4215	RD-5-13216-1P
74R4216	RD-5-15323-0P
74R4217	RD-5-15324-0P
74R4218	RD-5-15689-1P
74R4219	RD-5-15703-0P
74R4220	RD-5-16204-0P
74R4230	RD-5-16629-0P
74R4232	RD-5-16630-0P
74R5061	RD-5-10927-0P
74R5062	RD-5-9556-1P
74R5076	RD-5-14083-0P
74R5088	RD-5-15287-0P
74R5090	RD-5-15697-0P
74R5093	RD-5-10201-0P
74R5095	RD-5-11546-0P
74R5097	RD-5-12623-0P
74R5100	RD-5-16200-0P
74R5101	RD-5-16201-0P
74R5102	RD-5-16202-0P
74R5103	RD-5-16203-0P
74R5401	RD-5-14650-0P
74R5405	RD-5-14045-0P
74R5600	RD-5-4962-0P
74R7210	RD-3-3454-0P
74R7220	RD-4220-0P
74R8006	RD-5-7570-0M
75R0032	RD-5-10398-0P
75R0052	RD-5-10399-0P
75R0062	RD-5-10727-0P
75R0072	RD-5-10526-0P
75R0082	RD-5-10544-0P
75R0092	RD-5-10545-0P
75R0172	RD-5-11025-0P
75R0182	RD-5-6646-0P
75R0192	RD-5-7831-0P
75R0194	RD-5-7832-0P
75R0202	RD-5-5486-0P
75R0204	RD-5-5487-0P
75R0252	RD-5-10722-0P
75R0262	RD-5-10723-0P
75R0274	RD-5-10232-0P
75R0302	RD-5-4966-0P
75R0402	RD-5-9665-0P
75R0422	RD-5-10367-0P
75R0452	RD-5-4967-0P
75R0502	RD-5-10363-0P
75R0512	RD-5-10364-0P
75R0522	RD-5-10366-0P
75R0612	RD-5-8009-0P
75R0662	RD-5-9802-0P
75R0682	RD-5-10365-0P
75R1202	RD-5-4972-1P
75R1212	RD-5-10724-0P
75R1302	RD-5-9456-0P
75R1342	RD-5-10397-0P
75R1412	RD-5-9249-0P
75R1414	RD-5-9250-0P
75R1512	RD-5-10360-0P
75R1532	RD-5-10368-0P
75R1542	RD-5-10369-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
75R1652	RD-5-4975-0P
75R1832	RD-5-10759-0P
75R1842	RD-5-10760-0P
75R1852	RD-5-10761-0P
75R1862	RD-5-10762-0P
75R4502	RD-5-4994-0P
75R4534	RD-5-8382-0P
75R4702	RD-5-10401-0P
75R4734	RD-5-9659-0P
75R4782	RD-5-10301-0P
75R4792	RD-5-10302-0P
75R4802	RD-5-11374-0P
75R4812	RD-5-13784-0P
75R5005	RD-5-5751-0P
75R5124	RD-5-7830-0P
75R5200	RD-5-8334-0M
75R5201	RD-5-9979-0M
75R5520	RD-5-3698-0M
75R5525	RD-5-9806-0M
75R5530	RD-5-14076-0M
75R5535	RD-5-14077-0M
75R5540	RD-5-5401-0M
75R5555	RD-5-11325-0M
75R5556	RD-5-11223-0M
75R5560	RD-5-7523-0M
75R5565	RD-5-8293-0M
75R5570	RD-5-7524-0M
75R5575	RD-5-8292-0M
75R5580	RD-5-15288-0M
75R5585	RD-5-15289-0M
75R5641	RD-5-7614-0P
75R5648	RD-5-7613-0P
75R5661	RD-5-7320-0P
75R5668	RD-5-7318-0P
75R5671	RD-5-7456-0P
75R5672	RD-5-7480-0P
75R5678	RD-5-7430-0P
75R5681	RD-5-7967-0P
75R5688	RD-5-7966-0P
75R5691	RD-5-9814-0P
75R5698	RD-5-9813-0P
75R5700	RD-5-4997-0M
75R5705	RD-5-9812-0P
75R5711	RD-5-5397-0P
75R5718	RD-5-5396-0P
75R5721	RD-5-9953-0P
75R5722	RD-5-9955-0P
75R5728	RD-5-9952-0P
75R5731	RD-5-9956-0P
75R5738	RD-5-9910-0P
75R5761	RD-5-7690-0P
75R5768	RD-5-7688-0P
75R5801	RD-5-7310-0P
75R5806	RD-5-7306-0P
75R5808	RD-5-7539-0P
75R5813	RD-5-7277-0M
75R5814	RD-5-7278-0M
75R5815	RD-5-7964-0P
75R5819	RD-5-8850-0P
75R5820	RD-5-8851-0P
75R5824	RD-5-9815-0P
75R5825	RD-5-9816-0P
75R5833	RD-5-9218-0M
75R5834	RD-5-9219-0M
75R5878S	RD-5-8402-0P
75R6000	RD-5-5031-0P
75R6010	RD-5-5032-0P
75R6015	RD-9-1150-0P
75R6016	RD-9-9457-0P
75R6017	RD-9-1068-0P
75R6018	RD-9-9910-0P
75R6020	RD-9-1048-0P
75R6030	RD-9-1049-0P
75R6040	RD-5-6547-0P
75R6041	RD-5-6415-0P
75R6500	RD-5-8339-0P
75R6510	RD-5-8338-0P
75R6530	RD-5-8340-0P
75R6545	RD-5-7704-0P
75R7280	RD-5-8637-0P
75R7290	RD-5-8638-0P
75R7295A	RD-5-8061-3P
75R7300	RD-5-10029-0P
75R7312	RD-5-11217-0P
75R7322	RD-5-11218-0P
75R7332	RD-5-11219-0P
75R7342	RD-5-14641-0P
75R7362	RD-5-14050-0P
75R75182	RD-5-11973-0P
75R75192	RD-5-11974-0P
75R75201	RD-5-11978-1P
75R75202	RD-5-11834-1P
75R75208	RD-5-11833-1P
75R75212	RD-5-11830-1P
75R75218	RD-5-11829-1P
75R75222	RD-5-11832-1P
75R75228	RD-5-11831-1P
75R75672S	RD-5-9769-0P
75R75678S	RD-5-9763-0P
75R75832S	RD-5-9770-0P
75R75838S	RD-5-9765-0P
75R75852S	RD-5-9771-0P
75R75858S	RD-5-9764-0P
75R8102	RD-5-5000-0P
75R81104	RD-5-11234-0P
75R81114	RD-5-11235-0P
75R81134	RD-5-11236-0P
75R81152	RD-5-11237-0P
75R81162	RD-5-11238-0P
75R81172	RD-5-11239-0P
75R81184	RD-5-11240-0P
75R81184Q	RD-5-12569-0P
75R81192	RD-5-11241-0P
75R81202	RD-5-11242-0P
75R81212	RD-5-11243-0P
75R81212Q	RD-5-15312-0P
75R81232	RD-5-11244-0P
75R81232Q	RD-5-11244-1P
75R81252	RD-5-11245-0P
75R81262	RD-5-11247-0P
75R81274	RD-5-11248-0P
75R81282A	RD-5-11249-2P
75R81292A	RD-5-11250-2P
75R81292Q	RD-5-11250-1P
75R81302	RD-5-11251-0P
75R81302A	RD-5-11251-3P
75R81302Q	RD-5-11251-1P
75R81352	RD-5-11254-0P
75R81362	RD-5-11256-0P
75R81362A	RD-5-11256-3P
75R81362Q	RD-5-11256-1P
75R81372	RD-5-11257-0P
75R81372Q	RD-5-11257-1P
75R81382	RD-5-11258-0P
75R81402	RD-5-11260-0P
75R81412	RD-5-11310-0P
75R81452	RD-5-11313-0P
75R81462	RD-5-11315-0P
75R81472Q	RD-5-11316-1P
75R81482	RD-5-11322-0P
75R81492	RD-5-11324-0P
75R81502	RD-5-11326-0P
75R81512	RD-5-11328-0P
75R81532	RD-5-11330-0P
75R81552	RD-5-11331-0P
75R81562	RD-5-11334-0P
75R81572	RD-5-11336-0P
75R81612	RD-5-11340-0P
75R81622	RD-5-12330-0P
75R81622Q	RD-5-12330-1P
75R81632	RD-5-12332-0P
75R81632A	RD-5-12332-2P
75R81632Q	RD-5-12332-1P
75R81642Q	RD-5-12535-0P
75R81652	RD-5-11343-0P
75R81652Q	RD-5-11343-1P
75R81662	RD-5-12334-0P
75R81662A	RD-5-12334-2P
75R81672	RD-5-11345-0P
75R81682	RD-5-11346-0P
75R81692	RD-5-11347-0P
75R81732	RD-5-11350-0P
75R81762	RD-5-11356-0P
75R8184	RD-5-7566-0P
75R82102	RD-5-10307-0P
75R82132	RD-5-10310-0P
75R82142	RD-5-10493-0P
75R82312	RD-5-13062-0P
75R82312A	RD-5-13062-2P
75R82312Q	RD-5-13062-1P
75R8252	RD-5-8945-0P
75R83112	RD-5-10283-0P
75R83132	RD-5-10284-0P
75R83152	RD-5-10288-0P
75R8332	RD-5-9088-0P
75R8354	RD-5-8680-0P
75R8372	RD-5-7090-0P
75R8374	RD-5-7091-0P
75R8374Q	RD-5-7091-1P
75R8382	RD-5-7088-0P
75R8382Q	RD-5-7088-1P
75R8384	RD-5-7089-0P
75R8384Q	RD-5-7089-1P
75R84112	RD-5-10259-0P
75R84114	RD-5-11161-0P
75R84132	RD-5-10261-0P
75R84152	RD-5-10303-0P
75R84172	RD-5-10263-0P
75R84182	RD-5-10264-0P
75R84192	RD-5-10265-0P
75R84212	RD-5-10266-0P
75R8422	RD-5-7120-0P
75R84232	RD-5-10267-0P
75R8424	RD-5-7124-0P
75R84292	RD-5-10273-0P
75R84292A	RD-5-10273-2P
75R84302A	RD-5-13235-2P
75R84302Q	RD-5-13235-0P
75R84312	RD-5-10274-0P
75R8432	RD-5-7522-0P
75R84352	RD-5-10275-0P
75R84362	RD-5-10276-0P
75R84382	RD-5-10278-0P
75R84382Q	RD-5-10278-1P
75R8442	RD-5-7373-0P
75R84452	RD-5-10282-0P
75R84472	RD-5-10285-0P
75R84482	RD-5-10286-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
75R84492	RD-5-10287-0P
75R84512	RD-5-10290-0P
75R84522	RD-5-6919-0P
75R84532	RD-5-10291-0P
75R8454	RD-5-10725-0P
75R84552	RD-5-10292-0P
75R84562	RD-5-10294-0P
75R84572	RD-5-10295-0P
75R84592	RD-5-11220-0P
75R84594	RD-5-10260-0P
75R8462	RD-5-9251-0P
75R84622	RD-5-10738-0P
75R84632	RD-5-10737-0P
75R8464	RD-5-9458-0P
75R84654	RD-5-9319-0P
75R84662	RD-5-11002-0P
75R84672	RD-5-13071-0P
75R84684	RD-5-12179-0P
75R84694	RD-5-13072-0P
75R8502Q	RD-5-5875-1P
75R85032Q	RD-5-9609-9P
75R8505	RD-5-8010-0P
75R8507	RD-5-9611-0P
75R8510	RD-5-9154-0P
75R85102Q	RD-5-12899-0P
75R85112Q	RD-5-12901-0P
75R8512Q	RD-5-5876-1P
75R85132Q	RD-5-12900-0P
75R8515	RD-5-9155-0P
75R8520	RD-5-9156-0P
75R8522Q	RD-5-7023-1P
75R8532A	RD-5-8944-2P
75R8532Q	RD-5-8944-1P
75R85332Q	RD-5-10319-1P
75R8542A	RD-5-9028-2P
75R8542Q	RD-5-9028-1P
75R8544A	RD-5-9059-2P
75R8544Q	RD-5-9059-1P
75R8552Q	RD-5-9609-10P
75R85632Q	RD-5-10321-1P
75R85642Q	RD-5-11373-1P
75R85714Q	RD-5-10323-1P
75R85732Q	RD-5-10428-1P
75R85734Q	RD-5-10322-1P
75R85832Q	RD-5-10324-1P
75R85932Q	RD-5-10325-1P
75R86092Q	RD-5-10431-1P
75R8612A	RD-5-7145-2P
75R8612Q	RD-5-7145-1P
75R86132Q	RD-5-10429-1P
75R86134Q	RD-5-10326-1P
75R86142A	RD-5-12530-2P
75R86142Q	RD-5-12530-1P
75R86144A	RD-5-11866-3P
75R86144Q	RD-5-11866-2P
75R8614A	RD-5-7163-3P
75R8614Q	RD-5-7163-2P
75R861522A	RD-5-12902-2P
75R861522Q	RD-5-12902-0P
75R86152Q	RD-5-10327-1P
75R86162Q	RD-5-10328-1P
75R86172Q	RD-5-10329-1P
75R86182Q	RD-5-10426-1P
75R86194	RD-5-10427-0P
75R86194Q	RD-5-10427-2P
75R86202A	RD-5-11521-2P
75R86202Q	RD-5-11521-1P
75R86212Q	RD-5-11520-1P
75R86214A	RD-5-12903-2P
75R86222Q	RD-5-11523-1P
75R86232Q	RD-5-13041-0P
75R86322A	RD-5-12904-2P
75R86322Q	RD-5-12904-0P
75R86324Q	RD-5-12903-0P
75R8632Q	RD-5-7164-1P
75R86332Q	RD-5-13153-0P
75R8634Q	RD-5-7165-1P
75R8644Q	RD-5-8884-1P
75R8672A	RD-5-12529-2P
75R8672Q	RD-5-12529-0P
75R8682A	RD-5-12528-2P
75R8682Q	RD-5-12528-0P
75R8702A	RD-5-10728-2P
75R8702Q	RD-5-10728-1P
75R8704Q	RD-5-12525-0P
75R8712A	RD-5-9609-12P
75R8712Q	RD-5-9609-11P
75R8772	RD-5-12523-0P
75R8782A	RD-5-12906-2P
75R8782Q	RD-5-12906-0P
75R8784A	RD-5-12907-2P
75R8784Q	RD-5-12907-0P
75R8792A	RD-5-12908-2P
75R8802Q	RD-5-11318-1P
75R8812Q	RD-5-13655-0P
75R8814Q	RD-5-12630-0P
75R8822A	RD-5-12564-2P
75R8822Q	RD-5-12564-0P
75R89102A	RD-5-16225-2P
75R89112A	RD-5-16226-2P
75R89122A	RD-5-16227-2P
75R89132A	RD-5-16228-2P
75R8915	RD-5-11047-0P
75R89152A	RD-5-16230-2P
75R89162A	RD-5-16231-2P
75R89172A	RD-5-16232-2P
75R89182A	RD-5-16233-2P
75R89192A	RD-5-16234-2P
75R8920	RD-5-11151-0P
75R89204A	RD-5-16235-2P
75R8921	RD-5-11152-0P
75R89212A	RD-5-16236-2P
75R89222A	RD-5-16237-2P
75R89302	RD-5-10885-0P
75R89304	RD-5-15719-0P
75R89305	RD-5-10880-0P
75R89310	RD-5-10881-0P
75R89312	RD-5-10886-0P
75R89315	RD-5-10882-0P
75R89320	RD-5-10883-0P
75R89325	RD-5-10884-0P
75R89327	RD-5-11007-0P
75R89334	RD-5-10888-0P
75R89352	RD-5-10890-0P
75R89354	RD-5-10892-0P
75R89372	RD-5-10893-0P
75R89374	RD-5-10895-0P
75R89392	RD-5-10897-0P
75R89412	RD-5-11008-0P
75R89422	RD-5-10899-0P
75R89424	RD-5-10900-0P
75R89432	RD-5-11005-0P
75R89462	RD-5-11006-0P
75R89474	RD-5-11009-0P
75R89484	RD-5-11010-0P
75R89492	RD-5-12550-0P
75R89492A	RD-5-12550-2P
75R89492Q	RD-5-12550-1P
75R89502	RD-5-13207-0P
75R89502Q	RD-5-13207-1P
75R89522	RD-5-13209-0P
75R89522A	RD-5-13209-2P
75R89522Q	RD-5-13209-1P
75R89532	RD-5-13210-0P
75R89532A	RD-5-13210-2P
75R89532Q	RD-5-13210-1P
75R89552A	RD-5-13212-2P
75R89552Q	RD-5-13212-1P
75R89562Q	RD-5-13213-1P
75R89582Q	RD-5-13215-1P
75R89592A	RD-5-15533-3P
75R89592Q	RD-5-15533-0P
75R89602	RD-5-13226-0P
75R89602Q	RD-5-13226-1P
75R89612	RD-5-14093-0P
75R89612Q	RD-5-15531-0P
75R89622A	RD-5-14652-2P
75R89622Q	RD-5-14652-1P
75R89624Q	RD-5-14643-0P
75R89632Q	RD-5-15310-0P
75R89642Q	RD-5-15313-0P
75R89652	RD-5-14655-0P
75R89662	RD-5-14656-0P
75R89702	RD-5-14661-0P
75R89712	RD-5-14662-0P
75R89744	RD-5-14665-0P
75R89752	RD-5-14689-0P
75R89752Q	RD-5-14689-1P
75R89762	RD-5-14696-0P
75R89774	RD-5-13208-0P
75R89782A	RD-5-15523-2P
75R89782Q	RD-5-15523-0P
75R89792	RD-5-15320-0P
75R89802Q	RD-5-15309-0P
75R89812A	RD-5-14691-2P
75R89812Q	RD-5-14691-0P
75R89822A	RD-5-14690-2P
75R89822Q	RD-5-14690-0P
75R89832	RD-5-15359-0P
75R89834Q	RD-5-15720-0P
75R89842	RD-5-16476-0P
75R89852	RD-5-15572-0P
75R89852A	RD-5-15572-2P
75R89852Q	RD-5-15572-1P
75R89862	RD-5-16217-0P
75R89872	RD-5-16266-0P
75R89872A	RD-5-16266-2P
75R89882	RD-5-16241-0P
75R89892	RD-5-16242-0P
75R89902	RD-5-16238-0P
75R89912	RD-5-16239-0P
75R89922	RD-5-16240-0P
75R89934	RD-5-16243-0P
75R89942	RD-5-16244-0P
75R89954	RD-5-16245-0P
75R89962	RD-5-16246-0P
75R89972	RD-5-16247-0P
75R89982	RD-5-16248-0P
75R89992	RD-5-16249-0P
75R90001	RD-5-16215-0P
75R90002	RD-5-16216-0P
75R90012	RD-5-16250-0P
75R90022	RD-5-16450-0P
75R90032	RD-5-16451-0P
75R9004	RD-5-14066-0P
75R90042	RD-5-16452-0P
75R90052	RD-5-16453-0P
75R90062	RD-5-16454-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
75R90072	RD-5-16455-0P
75R90082	RD-5-16456-0P
75R90092	RD-5-16457-0P
75R90102	RD-5-16458-0P
75R90112	RD-5-16459-0P
75R90124	RD-5-16460-0P
75R90134	RD-5-16461-0P
75R9014	RD-5-14067-0P
75R90144	RD-5-16462-0P
75R9014D	RD-5-14067-1P
75R90152	RD-5-16463-0P
75R90162	RD-5-16464-0P
75R90172	RD-5-16465-0P
75R90182	RD-5-16466-0P
75R90192	RD-5-16467-0P
75R90202	RD-5-16468-0P
75R90212	RD-5-16469-0P
75R90222	RD-5-16470-0P
75R90232	RD-5-16471-0P
75R9024	RD-5-14068-0P
75R90242	RD-5-16472-0P
75R90252	RD-5-16477-0P
75R90262	RD-5-16478-0P
75R90272	RD-5-16479-0P
75R90284	RD-5-16480-0P
75R90292	RD-5-16481-0P
75R90302	RD-5-16482-0P
75R90312	RD-5-16483-0P
75R90322	RD-5-16484-0P
75R90322A	RD-5-16229-2P
75R90322Q	RD-5-15314-0P
75R90332	RD-5-16485-0P
75R9034	RD-5-14069-0P
75R90344	RD-5-16486-0P
75R90352	RD-5-16487-0P
75R90362	RD-5-16488-0P
75R90372	RD-5-16490-0P
75R90384	RD-5-16492-0P
75R90394	RD-5-16493-0P
75R90402	RD-5-16494-0P
75R90414	RD-5-16495-0P
75R90422	RD-5-16496-0P
75R90434	RD-5-16498-0P
75R9044	RD-5-14070-0P
75R90444	RD-5-16499-0P
75R90452	RD-5-16501-0P
75R90462	RD-5-16502-0P
75R90472	RD-5-16504-0P
75R90482	RD-5-16506-0P
75R90492	RD-5-16507-0P
75R90502	RD-5-16508-0P
75R90514	RD-5-16509-0P
75R9052	RD-5-14079-0P
75R90522	RD-5-16510-0P
75R90532	RD-5-16511-0P
75R90542	RD-5-16512-0P
75R90552	RD-5-16513-0P
75R90562	RD-5-16514-0P
75R90572	RD-5-16515-0P
75R90582	RD-5-16516-0P
75R90592	RD-5-16517-0P
75R9060	RD-5-5165-0P
75R90602	RD-5-16518-0P
75R90612	RD-5-16519-0P
75R9062	RD-5-14080-0P
75R90622	RD-5-16520-0P
75R90632	RD-5-16521-0P
75R90644	RD-5-16522-0P
75R90652	RD-5-16523-0P
75R90662	RD-5-16524-0P
75R90672	RD-5-16525-0P
75R90684	RD-5-16526-0P
75R90694	RD-5-16527-0P
75R90702	RD-5-16528-0P
75R90714	RD-5-16208-0P
75R9072	RD-5-14644-0P
75R90722A	RD-5-16529-2P
75R9072D	RD-5-14644-1P
75R90732A	RD-5-16530-2P
75R90742A	RD-5-16531-2P
75R90752A	RD-5-16532-2P
75R90764A	RD-5-16533-2P
75R90774A	RD-5-16534-2P
75R90784A	RD-5-15718-2P
75R90784Q	RD-5-15718-1P
75R90792A	RD-5-16535-2P
75R90802A	RD-5-16536-2P
75R90814A	RD-5-16537-2P
75R9082	RD-5-14645-0P
75R90842A	RD-5-16540-2P
75R90854A	RD-5-16541-2P
75R90862A	RD-5-16542-2P
75R90872A	RD-5-16543-2P
75R90882A	RD-5-15717-2P
75R90894A	RD-5-16544-2P
75R90902A	RD-5-16545-2P
75R90914A	RD-5-12553-2P
75R9092	RD-5-14646-0P
75R90922A	RD-5-16546-2P
75R9092D	RD-5-14646-1P
75R90934A	RD-5-15316-2P
75R90944A	RD-5-12905-2P
75R90952A	RD-5-16547-2P
75R90962A	RD-5-16548-2P
75R90974A	RD-5-16549-2P
75R90992A	RD-5-16605-2P
75R91002A	RD-5-16598-2P
75R91012A	RD-5-16602-2P
75R91024A	RD-5-16603-2P
75R91032A	RD-5-16600-2P
75R91044A	RD-5-16601-2P
75R91052A	RD-5-16604-2P
75R91072A	RD-5-16594-2P
75R91084A	RD-5-16597-2P
75R91092A	RD-5-16596-2P
75R91104A	RD-5-16595-2P
75R91112A	RD-5-16582-2P
75R9112	RD-5-16220-1P
75R9112D	RD-5-16220-0P
75R91162	RD-5-16209-0P
75R91212Q	RD-5-15733-1P
75R9132	RD-5-15735-1P
75R9400	RD-9-7303-0P
75R9500	RD-5-5126-0P
75R9535	RD-9-1076-0P
75R9550	RD-9-1318-0P
75R9565	RD-9-7387-0P
75R9595	RD-9-1115-0P
75R9612	RD-5-13248-0P
75R9612A	RD-5-13248-2P
75R9612Q	RD-5-13248-1P
75R9615	RD-9-1147-0P
75R9625	RD-9-1149-0P
75R9635	RD-9-1166-0P
75R9645	RD-9-1189-0P
75R9670	RD-5-5566-0P
75R9710	RD-9-7020-1P
75R9785	RD-9-7112-0P
75R9795	RD-9-7113-0P
75R9810	RD-9-7388-0P
75R9815	RD-9-7389-0P
75R9820	RD-9-7390-0P
75R9835	RD-9-7393-0P
75R9840	RD-9-7394-0P
75R9845	RD-9-7395-0P
75R9870	RD-9-7400-0P
75R9875	RD-9-7401-0P
75R9880	RD-5-15725-0P
75R9885	RD-5-15726-0P
75R9890	RD-5-6232-0P
75R9892	RD-5-16205-0P
75R9895	RD-9-1330-0P
75R9915	RD-5-15724-0P
75R9920	RD-9-9432-3P
75R9925	RD-5-15728-0P
75R9930	RD-5-15727-0P
75R9970	RD-9-1000-0P
75R9973	RD-9-7386-0P
75R9980	RD-9-1003-0P
75R9985	RD-9-1105-0P
76R0500	RD-1-0427-0P
76R1000	RD-1-0726-0P
76R1030	RD-1-0830-0P
76R1100	RD-1-0355-0P
76R1110	RD-1-0355-1P
76R1120	RD-1-0355-4P
76R1400	RD-1-0355-2P
76R1410	RD-1-0355-3P
76R1450	RD-1-0355-5P
76R1510	RD-1-0771-1P
76R1550	RD-1-1401-0P
76R1560	RD-1-1755-0P
76R1600	RD-1-0799-0P
76R1860	RD-1-1379-0P
76R1870	RD-1-1480-0P
76R1900	RD-1-0615-1P
76R2010	RD-1-0958-0P
76R2210	RD-1-0371-1P
76R2300	RD-1-0333-0P
76R2320	RD-1-0755-0P
76R2330	RD-1-0752-0P
76R2340	RD-1-0752-1P
76R2350	RD-1-0574-0P
76R2400	RD-1-0563-0P
76R2410	RD-1-0822-0P
76R2420	RD-1-1201-0P
76R2450	RD-1-0665-0P
76R2500	RD-1-0460-1P
76R2550	RD-1-1326-0P
76R2600	RD-1-0147-1P
76R2740	RD-1-2069-0P
76R3000	RD-1-0266-1P
76R3250	RD-1-0650-0P
76R3300	RD-1-0550-0P
76R3400	RD-1-0388-0P
76R3420	RD-1-1603-0P
76R3450	RD-1-0520-0P
76R3455	RD-1-1370-0P
76R3460	RD-1-0715-0P
76R3465	RD-1-2006-0P
76R3470	RD-1-1364-0P
76R3475	RD-5-14620-0P
76R3495	RD-5-14621-0P
76R3500	RD-1-0325-0P
76R3900	RD-1-0680-0P
76R3905	RD-3-10194-0P
76R3910	RD-1-0700-0P
76R3920	RD-1-1281-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
76R3925	RD-1-3912-0P
76R3930	RD-1-0744-0P
76R3940	RD-1-2079-0P
76R3943	RD-1-2379-0P
76R3950	RD-1-1919-0P
76R4020	RD-1-1748-0P
76R4023	RD-1-1965-0P
76R4100	RD-1-2333-0P
76R4200	RD-1-1478-0P
76R4300	RD-1-1614-0P
76R4305	RD-1-1975-0P
76R4310	RD-1-0552-0P
76R4900	RD-2-1633-0P
76R4920	RD-2-2047-0P
76R5000	RD-2-1510-0P
76R5030	RD-2-1909-0P
76R5200	RD-2-0993-1P
76R5300	RD-2-1664-0P
76R5320	RD-2-3251-0P
76R5323	RD-2-5661-0P
76R5500	RD-2-1195-0P
76R5700	RD-2-2885-0P
76R5820	RD-2-3413-0P
76R6015	RD-2-2791-0P
76R6020	RD-5-14622-0P
76R6040	RD-2-2928-0P
76R6070	RD-2-3773-0P
76R6120	RD-2-1660-0P
76R6130	RD-2-1898-0P
76R6150	RD-2-1402-0P
76R6160	RD-2-1862-0P
76R6180	RD-2-1480-1P
76R6185	RD-2-7179-0P
76R6310	RD-2-1272-0P
76R6325	RD-2-3832-0P
76R6350	RD-2-1316-0P
76R6440	RD-2-1650-0P
76R6500	RD-2-1051-0P
76R6550	RD-2-2495-0P
76R6650	RD-2-3070-0P
76R6655	RD-2-2780-0P
76R6668	RD-2-6298-0P
76R6700	RD-2-1156-0P
76R6850	RD-2-1485-0P
76R6950	RD-2-1381-0P
76R6960	RD-2-2502-0P
76R7010	RD-2-1610-0P
76R7020	RD-2-2775-1P
76R7030	RD-2-3008-0P
76R7060	RD-2-6513-0P
76R7070	RD-2-1370-0P
76R7100	RD-2-1121-2P
76R7450	RD-2-3923-0P
76R7505	RD-5-7847-0P
76R7510	RD-2-1655-0P
76R7520	RD-2-1616-0P
76R7530	RD-2-2423-0P
76R7535	RD-2-4032-0P
76R7550	RD-2-1766-0P
76R7555	RD-2-5125-1P
76R7560	RD-2-2440-0P
76R7570	RD-2-3321-0P
76R7580	RD-2-3395-0P
76R7710	RD-2-3398-0P
76R7712	RD-5-14624-0P
76R7715	RD-2-2897-0P
76R7720	RD-2-3410-0P
76R7725	RD-2-3629-0P
76R7730	RD-2-6299-0P
76R7735	RD-2-7284-0P
76R7740	RD-2-7285-0P
76R7745	RD-2-7297-0P
76R7750	RD-2-7298-0P
77R0090	RD-4-4440-0P
77R0095	RD-4-7278-0P
77R0110	RD-4-4069-1P
77R0115	RD-4-7279-0P
77R0250	RD-4-4144-2P
77R0260	RD-4-4130-0P
77R0350	RD-4-3586-0P
77R0355	RD-4-7280-0P
77R0500	RD-4-3874-1P
77R0530	RD-4-4400-0P
77R0534	RD-4-4400-1P
77R0560	RD-4-4232-0P
77R0570	RD-4-5146-1P
77R0580	RD-4-5462-0P
77R0585	RD-4-6343-0P
77R0590	RD-4-7385-0P
77R0620	RD-4-4738-0P
77R0630	RD-4-5122-0P
77R0635	RD-4-7281-0P
77R0650	RD-4-3724-0P
77R0660	RD-4-4724-0P
77R0665	RD-4-4931-0P
77R0670	RD-4-4414-0P
77R0675	RD-4-7282-0P
77R0700	RD-4-3945-0P
77R0705	RD-4-7020-0P
77R0710	RD-4-7018-0P
77R0715	RD-4-7283-0P
77R0720	RD-4-7284-0P
77R0800	RD-4-3646-0P
77R0900	RD-4-4161-0P
77R0950	RD-4-3916-0P
77R0990	RD-4-5045-0P
77R1100	RD-4-3917-0P
77R1105	RD-4-5762-0P
77R1275	RD-4-5722-0P
77R1277	RD-4-7131-0P
77R1279	RD-4-7306-0P
77R1280	RD-4-5377-0P
77R1282	RD-4-7337-0P
77R1285	RD-4-5361-0P
77R1290	RD-4-5378-0P
77R1295	RD-4-5503-0P
77R1300	RD-4-5418-0P
77R1305	RD-5-12051-0P
77R1310	RD-4-5379-0P
77R1320	RD-5-9560-0P
77R1325	RD-4-6091-0P
77R1330	RD-4-5709-0P
77R1335	RD-4-6812-0P
77R1502	RD-4-5990-0P
77R1504	RD-4-5990-1P
77R1512	RD-4-7083-0P
77R1514	RD-4-7083-0-24P
77R1632	RD-4-5700-1P
77R1634	RD-4-5700-1-24P
77R5250	RD-4-3682-0P
77R5260	RD-4-4377-0P
77R5263	RD-4-4972-0P
77R5550	RDG-7035-0P
77R5910	RD-4-3714-0P
77R6800	RD-4-3372-3P
77R6807	RD-4-5696-0P
77R6817	RD-4-5273-0P
77R6900	RD-4-3434-1P
77R6920	RD-4-3727-2P
77R6925	RD-4-3745-1P
77R6930	RD-4-3990-0P
77R6935	RD-4-4550-0P
77R6940	RD-4-4550-1P
77R6945	RD-4-4300-0P
77R6947	RD-4-4360-0P
77R6950	RD-4-5658-0P
77R6951	RD-4-6811-0P
77R6955	RD-4-4613-1P
77R6957	RD-5-12488-0P
77R6960	RD-4-4403-1P
77R6965	RD-4-4276-0P
77R6970	RD-4-5190-4P
77R6978	RD-4-6527-0P
77R6982	RD-4-7017-0P
77R6985	RD-4-6560-0P
77R6990	RD-4-4219-0P
77R6995	RD-4-7040-0P
77R7000	RD-4-4713-0P
77R7010	RD-4-5154-0P
77R7020	RD-4-5116-0P
77R7050	RD-4-5760-0P
77R7100	RD-4-4968-0P
77R7702	RD-4-5770-0P
77R7704	RD-4-5769-0P
77R7705	RD-4-7277-0P
77R7706	RD-4-5763-0P
77R7708	RD-4-5764-0P
77R7710	RD-4-5765-0P
77R7712	RD-4-5766-0P
77R7714	RD-4-5767-0P
77R7715	RD-4-6414-0P
77R7720	RD-4-7591-0P
77R7800	RD-4-3722-0P
77R7815	RD-4-5287-0P
77R7900	RD-4-3683-2P
77R8100	RD-4-3723-0P
77R8200	RD-4-3595-4P
77R8301	RD-4-5226-4P
77R8305	RD-4-7081-0P
77R8309	RD-4-7371-0P
77R8310	RD-4-7353-0P
77R8320	RD-4-7352-0P
77R8325	RD-4-7365-0P
77R8330	RD-4-7362-0P
77R8335	RD-4-7358-0P
77R8340	RD-4-7360-0P
77R8345	RD-4-7348-0P
77R8350	RD-4-7361-0P
77R8355	RD-4-7386-0P
77R8365	RD-4-7363-0P
77R8370	RD-4-7474-0P
77R8375	RD-4-7473-0P
77R8380	RD-4-7472-0P
77R8385	RD-4-7544-0P
77R8390	RD-4-7528-0P
77R8395	RD-4-7529-0P
77R8400	RD-4-7531-0P
77R8405	RD-4-7532-0P
77R8410	RD-4-7533-0P
77R8415	RD-4-7535-0P
77R8420	RD-4-7538-0P
77R8425	RD-4-7534-0P
77R8435	RD-4-7541-0P
77R8440	RD-4-7543-0P
77R8445	RD-4-7542-0P
77R8450	RD-4-7545-0P
77R8455	RD-4-7546-0P
77R8457	RD-4-7498-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
77R8460	RD-4-7547-0P
77R8465	RD-4-7496-0P
77R8470	RD-4-7501-0P
77R8475	RD-4-7502-0P
77R8480	RD-4-7503-0P
77R8485	RD-4-7504-0P
77R8490	RD-4-7552-0P
77R8495	RD-4-7551-0P
77R8497	RD-4-7499-0P
77R8799	RD-4-7500-0P
77R8800	RD-4-7497-0P
77R9000	RD-5-5403-0P
77R9005	RD-5-5403-2P
77R9010	RD-5-5403-1P
77R9015	RD-5-5403-3P
77R9020	RD-11-0054-0P
77R9025	1761
77R9027	1866
77R9030	RD-5-14081-0P
78R0040	RD-5-4680-0-BLKP
78R0050	RD-5-3657-0P
78R0070	RD-5-3550-120P
78R0075	RD-5-6532-120P
78R0090	RD-5-5938-0M
78R0100	RD-5-4187-0P
78R0101	RD-5-6304-600P
78R0110	RD-5-7582-600P
78R0200	RD-5-5122-108P
78R0250	RD-5-5123-108P
78R0300	RD-5-3930-108P
78R0350	RD-4156-108P
78R0400	RD-5-3927-108P
78R0451	RD-5-5010-600P
78R0451SP	RD-5-5010-0P
78R0452	RD-5-5012-600P
78R0452SP	RD-5-5012-0P
78R0456	RD-5-5006-600P
78R0456SP	RD-5-5006-0P
78R0458	RD-5-5008-600P
78R0458SP	RD-5-5008-0P
78R1025	RD-5-5015-4P
78R1027	RD-5-11864-1P
78R1070	RD-5-5406-2P
78R1077	RD-5-14072-0P
78R1470	RD-5-8012-0P
78R1505	RD-5-5014-1P
78R1605	RD-5-3789-8P
78R1705	RD-11-0092-2P
78R1805	RD-5-3789-9P
78R2100	RD-5-6683-0P
78R3000	RD-2-7322-0P
78R3001	RD-2-7323-0P
78R3002	RD-2-7299-0P
78R3003	RD-2-7300-0P
78R3004	RD-2-7301-0P
78R3005	RD-2-7302-0P
78R3006	RD-2-7303-0P
78R3007	RD-2-7304-0P
78R3008	RD-2-7511-0P
78R3009	RD-2-7598-0P
78R3010	RD-2-7599-0P
78R3011	RD-2-7597-0P
78R5000	RD-5-3905-0P
78R5003	RD-5-4288-0P
78R5004	RD-5-5152-0P
78R5005	RD-5-5151-0P
78R5006	RD-5-5150-0P
78R5007	RD-5-4289-0P
78R5008	RD-5-12975-0P
78R5100	RD-5-5147-0P
78R5110	RD-5-5147-1P
78R5120	RD-5-15299-0P
78R5125	RD-5-15300-0P
78R5130	RD-5-15301-0P
78R5135	RD-5-15302-0P
78R5140	RD-5-15303-0P
78R5145	RD-5-15304-0P
78R5150	RD-3-5065-0P
78R5155	RD-5-15546-0P
78R5160	RD-5-15547-0P
78R5165	RD-5-15570-0P
78R5169	RD-5-15327-2P
78R5170	RD-5-15327-0P
78R5171	RD-5-15327-1P
78R5172	RD-5-15350-0P
78R5173	RD-5-15350-1P
78R5174	RD-5-15350-2P
78R5180	RD-5-15334-0P
78R5200	RD-5-5431-0P
78R5210	RD-5-5432-0P
78R5235	RD-5-10593-0P
78R5236M	RD-5-10077-1P
78R5237M	RD-5-11841-1P
78R5239	RD-5-11224-0P
78R5240	RD-5-8582-0P
78R5241	RD-3-8777-0P
78R5242	RD-5-12354-0P
78R5243	RD-3-9805-0P
78R5244M	RD-5-10076-1P
78R5245M	RD-5-9130-1P
78R5246	RD-3-8416-0P
78R5247M	RD-5-10415-1P
78R5249M	RD-5-10080-1P
78R5250	RD-5-10416-0P
78R5251	RD-3-6407-0P
78R5252M	RD-5-10078-1P
78R5253M	RD-1-0860-1P
78R5254M	RD-5-10079-1P
78R5255M	RD-5-10082-1P
78R5256M	RD-5-10075-1P
78R5257M	RD-5-10081-1P
78R5258M	RD-5-10074-1P
78R5259M	RD-3-6406-1P
78R5290	RD-5-7262-0P
78R5291	RD-2-3683-0P
78R5300	RD-5-5937-0P
78R5301	RD-3-10331-0P
78R5302	RD-5-10774-0P
78R5304	RD-5-10776-0P
78R5306M	RD-5-10773-1P
78R5308	RD-5-10775-0P
78R5309	RD-5-10249-0P
78R5310M	RD-3-4804-1P
78R5315	RD-5-8105-0P
78R5318	RD-5-8668-0P
78R5320	RD-5-6124-0P
78R5330M	RD-3-6162-1P
78R5340	RD-5-6240-0P
78R5350	RD-5-6867-0P
78R5351	RD-5-10041-0P
78R5351M	RD-5-10041-1P
78R5353M	RD-5-10795-1P
78R5355	RD-3-10591-0P
78R5360M	RD-5-8076-1P
78R5361M	RD-5-9234-1P
78R5363M	RD-5-9233-1P
78R5367	RD-3-10847-0P
78R5370	RD-3-6408-0P
78R5375	RD-5-8106-0P
78R5380	RD-5-8079-0P
78R5385	RD-5-15285-0P
78R5390	RD-3-7099-0P
78R5400M	RD-5-5428-1P
78R5410M	RD-5-9077-1P
78R5420M	RD-5-10745-1P
78R5435	RD-5-12936-0P
78R5440	RD-5-15282-0P
78R5450	RD-5-14695-0P
78R5455	RD-5-14693-0P
78R5460	RD-5-14694-0P
78R5465	RD-3-8821-0P
78R5470M	RD-3-9158-2P
78R5500	RD-5-6427-1P
78R8451	RD-5-10506-600P
78R8451SP	RD-5-10506-0P
78R8452	RD-5-10507-600P
78R8452SP	RD-5-10507-0P
78R8456	RD-5-10504-600P
78R84566SP	RD-5-12647-0P
78R8456SP	RD-5-10504-0P
78R8458	RD-5-10505-600P
78R8458SP	RD-5-10505-0P
78R8806	RD-5-9820-0P
78R8808	RD-5-9821-0P
78R8810	RD-5-9822-0P
78R8812	RD-5-9823-0P
78R9461	RD-5-12110-600P
78R9461SP	RD-5-12110-0P
78R9462	RD-5-12112-600P
78R9462SP	RD-5-12112-0P
78R9464	RD-5-12114-600P
78R9466	RD-5-12106-600P
78R9466SP	RD-5-12106-0P
78R9468	RD-5-12108-600P
78R9468SP	RD-5-12108-0P
78R9600	RD-5-4021-0M
79R0020	RD-5-7106-0M
79R0030	RD-5-10908-0M
79R0100	RD-5-9900-96P
79R0101	RD-5-11081-0P
79R0102	RD-5-7747-96P
79R0105	RD-5-11143-0P
79R0109	RD-5-11146-0P
79R0115	RD-5-14063-0P
79R0120	RD-5-11580-0P
79R0122	RD-5-15353-0P
79R0170	RD-5-11154-0P
79R0180	RD-5-11153-0P
79R1150	RD-5-10209-0P
79R1255	RD-5-11113-0P
79R1502	RD-5-7788-0P
79R1503	RD-5-7787-0P
79R1504	RD-5-7786-0P
79R1505	RD-5-8481-0P
79R1520	RD-5-7731-0P
79R1525	RD-5-7732-0P
79R1531	RD-5-11230-0P
79R1532	RD-5-11231-0P
79R1536	RD-5-11227-0P
79R1538	RD-5-11228-0P
79R1541	RD-5-11229-0P
79R1546	RD-5-11226-0P
79R1560	RD-5-11225-0P
79R1565	RD-5-11232-0P
79R1650	RD-5-9808-0P
79R1660	RD-5-11135-0P
79R1681	RD-5-10016-0P
79R1710	RD-5-8291-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
79R1730	RD-5-11117-0P
79R1800	RD-5-11114-0P
79R1815	RD-5-11121-0P
79R1911	RD-5-11562-0P
79R1914	RD-5-11561-0P
79R2925	RD-5-11125-0P
79R3120	RD-5-11104-0P
79R3125	RD-5-11105-0P
79R3127	RD-5-11106-0P
79R3161	RD-5-11093-0P
79R3163	RD-5-11092-0P
79R3165	RD-5-11091-0P
79R3171	RD-5-11096-0P
79R3172	RD-5-11099-0P
79R3173	RD-5-11095-0P
79R3174	RD-5-11098-0P
79R3175	RD-5-11094-0P
79R3176	RD-5-11097-0P
79R3178	RD-5-11102-0P
79R3179	RD-5-11103-0P
79R3576	RD-5-11365-0P
79R3578	RD-5-15352-0P
79R4006	RD-5-11148-0P
79R4007	RD-5-11123-0P
79R4008	RD-5-11138-0P
79R4040	RD-5-11118-0P
79R4060	RD-5-14061-0P
79R4400	RD-5-4058-360P
79R4550	RD-5-5916-0P
79R4561	RD-5-9633-0P
79R4562	RD-5-9634-0P
79R4563	RD-5-9635-0P
79R4580	RD-5-7103-0P
79R4585	RD-5-7166-0P
79R4587	RD-5-13221-0P
79R4595	RD-5-8062-0P
79R4597	RD-5-11568-0P
79R4600	RD-5-8958-0P
79R4650	RD-5-10206-0P
79R4655	RD-5-10207-0P
79R4660	RD-5-14082-0P
79R4685	RD-5-15571-0P
79R4710	RD-5-11327-0P
79R5033	RD-5-10487-0P
79R5035	RD-5-13225-0P
79R5901	RD-5-11043-0P
79R6700	RD-5-7242-0P
79R6710	RD-5-14090-0P
79R6720	RD-5-14089-0P
79R8915	RD-5-10718-0P
79R8916	RD-5-11372-0P
79R8920	RD-5-10717-0P

AFTERMARKET NUMBER	RED DOT FACTORY NUMBER
79R8926	RD-5-13543-0P
79R8930	RD-5-10739-0P
79R8931	RD-5-10740-0P
79R8940	RD-5-9986-0P
79R8945	RD-5-12674-0P
79R8950	RD-5-12676-0P
79R9516	RD-5-8895-0P
79R9521	RD-5-8897-0P

Index

402284	62
404968	62
406334	61, 62
406433	60
406434	60
407368	62
407800	62
407801	62
407813	62
450813	62
450828	62
450829	62
504019	62
70R2006S	521
70R2011S	517
70R2012S	517
70R2016S	517
70R2018S	517
70R2031S	517
70R2036S	517
70R2038S	517
70R2061S	517
70R2062S	517
70R2066S	517
70R2068S	517
70R2071S	517
70R2072S	517
70R2076	517
70R2076S	517
70R2078S	517
70R2111S	518
70R2201	552
70R2206	552
70R2301	552
70R2306	552
70R2402	518
70R2402S	518
70R2406	518
70R2406S	518
70R2408S	518
70R3001	528
70R3006	528
70R3008	528
70R3201	528
70R3206	528
70R3208	528
70R3256	528
70R3258	528
70R3406	528
70R3408	528
70R3500	83, 566
70R3510S	522
70R3530	566
70R3550	566
70R3590	566
70R3901	528
70R3906	528
70R3908	528
70R3912	528
70R4001S	519
70R4002S	519
70R4005S	523
70R4006	523
70R4006S	519
70R4008S	519
70R4091S	519
70R4092S	519
70R4096S	519
70R42390S	522
70R42396S	522
70R4301S	520
70R4302S	520
70R4306S	520
70R4308	520
70R4308S	520
70R4310S	522
70R4311S	522
70R4312S	522
70R4316S	522
70R4341	520
70R4341S	520
70R4342	520
70R4342S	520
70R4346S	520
70R4348S	520
70R4391	520
70R4391S	520
70R4392S	520
70R4396S	520
70R4398S	520
70R4402	521
70R4402S	521
70R4406S	521
70R4408S	521
70R4416S	521
70R4441S	521
70R4442	521
70R4442S	521
70R4446	521
70R4446S	521
70R4448	521
70R4448S	521
70R4491S	521
70R4492S	521
70R4496S	521
70R4498S	521
70R4501S	519
70R4502S	519
70R4506S	519
70R4508S	519
70R4541S	519
70R4591	519
70R4591S	519
70R4596	519
70R4596S	519
70R4598	519
70R4598S	519
70R4601S	524
70R4606	524
70R4606S	524
70R4608	524
70R4608S	524
70R4641	524
70R4641S	524
70R4646S	524
70R4691S	524
70R4696	524
70R4696S	524
70R4698	524
70R4698S	524
70R4701S	524
70R4706S	524
70R4791S	524
70R4796S	524
70R4798	523
70R4798S	523
70R4991	521
70R4996	521
70R5000	549
70R5005	550
70R5010	549
70R5020	343, 353, 355, 357, 383, 385, 387, 389, 391, 393, 395, 550
70R5022	115, 551
70R5024	115, 551
70R5026	115, 551
70R5031	115, 551
70R5032	115, 551
70R5033	115, 551
70R5034	115, 551
70R5035	551
70R5056	528
70R5091S	524
70R5100	422, 528
70R5103	528
70R5105	528
70R5110	422, 528
70R5115	422, 528
70R5120	422, 528
70R5125	422, 528
70R5501	130, 548
70R5502	130, 548
70R5503	130, 548
70R5504	130, 548
70R5506	548
70R5550	529
70R5565	529
70R5600	529
70R5650	529
70R5701	529
70R5702	529

70R5706	529
70R5708	529
70R5718	529
70R5770	529
70R6001S	523
70R6006	523
70R6006S	523
70R6008S	523
70R6091S	523
70R6096	523
70R6096S	523
70R6098S	523
70R6446S	522
70R6491S	522
70R6492S	522
70R6496	522
70R6496S	522
70R6498S	522
70R6501	523
70R6506	523
70R6508	61, 523
70R6598S	522
70R7001S	521
70R7002S	521
70R7006S	521
70R7008S	521
70R7050	528
70R7100	529
70R7110	64, 529
70R7115	529
70R7150	529
70R7170	529
70R7175	529
70R7200	529
70R7250	529
70R7270	529
70R7310	529, 541
70R7500	529
70R7550	529
70R7600	67, 529
70R7650	67, 529
70R7750	529
70R8001	508
70R8002	508
70R8006	508, 514, 515
70R8008	508
70R8061	505, 514
70R8062	505, 514
70R8066	505
70R8068	505, 514
70R8071	510
70R8086	510
70R8088	510
70R8091	506, 514, 515
70R8092	506
70R8096	506
70R8098	506, 514, 515
70R8198	506
70R8201	506
70R8208	506
70R8211	505
70R8212	505, 514, 515
70R8216	505
70R8218	505, 514, 515
70R8221	506
70R82251	507
70R82252	507
70R82256	507
70R82258	507
70R8226	506
70R82261	507
70R82511	507
70R8261	505, 514, 515
70R8271	505, 514, 515
70R8272	505, 514, 515
70R8276	505
70R8278	505, 514, 515
70R8281	505
70R8282	505
70R8288	505
70R8291	505
70R8292	505, 514
70R8296	505
70R8298	505
70R8301	507, 514, 515
70R8302	507
70R8306	507, 514, 515
70R8308	507
70R8341	507
70R8346	507
70R8348	507
70R8398	508
70R8420	622
70R8511	510, 514, 515
70R85201	509
70R85202	509
70R85206	509
70R85212	509
70R85222	509
70R85301	509
70R85311	510
70R85312	510
70R85321	509
70R85326	509
70R85336	509
70R8551	510, 514, 515
70R8556	510, 514, 515
70R8558	510, 514, 515
70R8591	510
70R8598	508
70R8601	507, 514, 515
70R8602	507, 514, 515
70R8606	507, 514, 515
70R8608	507, 514, 515
70R8621	506
70R8641	507
70R8642	507
70R8646	507
70R8648	507
70R8681	508
70R8688	508
70R8691	507, 514, 515
70R8692	507, 514, 515
70R8696	507, 514, 515
70R8698	507, 514, 515
70R8701	507, 514, 515
70R8706	507, 514, 515
70R8708	507, 514
70R8711	507, 514, 515
70R8716	507
70R8761	506
70R8781	508, 514, 515
70R8786	508, 514
70R8788	508
70R8791	507, 514, 515
70R8796	507, 514, 515
70R8798	507, 514
70R8801	512, 603
70R8802	512, 603
70R8806	512, 603
70R8808	512, 603
70R8821	512, 603
70R8822	512, 603
70R8826	512, 603
70R8828	512, 603
70R8881	510
70R8886	510
70R8888	510
70R8891	506
70R8996	506
70R8998	506
70R9001S	526
70R9011S	525
70R9012S	525
70R9016S	525
70R9018S	525
70R9071S	525
70R9072S	525
70R9076S	525
70R9078S	525
70R9091S	526
70R9301S	525
70R9306S	525
70R9308S	525
70R9312S	525
70R9391S	525
70R9392S	525
70R9396S	525
70R9398S	525
70R9401S	525
70R9402S	525
70R9408S	525
70R9491S	525
70R9492S	525
70R9496S	525
70R9498S	525
70R9701S	526
70R9706S	526
70R9708S	526
70R9791S	526
70R9796S	526
70R9901S	525
70R9902S	525
70R9903	514
70R9904	515
70R9906S	525
70R9908S	525
70R9991S	525
70R9996S	525
70R9998S	525
71R0010	61, 118, 162, 193, 222, 582
71R0030	575
71R0040	575
71R0050	67, 582
71R0100	64, 118, 582
71R0150	148, 582
71R0200	61, 162, 582
71R0250	148, 582
71R0260	582
71R0300	148, 582
71R0350	582
71R0400	61, 162, 222, 582, 583
71R0450	162, 582, 583
71R0453	148, 582, 583
71R0460	582, 583
71R0470	163, 582, 583
71R0475	582, 583
71R0480	134, 582, 583
71R0485	582, 583
71R0487	181, 582, 583
71R0500	148, 579
71R0512	579
71R0522	579
71R0532	579
71R0550	148, 162, 579
71R0600	148, 579
71R0650	579
71R0840	193, 579
71R0852	579
71R0854	579, 580
71R0862	579, 580
71R0872	579, 580
71R0884	579, 580
71R0892	579, 580
71R1150	58, 59, 61, 62, 66, 71, 118, 134, 148, 162, 163, 203, 581
71R1160	60, 118, 134, 162, 177, 193, 203, 294, 295, 581

71R1163	205, 212, 235, 251, 252, 254, 258, 261, 282, 284, 294, 295, 581
71R1165	118, 581
71R1167	581
71R1175	163, 581
71R1200	235, 581
71R1210	67, 118, 162, 203, 205, 212, 235, 581
71R1262	471
71R1300	148, 177, 573
71R1310	148, 177, 573
71R1315	148, 177, 573
71R1320	573
71R1325	573
71R1330	573
71R1401	279, 281, 287, 290, 292, 293, 320-323
71R1402	255, 269, 320-323
71R1403	221, 231, 320, 321, 323
71R1404	287, 290, 320, 321, 323
71R1405	320, 323
71R1450	58-63, 71, 118, 162, 177, 193, 221, 231, 255, 269, 271, 274, 299, 300, 577
71R1455	118, 287, 290, 299, 300, 577
71R1457	118, 133, 147, 177, 193, 577
71R1462	133, 162, 577
71R1463	162, 177, 193, 577
71R1465	207, 255, 269, 577
71R1467	577
71R1470	133, 578
71R1472	578
71R1475	133, 577
71R1477	133, 577
71R1480	255, 269, 578
71R1485	221, 231, 255, 269, 578
71R1510	177, 578
71R1520	578
71R1530	578
71R1610	118, 148, 160, 177, 575
71R1620	148, 160, 163, 575
71R1652	147, 162, 573
71R1654	573
71R1702	106, 118, 147, 162, 176, 192, 202, 257, 269, 576
71R1704	147, 176, 202, 576
71R1722	106, 118, 176, 183, 192, 202, 576
71R1802	147, 576
71R1900	575
71R1902	63, 83, 576
71R1904	62, 63, 83, 576
71R1910	576
71R1912	62, 576
71R1914	576
71R2100	135, 164, 220, 247, 250, 254, 291, 600
71R2200	193, 600, 602
71R2250	58-61, 63, 135, 164, 203, 211, 216, 220, 231, 232, 238, 239, 247, 250, 254, 261, 270, 295, 297, 600
71R2300	135, 149, 164, 211, 216, 220, 231, 238, 247, 250, 254, 261, 270, 283, 284, 286, 297, 600
71R2305	193, 220, 250, 600
71R2310	216, 232, 254, 261, 600, 601
71R2400	600, 601
71R2600	298, 600, 601
71R2700	119, 135, 164, 203, 231, 254, 291, 600, 601
71R2800	135, 164, 600, 601
71R3100	59, 60, 135, 149, 164, 178, 211, 220, 231, 238, 250, 278, 600, 602
71R3125	231, 600, 602
71R3150	58, 119, 135, 231, 232, 290, 293, 600, 602
71R3155	193, 600, 602
71R3160	149, 178, 183, 600, 602
71R3200	58, 60, 62, 63, 135, 149, 164, 178, 203, 207, 231, 232, 234, 247, 270, 274, 281, 290, 293, 300, 600, 602
71R3220	193, 300, 600, 602
71R3300	135, 600, 602
71R3350	600, 602
71R3502	118, 163, 471
71R3504	163, 471
71R3540	231
71R3570	570
71R3571	92, 105
71R3572	570
71R3574	570
71R3575	165, 570
71R3576	570
71R3578	570
71R3579	570
71R3580	120, 570
71R3581	120, 570
71R3582	120, 570
71R3583	92, 107, 136, 151, 165, 570
71R3585	135, 570
71R3591	120
71R3593	570
71R3595	570
71R4010	574
71R4011	574
71R4015	58-61, 574
71R4020	574, 624
71R4030	574, 583
71R4035	574
71R4040	61, 62, 71, 574, 624
71R4050	66, 574, 581
71R4060	574
71R4063	574, 623
71R4065	574
71R4105	574
71R4501	160, 191, 591
71R4511	182, 590
71R5122	14, 18, 20, 22, 40, 468, 469
71R5212	18, 20, 468, 469
71R5600	14, 18, 20, 22, 40, 468, 469
71R5605	14, 18, 20, 22, 40, 468, 469
71R5812	18, 20, 22, 40, 468-470
71R5814	22, 40, 468-470
71R5815	14, 468, 469
71R5817	67, 468, 469
71R5819	64, 65, 70, 468, 469
71R5821	14, 66, 468, 469
71R5823	14, 468, 469
71R6020	131, 584, 585
71R6030	584, 585
71R6040	160, 175, 584, 585
71R6045	584, 585
71R6050	116, 160, 175, 218, 237, 589
71R6055	266, 584, 585
71R6060	146, 584, 585
71R6070	146, 160, 218, 237, 253, 285, 584, 585
71R6080	116, 175, 584, 585
71R6090	584, 585
71R6093	181, 584, 585
71R6095	181, 567, 584, 585
71R6100	175, 181, 584, 585
71R6110	131, 175, 584, 586
71R6115	584, 586
71R6120	584, 586
71R6125	160, 589
71R6130	584, 586
71R6135	234, 584, 586
71R6140	584, 586
71R6145	584, 586
71R6150	63, 229, 266, 589
71R6155	116, 181, 586
71R6157	177, 586
71R6160	175, 584, 586
71R6170	175, 584, 586
71R6175	586
71R6180	146, 175, 584, 587
71R6181	131, 584, 587
71R6183	131, 584, 587
71R6185	584, 587
71R6210	116, 266, 296, 584, 587
71R6220	116, 584, 587
71R6230	218, 253, 584, 587
71R6235	131, 587
71R6245	584, 587
71R6255	584, 587
71R6257	584, 587
71R6259	134, 581
71R6260	131, 587
71R6261	134, 581
71R6265	131, 589
71R6266	134, 589
71R6267	116, 589
71R6270	131, 588
71R6275	588
71R6280	183, 588
71R6300	589
71R6400	116, 146, 191, 595, 596
71R6402	595, 596
71R6405	116, 131, 146, 595, 596
71R6408	595, 596
71R6410	595, 596
71R6414	595, 596
71R6415	595, 596
71R6416	160, 595, 596
71R6418	595, 596
71R6420	595, 596
71R6422	595, 596
71R6424	191, 595, 596
71R6426	595, 597
71R6430	599
71R6434	595, 597
71R6438	595, 597
71R6442	191, 595, 597
71R6444	595-597
71R6445	595, 597
71R6448	598
71R6450	191, 595, 597
71R6451	599
71R6452	599
71R6453	191, 592
71R6454	599
71R6456	598
71R6458	598
71R6460	598
71R6463	598
71R6470	595, 597
71R6475	595, 597
71R6480	598
71R6500	598
71R6561	592
71R6563	592
71R6565	146, 160, 191, 592
71R6566	191, 592
71R6571	191, 592, 593
71R6573	191, 592, 593
71R6576	191, 592, 593
71R6578	191, 592, 593
71R6582	131, 596, 597
71R6584	131, 596, 597
71R6600	594
71R7000	160, 191, 590
71R7050	160, 182, 229, 234, 266, 273, 590
71R7073	146, 589
71R7075	62, 83, 229, 266, 278, 289, 589
71R7076	589
71R7077	116, 589
71R7500	116, 131, 146, 160, 175, 191, 201, 281, 591
71R7550	116, 131, 160, 175, 191, 285, 591
71R7600	146, 191, 591
71R7650	175, 191, 201, 285, 591

71R8050	128, 145, 200, 210, 227, 237, 244, 245, 253, 264, 301, 481
71R8060	210, 228, 245, 264, 296, 481
71R8080	128, 158, 206, 210, 217, 227, 237, 244, 264, 284, 298, 481
71R8090	176, 481
71R8100	92, 145, 158, 190, 200, 206, 210, 217, 227, 237, 244, 245, 253, 264, 284, 291, 296, 481
71R8210	217, 228, 237, 245, 264, 285, 296, 481
71R8220	190, 200, 210, 217, 228, 237, 245, 264, 285, 481
71R8301	58-62, 92, 105, 113, 128, 145, 158, 173, 182, 190, 200, 206, 209, 216, 226, 227, 236, 239, 244, 262, 263, 273, 277, 284, 288, 292, 295, 482, 483
71R8310	63, 482, 483
71R8321	61, 113, 158, 173, 190, 200, 206, 209, 216, 226, 236, 244, 252, 262, 263, 280, 284, 288, 299, 482, 483
71R8350	113, 482, 483
71R8370	113, 482, 483
71R8380	63, 114, 216, 263, 482, 483
71R8385	113, 158, 482, 483
71R8400	92, 244, 482, 483
71R8405	128, 176, 226, 482, 484
71R8415	128, 482, 484
71R8420	145, 173, 190, 482, 484
71R8423	262, 482, 484
71R8425	482
71R8430	145, 173, 482, 484
71R8440	176, 190, 482, 484
71R8450	145, 482, 484
71R8451	113, 114, 482, 484
71R8453	113, 482, 484
71R8455	113, 482, 484, 551
71R8457	113, 482, 484
71R8460	482, 485
71R8461	145, 482, 485
71R8465	128, 483, 485
71R8467	128, 158, 483, 485
71R8469	113, 483, 485
71R8475	114, 485
71R8477	113, 485
71R8479	486
71R8480	128, 483, 485
71R8481	128, 483, 485
71R8483	145, 483, 486
71R8485	114, 483, 486
71R8489	120
71R8491	487
71R8493	487
71R8497	487
71R8499	487
71R8500	105, 130, 265, 300, 487
71R8501	105, 487
71R8503	487
71R8504	174, 288, 293, 487
71R8505	174, 180, 206, 487
71R8506	228, 265, 487
71R8507	130, 487
71R8510	488
71R8945	487
71R8991	487
71R9002	118, 134, 148, 162, 177, 488
71R9004	20, 488
71R9300	488
72R0050	162, 175, 571
72R0070	175, 571
72R0100	571
72R0190	177, 571
72R0200	571
72R0210	571
72R0220	118, 571
72R0240	148, 162, 177, 571
72R0260	177, 571
72R0500	571
72R0600	177, 571
72R1100	107, 151, 572
72R1200	151, 165, 572
72R1210	151, 165, 572
72R1300	151, 165, 572
72R1310	165, 572
72R1502	148, 162, 572
72R1504	572
72R2000	545
72R2100	545
72R2105	545
72R2110	545
72R2120	545
72R2130	545
72R2140	545
72R2150	545
72R2160	545
72R2200	545
72R2250	545
72R2255	545
72R2300	545
72R2350	545
72R2351	545
72R2500	545
72R2600	545
72R2605	545
72R3000	545
72R3010	545
72R3020	545
72R3050	545
72R3100	545
72R3110	546
72R3111	546
72R3120	60, 61, 546
72R3130	62, 546
72R3135	58, 62, 546
72R3140	546
72R3149	546
72R3150	546
72R3151	546
72R3155	546
72R3157	65, 546
72R3200	546
72R3510	546
72R3530	546
72R3550	70, 546
72R3600	546
72R3601	67, 546
72R3603	67, 546
72R4010	546
72R4400	546
72R4500	546
72R4510	546
72R4530	547
72R4531	56, 91, 500, 501, 547
72R4532	65, 547
72R4533	547
72R4534	547
72R4535	547
72R4538	547
72R5040	150, 164, 203, 619
72R5050	106, 135, 150, 164, 233, 290, 619
72R5055	300, 619
72R5060	150, 293, 619
72R5070	619
72R5080	164, 619
72R5110	150, 619
72R5200	150, 178, 620
72R5203	233, 620
72R5204	233, 620
72R5210	164, 203, 620
72R5220	60, 62, 621
72R5230	59, 621
72R5240	71, 621
72R5250	59, 621
72R5260	150, 620
72R5270	178, 620
72R5280	621
72R5285	63, 270, 620
72R5350	270, 275, 620
72R5355	621
72R5360	620
72R5500	135, 619
72R5600	619
72R6400	150, 164, 622
72R6401	164, 622
72R6410	150, 622
72R6420	164, 178, 622
72R6421	150, 164, 622
72R6423	622
72R6425	622
72R6515	119, 621
72R6520	119, 178, 621
72R6525	233, 621
72R6530	178, 621
72R6533	119, 193, 621
72R6535	233, 621
72R6540	92, 103, 621
72R6547	233, 270, 621
72R6554	281
72R6562	270
72R7100	574, 623
72R7105	623
72R7110	470
72R7115	623
72R7125	623
72R7280	624
72R7290	624
72R7600	624
72R7700	624
72R8190	624
72R8200	624
72R8250	624
72R8255	624
72R8260	624
72R8265	624
72R8270	624
72R8275	624
72R8280	624
72R8300	624
72R8315	624
72R8360	624
72R8400	624
72R8410	624
72R9000	624
72R9005	62, 624
72R9010	541
72R9020	541
72R9030	541
72R9040	541
73R0012	93, 103, 256, 302, 304
73R0032	71, 93, 302, 304
73R0034	71, 93, 256, 303, 304
73R0042	166, 302, 304
73R0062	302, 304
73R0082	93, 302, 304
73R0092	122, 194, 208, 212, 251, 302, 304
73R0102	71, 208, 212, 240, 248, 302, 304
73R0104	71, 303, 304
73R0142	93, 103, 302, 304
73R0152	302, 305
73R0202	151, 194, 302, 305
73R0204	303, 305
73R0212	137, 208, 256, 302, 305
73R0322	93, 103, 151, 184, 302, 305
73R0332	93, 137, 166, 303, 305
73R0352	303, 305
73R0364	212, 221, 222, 303, 305
73R0402	122, 137, 151, 184, 194, 303, 305

73R0404	20, 93, 239, 256, 270, 271, 276, 303, 305
73R0414	103
73R0422	151, 166, 184, 194, 204, 235, 251, 282, 302, 306
73R0432	151, 194, 302, 306
73R0442	151, 166, 184, 194, 208, 235, 256, 302, 306
73R0454	137, 303, 306
73R0462	151, 184, 194, 302, 303, 306
73R0512	151, 256, 276, 303, 306
73R0514	256, 276, 303, 306
73R0522	208, 303, 306
73R0532	204, 212, 235, 251, 256, 303, 306
73R0534	303, 306
73R0542	184, 294, 303, 307
73R0544	83, 303, 307
73R0552	103, 137, 302, 307
73R0554	303, 307
73R0572	122, 302, 307
73R0602	151, 194, 282, 302, 307
73R0604	303, 307
73R0612	137, 166, 303, 307
73R0622	151, 303, 307
73R0642	94, 103, 302, 308
73R0652	302, 308
73R0654	94, 103, 303, 308
73R0702	302, 308
73R0912	137, 151, 248, 256, 302, 308
73R0922	151, 194, 303, 308
73R0962	151, 194, 302, 308
73R0982	107, 303, 308
73R0984	303, 308
73R0992	302
73R1002	194, 302, 309
73R1052	302, 309
73R1064	94, 98, 103, 303, 309, 329
73R2102	122, 184, 302, 309
73R2112	303, 309
73R2132	302, 309
73R2142	179, 302, 309
73R2152	303, 309
73R2162	302, 309
73R2222	303, 310
73R2242	303, 310
73R2262	151, 302, 310
73R3002	107, 184, 302, 310
73R3022	302, 310
73R3032	184, 303, 310
73R3052	107, 184, 302, 310
73R3062	107, 302, 311
73R3072	107, 179, 311
73R3082	302, 311
73R3092	179, 302, 311
73R3102	151, 302, 311
73R3112	122, 311
73R3122	107, 311
73R3132	122, 184, 311
73R3142	137, 166, 312
73R3162	122, 312
73R4062	151, 184, 313
73R4064	313
73R4102	222, 292, 313
73R4122	122, 313
73R4162	256, 313, 314
73R4182	95, 103, 122, 137, 166, 184, 208, 294, 313, 314
73R4202	313, 314
73R4204	313, 314
73R4242	95, 103, 256, 313, 314
73R4252	151, 256, 313, 314
73R4254	313, 314
73R4262	204, 313, 314
73R4264	59, 276, 313, 314
73R4274	221, 313, 314
73R4312	95, 184, 313, 315
73R4322	59, 95, 137, 184, 204, 212, 221, 235, 282, 294, 313, 315
73R4422	95, 103, 166, 313, 315
73R4424	95, 103, 256, 313, 315
73R4504	313, 315
73R4532	95, 103, 184, 313, 315
73R4602	313, 315
73R5502	61, 234, 320
73R5504	61, 320
73R5512	320, 321
73R5514	320, 321
73R5522	71, 320, 321
73R5524	320, 321, 323
73R5532	58, 59, 61, 71, 151, 182, 221, 299, 320, 321, 323
73R5534	58, 59, 61, 71, 287, 320, 321, 323
73R5552	63, 221, 256, 320, 321, 323
73R5554	63, 279, 320, 321, 323
73R5562	320, 322
73R5572	60, 320, 322
73R5574	320, 322
73R5584	60, 320
73R5622	58, 299, 320, 322, 323
73R5624	287, 292, 320, 322, 323
73R5632	256, 320, 322
73R5634	256, 320, 322
73R5642	221, 287, 299, 320, 322
73R5652	184, 323
73R5772	104
73R6051	138, 153, 167, 185, 195, 326
73R6101	195, 326
73R6151	138, 153, 185, 326, 327
73R6230	138, 153, 195, 326, 327
73R6251	71, 138, 153, 185, 195, 326, 327
73R6253	129, 185, 326, 327
73R6270	326, 327
73R6300	59, 258, 276, 326, 327
73R6350	59, 276, 326, 327
73R6370	98, 103, 138, 167, 195, 326, 327
73R6381	153, 326, 327
73R6383	167, 326, 327
73R7000	138, 153, 167, 185, 258, 326, 328
73R7071	153, 185, 326, 328
73R7101	138, 153, 326, 328
73R7110	326, 328
73R7120	326, 328
73R7130	98, 103, 138, 167, 185, 205, 326, 328
73R7135	138, 326, 328
73R7151	59, 153, 167, 326, 328
73R7200	326, 329
73R7201	98, 326, 329
73R7202	98, 103, 326, 329
73R7210	326, 329
73R7215	129, 326, 328
73R7220	98, 104, 329
73R8050	71, 97, 103, 200, 255, 325
73R8081	255, 325
73R8100	59, 61, 83, 190, 325
73R8110	83, 325
73R8320	325
73R8554	316
73R8562	255, 316
73R8564	316, 317
73R8582	316, 317
73R8584	316, 317
73R8592	316, 317
73R8594	316, 317
73R8612	83, 316, 317
73R8614	83, 316, 317
73R8624	316, 318
73R8642	59, 63, 255, 316, 318
73R8644	59, 63, 316, 318
73R8652	316, 318
73R8654	87, 287, 316, 318, 465
73R8664	97
73R8674	97, 316, 318
73R8702	97, 316, 318
73R8712	104, 318
73R8722	104, 319
73R9052	96, 324
73R9054	324
73R9062	96, 103, 158, 174, 190, 324
73R9064	96, 103, 174, 324
73R9072	324
73R9082	96, 103, 324
73R9202	46, 52, 54, 56, 91, 501
73R9204	46, 52, 54, 56, 91, 501
74R0401	207, 210, 238, 267, 268, 557, 558
74R0450	106, 290, 556, 558
74R0455	556, 558
74R0462	62, 83, 229, 267, 278, 296, 556, 558
74R0470	229, 300, 556, 558
74R0475	104, 559
74R0480	99, 558
74R0485	99, 558
74R0495	558
74R0500	558
74R0907	117, 161, 210, 218, 238, 246, 250, 285, 296, 556, 559
74R1106	229, 286, 291, 556, 559
74R1407	192, 556, 559
74R1427	161, 192, 246, 286, 556, 559
74R1706	161, 281, 556, 559
74R1756	161, 192, 556, 559
74R1806	207, 238, 556, 559
74R1826	229, 267, 274, 556, 559
74R1836	161, 202, 556, 559
74R1846	556, 559
74R1856	161, 202, 556, 559
74R1866	83, 556, 560
74R1906	161, 202, 285, 556, 560
74R1956	161, 202, 556, 560
74R2002	147, 176, 557, 560
74R2006	176, 557, 560
74R2016	176, 557, 560
74R2026	557, 560
74R2106	117, 192, 210, 218, 219, 238, 246, 250, 285, 301, 556, 560
74R2306	246, 267, 296, 557, 560
74R2447	59, 62, 161, 229, 234, 268, 561
74R2527	238, 285, 296, 560
74R2537	161, 210, 218, 238, 246, 250, 268, 285, 560
74R2577	61, 161, 561
74R2586	183, 556, 561
74R2590	54, 59, 63, 83, 268, 556, 561
74R2596	161, 556, 561
74R2608	207, 238, 246, 286, 296, 556, 561
74R2616	238, 561
74R2668	556, 561
74R2677	202, 229, 556, 561
74R2706	132, 176, 556, 561
74R2716	566, 567
74R3077	58, 161, 557, 562
74R3107	161, 192, 207, 219, 286, 556, 562
74R3126	117, 562
74R3129	117, 557, 562
74R3137	202, 557, 562
74R3148	556, 562
74R3157	176, 238, 246, 556, 562
74R3309	132, 557, 562
74R3317	117, 557, 563
74R3318	147, 557
74R3323	117, 132, 557, 563
74R3324	557, 563
74R3325	557, 563
74R3328	117, 557, 563
74R3331	117, 229, 557, 563

74R3337	557, 563
74R3347	161, 192, 239, 556, 563
74R3357	147, 557, 563
74R3377	202, 557, 563
74R3450	132, 557, 563
74R3456	132, 557, 563
74R3477	557, 564
74R3517	229, 230, 298, 557, 564
74R3527	229, 230, 557, 564
74R3537	246, 285, 557, 564
74R4017	207, 210, 218, 219, 250, 254, 267, 296, 557, 564
74R4027	218, 219, 246, 250, 254, 267, 557, 564
74R4028	117, 564
74R4116	557, 564
74R4207	267, 268, 557, 564
74R4208	183, 564
74R4215	117, 557, 564
74R4216	565
74R4217	565
74R4218	117, 565
74R4219	147, 176
74R4220	176, 565
74R4230	565
74R4232	565
74R5050	269, 566, 567, 569
74R5061	165, 230, 269, 566, 567
74R5062	165, 567
74R5076	566, 568
74R5088	120, 132, 566, 568
74R5090	120, 132, 568
74R5093	566, 567
74R5095	179, 566, 568
74R5097	120, 566, 568
74R5100	566, 568
74R5101	566, 569
74R5102	566, 569
74R5103	566, 569
74R5401	120, 568
74R5405	120, 568
74R5600	566, 569
74R7210	183, 566
74R7220	566
74R8006	566, 569
75R0032	108, 334, 398
75R0042	334
75R0052	139, 167, 334, 335, 387
75R0062	331, 352
75R0072	331, 354
75R0082	258, 331, 354, 356
75R0092	331, 354
75R0172	108, 154, 331, 332
75R0182	108, 123, 139, 154, 167, 186, 196, 331, 332, 352
75R0192	139, 167, 186, 334, 335, 377, 387, 390, 394
75R0194	139, 334, 335, 388
75R0202	108, 123, 139, 154, 167, 186, 196, 205, 213, 223, 235, 240, 241, 248, 251, 258, 277, 282, 294, 334, 335, 398
75R0204	167, 258, 271, 334, 335, 398
75R0252	167, 331, 332, 354
75R0262	139, 167, 196, 258, 331, 332, 352
75R0274	279, 331, 332, 352, 354
75R0302	108, 122, 139, 337
75R0402	123, 223, 337
75R0422	186, 213, 223, 337
75R0452	108, 122, 154, 186, 208, 235, 240, 241, 248, 251, 252, 258, 277, 282, 291, 294, 337
75R0502	108, 122, 139, 167, 337, 338, 421
75R0512	108, 122, 139, 167, 337, 338
75R0522	108, 122, 139, 167, 337, 338
75R0612	108, 123, 139, 337, 338
75R0662	108, 123, 139, 337, 338
75R0682	108, 122, 139, 167, 337, 338, 421
75R1202	34, 108, 122, 139, 154, 167, 186, 208, 223, 240, 241, 258, 277, 337, 338, 421, 428, 430-433
75R1212	331, 332, 354, 356
75R1302	108, 139, 167, 196, 337, 338, 421
75R1342	122, 337, 339
75R1412	331, 332, 352, 354
75R1414	331, 332, 352, 354
75R1432	334, 335, 396
75R1512	334
75R1532	108, 139, 167, 186, 334, 335, 394
75R1542	213, 235, 240, 248, 258, 277, 294, 334, 335, 398
75R1652	108, 154, 186, 196, 337, 339
75R1832	186, 334, 336, 398
75R1842	167, 186, 334, 336, 388, 390, 394, 396
75R1852	186, 334, 336, 396, 398
75R1862	334, 336, 377, 387, 388, 398
75R4502	108, 123, 139, 154, 186, 196, 205, 208, 213, 223, 235, 240, 248, 251, 252, 258, 277, 282, 291, 294, 337, 339
75R4534	108, 123, 337, 339
75R4702	330
75R4732	330
75R4734	337, 339
75R4742	330
75R4782	331, 333, 354
75R4792	331, 333, 354
75R4802	122, 334, 336, 387, 396
75R4812	337, 339
75R5200	422
75R5201	422
75R5520	422, 548
75R5525	422, 548
75R5530	548
75R5535	548
75R5540	422
75R5555	422, 512, 603
75R5556	422, 512, 603
75R5560	422
75R5565	422
75R5570	422
75R5575	422
75R5580	548
75R5641	424
75R5648	424
75R5658	424
75R5661	424
75R5668	424
75R5671	424
75R5672	424
75R5678	424
75R5681	34, 424, 425, 428, 430-433
75R5688	34, 424, 425, 428, 430-433
75R5691	424, 425
75R5698	424, 425
75R5700	422
75R5705	422
75R5718	423-425
75R5721	424, 425
75R5722	424, 425
75R5728	424, 425
75R5731	424, 425
75R5738	424, 425
75R5761	424, 425
75R5768	424, 425
75R5801	423-425
75R5806	423
75R5808	423-425
75R5813	423
75R5814	423
75R5815	423
75R5819	423
75R5820	423
75R5824	423
75R5825	423
75R5832	423
75R5833	423
75R5834	423
75R5842	423
75R5852	423
75R5858	423
75R5878S	423
75R6000	426
75R6010	426
75R6015	426
75R6016	426
75R6017	426
75R6018	426
75R6020	426
75R6030	426
75R6040	426
75R6041	426
75R6500	427
75R6510	427
75R6530	427
75R6545	427
75R6550	427
75R7280	110, 124, 141, 154, 170, 187, 197, 421, 428, 430-433
75R7285	421
75R7285A	421
75R7290	110, 124, 141, 154, 170, 179, 187, 197, 241, 421
75R7295	209, 213, 421
75R7295A	421
75R7300	110, 421
75R7312	141, 170, 197, 421
75R7322	141, 169, 197, 421
75R7332	110, 141, 169, 197, 421
75R7342	421
75R7352	421
75R75201	511
75R75202	511, 514, 515
75R75208	511, 514, 515
75R75212	511, 514, 515
75R75218	511, 514, 515
75R75222	511
75R75228	511, 514, 515
75R8102	105, 124, 209, 213, 223, 236, 248, 259, 283, 343
75R81104	214, 249, 394, 400
75R81114	224, 394, 400
75R81134	224, 394, 400
75R81152	179, 384, 400
75R81162	179, 394, 400
75R81172	179, 384, 400
75R81184	224, 396, 400
75R81184Q	352, 362
75R81192	179, 242, 396, 400
75R81202	179, 396, 400
75R81212	109, 396, 400
75R81232	109, 110, 396, 400
75R81232Q	368
75R81252	179, 396, 400
75R81262	109, 396, 401
75R81274	224, 396, 401
75R81292A	362
75R81292Q	124, 352, 362
75R81302	109, 110, 396, 401
75R81302A	362, 401
75R81302Q	352, 362
75R81352	109, 124, 396, 401
75R81362	154, 187, 396, 401
75R81362A	401
75R81372	154, 187, 396, 401
75R81372Q	352, 362
75R81382	109, 396, 401
75R81392	179, 396
75R81402	224, 396, 401
75R81412	398, 401
75R81452	124, 141, 169, 197, 387, 401
75R81462	109, 214, 215, 242, 387, 401

75R81472Q	124, 141, 187, 352, 362
75R81482	141, 169, 187, 214, 242, 388, 401
75R81492	224, 396, 402
75R81502	124, 141, 169, 197, 388, 402
75R81512	109, 141, 169, 388, 402
75R81532	187, 388, 402
75R81552	109, 388, 402
75R81562	141, 169, 388, 402
75R81572	187, 390, 402
75R81612	109, 390, 402
75R81622	154, 392, 402
75R81622Q	352, 362
75R81632	141, 169, 394, 402
75R81632A	362, 402
75R81632Q	170, 352, 362
75R81642Q	141, 169, 352, 362
75R81652	154, 187, 398, 402
75R81652Q	352, 362
75R81662	141, 169, 394, 402
75R81662A	362, 402
75R81672	187, 392, 403
75R81682	187, 398, 403
75R81692	187, 392, 403
75R81732	187, 390, 403
75R81762	187, 387, 403
75R8184	283, 343
75R82102	392, 403
75R82132	392, 403
75R82142	287, 392, 403
75R82312	383, 403
75R82312A	403
75R82312Q	352
75R8252	295
75R83112	105, 154, 392, 403
75R83132	398, 403
75R83152	398, 403
75R8332	242, 398, 404
75R8354	260, 272, 398, 404, 431
75R8372	398, 404, 428, 430-433
75R8374	398, 404, 428, 430-433
75R8374Q	352, 362
75R8382	39, 110, 124, 141, 154, 169, 187, 209, 214, 224, 236, 242, 249, 260, 295, 398, 404, 428, 431-433
75R8382Q	170, 352, 362
75R8384	209, 214, 224, 236, 242, 249, 260, 272, 295, 398, 404, 428, 429, 431, 432
75R84112	214, 215, 242, 249, 396, 404
75R84114	214, 215, 249, 396, 404
75R84132	396, 404
75R84152	109, 169, 388, 404
75R84162	109, 169
75R84172	109, 396, 404
75R84182	109, 396, 404
75R84192	109, 396, 405
75R84212	109, 396, 405
75R8422	141, 154, 187, 197, 387, 405, 428-433
75R84232	109, 179, 398, 405
75R8424	277, 387, 405, 428-433
75R84292	141, 169, 394, 405
75R84292A	405
75R84302	387, 405
75R84302A	363
75R84302Q	124, 352, 363
75R84312	141, 169, 396, 405
75R8432	110, 141, 154, 170, 187, 197, 198, 398, 405
75R84352	179, 390, 405
75R84362	187, 388, 405
75R84382	154, 187, 398, 405
75R8442	392, 406
75R84452	187, 390, 406
75R84472	197, 388, 406
75R84482	187, 388, 406
75R84492	388, 406
75R84512	398, 406
75R84522	242, 387, 406
75R84532	109, 242, 387, 406
75R8454	388, 406
75R84552	242, 283, 387, 406
75R84562	387, 406
75R84572	242, 388, 406
75R84592	214, 224, 242, 249, 398, 407
75R84594	224, 396, 407
75R84612Q	352, 363
75R8462	187, 214, 299, 398, 407
75R84622	124, 154, 390, 407
75R84632	109, 394, 407
75R8464	390, 407
75R84654	287, 388, 407
75R84662	388, 407
75R84672	383, 407
75R84684	384, 407
75R8502Q	109, 141, 187, 352, 363
75R85032Q	260, 352, 363
75R8505	261, 351
75R8507	261, 351
75R8510	351
75R85102Q	352, 363
75R85112Q	352, 363
75R8512Q	109, 124, 141, 154, 169, 187, 197, 352, 363
75R85132Q	352, 363
75R8515	351
75R8520	351
75R8522Q	141, 154, 352, 363
75R8532A	363
75R8532Q	110, 124, 141, 154, 170, 187, 197, 352, 363
75R85332Q	352, 363
75R8542A	364
75R8542Q	352, 364
75R8544A	364
75R8544Q	352, 364
75R8552Q	110, 124, 154, 170, 187, 197, 352, 364
75R85632Q	352, 364
75R85642Q	364
75R85714Q	352, 364
75R85732Q	354, 364
75R85734Q	354, 364
75R85832Q	354, 364
75R85932Q	354, 364
75R86092Q	354, 364
75R8612A	364
75R8612Q	110, 124, 141, 154, 170, 187, 197, 354, 364
75R86132Q	182, 260, 354, 365
75R86134Q	354, 365
75R86142A	365
75R86142Q	216, 225, 260, 354, 365
75R86144A	365
75R86144Q	354, 365
75R8614A	365
75R8614Q	279, 354, 365
75R861522A	365
75R861522Q	354, 365
75R86152Q	354, 365
75R86162Q	354, 365
75R86172Q	354, 365
75R86182Q	354, 365
75R86194Q	354, 365
75R86202A	365
75R86202Q	354, 365
75R86212Q	354, 366
75R86222Q	354, 366
75R86232Q	354, 366
75R86322A	366
75R86322Q	354, 366
75R86324Q	354, 366
75R8632Q	110, 124, 141, 154, 170, 187, 197, 354, 366
75R86332Q	354, 366
75R8634Q	354, 366
75R8644Q	354, 366
75R8672A	366
75R8672Q	354, 366
75R8682A	366
75R8682Q	354, 366
75R8702A	367
75R8702Q	356, 367
75R8704Q	356, 367
75R8712A	367
75R8712Q	356, 367
75R8772	141, 169, 394, 407
75R8772Q	356, 367
75R8782A	367
75R8782Q	356, 367
75R8784A	367
75R8784Q	356, 367
75R8802Q	356, 367
75R8812Q	356, 367
75R8814Q	356, 367
75R8822A	368
75R8822Q	356, 368
75R89102A	384, 407
75R89112A	384, 408
75R89122A	383, 408
75R89132A	383, 408
75R89152A	394, 408
75R89162A	394, 408
75R89172A	394, 408
75R89182A	383, 408
75R89192A	384, 408
75R8920	261, 344
75R89204A	383, 408
75R8921	261, 344
75R89212A	398, 408
75R89222A	398, 408
75R89302	376, 377, 387, 408
75R89304	376, 377, 384, 409
75R89305	375-377
75R89310	110, 124, 375-377
75R89312	376, 377, 390, 409
75R89315	375-377
75R89320	375-377
75R89325	375, 376
75R89327	375, 377
75R89334	376, 377, 390, 409
75R89352	376, 377, 398, 409
75R89354	376, 377, 390, 409
75R89372	376, 377, 390, 409
75R89374	287, 376, 377, 390, 409
75R89384	376, 392
75R89392	376, 377, 392, 409
75R89394	376, 387, 409
75R89412	376, 409
75R89422	376, 377, 387, 409
75R89424	376, 377, 387, 409
75R89432	377, 392, 410
75R89462	376, 377, 387, 410
75R89474	376, 377, 392, 410
75R89484	376, 377, 392, 410
75R89492	169, 394, 410
75R89492A	368, 410
75R89502	383, 410
75R89502Q	169, 356, 368
75R89522	383, 410
75R89522A	368, 410
75R89522Q	169, 356, 368
75R89532	141, 383, 410
75R89532A	368, 410
75R89552	410
75R89552A	356, 368, 383, 410
75R89552Q	169, 368
75R89562Q	141, 169
75R89582Q	141, 169, 356, 368
75R89592A	368

75R89592Q	356, 368
75R89602	383, 410
75R89602Q	356, 368
75R89612	384, 411
75R89622A	368
75R89622Q	368
75R89632Q	356
75R89652	141, 169, 383, 411
75R89662	141, 383, 411
75R89744	394, 411
75R89752	124, 411
75R89762	124, 411
75R89774	411
75R89782A	356, 369
75R89782Q	369
75R89792	411
75R89812A	369
75R89812Q	356, 369
75R89822A	369
75R89832	412
75R89834Q	356, 369
75R89840Q	356, 369
75R89842	387, 412
75R89852	412
75R89852A	356, 369, 384, 412
75R89852Q	109, 369
75R89862	387, 412
75R89872	412
75R89872A	387, 412
75R89882	383, 412
75R89892	383, 412
75R89902	383, 412
75R89912	383, 412
75R89922	383, 412
75R89934	383, 412
75R89942	383, 412
75R89954	383, 413
75R89962	384, 413
75R89972	384, 413
75R89982	384, 413
75R89992	384, 413
75R90001	379
75R90002	379
75R90012	384, 413
75R90022	384, 413
75R90032	387, 413
75R90042	387, 413
75R90052	387, 413
75R90062	388, 413
75R90072	388, 413
75R90082	388, 414
75R90092	388, 414
75R90102	388, 414
75R90112	388, 414
75R90124	388, 414
75R90134	388, 414
75R9014	344, 345
75R90144	388, 414
75R9014D	345
75R90152	390, 414
75R90162	390, 414
75R90172	390, 414
75R90182	392, 414
75R90192	392, 414
75R90202	392, 415
75R90212	392, 415
75R90222	392, 415
75R90232	394, 415
75R9024	344, 345
75R90242	394, 415
75R9024D	345
75R90252	383, 415
75R90262	383, 415
75R90272	383, 415
75R90284	383, 415
75R90292	383, 415
75R90302	383, 415
75R90312	383, 415
75R90322	383, 416
75R90322A	394, 416
75R90332	383, 416
75R90344	383, 416
75R90352	384, 416
75R90362	384, 416
75R90372	384, 416
75R90384	384, 416
75R90394	384, 416
75R90402	384, 416
75R90412	384, 416
75R90422	384, 416
75R90434	384, 416
75R9044	344, 345
75R90444	384, 417
75R90452	384, 417
75R90462	384, 417
75R90472	384, 417
75R90482	387, 417
75R90492	387, 417
75R90502	387, 417
75R90514	387, 417
75R9052	344, 345
75R90522	388, 417
75R9052D	345
75R90532	388, 417
75R90542	390, 417
75R90552	390, 417
75R90562	390, 418
75R90572	390, 418
75R90582	390, 418
75R90592	390, 418
75R9060	428, 430-433
75R90602	390, 418
75R90612	392, 418
75R9062	344, 345
75R90622	392, 418
75R9062D	345
75R90632	392, 418
75R90644	392, 418
75R90652	392, 418
75R90662	392, 418
75R90672	392, 418
75R90684	394, 419
75R90694	369, 394
75R90702	394, 419
75R9072	110, 198, 344, 345
75R90722A	358, 369
75R9072D	345
75R90732A	358, 369
75R90742A	358, 369
75R90752A	358, 369
75R90764A	358, 369
75R90774A	358, 370
75R90784A	356, 370
75R90792A	358, 370
75R90802A	358, 370
75R90814A	358, 370
75R9082	110, 198, 344, 345
75R9082D	345
75R90842A	358
75R90854A	358, 370
75R90862A	358, 370
75R90872A	358, 370
75R90882A	358, 370
75R90894A	358, 370
75R90902A	360, 370
75R90914A	358, 370
75R9092	344, 345
75R90922A	360, 371
75R9092D	345
75R90934A	358, 371
75R90944A	358, 371
75R90952A	360, 371
75R90962A	360, 371
75R90974A	360, 371
75R90992A	371
75R91002A	360, 371
75R91012A	371
75R91024A	371
75R91032A	371
75R9104	345
75R91044A	371
75R9104D	345
75R91052A	372
75R91072A	360, 372
75R91084A	360, 372
75R91092A	360, 372
75R91104A	360, 372
75R91112A	360, 372
75R9112	346
75R9112D	346
75R91142	387, 419
75R91172	384, 392, 419
75R91182Q	358, 372
75R91184Q	358, 372
75R91192Q	358, 372
75R91194Q	358, 372
75R91202	384, 419
75R9122	346
75R9122D	346
75R9132	398
75R9400	431
75R9405	431
75R9410	431
75R9500	39, 432
75R9515	432
75R9530	34, 431
75R9535	429
75R9540	34, 431
75R9545	428
75R9550	431
75R9565	429, 430
75R9585	431
75R9595	432
75R9612	154, 419
75R9612A	419
75R9615	429
75R9622	419
75R9625	428
75R9635	429
75R9645	431
75R9670	428, 431-433
75R9710	431
75R9715	431
75R9785	428
75R9795	428
75R9805	431, 432
75R9810	429
75R9815	429, 430
75R9820	430
75R9835	428, 430-433
75R9840	429
75R9845	432
75R9870	428, 430-433
75R9875	432
75R9890	428
75R9892	398
75R9895	428
75R9970	429
75R9973	429, 430
75R9980	34, 431
75R9985	34, 431
76R0500	71, 530, 531
76R1000	61, 530, 531
76R1030	530, 531
76R1100	530, 531
76R1110	530, 532
76R1120	530, 532
76R1400	530, 532

76R1410	530, 532
76R1450	530, 532
76R1510	530, 532
76R1550	100, 103, 530, 532
76R1560	63, 530, 532
76R1600	530, 533
76R1710	530, 533
76R1860	62, 530, 533
76R1870	63, 530, 533
76R1900	159, 530, 533
76R2010	530, 533
76R2155	531, 533
76R2210	159, 531, 533
76R2300	159, 530, 534
76R2320	530, 534
76R2330	530, 534
76R2340	530, 534
76R2350	530, 534
76R2400	159, 201, 530, 534
76R2410	159, 531, 534
76R2420	201, 531, 535
76R2450	58, 159, 201, 530, 535
76R2500	201, 530, 535
76R2550	531, 535
76R2600	159, 530, 535
76R2730	530, 535
76R2740	58, 289, 530, 535
76R3000	530, 535
76R3250	530, 536
76R3300	159, 530, 536
76R3400	530, 536
76R3420	280, 530, 536
76R3450	530, 536
76R3455	265, 531, 536
76R3460	174, 530, 536
76R3465	60, 531, 536
76R3470	531, 537
76R3475	129, 531, 537
76R3495	174, 530, 537
76R3500	58, 59, 531, 537
76R3900	531, 537
76R3905	100, 103, 531, 537
76R3910	531, 537
76R3920	531, 537
76R3930	159, 531, 538
76R3940	100, 103, 531, 538
76R3943	100, 531, 538
76R3945	129
76R3950	100, 103, 531, 538
76R4000	531, 538
76R4020	58, 531, 538
76R4023	201, 531, 538
76R4100	289, 293, 530, 538
76R4200	265, 530, 539
76R4300	206, 531, 539
76R4305	206, 531, 539
76R4900	61, 472, 473
76R4920	62, 292, 472, 473
76R5000	144, 157, 472, 473
76R5030	472, 473
76R5200	58, 472, 474
76R5300	60, 472, 474
76R5320	472, 474
76R5323	472, 474
76R5500	59, 472, 474
76R5520	472, 474
76R5700	63, 472, 474
76R5820	63, 262, 472, 475
76R6015	62, 472, 475
76R6020	129, 530, 539
76R6040	61, 173, 472, 475
76R6070	472, 475
76R6120	113, 472, 475
76R6130	157, 199, 472, 475
76R6140	58
76R6150	113, 173, 199, 472, 475
76R6160	472, 475
76R6180	157, 472, 476
76R6310	199, 472, 476
76R6325	58, 288, 472, 476
76R6350	472, 476
76R6440	472, 476
76R6500	476
76R6550	262, 472, 476
76R6650	280, 472, 477
76R6655	262, 473, 477
76R6668	473, 477
76R6700	157, 472, 477
76R6850	173, 472, 477
76R6950	157, 189, 472, 477
76R6960	144, 173, 472, 477
76R7010	173, 472, 477
76R7020	472, 478
76R7030	262, 472, 478
76R7070	58, 59, 472, 478
76R7100	61, 472, 478
76R7450	288, 292, 472, 478
76R7505	473, 478
76R7510	157, 473, 478
76R7520	473, 479
76R7530	199, 473, 479
76R7535	199, 473, 479
76R7550	473, 479
76R7555	60, 479
76R7560	472, 479
76R7570	473, 479
76R7580	262, 473, 479
76R7700	473, 480
76R7710	473, 480
76R7712	127, 473, 480
76R7715	262, 472, 480
76R7720	205, 473, 480
76R7725	234, 472, 480
76R7730	173, 288, 299
76R7735	113, 472, 480
76R7750	473, 480
77R0090	292, 437, 441
77R0095	126, 437, 441
77R0110	226, 437, 441
77R0115	126, 437, 441
77R0250	85, 156
77R0260	85, 437, 441
77R0350	61, 437, 441
77R0355	126, 437, 442
77R0500	154, 437, 442
77R0530	85, 464
77R0560	156, 438, 442
77R0570	39, 156, 261, 438, 442
77R0580	172, 438, 442
77R0585	156, 189, 438, 443
77R0590	442
77R0620	59, 83, 226, 437, 443
77R0630	437, 443
77R0635	126, 437, 443
77R0650	10, 12, 30, 32, 35, 36, 87, 112, 189, 226, 437, 443, 466
77R0660	62, 437, 443
77R0665	172, 439, 444
77R0670	437, 444
77R0675	126, 437, 444
77R0700	22, 24, 26, 56, 438, 444
77R0705	172, 439, 444
77R0710	172, 438, 444
77R0715	126, 437, 445
77R0720	437, 445
77R0800	83, 438, 445
77R0900	437, 445
77R0950	87, 199, 438, 445, 466
77R0990	439, 445
77R1100	87, 438, 446, 466
77R1105	156, 439, 446
77R1275	288, 437, 446
77R1277	112, 180, 199, 446
77R1279	112, 446
77R1280	437, 446
77R1285	288, 437, 447
77R1290	63, 86, 226, 437, 447
77R1295	437, 447
77R1300	39, 280, 437, 447
77R1305	437, 447
77R1310	438, 448
77R1320	437, 448
77R1325	437, 448
77R1330	438, 448
77R1335	172, 439, 448
77R1405	438
77R1502	85, 464
77R1504	85, 86, 464
77R1512	85-87, 464-466
77R1514	85-87, 464-466
77R1524	85, 86, 464, 465
77R1602	85, 86, 464
77R1632	85, 87, 464, 465
77R1634	85, 87, 464, 465
77R1702	466
77R5250	439, 449
77R5260	439, 449
77R5263	439, 450
77R5910	156, 439, 450
77R6800	440, 450
77R6807	180, 439, 450
77R6817	199, 439, 450
77R6900	156, 438, 451
77R6920	440, 451
77R6925	440, 451
77R6930	438, 451
77R6935	439, 451
77R6940	439, 452
77R6945	144, 440, 452
77R6947	440, 452
77R6950	172, 438, 452
77R6951	438, 439, 452
77R6955	144, 438, 452
77R6957	144, 438, 453
77R6960	144, 440, 453
77R6965	439, 453
77R6970	144, 439, 453
77R6975	144, 439, 453
77R6978	112, 440, 453
77R6980	439, 454
77R6982	172, 439, 454
77R6985	144, 439, 454
77R6990	440, 454
77R6995	156, 439, 454
77R7000	126, 438, 454
77R7010	272, 437, 455
77R7020	272, 438, 455
77R7050	437, 455
77R7100	40, 42, 48, 226, 261, 438, 455
77R7702	156, 439, 455
77R7704	156, 438, 455
77R7705	126, 438, 456
77R7706	156, 439, 456
77R7708	156, 439, 456
77R7710	39, 156, 439, 456
77R7712	156, 438, 456
77R7714	156, 439, 456
77R7715	439, 457
77R7800	438, 457
77R7815	199
77R7900	226, 439, 457
77R8100	440, 457
77R8200	156, 440, 457
77R8301	144, 440, 457
77R8305	144, 172, 458
77R8309	126, 439, 458
77R8310	144, 172, 439, 458
77R8315	156, 439, 458

77R8320	156, 437, 459
77R8325	459
77R8330	144, 438, 459
77R8335	156, 438, 459
77R8340	156, 439, 459
77R8345	438, 459
77R8350	126, 438, 460
77R8355	112, 437, 460
77R8365	172, 439, 460
77R8370	182, 437, 460
77R8375	126, 439, 460
77R8380	438, 460
77R8385	226, 437, 460
77R8390	440, 461
77R8395	112, 438, 461
77R8400	112, 438, 461
77R8405	112, 439, 461
77R8410	112, 440, 461
77R8415	112, 438, 461
77R8420	105, 439, 461
77R8425	144, 438, 461
77R8435	112
77R8440	226, 438, 462
77R8445	226, 440, 462
77R8450	438, 462
77R8455	112, 180, 438, 462
77R8457	112
77R8460	112
77R8465	126, 144, 438, 462
77R8470	126, 438, 462
77R8475	126, 439, 462
77R8480	189, 438, 463
77R8485	189, 438, 463
77R8490	112, 189
77R8495	440, 463
77R9000	87, 466
77R9005	87, 466
77R9010	87, 466
77R9015	87, 466
77R9020	78, 87, 466
78R0030	542
78R0040	542
78R0050	542
78R0060	542
78R0063	542
78R0065	542
78R0070	541
78R0075	541
78R0090	541
78R0100	35, 36, 64, 67, 70, 529
78R0101	541
78R0200	542, 547
78R0250	14, 67, 542, 547
78R0300	67, 542, 547
78R0350	542, 547
78R0400	542, 547
78R0451	527, 540
78R0451SP	527, 540
78R0452	527, 540
78R0452SP	527, 540
78R0456	527, 540
78R0456SP	527, 540
78R0458	527, 540
78R0458SP	527, 540
78R1025	10, 12, 14, 22, 24, 26, 30, 32, 35, 36, 38, 540
78R1027	10, 12, 14, 22, 24, 26, 30, 32, 35, 36, 40, 42, 540
78R1070	10, 12, 22, 24, 26, 30, 32, 35, 36, 40, 42, 44, 540
78R1077	10, 12, 22, 24, 26, 28, 30, 32, 35, 36, 40, 42, 44, 48, 50, 540
78R1470	39
78R1505	28, 540
78R1605	46, 540
78R1705	35, 36, 40, 42, 48, 50, 56, 540
78R1805	52, 54, 540
78R2100	35, 36, 547
78R3000	542
78R3001	542
78R3002	543
78R3003	543
78R3004	543
78R3005	130, 543
78R3006	543
78R3007	543
78R3008	543
78R3009	544
78R3010	544
78R3011	544
78R5000	91, 495, 500
78R5003	500
78R5004	500
78R5005	500
78R5006	500
78R5007	500
78R5008	500
78R5100	46, 52, 54, 56, 91, 495, 500, 501
78R5110	46, 52, 54, 56, 91, 495, 500, 501
78R5150	26
78R5200	91, 495, 500
78R5210	46, 52, 54, 56, 91, 495, 500
78R5235	489, 490
78R5236M	121, 489, 490
78R5237M	115, 489, 490
78R5239	115
78R5240	280, 489, 490
78R5241	200, 489, 490
78R5242	190, 490
78R5243	228, 489, 490
78R5244M	489, 490
78R5245M	489, 491
78R5246	489, 491
78R5247M	489, 491
78R5249M	489, 491
78R5250	228, 491
78R5251	489, 491
78R5252M	489, 491
78R5253M	61, 489, 491
78R5254M	489, 491
78R5255M	121, 489, 491
78R5256M	101, 121, 489, 491
78R5257M	121, 489, 491
78R5258M	489, 492
78R5290	492
78R5291	489
78R5291M	492
78R5300	28, 46, 496
78R5301	289, 293
78R5304	121
78R5305	496
78R5305M	129, 489
78R5306M	102, 103, 121, 496
78R5308	121, 165, 200
78R5309	102, 103, 489, 492
78R5310M	61, 489, 492
78R5315	265
78R5318	228
78R5320	26, 228
78R5330M	35, 489, 492
78R5340	60, 489, 492
78R5350	62, 293, 492
78R5351	102, 103
78R5351M	489, 492
78R5353M	102, 489, 492
78R5355	58, 289
78R5360M	265, 489, 493
78R5361M	102, 489, 493
78R5363M	489, 493
78R5367	228
78R5370	52, 496
78R5375	265
78R5390	32, 489, 493
78R5400M	489, 493
78R5410M	489, 493
78R5420M	136, 489, 493
78R5430	115, 489, 494
78R5435	121, 494
78R5440	121, 494
78R5450	136, 494
78R5455	136, 494
78R5460	136, 165, 494
78R5470M	494
78R5500	91, 500, 541
78R8451	512, 514, 515, 540
78R8451SP	512, 540
78R8452	512, 514, 515, 540
78R8452SP	512, 540
78R8456	512, 514, 515, 540
78R8456SP	512, 540
78R8458	512, 514, 515, 540
78R8458SP	512, 540
78R9461	526, 540
78R9462	526, 540
78R9468	526, 540
78R9600	541
79R0020	618
79R0030	618
79R0100	542
79R0101	605, 606
79R0102	542
79R0105	618
79R0109	605
79R0120	605, 606
79R0138	471, 616
79R0150	471, 616
79R0170	607
79R0180	607
79R0190	613
79R0195	613
79R0225	471, 616
79R0258	471, 616
79R1150	616
79R1255	616
79R1502	527, 604
79R1503	527, 604
79R1504	527, 604
79R1505	527, 604
79R1520	527, 604
79R1525	527, 604
79R1531	527
79R1532	527, 604
79R1536	527, 604
79R1538	527, 604
79R1541	527, 604
79R1546	527, 604
79R1560	527, 604
79R1565	527, 604
79R1660	618
79R1710	614
79R1730	606
79R1800	609
79R1810	609
79R1815	609
79R1820	609
79R1825	609
79R1911	609
79R3120	608
79R3125	608
79R3127	608
79R3161	610
79R3162	610
79R3163	610
79R3164	610
79R3165	610
79R3166	610
79R3171	610

79R3172	610
79R3173	610
79R3174	610
79R3175	610
79R3176	610
79R3178	610
79R3179	610
79R3180	610
79R3182	610
79R3576	614
79R4006	605, 618
79R4007	618
79R4008	618
79R4060	611
79R4400	616
79R4550	615
79R4561	615
79R4562	615
79R4563	615
79R4580	615
79R4585	615
79R4587	615
79R4595	615
79R4597	422, 614
79R4600	617
79R4650	614
79R4655	614
79R4710	614
79R5035	616
79R5901	616
79R6700	617
79R8915	513, 514, 603
79R8916	513, 603
79R8920	504, 513, 603
79R8926	513, 603
79R8930	504, 513, 515, 603
79R8931	513, 603
79R8940	423, 613
79R8945	422, 528, 618
79R8950	551
79R9516	527, 604
79R9521	527, 604
R-2020-0-24P	67, 71
R-2020-0P	67, 71, 468
R-2300-0P	14, 58, 468
R-254-0-24P	64, 71, 468
R-254-0P	64, 71, 468
R-254-1P	64
R-254-4P	64, 468
R-2550-0P	18, 468
R-255-4P	468
R-270-0-24P	65, 468
R-270-0P	65, 468
R-290-0-24P	66, 71, 468
R-290-0P	66, 71, 468
R-290-4-24P	66, 468
R-290-4P	66, 71, 468
R-295-0-24P	66, 71, 468
R-295-0P	66, 71, 468
R-295-4P	66, 71, 468
R-297-0-24P	67
R-297-0P	67
R-3500-1P	69
R-3540-2P	69
R-4013HP	70, 71, 468
R-4122-9P	20, 468
R-4500-8-24P	44, 72, 83
R-4500-8P	44, 72, 83
R-5040-2P	58, 468
R-5040-4P	22, 58, 468
R-5040-6P	22, 468
R-5075-0-24P	26, 59
R-5075-0P	26, 59
R-6101-0-24P	28, 59
R-6101-0P	28, 59
R-6130-0P	70, 71, 468
R-6130-1P	70, 71, 468
R-6160-0-24P	32, 74, 83
R-6160-0P	32, 38, 74, 83
R-6260-1-24P	76, 83
R-6260-1P	76, 83
R-6840-0P	30, 60
R-7830-0-24P	32, 60
R-7830-0P	32, 60
R-8235-0P	34
R-8500-2-24P	35, 60
R-8820-1P	38, 39
R-8820-2P	38, 39
R-9520-0-24P	40, 468
R-9520-0P	40, 468
R-9530-0-24P	42, 60
R-9530-0P	42, 60
R-9530-1-24P	42
R-9530-1P	42
R-9715-11P	44, 61
R-9727-2P	46, 61
R-9730-0-24P	80
R-9730-0P	80
R-9750-10-24P	48
R-9750-10P	48, 61
R-9750-9-24P	48, 61
R-9750-9P	48, 61
R-9753-0-24P	62
R-9753-0P	62
R-9755-0-24P	50, 62, 323
R-9755-0P	50, 62
R-9757-0-24P	52, 62
R-9757-0P	52, 62
R-9777-0-24P	54, 63
R-9777-0P	54, 63
R-9777-1-24P	54
R-9777-1P	54, 63
R-9800-0-24P	56, 63
R-9800-0P	56, 63
RD-1-0352-0P	71
RD-1-0419-0P	67
RD-1-0552-0P	159
RD-1-0639-0P	64, 66, 547
RD-1-1545-0P	71
RD-1-1651-0P	14, 547
RD-1-1654-0P	65
RD-1-1965-0P	201, 531, 538
RD-2-0961-0P	46
RD-2-1060-0P	61
RD-2-1189-0P	59
RD-2-1206-0P	59
RD-2-1302-0P	28
RD-2-1398-0P	32
RD-2-1487-0P	60
RD-2-2701-0P	71
RD-2-2890-0P	59
RD-2-3279-0P	14, 547
RD-2-3515-0P	30
RD-2-3673-0P	30
RD-2-3674-0P	30
RD-3-10111-0P	40, 547
RD-3-10112-0P	40, 547
RD-3-10210-0P	54
RD-3-10478-0P	10
RD-3-10597-0P	10
RD-3-14448-0P	60, 320, 323
RD-3-14448-1P	60, 320, 323
RD-3-18633-0P	42, 60
RD-3-2547-0P	59
RD-3-2547-1P	59
RD-3-3133-1P	24
RD-3-3753-0P	59
RD-3-4058-0P	58, 194
RD-3-4784-0P	48, 50
RD-3-5448-0P	36
RD-3-5790-0P	46
RD-3-6060-0P	35, 547
RD-3-7254-1P	59
RD-3-7383-0P	60, 62, 63
RD-3-7383-1P	60, 62, 63
RD-3-7385-0P	470
RD-3-7646-0P	20
RD-3-8350-0P	470
RD-3-8783-0P	204, 221
RD-3-9137-0P	63
RD-3-9188-0P	624
RD-3-9706-0P	52
RD-4-3669-0P	78, 83
RD-4-3804-0P	83
RD-4-3882-0P	83
RD-4-4405-0P	85, 464
RD-4-4529-1P	74
RD-4-4548-1P	80
RD-4-5041-0P	83
RD-4-5121-0P	83
RD-4-5135-0P	76
RD-4-5341-0P	72
RD-4-5452-0P	85, 86, 464
RD-5-10028-0P	221, 231
RD-5-10179-0P	113, 483, 485
RD-5-10194-0P	181
RD-5-12358-0P	151
RD-5-12568-0P	356, 367
RD-5-12742-0P	62, 320, 323
RD-5-12742-24P	62, 320, 323
RD-5-13208-0P	411
RD-5-13259-0P	316, 317
RD-5-14085-0P	482, 485
RD-5-14087-0P	302
RD-5-15073-0P	483, 485
RD-5-15526-0P	419
RD-5-3860-4P	61
RD-5-3860-5P	61
RD-5-3894-1P	61, 83
RD-5-4031-0P	46
RD-5-4195-0P	61, 83
RD-5-4722-1P	74
RD-5-4743-0P	74
RD-5-5150-0P	91, 500
RD-5-5223-2P	59
RD-5-5505-33P	48, 61
RD-5-5982-1P	48
RD-5-6423-0P	46, 501
RD-5-7188-0-35M	487
RD-5-7523-0M	422
RD-5-7524-0M	422
RD-5-7999-1P	48, 61
RD-5-8060-3P	421
RD-5-8131-0P	470
RD-5-8292-0M	422
RD-5-8293-0M	422
RD-5-8412-0P	76
RD-5-8487-1P	578
RD-5-8622-0P	39
RD-5-8638-0P	110, 124, 141, 154, 170, 179, 187, 197, 421
RD-5-8641-0P	221, 255, 276
RD-5-8641-1P	221, 255, 276
RD-5-8785-4P	83
RD-5-8804-1P	164, 622
RD-5-8804-2P	622
RD-5-8885-0M	620
RD-5-8886-0M	624
RD-5-9001-0P	86
RD-5-9001-2P	85, 464
RD-5-9013-0P	59, 581
RD-5-9018-0P	85, 464
RD-5-9018-1P	86, 464
RD-5-9216-1P	470
RD-5-9872-0P	557
RD-6-4661-1P	177
RD-6-4797-1P	163, 471

RED DOT CORPORATION

AFTERMARKET WARRANTY POLICY

Units and Replacement Parts

Red Dot Corporation warrants its on and off highway air conditioners, heaters and replacement parts against any defects that are due to faulty material or workmanship for a period of one year from date of purchase or date of installation unless otherwise noted below.

In the event that a defect is discovered during the warranty period, Red Dot Corporation agrees that, at its option, it will repair, replace or credit the defective product, when returned, transportation prepaid, to Red Dot Corporation. Any product repaired or replaced under this warranty will be warranted only for the remainder of the original product warranty period.

This warranty does not apply to consumable products such as chemicals or oils or consumable components of a product, such as, but not limited to bulbs and filters.

To initiate warranty support, contact Red Dot Corporation or an authorized Red Dot Distributor or Dealer. Products may not be returned without a return goods authorization number (RGA#) from Red Dot Corporation.

Limitations

1. GENERAL CONDITIONS

a. No unit is guaranteed to maintain a specific temperature output or cab temperature since many variables in installation and geographical location affect this output.

b. It is common for installers to use components from several different manufacturers. If this component selection (e.g. inadequate condenser size) results in failure, the necessary repairs are not covered.

c. Many system failures are the result of poor installation practice (e.g. lack of proper hose brackets). Failures resulting from poor installation are not covered.

d. This warranty is the sole property of the original owner-user. A transfer of ownership shall terminate the warranty.

e. Red Dot Corporation reserves the right to make design improvements without any obligation to change units or parts previously manufactured.

f. Red Dot Corporation retains the right to inspect faulty parts at its factory and determine whether such parts are defective. No materials will be accepted by Red Dot without a Red Dot return goods authorization number (RGA#).

g. In no event shall Red Dot Corporation be liable for consequential damage or contingent liabilities, including, without limitation, such things as damage to vehicles, contents or product cargo; expenses for rental of other equipment; or expenses incurred arising from the failure of any unit or parts thereof to operate properly.

h. Alterations or modification, in any form, to a Red Dot unit or part thereof shall nullify and make void this warranty. The only exception is a modification with the express written approval of Red Dot Corporation's Director of Engineering.

2. COMPONENT LIMITATIONS

a. Receiver Driers or Accumulators will be allowed if a system charge is lost as a result of a warrantable Red Dot refrigerant related component failure. Receiver Driers and Accumulators are warranted against manufacturing defects and canister leaks for a period of one year.

b. Warranty coverage on thermal expansion valves (TXV) is limited to body leaks and/or internal malfunctions. This warranty is inapplicable if contaminates, such as refrigerant sealant, rust, or carbon sediment (caused by excessive system moisture as a result of lack of system maintenance) are present in the system or the malfunction is due to unauthorized adjustments or repairs.

c. Consumable product such as, but not limited to, filters, bulbs, chemicals and tools are warranted to be free of manufacture defects at time of sale.

3. WARRANTY REPAIRS

a. Warranty repairs shall be made only by an Authorized Red Dot Distributor, OEM Dealer or a service center considered competent by a Red Dot Authorized Distributor using Red Dot components.

b. Warranty repairs should be accomplished to put the air conditioner or heater in like new working order. Evaporator coils, heater cores or condensers must be replaced with new Red Dot components.

4. WARRANTY CLAIMS

a. Claims will be accepted only from Authorized Red Dot Warehouse Distributors or OEM Dealers.

b. Warranty claims will be paid based on the most current settlement schedule released by Red Dot. No allowance will be made for mileage, travel time, down time or related expenses.

5. EXCLUSIONS


This warranty does not cover defects caused by customer neglect, incorrect application, wiring, alteration or repairs made outside the company's factory. This warranty is the sole property of the original owner/user. A transfer of ownership shall terminate the warranty.

Limitation of Remedies

Some states within the United States do not allow the disclaimer of implied warranties and if this is true in your state the above limitation may not apply to you. This warranty gives you specific rights, and you may also have other rights that vary from state to state.

This warranty constitutes the final, complete and exclusive statement of warranty terms and no person is authorized to make any other warranties or representations on behalf of Red Dot Corporation.

This warranty supersedes all previous warranty policies expressed or implied and frees the manufacturer of any other obligation or liability including but not limited to consequential and incidental damages. The manufacturer will not assume or allocate any other liability in connection with the sale of Red Dot components.



Disposal Information

The symbol at left means that according to local laws and regulations your product shall be disposed of separately from standard waste.
When this product reaches its end of life, take it to a collection site designated by local authorities. The separate collection of your product at the time of disposal will help conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment.

RedDOT CORPORATION®

DISTRIBUTED BY:

PART NUMBER RD-5-7835-0P
495 Andover Park East, Seattle, WA 98188

RedDotCorp.com

© 2018 Red Dot Corporation. All rights reserved. PRINTED IN THE U.S.A.